Table 2
Summary of Wipe Sample Analytical Results
Moline Street PCB Site, Aurora, CO

Sample ID	Collection Date	Analyte	Analytical Results (µg/wipe [100 cm^2])	Reporting Limit
WP-70-D-W-5	10/15/2014	PCB-1016	ND	0.20
		PCB-1221	ND	0.20
		PCB-1232	ND	0.20
		PCB-1242	ND	0.20
		PCB-1248	0.46	0.20
		PCB-1254	0.19 J	0.20
		PCB-1260	ND	0.20
		PCB-1262	ND	0.20
		PCB-1268	ND	0.20
		Total PCBs	**0.65** J	
WP-71-D-W-5	10/15/2014	PCB-1016	ND	0.20
		PCB-1221	ND	0.20
		PCB-1232	ND	0.20
		PCB-1242	ND	0.20
		PCB-1248	0.40	0.20
		PCB-1254	0.14 J	0.20
		PCB-1260	ND	0.20
		PCB-1262	ND	0.20
		PCB-1268	ND	0.20
		Total PCBs	**0.54** J	
WP-72-B-N-0	10/24/2014	PCB-1016	ND	0.20
		PCB-1221	ND	0.20
		PCB-1232	ND	0.20
		PCB-1242	ND	0.20
		PCB-1248	0.36	0.20
		PCB-1254	0.15 J	0.20
		PCB-1260	ND	0.20
		PCB-1262	ND	0.20
		PCB-1268	ND	0.20
		Total PCBs	**0.51** J	

Table 2
Summary of Wipe Sample Analytical Results
Moline Street PCB Site, Aurora, CO

Sample ID	Collection Date	Analyte	Analytical Results (µg/wipe [100 cm^2])	Reporting Limit
WP-73-H-SE-0	10/24/2014	PCB-1016	ND	0.20
		PCB-1221	ND	0.20
		PCB-1232	ND	0.20
		PCB-1242	ND	0.20
		PCB-1248	0.70	0.20
		PCB-1254	0.61	0.20
		PCB-1260	ND	0.20
		PCB-1262	ND	0.20
		PCB-1268	ND	0.20
		Total PCBs	**1.31**	

Notes:

Sample ID: WP-1-D-W-5

WP = Wipe, 1 = Sample Number, D = Building D, W (or F) = W for Direction of Sampled Location or Floor, 5 = Approximate Height in Feet

µg/100 cm^2 = micrograms per square centimeter

FD = Field Duplicate

ND = Not Detected

PCB = polychlorinated biphenyl

J = Estimated Value

Table 3
Summary of Concrete Sample Analytical Results
Moline Street PCB Site , Aurora, CO

Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits
CON-1-D-N-0	9/24/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.34	0.10
		PCB-1254	0.40	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**0.74**	
CON-2-D-E-0	9/24/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.82	0.10
		PCB-1254	0.63	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**1.45**	
CON-3-D-W-0	9/24/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.54	0.10
		PCB-1254	0.38	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**0.92**	
CON-4-D-NW-0	10/2/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	2.4	1.0
		PCB-1254	3.6	1.0
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**6.0**	

Table 3
Summary of Concrete Sample Analytical Results
Moline Street PCB Site , Aurora, CO

Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits
CON-5-C-W-0	10/15/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.22	0.10
		PCB-1254	0.20	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**0.42**	
CON-5-C-W-0-FD	10/15/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	6.2	4.0
		PCB-1254	3.3	4.0
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**9.5**	
CON-6-C-E-0	10/15/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.36	0.10
		PCB-1254	0.69	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**1.05**	

Table 3
Summary of Concrete Sample Analytical Results
Moline Street PCB Site , Aurora, CO

Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits
CON-7-C-S-0	10/15/2014	PCB-1016	ND	0.10
		PCB-1221	ND	0.10
		PCB-1232	ND	0.10
		PCB-1242	ND	0.10
		PCB-1248	0.19	0.10
		PCB-1254	0.26	0.10
		PCB-1260	ND	0.10
		PCB-1262	ND	0.10
		PCB-1268	ND	0.10
		Total PCBs	**0.45**	

Notes:

Sample ID Explanation: CON-1-D-N-0

CON= Concrete, 1 = Sample Number, D = Building D, N = N for Direction of Sampled Location
0 = Height in Feet

FD= Field Duplicate

mg/kg = milligram per kilogram

ND = Not Detected

PCB = polychlorinated biphenyl

Table 5
Summary of Soil Sample Analytical Results - Excavation 1
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 1	EXC-6-B-F-3	9/10/2014	PCB-1016	ND	0.12	Result exceeded cleanup level of 100 mg/kg. Additional soil excavated. See step-out sample EXC-10.
			PCB-1221	ND	0.12	
			PCB-1232	ND	0.12	
			PCB-1242	ND	0.12	
			PCB-1248	160	24	
			PCB-1254	58	12	
			PCB-1260	ND	0.12	
			PCB-1262	ND	0.12	
			PCB-1268	ND	0.12	
			Total PCBs	**218**		
	EXC-6-B-F-3-FD	9/10/2014	PCB-1016	ND	0.13	
			PCB-1221	ND	0.13	
			PCB-1232	ND	0.13	
			PCB-1242	ND	0.13	
			PCB-1248	250	26	
			PCB-1254	89	13	
			PCB-1260	ND	0.13	
			PCB-1262	ND	0.13	
			PCB-1268	ND	0.13	
			Total PCBs	**339**		
	EXC-7-B-N-2.5	9/10/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.91	0.11	NA
			PCB-1254	0.40 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**1.31 J**		
	EXC-8-B-W-2.5	9/10/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.37	0.11	NA
			PCB-1254	0.14 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.51 J**		
	EXC-9-B-S-2.5	9/10/2014	PCB-1016	ND	0.12	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	38	6.0	NA
			PCB-1254	14 J	3.0	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**52 J**		

Table 5
Summary of Soil Sample Analytical Results - Excavation 1
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 1	EXC-10-B-E-2.5	9/10/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	3.3	0.55	NA
			PCB-1254	1.5 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**4.8** J		
	EXC-16-B-F-4	10/2/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	1.2	0.11	NA
			PCB-1254	0.66	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**1.86**		
	EXC-16-B-F-4-FD	10/2/2014	PCB-1016	ND	0.12	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	1.0	0.12	NA
			PCB-1254	0.49	0.12	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**1.49**		

Notes:

Sample ID Explanation: EXC-1-F-F-1.5

EXC= Excavation, 1 = Sample Number, F = Building F, F (N) = Floor or N for Direction of Sampled Location

1.5 = Approximate Depth Below Ground in Feet

mg/kg = milligram per kilogram

FD = Field Duplicate

NA = Not Applicable

ND = Not Detected

PCB = polychlorinated biphenyl

J - Estimated Value

Table 6
Summary of Soil Sample Analytical Results - Excavation 2
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 2	EXC-12-D-N-1	9/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.20	0.11	NA
			PCB-1254	0.15 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.35 J**		
	EXC-13-D-E-1	9/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.75	0.11	NA
			PCB-1254	1.6 J	0.55	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**2.35 J**		
	EXC-14-D-W-1	9/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.16	0.11	NA
			PCB-1254	0.21 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.37 J**		
	EXC-15-D-F-1	9/24/2014	PCB-1016	ND	0.12	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	0.28	0.12	NA
			PCB-1254	0.45 J	0.12	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**0.73 J**		

Notes:

Sample ID Explanation: EXC-1-F-F-1.5

EXC= Excavation, 1 = Sample Number, F = Building F, F (N) = Floor or N for Direction of Sampled Location

1.5 = Approximate Depth Below Ground in Feet

mg/kg = milligram per kilogram

FD = Field Duplicate

NA = Not Applicable

ND = Not Detected

PCB = polychlorinated biphenyl

J - Estimated Value

Table 7
Summary of Soil Sample Analytical Results - Excavation 3
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 3	EXC-1-F-F-1.5	9/10/2014	PCB-1016	ND	0.12	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	0.18	0.12	NA
			PCB-1254	0.19 J	0.12	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**0.37** J		
	EXC-2-F-S-1	9/10/2014	PCB-1016	ND	0.12	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	4.4 J	0.50	NA
			PCB-1254	2.3 J	0.12	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**6.7** J		
	EXC-3-F-W-1	9/10/2014	PCB-1016	ND	0.12	Preliminary result exceeded cleanup level of 25 mg/kg. Additional soil excavated. See step-out samples EXC-65 and EXC-71.
			PCB-1221	ND	0.12	
			PCB-1232	ND	0.12	
			PCB-1242	ND	0.12	
			PCB-1248	8.0 J	1.2	
			PCB-1254	14 J	2.4	
			PCB-1260	ND	0.12	
			PCB-1262	ND	0.12	
			PCB-1268	ND	0.12	
			Total PCBs	**22** J		
	EXC-4-F-N-1	9/10/2014	PCB-1016	ND	0.10	Result exceeded cleanup level of 25 mg/kg. Additional soil excavated. See step-out sample EXC-11.
			PCB-1221	ND	0.10	
			PCB-1232	ND	0.10	
			PCB-1242	ND	0.10	
			PCB-1248	97	10	
			PCB-1254	140 J	20	
			PCB-1260	ND	0.10	
			PCB-1262	ND	0.10	
			PCB-1268	ND	0.10	
			Total PCBs	**237** J		
	EXC-5-F-E-1	9/10/2014	PCB-1016	ND	0.10	NA
			PCB-1221	ND	0.10	NA
			PCB-1232	ND	0.10	NA
			PCB-1242	ND	0.10	NA
			PCB-1248	0.41	0.10	NA
			PCB-1254	0.63 J	0.10	NA
			PCB-1260	ND	0.10	NA
			PCB-1262	ND	0.10	NA
			PCB-1268	ND	0.10	NA
			Total PCBs	**1.04** J		

Table 7
Summary of Soil Sample Analytical Results - Excavation 3
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 3	EXC-11-F-N-1	9/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	17	2.2	NA
			PCB-1254	7.9 J	1.1	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**24.9** J		
	EXC-65-F-W-1	10/15/2014	PCB-1016	ND	0.10	NA
			PCB-1221	ND	0.10	NA
			PCB-1232	ND	0.10	NA
			PCB-1242	ND	0.10	NA
			PCB-1248	2.6	4.0	NA
			PCB-1254	4.8 J	4.0	NA
			PCB-1260	ND	0.10	NA
			PCB-1262	ND	0.10	NA
			PCB-1268	ND	0.10	NA
			Total PCBs	**7.4** J		
	EXC-65-F-W-1-FD	10/15/2014	PCB-1016	ND	0.10	NA
			PCB-1221	ND	0.10	NA
			PCB-1232	ND	0.10	NA
			PCB-1242	ND	0.10	NA
			PCB-1248	11	4.0	NA
			PCB-1254	19 J	4.0	NA
			PCB-1260	ND	0.10	NA
			PCB-1262	ND	0.10	NA
			PCB-1268	ND	0.10	NA
			Total PCBs	**30** J		
	EXC-71-F-W-1	10/24/2014	PCB-1016	ND	0.12	Preliminary result exceeded cleanup level of 25 mg/kg. Additional soil excavated. See step-out sample EXC-71.
			PCB-1221	ND	0.12	
			PCB-1232	ND	0.12	
			PCB-1242	ND	0.12	
			PCB-1248	9.3	2.4	
			PCB-1254	10 J	2.4	
			PCB-1260	ND	0.12	
			PCB-1262	ND	0.12	
			PCB-1268	ND	0.12	
			Total PCBs	**19.3** J		

Notes:

Sample ID Explanation: EXC-1-F-F-1.5

EXC= Excavation, 1 = Sample Number, F = Building F, F (N) = Floor or N for Direction of Sampled Location

1.5 = Approximate Depth Below Ground in Feet

mg/kg = milligram per kilogram

FD = Field Duplicate

NA = Not Applicable

ND = Not Detected

PCB = polychlorinated biphenyl

J - Estimated Value

Table 8
Summary of Soil Sample Analytical Results - Excavation 4
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 4	EXC-25-C-F-4	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.17	0.11	NA
			PCB-1254	ND J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.17** J		
	EXC-26-C-N-3	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	2.3	0.55	NA
			PCB-1254	0.29 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**2.59** J		
	EXC-27-C-E1-2	10/15/2014	PCB-1016	ND	0.12	Result exceeded cleanup level of 100 mg/kg. Additional soil excavated. See step-out sample EXC-66, EXC-67, and EXC-68.
			PCB-1221	ND	0.12	
			PCB-1232	ND	0.12	
			PCB-1242	ND	0.12	
			PCB-1248	2,500	480	
			PCB-1254	1,200 J	480	
			PCB-1260	ND	0.12	
			PCB-1262	ND	0.12	
			PCB-1268	ND	0.12	
			Total PCBs	**3,700** J		
	EXC-28-C-E2-3	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.20	0.11	NA
			PCB-1254	ND UJ	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.20** J		
	EXC-29-C-E3-3	10/15/2014	PCB-1016	ND	0.12	Result exceeded cleanup level of 100 mg/kg. Additional soil excavated. See step-out sample EXC-67, EXC-68, and EXC-69.
			PCB-1221	ND	0.12	
			PCB-1232	ND	0.12	
			PCB-1242	ND	0.12	
			PCB-1248	4,500	600	
			PCB-1254	2,200 J	600	
			PCB-1260	ND	0.12	
			PCB-1262	ND	0.12	
			PCB-1268	ND	0.12	
			Total PCBs	**6,700** J		

Table 8
Summary of Soil Sample Analytical Results - Excavation 4
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 4	EXC-30-C-S1-3	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.48	0.11	NA
			PCB-1254	0.24 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.72** J		
	EXC-31-C-S2-2	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.12	NA
			PCB-1232	ND	0.12	NA
			PCB-1242	ND	0.12	NA
			PCB-1248	0.65	0.12	NA
			PCB-1254	0.24 J	0.12	NA
			PCB-1260	ND	0.12	NA
			PCB-1262	ND	0.12	NA
			PCB-1268	ND	0.12	NA
			Total PCBs	**0.89** J		
	EXC-32-C-W1-2	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.058 J	0.11	NA
			PCB-1254	0.051 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.109** J		
	EXC-33-C-W2-1	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.27	0.11	NA
			PCB-1254	0.28 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.55** J		
	EXC-34-C-W3-3	10/15/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.075 J	0.11	NA
			PCB-1254	ND UJ	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.075** J		

Table 8
Summary of Soil Sample Analytical Results - Excavation 4
Moline Street PCB Site, Aurora, CO

Excavation	Sample ID	Collection Date	Analyte	Analytical Results (mg/kg)	Reporting Limits	Comments
Excavation 4	EXC-66-C-E1-3	10/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	0.21	0.11	NA
			PCB-1254	0.091 J	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**0.301** J		
	EXC-67-C-E2-3	10/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	ND	0.11	NA
			PCB-1254	ND UJ	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**ND** J		
	EXC-68-C-E3-3	10/24/2014	PCB-1016	ND	0.11	NA
			PCB-1221	ND	0.11	NA
			PCB-1232	ND	0.11	NA
			PCB-1242	ND	0.11	NA
			PCB-1248	ND	0.11	NA
			PCB-1254	ND UJ	0.11	NA
			PCB-1260	ND	0.11	NA
			PCB-1262	ND	0.11	NA
			PCB-1268	ND	0.11	NA
			Total PCBs	**ND** J		

Notes:

Sample ID Explanation: EXC-1-F-F-1.5

EXC= Excavation, 1 = Sample Number, F = Building F, F (N) = Floor or N for Direction of Sampled Location

1.5 = Approximate Depth Below Ground in Feet

mg/kg = milligram per kilogram

FD = Field Duplicate

NA = Not Applicable

ND = Not Detected

PCB = polychlorinated biphenyl

J - Estimated Value