LABNAME	LABSAMPID	QCTYPE	MATRIX
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BLK1	Blank	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-BS1	LCS	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP1	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-DUP2	Duplicate	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water

US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS1	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water
US EPA Region 5 Chicago Regional Laboratory	B17I021-MS2	Matrix Spike	Water

PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME
09/20/2017 08:00:00	10/17/2017 11:32:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:27	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:33:22	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:27	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:27	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:33:22	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:33:12	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:33:22	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:33:22	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:32:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:24	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:24	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:14	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:11	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:36:18	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:14	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:11	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:36:18	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:36:08	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:36:08	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:36:08	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 11:35:14	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:30	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:30	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:20	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:17	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:08:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:20	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:17	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:08:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:08:13	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:08:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:08:13	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:07:17	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:48	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:48	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:46:40	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:38	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:35	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:46:40	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:46:30	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:46:40	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:46:30	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:45:35	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:19	B17I021	Metals ICP-AES (w)	EPA 200.7

09/20/2017 08:00:00	10/17/2017 12:10:19	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:08	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:06	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:11:13	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:08	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:06	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:11:13	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:11:03	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:11:03	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:11:03	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:10:06	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:39	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:39	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:29	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:26	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:49:33	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:29	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:26	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:49:33	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:49:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:49:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:49:23	B17I021	Metals ICP-AES (w)	EPA 200.7
09/20/2017 08:00:00	10/17/2017 12:48:26	B17I021	Metals ICP-AES (w)	EPA 200.7

PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	U	0.0450	0.200
Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	U	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	U	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	U	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	U	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	U	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	U	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	U	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	U	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	U	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	U	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	U	0.0280	0.200
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	0.968	0.0450	0.200
Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	0.992	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	0.0950	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	18.7	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	1.02	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	23.2	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	46.5	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	0.488	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	0.0960	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	0.105	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	1.01	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	47.8	0.0280	0.200
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	U	0.0450	0.200
Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	0.141	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	0.0046	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	277	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	U	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	16.4	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	68.7	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	0.0051	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	U	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	0.0012	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	0.238	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	146	0.0280	0.200
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	U	0.0450	0.200
Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	0.736	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	0.0043	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	241	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	U	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	19.6	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	68.4	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	0.0043	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	U	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	0.0016	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	0.229	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	132	0.0280	0.200
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	1.00	0.0450	0.200

Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	1.13	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	0.102	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	297	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	1.10	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	40.5	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	117	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	0.497	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	0.0841	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	0.106	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	1.29	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	192	0.0280	0.200
Hot Block Digestion	Aluminum	7429-90-5	FALSE	FALSE	0.981	0.0450	0.200
Hot Block Digestion	Iron	7439-89-6	FALSE	FALSE	1.74	0.0280	0.0800
Hot Block Digestion	Lithium	7439-93-2	FALSE	FALSE	0.101	0.0041	0.0250
Hot Block Digestion	Magnesium	7439-95-4	FALSE	FALSE	242	0.0250	0.200
Hot Block Digestion	Phosphorus	7723-14-0	FALSE	FALSE	1.07	0.0360	0.200
Hot Block Digestion	Potassium	7440-09-7	FALSE	FALSE	43.9	0.180	0.800
Hot Block Digestion	Sodium	7440-23-5	FALSE	FALSE	116	0.0570	0.400
Hot Block Digestion	Tin	7440-31-5	FALSE	FALSE	0.496	0.0024	0.0200
Hot Block Digestion	Titanium	7440-32-6	FALSE	FALSE	0.0864	6.8E-4	0.006
Hot Block Digestion	Vanadium	7440-62-2	FALSE	FALSE	0.105	5.9E-4	0.005
Hot Block Digestion	Boron	7440-42-8	FALSE	FALSE	1.28	0.0071	0.0500
Hot Block Digestion	Calcium	7440-70-2	FALSE	FALSE	178	0.0280	0.200

UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1					
mg/L	FALSE	NA	1			1.000	96.8	
mg/L	FALSE	NA	1			1.000	99.2	
mg/L	FALSE	NA	1			0.1000	95.0	
mg/L	FALSE	NA	1			20.00	93.5	
mg/L	FALSE	NA	1			1.000	102	
mg/L	FALSE	NA	1			25.00	92.8	
mg/L	FALSE	NA	1			50.00	93.1	
mg/L	FALSE	NA	1			0.5000	97.5	
mg/L	FALSE	NA	1			0.1000	96.0	
mg/L	FALSE	NA	1			0.1000	105	
mg/L	FALSE	NA	1			1.000	101	
mg/L	FALSE	NA	1			50.00	95.7	
mg/L	FALSE	NA	1	1709003-04	U			
mg/L	FALSE	NA	1	1709003-04	0.141			0.309
mg/L	FALSE	NA	1	1709003-04	0.0043			6.77
mg/L	FALSE	NA	1	1709003-04	277			0.118
mg/L	FALSE	NA	1	1709003-04	U			
mg/L	FALSE	NA	1	1709003-04	16.6			0.929
mg/L	FALSE	NA	1	1709003-04	68.7			0.0342
mg/L	FALSE	NA	1	1709003-04	0.0039			25.0
mg/L	FALSE	NA	1	1709003-04	U			
mg/L	FALSE	NA	1	1709003-04	0.0011			11.9
mg/L	FALSE	NA	1	1709003-04	0.244			2.22
mg/L	FALSE	NA	1	1709003-04	146			0.0530
mg/L	FALSE	NA	1	1709003-11	U			
mg/L	FALSE	NA	1	1709003-11	0.759			3.17
mg/L	FALSE	NA	1	1709003-11	0.0049			13.4
mg/L	FALSE	NA	1	1709003-11	230			4.97
mg/L	FALSE	NA	1	1709003-11	U			
mg/L	FALSE	NA	1	1709003-11	20.1			2.75
mg/L	FALSE	NA	1	1709003-11	70.8			3.53
mg/L	FALSE	NA	1	1709003-11	0.0034			24.9
mg/L	FALSE	NA	1	1709003-11	U			
mg/L	FALSE	NA	1	1709003-11	0.0012			28.1
mg/L	FALSE	NA	1	1709003-11	0.232			1.46
mg/L	FALSE	NA	1	1709003-11	136			3.51
mg/L	FALSE	NA	1	1709003-04	U	1.000	100	

mg/L	FALSE	NA	1	1709003-04	0.141	1.000	98.5	
mg/L	FALSE	NA	1	1709003-04	0.0043	0.1000	97.7	
mg/L	FALSE	NA	1	1709003-04	277	20.00	101	
mg/L	FALSE	NA	1	1709003-04	U	1.000	110	
mg/L	FALSE	NA	1	1709003-04	16.6	25.00	95.6	
mg/L	FALSE	NA	1	1709003-04	68.7	50.00	97.0	
mg/L	FALSE	NA	1	1709003-04	0.0039	0.5000	98.5	
mg/L	FALSE	NA	1	1709003-04	U	0.1000	84.1	
mg/L	FALSE	NA	1	1709003-04	0.0011	0.1000	105	
mg/L	FALSE	NA	1	1709003-04	0.244	1.000	105	
mg/L	FALSE	NA	1	1709003-04	146	50.00	91.6	
mg/L	FALSE	NA	1	1709003-11	U	1.000	98.1	
mg/L	FALSE	NA	1	1709003-11	0.759	1.000	97.8	
mg/L	FALSE	NA	1	1709003-11	0.0049	0.1000	96.0	
mg/L	FALSE	NA	1	1709003-11	230	20.00	60.6	
mg/L	FALSE	NA	1	1709003-11	U	1.000	107	
mg/L	FALSE	NA	1	1709003-11	20.1	25.00	95.3	
mg/L	FALSE	NA	1	1709003-11	70.8	50.00	91.3	
mg/L	FALSE	NA	1	1709003-11	0.0034	0.5000	98.6	
mg/L	FALSE	NA	1	1709003-11	U	0.1000	86.4	
mg/L	FALSE	NA	1	1709003-11	0.0012	0.1000	104	
mg/L	FALSE	NA	1	1709003-11	0.232	1.000	105	
mg/L	FALSE	NA	1	1709003-11	136	50.00	82.7	

UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
			KS				1
			KS				12
			KS				14
			KS				15
			KS				19
			KS				20
			KS				24
			KS				27
			KS				28
			KS				29
			KS				6
			KS				8
115	85		KS				1
115	85		KS				12
115	85		KS				14
115	85		KS				15
115	85		KS				19
115	85		KS				20
115	85		KS				24
115	85		KS				27
115	85		KS				28
115	85		KS				29
115	85		KS				6
115	85		KS				8
		20	KS				1
		20	KS				12
		20	KS				14
		20	KS				15
		20	KS				19
		20	KS				20
		20	KS				24
		20	KS				27
		20	KS				28
		20	KS				29
		20	KS				6
		20	KS				8
		20	KS				1
		20	KS				12
		20	KS				14
		20	KS				15
		20	KS				19
		20	KS				20
		20	KS				24
		20	KS				27
		20	KS				28
		20	KS				29
		20	KS				6
		20	KS				8
125	75		KS				1

125	75		KS				12
125	75		KS				14
125	75		KS				15
125	75		KS				19
125	75		KS				20
125	75		KS				24
125	75		KS				27
125	75		KS				28
125	75		KS				29
125	75		KS				6
125	75		KS				8
125	75		KS				1
125	75		KS				12
125	75		KS				14
125	75		KS				15
125	75		KS				19
125	75		KS				20
125	75		KS				24
125	75		KS				27
125	75		KS				28
125	75		KS				29
125	75		KS				6
125	75		KS				8