PCB SITE CHARACTERIZATION
BUFFALO COMPRESSOR STATION
BUFFALO, OKLAHOMA
NE ¼, NE ¼, Sec. 1, T27N, R23W
HARPER COUNTY

Project No. 50007055
April 23, 2001

Prepared For:

WILLIAMS GAS PIPELINES SOUTH CENTRAL, INC.
Lenexa, Kansas

Prepared By:

TERRACON
Lenexa, Kansas

182478

000087

Terracon

Terracon
13910 W. 96th Terrace
Lenexa, Kansas 66215
(913) 492-7777 Fax: (913) 492-7443

April 23, 2001

Williams Gas Pipelines South Central
13430 West 98th Street
Shawnee Mission, Kansas 66215

Attn: Mark Sullivan

RE: PCB Site Characterization
Buffalo Compressor Station
Buffalo, Oklahoma
Project No. 50007055

Dear Mr. Sullivan:

Attached is the soil and wipe sampling report for the Buffalo Compressor Station. If you have any questions or need additional information, please contact us at (913) 492-7777.

Sincerely,
TERRACON

Prepared by:

John R. Rockhold, P.G., CGWP
Senior Project Manager

Reviewed by:

Michael S. Kukuk, P.G.
Associate Principal

Attachment:

n:\projects.00\wgpc00\Buffalo(50007055)\Buffalo report v2.doc

000088

TABLE OF CONTENTS

Terracon

Page

EXECUTIVE SUMMARY **1**

1.0 INTRODUCTION **1**

1.1 Objectives 1

1.2 Physical Setting 1

1.3 Site History 2
- 1.3.1 ERM Rocky Mountain 1994 Report 2
- 1.3.2 Burlington Environmental 1995 Report 3
- 1.3.3 SECOR International Decontamination Report 3

2.0 FIELD ACTIVITIES **4**
- 2.1 November 30, 2000 Sampling Event 4

2.2 Field Personnel 7

2.3 Health and Safety Procedures 7

2.4 Waste Disposal 7

3.0 SOIL SAMPLING **8**

3.1 Soil Sampling Procedures 8

3.2 Soil Sample Locations 10

4.0 PCB WIPE SAMPLING **10**

4.1 PCB Wipe Sampling Procedures 10

4.2 PCB Wipe Sample Locations 11

6.0 SUMMARY OF RESULTS **11**

6.1 Comparative Regulatory Criteria 11
- 6.1.1 Eight RCRA Metals 11

6.1.1 Polychlorinated Biphenyls (PCB) 12
- 6.1.2 Semivolatile Organics 12

6.2 Evaluation of Analytical Results 12
- 6.2.1 Eight RCRA Metals 12
- 6.2.2 Polychlorinated Biphenyls (PCB) 13
- 6.2.3 Semivolatile Organics 13
- 6.2.4 Quality Assurance/Quality Control Samples 14

6.3 Conclusions 14

6.4 Recommendations 15

7.0 GENERAL COMMENTS 15

LIST OF APPENDICES

APPENDIX A: FIGURES
APPENDIX B: TABLES
APPENDIX C: STANDARD OPERATING PROCEDURES
APPENDIX D: PHOTO LOG
APPENDIX E: LABORATORY REPORTS
APPENDIX F: FINAL REPORT AND LETTER FROM WILLIAMS TO EPA REGION VI (March 1995)
APPENDIX G: JULY 10, 2000 QAPP APPENDIX B

PCB SITE CHARACTERIZATION
BUFFALO COMPRESSOR STATION
BUFFALO, OKLAHOMA
NE ¼, NE ¼, Sec. 1, T27N, R23W
HARPER COUNTY

Project No. 50007055
April 23, 2001

EXECUTIVE SUMMARY

On behalf of Williams Gas Pipelines Central, Inc. (Williams), Terracon has performed soil and wipe sampling at the Buffalo Compressor Station in Buffalo, Oklahoma. The results of this characterization will be used to identify areas requiring clean-up. This report documents the activities that occurred. Associated figures are located in **Appendix A**; tables are contained in **Appendix B**; standard operating procedures are contained in **Appendix C**; a photo log is provided in **Appendix D**; laboratory reports are contained in **Appendix E**; a March 1995 final report and letter from Williams to EPA Region VI is provided in **Appendix F**; and, decontamination procedures are provided in **Appendix G**.

Samples collected during this sampling event concentrated on locating the impoundment and delineating polychlorinated biphenyl (PCB) contamination in the impoundment area, air receiver area, and any other potential sources not previously identified or sampled. The following summarizes the samples that were collected:

Earthen Impoundment - Twenty-five grids (BUF-I-1 through BUF-1-25) were continuously soil sampled (Refer to **Figure 3**) and analyzed for PCBs. Additionally, samples were collected for RCRA metals and semivolatile organic compounds (SVOCs) from grids BUF-I-10, 15 and 20 (B interval) and BUF-I-8, 9, 13, 14, 18 and 19 (C interval). All of these samples were analyzed for SVOCs and BUF-I-14 (C) was analyzed for metals.

Air Receiver Discharge Area - This area is the discharge location for the air receivers. Nine grids (BUF-AR-1 through BUF-AR-9) were continuously soil sampled for PCBs.

Wipe Samples - Sixteen (16) PCB wipe samples were collected from the site. Samples were collected primarily from airlines, drain lines and concrete. Refer to Section 4.2 for further details pertaining to sample locations.

Water Sample – One (1) water sample (BUF-AB-1) was collected from the standing water found in the basement area of the Engine Room. This was collected to check the water as a potential PCB source area.

One of the 25 grid locations in the impoundment area exhibited a PCB concentration greater than 25 mg/kg. Additionally, one of the 25 grid locations in the impoundment area exhibited a PCB concentration of greater than 10 mg/kg but less than 25 mg/kg. Refer to **Table 1** for the analytical results.

Seven of the 16 PCB wipe samples collected exhibited PCB concentrations exceeding the clean-up level specified for other Williams sites of 10 $\mu g/100\ cm^2$. All seven were found within the air receiver or auxiliary building areas and were from airlines or drain lines as identified below.

SVOC compounds (1,2-Dichlorobenzene and 1,4-Dichlorobenzene) were detected in sample BUFF-I-8-C (48 to 54 inches BGS) and the sample from interval C (48 to 54 inches BGS) of grid BUF-I-14 exhibited 2-Methynaphthalene. No other SVOC constituents were detected. There are not published clean-up criteria for 1,2-Dichlorobenzene or 2-Methynaphthalene. The detected concentration of 1,4-Dichlorobenzene was below the clean-up criteria for this constituent. . Refer to **Table 3** for the analytical results. BUF-I-14-C was analyzed for RCRA Metals. None of the metal constituents exceeded the recommended action levels established for this report. . Refer to **Table 2** for the analytical results.

Analytical results of the water sample were below 5 $\mu g/l$ PCB.

PCBs were present in soil from the impoundment area. Within the impoundment, only one grid, BUF-I-19 interval B (36 to 42 inches BGS), exceeded the 25 mg/kg action level and one other grid, BUF-I-13 interval C (48 to 54 inches BGS), exceeded the 10 mg/kg action level. In addition to soil samples, several wipe samples taken inside pipe exhibited some level of PCB contamination. Seven of the 16 samples exceeded the 10 $\mu g/100\ cm^2$ action level. Six of these seven had been collected from airlines and one from a drain line.

All SVOC and metal constituents were either non-detect or below established action levels

Discussions with Williams indicates they intend to excavate soil from grids exhibiting greater than 10 mg/kg PCB. Refer to **Figure 5** for proposed excavation areas and depths. Williams also indicated they intend on tracing the air lines from the auxiliary room, then either removing them or filling them with concrete (filling with concrete or removing if PCB concentration is less than 100 ug/100 cm^2 and removing piping if greater than or equal to 100 ug/100 cm^2). Furthermore, discussions with Williams based on an earlier SECOR sample they indicated, they intend to the remove the air receiver line on the North side of the air receiver area.

PCB SITE CHARACTERIZATION
BUFFALO COMPRESSOR STATION
BUFFALO, OKLAHOMA
NE ¼, NE ¼, Sec. 1, T27N, R23W
HARPER COUNTY

Project No. 50007055
April 23, 2001

1.0 INTRODUCTION

On behalf of Williams Gas Pipelines Central, Inc. (Williams), Terracon has performed soil and wipe sampling at the Buffalo Compressor Station in Buffalo, Oklahoma. This report documents the activities that occurred. Associated figures are located in **Appendix A**; tables are contained in **Appendix B**; standard operating procedures are contained in **Appendix C**; a photo log is provided in **Appendix D**; laboratory reports are contained in **Appendix E**; a March 1995 final report and letter from Williams to EPA Region VI is provided in **Appendix F**; and, decontamination procedures are provided in **Appendix G**.

1.1 Objectives

The purpose of this investigation was to collect analytical data what will be used to identify areas requiring clean-up. Samples were collected from specific areas of the site not previously sampled to obtain data that could be compared to other similar Williams facilities that were included in a 1991 consent order. The Buffalo site was not included in the 1991 consent order.

1.2 Physical Setting

The Buffalo station is located one-quarter mile north of the intersection of Oklahoma Highways 64 & 183, northeast of the city of Buffalo, Oklahoma (Refer to **Figure 1**). The property is located within the NE ¼, NE ¼, of Section 1, Township 27 North, Range 23 West in Harper County. Topography is nearly level to gently sloping plains. Neighboring properties are generally rural and primarily agricultural land. The nearest surface water to the site is an intermittent stream located approximately one-eighth mile east of the site, and a tributary to Buffalo Creek located approximately one-quarter mile west of the site.

1.3 Site History

According to Williams personnel, the Buffalo compressor station has not been in operation since the early 1970's. Additionally, at some time during the 1970's, the site structures were removed leaving only the foundations and some of the underground piping. The site currently consists of building foundations and concrete pads from the former engine room and auxiliary building, the engine room basement, piping in the former air receiver area, and fin fans area. An approximate 50-foot by 50-foot earthen impoundment was constructed when the site was in operation, and later backfilled with soil. Refer to **Figure 2** for the site layout.

Based on sampling from other Williams compressor stations that utilized Pydraul AC compressor oil, as did the Buffalo compressor station, Williams decided to evaluate the presence of polychlorinated biphenyls (PCBs) at the Buffalo site. An initial site characterization was performed by ERM-Rocky Mountain in April of 1994 (Report dated December 2, 1994), followed by another site characterization by Burlington Environmental in August of 1994 (Report dated April 6, 1995. The site characterization reports were used to guide concrete decontamination performed by SECOR International, Inc. in January of 1995 (Report dated July 1995). This site characterization is a follow-up to the decontamination project.

1.3.1 ERM Rocky Mountain 1994 Report

ERM Rocky Mountain, Inc. conducted a site screening of the former Buffalo Compressor Station on April 18, 1994. A total of 25 soil samples were collected from the site; 24 samples were analyzed for PCB (one sample was broken during delivery). Two wipe samples were collected from the air line header; three water and two oil samples were collected from the basement; and, 17 soil samples were collected from areas where PCB contaminants were most likely to be present. These areas included the following areas: the former air receiver area; the former service air discharge area; the former prelube air pipe area; the backfilled impoundment; and, upgradient and downgradient areas. No off-site soil samples were collected.

Analytical results indicated that one soil sample exceeded 25 mg/kg PCB. BUF-005-SO collected from the former air receiver area contained 38 mg/kg PCB-1254. Four additional soil samples were reported as having PCB levels between 9.4 and 21.0 mg/kg. The remaining soil samples did not contain PCB above the laboratory detection limit. The water, oil and wipe samples, including an equipment rinse sample, contained no PCBs above laboratory detection limits.

000094

1.3.2 Burlington Environmental 1995 Report

Burlington Environmental Inc. conducted a site characterization to evaluate the extent of potential PCB contamination in the remaining concrete and airline piping. Burlington collected 48 wipe samples from the upper level floor of the former compressor engine room and auxiliary building, walls of the engine pedestals, pipechase in the auxiliary building, associated metallic piping within the pipechase, and from the air receiver header. All 48 samples were submitted for PCB analysis.

Analytical results indicated that one wipe sample from the floor of the auxiliary building (BUF-COM-WP22) had a PCB level of 36 $\mu g/100\ cm^2$. Seven auxiliary building pipechase wipe samples (BUF-PC-WP1 through BUF-PC-WP6 and BUF-PC-DRAIN) and one three-inch header to the former air receivers (BUF-ARH-WP1) indicated PCB levels greater than 10 $\mu g/100\ cm^2$. PCB contamination greater than 10 $\mu g/100\ cm^2$ was limited to the vicinity of wipe sample BUF-COM-WP22, to the header of the air receivers, and to the pipechase. Burlington recommended that these areas be cleaned in accordance with accepted EPA protocols.

1.3.3 SECOR International Decontamination Report

SECOR International, Inc. performed a detailed site characterization of the basement floor following cleanup of the non-PCB water, sludge and oil that had collected in the basement area. Subsequent to this site characterization of the basement floor, SECOR performed floor washing and concrete cleanup activities of the contaminated area of the top floor of the former auxiliary building, the former pipechase, and areas of the basement of the former engine room.

On January 16, 1995 SECOR collected composite soil, sediment and oil samples from the basement of the former Buffalo station and submitted them for PCB analysis. Analytical results indicated that all had levels less than 1.0 mg/kg.

On January 17, 1995 SECOR performed concrete decontamination of the auxiliary building pipechase identified form the Burlington concrete site characterization. Analytical results indicated that verification samples (T-BUF-IPC-01A through 08A) all had levels less than 10 $\mu g/100\ cm^2$.

On January 19, 1995 SECOR performed concrete decontamination of the auxiliary building floor area identified from the Burlington concrete site characterization. Subsequent verification samples (T-BUF-AUX-31A through 35A) all had PCB levels less than 10 $\mu g/100\ cm^2$.

On February 1, 1995 SECOR performed concrete site characterization of the basement. Analytical results indicated that six compressor engine room basement floor wipe samples (T-BUF-CBAS-01, 01REP, 05, 07, 18 and 24) had PCB levels of greater than 10 $\mu g/100\ cm^2$.

On February 13, 1995 SECOR performed concrete decontamination of the basement. Analytical results indicated that verification wipe samples (BUF-CBAS-1A through 14A) all had PCB levels less than 10 $\mu g/100\ cm^2$. In a letter dated March 20, 1995 to the EPA Region VI, Williams reported the results of the decontamination and pipe removal activities and notified the EPA of the removal of non-contaminated metallic piping from the basement and basement backfilling.

All targeted locations of the site required one decontamination event to attain the clean-up criteria of less than 10 $\mu g/100\ cm^2$. Approximately 3,000 square feet of surface area were chemically decontaminated. Wipe samples were collected from the decontaminated area to verify cleanup. None of the confirmation wipe samples were found to contain PCB above the 10 $\mu g/100\ cm^2$ regulatory limit.

2.0 FIELD ACTIVITIES

Terracon was contracted by Williams to conduct soil and wipe sampling at the compressor station. This site characterization recently completed by Terracon (the subject of this report) was designed to locate the impoundment and to fill in data gaps as well as address other possible PCB sources identified during previous on-site investigations.

2.1 November 30, 2000 Sampling Event

Samples collected during this sampling event concentrated on locating the backfilled impoundment and delineating PCB contamination in the impoundment area, air receiver area, and on potential sources not previously identified or sampled. The following summarizes the samples that were collected:

Earthen Impoundment - This area received boiler and air compressor condensate, which may have contained PCBs. Additionally, samples were collected for RCRA metals and semivolatile organic compounds (SVOCs) from grids BUF-I-10, 15 and 20 (B interval) and BUF-I-8, 9, 13, 14, 18 and 19 (C interval). All of these samples were analyzed for SVOCs and BUF-I-14 (C) was analyzed for metals.

- Twenty-five grids (BUF-I-1 through BUF-1-25) were continuously soil sampled (Refer to **Figure 3**). The grids were established around the impoundment and measured 20-foot by 20-foot. The following samples were collected from each of these grids as identified below:

Number of Samples Collected	Depth of Samples (inches below ground surface)	Designated Sample Interval	Sampled Grid ID Numbers (BUF-I-#)
16	24-30	A	1-6, 10-11, 15-16, & 20-25
25	36-42	B	1-25
25	48-54	C	1-25
25	60-66	D	1-25
9	72-78	E	7, 12-19
3	84-90	F	7, 14, & 15
1	96-102	G	14
1	108-114	H	14

Air Receiver Discharge Area - This area is the discharge location for the air receivers. Grid BUF-AR-5 was centered over the air receiver discharge point (**Figure 4**) because soil below the discharge point may have contained PCBs from the draining air receiver condensate. In the event that target constituents had been detected at the discharge point, eight additional grids were placed adjacent to BUF-AR-5.

- Nine grids (BUF-AR-1 through BUF-AR-9) were continuously soil sampled. The grids were established around the air receiver discharge area and measured 10-foot by 10-foot. The following samples were collected at each of these grids as identified below:

Number of Samples Collected	Depth of Samples (inches below ground surface)	Designated Sample Interval	Sampled Grid ID Numbers (BUF-I-#)
9	0-6	A	1-9
9	12-18	B	1-9
9	24-30	C	1-9

000097

Wipe Samples - Sixteen (16) wipe samples were collected from the site. Refer to Section 4.2 for further details pertaining to sample locations. The following samples were collected from the specified areas as identified below:

Wipe Sample Identifications	Sample Location Descriptions
BUF-I-WP-1	Drain Line #1, East facing of the Energy Dissipation Stack
BUF-I-WP-2	Drain Line #2, West facing of the Energy Dissipation Stack
BUF-I-WP-3	Energy Dissipation Stack wall
BUF-AR-WP-1	3-inch West Air Header
BUF-AR-WP-2	3-inch East Air Header
BUF-AR-WP-3	2-inch Air Receiver Line
BUF-AR-WP-4	1-inch Air Line to Oil Tank
BUF-AR-WP-5	East AR Drain Line
BUF-AR-WP-6	West AR Drain Line
BUF-AR-WP-7	Floor Drain in NW Corner of Auxiliary Building
BUF-AR-WP-8	3-inch 1st Line (South)
BUF-AR-WP-9	2-inch 2nd Line
BUF-AR-WP-10	2-inch 3rd Line
BUF-AR-WP-11	2-inch 4th Line
BUF-AR-WP-12	2-inch 5th Line
BUF-AR-WP-13	2-inch 6th Line (North)

Water Sample – One water sample (BUF-AB-1) was collected from the standing water found in the basement area of the engine room. This was collected to check for a potential PCB source area.

000098

Quality Assurance/Quality Control (QA/QC) Samples – In accordance with the Quality Assurance Project Plan (QAPP) for this site, duplicate and split soil samples were collected and analyzed for 10% of the samples collected for analysis. Additionally, equipment rinsate blanks were collected for 5% of the samples collected for analysis. Of the 130 soil samples 116 were analyzed for PCB. All 16 wipe samples collected were analyzed for PCB's. The QA/QC samples collected for this sampling event are as follows:

Number of Samples Collected	Type of Sample	Number of Samples Analyzed
12	Duplicate	9
11	Split	9
7	Equipment Rinsate Blanks	6

2.2 Field Personnel

Tony Poulter acted as the field team leader for this event. The following Terracon personnel participated in the sampling: Tony Poulter; Jason Franks; Vince Payne; and, Guy Griffin. Mark Sullivan was present to provide assistance in locating and defining operational equipment, possible discharge points, and impoundments to the Terracon staff. In addition, Mr. Sullivan acted in the role as company representative performing oversight activities for Williams.

2.3 Health and Safety Procedures

A Health and Safety (H&S) meeting was conducted at the hotel prior to beginning the sampling activities at the site on November 30, 2000. Health and safety procedures as outlined within the site H&S plan were followed. Appropriate personal protection equipment (PPE) was worn during sampling activities. The PPE included standard work uniform, hard hat, chemical-resistant safety footwear, and disposable nitrile gloves.

2.4 Waste Disposal

Wastewater collected from field decontamination activities was stored on site. At the end of the fieldwork the liquid waste generated during the project (less than 4 gallons) was disposed of on the ground in grid BUF-I-14, as agreed with the Williams representative. Williams indicated soil from this grid will be excavated and disposed of properly. Excess sample material was returned to the grid from which it was collected. All PPE and disposable sampling equipment were properly containerized and disposed of by Terracon in a municipal solid waste landfill.

3.0 SOIL SAMPLING

All soil sampling equipment was properly decontaminated in general accordance with the procedures outlined in Appendix B of the QAPP provided in **Appendix G** of this document. Decontamination was conducted prior to field activities and following the use of each piece of equipment for sample collection.

3.1 Soil Sampling Procedures

A track-mounted Geoprobe® unit was used to advance a macro-core soil sampler (four feet long by two inches in diameter) encapsulating up to a four-foot core of material within an acetate liner. The sampler was then withdrawn to the surface, retaining the material sample in the liner. Once the liner was retrieved, sample recovery was measured and cut into the specified sampling intervals. Standard operating procedures for macro-core soil sample recovery are provided in **Appendix C**.

Four samples were extracted from depths of 24 to 30 inches, 36 to 42 inches, 48 to 54 inches, and 60 to 66 inches below ground surface (BGS) (one from each depth, intervals A, B, C and D, respectively) from the outer grids of the earthen impoundment. Sampling began at 24 inches BGS because historical information indicated that the impoundment had been backfilled and brought up to grade; therefore the top 24 inches (at a minimum) were backfill material. During sampling it was determined there was roughly four feet of fill on the inner grids of the impoundment, thus interval A was not collected for several of the grids. If there appeared to be possible contamination (based on visual observation) at depths below the D interval, then samples were collected from 72 to 78 inches, 84 to 90 inches 96 to 102 inches and 108 to 114 inches BGS (intervals E, F, G, and H, respectively), when necessary. For Grid BUF-I-14, the sampler was pushed to 12 feet BGS. The bottom of impoundment material appeared to end at 9.5 feet BGS.

In addition to samples collected for PCB analysis, samples were also collected for SVOC's and RCRA metals from grids I-10, 15 and 20 (B interval only) and I-8, 9, 13, 14, 18 and 19 (C interval only).

Three soil samples were collected from each air receiver grid location at depths of 0 to 6 inches, 12 to 18 inches, and 24 to 30 inches BGS (intervals A, B, and C, respectively). Sampling at further depths within this area did not appear necessary.

The sample material from each interval was thoroughly mixed by hand and placed into laboratory provided containers. The remainder of each sample not used was returned to the

hole from which it was collected. Wooden stakes were placed in each of the sample locations with identifying markings and visible coloring on top for quick recognition of the surveyed in sampling point.

Sample containers were labeled in general accordance with the QAPP. Each sample was given a three-letter site designation, a one or two-letter area designation, and a sequential number followed by a depth identifier of A, B, C, D, etc. Other information recorded on the labels of the sample containers included sampling date and time, analyses requested, sampled depth (if applicable), and sampler's initials.

Soil samples were containerized and sealed in containers provided by the laboratory. Each container was labeled with an identifying number that corresponded to the sample location, date sample was taken, depth, sampler, time collected, and analysis required. Sample containers were placed in a cooler and maintained at approximately 4°C.

All samples were handled by standard chain-of-custody procedures. The chain-of-custody form included the following information:

Date/Time of each sample
Person obtaining sample
Requested analysis/method
Sample location identification
Sample type
Signature of person taking custody of samples

Sample coolers were delivered by overnight express mail or hand delivered by Terracon to the approved laboratory. PCB analysis was performed on A, B, C, and D intervals of the earthen impoundment and interval A of the air receiver area. Samples from grids BUF-I-10, 15 and 20 (B interval) and BUF-I-8, 9, 13, 14, 18 and 19 (C interval) were analyzed for SVOCs. Only one sample, BUF-I-14C, was analyzed for RCRA metals.

Analysis for SVOCs and metals was conducted because ERM did not originally collect samples for these parameters. Other similar Williams' sites (USEPA Region 7) have occasionally found SVOCs and metals in the impoundment area. A sample from grid BUF-I-14 (sample BUF-I-14C) was collected and analyzed because this grid was believed to have the greatest potential for containing these compounds. Samples from adjoining grids were collected and placed on hold awaiting the results from the suspect grid. If the results did not indicate levels of concern, then the samples from the adjoining grids were not analyzed. If contaminant levels from the suspect grid were of concern, then the samples from the adjoining grids were analyzed.

VOC samples were not collected or analyzed because based on prior testing, these compounds have not been identified at similar Williams' sites at levels of concern. This protocol has been accepted and used successfully for several Williams' sites in USEPA Region 7. In a meeting on August 8, 2000, USEPA Region 6 agreed to accept this protocol.

3.2 Soil Sample Locations

Soil samples were collected at the Buffalo station from the following locations:

- The impoundment was divided into 25 20-foot square grids, which were surveyed in. One location near the center of each grid was sampled. If the grid contained physical obstructions, which prevented sampling near the center, the sample location within the grid was offset within the grid, recorded and marked in the field. Sample grid locations are shown on **Figure 3**. All grids were analyzed for PCBs. Nine of the grids were sampled for RCRA metals and SVOCs was analyzed. All nine grids were analyzed for SVOCs and one grid was analyzed for RCRA metals.

- The air receiver discharge area was divided into nine 10-foot square grids, which were surveyed in. One location near the center of each grid was sampled. If the grid contained physical obstructions, which prevented sampling near the center, the sample location within the grid was offset within the grid and recorded. Sample locations are shown on **Figure 4**. Twenty-seven (27) soil samples were collected from this area; nine of these were analyzed for PCBs.

4.0 PCB WIPE SAMPLING

Sixteen (16) PCB wipe samples were collected to help identify potential areas requiring cleaning.

4.1 PCB Wipe Sampling Procedures

PCB wipe samples were collected using laboratory-provided sampling kits. The sampling kits consisted of sterile gauze pads saturated with approximately 5 milliliters (ml) of reagent-grade hexane within a glass vial. The gauze pad was used to thoroughly swab a 100 cm^2 area measured by a single-use cardboard sampling template. If the template could not be used on the area to sampled (i.e. 2-inch diameter pipe) the 100 cm^2 area was estimated. Upon collection of the sample the gauze was immediately placed back into the laboratory-provided glass vial, labeled and prepared for shipment to the laboratory.

4.2 PCB Wipe Sample Locations

The 16 PCB wipe samples were collected from the following locations to identify potential PCB source areas:

- One sample was collected from the drainpipe stack wall located in the impoundment area (refer to photo log in **Appendix D**).
- Two samples were collected from drain lines located on the east and west side of the drain pipe stack (refer to photo log in **Appendix D**).
- Seven samples were collected from the Auxiliary Building; one from the corner of the building and six from the discharge pipes leaving the building (refer to photo log in **Appendix D**).
- Six samples were collected from various lines near the air receiver area. Two were collected from the west and east air headers (3-inch lines). Two were collected from the east and west air receiver drain lines. One was collected from the 2-inch air receiver line and one from the airline to the oil tank (refer to photo log in **Appendix D**).

5.0 WATER SAMPLE

One water grab sample was collected from the standing water within the basement area of the engine room. This sample was collected to check the water as a potential source of PCB contamination.

6.0 SUMMARY OF RESULTS

6.1 Comparative Regulatory Criteria

This section describes how the laboratory results are compared in this report with regulatory criteria or action levels. The samples were analyzed using Level IV CLP procedures. The Level IV CLP data package is not presented in this report but is on file with Williams. The recommendations for further action are based on these findings and regulatory criteria. That is, in cases where the concentration in the sample exceeds the action level adopted herein, Williams has indicated that they intend to perform additional work.

6.1.1 Eight RCRA Metals

Regulatory action levels as specified in previous consent orders for similar Williams sites will be used if available. If an action level for a specific metal has not been specified, then the TCLP

regulatory limits, as defined in 40 CFR Part 261.24, will be modified as comparative standards. It should be recognized that these comparative standards do not represent required regulatory cleanup standards but merely reflect levels at which regulatory action may be likely to occur.

Typically, only a small portion of the total metals concentration is leachable by the TCLP method. Given the dilution inherent to TCLP, the total metals concentration would have to be at least 20 times greater than the TCLP regulatory level in order for quantities in excess of the regulatory level to be present in the extract. Therefore, the modified TCLP limit used for comparison in this report is 20 times the total limits.

6.1.1 Polychlorinated Biphenyls (PCB)

The regulatory action level for PCBs in soil as specified in previous consent orders for similar Williams sites is 25 mg/kg for restricted use and 10 mg/kg for unrestricted use. Therefore, the action level for this site is assumed to be the same. The PCB clean-up level for concrete and metal specified for other Williams sites is 10 $\mu g/100\ cm^2$ and is assumed to be the same at this site

6.1.2 Semivolatile Organics

As with total metals, regulatory criteria applicable to soil does not exist for all semivolatile organic compounds. However, TCLP regulatory criteria do exist for several semivolatile constituents (40 CFR Part 261.24). Therefore, the same modification of the TCLP regulatory limits as previously described will be used. For constituents that are not on the TCLP list, action levels for similar Williams sites are used for comparison.

6.2 Evaluation of Analytical Results

The laboratory analytical data reports are presented in **Appendix E**. Analytical results are summarized in **Table 1**: Polychlorinated Biphenyls, **Table 2**: RCRA Metals, and **Table 3**: Semivolatile Organic Compounds, all contained in **Appendix B**.

6.2.1 Eight RCRA Metals

None of the metal constituents exceeded the recommended action levels established for this assessment.

000104

6.2.2 Polychlorinated Biphenyls (PCB)

One of the 25 grid locations in the impoundment area that were analyzed for PCBs exhibited a PCB concentration greater than 25 mg/kg. The B sample interval (36 to 42 inches BGS) of BUF-I-19 exhibited a PCB concentration of 25.3 mg/kg, but interval C (48 to 54 inches BGS) of this same grid was below 25 mg/kg (3.82 mg/kg). Additionally, one of the 25 grid locations in the impoundment area exhibited a PCB concentration of greater than 10 mg/kg but less than 25 mg/kg. The C sample interval (48 to 54 inches BGS) from BUF-I-13 exhibited a PCB concentration of 15.7 mg/kg. PCB results from other impoundment grids and the air receiver grids analyzed did not exceed 10 mg/kg. Refer to **Figure 3** for the location of the grids with PCB concentrations greater than 10 and 25 mg/kg.

Seven of the 16 PCB wipe samples collected exhibited PCB concentrations exceeding the clean-up level specified for other Williams sites of 10 $\mu g/100\ cm^2$. All seven were found within the air receiver or auxiliary building areas and were from airlines or drain lines as identified below. Refer to **Table 1** for the analytical results.

Wipe Sample Identifications	Sample Location Descriptions
BUF-AR-WP-6	West AR Drain Line
BUF-AR-WP-8	3-inch 1st Line (South)
BUF-AR-WP-9	2-inch 2nd Line
BUF-AR-WP-10	2-inch 3rd Line
BUF-AR-WP-11	2-inch 4th Line
BUF-AR-WP-12	2-inch 5th Line
BUF-AR-WP-13	2-inch 6th Line (North)

PCB analytical results of the water sample were below 5 μg /l.

000105

6.2.3 Semivolatile Organics

Initially, only interval C (48 to 54 inches BGS) of grid BUF-I-14 was analyzed for semivolatile organic constituents. All constituents resulted in a non-detect except for 2-Methynaphthalene which was detected at a concentration of 6,770 μg /kg. Published clean-up criteria could not be found for this constituent. Subsequent to the reporting of this analysis, it was discovered that

the laboratory practical reporting limit for this sample for some of the SVOC constituents was above the regulatory action levels for this site. Therefore, the samples from adjoining grids were analyzed. The samples from adjoining grids had previously been extracted within holding times. However, the actual analysis for these samples exceeded holding times. Even with the holding time exceeded, we believe the results are representative and reasonable. Only one of these samples BUF-I-8-C exhibited SVOC constituents above the laboratory practical reporting limit (1,2-Dichlorobenzene and 1,4-Dichlorobenzene at concentrations of 2,770 ug/kg and 748 ug/kg, respectively). Published clean-up criteria for 1,2-Dichlorobenzene could not be found. The regulatory clean-up criteria for 1,4-Dichlorobenzene for this site is 150,000 ug/kg.

6.2.4 Quality Assurance/Quality Control Samples

Laboratory AQ/QC included method blanks, matrix spikes, matrix spike duplicates, surrogate recovery, and laboratory control samples. Additional QA was provided by duplicate, split, and rinsate samples.

- Method Blanks – There were no analytes of interest detected in their associate method blanks.
- Matrix Spikes – Matrix spike recoveries were generally within the QAPP specified control limits.
- Matrix Spike Duplicates – Matrix spike duplicate recoveries were generally within the QAPP specified control limits.
- Surrogate Recoveries – Surrogate recoveries were generally within the QAPP specified control limits. Some of the samples were out of limits and were Q coded.
- Laboratory Control Samples – Laboratory control sample recoveries were generally within the individual laboratory determined control limits for each analyte per USEPA Method 8082.
- Duplicate and Split Samples – Duplicate and split samples were generally comparable and generally appeared to be sufficient to determine if samples were below or above the cleanup criteria.
- Rinsate Samples – Rinsate samples did not detect analytes above the detection limits.

6.3 Conclusions

It appears that at some time in the past a lubricant containing PCB (i.e. Pydraul AC compressor oil) may have been used in the compressor system at the Buffalo station. The compound was detected at low levels (below action levels) in the soil samples collected beneath the air receiver discharge area. PCBs were also present in soil from the impoundment area. Within the

impoundment, only one sample, BUF-I-19 interval B (36 to 42 inches BGS), exceeded the 25 mg/kg action level and one other sample collected from BUF-I-13 interval C (48 to 54 inches BGS) exceeded the 10 mg/kg action level. In addition to soil samples, several wipe samples exhibited some level of PCB contamination. Seven of the 16 samples exceeded the 10 μg/100 cm^2 action level. Six of these seven were from airlines and one from a drain line.

All target metal and SVOC constituents were either non-detect or below established action levels.

6.4 Recommendations

Discussions between Terracon and Willliams resulted in the following:

- Williams recommends excavation of soil from grids exhibiting greater than 10 mg/kg PCB. It is recommended the soil be excavated down vertical to the next sample interval with a PCB concentration less than 10 mg/kg for PCB.

- Williams proposes the analytical data presented in this report will also serve as confirmation for excavation once performed. For example, if the soil sample collected from 36 to 42 inches BGS (level B) exceeds the cleanup criteria for PCBs, and the sample collected from 48 to 54 inches BGS (level C) does not, the appropriate depth of excavation will be 48 inches BGS. Refer to **Figure 5** for proposed excavation areas and depths.

- Williams proposes to verify its cleanup extent and depth by surveying the excavation as samples were previously collected and are CLP data quality samples.

- Williams recommends tracing the lines from the Auxiliary Building, then either removing them or filling them with concrete based on their concentration levels. Additional cleanup should also be performed on lines with PCB levels above 10 μg/100 cm^2 in accordance of accepted EPA protocols.

- Williams recommends the removal of the air receiver line on the north side of the air receiver area.

7.0 GENERAL COMMENTS

000107

This report was prepared for the exclusive use of Williams for specific application to this project and has been prepared in accordance with generally accepted practices and Williams direction. The analysis, conclusions, and recommendations presented in this report are based upon data

obtained from the sampling performed as described at the locations indicated and from information as discussed within this report. This report does not reflect variations of subsurface stratigraphy or soil quality, which may occur between sampling locations or across the site. If significant variations are discovered during future activities at the site, it may be necessary to re-evaluate the analysis, conclusions, and recommendations contained in this report. Terracon does not warrant the work of regulatory agencies or other parties, which may have supplied information used in the assimilation of this document. No warranties, express or implied, are intended or made.

APPENDIX A:

Figures

000109



000110

U.S.G.S. 7.5 MINUTE SERIES TOPOGRAPHIC MAP

STATE of OKLAHOMA QUADRANGLE

BUFFALO SE

1975

FIGURE 1 - SITE VICINITY MAP
BUFFALO COMPRESSOR STATION
T27N, R23W, Sec. 1
Harper County, Oklahoma

Proj. Mngr: JRR	Terracon	Proj. # 50007055
Designed by: JRF	13910 West 96th Terrace Lenexa, Kansas 66215	FN: Figure1.ppt
Drawn by: JRF		Date: 01-05-01

000110



HIGHWAY 183

000111

BUFFALO COMPRESSOR STATION
NE 1/4, NE 1/4, SEC.1, T 27N, R 23 W
HARPER COUNTY, OKLAHOMA

N

DIAGRAM IS FOR GENERAL LOCATION ONLY.
AN ... NSTRUCTION PURPOSES

R1 2-23-01 DBN

SITE DIAGRAM
WILLIAMS GAS PIPELINE SOUTH CENTRAL
BUFFALO, OKLAHOMA

Project Mngr:	AJP	Terracon	Project No.	50007055
Designed By:	VEP		Scale:	NOT TO SCALE
Checked By:	JRR	13910 WEST 96th TERRACE LENEXA, KANSAS 66215	Date:	01-04-01
Approved By:	JRR		Drawn By:	TKW
File Name:	NEW_FIG-2.dwg		Figure No.	2

BUF-I-1 A ND B ND C ND D ND	BUF-I-2 A ND B ND C <10 D ND	BUF-I-3 A <10 B <10 C <10 D ND	BUF-I-4 A <10 B <10 C <10 D ND	BUF-I-5 A ND B ND C ND D ND
BUF-I-6 A ND B ND C ND D ND	BUF-I-7 B ND C <10 D <10	BUF-I-8 B <10 C <10 D <10	BUF-I-9 B ND C <10 D <10	BUF-I-10 A ND B ND C ND D ND
BUF-I-11 A ND B ND C ND D ND	BUF-I-12 B <10 C <10/<10/<10 D <10	BUF-I-13 B <10/<10/<10 C <10/<25/<10 D <10/<10/<10	BUF-I-14 B ND/ND/ND C <10/<10/<10 D <10/<10/<10	BUF-I-15 A ND B ND C ND D ND
BUF-I-16 A ND B ND C ND D ND	BUF-I-17 B ND C <10 D <10	BUF-I-18 B ND C <10 D <10	BUF-I-19 B >25 C <10 D <10	BUF-I-20 A <10 B ND C ND D ND
BUF-I-21 A ND B ND C ND D ND	BUF-I-22 A ND B ND C ND D ND	BUF-I-23 A ND B ND C ND D ND	BUF-I-24 A ND B ND C ND D ND	BUF-I-25 A ND B ND C ND D ND

DRAIN STACK INLET

APPROXIMATE IMPOUNDMENT BOUNDARY

LEGEND

ND NOT DETECTED

GRIDS EXHIBITING TOTAL PCB >25 mg/kg

GRIDS EXHIBITING TOTAL PCB >10 mg/kg & <25mg/kg

BUFFALO COMPRESSOR STATION
NE 1/4, NE 1/4, SEC.1, T 27N, R 23 W
HARPER COUNTY, OKLAHOMA

BUF-I-14
B ND/ND/ND C <10/<10/<10 D <10/<10/<10

= GRID ID

= SAMPLE ID, RESULT/DUPLICATE &/OR SPLIT RESULT IN mg/kg

000112

N

IMPOUNDMENT AREA GRID - PCB RESULTS
BUFFALO COMPRESSOR STATION
WILLIAMS GAS PIPELINE CENTRAL, INC.
BUFFALO, OKLAHOMA

Project Mngr: AJP	Terracon	Project No. 50007055	
Designed By: VEP		Scale: 1"=20'	
Checked By: JRR	13910 WEST 96th TERRACE LENEXA, KANSAS 66215	Date: 11-04-00	
Approved By: JRR		Drawn By: TKW	
File Name: FIGURE3.DWG		Figure No. 3	

DIAGRAM IS FOR GENERAL LOCATION ONLY,
AND NOT FOR CONSTRUCTION PURPOSES

R1 TKW 01-31-01

FORMER AIR RECEIVERS

BUF-AR-1 A ND	BUF-AR-2 A <10	BUF-AR-3 A <10
BUF-AR-4 A ND	BUF-AR-5 A <10/<10/<10	BUF-AR-6 A <10
BUF-AR-7 A <10	BUF-AR-8 A ND	BUF-AR-9 A ND

FORMER AIR RECEIVERS

FORMER AUXILIARY BUILDING

BUFFALO COMPRESSOR STATION
NE 1/4, NE 1/4, SEC.1, T 27N, R 23 W
HARPER COUNTY, OKLAHOMA

LEGEND

ND NOT DETECTED

BUF-AR-5 = GRID ID
A <10/<10/<10 = SAMPLE ID, RESULT/DUPLICATE &/OR SPLIT RESULT IN mg/kg

000113

N

AIR RECEIVER DISCHARGE AREA GRID
BUFFALO COMPRESSOR STATION
WILLIAMS GAS PIPELINE CENTRAL, INC.
BUFFALO, OKLAHOMA

Project Mngr: AJP	Terracon	Project No. 50007055	
Designed By: VEP		Scale: NOT TO SCALE	
Checked By: JRR	13910 WEST 96th TERRACE LENEXA, KANSAS 66215	Date: 01-04-01	
Approved By: JRR		Drawn By: TKW	
File Name: FIGURE4.DWG		Figure No. 4	

DIAGRAM IS FOR GENERAL LOCATION ONLY, AND [illegible] TRUCTION PURPOSES

R1 TKW 01-31-01



LEGEND

ND NOT DETECTED

GRIDS EXHIBITING TOTAL PCB >25 mg/kg

GRIDS EXHIBITING TOTAL PCB >10 mg/kg & <25mg/kg

BUF-I-14 = GRID ID

BUFFALO COMPRESSOR STATION
NE 1/4, NE 1/4, SEC.1, T 27N, R 23 W
HARPER COUNTY, OKLAHOMA

000114

N

IMPOUNDMENT AREA GRID – PCB RESULTS
BUFFALO COMPRESSOR STATION
WILLIAMS GAS PIPELINE CENTRAL, INC.
BUFFALO, OKLAHOMA

Project Mngr:	AJP	Terracon	Project No.	50007055
Designed By:	VEP		Scale:	1"=20'
Checked By:	JRR	13910 WEST 96th TERRACE LENEXA, KANSAS 66215	Date:	11-04-00
Approved By:	JRR		Drawn By:	TKW
File Name:	FIGURE_5.DWG		Figure No.	5

000114

DIAGRAM IS FOR GENERAL LOCATION ONLY, AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

R1 2-23-01 DBN

APPENDIX B:

Tables

000115

Table 1: PCB Analytical Results

Buffalo Compressor Station

Williams Gas Pipelines Central, Inc

GRID & SAMPLE ID	Date(s) Sampled	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	UNITS
Impoundment Area Soil Samples									
BUF-I-1-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-1-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-1-C	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-1-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-2-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-2-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-2-C	11/30/00	<18	<18	<18	<18	<18	22	<18	ug/kg
BUF-I-2-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-3-A	11/30/00	<17	<17	<17	<17	<17	839	<17	ug/kg
BUF-I-3-B	11/30/00	<18	<18	<18	<18	<18	4800	<18	ug/kg
BUF-I-3-C	11/30/00	<18	<18	<18	<18	<18	1590	<18	ug/kg
BUF-I-3-D	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-4-A	11/30/00	<17	<17	<17	<17	<17	2650	<17	ug/kg
BUF-I-4-B	11/30/00	<18	<18	<18	<18	<18	2030	<18	ug/kg
BUF-I-4-C	11/30/00	<17	<17	<17	<17	<17	80	<17	ug/kg
BUF-I-4-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-5-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-5-B	11/30/00	<20	<20	<20	<20	<20	<20	<20	ug/kg
BUF-I-5-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-5-D	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-6-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-6-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-6-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-6-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-7-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-7-C	11/30/00	<18	<18	<18	<18	<18	4220	<18	ug/kg
BUF-I-7-D	11/30/00	<18	<18	<18	<18	<18	4680	<18	ug/kg
BUF-I-8-B	11/30/00	<17	<17	<17	<17	<17	309	<17	ug/kg
BUF-I-8-C	11/30/00	<18	<18	<18	<18	<18	3780	<18	ug/kg
BUF-I-8-D	11/30/00	<18	<18	<18	<18	<18	5500	<18	ug/kg
BUF-I-9-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-9-C	11/30/00	<17	<17	<17	<17	<17	3060	<17	ug/kg
BUF-I-9-D	11/30/00	<17	<17	<17	<17	<17	2380	<17	ug/kg
BUF-I-10-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-10-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-10-C	11/30/00	<17	<17	<17	<17	<17	21	<17	ug/kg
BUF-I-10-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-11-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-11-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-11-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-11-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-12-B	11/30/00	<18	<18	<18	<18	<18	1810	<18	ug/kg
BUF-I-12-C	11/30/00	<18	<18	<18	<18	<18	4330	<18	ug/kg
BUF-I-12-CD	11/30/00	<18	<18	<18	<18	<18	5850	<18	ug/kg
BUF-I-12-CS	11/30/00	<320	<320	<320	<320	<320	5100	<320	ug/kg
BUF-I-12-D	11/30/00	<17	<17	<17	<17	<17	214	<17	ug/kg
BUF-I-13-B	11/30/00	<18	<18	<18	<18	<18	102	<18	ug/kg

000116

1. Bold results exceed
5,000
ug
for wipes.

000116

Table 1: PCB Analytical Results

Buffalo Compressor Station

Williams Gas Pipelines Central, Inc

GRID & SAMPLE ID	Date(s) Sampled	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	UNITS
BUF-I-13-BD	11/30/00	<18	<18	<18	<18	<18	73	<18	ug/kg
BUF-I-13-BS	11/30/00	<32	<32	<32	<32	<32	59	<32	ug/kg
BUF-I-13-C	11/30/00	<18	<18	<18	<18	<18	4440	<18	ug/kg
BUF-I-13-CD	11/30/00	<18	<18	<18	<18	<18	**15700**	<18	ug/kg
BUF-I-13-CS	11/30/00	<320	<320	<320	<320	<320	6300	<320	ug/kg
BUF-I-13-D	11/30/00	<18	<18	<18	<18	<18	5660	<18	ug/kg
BUF-I-13-DD	11/30/00	<18	<18	<18	<18	<18	993	<18	ug/kg
BUF-I-13-DS	11/30/00	<320	<320	<320	<320	<320	920	<320	ug/kg
BUF-I-14-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-14-BD	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-14-BS	11/30/00	<31	<31	<31	<31	<31	<31	<31	ug/kg
BUF-I-14-C	11/30/00	<18	<18	<18	<18	<18	4650	<18	ug/kg
BUF-I-14-CD	11/30/00	<18	<18	<18	<18	<18	560	<18	ug/kg
BUF-I-14-CS	11/30/00	<320	<320	<320	<320	<320	4200	<320	ug/kg
BUF-I-14-D	11/30/00	<18	<18	<18	<18	<18	2480	<18	ug/kg
BUF-I-14-DD	11/30/00	<18	<18	<18	<18	<18	6170	<18	ug/kg
BUF-I-14-DS	11/30/00	<320	<320	<320	<320	<320	3000	<320	ug/kg
BUF-I-15-A	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-15-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-15-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-15-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-16-A	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-16-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-16-C	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-16-D	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-17-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-17-C	11/30/00	<18	<18	<18	<18	<18	1110	<18	ug/kg
BUF-I-17-D	11/30/00	<17	<17	<17	<17	<17	714	<17	ug/kg
BUF-I-18-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-18-C	11/30/00	<18	<18	<18	<18	<18	2390	<18	ug/kg
BUF-I-18-D	11/30/00	<18	<18	<18	<18	<18	962	<18	ug/kg
BUF-I-19-B	11/30/00	<18	<18	<18	<18	<18	**25300**	<18	ug/kg
BUF-I-19-C	11/30/00	<18	<18	<18	<18	<18	3820	<18	ug/kg
BUF-I-19-D	11/30/00	<18	<18	<18	<18	<18	2290	<18	ug/kg
BUF-I-20-A	11/30/00	<18	<18	<18	<18	<18	61	<18	ug/kg
BUF-I-20-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-20-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-20-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-21-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-21-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-21-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-21-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-22-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-22-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-22-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-22-D	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-23-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-23-B	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-23-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg

000117

1. Bold results exceed cleanup criteria of 25,000 ug for wipes.

Table 1: PCB Analytical Results

Buffalo Compressor Station

Williams Gas Pipelines Central, Inc

GRID & SAMPLE ID	Date(s) Sampled	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	UNITS
BUF-I-23-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-24-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-24-B	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-24-C	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-24-D	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-25-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-I-25-B	11/30/00	<19	<19	<19	<19	<19	<19	<19	ug/kg
BUF-I-25-C	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
BUF-I-25-D	11/30/00	<17	<17	<17	<17	<17	<17	<17	ug/kg
Air Receiver Area Soil Samples									
BUF-AR-1-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-AR-2-A	11/30/00	<18	<18	<18	<18	<18	630	<18	ug/kg
BUF-AR-3-A	11/30/00	<19	<19	<19	<19	<19	48	<19	ug/kg
BUF-AR-4-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-AR-5-A	11/30/00	<18	<18	<18	<18	<18	6980	<18	ug/kg
BUF-AR-5-AD	11/30/00	<18	<18	<18	<18	<18	5470	<18	ug/kg
BUF-AR-5-AS	11/30/00	<320	<320	<320	<320	<320	1000	<320	ug/kg
BUF-AR-6-A	11/30/00	<18	<18	<18	<18	<18	42	<18	ug/kg
BUF-AR-7-A	11/30/00	<18	<18	<18	<18	<18	54	<18	ug/kg
BUF-AR-8-A	11/30/00	<18	<18	<18	<18	<18	<18	<18	ug/kg
BUF-AR-9-A	11/30/00	<20	<20	<20	<20	<20	<20	<20	ug/kg
Impoundment Area Wipe Samples									
BUF-I-WP-1	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
BUF-I-WP-2	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
BUF-I-WP-3	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
Main Compressor Building Wipe Samples									
BUF-AR-WP-1	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	8.82	<0.5	ug/100
BUF-AR-WP-2	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
BUF-AR-WP-3	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	0.67	<0.5	ug/100
BUF-AR-WP-4	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
BUF-AR-WP-5	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	0.99	<0.5	ug/100
BUF-AR-WP-6	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**19.60**	<0.5	ug/100
BUF-AR-WP-7	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/100
BUF-AR-WP-8	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**113**	<0.5	ug/100
BUF-AR-WP-8R	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**254**	<0.5	ug/100
BUF-AR-WP-8S	11/30/00	<2	<2	<2	<2	<2	**67**	<2	ug/100
BUF-AR-WP-9	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**16.6**	<0.5	ug/100
BUF-AR-WP-10	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**4910**	<0.5	ug/100
BUF-AR-WP-11	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**136**	<0.5	ug/100
BUF-AR-WP-12	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**120**	<0.5	ug/100
BUF-AR-WP-13	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	**139**	<0.5	ug/100
Air Receiver Basement Water Grab Sample									
BUF-AB-1	11/30/00	<.5	<.5	<.5	<.5	<.5	2.28	<.5	ug/L
Equipment Rinsates									
BUF-I-R-1	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L
BUF-I-R-2	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L
BUF-I-R-3	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L
BUF-I-R-4	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L

1. *Bold results exceed* [illegible] 000 [illegible] ug for wipes.

000118

000118

n:\projects.00\wgpc00\Buffalo(50997055)\tables.xls

Table 1: PCB Analytical Results
Buffalo Compressor Station
Williams Gas Pipelines Central, Inc

GRID & SAMPLE ID	Date(s) Sampled	PCB 1016	PCB 1221	PCB 1232	PCB 1242	PCB 1248	PCB 1254	PCB 1260	UNITS
BUF-I-R-5	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L
BUF-AR-R1	11/30/00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	ug/L

000119

1. Bold results exceed
[illegible] 000
000119 [illegible]g
for wipes.

n:\projects.00\wgpc00\Buffalo(50997055)\tables.xls

TABLE 2
BUFFALO COMPRESSOR STATION
RCRA METAL ANALYSIS
SOILS (November 2000)
Concentrations in milligrams/kilogram (mg/kg) or parts per million (ppm)

Analyte	Regulatory Limits (see notes)	BUF-I-14 (C)
Arsenic	50 [1]	1.8
Barium	2000 [2]	145
Cadmium	38 [1]	0.28
Chromium	2077 [1]	7.9
Lead	500 [1]	32
Mercury	4 [2]	1.715
Selenium	20 [2]	<0.5
Silver	100 [2]	<0.5

Notes:
1. Cleanup Standard Imposed For Other WGPC Site Consent Orders.
2. Modified TCLP Limits (RCRA 20 Rule).
3. Bold and Shaded Results Exceed Regulatory Limit.

TA 3
BUFFALO COMP. SSOR STATION
SVOC ANALYSIS
SOILS November 2000)

Concentrations in milligrams/kilogram (ug/kg) or parts per million (ppb)

Analyte	Comparative Regulatory Criteria[1]	BUF-I-8-C	BUF-I-9-C	BUF-I-10-B	BUF-I-13-C	BUF-I-14-C	BUF-I-16-B	BUF-I-18-C	BUF-I-19-C	BUF-I-20-B
Date Sampled		11/30/2000	11/30/2000	11/30/2000	11/30/2000	11/30/2000	11/30/2000	11/30/2000	11/30/2000	11/30/2000
Acenaphthene	1,647,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Acenaphthylene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Anthracene	8,233,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzidine	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
Benzo(a)Anthracene	990[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzo(b)Fluoranthene	990[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzo(k)Fluoranthene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzoic Acid	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
Benzo(g,h,I)Perylene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzo(a)Pyrene	990[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Benzyl Alcohol	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
bis(2-Chloroethoxy)Methane	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
bis(2-Chloroethyl)Ether	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
bis(2-Chloroisopropyl)Ether	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
bis(2-Ethylhexyl)Phthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
4-Bromophenyl-phenylether	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Butylbenzylphthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
4-Chloroaniline	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
4-Chloro-3-Methylphenol	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
2-Chloronaphthalene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2-Chlorophenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
4-Chlorophenyl-phenylether	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Chrysene	990[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Dibenz(a,h)Anthracene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Dibenzofuran	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
1,2-Dichlorobenzene	-	**2770**	<340	<350	<600	<5900	<360	<340	<350	<370
1,3-Dichlorobenzene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
1,4-Dichlorobenzene	150,000	**748**	<340	<350	<600	<5900	<360	<340	<350	<370
3,3'-Dichlorobenzidine	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
2,4-Dichlorophenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Diethylphthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2,4-Dimetheylphenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370

Notes:
1. Modified TCLP Limits (RCRA 20 Rule).
2. For Other Williams' Site Consent Orders.

n:\projects.00\wgpsc-00\Buffalo(507055)\Buf tables.xls

000121

TA[illegible] 3
BUFFALO COMI[illegible]SOR STATION
SVOC ANALYSIS
SOILS November 2000)
Concentrations in milligrams/kilogram (ug/kg) or parts per million (ppb)

Dimethyl Phthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Isophorone	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Di-n-Butylphthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
4,6-Dinitro-2-Methylphenol	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
2,4-Dinitrophenol	-	<1200	<670	<710	<1200	<12000	<720	<680	<690	<730
2,4-Dinitrotoluene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2,6-Dinitrotuluene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Di-n-Octyl Phthalate	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
1,2-Diphenyl Hydrasine	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Fluoranthene	1,098,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Fluorene	1,098,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Hexachlorobenzene	2,600	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Hexachlorobutadiene	10,000	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Hexachlorocyclopentadiene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Hexachloroethane	60,000	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Indeno1,2,3-cd)Pyrene	990[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2-Methylnaphthalene	-	<620	<340	<350	<600	**6770**	<360	<340	<350	<370
2-Methylphenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
3,4-Methylphenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Naphthalene	1,098,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2-Nitroaniline	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
3-Nitroaniline	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
4-Nitroaniline	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
Nitrobenzene	40,000	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2-Nitrophenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
4-Nitrophenol	-	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
N-Nitroso-Di-n-Propylamine	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
N-Nitrosodiphenylamine (1)	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
N-Nitrosodimethylamine	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Pentachlorophenol	2,000,000	<3100	<1700	<1800	<3000	<29000	<1800	<1700	<1700	<1800
Phenanthrene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Phenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
Pyrene	824,000[2]	<620	<340	<350	<600	<5900	<360	<340	<350	<370
1,2,4-Trichlorobenzene	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2,4,5-Trichlorophenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370
2,4,6-Trichlorophenol	-	<620	<340	<350	<600	<5900	<360	<340	<350	<370

Notes:
1. Modified TCLP Limits (RCRA 20 Rule).
2. Cleanup Standard Imposed For Other Williams' Site Consent Orders.

n:\projects.00\wgpsc-00\Buffalo(507055)\Buf tables.xls

000122

APPENDIX C:

Standard Operating Procedures

000123

Standard Operating Procedures
Macro-core Sample Recovery

Step 1: Advance macro-core soil sampler the specified distance or to the desired depth and withdraw sampler from the subsurface.

Step 2: Remove acetate liner encapsulating soil sample from sampler.

Step 3: Observe acetate liner and soil for signs of sample movement within the liner.

Signs to look for:

- Soil core extruding for sampler shoe.
- No soil in sampler shoe.
- No soil in bottom of acetate liner.
- Top of liner appears smeared from soil core sliding out of liner.
- Recovery is less than distance of sampler advancement.

Step 4: Measure the sample recovery and compare to the distance sampler was advanced. If sample recovery is 95% or more of the push distance, then proceed with collecting samples from the desired horizons.

Note: If there is no evidence of sample movement within liner, and the recovery is less than 95%, then the sample may have been compressed within the acetate liner or within the borehole. Given the design of the macro-core sampler and the type of soil encountered, a determination as to whether the soil has been compressed must be made.

Step 5: Determine if recovery is sufficient for sampling objectives by answering the following questions:

1. Is there enough soil volume for the specified analysis?
2. Can a reasonable estimation of sample horizons be specified?

If the answer to either of these questions is "no" then the sampler must be re-advanced.

Step 6: When soils are compressed within the acetate liner, it is necessary to quantitatively determine the appropriate sample horizons. Observations of the sample within the liner must be made to determine the potential "zone of compression". The macro-core sampler is designed so that the soil sample diameter should be less than the diameter of the acetate liner.

The following scenarios describe procedures for determining the appropriate sample horizon when the soil sample is compressed within the acetate liner:

000124

Scenario 1: The macro-core sampler is advanced to 30" with desired sample horizons of 0-6", 12-18" and 24-30". The sample recovery measures only 25" when withdrawn from the subsurface and there is no evidence of sample loss. The soil core appears to touch or be tight against the acetate liner throughout the entire length of the sample (It is assumed that the sample is compressed equally throughout the sampler).

Divide the sample into five equal parts measuring 5" each. Collect sample from 0-5" as the 0-6" sample and discard the 5" to 10" horizon; collect the 10-15" horizon as the 12-18" horizon and discard the 15" to 20" horizon; and collect the 20-25" horizon as the 24" to 30" sample.

Scenario 2: The macro-core sampler is advanced to 30" with desired sampling horizons of 0-6", 12-18" and 24-30". The sample recovery measures only 25" when withdrawn from the subsurface and there is no evidence of sample loss. The soil core appears to touch the acetate liner from 6" to 25" (It is assumed that the "zone of compression" is from 6" to 25").

Collect the 0 to 6" sample and divide the remaining 19" (6" to 25" of sample) into four equal parts. Discard the 6" to 10.75" horizon and collect the 10.75" to 15.5" horizon as the 12-18" sample; discard the 15.5" to 20.25" horizon and collect a sample from the 20.25" to 25" horizon as the 24-30" sample.

In determining the "zone of compression" for numerous samples at a given site, it may be useful to take into account the following:

- Soil properties
- Total hole depth
- Surface cover
- Distance sampler is advanced
- Moisture content
- Subsurface anomalies observed within acetate liner

Step 7: Place soil from each horizon into a stainless steel bowl or disposable container and thoroughly mix. Use a stainless steel spoon where soils are difficult to mix by hand.

Step 8: Place soil into the sample container in a manner that will minimize voids and seal container with appropriate lid.

Step 9: Label each container with the following:
Date, Time, Sample Identification, Project Number, Site Name, Sampler, & Requested Analysis

Step 10: Place in cooler on ice in order to maintain temperatures close to 4 degrees Celsius.

000125

APPENDIX D:

Photo Log

000126

Photo #1

Photographer: Tony Poulter

Date: 11/30/00

Direction: West/Southwest facing

Description: Soil sampling in Impoundment area

Photo #2

Photographer: Tony Poulter

Date: 11/30/00

Direction: Southwest facing

Description: Soil sampling in impoundment area

Photo #3

Photographer: Tony Poulter

Date: 11/30/00

Direction: Southwest facing

Description: Energy Dissipation Stack



000127

Photo #4

Photographer: Mark Sullivan

Date: 11 30 00

Direction: West facing

Description: Pipes leaving the Auxiliary Building



Photo #5

Photographer: Mark Sullivan

Date: 11/30/00

Direction: North facing

Description: Various lines in the air receiver area



Photo #6

Photographer: Mark Sullivan

Date: 11/30/00

Direction: North facing

Description: Floor drain in northwest corner of the Auxiliary Building



APPENDIX E:

Laboratory Reports

000129

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

ɜORATORY REPORT: REFERENCE #: 0012074

ɟT TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER
ɔJECT:WGPSC-BUFFALO

DATE REPORTED: 01/31/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

ɪple ID: BUFF-I-WP-1 Sample Matrix: WIPES
.lectiòn Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
) PACKAGE		COMPLETE STD UN			12/15/00DN	
ɜ'S	SW846 8082					
ʼCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
ʼCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
ʼCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
ʼCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
ʼCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
ʼCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
ʼC 260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
ɜB (UR)	-	116	150	50		12/04/00

ɪple ID: BUFF-I-WP-2 Sample Matrix: WIPE
.lection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ɜ'S	SW846 8082					
ʼCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	110	150	50		12/04/00

ple ID: BUFF-I-WP-3 Sample Matrix: WIPE
lection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ɜ'S	SW846 8082					
C. 16	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

nple ID: BUFF-I-WP-3 Sample Matrix: WIPE
] tion Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB (SUR)	-	112	150	50		12/04/00

nple ID: BUFF-AR-WP-1 Sample Matrix: WIPE
llection Date: 11/30/00 16:16:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	8.82	UG	0.50	12/04/00JSS	12/04/00
P 1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
C. SUR)	-	109	150	50		12/04/00

nple ID: BUFF-AR-WP-2 Sample Matrix: WIPE
llection Date: 11/30/00 16:18:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB (SUR)	-	160 Q	150	50		12/04/00

nple ID: BUFF-AR-WP-3 Sample Matrix: WIPE
llection Date: 11/30/00 16:14:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
P 016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

ple ID: BUFF-AR-WP-3 Sample Matrix: WIPE
ion Date: 11/30/00 16:14:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	0.672	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	154 Q	150	50		12/04/00

ple ID: BUFF-AR-WP-4 Sample Matrix: WIPE
lection Date: 11/30/00 16:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
C 260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B JR)	-	160 Q	150	50		12/04/00

ple ID: BUFF-AR-WP-5 Sample Matrix: WIPE
lection Date: 11/30/00 16:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	0.991	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	166 Q	150	50		12/04/00

ple ID: BUFF-AR-WP-6 Sample Matrix: WIPE
lection Date: 11/30/00 15:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
C 16	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

ple ID: BUFF-AR-WP-6 Sample Matrix: WIPE
ction Date: 11/30/00 15:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	19.6	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	167 Q	150	50		12/04/00

ple ID: BUFF-AR-WP-7 Sample Matrix: WIPE
lection Date: 11/30/00 16:12:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
C 260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	122	150	50		12/04/00

ple ID: BUFF-AR-WP-8 Sample Matrix: WIPE
lection Date: 11/30/00 16:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	113	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	139	150	50		12/04/00

ple ID: BUFF-AR-WP-9 Sample Matrix: WIPE
lection Date: 11/30/00 16:02:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
C 16	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

nple ID: BUFF-AR-WP-9 Sample Matrix: WIPE
! tion Date: 11/30/00 16:02:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	16.6	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB (SUR)	-	133	150	50		12/04/00

nple ID: BUFF-AR-WP-10 Sample Matrix: WIPE
llection Date: 11/30/00 16:04:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	4910 D	UG	0.50	12/05/00JSS	12/04/00
P 1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
C SUR)	-	110	150	50		12/04/00

nple ID: BUFF-AR-WP-11 Sample Matrix: WIPE
llection Date: 11/30/00 16:06:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	136	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB (SUR)	-	67	150	50		12/04/00

nple ID: BUFF-AR-WP-12 Sample Matrix: WIPE
llection Date: 11/30/00 16:08:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'	SW846 8082					
P .016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

ple ID: BUFF-AR-WP-12 Sample Matrix: WIPE
l- -ion Date: 11/30/00 16:08:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
CB-1254	11097-69-1	120	UG	0.50	12/04/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
B (SUR)	-	106	150	50		12/04/00

ple ID: BUFF-AR-WP-13 Sample Matrix: WIPE
lection Date: 11/30/00 16:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1254	11097-69-1	139 D	UG	0.50	12/05/00JSS	12/04/00
CP 1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
B /R)	-	119	150	50		12/04/00

ple ID: BUFF-AR-WP-8R Sample Matrix: WIPE
lection Date: 11/30/00 16:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
CB-1254	11097-69-1	254 D	UG	0.50	12/05/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
B (SUR)	-	91	150	50		12/04/00

ple ID: BUFF-I-R1 Sample Matrix: WATER
lection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
C 16	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00

ple ID: BUFF-I-R1 Sample Matrix: WATER
ion Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B (SUR)	-	35 Q	150	50		12/06/00

ple ID: BUFF-I-R2 Sample Matrix: WATER
lection Date: 11/30/00 11:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CP 1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B JR)	-	45 Q	150	50		12/06/00

ple ID: BUFF-I-R3 Sample Matrix: WATER
lection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B (SUR)	-	20 Q	150	50		12/06/00

ple ID: BUFF-I-R4 Sample Matrix: WATER
lection Date: 11/30/00 14:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
C 16	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00

ple ID: BUFF-I-R4 Sample Matrix: WATER
l-tion Date: 11/30/00 14:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B (SUR)	-	37 Q	150	50		12/06/00

ple ID: BUFF-I-R5 Sample Matrix: WATER
lection Date: 11/30/00 14:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
E JR)	-	34 Q	150	50		12/06/00

ple ID: BUFF-AR-R1 Sample Matrix: WATER
lection Date: 11/30/00 15:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B (SUR)	-	26 Q	150	50		12/06/00

ple ID: BUFF-AR-R2 Sample Matrix: WATER
lection Date: 11/30/00 16:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	B120600B			DLB	12/06/00

ple ID: BUFF-AB-BASEMENT WATER Sample Matrix: WATER
] tion Date: 11/30/00 16:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
CB-1254	11097-69-1	2.28	UG/L	0.50	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
B (SUR)	-	29 Q	150	50		12/06/00

NONE DETECTED
=PRACTICAL QUANTITATION LIMIT
STANDARD UNITS
CKGROUND CONTAMINATION
=SURROGATE
UTSIDE LIMITS
ETECTED IN METHOD BLANK

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

7 -AMENDED TO CORRECT PCB WIPE RESULTS FOR 4A,6A,7A,8A DN

00120 4

000008

Terracon
... 98th Terrace
... Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORAT .Y ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK

PROJECT NUMBER: 50007055

SAMPLER (SIGNATURE): Jason K. Franks

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff- I - R1	11/30/00	1100	~~Soil~~ WA		X	1	X	OK TO RUN
Buff- I- R2		1130	~~Soil~~ WA		X	1	X	
Buff- I- R3		1200	~~Soil~~ WA		X	1	X	
Buff- I- R4		1400	~~Soil~~ WA		X	1	X	
Buff- I- R5		1415	~~Soil~~ WA		X	1	X	
Buff- AR+R1		1530	~~Soil~~ WA		X	1	X	
Buff- AR- R2		1605	~~Soil~~ WA		X	1	X	HOLD
Buff- AB- Basement Water		1600	~~Soil~~ WA		X	1	X	OK TO RUN
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

001 9

000139

Terracon
[illegible] 98th Terrace
[illegible], Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: S0007055
SAMPLER (SIGNATURE): [illegible]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-AR-WP-13	11/30/00	1610	Soil		X	1	X	OK TO RUN
Buff-AR-WP-8 R	11/30/00	1630	Soil		X	1	X	↓
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48 Hour — STANDARD 72 hour TAT — OTHER
PROVIDE VERBAL PRELIMINARY RESULTS — FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
PRINTED NAME: Tony Poulter	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM: Terracon	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

12/2/00 11:40

000140

000140

...con
...6th Terrace
...Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, Ok
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-WP-1	11/30/00	1025	~~Soil~~		X	1	X	OK TO RUN
Buff-I-WP-2		1030	~~Soil~~		X	1	X	
Buff-I-WP-3		1035	~~Soil~~		X	1	X	
Buff-AR-WP-1		1616	~~Soil~~		X	1	X	
Buff-AR-WP-2		1618	~~Soil~~		X	1	X	
Buff-AR-WP-3		1614	~~Soil~~		X	1	X	
Buff-AR-WP-4		1620	~~Soil~~		X	1	X	
Buff-AR-WP-5		1625	~~Soil~~		X	1	X	
Buff-AR-WP-6		1500	~~Soil~~		X	1	X	
Buff-AR-WP-7		1612	~~Soil~~		X	1	X	
Buff-AR-WP-8		1600	~~Soil~~		X	1	X	
Buff-AR-WP-9		1602	~~Soil~~		X	1	X	
Buff-AR-WP-10		1604	~~Soil~~		X	1	X	
Buff-AR-WP-11		1606	~~Soil~~		X	1	X	
Buff-AR-WP-12		1608	~~Soil~~		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour STANDARD 72 hour TAT OTHER
PROVIDE VERBAL PRELIMINARY RESULTS FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

Quality Cor ' Report

TERRACON
0012074

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/06/00		water	ug/L
PCB-1221	8082		GC/ECD	12/06/00		water	ug/L
PCB-1232	8082		GC/ECD	12/06/00		water	ug/L
PCB-1242	8082		GC/ECD	12/06/00		water	ug/L
PCB-1248	8082		GC/ECD	12/06/00		water	ug/L
PCB-1254	8082		GC/ECD	12/06/00		water	ug/L
PCB-1260	8082		GC/ECD	12/06/00		water	ug/L
DCB (Surr)	8082		GC/ECD	12/06/00		water	ug/L
PCB-1016	8082		GC/ECD	12/04/00		wipe	ug
PCB-1221	8082		GC/ECD	12/04/00		wipe	ug
PCB-1232	8082		GC/ECD	12/04/00		wipe	ug
PCB-1242	8082		GC/ECD	12/04/00		wipe	ug
PCB-1248	8082		GC/ECD	12/04/00		wipe	ug
PCB-1254	8082		GC/ECD	12/04/00		wipe	ug
PCB-1260	8082		GC/ECD	12/04/00		wipe	ug
DCB (Surr)	8082		GC/ECD	12/04/00		wipe	ug

000142

Quality Control Report

TERR...ON
0012074

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	LCS / LCS Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND													
PCB-1221	ND													
PCB-1232	ND													
PCB-1242	ND													
PCB-1248	ND													
PCB-1254	ND				ND	2.00	1.03	52	1.14	57	9	1.07	2.00	54
PCB-1260	ND													
DCB (Surr)	0.13				0.13	0.20	0.16	78	0.16	80		0.18	0.20	88
PCB-1016	ND													
PCB-1221	ND													
PCB-1232	ND													
PCB-1242	ND													
PCB-1248	ND													
PCB-1254	ND				ND	2.00	1.51	76	1.42	71	7			
PCB-1260	ND													
DCB (Surr)	0.36				0.36	0.20	0.34	171 *	0.33	166 *				

000143

Quality Cc l Report

TERRACON

0012074

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000144

Quality C l Report

TERRACON

0012074

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	86.4	86.3	0.1								316	302	105

000145

Quality Control Report Definitions	
QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials:

000146

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

BORATORY REPORT: REFERENCE #: 0012075

NT TERRACON ENVIRONMENTAL
: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER
OJECT:WGPSC-BUFFALO OK PART 2

DATE REPORTED:
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #: 50007055

mple ID: BUFF-AR-1A Sample Matrix: SOIL
llection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
P PACKAGE			STD UN			
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/04/00JSS	12/04/00
P[illegible]-1254	11097-69-1	ND	UG/KG	18	12/04/00JSS	12/04/00
1 1260	11096-82-5	ND	UG/KG	18	12/04/00JSS	12/04/00
CB (SUR)	-	94	150	50		12/04/00
TAL SOLIDS	EPA 160.3	94.68	%	0.01	12/04/00KDH	

mple ID: BUFF-AR-2A Sample Matrix: SOIL
llection Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	630	UG/KG	18	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/04/00JSS	12/04/00
CB (SUR)	-	82	150	50		12/04/00
TAL SOLIDS	EPA 160.3	95.36	%	0.01	12/04/00KDH	

000147

ɔ] ID: BUFF-AR-3A Sample Matrix: SOIL
. .on Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	19	12/05/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG/KG	19	12/05/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG/KG	19	12/05/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG/KG	19	12/05/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG/KG	19	12/05/00JSS	12/04/00
CB-1254	11097-69-1	48	UG/KG	19	12/05/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG/KG	19	12/05/00JSS	12/04/00
B (SUR)	-	104	150	50		12/04/00
AL SOLIDS	EPA 160.3	88.87	%	0.01	12/04/00KDH	

ple ID: BUFF-AR-4A Sample Matrix: SOIL
lection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1254	11097-69-1	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
B (SUR)	-	113	150	50		12/04/00
AL SOLIDS	EPA 160.3	94.17	%	0.01	12/04/00KDH	

ple ID: BUFF-AR-5A Sample Matrix: SOIL
lection Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
CB-1254	11097-69-1	6980D	UG/KG	18	12/05/00JSS	12/04/00
CB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
B (SUR)	-	86	150	50		12/04/00
AL SOLIDS	EPA 160.3	94.23	%	0.01	12/04/00KDH	

le ID: BUFF-AR-6A Sample Matrix: SOIL
n Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1254	11097-69-1	42	UG/KG	18	12/05/00JSS	12/04/00
B-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
(SUR)	-	101	150	50		12/04/00
L SOLIDS	EPA 160.3	93.11	%	0.01	12/04/00KDH	

le ID: BUFF-AR-7A Sample Matrix: SOIL
ection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
42	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1254	11097-69-1	54	UG/KG	18	12/05/00JSS	12/04/00
B-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
(SUR)	-	122	150	50		12/04/00
L SOLIDS	EPA 160.3	94.36	%	0.01	12/04/00KDH	

le ID: BUFF-AR-8A Sample Matrix: SOIL
lection Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1254	11097-69-1	ND	UG/KG	18	12/05/00JSS	12/04/00
B-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
(SUR)	-	102	150	50		12/04/00
L SOLIDS	EPA 160.3	93.74	%	0.01	12/04/00KDH	

000149

.e ID: BUFF-AR-9A Sample Matrix: SOIL
on Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3	SW846 8082					
3-1016	12674-11-2	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1221	11104-28-2	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1232	11141-16-5	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1242	53469-21-9	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1248	12672-29-6	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1254	11097-69-1	ND	UG/KG	20	12/05/00JSS	12/05/00
3-1260	11096-82-5	ND	UG/KG	20	12/05/00JSS	12/05/00
(SUR)	-	126	150	50		12/05/00
L SOLIDS	EPA 160.3	87.85	%	0.01	12/04/00KDH	

le ID: BUFF-AR-1B Sample Matrix: SOIL
ection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-2B Sample Matrix: SOIL
on Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-AR-3B Sample Matrix: SOIL
lection Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-AR-4B Sample Matrix: SOIL
lection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

000150

le ID: BUFF-AR-5B Sample Matrix: SOIL
ec on Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-6B Sample Matrix: SOIL
ection Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-7B Sample Matrix: SOIL
ection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-8B Sample Matrix: SOIL
e on Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-9B Sample Matrix: SOIL
ection Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-1C Sample Matrix: SOIL
ection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

.e ID: BUFF-AR-2C Sample Matrix: SOIL
n Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-3C Sample Matrix: SOIL
ection Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-4C Sample Matrix: SOIL
ection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-5C Sample Matrix: SOIL
ection Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-6C Sample Matrix: SOIL
ection Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-AR-7C Sample Matrix: SOIL
ection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

.e TD: BUFF-AR-8C Sample Matrix: SOIL
:(n Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

.e ID: BUFF-AR-9C Sample Matrix: SOIL
ction Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

ONE DETECTED
PRACTICAL QUANTITATION LIMIT
TANDARD UNITS
KGROUND CONTAMINATION
SURROGATE
TSIDE LIMITS
TECTED IN METHOD BLANK

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

000153

Terracon
13910 West 56th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC Buffalo, OK

PROJECT NUMBER: 50007055

SAMPLER (SIGNATURE):

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE: ICE	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-AR-A1 (B)	11/30/00	320	Soil	X	1	X	HOLD
BUFF-AR-A2 (B)	↓	305	Soil	X	1	X	↓
BUFF-AR-A3 (B)		250	Soil	X	1	X	
BUFF-AR-A4 (B)		315	Soil	X	1	X	
BUFF-AR-A5 (B)		310	Soil	X	1	X	
BUFF-AR-A6 (B)		255	Soil	X	1	X	
BUFF-AR-A7 (B)		325	Soil	X	1	X	
BUFF-AR-A8 (B)		330	Soil	X	1	X	
BUFF-AR-A9 (B)	↓	335	Soil	X	1	X	↓
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48 Hour — STANDARD 72 hour TAT — OTHER

PROVIDE VERBAL PRELIMINARY RESULTS — FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE:	SIGNATURE:	SIGNATURE:	SIGNATURE:
PRINTED NAME: Tony Poulter	PRINTED NAME: Dave Robinson	PRINTED NAME: 12/2/00	PRINTED NAME: 11:40
FIRM: Terracon	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000010

000154

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS: Bill to WGPSC - Mark Sullivan

PROJECT NAME: WGPSC Buffalo, OK

PROJECT NUMBER: 50007055

SAMPLER (SIGNATURE):

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-AR-01 (C)	11/30/00	320	Soil	X	1	X	HOLD
BUFF-AR-02 (C)		30[illegible]	Soil	X	1	X	
BUFF-AR-03 (C)		2[illegible]	Soil	X	1	X	
BUFF-AR-04 (C)		31[illegible]	Soil	X	1	X	
BUFF-AR-05 (C)		31[illegible]	Soil	X	1	X	
BUFF-AR-06 (C)		2[illegible]5	Soil	X	1	X	
BUFF-AR-07 (C)		3[illegible]5	Soil	X	1	X	
BUFF-AR-08 (C)		32[illegible]	Soil	X	1	X	
BUFF-AR-09 (C)		335	Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48 Hour — STANDARD 72 hour TAT — OTHER

PROVIDE VERBAL PRELIMINARY RESULTS — FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
PRINTED NAME: Tony Poulter	PRINTED NAME: [illegible] 12/4/00	PRINTED NAME	PRINTED NAME: 11:40
FIRM: Terracon	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000011

000155

000155

Quality Control Report

TER...CON

0012075

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1221	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1232	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1242	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1248	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1254	8082		GC/ECD	12/05/00		soil	ug/kg
PCB-1260	8082		GC/ECD	12/05/00		soil	ug/kg
DCB (Surr)	8082		GC/ECD	12/05/00		soil	ug/kg

000156

TERR...ON
0012075

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				ND	66.7	41.3	62	40.8	61	1	35.8	66.7	54
PCB-1260	ND											ND		
DCB (Surr)	6.60				9.62	6.66	8.66	123	9.36	133	8	9.78	6.66	147

000157

QWAL Laboratories, Inc.

Quality Co. Report

TERRACON

0012075

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000158

000158

Quality C· d Report

TERRACON

0012075

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	86.4	86.3	0.1								316	302	105

000159

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials: GBL

000160

QWAL LABORATORIES, INC.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

E TORY REPORT: REFERENCE #: 0012076

NT TERRACON ENVIRONMENTAL
: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED:
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #: 50007055

OJECT:WGPSC-BUFFALO OK PART 3

mple ID: BUFF-I-1A Sample Matrix: SOIL
llection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
P PACKAGE			STD UN			
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	96	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	94.09	%	0.01	12/04/00KDH	

ample ID: BUFF-I-2A Sample Matrix: SOIL
ollection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	93	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	95.25	%	0.01	12/04/00KDH	

ample ID: BUFF-I-3A Sample Matrix: SOIL
ollection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	839	UG/KG	17	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
DCB (SUR)	-	71	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	98.25	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-4A Sample Matrix: SOIL
Collection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	2650D	UG/KG	17	12/07/00JSS	12/06/00
B-1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
DCB (SUR)	-	68	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	97.81	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-5A Sample Matrix: SOIL
Collection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	65	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	95.73	%	0.01	12/04/00KDH	

ample ID: BUFF-I-6A Sample Matrix: SOIL
ollection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	77	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	95.34	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-10A Sample Matrix: SOIL
Collection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
B-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	49 Q	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.04	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-11A Sample Matrix: SOIL
Collection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	40 Q	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

ple ID: BUFF-I-15A Sample Matrix: SOIL
lection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/KG	19	12/07/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/KG	19	12/07/00JSS	12/06/00
CB (SUR)	-	59	150	50		12/06/00
TAL SOLIDS	EPA 160.3	94.71	%	0.01	12/04/00KDH	

nple ID: BUFF-I-16A Sample Matrix: SOIL
llection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
P 1254	11097-69-1	ND	UG/KG	17	12/07/00JSS	12/06/00
P 1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
CB (SUR)	-	76	150	50		12/06/00
TAL SOLIDS	EPA 160.3	97.40	%	0.01	12/04/00KDH	

mple ID: BUFF-I-20A Sample Matrix: SOIL
llection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	[illegible]	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	[illegible]	61	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	99	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	95.19	%	0.01	12/04/00KDH	

mple ID: BUFF-I-21A Sample Matrix: SOIL
llection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
:B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	97	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	96.40	%	0.01	12/04/00KDH	

ample ID: BUFF-I-22A Sample Matrix: SOIL
ollection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	93	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.05	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-23A Sample Matrix: SOIL
Collection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	83	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	95.73	%	0.01	12/04/00KDH	

le ID: BUFF-I-24A Sample Matrix: SOIL
ection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
CB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
B (SUR)	-	86	150	50		12/06/00
AL SOLIDS	EPA 160.3	94.50	%	0.01	12/04/00KDH	

ple ID: BUFF-I-25A Sample Matrix: SOIL
lection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
CB (SUR)	-	49 Q	150	50		12/06/00
TAL SOLIDS	EPA 160.3	96.87	%	0.01	12/04/00KDH	

mple ID: BUFF-I-1B Sample Matrix: SOIL
llection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/08/00JSS	12/06/00
DCB (SUR)	-	73	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	89.82	%	0.01	12/04/00KDH	

ple ID: BUFF-I-2B Sample Matrix: SOIL
.lection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
CB (SUR)	-	71	150	50		12/06/00
TAL SOLIDS	EPA 160.3	91.95	%	0.01	12/04/00KDH	

mple ID: BUFF-I-3B Sample Matrix: SOIL
llection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	4800	UG/KG	18	12/08/00JSS	12/06/00
-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	104	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	94.67	%	0.01	12/04/00KDH	

ample ID: BUFF-I-4B Sample Matrix: SOIL
ollection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	2030	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	100	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.33	%	0.01	12/04/00KDH	

le ID: BUFF-I-5B Sample Matrix: SOIL
ection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1221	11104-28-2	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1232	11141-16-5	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1242	53469-21-9	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1248	12672-29-6	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1254	11097-69-1	ND	UG/KG	20	12/11/00JSS	12/08/00
B-1260	11096-82-5	ND	UG/KG	20	12/11/00JSS	12/08/00
3 (SUR)	-	84	150	50		12/08/00
AL SOLIDS	EPA 160.3	87.06	%	0.01	12/04/00KDH	

ple ID: BUFF-I-6B Sample Matrix: SOIL
lection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
.260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB (SUR)	-	95	150	50		12/08/00
TAL SOLIDS	EPA 160.3	92.51	%	0.01	12/04/00KDH	

mple ID: BUFF-I-7B Sample Matrix: SOIL
llection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB (SUR)	-	88	150	50		12/08/00
TAL SOLIDS	EPA 160.3	92.26	%	0.01	12/04/00KDH	

le ID: BUFF-I-8B Sample Matrix: SOIL
ection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
:B-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/08/00
:B-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/08/00
:B-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/08/00
:B-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/08/00
:B-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/08/00
:B-1254	11097-69-1	309	UG/KG	17	12/11/00JSS	12/08/00
:B-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/08/00
B (SUR)	-	98	150	50		12/08/00
AL SOLIDS	EPA 160.3	97.58	%	0.01	12/04/00KDH	

ple ID: BUFF-I-9B Sample Matrix: SOIL
lection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
'CB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
'CB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
'CB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
'CB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
'CB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
'CB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
'C 260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
:B (SUR)	-	67	150	50		12/08/00
TAL SOLIDS	EPA 160.3	89.34	%	0.01	12/04/00KDH	

mple ID: BUFF-I-10B Sample Matrix: SOIL
llection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	89	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB (SUR)	-	74	150	50		12/08/00
TAL SOLIDS	EPA 160.3	94.09	%	0.01	12/04/00KDH	
TRACTION	NONE	DONE	NONE		DLB	12/14/00

nple ID: BUFF-I-11B Sample Matrix: SOIL
llection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB (SUR)	-	80	150	50		12/08/00
TAL SOLIDS	EPA 160.3	91.29	%	0.01	12/04/00KDH	

mple ID: BUFF-I-12B Sample Matrix: SOIL
llection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	1810D	UG/KG	18	12/11/00JSS	12/08/00
-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	30 Q	150	50		12/08/00
OTAL SOLIDS	EPA 160.3	95.89	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-13B Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	102	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	64	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	93.73	%	0.01	12/04/00KDH	

le ID: BUFF-I-14B Sample Matrix: SOIL
ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
:B-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
:B-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
B (SUR)	-	78	150	50		12/08/00
AL SOLIDS	EPA 160.3	92.12	%	0.01	12/04/00KDH	

ple ID: BUFF-I-15B Sample Matrix: SOIL
lection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB (SUR)	-	89	150	50		12/08/00
TAL SOLIDS	EPA 160.3	91.43	%	0.01	12/04/00KDH	
TRACTION	NONE	DONE	NONE	..	DLB	12/14/00

mple ID: BUFF-I-16B Sample Matrix: SOIL
llection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
:B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	72	150	50		12/08/00
OTAL SOLIDS	EPA 160.3	91.17	%	0.01	12/04/00KDH	

ple ID: BUFF-I-17B Sample Matrix: SOIL
lection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
:B (SUR)	-	98	150	50		12/08/00
:AL SOLIDS	EPA 160.3	92.42	%	0.01	12/04/00KDH	

aple ID: BUFF-I-18B Sample Matrix: SOIL
llection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
P[illegible] 1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
P[illegible] .260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB (SUR)	-	150	150	50		12/08/00
TAL SOLIDS	EPA 160.3	93.15	%	0.01	12/04/00KDH	

mple ID: BUFF-I-19B Sample Matrix: SOIL
llection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
:B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	25300D	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	53	150	50		12/08/00
DTAL SOLIDS	EPA 160.3	92.55	%	0.01	12/04/00KDH	

ple ID: BUFF-I-20B Sample Matrix: SOIL
lection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
's	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
B (SUR)	-	86	150	50		12/08/00
AL SOLIDS	EPA 160.3	90.09	%	0.01	12/04/00KDH	
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-I-21B Sample Matrix: SOIL
lection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
.254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
CB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
B (SUR)	-	115	150	50		12/08/00
AL SOLIDS	EPA 160.3	89.53	%	0.01	12/04/00KDH	

nple ID: BUFF-I-22B Sample Matrix: SOIL
llection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
CB (SUR)	-	90	150	50		12/08/00
TAL SOLIDS	EPA 160.3	89.62	%	0.01	12/04/00KDH	

ple ID: BUFF-I-23B Sample Matrix: SOIL
lection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
CB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
CB (SUR)	-	93	150	50		12/08/00
TAL SOLIDS	EPA 160.3	92.24	%	0.01	12/04/00KDH	

mple ID: BUFF-I-24B Sample Matrix: SOIL
llection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/08/00
-1254	11097-69-1	ND	UG/KG	17	12/11/00JSS	12/08/00
-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/08/00
CB (SUR)	-	82	150	50		12/08/00
TAL SOLIDS	EPA 160.3	97.42	%	0.01	12/04/00KDH	

ample ID: BUFF-I-25B Sample Matrix: SOIL
ollection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/09/00
DCB (SUR)	-	97	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	91.73	%	0.01	12/04/00KDH	

le ID: BUFF-I-1C Sample Matrix: SOIL
ection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
:B-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1254	11097-69-1	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/09/00
B (SUR)	-	109	150	50		12/09/00
AL SOLIDS	EPA 160.3	98.53	%	0.01	12/04/00KDH	

ple ID: BUFF-I-2C Sample Matrix: SOIL
lection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	22	UG/KG	18	12/11/00JSS	12/09/00
1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
CB (SUR)	-	83	150	50		12/09/00
TAL SOLIDS	EPA 160.3	94.18	%	0.01	12/04/00KDH	

mple ID: BUFF-I-3C Sample Matrix: SOIL
ollection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	1590D	UG/KG	18	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
DCB (SUR)	-	49 Q	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

le ID: BUFF-I-4C Sample Matrix: SOIL
ection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
:B-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/09/00
:B-1254	11097-69-1	80	UG/KG	17	12/11/00JSS	12/09/00
:B-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/09/00
B (SUR)	-	113	150	50		12/09/00
AL SOLIDS	EPA 160.3	97.91	%	0.01	12/04/00KDH	

ple ID: BUFF-I-5C Sample Matrix: SOIL
lection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/09/00
P 1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
CB (SUR)	-	96	150	50		12/09/00
TAL SOLIDS	EPA 160.3	94.42	%	0.01	12/04/00KDH	

mple ID: BUFF-I-6C Sample Matrix: SOIL
llection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
:B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	129	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	96.12	%	0.01	12/04/00KDH	

.e ID: BUFF-I-7C Sample Matrix: SOIL
ɜction Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
:B-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
:B-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
:B-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
:B-1254	11097-69-1	4220	UG/KG	18	12/12/00JSS	12/09/00
:B-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
3 (SUR)	-	96	150	50		12/09/00
AL SOLIDS	EPA 160.3	92.78	%	0.01	12/04/00KDH	

NONE DETECTED
=PRACTICAL QUANTITATION LIMIT
STANDARD UNITS
CKGROUND CONTAMINATION
=SURROGATE
UTSIDE LIMITS
ETECTED IN METHOD BLANK

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

REFERENCE #: 0012076 PAGE: 17

000177

000177

000018

001 CU 14

000019

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-1 (A)	11/30/00	1000	Soil		X	1	X	OK to Run
BUFF-I-2 (A)		1010	Soil		X	1	X	
BUFF-I-3 (A)		1015	Soil		X	1	X	
BUFF-I-4 (A)		1020	Soil		X	1	X	
BUFF-I-5 (A)		1030	Soil		X	1	X	
BUFF-I-6 (A)		1035	Soil		X	1	X	
BUFF-I-10 (A)		1110	Soil		X	1	X	
BUFF-I-11 (A)		1115	Soil		X	1	X	
BUFF-I-15 (A)		1155	Soil		X	1	X	
BUFF-I-16 (A)		1200	Soil		X	1	X	
BUFF-I-20 (A)		1230	Soil		X	1	X	
BUFF-I-21 (A)		1235	Soil		X	1	X	
BUFF-I-22 (A)		1240	Soil		X	1	X	
BUFF-I-23 (A)		1245	Soil		X	1	X	
BUFF-I-24 (A)		1250	Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE:	SIGNATURE:
PRINTED NAME: Terracon	PRINTED NAME: [signature]	PRINTED NAME: 12/2/00	PRINTED NAME: 11:40
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000178

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC- Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE: COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-T-25 (A)	11/30/00	1255	Soil	X	1	X	OK to Run
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour STANDARD 72 hour TAT OTHER
( ) PROVIDE VERBAL PRELIMINARY RESULTS FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
Tony Poulter	Sue Robinson 12/2/00 11:40		
PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME
Terracon			
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000179

000179

001 ...

000021

Terracon

13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK

PROJECT NUMBER: 50007055

SAMPLER (SIGNATURE): Jason R. Fiandes

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA Metals 6000/7000	REMARKS
Buff-I-1 (B)	11/30/00	1000	Soil		X	1	X			OK TO RUN
Buff-I-2 (B)		1010	Soil		X	1	X			
Buff-I-3 (B)		1015	Soil		X	1	X			
Buff-I-4 (B)		1020	Soil		X	1	X			
Buff-I-5 (B)		1030	Soil		X	1	X			
Buff-I-6 (B)		1035	Soil		X	1	X			
Buff-I-7 (B)		1045	Soil		X	1	X			
Buff-I-8 (B)		1055	Soil		X	1	X			
Buff-I-9 (B)		1100	Soil		X	1 X	X			
Buff-I-10 (B)		1110	Soil		X	3	X	X	X	Run PCB's Hold SVOC's / metal
Buff-I-11 (B)		1115	Soil		X	1	X			
Buff-I-12 (B)		1120	Soil		X	1	X			
Buff-I-13 (B)		1135	Soil		X	1	X			
Buff-I-14 (B)		1150	Soil		X	1	X			
Buff-I-15 (B)		1155	Soil		X	3	X	X	X	Run PCB's Hold SVOC's / metal

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48-Hour STANDARD 72 hour TAT OTHER

PROVIDE VERBAL PRELIMINARY RESULTS FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Sue Robinson	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000018

000180

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, Ok
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	COOL 8°	# of Containers	PCB's by EPA 8082	SVOCS by 8270	RCRA metals 6000/7000	REMARKS
Buff-I-16 (B)	11/30/00	1200	Soil	X	1	X			OK to Run
Buff-I-17 (B)		1205	Soil	X	1	X			
Buff-I-18 (B)		1210	Soil	X	1	X			
Buff-I-19 (B)		1215	Soil	X	1	X			
Buff-I-20 (B)		1230	Soil	X	3	X	X	X	① Run PCB's Hold SVOCs/metals
Buff-I-21 (B)		1235	Soil	X	1	X			
Buff-I-22 (B)		1240	Soil	X	1	X			
Buff-I-23 (B)		1245	Soil	X	1	X			
Buff-I-24 (B)		1250	Soil	X	1	X			
Buff-I-25 (B)		1255	Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE [signature] 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Tony Poulter	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM: Terracon	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000181

000022

001[illegible] BUFF 1

000023

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	2-2A metals 6000/7000					REMARKS
Buff-I-1 (c)	11/30/00	1000	Soil		X	1	X							OK to Run
Buff-I-2 (c)		1010	Soil		X	1	X							
Buff-I-3 (c)		1015	Soil		X	1	X							
Buff-I-4 (c)		1020	Soil		X	1	X							
Buff-I-5 (c)		1030	Soil		X	1	X							
Buff-I-6 (c)		1035	Soil		X	1	X							
Buff-I-7 (c)		1045	Soil		X	1	X							
Buff-I-8 (c)		1055	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals
		1100	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals
		1110	Soil		X	1	X							OK to Run
		1115	Soil		X	1	X							OK to Run
		1120	Soil		X	1	X							OK to Run
		1135	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals
		1150	Soil		X	3	X	X	X					OK to Run All
		1155	Soil		X	1	X							OK to Run

000182

Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000182

T. .ACON
0012076

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1221	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1232	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1242	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1248	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1254	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1260	8082		GC/ECD	12/11/00		soil	ug/Kg
DCB (Surr)	8082		GC/ECD	12/11/00		soil	ug/Kg

000183

Quality Control Report

TEKRACON

0012076

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				89.3	66.66	154	97	191	153 *	21	48.3	66.666	72
PCB-1260	ND											ND		
DCB (Surr)	5.25				6.9	6.66	6.03	85	7.17	101	17	7.77	6.66	116

000184

000184

Qualit· ıtrol Report

TERRACON

0012076

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000185

000185

QWAL Laboratories, Inc.
Quality trol Report
TERRACON
0012076

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
Total Solids	ND	86.4	86.3	0.1								316	302	105

000186

Quality Control Report Definitions	
QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials: GL

000187

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

ATORY REPORT: REFERENCE #: 0012077

ENT TERRACON ENVIRONMENTAL
O: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER
ROJECT:WGPSC-BUFFALO OK - PART 4

DATE REPORTED:
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #: 50007055

ample ID: BUFF-I-8C
Collection Date: 11/30/00 10:55:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
LP PACKAGE			STD.UN			
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	3780D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	37 Q	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	93.96	%	0.01	12/04/00KDH	
CTION	NONE	DONE	NONE		DLB	12/14/00

Sample ID: BUFF-I-9C
Collection Date: 11/30/00 11:00:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	3060D	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	62	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	98.64	%	0.01	12/04/00KDH	
XTRACTION	NONE	DONE	NONE		DLB	12/14/00

mple ID: BUFF-I-10C Sample Matrix: SOIL
llection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	21	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
CB (SUR)	-	103	150	50		12/09/00
TAL SOLIDS	EPA 160.3	97.26	%	0.01	12/04/00KDH	

mple ID: BUFF-I-11C Sample Matrix: SOIL
llection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	94	150	50		12/09/00
TAL SOLIDS	EPA 160.3	94.93	%	0.01	12/04/00KDH	

ample ID: BUFF-I-12C Sample Matrix: SOIL
llection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4330D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	6 Q	150	50		12/09/00
TAL SOLIDS	EPA 160.3	93.74	%	0.01	12/04/00KDH	

mple ID: BUFF-I-13C Sample Matrix: SOIL
llection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4440D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	6 Q	150	50		12/09/00
TAL SOLIDS	EPA 160.3	95.89	%	0.01	12/04/00KDH	
TRACTION	NONE	DONE	NONE		DLB	12/14/00

mple ID: BUFF-I-14C Sample Matrix: SOIL
llection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
1254	11097-69-1	4680D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
)CB (SUR)	-	8 Q	150	50		12/09/00
)TAL SOLIDS	EPA 160.3	96.37	%	0.01	12/04/00KDH	
MIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	5900	12/13/00DN	12/12/00
ACENAPHTHYLENE	208-96-8	ND	UG/KG	5900	12/13/00DN	12/12/00
ANTHRACENE	120-12-7	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZIDINE	92-87-5	ND	UG/KG	29000	12/13/00DN	12/12/00
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZOIC ACID	65-85-0	ND	UG/KG	29000	12/13/00DN	12/12/00
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(A)PYRENE	191-24-2	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZYL ALCOHOL	100-51-6	ND	UG/KG	12000	12/13/00DN	12/12/00
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	5900	12/13/00DN	12/12/00
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	5900	12/13/00DN	12/12/00
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	5900	12/13/00DN	12/12/00
4-CHLOROANILINE	106-47-8	ND	UG/KG	12000	12/13/00DN	12/12/00
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	12000	12/13/00DN	12/12/00

ple ID: BUFF-I-14C Sample Matrix: SOIL
ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	5900	12/13/00DN	12/12/00
-CHLOROPHENOL	95-57-8	ND	UG/KG	5900	12/13/00DN	12/12/00
-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	5900	12/13/00DN	12/12/00
HRYSENE	218-01-9	ND	UG/KG	5900	12/13/00DN	12/12/00
IBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	5900	12/13/00DN	12/12/00
IBENZOFURAN	132-64-9	ND	UG/KG	5900	12/13/00DN	12/12/00
,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	5900	12/13/00DN	12/12/00
,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	5900	12/13/00DN	12/12/00
,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	5900	12/13/00DN	12/12/00
,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	12000	12/13/00DN	12/12/00
,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	5900	12/13/00DN	12/12/00
IETHYL PHTHALATE	84-66-2	ND	UG/KG	5900	12/13/00DN	12/12/00
,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	5900	12/13/00DN	12/12/00
IMETHYLPHATHALATE	131-11-3	ND	UG/KG	5900	12/13/00DN	12/12/00
SOPHORONE	78-59-1	ND	UG/KG	5900	12/13/00DN	12/12/00
I-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	5900	12/13/00DN	12/12/00
,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	12000	12/13/00DN	12/12/00
,4-DINITROPHENOL	51-28-5	ND	UG/KG	12000	12/13/00DN	12/12/00
,4-DINITROTOLUENE	121-14-2	ND	UG/KG	5900	12/13/00DN	12/12/00
,6-DINITROTOLUENE	606-20-2	ND	UG/KG	5900	12/13/00DN	12/12/00
I-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	5900	12/13/00DN	12/12/00
,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	5900	12/13/00DN	12/12/00
LUORANTHENE	206-44-0	ND	UG/KG	5900	12/13/00DN	12/12/00
LUORENE	86-73-7	ND	UG/KG	5900	12/13/00DN	12/12/00
E HLOROBENZENE	118-74-1	ND	UG/KG	5900	12/13/00DN	12/12/00
EXACHLOROBUTADIENE	87-68-3	ND	UG/KG	5900	12/13/00DN	12/12/00
EXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	5900	12/13/00DN	12/12/00
EXACHLOROETHANE	67-72-1	ND	UG/KG	5900	12/13/00DN	12/12/00
NDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	5900	12/13/00DN	12/12/00
-METHYLNAPHTHALENE	91-57-6	6770	UG/KG	5900	12/13/00DN	12/12/00
-METHYLPHENOL	95-48-7	ND	UG/KG	5900	12/13/00DN	12/12/00
,4-METHYLPHENOL	106-44-5	ND	UG/KG	5900	12/13/00DN	12/12/00
APHTHALENE	91-20-3	ND	UG/KG	5900	12/13/00DN	12/12/00
-NITROANILINE	88-74-4	ND	UG/KG	29000	12/13/00DN	12/12/00
-NITROANILINE	99-09-2	ND	UG/KG	29000	12/13/00DN	12/12/00
-NITROANILINE	100-01-6	ND	UG/KG	29000	12/13/00DN	12/12/00
ITROBENZENE	98-95-3	ND	UG/KG	5900	12/13/00DN	12/12/00
-NITROPHENOL	88-75-5	ND	UG/KG	5900	12/13/00DN	12/12/00
-NITROPHENOL	100-02-7	ND	UG/KG	29000	12/13/00DN	12/12/00
-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	5900	12/13/00DN	12/12/00
-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	5900	12/13/00DN	12/12/00
-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	5900	12/13/00DN	12/12/00
ENTACHLOROPHENOL	87-86-5	ND	UG/KG	29000	12/13/00DN	12/12/00
HENATHRENE	85-01-8	ND	UG/KG	5900	12/13/00DN	12/12/00
HENOL	108-95-2	ND	UG/KG	5900	12/13/00DN	12/12/00
YRENE	129-00-0	ND	UG/KG	5900	12/13/00DN	12/12/00
,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	5900	12/13/00DN	12/12/00
,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	5900	12/13/00DN	12/12/00

:le ID: BUFF-I-14C Sample Matrix: SOIL
.ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	5900	12/13/00DN	12/12/00
FLUOROBIPHENYL (SUR)	-	Q	150	10		12/12/00
TROBENZENE-D5 (SUR)	-	Q	150	10		12/12/00
FLUOROPHENOL (SUR)	-	Q	150	10		12/12/00
4,6-TRIBROMOPHENOL (SUR)	-	Q	150	10		12/12/00
RPHENYL-D14 (SUR)	-	Q	150	10		12/12/00
ENOL-D5 (SUR)	-	Q	150	10		12/12/00
AL PREPARATION	EPA 3050	IS001205			12/05/00JH	
VER, TOTAL	SW 846 6010B	<0.5	MG/KG	0.5	12/08/00RDC	
ENIC, TOTAL	SW 846 6010B	1.8	MG/KG	0.5	12/08/00RDC	
IUM, TOTAL	SW 846 6010B	145	MG/KG	0.05	12/08/00RDC	
MIUM, TOTAL	SW 846 6010B	0.28	MG/KG	0.05	12/08/00RDC	
OMIUM, TOTAL	SW 846 6010B	7.9	MG/KG	0.01	12/08/00RDC	
CURY, TOTAL	SW 846 7471	1.715	MG/KG	0.01	12/05/00KM	
AD, TOTAL	SW 846 6010B	32.0	MG/KG	0.1	12/08/00RDC	
ENIUM, TOTAL	SW 846 6010B	<0.5	MG/KG	0.5	12/08/00RDC	

nple ID: BUFF-I-15C Sample Matrix: SOIL
llection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
F	SW846 8082					
P 1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	45 Q	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	96.94	%	0.01	12/04/00KDH	

ample ID: BUFF-I-16C Sample Matrix: SOIL
ollection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00

le ID: BUFF-I-16C Sample Matrix: SOIL
ection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
(SUR)	-	68	150	50		12/09/00
L SOLIDS	EPA 160.3	98.52	%	0.01	12/04/00KDH	

le ID: BUFF-I-17C Sample Matrix: SOIL
ection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1254	11097-69-1	1110D	UG/KG	18	12/12/00JSS	12/09/00
B-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B (SUR)	-	31 Q	150	50		12/09/00
AL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

ple ID: BUFF-I-18C Sample Matrix: SOIL
lection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1254	11097-69-1	2390D	UG/KG	18	12/12/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B (SUR)	-	20 Q	150	50		12/09/00
AL SOLIDS	EPA 160.3	97.03	%	0.01	12/04/00KDH	
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-I-19C Sample Matrix: SOIL
lection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00

le ID: BUFF-I-19C Sample Matrix: SOIL
ection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
B-1254	11097-69-1	3820D	UG/KG	18	12/12/00JSS	12/09/00
B-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
(SUR)	-	7 Q	150	50		12/09/00
L SOLIDS	EPA 160.3	96.50	%	0.01	12/04/00KDH	
ACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-I-20C Sample Matrix: SOIL
lection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B (SUR)	-	130	150	50		12/09/00
OLIDS	EPA 160.3	96.15	%	0.01	12/04/00KDH	

ple ID: BUFF-I-21C Sample Matrix: SOIL
lection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	119	150	50		12/09/00
TAL SOLIDS	EPA 160.3	96.43	%	0.01	12/04/00KDH	

le ID: BUFF-I-22C Sample Matrix: SOIL
ection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B (SUR)	-	127	150	50		12/09/00
AL SOLIDS	EPA 160.3	96.19	%	0.01	12/04/00KDH	

ple ID: BUFF-I-23C Sample Matrix: SOIL
lection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
B (SUR)	-	99	150	50		12/09/00
AL SOLIDS	EPA 160.3	96.16	%	0.01	12/04/00KDH	

nple ID: BUFF-I-24C Sample Matrix: SOIL
llection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	116	150	50		12/09/00
TAL SOLIDS	EPA 160.3	96.93	%	0.01	12/04/00KDH	

:ple ID: BUFF-I-25C Sample Matrix: SOIL
.lection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3'S	SW846 8082					
'CB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
'CB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
CB (SUR)	-	124	150	50		12/09/00
TAL SOLIDS	EPA 160.3	97.67	%	0.01	12/04/00KDH	

nple ID: BUFF-I-1D Sample Matrix: SOIL
llection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
F 1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
P. 1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
CB (SUR)	-	119	150	50		12/09/00
TAL SOLIDS	EPA 160.3	98.03	%	0.01	12/04/00KDH	

mple ID: BUFF-I-2D Sample Matrix: SOIL
:llection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	114	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	98.24	%	0.01	12/04/00KDH	

ple ID: BUFF-I-3D Sample Matrix: SOIL
lection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
CB (SUR)	-	102	150	50		12/09/00
TAL SOLIDS	EPA 160.3	96.35	%	0.01	12/04/00KDH	

mple ID: BUFF-I-4D Sample Matrix: SOIL
llection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
P-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	136	150	50		12/09/00
TAL SOLIDS	EPA 160.3	98.59	%	0.01	12/04/00KDH	

ample ID: BUFF-I-5D Sample Matrix: SOIL
ollection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	125	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	95.56	%	0.01	12/04/00KDH	

ple ID: BUFF-I-6D Sample Matrix: SOIL
lection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
B (SUR)	-	130	150	50		12/09/00
AL SOLIDS	EPA 160.3	98.57	%	0.01	12/04/00KDH	

ple ID: BUFF-I-7D Sample Matrix: SOIL
lection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
1254	11097-69-1	4680D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
CB (SUR)	-	63	150	50		12/09/00
TAL SOLIDS	EPA 160.3	95.69	%	0.01	12/04/00KDH	

mple ID: BUFF-I-8D Sample Matrix: SOIL
llection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	5300D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	110	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	92.59	%	0.01	12/04/00KDH	

le ID: BUFF-I-9D Sample Matrix: SOIL
ection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
:B-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
:B-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
:B-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
:B-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
:B-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
:B-1254	11097-69-1	2380D	UG/KG	17	12/13/00JSS	12/09/00
:B-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
3 (SUR)	-	102	150	50		12/09/00
AL SOLIDS	EPA 160.3	98.06	%	0.01	12/04/00KDH	

ple ID: BUFF-I-10D Sample Matrix: SOIL
lection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
'CB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
'CB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
'CB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
'CB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
'C 254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
'C. 1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
:B (SUR)	-	132	150	50		12/09/00
TAL SOLIDS	EPA 160.3	98.55	%	0.01	12/04/00KDH	

mple ID: BUFF-I-11D Sample Matrix: SOIL
llection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
:CB (SUR)	-	141	150	50		12/09/00
TAL SOLIDS	EPA 160.3	98.55	%	0.01	12/04/00KDH	

ple ID: BUFF-I-12D Sample Matrix: SOIL
lection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
CB-1254	11097-69-1	214	UG/KG	17	12/13/00JSS	12/09/00
CB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
:B (SUR)	-	130	150	50		12/09/00
'AL SOLIDS	EPA 160.3	97.57	%	0.01	12/04/00KDH	

ple ID: BUFF-I-13D Sample Matrix: SOIL
.lection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	5660D	UG/KG	18	12/13/00JSS	12/09/00
P .260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
CB (SUR)	-	108	150	50		12/09/00
TAL SOLIDS	EPA 160.3	92.84	%	0.01	12/04/00KDH	

mple ID: BUFF-I-14D Sample Matrix: SOIL
llection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	2480D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
:CB (SUR)	-	51	150	50		12/09/00
:TAL SOLIDS	EPA 160.3	94.74	%	0.01	12/04/00KDH	

e ID: BUFF-I-15D Sample Matrix: SOIL
ction Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/12/00
B-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/12/00
(SUR)	-	94	150	50		12/12/00
L SOLIDS	EPA 160.3	97.89	%	0.01	12/04/00KDH	

le ID: BUFF-I-16D Sample Matrix: SOIL
ection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/12/00
60	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
(SUR)	-	50	150	50		12/12/00
L SOLIDS	EPA 160.3	96.57	%	0.01	12/04/00KDH	

ple ID: BUFF-I-17D Sample Matrix: SOIL
lection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/12/00
CB-1254	11097-69-1	714	UG/KG	17	12/12/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/12/00
B (SUR)	-	113	150	50		12/12/00
AL SOLIDS	EPA 160.3	97.76	%	0.01	12/04/00KDH	

.e ID: BUFF-I-19D Sample Matrix: SOIL
:ction Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
;	SW846 8082					
3-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
3-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
3-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
3-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
3-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
3-1254	11097-69-1	962D	UG/KG	18	12/12/00JSS	12/12/00
3-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
(SUR)	-	105	150	50		12/12/00
L SOLIDS	EPA 160.3	95.13	%	0.01	12/04/00KDH	

le ID: BUFF-I-19D Sample Matrix: SOIL
ection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
CB 1254	11097-69-1	2290D	UG/KG	18	12/12/00JSS	12/12/00
C 260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
B (SUR)	-	119	150	50		12/12/00
AL SOLIDS	EPA 160.3	96.14	%	0.01	12/04/00KDH	

ple ID: BUFF-I-20D Sample Matrix: SOIL
lection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
CB (SUR)	-	65	150	50		12/12/00
TAL SOLIDS	EPA 160.3	97.46	%	0.01	12/04/00KDH	

ple ID: BUFF-I-21D Sample Matrix: SOIL
lection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
B (SUR)	-	57	150	50		12/12/00
TAL SOLIDS	EPA 160.3	97.30	%	0.01	12/04/00KDH	

nple ID: BUFF-I-22D Sample Matrix: SOIL
llection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB (SUR)	-	74	150	50		12/12/00
TAL SOLIDS	EPA 160.3	96.68	%	0.01	12/04/00KDH	

mple ID: BUFF-I-23D Sample Matrix: SOIL
llection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
DCB (SUR)	-	81	150	50		12/12/00
OTAL SOLIDS	EPA 160.3	97.33	%	0.01	12/04/00KDH	

ple ID: BUFF-I-24D Sample Matrix: SOIL
lection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B (SUR)	-	72	150	50		12/12/00
AL SOLIDS	EPA 160.3	95.95	%	0.01	12/04/00KDH	

ple ID: BUFF-I-25D Sample Matrix: SOIL
lection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
CB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
B (SUR)	-	80	150	50		12/12/00
AL SOLIDS	EPA 160.3	98.31	%	0.01	12/04/00KDH	

=NONE DETECTED
L=PRACTICAL QUANTITATION LIMIT
=STANDARD UNITS
ACKGROUND CONTAMINATION
R=SURROGATE
OUTSIDE LIMITS
DETECTED IN METHOD BLANK

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

REFERENCE #: [illegible] PAGE: 17

Terracon
13910 W. 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

SPECIAL INSTRUCTIONS
Bill to WGPSC - Mark Sullivan

PROJECT NAME: WGPSC Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-T-16 (0)	11/30/00	1200	Soil		X	1	X	OK to Run
Buff-T-17 (0)		1205	Soil		X	1	X	
Buff-T-18 (0)		1210	Soil		X	1	X	
Buff-T-19 (0)		1215	Soil		X	1	X	
Buff-T-20 (0)		1230	Soil		X	1	X	
Buff-T-21 (0)		1235	Soil		X	1	X	
Buff-T-22 (0)		1240	Soil		X	1	X	
Buff-T-23 (0)		1245	Soil		X	1	X	
Buff-T-24 (0)		1250	Soil		X	1	X	
Buff-T-25 (0)		1255	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
Tony Poulter	[signature] 12/2/00		11:40
PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME
Terracon			
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000020

000205

Terracon
11910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS: Bill to WGPSC- Mark Sullivan

0012077

PROJECT NAME: WGPSC- Buffalo, OK

PROJECT NUMBER: 50001055

SAMPLER (SIGNATURE): Jason R. Franks

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA metals 6000/7000					REMARKS
Buff-I-1 (c)	11/30/00	1000	Soil		X	1	X							OK to Run
Buff-I-2 (c)		1010	Soil		X	1	X							
Buff-I-3 (c)		1015	Soil		X	1	X							
Buff-I-4 (c)		1020	Soil		X	1	X							
Buff-I-5 (c)		1030	Soil		X	1	X							
Buff-I-6 (c)		1035	Soil		X	1	X							
Buff-I-7 (c)		1045	Soil		X	1	X							
Buff-I-8 (c)		1055	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metal
Buff-I-9 (c)		1100	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metal
Buff-I-10 (c)		1110	Soil		X	1	X							OK to Run
Buff-I-11 (c)		1115	Soil		X	1	X							OK to Run
Buff-I-12 (c)		1120	Soil		X	1	X							OK to Run
Buff-I-13 (c)		1135	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metal
Buff-I-14 (c)		1150	Soil		X	3	X	X	X					OK to Run All
Buff-I-15 (c)		1155	Soil		X	1	X							OK to Run

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127 5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48-Hour — STANDARD 72 hour TAT — OTHER

PROVIDE VERBAL PRELIMINARY RESULTS — FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000020

000206

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORAT / ANALYSIS REQUEST

PAGE ___ OF

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's	metals					REMARKS
Buff-T-16 (c)	11/30/00	1200	Soil		X	1	X							OK TO RUN
Buff-T-17 (c)		1205	Soil		X	1	X							OK TO RUN
Buff-T-18 (c)		1210	Soil		X	3	X	X	X					Run PCB's/Hold SVOCs/metals
Buff-T-19 (c)		1215	Soil		X	3	X	X	X					Run PCB's/Hold SVOCs/metals
Buff-T-20 (c)		1230	Soil		X	1	X							OK TO RUN
Buff-T-21 (c)		1235	Soil		X	1	X							
Buff-T-22 (c)		1240	Soil		X	1	X							
Buff-T-23 (c)		1245	Soil		X	1	X							
Buff-T-24 (c)		1250	Soil		X	1	X							
Buff-T-25 (c)		1255	Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48 Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE [signature]	SIGNATURE 12/2/00 11:40	SIGNATURE
PRINTED NAME: Tony Poulter	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM: Terracon	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000021

0020

000207

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS: Bill to WGPSC - Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK

PROJECT NUMBER: 5000-7055

SAMPLER (SIGNATURE): Jason K. Franklin

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-1 (D)	11/30/00	1000	Soil		X	1	X	OK to RUN
Buff-I-2 (D)		1010	Soil		X	1	X	
Buff-I-3 (D)		1015	Soil		X	1	X	
Buff-I-4 (D)		1020	Soil		X	1	X	
Buff-I-5 (D)		1030	Soil		X	1	X	
Buff-I-6 (D)		1035	Soil		X	1	X	
Buff-I-7 (D)		1045	Soil		X	1	X	
Buff-I-8 (D)		1055	Soil		X	1	X	
Buff-I-9 (D)		1100	Soil		X	1	X	
Buff-I-10 (D)		1110	Soil		X	1	X	
Buff-I-11 (D)		1115	Soil		X	1	X	
Buff-I-12 (D)		1120	Soil		X	1	X	
Buff-I-13 (D)		1135	Soil		X	1	X	
Buff-I-14 (D)		1150	Soil		X	1	X	
Buff-I-15 (D)		1155	Soil		X	1	X	

SHIPPING VIA: Federal Express

SHIPPING NO.: 1127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XXX 48 Hour — STANDARD 72 hour TAT — OTHER

PROVIDE VERBAL PRELIMINARY RESULTS — FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE:	SIGNATURE:	SIGNATURE:	SIGNATURE:
PRINTED NAME: Tony Poulter	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM: Terracon	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

12/2/00 11:10

000022

000208

TE. ACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1221	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1232	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1242	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1248	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1254	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1260	8082		GC/ECD	12/13/00		soil	ug/kg
DCB (Surr)	8082		GC/ECD	12/13/00		soil	ug/kg
Acenapthene	8270		GC/MS	12/13/00		solid	ug/kg
Acenaphthylene	8270		GC/MS	12/13/00		solid	ug/kg
Anthracene	8270		GC/MS	12/13/00		solid	ug/kg
Benzidine	8270		GC/MS	12/13/00		solid	ug/kg
Benzo(a)anthracene	8270		GC/MS	12/13/00		solid	ug/kg
Benzo(b)fluoranthene	8270		GC/MS	12/13/00		solid	ug/kg
Benzo(k)fluoranthene	8270		GC/MS	12/13/00		solid	ug/kg
Benzoic Acid	8270		GC/MS	12/13/00		solid	ug/kg
Benzo(g,h,i)perylene	8270		GC/MS	12/13/00		solid	ug/kg
Benzo(a)pyrene	8270		GC/MS	12/13/00		solid	ug/kg
Benzyl Alcohol	8270		GC/MS	12/13/00		solid	ug/kg
Bis(2-chloroethoxy)methane	8270		GC/MS	12/13/00		solid	ug/kg
Bis(2-chloroethyl)ether	8270		GC/MS	12/13/00		solid	ug/kg
Bis(2-chloroisopropyl)ether	8270		GC/MS	12/13/00		solid	ug/kg
Bis(2-ethylhexyl)phthalate	8270		GC/MS	12/13/00		solid	ug/kg
4-Bromophenyl phenyl ether	8270		GC/MS	12/13/00		solid	ug/kg
Butylbenzylphthalate	8270		GC/MS	12/13/00		solid	ug/kg
4-Chloroaniline	8270		GC/MS	12/13/00		solid	ug/kg
4-Chloro-3-methylphenol	8270		GC/MS	12/13/00		solid	ug/kg
2-Chloronaphthalene	8270		GC/MS	12/13/00		solid	ug/kg
2-Chlorophenol	8270		GC/MS	12/13/00		solid	ug/kg
4-Chlorophenylphenylether	8270		GC/MS	12/13/00		solid	ug/kg
Chrysene	8270		GC/MS	12/13/00		solid	ug/kg
Dibenzo(a,h)anthracene	8270		GC/MS	12/13/00		solid	ug/kg
Dibenzofuran	8270		GC/MS	12/13/00		solid	ug/kg
1,2-Dichlorobenzene	8270		GC/MS	12/13/00		solid	ug/kg
1,3-Dichlorobenzene	8270		GC/MS	12/13/00		solid	ug/kg

000209

TERRACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
1,4-Dichlorobenzene	8270		GC/MS	12/13/00		solid	ug/kg
3,3'-Dichlorobenzidine	8270		GC/MS	12/13/00		solid	ug/kg
2,4-Dichlorophenol	8270		GC/MS	12/13/00		solid	ug/kg
Diethyl phthalate	8270		GC/MS	12/13/00		solid	ug/kg
2,4-Dimethylphenol	8270		GC/MS	12/13/00		solid	ug/kg
Dimethylphathalate	8270		GC/MS	12/13/00		solid	ug/kg
4,6-Dinitro-2-Methylphenol	8270		GC/MS	12/13/00		solid	ug/kg
Di-n-butylphthalate	8270		GC/MS	12/13/00		solid	ug/kg
2,4-Dinitrophenol	8270		GC/MS	12/13/00		solid	ug/kg
2,4-Dinitrotoluene	8270		GC/MS	12/13/00		solid	ug/kg
2,6-Dinitrotoluene	8270		GC/MS	12/13/00		solid	ug/kg
Di-n-Octylphthalate	8270		GC/MS	12/13/00		solid	ug/kg
1,2-Diphenyl Hydrazine	8270		GC/MS	12/13/00		solid	ug/kg
Fluoranthene	8270		GC/MS	12/13/00		solid	ug/kg
Fluorene	8270		GC/MS	12/13/00		solid	ug/kg
Hexachlorobenzene	8270		GC/MS	12/13/00		solid	ug/kg
Hexachlorobutadiene	8270		GC/MS	12/13/00		solid	ug/kg
Hexachlorocyclopentadiene	8270		GC/MS	12/13/00		solid	ug/kg
Hexachloroethane	8270		GC/MS	12/13/00		solid	ug/kg
Indeno(1,2,3-cd)pyrene	8270		GC/MS	12/13/00		solid	ug/kg
Isophorone	8270		GC/MS	12/13/00		solid	ug/kg
2-Methylnaphthalene	8270		GC/MS	12/13/00		solid	ug/kg
2-Methylphenol	8270		GC/MS	12/13/00		solid	ug/kg
4-Methylphenol	8270		GC/MS	12/13/00		solid	ug/kg
Naphthalene	8270		GC/MS	12/13/00		solid	ug/kg
2-Nitroaniline	8270		GC/MS	12/13/00		solid	ug/kg
3-Nitroaniline	8270		GC/MS	12/13/00		solid	ug/kg
4-Nitroaniline	8270		GC/MS	12/13/00		solid	ug/kg
Nitrobenzene	8270		GC/MS	12/13/00		solid	ug/kg
2-Nitrophenol	8270		GC/MS	12/13/00		solid	ug/kg
4-Nitrophenol	8270		GC/MS	12/13/00		solid	ug/kg
N-Nitroso-di-n-propylamine	8270		GC/MS	12/13/00		solid	ug/kg
N-Nitrosodiphenylamine(1)	8270		GC/MS	12/13/00		solid	ug/kg
N-Nitrosodimethylamine	8270		GC/MS	12/13/00		solid	ug/kg
Pentachlorophenol	8270		GC/MS	12/13/00		solid	ug/kg
Phenathrene	8270		GC/MS	12/13/00		solid	ug/kg
Phenol	8270		GC/MS	12/13/00		solid	ug/kg

000210

TEK...ACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Pyrene	8270		GC/MS	12/13/00		solid	ug/kg
1,2,4-Trichlorobenzene	8270		GC/MS	12/13/00		solid	ug/kg
2,4,5-Trichlorophenol	8270		GC/MS	12/13/00		solid	ug/kg
2,4,6-Trichlorophenol	8270		GC/MS	12/13/00		solid	ug/kg
2-Fluorobiphenyl (sur)	8270		GC/MS	12/13/00		solid	ug/kg
Nitrobenzene-d8 (sur)	8270		GC/MS	12/13/00		solid	ug/kg
2-Fluorophenol (sur)	8270		GC/MS	12/13/00		solid	ug/kg
2,4,6-Tribromophenol (sur)	8270		GC/MS	12/13/00		solid	ug/kg
Terphenyl-d14 (sur)	8270		GC/MS	12/13/00		solid	ug/kg
Phenol-d5 (sur)	8270		GC/MS	12/13/00		solid	ug/kg

000211

000211

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				2030	66.7	2040	15 *	1910	-180 *	7	66.4	66.7	100
PCB-1260	ND											ND		
DCB (Surr)	6.93				7.8	6.66	6.74	99	5.99	88	12	7.7	6.66	116
Acenaphthene	ND				ND	3333	2450	74	2380	71	3	1640	3333.3	49
Acenaphthylene	ND				ND							1740	3333.3	52
Anthracene	ND				ND							2410	3333.3	72
Benzidine	ND				ND									
Benzo(a)anthracene	ND				ND							2560	3333.3	77
Benzo(b)fluoranthene	ND				ND							2550	3333.3	77
Benzo(k)fluoranthene	ND				ND							2730	3333.3	82
Benzoic Acid	ND				ND									
Benzo(g,h,i)perylene	ND				ND							2860	3333.3	86
Benzo(a)pyrene	ND				ND							2760	3333.3	83
Benzyl Alcohol	ND				ND							1480	3333.3	44
Bis(2-chloroethoxy)methane	ND				ND							1630	3333.3	49
Bis(2-chloroethyl)ether	ND				ND							1520	3333.3	46
Bis(2-chloroisopropyl)ether	ND				ND							1460	3333.3	44
Bis(2-ethylhexyl)phthalate	ND				ND							2770	3333.3	83
4-Bromophenyl phenyl ether	ND				ND							1970	3333.3	59
Butylbenzylphthalate	ND				ND							2610	3333.3	78
4-Chloroaniline	ND				ND							1520	3333.3	46
4-Chloro-3-methylphenol	ND				ND	6666.7	3520	53	3590	54	2	1650	3333.3	50
2-Chloronaphthalene	ND				ND							1390	3333.3	42
2-Chlorophenol	ND				ND	6666.7	3670	55	3850	58	5	1400	3333.3	42
4-Chlorophenyl phenylether	ND				ND							1970	3333.3	59
Chrysene	ND				ND							2630	3333.3	79
Dibenzo(a,h)anthracene	ND				ND							3030	3333.3	91
Dibenzofuran	ND				ND							2100	3333.3	63
1,2-Dichlorobenzene	ND				ND							1350	3333.3	41
1,3-Dichlorobenzene	ND				ND							1360	3333.3	41

TL .ACON
0012077

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
1,4-Dichlorobenzene	ND				ND	3333.3	1680	50	1850	56	10	1300	3333.3	39
3,3'-Dichlorobenzidine	ND				ND							2260	3333.3	68
2,4-Dichlorophenol	ND				ND							1450	3333.3	44
Diethyl phthalate	ND				ND							2510	3333.3	75
2,4-Dimethylphenol	ND				ND							1530	3333.3	46
Dimethylphathalate	ND				ND							2310	3333.3	69
4,6-Dinitro-2-Methylphenol	ND				ND							2180	3333.3	65
Di-n-butylphthalate	ND				ND	3333.3	3360	101	3600	108	7	2430	3333.3	73
2,4-Dinitrophenol	ND				ND							2750	3333.3	83
2,4-Dinitrotoluene	ND				ND	3333.3	3370	101	3290	99	2	2670	3333.3	80
2,6-Dinitrotoluene	ND				ND							2070	3333.3	62
Di-n-Octylphthalate	ND				ND							2810	3333.3	84
1,2-Diphenyl Hydrazine	ND				ND							1870	3333.3	56
Fluoranthene	ND				ND							2310	3333.3	69
Fluorene	ND				ND							2030	3333.3	61
Hexachlorobenzene	ND				ND							2170	3333.3	65
Hexachlorobutadiene	ND				ND							1320	3333.3	40
Hexachlorocyclopentadiene	ND				ND							906	3333.0	27
Hexachloroethane	ND				ND							1210	3333.3	36
Indeno(1,2,3-cd)pyrene	ND				ND							2930	3333.3	88
Isophorone	ND				ND							1790	3333.3	54
2-Methylnaphthalene	ND				ND							1670	3333.3	50
2-Methylphenol	ND				ND							1550	3333.3	47
4-Methylphenol	ND				ND							1720	3333.3	52
Naphthalene	ND				ND							1440	3333.3	43
2-Nitroaniline	ND				ND							2250	3333.3	68
3-Nitroaniline	ND				ND							2710	3333.3	81
4-Nitroaniline	ND				ND							2840	3333.3	85
Nitrobenzene	ND				ND							1480	3333.3	44
2-Nitrophenol	ND				ND							1630	3333.3	49
4-Nitrophenol	ND				ND	6666.7	1600	24	1650	25	3	2220	3333.3	67
N-Nitroso-di-n-propylamine	ND				ND	3333.3	2250	68	2300	69	2	1510	3333.3	45
N-Nitrosodiphenylamine(1)	ND				ND							967	3333.3	29
N-Nitrosodimethylamine	ND				ND							1490	3333.3	45
Pentachlorophenol	ND				ND	6666.7	6780	102	7480	112	10	2430	3333.3	73
Phenanthrene	ND				ND							2370	3333.3	71
Phenol	ND				ND	6666.7	3120	47	3180	48	2	1460	3333.3	44

000213

Quality Control Report

TERRACON
0012077

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
Pyrene	ND				ND	3333.3	4090	123	4630	139	12	2660	3333.3	80
1,2,4-Trichlorobenzene	ND				ND	3333.3	1860	56	2080	62	11	1420	3333.3	43
2,4,5-Trichlorophenol	ND				ND							1980	3333.3	59
2,4,6-Trichlorophenol	ND				ND							1540	3333.3	46
2-Fluorobiphenyl (sur)	1690				1760	3333.3	1270	38	1260	38	1	1250	3333.3	38
Nitrobenzene-d8 (sur)	1460				1730	3333.3	1290	39	1450	44	12	990	3333.3	30
2-Fluorophenol (sur)	1430				1530	3333.3	1140	34	1260	38	10	380	3333.3	11
2,4,6-Tribromophenol (sur)	1760				2380	3333.3	2140	64	2070	62	3	2300	3333.3	69
Terphenyl-d14 (sur)	2130				2500	3333.3	2400	72	2620	79	9	2400	3333.3	72
Phenol-d5 (sur)	1270				1420	3333.3	1320	40	1360	41	3	1040	3333.3	31

000214

000214

QWAL Laboratories, Inc.

Qualit trol Report

TERRACON

0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000215

Quality [illegible]trol Report

TE[illegible]RACON

0012077

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	86.4	86.3	0.1								316	302	105

000216

TERRACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Mercury, Total	Hg7471		CVAA	12/05/00		soil	mg/kg
Silver, Total	Ag6010		ICP	12/08/00		water	mg/L
Arsenic, Total	As6010		ICP	12/08/00		water	mg/L
Barium, Total	Ba6010		ICP	12/08/00		water	mg/L
Cadmium, Total	Cd6010		ICP	12/08/00		water	mg/L
Chromium, Total	Cr6010		ICP	12/08/00		water	mg/L
Lead, Total	Pb6010		ICP	12/08/00		water	mg/L
Selenium, Total	Se6010		ICP	12/08/00		water	mg/L

000217

000217

TERRACON
0012077

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
Mercury, Total	ND	ND	ND	0	0.05	0.10	0.15	99	0.16	103	3	0.20	0.20	100
Silver, Total	ND				ND	1.00	0.98	98	0.96	96	2	1.01	1.00	101
Arsenic, Total	ND				0.04	1.00	0.98	94	0.98	94	0	0.98	1.00	98
Barium, Total	ND				2.90	1.00	2.40	-50 *	2.28	-62	5	1.03	1.00	103
Cadmium, Total	ND				0.01	1.00	0.91	90	0.93	92	2	1.00	1.00	100
Chromium, Total	ND				0.16	1.00	1.08	92	1.07	91	1	1.00	1.00	100
Lead, Total	ND				0.64	1.00	1.86	122	1.98	134	6	1.00	1.00	100
Selenium, Total	ND				ND	1.00	0.91	91	0.89	89	2	0.95	1.00	95

000218

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D'	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials: r

000219

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/PITTSBURG, KS 66762/(316)232-1970

C. :ORY REPORT: REFERENCE #: 0012078

T TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED: 12/18/00
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

JECT:WCPSC-BUFFALO OK PART 5

ple ID: BUFFI-12CD
lection Date: 11/30/00 11:20:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1254	11097-69-1	5850	UG/KG	18	12/13/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B (SUR)	-	82	150	50		12/12/00
AL SOLIDS	EPA 160.3	94.77	%	0.01	12/06/00KDH	

ple ID: BUFFI-13BD
lection Date: 11/30/00 11:35:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1254	11097-69-1	73	UG/KG	18	12/13/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B (SUR)	-	72	150	50		12/12/00
AL SOLIDS	EPA 160.3	94.26	%	0.01	12/06/00KDH	

ıple ID: BUFFI-13CD Sample Matrix: SOIL
.lection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3'S	SW846 8082					
'CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1254	11097-69-1	15700D	UG/KG	18	12/13/00JSS	12/12/00
'CB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
:B (SUR)	-	97	150	50		12/12/00
'AL SOLIDS	EPA 160.3	94.14	%	0.01	12/06/00KDH	

ıple ID: BUFFI-13DD Sample Matrix: SOIL
.lection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
3'S	SW846 8082					
'CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
'CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
'C 254	11097-69-1	993D	UG/KG	18	12/13/00JSS	12/12/00
'C 260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
:B (SUR)	-	100	150	50		12/12/00
'AL SOLIDS	EPA 160.3	94.06	%	0.01	12/06/00KDH	

ıple ID: BUFFI-13ED Sample Matrix: SOIL
.lection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFFI-14BD Sample Matrix: SOIL
lection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00

le ID: BUFFI-14BD Sample Matrix: SOIL
ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
B-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
(SUR)	-	87	150	50		12/12/00
L SOLIDS	EPA 160.3	92.40	%	0.01	12/06/00KDH	

le ID: BUFFI-14CD Sample Matrix: SOIL
ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1254	11097-69-1	560	UG/KG	18	12/13/00JSS	12/12/00
B-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
(SUR)	-	83	150	50		12/12/00
L SOLIDS	EPA 160.3	93.44	%	0.01	12/06/00KDH	

D: BUFFI-14DD Sample Matrix: SOIL
ion Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
S	SW846 8082					
B-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
B-1254	11097-69-1	6170	UG/KG	18	12/13/00JSS	12/12/00
B-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
(SUR)	-	96	150	50		12/12/00
L SOLIDS	EPA 160.3	95.43	%	0.01	12/06/00KDH	

ple ID: BUFFI-14ED Sample Matrix: SOIL
lection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFFI-14FD Sample Matrix: SOIL
lection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFFAR-5AD Sample Matrix: SOIL
lection Date: 11/30/00 15:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'S	SW846 8082					
CB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
CB-1254	11097-69-1	5470D	UG/KG	18	12/13/00JSS	12/12/00
CB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
B (SUR)	-	51	150	50		12/12/00
AL SOLIDS	EPA 160.3	95.26	%	0.01	12/06/00KDH	

ple ID: BUFFAR-5BD Sample Matrix: SOIL
lection Date: 11/30/00 15:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-I-7E Sample Matrix: SOIL
lection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

ple ID: BUFF-I-12E Sample Matrix: SOIL
lection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
RACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-I-13E Sample Matrix: SOIL
ection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-I-14E Sample Matrix: SOIL
ection Date: 11/30/00 11:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-I-17E Sample Matrix: SOIL
ection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-I-18E Sample Matrix: SOIL
ection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE	NONE		DLB	12/14/00

le ID: BUFF-I-19E Sample Matrix: SOIL
ection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE			DLB	12/14/00

le ID: BUFF-I-14F Sample Matrix: SOIL
ection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
ACTION	NONE	DONE			DLB	12/14/00

nple ID: BUFF-I-17F Sample Matrix: SOIL
llection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
TRACTION	NONE	DONE			DLB	12/14/00

nple ID: BUFF-I-7F Sample Matrix: SOIL
llection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
TRACTION	NONE	DONE			DLB	12/14/00

nple ID: BUFF-I-14G Sample Matrix: SOIL
llection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
TRACTION	NONE	DONE			DLB	12/14/00

nple ID: BUFF-I-14H Sample Matrix: SOIL
llection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
TI .ION	NONE	DONE			DLB	12/14/00

=NONE DETECTED
L=PRACTICAL QUANTITATION LIMIT
=STANDARD UNITS
ACKGROUND CONTAMINATION
R=SURROGATE
OUTSIDE LIMITS
DETECTED IN METHOD BLANK

APPROVED BY: _____
TERRY KOESTER
LABORATORY DIRECTOR

Quali' 'ontrol Report

TERRACON ENVIRONMENTAL

0012078

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1221	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1232	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1242	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1248	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1254	8082		GC/ECD	12/13/00		soil	ug/kg
PCB-1260	8082		GC/ECD	12/13/00		soil	ug/kg
DCB (Surr)	8082		GC/ECD	12/13/00		soil	ug/kg

000226

Quali' 'ontrol Report

TERRACON ENVIRONMENTAL

0012078

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				ND	66.7	46.7	70	51.5	77	10	50.5	66.67	76
PCB-1260	ND											ND		
DCB (Surr)	3.93				4.00	6.66	3.64	53	3.88	57	6	3.66	6.66	55

000227

Qual ontrol Report

TERRACON ENVIRONMENTAL

0012078

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/06/00		water	%

000228

000228

QWAL Laboratories, Inc.
Quality Control Report

TERRACON ENVIRONMENTAL
0012078

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	88.9	88.8	0.1								292	302	97

000229

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	+		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials:

000230

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

LABORATORY REPORT: REFERENCE #: 0102687

SENT TERRACON ENVIRONMENTAL
TO: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
JOHN ROCKHOLD
PROJECT: BUFFALO

DATE REPORTED: 03/09/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 02/28/01
P.O. #:

Sample ID: BUFF-I-8C
Collection Date: 11/30/00 10:55:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	620	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	620	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	620	03/08/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	3100	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	620	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	620	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	620	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	3100	03/08/01JSS	03/06/01
ZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	620	03/08/01JSS	03/06/01
ZO(A)PYRENE	191-24-2	ND	UG/KG	620	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	1200	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	620	03/08/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	620	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	620	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	620	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	620	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	620	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	1200	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	1200	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	620	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	620	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	620	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	620	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	620	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	620	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	2770	UG/KG	620	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	620	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	748	UG/KG	620	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	620	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	620	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	620	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	620	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	620	03/08/01JSS	03/06/01

ample ID: BUFF-I-8C Sample Matrix: SOIL
'ollection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	620	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	620	03/08/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	620	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	620	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	620	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	620	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	620	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	620	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	620	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	620	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	620	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	620	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	620	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	620	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	620	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	620	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	3100	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	3100	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	3100	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	620	03/08/01JSS	03/06/01
[illegible]TROPHENOL	88-75-5	ND	UG/KG	620	03/08/01JSS	03/06/01
[illegible]TROPHENOL	100-02-7	ND	UG/KG	3100	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	620	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	620	03/08/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	620	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	3100	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	620	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	620	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	620	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	620	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	620	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	620	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	15	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	15	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	11	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	9 Q	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	30	150	10		03/06/01
PHENOL-D5 (SUR)	-	9 Q	150	10		03/06/01
LP PACKAGE		DONE	STD UN			
OTAL SOLIDS	EPA 160.3	96.54	%	0.01	03/01/01KS	

000232

Sample ID: BUFF-I-9C Sample Matrix: SOIL
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	340	03/07/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	340	03/07/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	1700	03/07/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1700	03/07/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	340	03/07/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	670	03/07/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	340	03/07/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	340	03/07/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	340	03/07/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	340	03/07/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	340	03/07/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	340	03/07/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	670	03/07/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	670	03/07/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	340	03/07/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	340	03/07/01JSS	03/06/01
HLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	340	03/07/01JSS	03/06/01
YSENE	218-01-9	ND	UG/KG	340	03/07/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	340	03/07/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	340	03/07/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	340	03/07/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	340	03/07/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	340	03/07/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	670	03/07/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	340	03/07/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	340	03/07/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	340	03/07/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	340	03/07/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	340	03/07/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	340	03/07/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	670	03/07/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	670	03/07/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	340	03/07/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	340	03/07/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	340	03/07/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	340	03/07/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	340	03/07/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	340	03/07/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	340	03/07/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	340	03/07/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	340	03/07/01JSS	03/06/01
F CHLOROETHANE	67-72-1	ND	UG/KG	340	03/07/01JSS	03/06/01

Sample ID: BUFF-I-9C Sample Matrix: SOIL
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	340	03/07/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	340	03/07/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	340	03/07/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	340	03/07/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	340	03/07/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1700	03/07/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1700	03/07/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1700	03/07/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	340	03/07/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	340	03/07/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1700	03/07/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	340	03/07/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	340	03/07/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	340	03/07/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	1700	03/07/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	340	03/07/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	340	03/07/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	340	03/07/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	340	03/07/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	340	03/07/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	340	03/07/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	47	150	10		03/06/01
[illegible]OBENZENE-D5 (SUR)	-	69	150	10		03/06/01
[illegible]LUOROPHENOL (SUR)	-	44	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	22	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	61	150	10		03/06/01
PHENOL-D5 (SUR)	-	35	150	10		03/06/01
TOTAL SOLIDS	EPA 160.3	98.98	%	0.01	03/01/01KS	

Sample ID: BUFF-I-13C Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	600	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	600	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	3000	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	3000	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	600	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	1200	03/08/01JSS	03/06/01
[illegible](2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	600	03/08/01JSS	03/06/01

Sample ID: BUFF-I-13C Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	600	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	600	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	600	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	600	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	600	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	1200	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	1200	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	600	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	600	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	600	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	600	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	600	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	600	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	600	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	600	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	600	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	600	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	600	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	600	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	600	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	600	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	600	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	1200	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	600	03/08/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	600	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	600	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	600	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	600	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	600	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	600	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	600	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	600	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	600	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	600	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	600	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	600	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	600	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	600	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	3000	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	3000	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	3000	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	600	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	600	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	3000	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	600	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	600	03/08/01JSS	03/06/01

ample ID: BUFF-I-13C Sample Matrix: SOIL
ollection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	600	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	3000	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	600	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	600	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	600	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	600	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	600	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	600	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	16	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	11	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	10	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	7 Q	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	22	150	10		03/06/01
PHENOL-D5 (SUR)	-	5 Q	150	10		03/06/01
OTAL SOLIDS	EPA 160.3	97.44	%	0.01	03/01/01KS	

ample ID: BUFF-I-18C Sample Matrix: SOIL
ollection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EM OLATILES	SW 846 8270B					
. APTHENE	83-32-9	ND	UG/KG	340	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	340	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	1700	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1700	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	340	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	680	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	340	03/08/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	340	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	340	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	340	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	340	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	340	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	680	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	680	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	340	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	340	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	340	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	340	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	340	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	340	03/08/01JSS	03/06/01

Sample ID: BUFF-I-18C Sample Matrix: SOIL
Collection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	340	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	340	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	340	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	680	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	340	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	340	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	340	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	340	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	340	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	340	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	680	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	680	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	340	03/08/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	340	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	340	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	340	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	340	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	340	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	340	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	340	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	340	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	340	03/08/01JSS	03/06/01
)ENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	340	03/08/01JSS	03/06/01
METHYLNAPHTHALENE	91-57-6	ND	UG/KG	340	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	340	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	340	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	340	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1700	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1700	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1700	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	340	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	340	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1700	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	340	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	340	03/08/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	340	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	1700	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	340	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	340	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	340	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	340	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	340	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	340	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	32	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	28	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	35	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	19	150	10		03/06/01
T[illegible]HENYL-D14 (SUR)	-	56	150	10		03/06/01

Sample ID: BUFF-I-18C Sample Matrix: SOIL
Collection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PHENOL-D5 (SUR)	-	29	150	10		03/06/01
TOTAL SOLIDS	EPA 160.3	98.78	%	0.01	03/01/01KS	

Sample ID: BUFF-I-19C Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	350	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	350	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	1700	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1700	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	690	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	350	03/08/01JSS	03/06/01
(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	350	03/08/01JSS	03/06/01
(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	350	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	350	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	350	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	350	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	690	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	690	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	350	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	350	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	350	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	350	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	350	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	350	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	350	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	350	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	690	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	350	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	350	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	350	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	350	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	350	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	690	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	690	03/08/01JSS	03/06/01
2 DINITROTOLUENE	121-14-2	ND	UG/KG	350	03/08/01JSS	03/06/01

Sample ID: BUFF-I-19C Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	350	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	350	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	350	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	350	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	350	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	350	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	350	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	350	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	350	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1700	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1700	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1700	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	350	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	350	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1700	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	350	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	350	03/08/01JSS	03/06/01
N TTROSODIMETHYLAMINE	62-75-9	ND	UG/KG	350	03/08/01JSS	03/06/01
ACHLOROPHENOL	87-86-5	ND	UG/KG	1700	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	350	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	350	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	350	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	40	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	16	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	38	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	19	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	73	150	10		03/06/01
PHENOL-D5 (SUR)	-	35	150	10		03/06/01
OTAL SOLIDS	EPA 160.3	96.19	%	0.01	03/01/01KS	

ample ID: BUFF-I-10B Sample Matrix: SOIL
ollection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
MIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	350	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	350	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	350	03/08/01JSS	03/06/01

Sample ID: BUFF-I-10B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
BENZIDINE	92-87-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1800	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	350	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	710	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	350	03/08/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	350	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	350	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	350	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	350	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	350	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	710	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	710	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	350	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	350	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	350	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	350	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	350	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	350	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	350	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	350	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	710	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	350	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	350	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	350	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	350	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	350	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	710	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	710	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	350	03/08/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	350	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	350	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	350	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	350	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	350	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	350	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	350	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	350	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	350	03/08/01JSS	03/06/01

Sample ID: BUFF-I-10B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
NAPHTHALENE	91-20-3	ND	UG/KG	350	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1800	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1800	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1800	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	350	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	350	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1800	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	350	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	350	03/08/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	350	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	350	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	350	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	350	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	350	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	350	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	60	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	42	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	40	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	24	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	75	150	10		03/06/01
F OL-D5 (SUR)	-	38	150	10		03/06/01
C SOLIDS	EPA 160.3	94.13	%	0.01	03/01/01KS	

Sample ID: BUFF-I-15B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	360	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	360	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZIDINE	92-87-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1800	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	360	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	720	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	360	03/08/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	360	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	360	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	360	03/08/01JSS	03/06/01
ROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	360	03/08/01JSS	03/06/01

Sample ID: BUFF-I-15B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	360	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	720	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	720	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	360	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	360	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	360	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	360	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	360	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	360	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	360	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	360	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	360	03/08/01JSS	03/06/01
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	720	03/08/01JSS	03/06/01
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	360	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	360	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	360	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	360	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	360	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	360	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	720	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	720	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	360	03/08/01JSS	03/06/01
-DINITROTOLUENE	606-20-2	ND	UG/KG	360	03/08/01JSS	03/06/01
N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	360	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	360	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	360	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	360	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	360	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	360	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	360	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	360	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	360	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	360	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	360	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	360	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	360	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1800	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1800	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1800	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	360	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	360	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1800	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	360	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	360	03/08/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	360	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	360	03/08/01JSS	03/06/01
P[illegible]OL	108-95-2	ND	UG/KG	360	03/08/01JSS	03/06/01

Sample ID: BUFF-I-15B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PYRENE	129-00-0	ND	UG/KG	360	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	360	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	360	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	360	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	65	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	36	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	53	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	17	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	79	150	10		03/06/01
PHENOL-D5 (SUR)	-	45	150	10		03/06/01
TOTAL SOLIDS	EPA 160.3	92.50	%	0.01	03/01/01KS	

Sample ID: BUFF-I-20B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	370	03/08/01JSS	03/06/01
ACENAPHTHYLENE	208-96-8	ND	UG/KG	370	03/08/01JSS	03/06/01
ANTHRACENE	120-12-7	ND	UG/KG	370	03/08/01JSS	03/06/01
[illegible]IDINE	92-87-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
[illegible]O(A)ANTHRACENE	56-55-3	ND	UG/KG	370	03/08/01JSS	03/06/01
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	370	03/08/01JSS	03/06/01
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	370	03/08/01JSS	03/06/01
BENZOIC ACID	65-85-0	ND	UG/KG	1800	03/08/01JSS	03/06/01
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	370	03/08/01JSS	03/06/01
BENZO(A)PYRENE	191-24-2	ND	UG/KG	370	03/08/01JSS	03/06/01
BENZYL ALCOHOL	100-51-6	ND	UG/KG	730	03/08/01JSS	03/06/01
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	370	03/08/01JSS	03/06/01
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	370	03/08/01JSS	03/06/01
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	370	03/08/01JSS	03/06/01
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	370	03/08/01JSS	03/06/01
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	370	03/08/01JSS	03/06/01
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	370	03/08/01JSS	03/06/01
4-CHLOROANILINE	106-47-8	ND	UG/KG	730	03/08/01JSS	03/06/01
4-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	730	03/08/01JSS	03/06/01
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	370	03/08/01JSS	03/06/01
2-CHLOROPHENOL	95-57-8	ND	UG/KG	370	03/08/01JSS	03/06/01
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	370	03/08/01JSS	03/06/01
CHRYSENE	218-01-9	ND	UG/KG	370	03/08/01JSS	03/06/01
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	370	03/08/01JSS	03/06/01
DIBENZOFURAN	132-64-9	ND	UG/KG	370	03/08/01JSS	03/06/01
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	370	03/08/01JSS	03/06/01
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	370	03/08/01JSS	03/06/01
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	370	03/08/01JSS	03/06/01
3 [illegible]'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	730	03/08/01JSS	03/06/01

Sample ID: BUFF-I-20B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	370	03/08/01JSS	03/06/01
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	370	03/08/01JSS	03/06/01
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	370	03/08/01JSS	03/06/01
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	370	03/08/01JSS	03/06/01
ISOPHORONE	78-59-1	ND	UG/KG	370	03/08/01JSS	03/06/01
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	370	03/08/01JSS	03/06/01
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	730	03/08/01JSS	03/06/01
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	730	03/08/01JSS	03/06/01
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	370	03/08/01JSS	03/06/01
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	370	03/08/01JSS	03/06/01
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	370	03/08/01JSS	03/06/01
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	370	03/08/01JSS	03/06/01
FLUORANTHENE	206-44-0	ND	UG/KG	370	03/08/01JSS	03/06/01
FLUORENE	86-73-7	ND	UG/KG	370	03/08/01JSS	03/06/01
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	370	03/08/01JSS	03/06/01
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	370	03/08/01JSS	03/06/01
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	370	03/08/01JSS	03/06/01
HEXACHLOROETHANE	67-72-1	ND	UG/KG	370	03/08/01JSS	03/06/01
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	370	03/08/01JSS	03/06/01
2-METHYLNAPHTHALENE	91-57-6	ND	UG/KG	370	03/08/01JSS	03/06/01
2-METHYLPHENOL	95-48-7	ND	UG/KG	370	03/08/01JSS	03/06/01
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	370	03/08/01JSS	03/06/01
NAPHTHALENE	91-20-3	ND	UG/KG	370	03/08/01JSS	03/06/01
2-NITROANILINE	88-74-4	ND	UG/KG	1800	03/08/01JSS	03/06/01
3-NITROANILINE	99-09-2	ND	UG/KG	1800	03/08/01JSS	03/06/01
4-NITROANILINE	100-01-6	ND	UG/KG	1800	03/08/01JSS	03/06/01
NITROBENZENE	98-95-3	ND	UG/KG	370	03/08/01JSS	03/06/01
2-NITROPHENOL	88-75-5	ND	UG/KG	370	03/08/01JSS	03/06/01
4-NITROPHENOL	100-02-7	ND	UG/KG	1800	03/08/01JSS	03/06/01
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	370	03/08/01JSS	03/06/01
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	370	03/08/01JSS	03/06/01
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	370	03/08/01JSS	03/06/01
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	1800	03/08/01JSS	03/06/01
PHENATHRENE	85-01-8	ND	UG/KG	370	03/08/01JSS	03/06/01
PHENOL	108-95-2	ND	UG/KG	370	03/08/01JSS	03/06/01
PYRENE	129-00-0	ND	UG/KG	370	03/08/01JSS	03/06/01
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	370	03/08/01JSS	03/06/01
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	370	03/08/01JSS	03/06/01
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	370	03/08/01JSS	03/06/01
2-FLUOROBIPHENYL (SUR)	-	51	150	10		03/06/01
NITROBENZENE-D5 (SUR)	-	36	150	10		03/06/01
2-FLUOROPHENOL (SUR)	-	48	150	10		03/06/01
2,4,6-TRIBROMOPHENOL (SUR)	-	15	150	10		03/06/01
TERPHENYL-D14 (SUR)	-	77	150	10		03/06/01
PHENOL-D5 (SUR)	-	40	150	10		03/06/01
TOTAL SOLIDS	EPA 160.3	90.86	%	0.01	03/01/01KS	

Sample ID: BUFF-I-20B Sample Matrix: SOIL
Collection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED

ND=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
*BACKGROUND CONTAMINATION
Q=OUTSIDE LIMITS
B=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

0012077

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, Ok
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's	metals	REMARKS
Buff-I-16 (c)	11/30/00	1200	Soil		X	1	X			OK TO RUN
Buff-I-17 (c)		1205	Soil		X	1	X			OK TO RUN
Buff-I-18 (c)		1210	Soil		X	3	X	X	X	Run PCB's/Hold SVOC's/metals
Buff-I-19 (c)		1215	Soil		X	3	X	X	X	Run PCB's/Hold SVOC's metals
Buff-I-20 (c)		1230	Soil		X	1	X			OK to Run
Buff-I-21 (c)		1235	Soil		X	1	X			
Buff-I-22 (c)		1240	Soil		X	1	X			
Buff-I-23 (c)		1245	Soil		X	1	X			
Buff-I-24 (c)		1250	Soil		X	1	X			
Buff-I-25 (c)		1255	Soil		X	1	X			
			Soil		X	1	X			
			Soil		X	1	X			
			Soil		X	1	X			
			Soil		X	1	X			
			Soil		X	1	X			

000246

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Lue Robinson	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

00120 18 10 BUFF-I

...con
...88th Terrace
...ansas 66215
...(913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

00120 77

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA metals 6000/7000	REMARKS
Buff-I-1 (c)	11/30/00	1000	Soil		X	1	X			OK to Run
Buff-I-2 (c)		1010	Soil		X	1	X			
Buff-I-3 (c)		1015	Soil		X	1	X			
Buff-I-4 (c)		1020	Soil		X	1	X			
Buff-I-5 (c)		1030	Soil		X	1	X			
Buff-I-6 (c)		1035	Soil		X	1	X			
Buff-I-7 (c)		1045	Soil		X	1	X			
Buff-I-8 (c)		1055	Soil		X	3	X	X	X	Run PCB's Hold SVOCs/metals
Buff-I-9 (c)		1100	Soil		X	3	X	X	X	Run PCB's Hold SVOC's/metal
Buff-I-10 (c)		1110	Soil		X	1	X			OK to Run
Buff-I-11 (c)		1115	Soil		X	1	X			OK to Run
Buff-I-12 (c)		1120	Soil		X	1	X			OK to Run
Buff-I-13 (c)		1135	Soil		X	3	X	X	X	Run PCB's Hold SVOC's/metals
Buff-I-14 (c)		1150	Soil		X	3	X	X	X	OK to Run All
Buff-I-15 (c)		1155	Soil		X	1	X			OK to Run

000247

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Lane Robinson	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATOR. ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA Metals 6000/7000					REMARKS
Buff-I-16 (B)	11/30/00	1200	Soil		X	1	X							OK to Run
Buff-I-17 (B)		1205	Soil		X	1	X							
Buff-I-18 (B)		1210	Soil		X	1	X							
Buff-I-19 (B)		1215	Soil		X	1	X							
Buff-I-20 (B)		1230	Soil		X	3	X	X	X					@ Run PCB's Hold SVOC's/metals
Buff-I-21 (B)		1235	Soil		X	1	X							
Buff-I-22 (B)		1240	Soil		X	1	X							
Buff-I-23 (B)		1245	Soil		X	1	X							
Buff-I-24 (B)		1250	Soil		X	1	X							
Buff-I-25 (B)		1255	Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature] 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000248

000248

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA Metals 6000/7000					REMARKS
Buff-I-1(B)	11/30/00	1000	Soil		X	1	X							OK TO RUN
Buff-I-2(B)		1010	Soil		X	1	X							
Buff-I-3(B)		1015	Soil		X	1	X							
Buff-I-4(B)		1020	Soil		X	1	X							
Buff-I-5(B)		1030	Soil		X	1	X							
Buff-I-6(B)		1035	Soil		X	1	X							
Buff-I-7(B)		1045	Soil		X	1	X							
Buff-I-8(B)		1055	Soil		X	1	X							
Buff-I-9(B)		1100	Soil		X	1 ~~2~~	X							
Buff-I-10(B)		1110	Soil		X	3	X	X	X					RUN PCB's Hold SVOC's/metals
Buff-I-11(B)		1115	Soil		X	1	X							
Buff-I-12(B)		1120	Soil		X	1	X							
Buff-I-13(B)		1135	Soil		X	1	X							
Buff-I-14(B)		1150	Soil		X	1	X							
Buff-I-15(B)		1155	Soil		X	3	X	X	X					RUN PCB's Hold SVOC's/metals

SHIPPING VIA: Federal Express
SHIPPING NO.: 27-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER
PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dee Robinson 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000249

QWAL La' atories, Inc.
Quality C rol Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Acenapthene	8270		GC/MS	03/07/01		solid	ug/kg
Acenaphthylene	8270		GC/MS	03/07/01		solid	ug/kg
Anthracene	8270		GC/MS	03/07/01		solid	ug/kg
Benzidine	8270		GC/MS	03/07/01		solid	ug/kg
Benzo(a)anthracene	8270		GC/MS	03/07/01		solid	ug/kg
Benzo(b)fluoranthene	8270		GC/MS	03/07/01		solid	ug/kg
Benzo(k)fluoranthene	8270		GC/MS	03/07/01		solid	ug/kg
Benzoic Acid	8270		GC/MS	03/07/01		solid	ug/kg
Benzo(g,h,i)perylene	8270		GC/MS	03/07/01		solid	ug/kg
Benzo(a)pyrene	8270		GC/MS	03/07/01		solid	ug/kg
Benzyl Alcohol	8270		GC/MS	03/07/01		solid	ug/kg
Bis(2-chloroethoxy)methane	8270		GC/MS	03/07/01		solid	ug/kg
Bis(2-chloroethyl)ether	8270		GC/MS	03/07/01		solid	ug/kg
Bis(2-chloroisopropyl)ether	8270		GC/MS	03/07/01		solid	ug/kg
Bis(2-ethylhexyl)phthalate	8270		GC/MS	03/07/01		solid	ug/kg
4-Bromophenyl phenyl ether	8270		GC/MS	03/07/01		solid	ug/kg
Butylbenzylphthalate	8270		GC/MS	03/07/01		solid	ug/kg
4-Chloroaniline	8270		GC/MS	03/07/01		solid	ug/kg
4-Chloro-3-methylphenol	8270		GC/MS	03/07/01		solid	ug/kg
2-Chloronaphthalene	8270		GC/MS	03/07/01		solid	ug/kg
2-Chlorophenol	8270		GC/MS	03/07/01		solid	ug/kg
4-Chlorophenylphenylether	8270		GC/MS	03/07/01		solid	ug/kg
Chrysene	8270		GC/MS	03/07/01		solid	ug/kg
Dibenzo(a,h)anthracene	8270		GC/MS	03/07/01		solid	ug/kg
Dibenzofuran	8270		GC/MS	03/07/01		solid	ug/kg
1,2-Dichlorobenzene	8270		GC/MS	03/07/01		solid	ug/kg
1,3-Dichlorobenzene	8270		GC/MS	03/07/01		solid	ug/kg
1,4-Dichlorobenzene	8270		GC/MS	03/07/01		solid	ug/kg
3,3'-Dichlorobenzidine	8270		GC/MS	03/07/01		solid	ug/kg
2,4-Dichlorophenol	8270		GC/MS	03/07/01		solid	ug/kg
Diethyl phthalate	8270		GC/MS	03/07/01		solid	ug/kg
2,4-Dimethylphenol	8270		GC/MS	03/07/01		solid	ug/kg
Dimethylphathalate	8270		GC/MS	03/07/01		solid	ug/kg
4,6-Dinitro-2-Methylphenol	8270		GC/MS	03/07/01		solid	ug/kg
Di-n-butylphthalate	8270		GC/MS	03/07/01		solid	ug/kg
2,4-Dinitrophenol	8270		GC/MS	03/07/01		solid	ug/kg
2,4-Dinitrotoluene	8270		GC/MS	03/07/01		solid	ug/kg

000250

QWAL L: ıtories, Inc.
Quality C .rol Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
2,6-Dinitrotoluene	8270		GC/MS	03/07/01		solid	ug/kg
Di-n-Octylphthalate	8270		GC/MS	03/07/01		solid	ug/kg
1,2-Diphenyl Hydrazine	8270		GC/MS	03/07/01		solid	ug/kg
Fluoranthene	8270		GC/MS	03/07/01		solid	ug/kg
Fluorene	8270		GC/MS	03/07/01		solid	ug/kg
Hexachlorobenzene	8270		GC/MS	03/07/01		solid	ug/kg
Hexachlorobutadiene	8270		GC/MS	03/07/01		solid	ug/kg
Hexachlorocyclopentadiene	8270		GC/MS	03/07/01		solid	ug/kg
Hexachloroethane	8270		GC/MS	03/07/01		solid	ug/kg
Indeno(1,2,3-cd)pyrene	8270		GC/MS	03/07/01		solid	ug/kg
Isophorone	8270		GC/MS	03/07/01		solid	ug/kg
2-Methylnaphthalene	8270		GC/MS	03/07/01		solid	ug/kg
2-Methylphenol	8270		GC/MS	03/07/01		solid	ug/kg
4-Methylphenol	8270		GC/MS	03/07/01		solid	ug/kg
Naphthalene	8270		GC/MS	03/07/01		solid	ug/kg
2-Nitroaniline	8270		GC/MS	03/07/01		solid	ug/kg
3-Nitroaniline	8270		GC/MS	03/07/01		solid	ug/kg
4-Nitroaniline	8270		GC/MS	03/07/01		solid	ug/kg
Nitrobenzene	8270		GC/MS	03/07/01		solid	ug/kg
2-Nitrophenol	8270		GC/MS	03/07/01		solid	ug/kg
4-Nitrophenol	8270		GC/MS	03/07/01		solid	ug/kg
N-Nitroso-di-n-propylamine	8270		GC/MS	03/07/01		solid	ug/kg
N-Nitrosodiphenylamine(1)	8270		GC/MS	03/07/01		solid	ug/kg
N-Nitrosodimethylamine	8270		GC/MS	03/07/01		solid	ug/kg
Pentachlorophenol	8270		GC/MS	03/07/01		solid	ug/kg
Phenathrene	8270		GC/MS	03/07/01		solid	ug/kg
Phenol	8270		GC/MS	03/07/01		solid	ug/kg
Pyrene	8270		GC/MS	03/07/01		solid	ug/kg
1,2,4-Trichlorobenzene	8270		GC/MS	03/07/01		solid	ug/kg
2,4,5-Trichlorophenol	8270		GC/MS	03/07/01		solid	ug/kg
2,4,6-Trichlorophenol	8270		GC/MS	03/07/01		solid	ug/kg
2-Fluorobiphenyl (sur)	8270		GC/MS	03/07/01		solid	ug/kg
Nitrobenzene-d8 (sur)	8270		GC/MS	03/07/01		solid	ug/kg
2-Fluorophenol (sur)	8270		GC/MS	03/07/01		solid	ug/kg
2,4,6-Tribromophenol (sur)	8270		GC/MS	03/07/01		solid	ug/kg
Terphenyl-d14 (sur)	8270		GC/MS	03/07/01		solid	ug/kg
Phenol-d5 (sur)	8270		GC/MS	03/07/01		solid	ug/kg

000251

QWAL L[illegible]atories, Inc.
Quality [illegible]rol Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
Acenaphthene	ND				ND	3333.33	2860	86	2580	77	10	2220	3333.33	67
Acenaphthylene	ND				ND							2240	3333.333	67
Anthracene	ND				ND							2600	3333.33	78
Benzidine	ND				ND									
Benzo(a)anthracene	ND				ND							2410	3333.333	72
Benzo(b)fluoranthene	ND				ND							2540	3333.333	76
Benzo(k)fluoranthene	ND				ND							3010	3333.333	90
Benzoic Acid	ND				ND									
Benzo(g,h,i)perylene	ND				ND							3520	3333.333	106
Benzo(a)pyrene	ND				ND							2640	3333.333	79
Benzyl Alcohol	ND				ND							1570	3333.333	47
Bis(2-chloroethoxy)methane	ND				ND							2640	3333.333	79
Bis(2-chloroethyl)ether	ND				ND							2200	3333.333	66
Bis(2-chloroisopropyl)ether	ND				ND							3860	3333.333	116
Bis(2-ethylhexyl)phthalate	ND				ND							4280	3333.333	128
4-Bromophenyl phenyl ether	ND				ND							1870	3333.333	56
Butylbenzylphthalate	ND				ND							3740	3333.333	112
4-Chloroaniline	ND				ND							1730	3333.333	52
4-Chloro-3-methylphenol	ND				ND	6666.667	3810	57	3390	51	12	2200	3333.333	66
2-Chloronaphthalene	ND				ND							1760	3333.333	53
2-Chlorophenol	ND				ND	6666.667	3220	48	3120	47	3	1920	3333.333	58
4-Chlorophenylphenylether	ND				ND							1640	3333.333	49
Chrysene	ND				ND							2650	3333.333	80
Dibenzo(a,h)anthracene	ND				ND							3530	3333.333	106
Dibenzofuran	ND				ND							2020	3333.333	61
1,2-Dichlorobenzene	ND				ND							2310	3333.333	69
1,3-Dichlorobenzene	ND				ND							2060	3333.333	62
1,4-Dichlorobenzene	ND				ND	3333.333	1880	56	2060	62	9	2170	3333.333	65
3,3'-Dichlorobenzidine	ND				ND							1880	3333.333	56
2,4-Dichlorophenol	ND				ND							1710	3333.333	51
Diethyl phthalate	ND				ND							2640	3333.333	79
2,4-Dimethylphenol	ND				ND							1630	3333.333	49
Dimethylphathalate	ND				ND							2300	3333.333	69
4,6-Dinitro-2-Methylphenol	ND				ND							4140	3333.333	124
Di-n-butylphthalate	ND				ND	3333.333	5430	163 *	5100	153 *	6	3680	3333.333	110
2,4-Dinitrophenol	ND				ND							3560	3333.333	107
2,4-Dinitrotoluene	ND				ND	3333.333	2880	86	2840	85	1	2550	3333.333	77

000252

QWAL La' ·atories, Inc.
Quality C .·ol Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec	
2,6-Dinitrotoluene	ND				ND							2410	3333.333	72	
Di-n-Octylphthalate	ND				ND							4290	3333.333	129	
1,2-Diphenyl Hydrazine	ND				ND							4080	3333.333	122	
Fluoranthene	ND				ND							2110	3333.333	63	
Fluorene	ND				ND							2650	3333.333	80	
Hexachlorobenzene	ND				ND							1650	3333.333	50	
Hexachlorobutadiene	ND				ND							1300	3333.333	39	
Hexachlorocyclopentadiene	ND				ND							2450	3333	74	
Hexachloroethane	ND				ND							2080	3333.333	62	
Indeno(1,2,3-cd)pyrene	ND				ND							2940	3333.333	88	
Isophorone	ND				ND							3080	3333.333	92	
2-Methylnaphthalene	ND				ND							2050	3333.333	62	
2-Methylphenol	ND				ND							1800	3333.333	54	
4-Methylphenol	ND				ND							1990	3333.333	60	
Naphthalene	ND				ND							2130	3333.333	64	
2-Nitroaniline	ND				ND							3370	3333.333	101	
3-Nitroaniline	ND				ND							2350	3333.333	71	
4-Nitroaniline	ND				ND							2080	3333.333	62	
Nitrobenzene	ND				ND							2830	3333.333	85	
2-Nitrophenol	ND				ND							2070	3333.333	62	
4-Nitrophenol	ND				ND	6666.667	4090	61	3320	50	21	1920	3333.333	58	
N-Nitroso-di-n-propylamine	ND				ND	3333.333	3570	107	3060	92	15	3060	3333.333	92	
N-Nitrosodiphenylamine(1)	ND				ND							1120	3333.333	34	
N-Nitrosodimethylamine	ND				ND							3300	3333.333	99	
Pentachlorophenol	ND				ND	6666.667	2700	41	2360	35	13	965.7	3333.333	29	
Phenanthrene	ND				ND							2590	3333.333	78	
Phenol	ND				ND	6666.667	3270	49	3250	49	1	2350	3333.333	71	
Pyrene	ND				ND	3333.333	4700	141	3830	115	20	2610	3333.333	78	
1,2,4-Trichlorobenzene	ND				ND	3333.333	1550	47	1430	43	8	1530	3333.333	46	
2,4,5-Trichlorophenol	ND				ND							1460	3333.333	44	
2,4,6-Trichlorophenol	ND				ND							1430	3333.333	43	
2-Fluorobiphenyl (sur)	1030				1880	3333.333	1320	40	1250	38	5	1430	3333.333	43	
Nitrobenzene-d8 (sur)	1730				1330	3333.333	1900	57	1900	57	0	857	3333.333	26	
2-Fluorophenol (sur)	1340				1750	3333.333	1160	35	1240	37	7	144.1	3333.333	4	*
2,4,6-Tribromophenol (sur)	455				540	3333.333	832	25	674	20	21	838	3333.333	25	
Terphenyl-d14 (sur)	2850				2810	3333.333	2930	88	2110	63	33	2260	3333.333	68	
Phenol-d5 (sur)	911				1460	3333.333	1540	46	1380	41	11	580	3333.333	17	

000253

QWAL Laboratories, Inc.
Quality Control Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Test code	Test Description	Instrument description	Analysis Date	Analysis Time	Matrix	Units
Total Solids	TS		Solids apparatus	03/01/01		water	%

000254

000254

QWAL Laboratories, Inc.
Quality Control Report

TERRACON ENVIRONMENTAL
0102687

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	26.57	26.29	1								89.13	100	89

000255

000255

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials:

000256

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

LABORATORY REPORT: REFERENCE #: 0012078

SENT TO: TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED: 12/18/00
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

PROJECT:WCPSC-BUFFALO OK PART 5

Sample ID: BUFFI-12CD Sample Matrix: SOIL
Collection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	5850	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	82	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	94.77	%	0.01	12/06/00KDH	

Sample ID: BUFFI-13BD Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	73	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	72	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	94.26	%	0.01	12/06/00KDH	

Sample ID: BUFFI-13CD Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	15700D	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	97	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	94.14	%	0.01	12/06/00KDH	

Sample ID: BUFFI-13DD Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	993D	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	100	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	94.06	%	0.01	12/06/00KDH	

Sample ID: BUFFI-13ED Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFFI-14BD Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00

Sample ID: BUFFI-14BD Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	87	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	92.40	%	0.01	12/06/00KDH	

Sample ID: BUFFI-14CD Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	560	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	83	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	93.44	%	0.01	12/06/00KDH	

Sample ID: BUFFI-14DD Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	6170	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	96	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	95.43	%	0.01	12/06/00KDH	

Sample ID: BUFFI-14ED Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFFI-14FD Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFFAR-5AD Sample Matrix: SOIL
Collection Date: 11/30/00 15:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	5470D	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	51	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	95.26	%	0.01	12/06/00KDH	

Sample ID: BUFFAR-5BD Sample Matrix: SOIL
Collection Date: 11/30/00 15:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-7E Sample Matrix: SOIL
Collection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-12E Sample Matrix: SOIL
Collection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-13E Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-14E Sample Matrix: SOIL
Collection Date: 11/30/00 11:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-17E Sample Matrix: SOIL
Collection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-18E Sample Matrix: SOIL
Collection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-19E Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

Sample ID: BUFF-I-14F Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

Sample ID: BUFF-I-17F Sample Matrix: SOIL
Collection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

Sample ID: BUFF-I-7F Sample Matrix: SOIL
Collection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

Sample ID: BUFF-I-14G Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

Sample ID: BUFF-I-14H Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE			DLB	

ND=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
*BACKGROUND CONTAMINATION
Q=OUTSIDE LIMITS
B=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

000262

on
Terrace
Kansas 66216
one: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ^NALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

ROJECT NAME
WGPSC- Buffalo, OK

PROJECT NUMBER
50007055

AMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-14(17)	11/30/00	1150	Soil		X	1	X	HOLD
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.:
1127-5857-7

PRIORITY:
overnight

LABORATORY PRIORITY

XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Sue Robinson 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000026

...on
...th Terrace
...as 66216
(913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ...ALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC Buffalo, OK

PROJECT NUMBER
50007055

AMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
30FF-I-14 (G)	11/30/00	1150	Soil		X	1	X	HOLD
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

PPING VIA:
...eral Express

PPING NO.: 27-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER

____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE Tony Poulter	SIGNATURE Dave Robinson	SIGNATURE 12/2/00	SIGNATURE 11:40
PRINTED NAME Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

00020

...on
...8th Terrace
...ness 66216
...(913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE):
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-14 (F)	11/30/00	1150	Soil		X	1	X	HOLD
Buff-I-17 (F)	↓	1205	Soil		X	1	X	↓
Buff-I-7 (F)	↓	1045	Soil		X	1	X	↓
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

...PING VIA:
...ral Express
...PING NO.: 27-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
X 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000265

0002 5

on
96th Terrace
Kansas 66215
one: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

00120 10

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-I-7 (E)	11/30/00	1045	Soil		X	1	X	HOLD
BUFF-I-12 (E)		1120	Soil		X	1	X	
BUFF-I-13 (E)		1135	Soil		X	1	X	
BUFF-I-14 (E)		1140	Soil		X	1	X	
BUFF-I-17 (E)		1205	Soil		X	1	X	
BUFF-I-18 (E)		1210	Soil		X	1	X	
BUFF-I-19 (E)		1215	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.:
1127-5857-7

PRIORITY:
overnight

LABORATORY PRIORITY

XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE Tony Poulter	SIGNATURE Dave Robinson	SIGNATURE 12/2/00 11:40	SIGNATURE
PRINTED NAME Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

[redacted]on
[redacted]96th Terrace
[redacted] Kansas 66215
[redacted]ne: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franklin
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-12 (CO)	11/30/00	1120	Soil		X	1	X	OK TO RUN
Buff-I-13 (BO)		1135	Soil		X	1	X	OK TO RUN
Buff-I-13 (CO)		1135	Soil		X	1	X	OK TO RUN
Buff-I-13 (DO)		1135	Soil		X	1	X	OK to RUN
Buff-I-13 (EO)		1135	Soil		X	1	X	HOLD
Buff-I-14 (BO)		1150	Soil		X	1	X	OK
Buff-I-14 (CO)		1150	Soil		X	1	X	OK
Buff-I-14 (DO)		1150	Soil		X	1	X	OK
Buff-I-14 (EO)		1150	Soil		X	1	X	HOLD
Buff-I-14 (FO)		1150	Soil		X	1	X	HOLD
~~Buff-AR-5~~			Soil		X	1	X	~~[illegible]~~
Buff-AR-5 (AO)		1510	Soil		X	1	X	OK TO RUN
Buff-AR-5 (BO)		1510	Soil		X	1	X	HOLD
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD ___ OTHER
___ 72 hour TAT
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [illegible] Robinson 12/2/00	SIGNATURE: 11:40	SIGNATURE:
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000267

QWAL I ratories, Inc.
Quality . trol Report

TERRACON ENVIRONMENTAL
0012078

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1221	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1232	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1242	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1248	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1254	8082		GC/ECD	12/13/00		soil	ug/Kg
PCB-1260	8082		GC/ECD	12/13/00		soil	ug/Kg
DCB (Surr)	8082		GC/ECD	12/13/00		soil	ug/Kg

000268

QWAL L: itories, Inc.
Quality C. rol Report

TERRACON ENVIRONMENTAL
0012078

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				ND	66.66	46.7	70	51.5	77	10	50.5	66.666	76
PCB-1260	ND											ND		
DCB (Surr)	3.93				4.0	6.66	3.64	53	3.88	57	6	3.66	6.66	55

000269

QWAL La tories, Inc.
Quality Control Report
TERRACON ENVIRONMENTAL
0012078

Parameter	Test code	Test Description	Instrument description	Analysis Date	Analysis Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/06/00		water	%

000270

QWAL L atories, Inc.
Quality C atrol Report
TERRACON ENVIRONMENTAL
0012078

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	88.89	88.81	0.09								292	301.5	97

000271

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials:

000272

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

ABORATORY REPORT: REFERENCE #: 0012079

ENT TERRACON ENVIRONMENTAL
O: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
JOHN ROCKHOLD
ROJECT:WGPSC - BUFFALO, OK

DATE REPORTED: 12/14/00
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/01/00
P.O. #:

ample ID: BUFF-I-8E
ollection Date: 11/30/00 10:55:00

Sample Matrix: SOIL

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE			DLB	

D=NONE DETECTED
QL=PRACTICAL QUANTITATION LIMIT
U=STANDARD UNITS
BACKGROUND CONTAMINATION
=OUTSIDE LIMITS
=DETECTED IN METHOD BLANK
I' URROGATE

APPROVED BY: TERRY KOESTER
TERRY KOESTER
LABORATORY DIRECTOR

000273

Q.W.A.L. LAB RATORIES, INC.

Established 1976

2911 Rotary Terrace • Pittsburg, Kansas 66762

TO ORDER: FAX 1-316-232-7730 OR PHONE 1-316-232-1970

0012079

① Company Name: Terracon
Attention: John Cockfield
Address: 13910 W. 96th Ter
Lenexa, Ks 66215
City, State, Zip Code

④ Phone #: 913-492-7777

④ Fax #: 913-492-7443

② Project Name or Number: WGPSC - Buffalo, OK

⑤ Purchase Order #:

③ Sampling Personnel Signature(s): Jason R. Franks

Sampling Personnel (print name): Jason R. Franks

⑬ TURNAROUND TIME REQUESTED (Additional Charges May Apply)
☒ Standard ☐ 72 Hours ☐ 48 Hours ☐ 24 Hours ☐ SameDay
* Note - Please contact lab for availability of priority service.

⑫ ANALYSIS REQUEST
(Write Tests Here)

⑥ Sample I.D.	Date ⑦	Time ⑦	⑧ Comp.	⑧ Grab	⑨ # of Containers	⑩ Method Preserved: H2SO4	HNO3	NAOH	HCL	Ice	None	⑪ Sample Matrix: Water	Soil	Air	Sludge	Other	PCB's by 8082	REMARKS (If special detection limits are required please note below.)
Buff-AR-5(AS)	11/30	1510		X	1					X			X				X	ship to PACE
Buff-AR-5(BS)	11/30	1510		X	1					X			X				X	ship to PACE
HIG-AR-11(BS)	11/29	1555		X	1					X			X				X	ship to PACE
Buff-I-8(E)	11/30	~~1555~~		X	1					X			X				X	HOLD

PACE
1608 LOIRET Blvd.
Lenexa, KS 66215
Ship overnight
Bill Customer

⑭ Relinquished By: Date Time
Received By: Sue Robinson Date 12/1/00 Time
Relinquished By: Date Time
Received By: Date Time
Relinquished By: Date Time
Received By: Date Time

⑮ Send Report to:
Company Williams Gas
Attn: Mark Sullivan
Address:
City/State:
Phone:
Fax:

⑯ Send Invoice to:
(if different form report address)
Company
Attn:
Address:
City/State:
Phone:
Fax:

*FAILURE TO COMPLETE THIS FORM MAY DELAY LABORATORY RESULTS.

TERRACON

12/04/00 MON 12:16 FAX 9134927443

000274

000274

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

LABORATORY REPORT: **REFERENCE #:** 0012077

SENT TO: TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED: 01/31/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

PROJECT:WGPSC-BUFFALO OK - PART 4

Sample ID: BUFF-I-8C **Sample Matrix:** SOIL
Collection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CLP PACKAGE		DONE	STD UN		01/31/01MS2	
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	3780D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
[illegible] (SUR)	-	37 Q	150	50		12/09/00
T[illegible] SOLIDS	EPA 160.3	93.96	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-9C **Sample Matrix:** SOIL
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	3060D	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	62	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.64	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-I-10C Sample Matrix: SOIL
ollection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	21	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	103	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	97.26	%	0.01	12/04/00KDH	

ample ID: BUFF-I-11C Sample Matrix: SOIL
'ollection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	94	150	50		12/09/00
'OTAL SOLIDS	EPA 160.3	94.93	%	0.01	12/04/00KDH	

ample ID: BUFF-I-12C Sample Matrix: SOIL
ollection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4330D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	6 Q	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	93.74	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-13C Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4440D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	6 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	95.89	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-14C Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
[illegible]-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
[illegible]-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4650D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	8 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.37	%	0.01	12/04/00KDH	
SEMIVOLATILES	SW 846 8270B					
ACENAPTHENE	83-32-9	ND	UG/KG	5900	12/13/00DN	12/12/00
ACENAPHTHYLENE	208-96-8	ND	UG/KG	5900	12/13/00DN	12/12/00
ANTHRACENE	120-12-7	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZIDINE	92-87-5	ND	UG/KG	29000	12/13/00DN	12/12/00
BENZO(A)ANTHRACENE	56-55-3	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(B)FLUORANTHENE	205-99-2	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(K)FLUORANTHENE	207-08-9	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZOIC ACID	65-85-0	ND	UG/KG	29000	12/13/00DN	12/12/00
BENZO(G,H,I)PERYLENE	50-32-8	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZO(A)PYRENE	191-24-2	ND	UG/KG	5900	12/13/00DN	12/12/00
BENZYL ALCOHOL	100-51-6	ND	UG/KG	12000	12/13/00DN	12/12/00
BIS(2-CHLOROETHOXY)METHAN	111-91-1	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-CHLOROETHYL)ETHER	111-44-4	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-CHLOROISOPROPYL)ETH	39638-32-9	ND	UG/KG	5900	12/13/00DN	12/12/00
BIS(2-ETHYLHEXYL)PHTHALAT	117-81-7	ND	UG/KG	5900	12/13/00DN	12/12/00
4-BROMOPHENYL PHENYL ETHE	101-55-3	ND	UG/KG	5900	12/13/00DN	12/12/00
BUTYL BENZYL PHTHALATE	85-68-7	ND	UG/KG	5900	12/13/00DN	12/12/00
4-CHLOROANILINE	106-47-8	ND	UG/KG	12000	12/13/00DN	12/12/00
[illegible]-CHLORO-3-METHYLPHENOL	59-50-7	ND	UG/KG	12000	12/13/00DN	12/12/00

Sample ID: BUFF-I-14C Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
2-CHLORONAPHTHALENE	91-58-7	ND	UG/KG	5900	12/13/00DN	12/12/00
2-CHLOROPHENOL	95-57-8	ND	UG/KG	5900	12/13/00DN	12/12/00
4-CHLOROPHENYL PHENYL ETH	7005-72-3	ND	UG/KG	5900	12/13/00DN	12/12/00
CHRYSENE	218-01-9	ND	UG/KG	5900	12/13/00DN	12/12/00
DIBENZ(A,H)ANTHRACENE	53-70-3	ND	UG/KG	5900	12/13/00DN	12/12/00
DIBENZOFURAN	132-64-9	ND	UG/KG	5900	12/13/00DN	12/12/00
1,2-DICHLOROBENZENE	95-50-1	ND	UG/KG	5900	12/13/00DN	12/12/00
1,3-DICHLOROBENZENE	541-73-1	ND	UG/KG	5900	12/13/00DN	12/12/00
1,4-DICHLOROBENZENE	106-46-7	ND	UG/KG	5900	12/13/00DN	12/12/00
3,3'-DICHLOROBENZIDINE	91-94-1	ND	UG/KG	12000	12/13/00DN	12/12/00
2,4-DICHLOROPHENOL	120-83-2	ND	UG/KG	5900	12/13/00DN	12/12/00
DIETHYL PHTHALATE	84-66-2	ND	UG/KG	5900	12/13/00DN	12/12/00
2,4-DIMETHYLPHENOL	105-67-9	ND	UG/KG	5900	12/13/00DN	12/12/00
DIMETHYLPHATHALATE	131-11-3	ND	UG/KG	5900	12/13/00DN	12/12/00
ISOPHORONE	78-59-1	ND	UG/KG	5900	12/13/00DN	12/12/00
DI-N-BUTYLPHTHALATE	84-74-2	ND	UG/KG	5900	12/13/00DN	12/12/00
4,6-DINITRO-2-METHYLPHENO	534-52-1	ND	UG/KG	12000	12/13/00DN	12/12/00
2,4-DINITROPHENOL	51-28-5	ND	UG/KG	12000	12/13/00DN	12/12/00
2,4-DINITROTOLUENE	121-14-2	ND	UG/KG	5900	12/13/00DN	12/12/00
2,6-DINITROTOLUENE	606-20-2	ND	UG/KG	5900	12/13/00DN	12/12/00
DI-N-OCTYLPHTHALATE	117-84-0	ND	UG/KG	5900	12/13/00DN	12/12/00
1,2-DIPHENYL HYDRAZINE	122-66-7	ND	UG/KG	5900	12/13/00DN	12/12/00
TORANTHENE	206-44-0	ND	UG/KG	5900	12/13/00DN	12/12/00
ORENE	86-73-7	ND	UG/KG	5900	12/13/00DN	12/12/00
HEXACHLOROBENZENE	118-74-1	ND	UG/KG	5900	12/13/00DN	12/12/00
HEXACHLOROBUTADIENE	87-68-3	ND	UG/KG	5900	12/13/00DN	12/12/00
HEXACHLOROCYCLOPENTADIENE	77-47-4	ND	UG/KG	5900	12/13/00DN	12/12/00
HEXACHLOROETHANE	67-72-1	ND	UG/KG	5900	12/13/00DN	12/12/00
INDENO(1,2,3-CD)PYRENE	193-39-5	ND	UG/KG	5900	12/13/00DN	12/12/00
2-METHYLNAPHTHALENE	91-57-6	6770	UG/KG	5900	12/13/00DN	12/12/00
2-METHYLPHENOL	95-48-7	ND	UG/KG	5900	12/13/00DN	12/12/00
3,4-METHYLPHENOL	106-44-5	ND	UG/KG	5900	12/13/00DN	12/12/00
NAPHTHALENE	91-20-3	ND	UG/KG	5900	12/13/00DN	12/12/00
2-NITROANILINE	88-74-4	ND	UG/KG	29000	12/13/00DN	12/12/00
3-NITROANILINE	99-09-2	ND	UG/KG	29000	12/13/00DN	12/12/00
4-NITROANILINE	100-01-6	ND	UG/KG	29000	12/13/00DN	12/12/00
NITROBENZENE	98-95-3	ND	UG/KG	5900	12/13/00DN	12/12/00
2-NITROPHENOL	88-75-5	ND	UG/KG	5900	12/13/00DN	12/12/00
4-NITROPHENOL	100-02-7	ND	UG/KG	29000	12/13/00DN	12/12/00
N-NITROSO-DI-N-PROPYLAMIN	621-64-7	ND	UG/KG	5900	12/13/00DN	12/12/00
N-NITROSODIPHENYLAMINE(1)	86-30-6	ND	UG/KG	5900	12/13/00DN	12/12/00
N-NITROSODIMETHYLAMINE	62-75-9	ND	UG/KG	5900	12/13/00DN	12/12/00
PENTACHLOROPHENOL	87-86-5	ND	UG/KG	29000	12/13/00DN	12/12/00
PHENATHRENE	85-01-8	ND	UG/KG	5900	12/13/00DN	12/12/00
PHENOL	108-95-2	ND	UG/KG	5900	12/13/00DN	12/12/00
PYRENE	129-00-0	ND	UG/KG	5900	12/13/00DN	12/12/00
1,2,4-TRICHLOROBENZENE	120-82-1	ND	UG/KG	5900	12/13/00DN	12/12/00
2,4,5-TRICHLOROPHENOL	95-95-4	ND	UG/KG	5900	12/13/00DN	12/12/00

Sample ID: BUFF-I-14C Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
2,4,6-TRICHLOROPHENOL	88-06-2	ND	UG/KG	5900	12/13/00DN	12/12/00
2-FLUOROBIPHENYL (SUR)	-	Q	150	10		12/12/00
NITROBENZENE-D5 (SUR)	-	Q	150	10		12/12/00
2-FLUOROPHENOL (SUR)	-	Q	150	10		12/12/00
2,4,6-TRIBROMOPHENOL (SUR)	-	Q	150	10		12/12/00
TERPHENYL-D14 (SUR)	-	Q	150	10		12/12/00
PHENOL-D5 (SUR)	-	Q	150	10		12/12/00
METAL PREPARATION	EPA 3050	IS001205			12/05/00JH	
SILVER, TOTAL	SW 846 6010B	<0.5	MG/KG	0.5	12/08/00RDC	
ARSENIC, TOTAL	SW 846 6010B	1.8	MG/KG	0.5	12/08/00RDC	
BARIUM, TOTAL	SW 846 6010B	145	MG/KG	0.05	12/08/00RDC	
CADMIUM, TOTAL	SW 846 6010B	0.28	MG/KG	0.05	12/08/00RDC	
CHROMIUM, TOTAL	SW 846 6010B	7.9	MG/KG	0.01	12/08/00RDC	
MERCURY, TOTAL	SW 846 7471	1.715	MG/KG	0.01	12/05/00XM	
LEAD, TOTAL	SW 846 6010B	32.0	MG/KG	0.1	12/08/00RDC	
SELENIUM, TOTAL	SW 846 6010B	<0.5	MG/KG	0.5	12/08/00RDC	

Sample ID: BUFF-I-15C Sample Matrix: SOIL
Collection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
P S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	45 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.94	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-16C Sample Matrix: SOIL
Collection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00

Sample ID: BUFF-I-16C Sample Matrix: SOIL
Collection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
DCB (SUR)	-	68	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.52	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-17C Sample Matrix: SOIL
Collection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	1110D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	31 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-18C Sample Matrix: SOIL
C ıction Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	2390D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	20 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	97.03	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-19C Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00

Sample ID: BUFF-I-19C Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	3820D	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	7 Q	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.50	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-20C Sample Matrix: SOIL
Collection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
T (SUR)	-	130	150	50		12/09/00
TC L SOLIDS	EPA 160.3	96.15	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-21C Sample Matrix: SOIL
Collection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	119	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.43	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-22C Sample Matrix: SOIL
Collection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	127	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.19	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-23C Sample Matrix: SOIL
Collection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	99	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.16	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-24C Sample Matrix: SOIL
Collection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	118	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.93	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-25C Sample Matrix: SOIL
Collection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	124	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	97.67	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-1D Sample Matrix: SOIL
Collection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
3-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
8-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	119	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.03	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-2D Sample Matrix: SOIL
Collection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/09/00
DCB (SUR)	-	114	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.24	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-3D Sample Matrix: SOIL
Collection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	102	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.35	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-4D Sample Matrix: SOIL
Collection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	136	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.59	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-5D Sample Matrix: SOIL
Collection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	125	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	95.56	%	0.01	12/04/00KDH	

ample ID: BUFF-I-6D Sample Matrix: SOIL
ollection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	130	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	98.57	%	0.01	12/04/00KDH	

ample ID: BUFF-I-7D Sample Matrix: SOIL
ollection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
-1254	11097-69-1	4680D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	63	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	95.69	%	0.01	12/04/00KDH	

ample ID: BUFF-I-8D Sample Matrix: SOIL
ollection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	5500D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	110	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	92.59	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-9D Sample Matrix: SOIL
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	2380D	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	102	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.06	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-10D Sample Matrix: SOIL
Collection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	132	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.55	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-11D Sample Matrix: SOIL
Collection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	141	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	98.55	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-12D Sample Matrix: SOIL
Collection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	214	UG/KG	17	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/09/00
DCB (SUR)	-	130	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	97.57	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-13D Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	5660D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	108	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	92.84	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-14D Sample Matrix: SOIL
Collection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/09/00
PCB-1254	11097-69-1	2480D	UG/KG	18	12/13/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/09/00
DCB (SUR)	-	51	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	94.74	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-15D Sample Matrix: SOIL
Collection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/12/00
DCB (SUR)	-	94	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	97.89	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-16D Sample Matrix: SOIL
Collection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
B-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
DCB (SUR)	-	50	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	96.57	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-17D Sample Matrix: SOIL
Collection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/12/00JSS	12/12/00
PCB-1254	11097-69-1	714	UG/KG	17	12/12/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/12/00JSS	12/12/00
DCB (SUR)	-	113	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	97.76	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-18D Sample Matrix: SOIL
Collection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1254	11097-69-1	962D	UG/KG	18	12/12/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
DCB (SUR)	-	105	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	95.13	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-19D Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/12/00
[illegible]-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/12/00
[illegible]-1254	11097-69-1	2290D	UG/KG	18	12/12/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/12/00
DCB (SUR)	-	119	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	96.14	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-20D Sample Matrix: SOIL
Collection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
DCB (SUR)	-	65	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	97.46	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-21D Sample Matrix: SOIL
Collection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
DCB (SUR)	-	57	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	97.30	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-22D Sample Matrix: SOIL
Collection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	74	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	96.68	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-23D Sample Matrix: SOIL
Collection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
DCB (SUR)	-	81	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	97.33	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-24D Sample Matrix: SOIL
Collection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/13/00JSS	12/12/00
DCB (SUR)	-	72	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	95.95	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-25D Sample Matrix: SOIL
Collection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/13/00JSS	12/12/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/13/00JSS	12/12/00
DCB (SUR)	-	80	150	50		12/12/00
TOTAL SOLIDS	EPA 160.3	98.31	%	0.01	12/04/00KDH	

ND=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
*BACKGROUND CONTAMINATION
Q=OUTSIDE LIMITS
B=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

DUIL011

Terracon
13910 West 98th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-1 (D)	11/30/00	1000	Soil		X	1	X	OK to RUN
Buff-I-2 (D)		1010	Soil		X	1	X	
Buff-I-3 (D)		1015	Soil		X	1	X	
Buff-I-4 (D)		1020	Soil		X	1	X	
Buff-I-5 (D)		1030	Soil		X	1	X	
Buff-I-6 (D)		1035	Soil		X	1	X	
Buff-I-7 (D)		1045	Soil		X	1	X	
Buff-I-8 (D)		1055	Soil		X	1	X	
Buff-I-9 (D)		1100	Soil		X	1	X	
Buff-I-10 (D)		1110	Soil		X	1	X	
Buff-I-11 (D)		1115	Soil		X	1	X	
Buff-I-12 (D)		1120	Soil		X	1	X	
Buff-I-13 (D)		1135	Soil		X	1	X	
Buff-I-14 (D)		1150	Soil		X	1	X	
Buff-I-15 (D)		1155	Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48-Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [illegible]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

0012077

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, Ok
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franklin
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	COOL	# of Containers	PCB's by EPA 8082	SVOC's	metals	REMARKS
Buff-I-16 (c)	11/30/00	1200	Soil	X	1	X			OK TO RUN
Buff-I-17 (c)		1205	Soil	X	1	X			OK TO RUN
Buff-I-18 (c)		1210	Soil	X	3	X	X	X	Run PCB's/Hold SVOCs/metals
Buff-I-19 (c)		1215	Soil	X	3	X	X	X	Run PCB's/Hold SVOCs/metals
Buff-I-20 (c)		1230	Soil	X	1	X			OK to Run
Buff-I-21 (c)		1235	Soil	X	1	X			
Buff-I-22 (c)		1240	Soil	X	1	X			
Buff-I-23 (c)		1245	Soil	X	1	X			
Buff-I-24 (c)		1250	Soil	X	1	X			
Buff-I-25 (c)		1255	Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			
			Soil	X	1	X			

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dave Robinson	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

001207

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA metals 6000/7000					REMARKS
Buff-I-1 (c)	11/30/00	1000	Soil		X	1	X							OK to Run
Buff-I-2 (c)		1010	Soil		X	1	X							
Buff-I-3 (c)		1015	Soil		X	1	X							
Buff-I-4 (c)		1020	Soil		X	1	X							
Buff-I-5 (c)		1030	Soil		X	1	X							
Buff-I-6 (c)		1035	Soil		X	1	X							
Buff-I-7 (c)		1045	Soil		X	1	X							
Buff-I-8 (c)		1055	Soil		X	3	X	X	X					Run PCB's Hold SVOCs/metals
Buff-I-9 (c)		1100	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals
Buff-I-10 (c)		1110	Soil		X	1	X							OK to Run
Buff-I-11 (c)		1115	Soil		X	1	X							OK to Run
Buff-I-12 (c)		1120	Soil		X	1	X							OK to Run
Buff-I-13 (c)		1135	Soil		X	3	X	X	X					Run PCB's Hold SVOCs/metals
Buff-I-14 (c)		1150	Soil		X	3	X	X	X					OK to Run All
Buff-I-15 (c)		1155	Soil		X	1	X							OK to Run

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dave Robinson 12/2/00	SIGNATURE	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000294

Terracon
15910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, Ok
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-16 (D)	11/30/00	1200	Soil		X	1	X	OK to RUN
Buff-I-17 (D)		1205	Soil		X	1	X	
Buff-I-18 (D)		1210	Soil		X	1	X	
Buff-I-19 (D)		1215	Soil		X	1	X	
Buff-I-20 (D)		1230	Soil		X	1	X	
Buff-I-21 (D)		1235	Soil		X	1	X	
Buff-I-22 (D)		1240	Soil		X	1	X	
Buff-I-23 (D)		1245	Soil		X	1	X	
Buff-I-24 (D)		1250	Soil		X	1	X	
Buff-I-25 (D)		1255	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dave Robinson 12/2/00	SIGNATURE:	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

QWAL La' ıtories, Inc.
Quality C rol Report

TERRACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1221	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1232	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1242	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1248	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1254	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1260	8082		GC/ECD	12/05/00		soil	ug/Kg
DCB (Surr)	8082		GC/ECD	12/05/00		soil	ug/Kg

000029

QWAL L ratories, Inc.
Quality trol Report

TERRACON
0012077

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				ND	66.66	241	362 *	236	354 *	2	47.1	66.666	71
PCB-1260	ND											ND		
DCB (Surr)	9.82				9.5	6.66	10.6	139	10.6	139	0	9.72	6.66	145

000297

QWAL L atories, Inc.
Quality Control Report
TERRACON
0012077

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000298

QWAL La tories, Inc.
Quality Control Report

TERRACON

0012077

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	86.39	86.28	0.13								316	301.5	105

000299

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type			
Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials: DL

000300

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

ABORATORY REPORT: REFERENCE #: 0012074

ENT TERRACON ENVIRONMENTAL
O: 13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER
ROJECT:WGPSC-BUFFALO

DATE REPORTED: 01/31/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

ample ID: BUFF-I-WP-1 Sample Matrix: WIPES
ollection Date: 11/30/00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
LP PACKAGE		COMPLETE	STD UN		12/15/00DN	
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
T (SUR)	-	116	150	50		12/04/00

ample ID: BUFF-I-WP-2 Sample Matrix: WIPE
ollection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	110	150	50		12/04/00

ample ID: BUFF-I-WP-3 Sample Matrix: WIPE
ollection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

Sample ID: BUFF-I-WP-3 Sample Matrix: WIPE
Collection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	112	150	50		12/04/00

Sample ID: BUFF-AR-WP-1 Sample Matrix: WIPE
Collection Date: 11/30/00 16:16:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	8.82	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
(SUR)	-	109	150	50		12/04/00

Sample ID: BUFF-AR-WP-2 Sample Matrix: WIPE
Collection Date: 11/30/00 16:18:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	160 Q	150	50		12/04/00

Sample ID: BUFF-AR-WP-3 Sample Matrix: WIPE
Collection Date: 11/30/00 16:14:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

Sample ID: BUFF-AR-WP-3 Sample Matrix: WIPE
Collection Date: 11/30/00 16:14:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	0.672	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	154 Q	150	50		12/04/00

Sample ID: BUFF-AR-WP-4 Sample Matrix: WIPE
Collection Date: 11/30/00 16:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
(SUR)	-	160 Q	150	50		12/04/00

Sample ID: BUFF-AR-WP-5 Sample Matrix: WIPE
Collection Date: 11/30/00 16:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	0.991	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	166 Q	150	50		12/04/00

Sample ID: BUFF-AR-WP-6 Sample Matrix: WIPE
Collection Date: 11/30/00 15:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

Sample ID: BUFF-AR-WP-6 Sample Matrix: WIPE
Collection Date: 11/30/00 15:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	19.6	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	167 Q	150	50		12/04/00

Sample ID: BUFF-AR-WP-7 Sample Matrix: WIPE
Collection Date: 11/30/00 16:12:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
D (SUR)	-	122	150	50		12/04/00

Sample ID: BUFF-AR-WP-8 Sample Matrix: WIPE
Collection Date: 11/30/00 16:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	113	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	139	150	50		12/04/00

ample ID: BUFF-AR-WP-9 Sample Matrix: WIPE
ollection Date: 11/30/00 16:02:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

Sample ID: BUFF-AR-WP-9 Sample Matrix: WIPE
Collection Date: 11/30/00 16:02:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	16.6	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	133	150	50		12/04/00

Sample ID: BUFF-AR-WP-10 Sample Matrix: WIPE
Collection Date: 11/30/00 16:04:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	4910 D	UG	0.50	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
T (SUR)	-	110	150	50		12/04/00

ample ID: BUFF-AR-WP-11 Sample Matrix: WIPE
ollection Date: 11/30/00 16:06:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	136	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	67	150	50		12/04/00

ample ID: BUFF-AR-WP-12 Sample Matrix: WIPE
ollection Date: 11/30/00 16:08:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
T -1016	12674-11-2	ND	UG	0.50	12/04/00JSS	12/04/00

Sample ID: BUFF-AR-WP-12 Sample Matrix: WIPE
Collection Date: 11/30/00 16:08:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	120	UG	0.50	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/04/00JSS	12/04/00
DCB (SUR)	-	106	150	50		12/04/00

Sample ID: BUFF-AR-WP-13 Sample Matrix: WIPE
Collection Date: 11/30/00 16:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	139 D	UG	0.50	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
(SUR)	-	119	150	50		12/04/00

Sample ID: BUFF-AR-WP-8R Sample Matrix: WIPE
Collection Date: 11/30/00 16:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG	0.50	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	254 D	UG	0.50	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG	0.50	12/05/00JSS	12/04/00
DCB (SUR)	-	91	150	50		12/04/00

Sample ID: BUFF-I-R1 Sample Matrix: WATER
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00

Sample ID: BUFF-I-R1 Sample Matrix: WATER
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
DCB (SUR)	-	35 Q	150	50		12/06/00

Sample ID: BUFF-I-R2 Sample Matrix: WATER
Collection Date: 11/30/00 11:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
[illegible] (SUR)	-	45 Q	150	50		12/06/00

Sample ID: BUFF-I-R3 Sample Matrix: WATER
Collection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
DCB (SUR)	-	20 Q	150	50		12/06/00

Sample ID: BUFF-I-R4 Sample Matrix: WATER
Collection Date: 11/30/00 14:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00

Sample ID: BUFF-I-R4 Sample Matrix: WATER
Collection Date: 11/30/00 14:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
DCB (SUR)	-	37 Q	150	50		12/06/00

Sample ID: BUFF-I-R5 Sample Matrix: WATER
Collection Date: 11/30/00 14:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
D[illegible] (SUR)	-	34 Q	150	50		12/06/00

Sample ID: BUFF-AR-R1 Sample Matrix: WATER
Collection Date: 11/30/00 15:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
DCB (SUR)	-	26 Q	150	50		12/06/00

Sample ID: BUFF-AR-R2 Sample Matrix: WATER
Collection Date: 11/30/00 16:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	B120600B			DLB	

Sample ID: BUFF-AB-BASEMENT WATER Sample Matrix: WATER
Collection Date: 11/30/00 16:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	2.28	UG/L	0.50	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/L	0.50	12/07/00JSS	12/06/00
DCB (SUR)	-	29 Q	150	50		12/06/00

ID=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
BACKGROUND CONTAMINATION
)=OUTSIDE LIMITS
=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

.2' '0--AMENDED TO CORRECT PCB WIPE RESULTS FOR 4A,6A,7A,8A DN

Terracon
10 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jam Rockhold
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-I-WP-1	11/30/00	1025	~~Soil~~		X	1	X	OK TO RUN
Buff-I-WP-2		1030	~~Soil~~		X	1	X	
Buff-I-WP-3		1035	~~Soil~~		X	1	X	
Buff-AR-WP-1		1616	~~Soil~~		X	1	X	
Buff-AR-WP-2		1618	~~Soil~~		X	1	X	
Buff-AR-WP-3		1614	~~Soil~~		X	1	X	
Buff-AR-WP-4		1620	~~Soil~~		X	1	X	
Buff-AR-WP-5		1625	~~Soil~~		X	1	X	
Buff-AR-WP-6		1500	~~Soil~~		X	1	X	
Buff-AR-WP-7		1617	~~Soil~~		X	1	X	
Buff-AR-WP-8		1600	~~Soil~~		X	1	X	
Buff-AR-WP-9		1602	~~Soil~~		X	1	X	
Buff-AR-WP-10		1604	~~Soil~~		X	1	X	
Buff-AR-WP-11		1606	~~Soil~~		X	1	X	
Buff-AR-WP-12		1608	Soil		X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature] 12/2/00	SIGNATURE:	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

...on
...96th Terrace
...Kansas 66215
...hone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABOR... ...RY ANALYSIS REQUEST

PAGE ___ ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME	PROJECT NUMBER
WGPSC- Buffalo, Ok	50007055
SAMPLER (SIGNATURE) Jason R. Francis	RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff-AR-WP-13	11/30/00	1610	~~Soil~~		X	1	X	OK TO RUN
Buff-AR-WP-8 R	11/30/00	1630	~~Soil~~		X	1	X	↓
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:	
Federal Express	
SHIPPING NO.: 1127-5857-7	PRIORITY: overnight

LABORATORY PRIORITY

XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE Tony Poulter	SIGNATURE [signature]	SIGNATURE 12/2/00	SIGNATURE 11:40
PRINTED NAME Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000311

000311

0012074

...con
...8th Terrace
...Kansas 66216
...(913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK

PROJECT NUMBER: 50007055

SAMPLER (SIGNATURE): Jason R. Franks

RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
Buff- I - R1	11/30/00	1100	~~Soil~~ WA		X	1	X	OK TO RUN
Buff- I- R2		1130	~~Soil~~ WA		X	1	X	
Buff- I- R3		1200	~~Soil~~ WA		X	1	X	
Buff- I- R4		1400	~~Soil~~ WA		X	1	X	
Buff- I- R5		1415	~~Soil~~ WA		X	1	X	
Buff- AR+R1		1530	~~Soil~~ WA		X	1	X	
Buff- AR- R2		1605	~~Soil~~ WA		X	1	X	HOLD
Buff- AB- Basement Water		1600	~~Soil~~ WA		X	1	X	OK TO RUN
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

...IPPING VIA:
...ural Express

...PPING NO.: 27-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

X 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature]	SIGNATURE: 12/2/00	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

000312

000312

QWAL Laboratories, Inc.
Quality Control Report

TERRACON
0012074

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/06/00		water	ug/L
PCB-1221	8082		GC/ECD	12/06/00		water	ug/L
PCB-1232	8082		GC/ECD	12/06/00		water	ug/L
PCB-1242	8082		GC/ECD	12/06/00		water	ug/L
PCB-1248	8082		GC/ECD	12/06/00		water	ug/L
PCB-1254	8082		GC/ECD	12/06/00		water	ug/L
PCB-1260	8082		GC/ECD	12/06/00		water	ug/L
DCB (Surr)	8082		GC/ECD	12/06/00		water	ug/L
PCB-1016	8082		GC/ECD	12/04/00		wipe	ug
PCB-1221	8082		GC/ECD	12/04/00		wipe	ug
PCB-1232	8082		GC/ECD	12/04/00		wipe	ug
PCB-1242	8082		GC/ECD	12/04/00		wipe	ug
PCB-1248	8082		GC/ECD	12/04/00		wipe	ug
PCB-1254	8082		GC/ECD	12/04/00		wipe	ug
PCB-1260	8082		GC/ECD	12/04/00		wipe	ug
DCB (Surr)	8082		GC/ECD	12/04/00		wipe	ug

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

LABORATORY REPORT: **REFERENCE #:** 0012075

SENT TO: TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED: 01/31/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

PROJECT:WGPSC-BUFFALO OK PART 2

Sample ID: BUFF-AR-1A **Sample Matrix:** SOIL
Collection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CLP PACKAGE		done	STD UN		01/31/01MS2	
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/04/00JSS	12/04/00
DCB (SUR)	-	94	150	50		12/04/00
TOTAL SOLIDS	EPA 160.3	94.68	%	0.01	12/04/00KDH	

Sample ID: BUFF-AR-2A **Sample Matrix:** SOIL
Collection Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/04/00JSS	12/04/00
PCB-1254	11097-69-1	630	UG/KG	18	12/04/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/04/00JSS	12/04/00
DCB (SUR)	-	82	150	50		12/04/00
TOTAL SOLIDS	EPA 160.3	95.36	%	0.01	12/04/00KDH	

000314

Sample ID: BUFF-AR-3A Sample Matrix: SOIL
Collection Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	48	UG/KG	19	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/05/00JSS	12/04/00
DCB (SUR)	-	104	150	50		12/04/00
TOTAL SOLIDS	EPA 160.3	88.87	%	0.01	12/04/00KDH	

Sample ID: BUFF-AR-4A Sample Matrix: SOIL
Collection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
-1254	11097-69-1	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
DCB (SUR)	-	118	150	50		12/04/00
OTAL SOLIDS	EPA 160.3	94.17	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-5A Sample Matrix: SOIL
ollection Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	6980D	UG/KG	18	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
DCB (SUR)	-	86	150	50		12/04/00
OTAL SOLIDS	EPA 160.3	94.23	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-6A Sample Matrix: SOIL
ollection Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	42	UG/KG	18	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
DCB (SUR)	-	101	150	50		12/04/00
OTAL SOLIDS	EPA 160.3	93.11	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-7A Sample Matrix: SOIL
ollection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
-1254	11097-69-1	54	UG/KG	18	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
DCB (SUR)	-	122	150	50		12/04/00
OTAL SOLIDS	EPA 160.3	94.36	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-8A Sample Matrix: SOIL
ollection Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/05/00JSS	12/04/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/05/00JSS	12/04/00
DCB (SUR)	-	102	150	50		12/04/00
OTAL SOLIDS	EPA 160.3	93.74	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-9A Sample Matrix: SOIL
ollection Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1221	11104-28-2	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1232	11141-16-5	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1242	53469-21-9	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1248	12672-29-6	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1254	11097-69-1	ND	UG/KG	20	12/05/00JSS	12/05/00
PCB-1260	11096-82-5	ND	UG/KG	20	12/05/00JSS	12/05/00
DCB (SUR)	-	126	150	50		12/05/00
OTAL SOLIDS	EPA 160.3	87.85	%	0.01	12/04/00KDH	

ample ID: BUFF-AR-1B Sample Matrix: SOIL
ollection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-2B Sample Matrix: SOIL
ollection Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-3B Sample Matrix: SOIL
ollection Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-4B Sample Matrix: SOIL
ollection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-5B Sample Matrix: SOIL
Collection Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-6B Sample Matrix: SOIL
Collection Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-7B Sample Matrix: SOIL
Collection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-8B Sample Matrix: SOIL
Collection Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-9B Sample Matrix: SOIL
Collection Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-1C Sample Matrix: SOIL
Collection Date: 11/30/00 03:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-2C Sample Matrix: SOIL
ollection Date: 11/30/00 03:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-3C Sample Matrix: SOIL
ollection Date: 11/30/00 02:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-4C Sample Matrix: SOIL
ollection Date: 11/30/00 03:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-5C Sample Matrix: SOIL
ollection Date: 11/30/00 03:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-6C Sample Matrix: SOIL
ollection Date: 11/30/00 02:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-AR-7C Sample Matrix: SOIL
ollection Date: 11/30/00 03:25:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
XTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-8C Sample Matrix: SOIL
Collection Date: 11/30/00 03:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-AR-9C Sample Matrix: SOIL
Collection Date: 11/30/00 03:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
EXTRACTION	NONE	DONE	NONE		DLB	

ND=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
*BACKGROUND CONTAMINATION
Q=OUTSIDE LIMITS
B=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

000320

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-AR-01 (C)	11/30/00	320	Soil		X	1	X	HOLD
BUFF-AR-02 (C)		305	Soil		X	1	X	
BUFF-AR-03 (C)		250	Soil		X	1	X	
BUFF-AR-04 (C)		315	Soil		X	1	X	
BUFF-AR-05 (C)		310	Soil		X	1	X	
BUFF-AR-06 (C)		255	Soil		X	1	X	
BUFF-AR-07 (C)		325	Soil		X	1	X	
BUFF-AR-08 (C)		330	Soil		X	1	X	
BUFF-AR-09 (C)		335	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.: 127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XX 48-Hour ____ STANDARD 72 hour TAT ____ OTHER

____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [illegible] 12/2/00	SIGNATURE	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-AR-A1 (B)	11/30/00	320	Soil		X	1	X	HOLD
BUFF-AR-A2 (B)		305	Soil		X	1	X	
BUFF-AR-A3 (B)		250	Soil		X	1	X	
BUFF-AR-A4 (B)		315	Soil		X	1	X	
BUFF-AR-A5 (B)		310	Soil		X	1	X	
BUFF-AR-A6 (B)		255	Soil		X	1	X	
BUFF-AR-A7 (B)		325	Soil		X	1	X	
BUFF-AR-A8 (B)		330	Soil		X	1	X	
BUFF-AR-A9 (B)		335	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.: 127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER

___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [illegible] 12/2/00	SIGNATURE:	SIGNATURE:
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-AR-01 (A)	11/30/00	320	Soil		X	1	X	OK TO RUN
BUFF-AR-02 (A)		305	Soil		X	1	X	
BUFF-AR-03 (A)		250	Soil		X	1	X	
BUFF-AR-04 (A)		315	Soil		X	1	X	
BUFF-AR-05 (A)		310	Soil		X	1	X	
BUFF-AR-06 (A)		255	Soil		X	1	X	
BUFF-AR-07 (A)		325	Soil		X	1	X	
BUFF-AR-08 (A)		330	Soil		X	1	X	
BUFF-AR-09 (A)		335	Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	
			Soil		X	1	X	

SHIPPING VIA:
Federal Express

SHIPPING NO.: 127-5857-7

PRIORITY: overnight

LABORATORY PRIORITY

XX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER

____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE	SIGNATURE	SIGNATURE	SIGNATURE
Tony Poulter	[signature]	12/2/00	11:40
PRINTED NAME	PRINTED NAME	PRINTED NAME	PRINTED NAME
Terracon			
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

QWAL La' tories, Inc.
Quality C ol Report

TERRACON
0012075

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1221	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1232	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1242	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1248	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1254	8082		GC/ECD	12/05/00		soil	ug/Kg
PCB-1260	8082		GC/ECD	12/05/00		soil	ug/Kg
DCB (Surr)	8082		GC/ECD	12/05/00		soil	ug/Kg

000324

QWAL La' 'tories, Inc.
Quality C. .ol Report

TERRACON
0012075

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				ND	66.66	41.3	62	40.8	61	1	35.8	66.666	54
PCB-1260	ND											ND		
DCB (Surr)	6.6				9.6	6.66	8.66	123	9.36	133	8	9.78	6.66	147

000325

QWAL L itories, Inc.
Quality C ..trol Report
TERRACON
0012075

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000326

QWAL L: ıtories, Inc.
Quality C .rol Report

TERRACON
0012075

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
Total Solids	ND	86.39	86.28	0.13								316	301.5	105

000327

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type

Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials: DL

000328

Q W A L L A B O R A T O R I E S, I N C.

2911 ROTARY TERRACE, P.O. BOX 562/ PITTSBURG, KS 66762/(316)232-1970

LABORATORY REPORT: REFERENCE #: 0012076

SENT TO: TERRACON ENVIRONMENTAL
13910 WEST 96TH TERRACE
LENEXA, KANSAS 66215
TONY POULTER

DATE REPORTED: 01/31/01
DATE COLLECTED: 11/30/00
DATE RECEIVED: 12/02/00
P.O. #:

PROJECT:WGPSC-BUFFALO OK PART 3

Sample ID: BUFF-I-1A **Sample Matrix: SOIL**
Collection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CLP PACKAGE		done	STD UN		01/31/01MS2	
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
(SUR)	-	96	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.09	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-2A **Sample Matrix: SOIL**
Collection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	93	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	95.25	%	0.01	12/04/00KDH	

ample ID: BUFF-I-3A Sample Matrix: SOIL
ollection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	839	UG/KG	17	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
DCB (SUR)	-	71	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	98.25	%	0.01	12/04/00KDH	

ample ID: BUFF-I-4A Sample Matrix: SOIL
'ollection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
-1254	11097-69-1	2650D	UG/KG	17	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
DCB (SUR)	-	68	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	97.81	%	0.01	12/04/00KDH	

ample ID: BUFF-I-5A Sample Matrix: SOIL
'ollection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	65	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	95.73	%	0.01	12/04/00KDH	

ample ID: BUFF-I-6A Sample Matrix: SOIL
ollection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	77	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	95.34	%	0.01	12/04/00KDH	

ample ID: BUFF-I-10A Sample Matrix: SOIL
ollection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	49 Q	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	94.04	%	0.01	12/04/00KDH	

ample ID: BUFF-I-11A Sample Matrix: SOIL
ollection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	40 Q	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

ample ID: BUFF-I-15A Sample Matrix: SOIL
'ollection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/07/00JSS	12/06/00
DCB (SUR)	-	59	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	94.71	%	0.01	12/04/00KDH	

ample ID: BUFF-I-16A Sample Matrix: SOIL
'ollection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/07/00JSS	12/06/00
-1248	12672-29-6	ND	UG/KG	17	12/07/00JSS	12/06/00
-1254	11097-69-1	ND	UG/KG	17	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/07/00JSS	12/06/00
DCB (SUR)	-	76	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	97.40	%	0.01	12/04/00KDH	

ample ID: BUFF-I-20A Sample Matrix: SOIL
'ollection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	61	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	99	150	50		12/06/00
'OTAL SOLIDS	EPA 160.3	95.19	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-21A Sample Matrix: SOIL
Collection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	97	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	96.40	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-22A Sample Matrix: SOIL
Collection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	93	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.05	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-23A Sample Matrix: SOIL
Collection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/07/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/07/00JSS	12/06/00
DCB (SUR)	-	83	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	95.73	%	0.01	12/04/00KDH	

ample ID: BUFF-I-24A Sample Matrix: SOIL
ollection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	86	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	94.50	%	0.01	12/04/00KDH	

ample ID: BUFF-I-25A Sample Matrix: SOIL
ollection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	49 Q	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	96.87	%	0.01	12/04/00KDH	

ample ID: BUFF-I-1B Sample Matrix: SOIL
ollection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/08/00JSS	12/06/00
DCB (SUR)	-	73	150	50		12/06/00
OTAL SOLIDS	EPA 160.3	89.82	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-2B Sample Matrix: SOIL
Collection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	71	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	91.95	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-3B Sample Matrix: SOIL
Collection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
-1254	11097-69-1	4800	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	104	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.67	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-4B Sample Matrix: SOIL
Collection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/08/00JSS	12/06/00
PCB-1254	11097-69-1	2030	UG/KG	18	12/08/00JSS	12/06/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/08/00JSS	12/06/00
DCB (SUR)	-	100	150	50		12/06/00
TOTAL SOLIDS	EPA 160.3	94.33	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-5B Sample Matrix: SOIL
Collection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	20	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	20	12/11/00JSS	12/08/00
DCB (SUR)	-	84	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	87.06	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-6B Sample Matrix: SOIL
Collection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	95	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	92.51	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-7B Sample Matrix: SOIL
Collection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	88	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	92.26	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-8B Sample Matrix: SOIL
Collection Date: 11/30/00 10:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	309	UG/KG	17	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/08/00
DCB (SUR)	-	98	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	97.58	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-9B Sample Matrix: SOIL
Collection Date: 11/30/00 11:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
3-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
B-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	67	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	89.34	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-10B Sample Matrix: SOIL
Collection Date: 11/30/00 11:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	89	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	74	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	94.09	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

000337

Sample ID: BUFF-I-11B Sample Matrix: SOIL
Collection Date: 11/30/00 11:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	80	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	91.29	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-12B Sample Matrix: SOIL
Collection Date: 11/30/00 11:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	1810D	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	30 Q	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	95.89	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-13B Sample Matrix: SOIL
Collection Date: 11/30/00 11:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	102	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	64	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	93.73	%	0.01	12/04/00KDH	

ample ID: BUFF-I-14B Sample Matrix: SOIL
'ollection Date: 11/30/00 11:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	78	150	50		12/08/00
'OTAL SOLIDS	EPA 160.3	92.12	%	0.01	12/04/00KDH	

ample ID: BUFF-I-15B Sample Matrix: SOIL
'ollection Date: 11/30/00 11:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	89	150	50		12/08/00
'OTAL SOLIDS	EPA 160.3	91.43	%	0.01	12/04/00KDH	
'XTRACTION	NONE	DONE	NONE		DLB	

ample ID: BUFF-I-16B Sample Matrix: SOIL
'ollection Date: 11/30/00 12:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
'CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	72	150	50		12/08/00
'OTAL SOLIDS	EPA 160.3	91.17	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-17B Sample Matrix: SOIL
Collection Date: 11/30/00 12:05:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	98	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	92.42	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-18B Sample Matrix: SOIL
Collection Date: 11/30/00 12:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	150	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	93.15	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-19B Sample Matrix: SOIL
Collection Date: 11/30/00 12:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	25300D	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	53	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	92.55	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-20B Sample Matrix: SOIL
Collection Date: 11/30/00 12:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	86	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	90.09	%	0.01	12/04/00KDH	
EXTRACTION	NONE	DONE	NONE		DLB	

Sample ID: BUFF-I-21B Sample Matrix: SOIL
Collection Date: 11/30/00 12:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
[illegible]-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
[illegible]-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	115	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	89.53	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-22B Sample Matrix: SOIL
Collection Date: 11/30/00 12:40:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/08/00
DCB (SUR)	-	90	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	89.62	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-23B Sample Matrix: SOIL
Collection Date: 11/30/00 12:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/08/00
DCB (SUR)	-	93	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	92.24	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-24B Sample Matrix: SOIL
Collection Date: 11/30/00 12:50:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/11/00JSS	12/08/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/08/00
DCB (SUR)	-	82	150	50		12/08/00
TOTAL SOLIDS	EPA 160.3	97.42	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-25B Sample Matrix: SOIL
Collection Date: 11/30/00 12:55:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	19	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	19	12/11/00JSS	12/09/00
DCB (SUR)	-	97	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	91.73	%	0.01	12/04/00KDH	

ample ID: BUFF-I-1C Sample Matrix: SOIL
ollection Date: 11/30/00 10:00:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/09/00
DCB (SUR)	-	109	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	98.53	%	0.01	12/04/00KDH	

ample ID: BUFF-I-2C Sample Matrix: SOIL
ollection Date: 11/30/00 10:10:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
-1254	11097-69-1	22	UG/KG	18	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
DCB (SUR)	-	83	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	94.18	%	0.01	12/04/00KDH	

ample ID: BUFF-I-3C Sample Matrix: SOIL
ollection Date: 11/30/00 10:15:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
CB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	1590D	UG/KG	18	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
DCB (SUR)	-	49 Q	150	50		12/09/00
OTAL SOLIDS	EPA 160.3	96.34	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-4C Sample Matrix: SOIL
Collection Date: 11/30/00 10:20:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	17	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	80	UG/KG	17	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	17	12/11/00JSS	12/09/00
DCB (SUR)	-	113	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	97.91	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-5C Sample Matrix: SOIL
Collection Date: 11/30/00 10:30:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/11/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/11/00JSS	12/09/00
DCB (SUR)	-	96	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	94.42	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-6C Sample Matrix: SOIL
Collection Date: 11/30/00 10:35:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	129	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	96.12	%	0.01	12/04/00KDH	

Sample ID: BUFF-I-7C Sample Matrix: SOIL
Collection Date: 11/30/00 10:45:00

TEST	METHOD-CAS #	RESULT	UNITS	PQL	ANALYZED	EXTRACTED
PCB'S	SW846 8082					
PCB-1016	12674-11-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1221	11104-28-2	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1232	11141-16-5	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1242	53469-21-9	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1248	12672-29-6	ND	UG/KG	18	12/12/00JSS	12/09/00
PCB-1254	11097-69-1	4220	UG/KG	18	12/12/00JSS	12/09/00
PCB-1260	11096-82-5	ND	UG/KG	18	12/12/00JSS	12/09/00
DCB (SUR)	-	96	150	50		12/09/00
TOTAL SOLIDS	EPA 160.3	92.78	%	0.01	12/04/00KDH	

ND=NONE DETECTED
PQL=PRACTICAL QUANTITATION LIMIT
SU=STANDARD UNITS
BACKGROUND CONTAMINATION
Q=OUTSIDE LIMITS
B=DETECTED IN METHOD BLANK
SUR=SURROGATE

APPROVED BY: Terry Koester
TERRY KOESTER
LABORATORY DIRECTOR

000345

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME
WGPSC- Buffalo, OK

PROJECT NUMBER
50007055

SAMPLER (SIGNATURE)
Jason R. Franklin

RESULTS ATTENTION TO:
John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA metals 6000/7000	REMARKS
Buff-I-1 (c)	11/30/00	1000	Soil		X	1	X			OK to Run
Buff-I-2 (c)		1010	Soil		X	1	X			
Buff-I-3 (c)		1015	Soil		X	1	X			
Buff-I-4 (c)		1020	Soil		X	1	X			
Buff-I-5 (c)		1030	Soil		X	1	X			
Buff-I-6 (c)		1035	Soil		X	1	X			
Buff-I-7 (c)		1045	Soil		X	1	X			
Buff-I-8 (c)		1055	Soil		X	3	X	X	X	Run PCB's Hold SVOCs/metals
		1100	Soil		X	3	X	X	X	Run PCB's Hold SVOC's/metals
		1110	Soil		X	1	X			OK to Run
		1115	Soil		X	1	X			OK to Run
		1120	Soil		X	1	X			OK to Run
		1135	Soil		X	3	X	X	X	Run PCB's Hold SVOC's/metals
		1150	Soil		X	3	X	X	X	OK to Run All
		1155	Soil		X	1	X			OK to Run

000346

Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dave Robinson 12/2/00	SIGNATURE:	SIGNATURE: 11:40
PRINTED NAME: Terracon	PRINTED NAME:	PRINTED NAME:	PRINTED NAME:
FIRM:	FIRM:	FIRM:	FIRM:
DATE/TIME:	DATE/TIME:	DATE/TIME:	DATE/TIME:

erracon
910 West 96th Terrace
Olathe, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ of ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): [signature]
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOCs by 8270	RCRA metals 6000/7000					REMARKS
Buff-I-16 (B)	11/30/00	1200	Soil		X	1	X							OK to Run
Buff-I-17 (B)		1205	Soil		X	1	X							
Buff-I-18 (B)		1210	Soil		X	1	X							
Buff-I-19 (B)		1215	Soil		X	1	X							
Buff-I-20 (B)		1230	Soil		X	3	X	X	X					Run PCB's Hold SVOCs/metals
Buff-I-21 (B)		1235	Soil		X	1	X							
Buff-I-22 (B)		1240	Soil		X	1	X							
Buff-I-23 (B)		1245	Soil		X	1	X							
Buff-I-24 (B)		1250	Soil		X	1	X							
Buff-I-25 (B)		1255	Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							
			Soil		X	1	X							

SHIPPING VIA: Federal Express
SHIPPING NO.: 27-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
X 48-Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: [signature] 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000347

00120

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66216
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ___ OF ___

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE): Jason R. Franks
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE	COOL	# of Containers	PCB's by EPA 8082	SVOC's by 8270	RCRA Metals 6000/7000					REMARKS
Buff-I-1(B)	11/30/00	1000	Soil		X	1	X							OK TO RUN
Buff-I-2(B)		1010	Soil		X	1	X							
Buff-I-3(B)		1015	Soil		X	1	X							
Buff-I-4(B)		1020	Soil		X	1	X							
Buff-I-5(B)		1030	Soil		X	1	X							
Buff-I-6(B)		1035	Soil		X	1	X							
Buff-I-7(B)		1045	Soil		X	1	X							
Buff-I-8(B)		1055	Soil		X	1	X							
Buff-I-9(B)		1100	Soil		X	1 ~~2~~	X							
Buff-I-10(B)		1110	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals
Buff-I-11(B)		1115	Soil		X	1	X							
Buff-I-12(B)		1120	Soil		X	1	X							
Buff-I-13(B)		1135	Soil		X	1	X							
Buff-I-14(B)		1150	Soil		X	1	X							
Buff-I-15(B)		1155	Soil		X	3	X	X	X					Run PCB's Hold SVOC's/metals

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48- Hour ___ STANDARD 72 hour TAT ___ OTHER
___ PROVIDE VERBAL PRELIMINARY RESULTS ___ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dee Robinson 12/2/00 11:40	SIGNATURE	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

000348

Terracon
13910 West 96th Terrace
Lenexa, Kansas 66215
Phone: (913) 492-7777
Fax: (913) 492-7443

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST

PAGE ____ OF ____

SPECIAL INSTRUCTIONS
Bill to WGPSC- Mark Sullivan

PROJECT NAME: WGPSC- Buffalo, OK
PROJECT NUMBER: 50007055
SAMPLER (SIGNATURE):
RESULTS ATTENTION TO: John R. Rockhold

SAMPLE I.D.	DATE	TIME	MATRIX	PRESERVATIVE: COOL	# of Containers	PCB's by EPA 8082	REMARKS
BUFF-T-25 (A)	11/30/00	1255	Soil	X	1	X	OK to Run
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	
			Soil	X	1	X	

SHIPPING VIA: Federal Express
SHIPPING NO.: 1127-5857-7
PRIORITY: overnight

LABORATORY PRIORITY
XXX 48 Hour ____ STANDARD 72 hour TAT ____ OTHER
____ PROVIDE VERBAL PRELIMINARY RESULTS ____ FAX

RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
SIGNATURE: Tony Poulter	SIGNATURE: Dave Robinson	SIGNATURE: 12/2/00 11:40	SIGNATURE
PRINTED NAME: Terracon	PRINTED NAME	PRINTED NAME	PRINTED NAME
FIRM	FIRM	FIRM	FIRM
DATE/TIME	DATE/TIME	DATE/TIME	DATE/TIME

QWAL La tories, Inc.
Quality C rol Report

TERRACON
0012076

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
PCB-1016	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1221	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1232	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1242	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1248	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1254	8082		GC/ECD	12/11/00		soil	ug/Kg
PCB-1260	8082		GC/ECD	12/11/00		soil	ug/Kg
DCB (Surr)	8082		GC/ECD	12/11/00		soil	ug/Kg

000350

QWAL L: tories, Inc.
Quality C rol Report

TERRACON
0012076

Parameter	Blank Data Result	Duplicate QC Data Sample	Duplicate	RPD	Spike / Spike Duplicate QC Data Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	LCS (known) QC Data Result	True Value	% Rec
PCB-1016	ND											ND		
PCB-1221	ND											ND		
PCB-1232	ND											ND		
PCB-1242	ND											ND		
PCB-1248	ND											ND		
PCB-1254	ND				89.3	66.66	154	97	191	153 *	21	48.3	66.666	72
PCB-1260	ND											ND		
DCB (Surr)	5.25				6.9	6.66	6.03	85	7.17	101	17	7.77	6.66	116

000351

QWAL La tories, Inc.
Quality Control Report

TERRACON
0012076

Parameter	Test code	Test Description	Instrument description	Analysis Date	Time	Matrix	Units
Total Solids	TS		Solids apparatus	12/04/00		water	%

000352

QWAL La .tories, Inc.
Quality Control Report

TERRACON
0012076

Parameter	Blank Data	Duplicate QC Data			Spike / Spike Duplicate QC Data							LCS (known) QC Data		
	Result	Sample	Duplicate	RPD	Sample	Spike Amt	Spk. Result	% Rec	Spk. Result	% Rec	RPD	Result	True Value	% Rec
Total Solids	ND	86.4	86.3	0.1								316	302	105

000353

Quality Control Report Definitions

QC	Quality Control
% Rec	Percent Recovery
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
sur	Surrogate
Blank	Method Blank

Quality Control Data Flags

Data Flag Type

Prefix	Result	Suffix	Description
<			Less Than
>			Greater Than
	BDL		Below Detection Limit
	NA		Not Analyzed
	ND		None Detected
	*		Outside Limits
		B	Analyte found in the associated blank as well as the sample
		D	All compounds identified in an analysis at a secondary dilution
		E	Concentration exceeds the calibration range of the instrument
		J	Indicates an estimated value
		X	Laboratory specified Flag
		m	Matrix interference
		S	Client provided insufficient sample to perform matrix spike/ matrix spike duplicate analysis. Data reported from Reagent Blank Spike / Reagent Blank Spike Duplicate.

Managers Initials:

000354

APPENDIX F:

Final Report and Letter from Williams to EPA Region VI (March 10, 1995)

WILLIAMS NATURAL GAS COMPANY
ONE OF THE WILLIAMS COMPANIES, INC.

Certified Mail
Return Receipt Requested

March 20, 1995

Jeffery J. Robinson
U.S. Environmental Protection Agency
Mail Drop 6T-PT
1445 Ross Avenue
Dallas, Texas 75202-2733

RE: Buffalo Compressor Station
Location, Harper County, OK
EPA Region VI, Final Report

Dear Mr. Robinson:

Enclosed please find the Williams Natural Gas Company (WNG) final report covering the PCB sampling, floor washing and concrete cleanup activities at the Buffalo compressor station location. This progress report is submitted for your information in regard to WNG's PCB response activity in EPA Region VI.

WNG is submitting this report for your review in order to receive telephone approval to proceed at the Buffalo location with the removal of non-contaminated metallic piping from the basement area and burial of the concrete foundation and basement with an anticipated twelve to sixteen feet of clean soil. WNG also is requesting telephone approval to transport non-PCB solid waste, e.g. oil soaked plastic, wood beams, metal piping, sludge and soil (Table 3), to an approved landfill such BFI Porter, Oklahoma and liquid waste, e.g. oil (Table 3), to Trinity Environmental Technologies, Mound Valley, Kansas for disposal.

Per our conversation of March 10, 1994 WNG considers its PCB floor washing and concrete cleanup activities complete at the Buffalo compressor station location.

If you have any questions or instructions regarding this matter, please give me a call at (918) 588-3383.

Sincerely,

Danny L. Rentlinger
for Douglas E. Birkbeck

attachments

cc: General File.06

e-mail: Patti Schmigle 30-3
Brett Hughes 36-3
John Lehmann
J. R. Jankowski
Ed Mize
David Young
Jim Martin
Max Satterwhite

000356

000356

PCB Site Characterization
PCB Floor & Concrete Cleanup Activities

Williams Natural Gas Company
Former Buffalo Compressor Station Location
Harper County, Oklahoma

March 16, 1995

Prepared for:

U. S. Environmental Protection Agency
Region VI, Dallas, Texas

Attention: Jeffery J. Robinson

Douglas E. Birkbeck
Williams Natural Gas Company
One Williams Center
P. O. Box 3288
Tulsa, Oklahoma 74101

TABLE OF CONTENTS

SECTION

SUMMARY.....1

FIGURES.....2

1 - Auxiliary/Compressor Building, Concrete Wipe Sample Locations
2 - Walls of the Compressor Basement, Wipe Sample Locations
2A - Auxiliary Building, Concrete Verification Wipe Sample Locations
3 - Pipe Trench, Former Auxiliary Building, Concrete and Metallic Pipe Wipe Sample Locations
4 - Pipe Trench, Former Auxiliary Building, Concrete Verification Wipe Sample Locations
5 - Compressor Engine Room Basement, Concrete Wipe Sample Locations
6 - Compressor Engine Room Basement, Concrete Verification Wipe Sample Locations

TABLES.....3

A - PCB Analytical Results for General Site Screening,

1 - PCB Analytical Results for Concrete Wipe Samples, Auxiliary/Compressor Building

2 - PCB Analytical Results for Surface Wipe Samples, Pipe Trench, Former Auxiliary Building and Walls of the Compressor Engine Room Basement

3 - PCB Analytical Results for Composite Soil, Sediment and Sludge of Compressor Engine Room Basement

4 - PCB Analytical Results for Verification Surface Wipe Samples, Pipe Trench, Former Auxiliary Building

5 - PCB Analytical Results for Verification Concrete Wipe Samples Former Auxiliary Building Floor Area

6 - PCB Analytical Results for Concrete Wipe Samples Compressor Engine Room Basement Floor Area

7 - PCB Analytical Results for Verification Concrete Wipe Samples Compressor Engine Room Basement Floor Area

APPENDICES

A - ERM-ROCKY MOUNTAIN, INC. DOCUMENTATION

B - BURLINGTON ENVIRONMENTAL INC DOCUMENTATION

C - SECOR INTERNATIONAL, INC. DOCUMENTATION

000358

Report on
PCB Site Characterization and
Floor & Concrete Cleanup Activities
(FLRW.VI & VII)
at
Williams Natural Gas Company
Former Buffalo Compressor Station Location
March 8, 1995

SUMMARY

A. ERM-Rocky Mountain, Inc. (ERM) on April 18, 1994 conducted the site screening of the former Buffalo compressor station location to evaluate the potential for PCB contamination.

(1) Two wipe samples were collected by ERM from the air header; three water and two oil samples were collected from the basement; and seventeen soil samples were collected from areas where PCB contaminants were most likely to be present, e.g. earthen impoundments and former air receiver areas (Figure A).

(2) A total of twenty-four (24) samples (identified in A (1) above) were collected and submitted to Ross Analytical (Ross) and analyzed for polychlorinated biphenyls (PCBs).

(3) Analytical results indicated that one on-site soil sample (BUF-005-SO) from the former air receiver area exceeded the 25 mg/kg (ppm) action level, i.e. a PCB level of 38 ppm PCB 1254. Four additional on-site soil samples were reported having PCB levels between 9.4 and 21.0 ppm. The water; oil, wipe and other soil samples contained no PCBs above the laboratory detection limits (Table A). The reporting limit is identified in Table A.

B. Burlington Environmental Inc. (BEI) on August 25, 1994 performed a detailed concrete site characterization of the top floor (Figure 1) and the former pipe trench area (Figure 3) at the former Buffalo compressor station location to evaluate the potential of PCB contamination. Due to the collection of rainwater in the basement the detailed site characterization of the basement was postponed to a later date.

(1) A total of forty-eight (48) wipe samples were collected by Burlington from the upper level floor of the former compressor engine room and auxiliary building, walls of the engine pedestals, pipechase in the auxiliary building, associated metallic piping within the pipechase and from the air receiver header (Figure 1).

000359

(2) The 48 wipe samples (identified in B (1) above) were collected and submitted to ETS Analytical, Inc. (ETS) for PCB analysis.

(3) Analytical results indicated that one auxiliary building floor wipe sample (BUF-COM-WP22) had a PCB level of 36 micrograms per one hundred square centimeters (ug/100cm^2) (Table 1). Seven auxiliary building pipe chase wipe samples (BUF-PC-WP1-6 and BUF-PC DRAIN) and one three inch header to the former air receivers (BUF-ARH-WP1) indicated levels of PCBs greater than 10 ug/100cm^2 (Table 2). The reporting limit is 1.0 mg/kg.

C. SECOR International, Inc. (SECOR) performed a detailed site characterization of the basement floor following cleanup of the non-PCB water, sludge and oil that had collected in the basement area (Figure 5). Subsequent to this site characterization of the basement floor SECOR performed detailed floor washing and concrete cleanup activities of the contaminated area (top floor) of the former auxiliary building (Figure 2A), contaminated area of the former pipe trench (top floor) of the former auxiliary building (Figure 4), and contaminated area of the basement of the former engine room at the former Buffalo compressor station location (Figure 6):

(1) On January 16 1995 SECOR collected composite soil, sediment and oil samples from the basement of the former Buffalo station and submitted to ETS Analytical for PCB analysis.

Analytical results indicated that composite soil, sediment and oil samples (T-BUF-CBAS-DIRT, T-BUF-CBAS-OIL and T-BUF-CBAS-SLUDGE) all had levels < 1.0 mg/kg (ppm) (Table 3). The reporting limit is 1.0 mg/kg.

(2) On January 17, 1995 SECOR performed concrete decontamination of the auxiliary building pipe chase identified from the Burlington concrete site characterization.

Analytical results indicated that verification samples (T-BUF-IPC-01A - 8A) all had levels < 1.0 ug/100cm^2 (Table 4). The reporting limit is 1.0 mg/kg.

000360

(3) On January 19, 1995 SECOR performed concrete decontamination of the auxiliary building floor area identified from the Burlington concrete site characterization.

Analytical results indicated that verification samples (T-BUF-AUX-31A - 35A) all had levels < 1.0 ug/100cm^2 (Table 5). The reporting limit is 1.0 mg/kg.

(4) On February 1, 1995 SECOR performed concrete site characterization of the former Buffalo compressor station location basement.

Analytical results indicated that six compressor engine room basement floor wipe samples (T-BUF-CBAS-01 & 01REP, 05, 07, 18 and 23) had PCB levels of greater than 10 ug/100cm^2 (Table 6). The reporting limit is 1.0 mg/kg.

(5) On February 13, 1995 SECOR performed concrete decontamination of the former Buffalo compressor station location basement.

Analytical results indicated that verification wipe samples (BUF-CBAS-1A through 14A) all had levels < 10.0 ug/100cm^2 (Table 7). The reporting limit is 1.0 mg/kg.

(6) A total of 64 samples (identified in C (1) through C (5) above) were collected and submitted to ETS Analytical, Inc. (ETS) for PCB analysis.

FIGURES

000362

FIGURE A



000363

000363

FIGURE 1



NOTE:
UNLESS OTHERWISE DESIGNATED ALL SAMPLE POINTS < 1.0 ug/100 cm2 PCB

LEGEND
⊙ SAMPLE LOCATION
• 1A VERIFICATION SAMPLE LOCATION
▣ > 10 ug/100 cm2 PCB
(C) COMPOSITE SAMPLE LOCATION
DECONTAMINATION AREA

WILLIAMS NATURAL GAS COMPANY
ONE OF THE WILLIAMS COMPANIES
ENGINEERING DIVISION
TULSA, OKLAHOMA

AUXILIARY/COMPRESSOR BUILDING FOUNDATION
FOR BUFFALO COMPRESSOR STATION (534)

REVISIONS			
NO.	DATE	BY	

DRAWN CLARK	DATE 2/27/95	APPROVED	
SCALE 1"=10'	DWG. NO.		REV. NO.

000364

FIGURE 2



000365

BURLINGTON ENVIRONMENTAL Company

000365

TITLE:	DWN: KMO	DES.:	PROJECT NO.: 11885
WILLIAMS NATURAL GAS Buffalo, OK Walls of Compressor Building–Samples	CHKD:	APPD:	FIGURE NO.: 2
	DATE: 3/1/95	REV.:	

FIGURE 2A



WILLIAMS NATURAL GAS COMPANY
ONE OF THE WILLIAMS COMPANIES
ENGINEERING DIVISION
TULSA, OKLAHOMA

AUXILIARY/COMPRESSOR BUILDING FOUNDATION FOR BUFFALO COMPRESSOR STATION (534)

REVISIONS			
NO.	DATE	BY	

DRAWN CLARK	DATE 2/27/95	APPROVED	
SCALE 1"=10'	DWG. NO.		REV. NO.

000366

FIGURE 3



3/3/95

FIGURE 4



NOTE:
UNLESS OTHERWISE DESIGNATED ALL SAMPLE POINTS < 10 ug/100 cm2

000368

000368

FIGURE 5



NOTE:
UNLESS OTHERWISE DESIGNATED ALL SAMPLE POINTS < 1.0 ug/100 cm2 PCB

LEGEND
- SAMPLE LOCATION
- 1A VERIFICATION SAMPLE LOCATION
- ≥ 10 ug/100 cm2 PCB
- COMPOSITE SAMPLE LOCATION
- DECONTAMINATION AREA

DRAWN BY: STEVE DUCHARME	PROJECT NO: V0041-001-01	SECOR
REVIEWED BY: BARBARA MINETTE	DATE: 10/94	BUFFALO (OK) (534) FIGURE 4 OF 4 COMPRESSOR BLDG. BASEMENT AND AUXILIARY ROOM CHARACTERIZATION SAMPLE LOCATIONS
NORTH	SCALE (NOT TO SCALE) 0 5' 10'	

000369

000369

FIGURE 6



000370

TABLES

000371

TABLE A

Williams Natural Gas

Client Sample ID	RASI Work Order	Matrix	Date Extracted	Date Analyzed	Dil. Factor	Reporting Units	PCB-1016	EQL	PCB-1221	EQL	PCB-1232	EQL	PCB-1242	EQL	PCB-1248	EQL	PCB-1254	EQL	PCB-1260	EQL	Surrogate TCMX	Surrogate DCBP
UF-001-O	94-04-307-01	Oil	04/26/94	05/02/94	21	mg/Kg	<EQL	21	<EQL	42	<EQL	21	<EQL	21	<EQL	21	<EQL	21	<EQL	21	69 %	121 %
UF-001D-O	94-04-307-02	Oil	04/26/94	05/02/94	21	mg/Kg	<EQL	21	<EQL	42	<EQL	21	<EQL	21	<EQL	21	<EQL	21	<EQL	21	0	132 %
UF-002-WA	94-04-307-03	Water	04/26/94	05/03/94	100	mg/L	<EQL	0.050	<EQL	0.10	<EQL	0.050	<EQL	0.050	<EQL	0.050	<EQL	0.050	<EQL	0.050		
UF-002D-WA	94-04-307-04	Water	04/26/94	05/03/94	100	mg/L	<EQL	0.050	<EQL	0.10	<EQL	0.050	<EQL	0.050	<EQL	0.050	<EQL	0.050	<EQL	0.050		
UF-003-SO	94-04-307-05	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-004-SO	94-04-307-06	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-005-S1	94-04-307-07	Soil	04/27/94	04/28/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	11 *	0.87	<EQL	0.87		
UF-005-SO	94-04-307-08	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	38 *	0.87	<EQL	0.87		
UF-006-S1	94-04-307-10	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-006-SO	94-04-307-09	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-007-S1	94-04-307-12	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-007-SO	94-04-307-11	Soil	05/02/94	05/04/94	1	Total ug	<EQL	1.0	<EQL	2.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	103 %	124 %
UF-008-W	94-04-307-13	Wipe	04/27/94	04/28/94	1	Total ug	<EQL	1.0	<EQL	2.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	<EQL	1.0	69 %	108 %
UF-008D-W	94-04-307-14	Wipe	04/27/94	04/28/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	17	<EQL	17	9.4	0.87	<EQL	0.87		
UF-009-S1	94-04-307-15	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	17	<EQL	34	<EQL	17	<EQL	0.87	<EQL	0.87	13 *	0.87	<EQL	0.87		50 %
UF-009-S5	94-04-307-18	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.001	<EQL	0.001	<EQL	0.001	<EQL	0.001		
UF-009D-S5	94-04-307-25	Soil	05/02/94	05/04/94	1	mg/L	<EQL	0.001	<EQL	0.002	<EQL	0.001	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-010-WA	94-04-307-17	Water	04/26/94	05/02/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	21 *	0.87	<EQL	0.87		
UF-011-S2	94-04-307-18	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-011-S3.5	94-04-307-19	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-012-S4	94-04-307-20	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-013-S4	94-04-307-22	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-013-S8	94-04-307-23	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		
UF-013D-S8	94-04-307-24	Soil	05/02/94	05/04/94	51	mg/Kg	<EQL	0.87	<EQL	1.7	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87	<EQL	0.87		

000372

000372

Action Limit

Table 1
PCB Analytical Results for Concrete Wipe Samples
Compressor/Auxiliary Building
August 25, 1994
(Figure 1)

Sample Identification	PCB Level (µg/100 cm^2)	Comments
BUF-COM-WP1	ND(1.0)	Wipe Sample
BUF-COM-WP1D	ND(1.0)	Duplicate Wipe Sample
BUF-COM-WP2	ND(1.0)	Wipe Sample
BUF-COM-WP3	ND(1.0)	Wipe Sample
BUF-COM-WP4	ND(1.0)	Wipe Sample
BUF-COM-WP5	ND(1.0)	Wipe Sample
BUF-COM-WP6	ND(1.0)	Wipe Sample
BUF-COM-WP7	1.8	Wipe Sample
BUF-COM-WP8	8.0	Wipe Sample
BUF-COM-WP9	ND(1.0)	Wipe Sample
BUF-COM-WP10	ND(1.0)	Wipe Sample
BUF-COM-WP11	ND(1.0)	Wipe Sample
BUF-COM-WP12	5.8	Wipe Sample
BUF-COM-WP13	ND(1.0)	Wipe Sample
BUF-COM-WP13D	ND(1.0)	Duplicate Wipe Sample
BUF-COM-WP14	ND(1.0)	Wipe Sample
BUF-COM-WP15	ND(1.0)	Wipe Sample
BUF-COM-WP16	ND(1.0)	Wipe Sample
BUF-COM-WP17	2.3	Wipe Sample
BUF-COM-WP18	ND(1.0)	Wipe Sample
BUF-COM-WP19	1.4	Wipe Sample
BUF-COM-WP20	ND(1.0)	Wipe Sample
BUF-COM-WP21	1.4	Wipe Sample
BUF-COM-WP22	**36**	Wipe Sample
BUF-COM-WP23	ND(1.0)	Wipe Sample
BUF-COM-WP23D	ND(1.0)	Duplicate Wipe Sample
BUF-COM-WP24	ND(1.0)	Wipe Sample
BUF-COM-WP25	ND(1.0)	Wipe Sample
BUF-BLANK	ND(1.0)	Field Blank
BUF-COM-WP26	ND(1.0)	Wipe Sample
BUF-COM-WP27	1.8	Wipe Sample
BUF-COM-WP28	ND(1.0)	Wipe Sample
BUF-COM-WP29	ND(1.0)	Wipe Sample
BUF-COM-WP30	ND(1.0)	Wipe Sample

µg/100 cm^2 = micrograms per 100 square centimeters
ND = Not Detected; Detection limit indicated in parentheses.

000373

Table 2
PCB Analytical Results for Surface Wipe Samples
Pipechase and Walls of the Compressor Basement
August 25, 1994
(Figures 2 and 3)

Sample Identification	PCB Level (μg/100 cm^2)	Comments
BUF-PC-WP1	73	Pipechase, Wipe Sample
BUF-PC-WP2	4300	Pipechase, Wipe Sample
BUF-PC-WP3	900	Pipechase, Wipe Sample
BUF-PC-WP4	2900	2-inch Pipe in Pipechase, Wipe Sample
BUF-PC-WP5	650	Pipechase, Wipe Sample
BUF-PC-WP6	110	Pipechase, Wipe Sample
BUF-PC-DRAIN	1100	Drip Drain in Pipechase, Wipe Sample
BUF-CBW-WP1	ND(1.0)	Compressor Basement Wall, Wipe Sample*
BUF-CBW-WP2	ND(1.0)	Compressor Basement Wall, Wipe Sample
BUF-CBW-WP3	ND(1.0)	Compressor Basement Wall, Wipe Sample
BUF-CBW-WP4	ND(1.0)	Compressor Basement Wall, Wipe Sample
BUF-CBW-WP5	ND(1.0)	Compressor Basement Wall, Wipe Sample
BUF-CBW-WP6	1.1	Compressor Basement Wall, Wipe Sample
BUF-ARH-WP1	21	3-inch Header to the Air Receivers, West Side, Wipe Sample

μg/100 cm^2 = micrograms per 100 square centimeters
ND = Not Detected; Detection limit indicated in parentheses.
* Walls of the Compressor Basement Wipe Samples (BUF-CBW-WP1 through BUF-CBW-WP6) collected approximately two feet below steel grating.

000374

Table 3
PCB Analytical Results for Composite Soil, Sediment and Oil Samples of the Engine Room Basement
January 16, 1995
(Figures 5 and 6)

Sample Identification	PCB level (mg/kg)	Comments
T-BUF-CBAS-DIRT	ND (1.0)	Basement, Soil
T-BUF-CBAS-OIL	ND (1.0)	Basement, Oil
T-BUF-CBAS-SLUDGE	ND (1.0)	Basement, Sludge

mg/kg = milligrams per kilogram (ppm)
ND = Not Detected; (Detection Limit indicated in parentheses.

000375

Table 4
PCB Analytical Results for Verification Surface Wipe Samples
Pipechase of the Former Auxiliary Building (top floor)
January 17, 1995
(Figure 4)

Sample Identification	PCB level (ug/100cm^2)	Comments
T-BUF-IPC-01A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-02A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-03A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-03A REP	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-04A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-05A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-06A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-07A	ND (1.0)	Pipechase, Wipe
T-BUF-IPC-08A	ND (1.0)	Pipechase, Wipe

ug/100cm^2 = micrograms per 100 square centimeters
ND = Not Detected; (Detection Limit indicated in parentheses.

000376

Table 5
PCB Analytical Results for Verification Concrete Wipe Samples
Auxiliary Building Floor Area
January 19, 1995
(Figure 2)

Sample Identification	PCB level (ug/100cm^2)	Comments
T-BUF-AUX-31A	ND (1.0)	Auxiliary, Wipe
T-BUF-AUX-31A REP	ND (1.0)	Auxiliary, Wipe
T-BUF-AUX-32A	ND (1.0)	Auxiliary, Wipe
T-BUF-AUX-33A	ND (1.0)	Auxiliary, Wipe
T-BUF-AUX-34A	ND (1.0)	Auxiliary, Wipe
T-BUF-AUX-35A	ND (1.0)	Auxiliary, Wipe
T-BUF-BLNK	ND (1.0)	Auxiliary, Wipe

ug/100cm^2 = micrograms per 100 square centimeters
ND = Not Detected; (Detection Limit indicated in parentheses.

000377

Table 6
PCB Analytical Results for Concrete Wipe Samples Compressor Engine Room Basement Floor Area, February 1, 1995
(Figure 5)

Sample Identification	PCB level (ug/100cm^2)	Comments
T-BUF-CBAS-01	**11**	Basement, Wipe
T-BUF-CBAS-01 REP	**12**	Wipe, Duplicate
T-BUF-CBAS-02	ND (1.0)	Basement, Wipe
T-BUF-CBAS-03	3.9	Basement, Wipe
T-BUF-CBAS-04	5.9	Basement, Wipe
T-BUF-CBAS-05	**19**	Basement, Wipe
T-BUF-CBAS-06	ND (1.0)	Basement, Wipe
T-BUF-CBAS-07	**29**	Basement, Wipe
T-BUF-CBAS-08	ND (1.0)	Basement, Wipe
T-BUF-CBAS-09	7.5	Basement, Wipe
T-BUF-CBAS-10	ND (1.0)	Basement, Wipe
T-BUF-CBAS-11	ND (1.0)	Basement, Wipe
T-BUF-CBAS-12	1.5	Basement, Wipe
T-BUF-CBAS-13	ND (1.0)	Basement, Wipe
T-BUF-CBAS-13 REP	1.5	Wipe, Duplicate
T-BUF-CBAS-14	1.2	Basement, Wipe
T-BUF-CBAS-15	ND (1.0)	Basement, Wipe
T-BUF-CBAS-16	1.5	Basement, Wipe
T-BUF-CBAS-17	2.2	Basement, Wipe
T-BUF-CBAS-18	**15**	Basement, Wipe
T-BUF-CBAS-19	3.2	Basement, Wipe
T-BUF-CBAS-20	ND (1.0)	Basement, Wipe
T-BUF-CBAS-21	5.6	Basement, Wipe
T-BUF-CBAS-22	3.6	Basement, Wipe
T-BUF-CBAS-23	**25**	Basement, Wipe
T-BUF-CBAS-24	8.8	Basement, Wipe
T-BUF-CBAS-25	1.7	Basement, Wipe

ug/100cm^2 = micrograms per 100 square centimeters
ND = Not Detected; (Detection Limit indicated in parentheses.

000378

Table ~~6~~ 7
PCB Analytical Results for Verification Concrete Wipe Samples
Compressor Engine Room Basement Floor Area
February 13, 1995
(Figure 6)

Sample Identification	PCB level (ug/100cm^2)	Comments
BUF-BLANK	ND (1.0)	Blank
BUF-CBAS-1A	ND (1.0)	Basement, Wipe
BUF-CBAS-1A REP	ND (1.0)	Wipe, Duplicate
BUF-CBAS-2A	ND (1.0)	Basement, Wipe
BUF-CBAS-3A	7.0	Basement, Wipe
BUF-CBAS-4A	ND (1.0)	Basement, Wipe
BUF-CBAS-5A	4.4	Basement, Wipe
BUF-CBAS-6A	ND (1.0)	Basement, Wipe
BUF-CBAS-7A	ND (1.0)	Basement, Wipe
BUF-CBAS-8A	2.0	Basement, Wipe
BUF-CBAS-9A	1.1	Basement, Wipe
BUF-CBAS-10A	ND (1.0)	Basement, Wipe
BUF-CBAS-11A	1.2	Basement, Wipe
BUF-CBAS-12A	1.5	Basement, Wipe
BUF-CBAS-13A	1.1	Basement, Wipe
BUF-CBAS-14A	ND (1.0)	Basement, Wipe
BUF-CBAS-14A REP	ND (1.0)	Basement, Wipe

ug/100cm^2 = micrograms per 100 square centimeters
ND = Not Detected; (Detection Limit indicated in parentheses.

000379

APPENDIX A

ERM-Rocky Mountain, Inc. Documentation

000380



Basement (BUF-001(D)-0) (BUF-002(D)-WA).



Upgradient of Site (BUF-003-S0).

000381

000381



Receiver (BUF-005-S0 & S1).

APPENDIX B

ETS Analytical Results

000382

ETS Analytical Services, Inc.

Proudly serving industry and government since 1973.

A USEPA Contract Laboratory

A subsidiary of ETS International, Inc.

September 23, 1994

Mr. Douglas E. Birkbeck
Williams Natural Gas
One Williams Center
Mail Drop 31-1
Tulsa, Oklahoma 74101

Dear Mr. Birkbeck:

Enclosed please find the analytical data for forty eight (48) wipe samples which were analyzed for PCB's by EPA Method 8080 and are being reported in CLP format modified for reporting of PCB's only. These samples are wipe samples which were analyzed under Williams Gas CSC.VI-Contract (BUF). The chains of custody and sample login forms are attached.

As previously stated, the CLP reporting format (forms) required some modification for reporting of PCB only data, as specified below:

Form 1:	Only Aroclors listed (single component pesticides deleted).
Form 2:	No modifications required.
Form 3:	Modified to specify Aroclors as the spike "compounds". A similar form was created to report lab duplicate data (not required by CLP or Method 8080, but specified in the ETS Quality Assurance Plan).
Form 4:	No modifications required.
Form 5:	Not applicable to GC analyses.
Form 6:	Modified to accommodate reporting of five-point calibration data for Aroclors only.
Form 7:	Modified to accommodate reporting of continuing calibration data for Aroclors only. A similar form was created to accommodate reporting of initial calibration verification data (not required by CLP or Method 8080, but specified in the ETS Quality Assurance Plan). The Form 7 (continuing calibration) format has been expanded to include the run ID in order to facilitate more streamlined data validation.
Form 8:	No modifications required. Retention time windows of +/-0.1 min for TCMX and +/- 0.2 min for DCB were adopted by the laboratory, since retention time windows are not specified by Method 8080.

Williams Natural Gas - Report of 9/23/94

Comments concerning the specific analytical data contained in this report are presented in the following paragraphs:

Lab duplicates were conducted in accordance with the ETS QA plan. Blank spikes were also performed to comply with the statement of work for this project. Sample ID terminology has been defined in previous reports.

No unusual problems were encountered in the analysis of these samples.

The diskette was prepared using Lotus 123 (rev 2.4), in the format used previously. Data for three stations are presented on a single diskette, but with separate files for each of the stations.

If there are any questions regarding these data, please feel free to contact me at any time.

Sincerely yours,

Richard R. Whitney, Ph.D.
Organics Department Manager

cc: Steve Thornton
Burlington Environmental, Inc.
Huston, TX

000384

'ILLIAMS NATURAL GAS: CUSTOMIZED REPORT FOR PCB DATA

)CATION: BUF, PCB Line Cleaning
EPORT DATE: 9/23/94
DG: 163231
ABORATORY: ETS ANALYTICAL SERVICES

/MS GAS ID	LAB ID	MATRIX	DESCRIPTION	Aroclor 1016	1221	1232	1242	1248	1254	1260	UNITS	DET LIM	ANALYBY	ANALYZED DATE	TIME
UF-COM-WP1	163231	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1034
UF-COM-WP2	163232	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1126
UF-COM-WP3	163233	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1152
UF-COM-WP4	163234	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1218
UF-COM-WP5	163235	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1244
UF-COM-WP6	163236	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1310
UF-COM-WP7	163237	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.8	1.0 U	ug Total	1.0	TJM	09/09/94	1428
UF-COM-WP8	163238	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	8.0	1.0 U	ug Total	1.0	TJM	09/09/94	1454
UF-COM-WP9	163239	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1521
UF-COM-WP10	163240	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1547
UF-COM-WP11	163241	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1617
UF-COM-WP12	163242	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.8	1.0 U	ug Total	1.0	TJM	09/09/94	1709
UF-COM-WP13	163243	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1735
UF-COM-WP14	163244	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1801
UF-COM-WP15	163245	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1827
UF-COM-WP16	163246	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	1945
UF-COM-WP17	163247	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2.3	1.0 U	ug Total	1.0	TJM	09/09/94	2011
UF-COM-WP18	163248	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	2037
UF-COM-WP19	163249	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.4	1.0 U	ug Total	1.0	TJM	09/09/94	2104
UF-COM-WP20	163250	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/09/94	2130
UF-COM-WP21	163251	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.4	1.0 U	ug Total	1.0	TJM	09/09/94	2314
UF-COM-WP22	163252	WIPE	BUF, 3581.77, D195	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	36	1.0 U	ug Total	1.0	TJM	09/10/94	0058
UF-COM-WP23	163253	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0124
UF-COM-WP24	163254	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0150
UF-COM-WP25	163255	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0217
UF-COM-WP1D	163256	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0243
UF-COM-WP13D	163257	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0309
UF-COM-WP23D	163258	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0335
UF-BLANK	163259	WIPE	BUF, 3581.77, D196	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0401
UF-COM-WP26	163260	WIPE	BUF, 3581.77, D191	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0427
UF-COM-WP27	163261	WIPE	BUF, 3581.77, D191	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.8	1.0 U	ug Total	1.0	TJM	09/10/94	0453
UF-COM-WP28	163262	WIPE	BUF, 3581.77, D191	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/13/94	1506
UF-COM-WP29	163263	WIPE	BUF, 3581.77, D191	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0704
UF-COM-WP30	163264	WIPE	BUF, 3581.77, D191	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	0730
UF-PC-WP1	163265	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	73	1.0 U	ug Total	1.0	TJM	09/10/94	0756
UF-PC-WP2	163266	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4300	1.0 U	ug Total	1.0	TJM	09/13/94	1027
UF-PC-WP3	163267	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	900	1.0 U	ug Total	1.0	TJM	09/13/94	1053
UF-PC-WP4	163268	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	2900	1.0 U	ug Total	1.0	TJM	09/13/94	1646
UF-PC-WP5	163269	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	650	1.0 U	ug Total	1.0	TJM	09/13/94	1711
UF-PC-WP6	163270	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	110	1.0 U	ug Total	1.0	TJM	09/10/94	1006

000038

000385

/ILLIAMS NATURAL GAS: CUSTOMIZED REPORT FOR PCB DATA

OCATION: BUF, PCB Line Cleaning
EPORT DATE: 9/23/94
DG: 163231
ABORATORY: ETS ANALYTICAL SERVICES

				Aroclor										ANALYZED	
VMS GAS ID	LAB ID	MATRIX	DESCRIPTION	1016	1221	1232	1242	1248	1254	1260	UNITS	DET LIM	ANALYBY	DATE	TIME
UF-PC-DRAW	163271	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1100	1.0 U	ug Total	1.0	TJM	09/13/94	1736
UF-CBW-WP1	163272	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	1217
UF-CBW-WP2	163273	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	1243
UF-CBW-WP3	163274	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	1309
UF-CBW-WP4	163275	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	1335
UF-CBW-WP5	163276	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	ug Total	1.0	TJM	09/10/94	1402
UF-CBW-WP6	163277	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.1	1.0 U	ug Total	1.0	TJM	09/10/94	1427
UF-ARH-WP1	163278	WIPE	BUF, 3581.77, D194	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	21	1.0 U	ug Total	1.0	TJM	09/10/94	1453

000386

APPENDIX C

ANALYTICAL REPORTS

000387

Ross Analytical Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

CERTIFICATE OF ANALYSIS

Client:

Williams Natural Gas
1 Williams Center, MD 31-3
Tulsa, OK 74172

Attn: Doug Birckbeck

Work Order #: 94-04-307
Client Code: WILLIAMS_GAS
Report Date: 05/06/94
Work ID: Samples for PCB's
Date Received: 04/22/94

Purchase Order: Buffalo Station

SAMPLE IDENTIFICATION

Lab Number	Sample Description	Lab Number	Sample Description
01	Oil BUF-001-O	02	Oil BUF-001D-O
03	Water BUF-002-WA	04	Water BUF-002D-WA
05	Soil BUF-003-SO	06	Soil BUF-004-SO
07	Soil BUF-005-SO	08	Soil BUF-005-S1
09	Soil BUF-006-SO	10	Soil BUF-006-S1
11	Soil BUF-007-SO	12	Soil BUF-007-S1
13	Wipe BUF-008-W	14	Wipe BUF-008D-W
15	Soil BUF-009-S1	16	Soil BUF-009-S5
17	Water BUF-010-WA	18	Soil BUF-011-S2
19	Soil BUF-011-S3.5	20	Soil BUF-012-S4
21	Soil BUF-012-S6	22	Soil BUF-013-S4
23	Soil BUF-013-S6	24	Soil BUF-013D-S6
25	Soil BUF-009D-S5		

Data are reported on an as-received basis unless stated otherwise. Estimated Quantitation Limits (EQL's) are listed for most analytes. EQL's are the lowest concentrations that can be reliably measured under routine laboratory conditions. Unless otherwise noted, method blanks had no targets found above their EQL's and results were not corrected for blanks.

000388

Sample BUF-12-S6 (Lab No. 21) was voided at your request and [illegible] results to report.

000388

REPORT COMMENTS

The surrogate recoveries from the soils which were analyzed at 1:51 dilutions could not be calculated because of the dilutions.

The EQL's of most of the PCB's in sample BUF-009-S5 (Lab No. 16) were raised because of matrix interferences.

The recovery of the surrogate tetrachloro-m-xylene from sample BUF-010-WA (Lab No. 17) could not be calculated because of matrix interferences.

000389

TEST METHODOLOGIES

PCB's were determined using gas chromatography with electron capture detection as in EPA Method 8080.

Aqueous samples and leachates were extracted for organochlorine pesticides and PCB's in a continuous extractor using methylene chloride as in EPA Method 3520.

Organic liquid and semi-solid wastes were diluted with hexane for organochlorine pesticide and PCB analysis as in EPA Method 3580.

Solid and semisolid samples extracted for organochlorine pesticides and PCB's in an ultrasonic extractor using methylene chloride and acetone as in EPA Method 3550.

000390

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Oil BUF-001-0 Lab No. 01
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/26/94 DATE RUN 05/02/94 DILUTION FACTOR 21 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	21
11104-28-2	PCB-1221	<EQL	42
11141-16-5	PCB-1232	<EQL	21
53469-21-9	PCB-1242	<EQL	21
12672-29-6	PCB-1248	<EQL	21
11097-69-1	PCB-1254	<EQL	21
11096-82-5	PCB-1260	<EQL	21

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	89	24 - 130
Decachlorobiphenyl	121	38 - 162

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Oil BUF-001D-0 Lab No. 02
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/26/94 DATE RUN 05/02/94 DILUTION FACTOR 21 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	21
11104-28-2	PCB-1221	<EQL	42
11141-16-5	PCB-1232	<EQL	21
53469-21-9	PCB-1242	<EQL	21
12672-29-6	PCB-1248	<EQL	21
11097-69-1	PCB-1254	<EQL	21
11096-82-5	PCB-1260	<EQL	21

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0 Q	24 - 130
Decachlorobiphenyl	132	38 - 162

000392

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Water BUF-002-WA Lab No. 03
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/26/94 DATE RUN 05/03/94 DILUTION FACTOR 100 UNITS mg/L

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.050
11104-28-2	PCB-1221	<EQL	0.10
11141-16-5	PCB-1232	<EQL	0.050
53469-21-9	PCB-1242	<EQL	0.050
12672-29-6	PCB-1248	<EQL	0.050
11097-69-1	PCB-1254	<EQL	0.050
11096-82-5	PCB-1260	<EQL	0.050

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	31 - 127
Decachlorobiphenyl	0	10 - 130

000393

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Water BUF-002D-WA Lab No. 04
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/26/94 DATE RUN 05/03/94 DILUTION FACTOR 100 UNITS mg/L

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.050
11104-28-2	PCB-1221	<EQL	0.10
11141-16-5	PCB-1232	<EQL	0.050
53469-21-9	PCB-1242	<EQL	0.050
12672-29-6	PCB-1248	<EQL	0.050
11097-69-1	PCB-1254	<EQL	0.050
11096-82-5	PCB-1260	<EQL	0.050

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	31 - 127
Decachlorobiphenyl	0	10 - 130

000394

ork Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-003-SO Lab No. 05
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000395

Work Order # 94-06-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-004-SO Lab No. 06
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	Q	14 - 135
Decachlorobiphenyl	Q	38 - 139

000396

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-005-SO Lab No. 07
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/27/94 DATE RUN 04/28/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	38	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000397

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-005-S1 Lab No. 08
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	11	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	Q	14 - 135
Decachlorobiphenyl	Q	38 - 139

000398

Work Order # 94-06-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-006-SO Lab No. 09
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000399

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-006-S1 Lab No. 10
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	Q	14 - 135
Decachlorobiphenyl	Q	38 - 139

000400

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-007-SO Lab No. 11
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	Q	14 - 135
Decachlorobiphenyl	Q	38 - 139

000401

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-007-S1 Lab No. 12
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS	
Tetrachloro-m-xylene	Q	14 -	135
Decachlorobiphenyl	Q	38 -	139

000402

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Wipe BUF-008-W Lab No. 13
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/27/94 DATE RUN 04/28/94 DILUTION FACTOR 1 UNITS Total ug

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	1.0
11104-28-2	PCB-1221	<EQL	2.0
11141-16-5	PCB-1232	<EQL	1.0
53469-21-9	PCB-1242	<EQL	1.0
12672-29-6	PCB-1248	<EQL	1.0
11097-69-1	PCB-1254	<EQL	1.0
11096-82-5	PCB-1260	<EQL	1.0

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	103	24 - 130
Decachlorobiphenyl	124	38 - 162

000403

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Wipe BUF-0080-W Lab No. 14
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/27/94 DATE RUN 04/28/94 DILUTION FACTOR 1 UNITS Total ug

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	1.0
11104-28-2	PCB-1221	<EQL	2.0
11141-16-5	PCB-1232	<EQL	1.0
53469-21-9	PCB-1242	<EQL	1.0
12672-29-6	PCB-1248	<EQL	1.0
11097-69-1	PCB-1254	<EQL	1.0
11096-82-5	PCB-1260	<EQL	1.0

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	69	24 - 130
Decachlorobiphenyl	108	38 - 162

000404

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-009-S1 Lab No. 15
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000405

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-009-S5 Lab No. 16
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	17
11104-28-2	PCB-1221	<EQL	34
11141-16-5	PCB-1232	<EQL	17
53469-21-9	PCB-1242	<EQL	17
12672-29-6	PCB-1248	<EQL	17
11097-69-1	PCB-1254	9.4	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000406

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Water BUF-010-WA Lab No. 17
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 04/26/94 DATE RUN 05/02/94 DILUTION FACTOR 1 UNITS mg/L

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.001
11104-28-2	PCB-1221	<EQL	0.002
11141-16-5	PCB-1232	<EQL	0.001
53469-21-9	PCB-1242	<EQL	0.001
12672-29-6	PCB-1248	<EQL	0.001
11097-69-1	PCB-1254	<EQL	0.001
11096-82-5	PCB-1260	<EQL	0.001

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	31 - 127
Decachlorobiphenyl	50	10 - 130

000407

Work Order # 94-06-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-011-S2 Lab No. 18
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000408

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-011-S3.5 Lab No. 19
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	21	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000409

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-012-S4 Lab No. 20
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000410

ork Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-013-S4 Lab No. 22
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000411

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-013-S6 Lab No. 23
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000412

Work Order # 94-04-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-0130-S6 Lab No. 24
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	<EQL	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000413

Work Order # 94-G4-307 Ross Analytical Services, Inc Reported: 05/06/94

Sample Description Soil BUF-0090-SS Lab No. 25
Test Description PCB's by GC/ECD Test Code 8080_P

EXTRACTED 05/02/94 DATE RUN 05/04/94 DILUTION FACTOR 51 UNITS mg/Kg

CAS No.	COMPOUND	RESULT	EQL
12674-11-2	PCB-1016	<EQL	0.87
11104-28-2	PCB-1221	<EQL	1.7
11141-16-5	PCB-1232	<EQL	0.87
53469-21-9	PCB-1242	<EQL	0.87
12672-29-6	PCB-1248	<EQL	0.87
11097-69-1	PCB-1254	13	0.87
11096-82-5	PCB-1260	<EQL	0.87

SURROGATE	%RECOVERY	LIMITS
Tetrachloro-m-xylene	0	14 - 135
Decachlorobiphenyl	0	38 - 139

000414

APPENDIX D

CHAIN OF CUSTODY FORMS

000415

-H-UT-301

ROSS® Ross Analytical Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Page 1 of 3

:ITAN
?M
illow Dr suite 200
ood, CO 80111
) 741-5050
3) 773-2624

Lab Contact: Ann M.
Purchase Order No.:
Project Reference:

Bill to: Williams Natural GAS

ONE CONTAINER PER LINE

ple /Description	Date Collected	Container Type	Pre-servative	Required Tests	Condition on Receipt (Lab)
l basement	4-18-94	4oz	none	PCBs	
basement		4oz			
ater basement		2L			
water basement		2L			
gradient soil		4oz			
ngradient soil		4oz			
T w of NW corner of building		4oz			
"		4oz			
nment air below meter		4oz			
"		4oz			

on:
ammable — Skin Irritant — Other

sh — Report Required By

Pam Pelton — Date 4-19-94 — Date

Sample Disposal:
Return to Client — Disposal by Lab — Archive — (mos)

QA Requirements:

1. Received by Signature/Affiliation [signature] — Date 4/21/94 ~~5600~~ 1300 CIT
2. Received by Signature/Affiliation — Date

ents:

00041

000416

ROSS® Ross Analytical Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

rt to: Pam Reitan
ERM-FM
5950 S. Willow Pk. Suite 100
Greenwood Village, CO 80111
hone: (303) 741 5050
(303) 773-2624

Lab Contact: Ann
Purchase Order No.:
Project Reference:

Bill to: Williams Natural Gas

ONE CONTAINER PER LINE

ple ber	Sample Type/Description	Date Collected	Container Type	Pre-servative	Required Tests	Condition on Receipt (Lab)
F-007-S0	below pickle area	4-18-94	4oz	none	PCBs	
F-007-S1	"					
F-008-W	below ACT heater					
F-008-W	"					
F-009-S1	E side of hand					
F-009-S5	"					
F-010-WA	EQ Rinse		2L			
F-011-S2	W side of hand		4oz			
F-011-S3.5	"					
F-012-S4	N side of hand					

sible Hazard Identification:
-hazard Flammable Skin Irritant Other

Sample Disposal:
Return to Client Disposal by Lab Archive (mos)

around Time Required:
rnal Rush Report Required By

QA Requirements:

Relinquished by
nature/Affiliation Pam Reitan Date 4-19-94

1. Received by
Signature/Affiliation Date

Relinquished by
nature/Affiliation Date

2. Received by
Signature/Affiliation Date

cial Instructional Comments:

000417

000417

ROSS® Ross Analy[illegible]al Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

Report to: Pam Keilan
ERM - Rock Hill.

Lab Contact: Ann

Purchase Order No.:

Project Reference:

Bill to: WNG

Telephone:

ONE CONTAINER PER LINE

Sample Number	Sample Type/Description	Date Collected	Container Type	Pre-servative	Required Tests	Condition on Receipt (Lab)
BUF-012-S6	N. side loaded	4-18-94	4oz	none	PCBs	
BUF-013-S4	N. side loaded	↓	↓	↓	↓	
BUF-013-S6	S. side loaded	↓	↓	↓	↓	
BUF-013D-S6	S. side loaded	↓	↓	↓	↓	
BUF-009D-S5						

Possible Hazard Identification: Non-hazard / Flammable / (Skin Irritant) / Other

Sample Disposal: Return to Client / Disposal by Lab / Archive (mos)

Turnaround Time Required: (Normal) / Rush / Report Required By

QA Requirements:

1. Relinquished by Signature/Affiliation: Pam Keilan — Date: 4-19-94
2. Relinquished by Signature/Affiliation — Date

1. Received by Signature/Affiliation — Date
2. Received by Signature/Affiliation — Date

Special Instructional Comments:

000418

000418

APPENDIX B

Burlington Environmental Inc. Documentation

000419

Burlington Environmental Mobile Decontamination Units

SAMPLE LOG

Page_____ of _____

Client: WILLIAMS NATURAL GAS

Station: BUFFALOE, OK.

Supervisor: ROBERT YARNUM

Date Sampled	Time	Unique Identification	Sample Result	Remarks
25-94		BUF-COM-WP1		COMPRESSOR BUILDING
		BUF-COM-WP2		GRID.
		BUF-COM-WP3		
		BUF-COM-WP4		
		BUF-COM-WP5		
		BUF-COM-WP6		
		BUF-COM-WP7		
		BUF-COM-WP8		
		BUF-COM-WP9		
		BUF-COM-WP10		
		BUF-COM-WP11		
		BUF-COM-WP12		
		BUF-COM-WP13		
		BUF-COM-WP14		
		BUF-COM-WP15		
		BUF-COM-WP16		
		BUF-COM-WP17		
		BUF-COM-WP18		
		BUF-COM-WP19		
		BUF-COM-WP20		
		BUF-COM-WP21		
		BUF-COM-WP22		
		BUF-COM-WP23		
		BUF-COM-WP24		
		BUF-COM-WP25		
		BUF-COM-WP1D		
		BUF-COM-WP19D		
		BUF-COM-WP23D		
		[redacted]		
		[redacted]		
~~8-25-94~~		~~BUF-SUMP-WP1~~		~~WIPE OF SUMP~~
8-25-94		BUF-BLANK		FIELD BLANK.
"		BUF-COM-WP26		COMPRESSOR BUILDING
"		BUF-COM-WP27		FLOOR
"		BUF-COM-WP28		
"		BUF-COM-WP29		
"		BUF-COM-WP30		

000120

000420

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1958

Project Name PCB LINE CLEANING
Project Number 11885 Phase . Task 3581 . 77
Samplers ROBERT VARNADO
Laboratory Name ETS ANALYTICAL
Laboratory Location ROANOKE, VIRGINIA

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle: PCBs	Comments
BUF-CON-WP1	8-25-91		WIPE	1	✓	
BUF-CON-WP2	"		"	1	✓	
BUF-CON-WP3	"		"	1	✓	
BUF-CON-WP4	"		"	1	✓	
BUF-CON-WP5	"		"	1	✓	
BUF-CON-WP6	"		"	1	✓	
BUF-CON-WP7	"		"	1	✓	
BUF-CON-WP8	"		"	1	✓	
BUF-CON-WP9	"		"	1	✓	
BUF-CON-WP10	"		"	1	✓	
BUF-CON-WP11	"		"	1	✓	

Relinquished by:

Signature	Date	Time
[illegible]	8/26/91	0910

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier:

Airbill No.

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN HEXANE.

000421

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1959

Project Name PCB LINE CLEANING
Project Number 11865 Phase . Task 3581.77
Samplers ROBERT VARNUM
Laboratory Name ETS ANALYTICAL
Location ROANOKE, VIRGINIA

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	PCBS	Comments
PCF-COM-WP12	8-25-94		WIPE	1	✓	
PCF-COM-WP13	"		"	1	✓	
PCF-COM-WP14	"		"	1	✓	
PCF-COM-WP15	"		"	1	✓	
PCF-COM-WP16	"		"	1	✓	
PCF-COM-WP17	"		"	1	✓	
PCF-COM-WP18	"		"	1	✓	
PCF-COM-WP19	"		"	1	✓	
PCF-COM-WP20	"		"	1	✓	
PCF-COM-WP21	"		"	1	✓	
PCF-COM-WP22	"		"	1	✓	

Relinquished by:

Signature	Date	Time
[illegible]	8/26/94	0910

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier:

Airbill No.:

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN [illegible]

000422

000422

3/94

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1960

Project Name: TCE LINE CLEANING
Project Number: 11685 Phase . Task: 3581 . 77
Samplers: ROBERT VACANUM
Laboratory: Name ETS ANALYTICAL
Location: ROANOKE, VIRGINIA

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle: TCE												Comments
SUE-COM-WP23	8-25-94		WIPE	1	✓												
SUE-COM-WP24	"		"	1	✓												
SUE-COM-WP25	"		"	1	✓												
SUE-COM-WP1B	"		"	1	✓												
SUE-COM-WP1BD	"		"	1	✓												
SUE-COM-WP23D	"		"	1	✓												
SUE-SUMP-WP1	"		"	1	✓												
SUE-BLANK	"		"	1	✓												

Relinquished by:

Signature	Date	Time
Robert [illegible]	8/26/94	0710

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier:

Airbill No.

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN HEXANE.

000423

000423

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1910

Project Name: PCB LINE CLEANING
Project Number: 11885 Phase . Task: 3581 . 77
Samplers: ROBERT VARNUTT
Laboratory: Name: ETS ANALYTICAL
Location: ROANOKE, VIRGINIA

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle: PCBs												Comments
RFF-COM-WP26	8-25-94		WIPE	1	✓												
RFF-COM-WP27	"		"	1	✓												
RFF-COM-WP28	"		"	1	✓												
RFF-COM-WP29	"		"	1	✓												
RFF-COM-WP30	"		"	1	✓												

Relinquished by:

Signature	Date	Time
[signature]		

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier: **Airbill No.**

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN NEVONE

000424

000424

Burlington Environmental Mobile Decontamination Units

SAMPLE LOG

Page_____ of _____

Client: WILLAMS NATURAL GAS

Station: BUFFALOE, OK.

Supervisor: ROBERT YARNUM

Date Sampled	Time	Unique Identification	Sample Result	Remarks
2-25-94		BUF - PC - WP1		SAMPLES FROM
		BUF - PC - WP2		PIPECHASE.
		BUF - PC - WP3		
		BUF - PC - WP4		
		BUF - PC - WP5		
		BUF - PC - WP6		

000425

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1941

Project Name TOB LINE CLEANING
Project Number 11685 Phase . Task 3581 . 77
Samplers ROBERT VAN NIMT
Laboratory Name ETS ANALYTICAL
Location ROANOKE, VIRGINIA.

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle: PCBS												Comments
BUF - PC - WP1	8-25-94		WIPE	1	✓												
BUF - PC - WP2	"		"	1	✓												
BUF - PC - WP3	"		"	1	✓												
BUF - PC - WP4	"		"	1	✓												
BUF - PC - WP5	"		"	1	✓												
BUF - PC - WP6	"		"	1	✓												

Relinquished by:

Signature	Date	Time
[signature]	8/26/94	0910

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier: Airbill No.

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN HEXANE.

000426

000426

Burlington Environmental Mobile Decontamination Units

SAMPLE LOG

Page_____ of _____

Client: WILLIAMS NATURAL GAS.

Station: BUFFALO

Supervisor: ROBERT VARNUM

Date Sampled	Time	Unique Identification	Sample Result	Remarks
8-25-94		BUF - PC - DRAIN		DRIP DRAIN IN PIPECHASE
		BUF - CBW - WP1		COMPRESSOR BASEMENT
		BUF - CBW - WP2		WALL
		BUF - CBW - WP3	APROX 2' DOWN	
		BUF - CBW - WP4	UNDER STEEL	
		BUF - CBW - WP5	GRATEING.	
		BUF - CBW - WPC		
		BUF - ARH - WP1		3" HEADER OF AIR RECEIVE
				WEST SIDE.

000427

BURLINGTON ENVIRONMENTAL
A Philip Environmental Company

Chain-of Custody Record

3010 Greens Road
Houston, TX 77032

(713) 442-1794 Phone
(713) 442-1797 FAX

COC Serial No. D 1943

Project Name PCB LINE CLEANING
Project Number 11885 Phase . Task 3561 . 77
Samplers ROBERT VARNUM
Laboratory Name ETS ANALYTICAL
Location ROANOKE, VIRGINIA

Sample Number (and depth)	Date	Time	Matrix	Total Number of Bottles	Type of Analysis and Bottle: PCBs												Comments
BVF - PC - DRAIN	8-25-94		WIPE	1	✓												
BVF - CBN - WP1	"		"	1	✓												
BVF - CBN - WP2	"		"	1	✓												
BVF - CBN - WP3	"		"	1	✓												
BVF - CBN - WP4	"		"	1	✓												
BVF - CBN - WP5	"		"	1	✓												
BVF - CBN - WP6	"		"	1	✓												
BVF - AFH - WP1	"		"	1	✓												

Relinquished by:

Signature	Date	Time
[illegible]	8-26-94	0910

Received By:

Signature	Date	Time

Samples Iced: ☒ Yes ☐ No

Preservatives (ONLY for Water Samples)
- ☐ Cyanide ..... Sodium hyroxide (NaOH)
- ☐ Volatile Organic Analysis ..... Hydrochloric acid (HCl)
- ☐ Metals ..... Nitric acid (HNO_3)
- ☐ TPH (418.1) ..... Sulfuric acid (H_2SO_4)
- ☒ Other (Specify) _____
- ☐ Other (Specify) _____

Carrier:

Airbill No.

Shipping and Lab Notes: WIPE SAMPLES PRESERVED IN HEXANE

000428

APPENDIX C

SECOR International, Inc. Documentation

000429

Date: 01/22/95

FACSIMILE TRANSMITTAL

Page 1
# of pages: 4 2

To: Ms. Barbara Minette
Secor
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Metz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.

LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
173461	T-BUF-CBAS-DIRT	SOIL	PCB	<1.0	mg/kg

Do not hesitate to contact me with any questions.

Elizabeth Metz
Customer Service Representative

000430

Date: 01/23/95

FACSIMILE TRANSMITTAL

Page # 2
# of pages: # 3

To: Ms. Barbara Minette
Seacor
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Hetz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
173462	T-BUF-CBAS-OIL	OIL	PCB	<1.0	mg/kg

Do not hesitate to contact me with any questions.

Elizabeth Hetz
Customer Service Representative

000431

Date: 01/23/95

FACSIMILE TRANSMITTAL

Page 3
# of pages: 3

To: Ms. Barbara Minette
Seacor
FAX: 904/565-1051
Phone: 904/565-1013

FROM: Elizabeth Metz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
173463	T-BUF-CRAB-SLUDGE	SLUDGE	PCB	<1.0	mg/kg

Do not hesitate to contact me with any questions.

Elizabeth Metz
Customer Service Representative

000432

Date: 01/23/95

FACSIMILE TRANSMITTAL

Page 1
# of pages: 1

To: Doug Birkbeck
WNG
FAX: 918-588-3918
Phone:

From: Elizabeth Hetz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
173507	T-BUF-IPC-01A	WIPE	PCB	<1.0	ug/total
173508	T-BUF-IPC-02A	WIPE	PCB	<1.0	ug/total
173509	T-BUF-IPC-03A	WIPE	PCB	<1.0	ug/total
173510	T-BUF-IPC-03AREP	WIPE	PCB	<1.0	ug/total
173511	T-BUF-IPC-04A	WIPE	PCB	<1.0	ug/total
173512	T-BUF-IPC-05A	WIPE	PCB	<1.0	ug/total
173513	T-BUF-IPC-06A	WIPE	PCB	<1.0	ug/total
173514	T-BUF-IPC-07A	WIPE	PCB	<1.0	ug/total
173515	T-BUF-IPC-08A	WIPE	PCB	<1.0	ug/total

Do not hesitate to contact me with any questions.

Elizabeth Hetz
Elizabeth Hetz
Customer Service Representative

000433

Date: 01/30/95

FACSIMILE TRANSMITTAL

Page 1
# of pages: ____

To: Ms. Barbara Minette
Seacor
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Betz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
173981	T-BUF-AUX-31A	WIPE	PCB	<1.0	ug/total
173982	T-BUF-AUX-31ARRP	WIPE	PCB	<1.0	ug/total
173983	T-BUF-AUX-32A	WIPE	PCB	<1.0	ug/total
173984	T-BUF-AUX-33A	WIPE	PCB	<1.0	ug/total
173985	T-BUF-AUX-34A	WIPE	PCB	<1.0	ug/total
173986	T-BUF-AUX-35A	WIPE	PCB	<1.0	ug/total
173987	T-BUF-BLNK	WIPE	PCB	<1.0	ug/total

Do not hesitate to contact me with any questions.

Elizabeth Betz
Customer Service Representative

000434

Date: 02/10/95

FACSIMILE TRANSMITTAL

Page # 2
# of pages: 2

To: Ms. Barbara Minette
SECOR
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Betz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
174601	T-BUF-CBAS-01	WIPE	Aroclor 1254	11.0000	ug Total
174602	T-BUF-CBAS-01REP	WIPE	Aroclor 1254	12.0000	ug Total
174603	T-BUF-CBAS-02	WIPE	PCB	< 1.0000	ug Total
174604	T-BUF-CBAS-03	WIPE	Aroclor 1254	3.9000	ug Total
174605	T-BUF-CBAS-04	WIPE	Aroclor 1254	5.9000	ug Total
174606	T-BUF-CBAS-05	WIPE	Aroclor 1254	19.0000	ug Total
174607	T-BUF-CBAS-06	WIPE	PCB	< 1.0000	ug Total
174608	T-BUF-CBAS-07	WIPE	Aroclor 1254	29.0000	ug Total
174609	T-BUF-CBAS-08	WIPE	PCB	< 1.0000	ug Total
174610	T-BUF-CBAS-09	WIPE	Aroclor 1254	7.5000	ug Total
174611	T-BUF-CBAS-10	WIPE	PCB	< 1.0000	ug Total
174612	T-BUF-CBAS-11	WIPE	PCB	< 1.0000	ug Total
174613	T-BUF-CBAS-12	WIPE	Aroclor 1254	1.5000	ug Total
174614	T-BUF-CBAS-13	WIPE	PCB	< 1.0000	ug Total
174615	T-BUF-CBAS-13REP	WIPE	Aroclor 1254	1.5000	ug Total
174616	T-BUF-CBAS-14	WIPE	Aroclor 1254	1.2000	ug Total
174617	T-BUF-CBAS-15	WIPE	PCB	< 1.0000	ug Total
174618	T-BUF-CBAS-16	WIPE	Aroclor 1254	1.5000	ug Total
174619	T-BUF-CBAS-17	WIPE	Aroclor 1254	2.2000	ug Total
174620	T-BUF-CBAS-18	WIPE	Aroclor 1254	15.0000	ug Total
174621	T-BUF-CBAS-19	WIPE	Aroclor 1254	3.2000	ug Total
174622	T-BUF-CBAS-20	WIPE	PCB	< 1.0000	ug Total
174623	T-BUF-CBAS-21	WIPE	Aroclor 1254	5.6000	ug Total
174624	T-BUF-CBAS-22	WIPE	Aroclor 1254	3.6000	ug Total
174625	T-BUF-CBAS-23	WIPE	Aroclor 1254	25.0000	ug Total
174626	T-BUF-CBAS-24	WIPE	Aroclor 1254	8.8000	ug Total
174627	T-BUF-CBAS-25	WIPE	Aroclor 1254	1.7000	ug Total
174628	T-BUF-CBAS-BLNK	WIPE	PCB	< 1.0000	ug Total

000435

Date: 02/21/95

FACSIMILE TRANSMITTAL

Page 1
# of pages: 4

To: Ms. Barbara Minette
Seacor
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Betz
ETSAS, Inc.

Buffalo
Clean

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
174911	BUF-BLANK	WIPE	PCB	<1.0	ug/total
174912	BUF-CBAS-1A	WIPE	PCB	<1.0	ug/total
174913	BUF-CBAS-1ARMP	WIPE	PCB	<1.0	ug/total
174914	BUF-CBAS-2A	WIPE	PCB	<1.0	ug/total
174915	BUF-CBAS-3A	WIPE	PCB (1254)	7.0	ug/total
174916	BUF-CBAS-4A	WIPE	PCB	<1.0	ug/total
174917	BUF-CBAS-5A	WIPE	PCB (1254)	4.4	ug/total
174918	BUF-CBAS-6A	WIPE	PCB	<1.0	ug/total
174919	BUF-CBAS-7A	WIPE	PCB	<1.0	ug/total
174920	BUF-CBAS-8A	WIPE	PCB (1254)	2.0	ug/total
174921	BUF-CBAS-9A	WIPE	PCB (1254)	1.1	ug/total
174922	BUF-CBAS-10A	WIPE	PCB	<1.0	ug/total
174923	BUF-CBAS-11A	WIPE	PCB (1254)	1.2	ug/total
174924	BUF-CBAS 12A	WIPE	PCB (1254)	1.5	ug/total
174925	BUF-CBAS-13A	WIPE	PCB (1254)	1.1	ug/total

ETS Analytical Services, Inc. • 1401 Municipal Road • Roanoke, VA • (703) 563-4866 • FAX: (703) 563-4866

000436

Date: 02/21/95

FACSIMILE TRANSMITTAL

Page 2
# of pages: 4

To: Ms. Barbara Minetta
Secor
FAX: 904/565-1051
Phone: 904/565-1012

From: Elizabeth Hetz
ETSAS, Inc.

ETS ANALYTICAL SERVICES, INC.
LABORATORY DATA

A formal report and invoice will be issued on the following data

ETS sample #	Client sample #	Matrix	Analysis	Result	Units
174926	BUF-CBAS-14A	WIPE	PCB	<1.0	ug/total
174927	BUF-CBAS-14ARTP	WIPE	PCB	<1.0	ug/total

Do not hesitate to contact me with any questions.

Elizabeth Hetz

Customer Service Representative

FEB-10-1995 12:05 SECOR'S BEST FIELD TECH'S P.29

ETS Analytical Services, Inc.
Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24012
703/265-0084 • 800/767-4016 • 703/563-4866 [FAX]

PROJ No. 0041061-01 TASK 16

PROJECT NAME WNG BUFFALO STATION

SAMPLERS (Signature) [signature]

TURN-AROUND TIME REQUESTED: 72 HR

METHOD OF SHIPMENT: FED. EXPRESS

FIELD ID	DATE	TIME	G *	C *	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW 846 8080					REMARKS & OBSERVATIONS
T-BUF-CBAS-DIRT	1-16-95	1420		X	COMPRESSOR BLDG. BASEMENT	DIRT-CLAY SAMPLE	1	X					5 PT. COMPOSITE
T-BUF-CBAS-OIL		1422		X		OIL SAMPLE	1	X					
T-BUF-CBAS-SLUDGE		1425		X		SLUDGE SAMPLE	1	X					

Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Received by: [Signature]
[signature]	1-16-95 1530			
Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Received by: [Signature]
Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Remarks:

000438

Original Accompanies Shipment

* G = Grab * C = Composite

Analytical Services, Inc.
Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24012
703/265-0004 • 800/767-4816 • 703/563-4888 (FAX)

PROJ No. 941-001-01 Sk 16

PROJECT NAME: WING BUFFALO STATION

TURN-AROUND TIME REQUESTED: 72 hr.

SAMPLERS (Signature): Jerry H Peck

METHOD OF SHIPMENT: FEDERAL EXPRESS

FIELD ID	DATE	TIME	G.	C.	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW 846-8080					REMARKS & OBSERVATIONS
WF-IAC-01A	1-17-95	1500			AUX. BLDG - INSIDE PIPE CHASE	WIPE SAMPLE	1	X					CLP PACKAGE MODIFIED FOR PCB'S
BWF-IPC-02A		1501					1	X					
BWF-IPC-03A		1502					1	X					
BWF-IPC-03A REP		1503					1	X					
BWF-IPC-04A		1504					1	X					
BWF-IPC-05A		1505					1	X					
BWF-IPC-06A		1506					1	X					
BWF-IPC-07A		1507					1	X					
BWF-IPC-08A		1508					1	X					

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
Jerry H Peck	1-17-95 / 1700			
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Remarks: FAX RESULTS TO: BARB MINITTE SECOR. 904-565-1051. QUESTIONS TO SAME: 904-565-1011

0004

000439

ETS Analytical Services, Inc.
A Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1404 Municipal Rd., Roanoke, VA 21011
703/265-0004 * 800/767-4016 * 703/663-4036 (FAX)

PROJ No.: VOC-11-001-01 TASK-16

PROJECT NAME: WNG BUFFALO STATION

TURN-AROUND TIME REQUESTED: 72 hr.

SAMPLERS (Signature): [signature] / [signature]

METHOD OF SHIPMENT: Federal Express

FIELD ID	DATE	TIME	G	C	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846 8080					REMARKS & OBSERVATIONS
T-4 UF-AUX-31A [illegible]	1-19-95	1445			AUX BLDG. FLOOR	WIPE SAMPLE	1	X					CLP PACKAGE modified FOR PCB's
T-4 UF-AUX [illegible]	1-19-95	1446					1	X					
T-3 UF-AUX-32A [illegible]	1-19-95	1449					1	X					
T-4 UF-AUX-33A [illegible]	1-19-95	1451					1	X					
T-3 UF-AUX-34A [illegible]	1-19-95	1452					1	X					
T-4 UF-AUX-35A [illegible]	1-19-95	1454					1	X					
T-BUF-BLNK	1-19-95	1500			BLNK		1	X					

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	1-23-95 / 1700			
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[illegible]ed by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Remarks: FAX RESULTS TO: BARB MINETTE SECRET: 904-565-1051
		[signature]	1-25-95 6:45	QUESTIONS TO: SAME: 904-565-1012

[illegible]ipment * G = Grab * C = Composite

173081- 173487

00044

000440

1

SDG# 173461

ETS Analytical Services, Inc.
A Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24012
703/265-8084 * 800/767-4016 * 703/563-4666 (FAX)

PROJ No. V0041-001-01 TASK-16

PROJECT NAME WILLIAMS NATURAL GAS BUFFALO STATION

SAMPLERS (Signature) Jay H Peck, Jay H Peck, David W. Evans

NUMBER OF CONTAINERS: SW846 8080

TURN-AROUND TIME REQUESTED: 72hr

METHOD OF SHIPMENT: FED EX

FIELD ID	DATE	TIME	G *	C *	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846 8080	REMARKS & OBSERVATIONS
T-BUF-CBAS 01	2-1-95	1430			COMPRESSOR BLDG. BASEMENT	WIPE SAMPLE	1	X	CLP PACKAGE MODIFIED FOR PCB's
T-BUF-CBAS 01 REP		1432							
T-BUF-CBAS 02		1434							
T-BUF-CBAS 03		1436							
T-BUF-CBAS 04		1437							
T-BUF-CBAS 05		1438							
T-BUF-CBAS 06		1441							
T-BUF-CBAS 07		1442							
T-BUF-CBAS 08		1444							
T-BUF-CBAS 09		1447							
T-BUF-CBAS 10		1450							

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	2-3-95 1715	FED EX	2-3-95 17-15	
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
FED EX	2-6-95			
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Remarks: SEND RESULTS TO BARB MINETTE @ SECOR FAX 904 565 1051
		Lisa Sidley	2-6-95 1310	QUESTIONS TO SAME PH. 904 565 1012

* Shipment * G = Grab * C = Composite

000441

03/03/95 18:02 904 565 1051 SECOR JAX

2

ETS Analytical Services, Inc.
Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24012
703/265-0004 * 800/[illegible]-4088 * 703/582-4666 (FAX)

PROJ No. 10041-001-01
PSK-16

PROJECT NAME: WILLIAMS NATURAL GAS BUFFALO STATION

SAMPLERS (Signature): Jay H Pick — JAY H. PICK; David W. Evans — DAVID W. EVANS

TURN-AROUND TIME REQUESTED: 72 hr

METHOD OF SHIPMENT: FED EX

FIELD ID	DATE	TIME	G *	C *	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846 8080				REMARKS & OBSERVATIONS
[illegible] 11	2-1-95	1439			[illegible]	WIPE SAMPLE	1	X				CLP PACKAGE MODIFIED FOR PCB's
[illegible] 12		1440										
[illegible] 13		1456										
[illegible] 13 [illegible]		1457										
[illegible] 14		1454										
[illegible] 15		1452										
[illegible] 16		1500										
[illegible] 17		1459										
[illegible] 18		1501										
[illegible] 19		1503										
[illegible] 20		1505										

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	2-3-95 1715	FED EX	1715 2-3-95	
[illegible] by: (Signature)	Date & Time	Received by: (Signature) ETS	Date & Time	Received by: (Signature)
[illegible] EX	2-6-95			
[illegible]: (Signature)	Date & Time	Received by: (Signature) [illegible]	Date & Time 2-6-95 1310	Remarks: SEND RESULTS TO BARB MINETTE @ SECOR FAX 904 565 1051 QUESTIONS TO SAME PH. 904 565 1012

* Shipment * G = Grab * C = Composite

0004

000442

ETS Analytical Services, Inc.
A Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1001 Municipal Rd. Roanoke, VA 24012
703/265-0004 * 800/761-4018 * 703/563-4566 (FAX)

PROJ No. V0041-001-01
TASK - 16

PROJECT NAME: WILLIAMS NATURAL GAS BUFFALO STATION

SAMPLERS (Signature): Jay H. Peck, David Williams

TURN-AROUND TIME REQUESTED: 72 hr

METHOD OF SHIPMENT: FED EX

FIELD ID	DATE	TIME	G	C	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846 8080	REMARKS & OBSERVATIONS
T. [illegible] 21	2-1-95	1510			COMPRESSOR BLDG BASEMENT	WIPE SAMPLE	1	X	CLP PACKAGE MODIFIED FOR PCB's
[illegible] 22		1512							
[illegible] 23		2110							
BUFFLEAS 24		2118							
[illegible] 25		2120							
[illegible]		1400							

LAST SAMPLE THIS PAGE

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	2-3-95 1715	FED EX	1715 2-3-95	
[illegible]shed by: (Signature)	Date & Time	Received by: (Signature) ETS	Date & Time	Received by: (Signature)
EX	2-6-95			
[illegible]: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Remarks: SEND RESULTS TO BARB MINETTO @SECOR FAX 904 565 1051
		[signature]	2-6-95 1710	Questions to Same Ph. 904 565 1012

[illegible] Shipment * G = Grab * C = Composite

173461

ETS Analytical Services, Inc.
A Subsidiary of ETS International, Inc.

ETSAS
CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24017
703/205-0004 * 800/763-4918 * 703/563-4864 (FAX)

PROJ No. V0041-001-01 TASK 16

PROJECT NAME SECOR WNG BUFFALO STATION Page 1 of 1

SAMPLERS (Signature) David W. Evans

TURN-AROUND TIME REQUESTED: 72 HR

METHOD OF SHIPMENT: FEDERAL EXPRESS

FIELD ID	DATE	TIME	G *	C *	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846-8080				REMARKS & OBSERVATIONS
BUF-BLANK	2-13-95	1605			BUFFALO CAMP BASEMENT	WIPE SAMPLE	1	X				CLP Package Modified for PCBs
BUF-CBAS-1A		1610										
BUF-CBAS-1AREP		1611										
BUF-CBAS-2A		1614										
BUF-CBAS-3A		1616										
BUF-CBAS-4A		1618										
BUF-CBAS 5A		1621										
BUF-CBAS 6A		1623										
BUF-CBAS 7A		1627										
BUF-CBAS 8A		1629										
BUF-CBAS 9A		1631										

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	2-16-95 1730	FED EX	2-16-95 1730	
Relinquished by: (Signature) FED EX	Date & Time 2-17-95	Received by: (Signature)	Date & Time	Received by: (Signature)
Relinquished by: (Signature)	Date & Time	Received by: (Signature) Lisa Gilley	Date & Time 1455 2-17-95	Remarks: 174911 - 174927

Accompanies Shipment

* G = Grab * C = Composite

000444

000444

1S Analytical S[illegible]es, Inc.
Subsidiary of E[illegible] International, Inc.

E[illegible]AS

CHAIN OF CUSTODY FORM

1401 Municipal Rd. Roanoke, VA 24012
703/355-0004 * 800/767-4016 * 703/563-4946 (FAX)

PROJ No. 10041-001-01 TASK 16

PROJECT NAME SECOR WNG Buffalo Station Page 2 of 2

SAMPLERS (Signature) David W. Evans [signature]

TURN-AROUND TIME REQUESTED: 72 hr

METHOD OF SHIPMENT: FED EX

FIELD ID	DATE	TIME	G *	C *	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846 8080					REMARKS & OBSERVATIONS
BUF-CBAS-10A	2-13-95	1635			BUFFAL COMP BASEMENT	WIPE SAMPLE	1	X					CLP PACKAGE 802 Modified for PCB's
BUF-CBAS-11A		1636											
BUF-CBAS-12A		1637											
BUF-CBAS-13A		1639											
BUF-CBAS 14A		1641											
BUF-CBAS 14A REP		1642											
— LAST — SAMPLE — THIS — PAGE —													

Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Received by: (Signature)
[signature]	2-16-95 1730	FED EX	2-16-95 1730	
Relinquished by: (Signature) FED EX	Date & Time 2-17-95	Received by: (Signature)	Date & Time	Received by: (Signature)
Relinquished by: (Signature)	Date & Time	Received by: (Signature)	Date & Time	Remarks:

Original Accompanies Shipment

* G = Grab * C = Composite

000445

000441

03/03/95 18:04 ☎904 565 1051 SEACOR JAX

Analytical Services, Inc.
Subsidiary of International, Inc.
1401 Municipal Rd. Roanoke, VA 24012
703/265-6064 • 800/787-4016 • 703/563-4866 (FAX)

CHAIN OF CUSTODY FORM

PROJ No. 10041-001-01 TASK 16

PROJECT NAME SECOR WNG BUFFALO STATION Page 1 of 1

SAMPLERS (Signature) David W. Evans

TURN-AROUND TIME REQUESTED: 72 HR

METHOD OF SHIPMENT: FEDERAL EXPRESS

FIELD ID	DATE	TIME	G*	C*	STATION LOCATION & DESCRIPTION	SAMPLE MATRIX	NUMBER OF CONTAINERS	SW846-8080				REMARKS & OBSERVATIONS
BUF-BLANK	2-13-95	1605			BUFFALO COMP BASEMENT	WATER SAMPLE	1	X				CLP Package Modified for PCB's
BUF-CBAS-1A		1610										
BUF-CBAS-1AREP		1611										
BUF-CBAS-2A		1614										
BUF-CBAS-3A		1616										
BUF-CBAS-4A		1618										
BUF-CBAS 5A		1621										
BUF-CBAS 6A		1623										
BUF-CBAS 7A		1627										
BUF-CBAS 8A		1629										
BUF-CBAS 9A		1631										

Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Received by: [Signature]
	2-16-95 1736	FEDEX	2-16-95 1736	
Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Received by: [Signature]
FED EX	2-17-95			
Relinquished by: [Signature]	Date & Time	Received by: [Signature]	Date & Time	Remarks:

Original Accompanies Shipment

* G = Grab * C = Composite

000446

ROSS Ross Analytical Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

May 10, 1994

Williams Natural Gas
Doug Birckbeck
P.O. Box 3288
Tulsa, Ok 74137

Dear Doug:

When analyzing samples from several stations associated with the GSSPLAB project, difficulties were encountered. These samples were run on three different instruments in the gas chromatography laboratory.

When the extracts for soils, oils, and wipes are analyzed at full strength, an oily residue built up in the instrument injection ports, even at 280 degrees C. This residue was responsible for instrument response to drop off to near zero. At first 1:6 and 1:11 dilutions were analyzed to attempt to correct the problem. Finally 1:21 dilutions of the samples seemed to dilute the oil being trapped in our GC's, enough to allow daily continuing calibration checks to pass. Other workorders will all be analyzed at 1:21 dilutions.

If you have any another questions, or need additional information please let me know.

Sincerely,
Ross Analytical Services, Inc.

Lisa M. Alexander

Lisa M. Alexander
Account Representative

000447

ROSS Ross Analytical Services, Inc.
16433 Foltz Industrial Parkway • Strongsville, Ohio 44136
(216) 572-3200 • Fax (216) 572-7620 • 1-800-325-7737

March 8, 1995

Mr. Douglas Birckbeck
Williams Natural Gas
P.O. Box 3288
Tulsa, OK 74137

Dear Doug;

The following is a response to your request for additional information on waters analyzed from the Buffalo station. Two waters received, BUF-002-WA and BUF-002D-WA were analyzed at 1:100 dilutions.

As indicated in my letter on May 10, 1994, we experienced a difficulty with some samples on this project. An oily residue accumulated on the injection ports of our instruments when some samples were analyzed. I have attached the letter for your reference. Although this difficulty was primarily seen in soils, oils and wipes, these two water samples had the same interference pattern as was seen in other samples. A lower dilution was not performed due to this interference. It is not possible to reanalyze these samples at this time since all samples and extracts have been disposed. However, is new samples were submitted, we would be happy to analyze them.

The proper volume of sample was submitted. One liter of sample was extracted, per the method SW-846 8080.

Doug, if you have any questions, please do not hesitate to contact me. I look forward to hearing from you.

Sincerely;
Ross Analytical Services, Inc.

Lisa M. Alexander
Account Representative

000448

APPENDIX G:

July 10, 2000 QAPP APPENDIX B

000449

APPENDIX B
DECONTAMINATION PROCEDURES

1.0 General

1.1 Introduction

The cleaning procedures outlined in this appendix are for use by all personnel in cleaning sampling and other field equipment as well as sample containers prior to field use. Sufficient clean equipment and sample containers should be transported to the field so that an entire inspection or investigation can be conducted without the need for field cleaning of equipment. However, this will not always be possible when using specialized field equipment. Field cleaning procedures are included to cover these special areas. Emergency field sample container cleaning procedures are also included; however, they should not be used unless absolutely necessary. Specific cleaning procedures are presented in the following sections.

These procedures are the standard operating procedures (SOP). Sampling and field equipment cleaned in accordance with these procedures meet the minimum requirements for Data Quality Objectives (DQO) Level IV field work, i.e., the standard level for field work performed by personnel. Alternative field decontamination procedures may be substituted when samples are to be analyzed for data uses at a lower DQO level. Deviations from these procedures must be documented in the approved study plan, field records, and investigative reports.

1.2 Cleaning Materials

The cleaning materials referred to in this Section are described in the following paragraphs.

The laboratory detergent shall be a standard brand of phosphate-free laboratory detergent such as Liquinox. The use of any other detergent must be justified and documented in the field logbooks and inspection or investigative reports.

The nitric acid solution (10 percent) shall be made from reagent-grade nitric acid and de-ionized water.

The standard cleaning solvent shall be pesticide-grade isopropanol. However, other solvents may be substituted for a particular investigation if needed. Pesticide-grade acetone or methanol are both acceptable. However, it should be noted that if pesticide-grade acetone is used, the detection of acetone in samples collected with acetone rinsed equipment is suspect. Pesticide-grade methanol is much more hazardous to use than either pesticide-grade isopropanol or acetone, and its use is discouraged. Pesticide-grade hexane and petroleum ether are not miscible with water; therefore, these two solvents are not effective rinsing agents unless equipment is dry. The use of any solvent other than pesticide-grade isopropanol for equipment cleaning purposes must be justified and its use must be documented in field logbooks and inspection or investigation reports.

Tap water may be used from any municipal water treatment system. The use of an untreated potable

water supply is not an acceptable substitute for tap water.

De-ionized water is defined as tap water that has been treated by passing through a standard deionizing resin column. This utilizes a 5-micron prefilter followed by a mixed bed deionization unit to produce de-ionized water. The de-ionized water should contain no heavy metals or other inorganic compounds (i.e., at or above analytical detection limits). Organic-free water is defined as tap water that has been treated with activated carbon and deionizing units. Organic-free water should contain no pesticides, herbicides, extractable organic compounds, and less than 5 ug/l of purgeable organic compounds.

During cleaning operations, the substitution of a higher-grade water (i.e., de-ionized or organic-free water for tap water) is permitted and need not be noted as a variation of this SOP. However, the de-ionized and organic-free water utilized must be subjected to the specific quality control procedures as outlined in Section 2.2.

The solvents, nitric acid solution, laboratory detergent, and rinse waters used to clean equipment shall not be reused, except as specifically permitted in the footnote for Step 3, Section 3.

1.3 Marking of Cleaned Sampling Equipment and Containers

All equipment and sample containers that are cleaned utilizing these procedures shall be labeled, or marked with the date that the equipment was cleaned. Also, if there was a deviation from the standard cleaning procedures outlined in this appendix, this fact should be noted on the label.

1.4 Marking and Segregation of Used Field Equipment

Field or sampling equipment that needs to be repaired will be identified with a red tag. Any problems encountered with the equipment and needed repairs shall be noted on this tag. Field equipment or reusable sample containers needing cleaning or repairs will not be stored with clean equipment, sample tubing, or sample containers. All plastic wrapped equipment, containers and tubing not used in the field may be placed back in stock after the following precautions are taken:

- Soap and water rinse plastic containers. Allow to air dry.
- If plastic wrapping leaks after soap/water rinse, remove equipment and place into cleaning process.

1.5 Decontamination of Equipment Used to Collect Samples of Toxic or Hazardous Waste

Equipment that is used to collect samples of hazardous materials or toxic wastes or materials from hazardous waste sites, RCRA facilities, or in-process waste streams shall be decontaminated before it is returned from the field. At a minimum, this decontamination procedure shall consist of washing with laboratory detergent and rinsing with tap water. More stringent decontamination procedures may be required, depending on the waste sampled.

1.6 Proper Disposal of Cleaning Materials

The solvent used to rinse sampling equipment and containers shall be collected and disposed of through an approved hazardous waste disposal facility. Similarly, spent nitric acid shall be collected and disposed of through the same disposal facility. These procedures apply whether the cleaning operations take place a washroom or in the field.

1.7 Safety Procedures to be Utilized During Cleaning Operations

The materials used to implement the cleaning procedures outlined in this Appendix can be dangerous if improperly handled. Due caution must be exercised by all personnel and all applicable safety procedures shall be followed. At a minimum, the following precautions shall be taken in the washroom and in the field during these cleaning operations:

- Safety glasses with splash shields or goggles, neoprene gloves, and a neoprene laboratory apron will be worn during all cleaning operations. When cleaning power augering or drill rig equipment, safety boots will be worn.
- All solvent rinsing operations will be conducted in the open (never in a closed room).
- No eating, smoking, drinking, chewing, or any hand to mouth contact shall be permitted during cleaning operations.

1.8 Storage of Field Equipment and Sample Containers

All field equipment and sample containers shall be stored in a contaminant free environment after being cleaned using the procedures outlined in this Appendix.

2.0 Specific Quality Control Procedures for Cleaning Operations

2.1 General

This section establishes guidelines for specific quality control procedures to monitor the effectiveness of the sampling equipment and sample container cleaning procedures outlined in this Appendix. These procedures shall be carried out by all personnel and the results monitored by the Quality Assurance Manager. All quality control procedures shall be recorded in a logbook. If problems are detected, the Quality Assurance Manager shall immediately initiate an investigation to determine the cause of the problem(s) and institute immediate corrective action.

2.2 Rinse Water

The quality of the de-ionized and organic-free water used shall be monitored by collecting samples in standard pre-cleaned, sample containers and submitting them to the laboratory for a standard ICP scan. Organic-free water will also be submitted for low level pesticides, herbicides, and extractable

and purgeable compounds analyses. When field de-ionizing and/or organic-free water units are utilized, more frequent quality control samples will be collected. An initial sample of DI water and one sample per project are the minimum number considered acceptable.

2.3 Sampling Equipment Cleaned in Washroom

The effectiveness of the equipment cleaning procedures used in the washroom shall be monitored by rinsing cleaned equipment (equipment used to collect samples for trace organic compounds and metals analyses) with organic-free or Milli-Q water and submitting the rinse water to the ASB for low level analysis of extractable organic compounds including pesticides and a standard ICP scan. At least one piece of field equipment shall be selected for this procedure each month. An attempt should be made to select different pieces of equipment for this procedure, each time equipment is washed, so that a representative sampling of all equipment is obtained over a 12-month period.

2.4 Sampling Equipment Cleaned in the Field

The effectiveness of field cleaning procedures shall be monitored by rinsing field cleaned equipment with organic-free water and submitting the rinse water in standard sample containers to the laboratory for analysis as outlined in 2.3. Any time equipment is cleaned in the field, at least one such quality control sample shall be collected. No more than five percent of the equipment cleaned, during large scale field studies shall be subjected to these procedures.

Additional samples may be required to document quality assurance of field cleaning procedures. Any time a source of cleaning materials or rinse water is used other than that specified in Section 1.2, a sample of that cleaning material or rinse water shall be submitted in standard sample containers as specified in Section 2.2.

3.0 Cleaning Procedures for Teflon or Glass Field Sampling Equipment Used for the Collection of Samples for Trace Organic Compounds and/or Metals analysis*

1. Equipment will be washed thoroughly with laboratory detergent and hot water using a brush to remove any particulate matter or surface film.

2. The equipment will be rinsed thoroughly with hot tap water.

3. Rinse equipment with at least a 10 percent nitric acid solution. **

4. Rinse equipment thoroughly with tap water.

5. Rinse equipment thoroughly with de-ionized water.

6. Rinse equipment twice with solvent and allow to air dry for at least 24 hours.

7. Wrap equipment in one layer of aluminum foil. Roll edges of foil into a "tab" to allow for easy removal. Seal the foil wrapped equipment in plastic and date.

8. Rinse the Teflon or glass sampling equipment thoroughly with tap water in the field as soon as possible after use.

* - When this sampling equipment is used to collect samples that contain oil, grease, or other hard to remove materials, it may be necessary to rinse the equipment several times with pesticide-grade acetone or hexane to remove the materials before proceeding with Step 1. In extreme cases, it may be necessary to steam clean the field equipment before proceeding with Step 1. If the field equipment cannot be cleaned utilizing these procedures, it should be discarded.

** - Small and awkward equipment such as vacuum bottle inserts and well bailer may be soaked in the nitric acid solution instead of being rinsed with it. Fresh nitric acid solution should be prepared for each cleaning session.

4.0 Cleaning and Decontamination

All drilling rigs, drilling and sampling equipment, backhoes, and all other associated equipment involved in the drilling, field activies and sampling activities shall be cleaned and decontaminated before entering the designated site. All equipment should be inspected before entering the site to ensure that there are no fluids leaking and that all gaskets and seals are intact. All equipment entering a site shall be clean of any contaminants that may have been transported from another hazardous waste site, thereby minimizing the potential for cross-contamination. Before site-drilling activities are initiated, all equipment shall be thoroughly cleaned and decontaminated at the designated cleaning/decontamination area. The following requirements and procedures are to be strictly adhered to on all drilling activities.

Any portion of the drill rig, backhoe, etc., that is over the borehole (kelly bar or mast, backhoe buckets, drilling platform, hoist or chain pulldowns, spindles, cathead, etc.) shall be steam cleaned and wire brushed before being brought on the site to remove all rust, soil and other material which may have come from other hazardous waste sites. The drill rig and/or other equipment associated with the drilling and sampling activities shall be inspected to insure that all oil, grease, hydraulic fluid, etc., have been removed, and all seals and gaskets are intact and there are no fluid leaks. No oils or grease shall be used to lubricate drill stem threads or any other drilling equipment being used over the borehole or in the borehole without EPA approval. If drill stems have a tendency to tighten during drilling, Teflon® string can be used on the drill stem threads. The drill rig(s) shall be steam cleaned prior to drilling each borehole. In addition, all downhole drilling, sampling, and associated equipment that will meet the downhole equipment and sample medium shall be cleaned and decontaminated by the following procedures.

1. Clean with tap water and laboratory grade, phosphate-free detergent, using a brush, if necessary, to remove particulate matter and surface films. Steam cleaning and/or high pressure hot water washing may be necessary to remove matter that is difficult to remove with the brush. Hollow-stem augers, drill rods, shelby tubes, etc., that are hollow or have holes that transmit water or drilling fluids, shall be cleaned on the inside and outside. The steam cleaner and/or high pressure hot water washer shall be capable of generating a pressure of at least 2500 PSI and producing hot water and/or steam

(200°F plus).

2. Rinse thoroughly with tap water (potable)

   NOTE: Tap water (potable) may be applied with a pump sprayer. All other decontamination liquids (DI water, organic-free water, and solvents), however, must be applied with non-interfering containers. These containers shall be made of glass, Teflon®, or stainless steel. This aspect of the decontamination procedures used by the driller will be inspected by the site geologist and/or other responsible person prior to beginning of operations.

3. Rinse thoroughly with de-ionized water.

4. Rinse twice with solvent (pesticide grade isopropanol).

5. Rinse thoroughly with organic-free water and allow to air dry. Do not rinse with de-ionized or distilled water.

   NOTE: Organic-free water can be processed on-site by purchasing or leasing a mobile de-ionization-organic filtration system.

   NOTE: In some cases when no organic-free water is available, it is permissible (with approval) to leave off the organic-free water rinse and allow the equipment air dry before use.

6. Wrap with aluminum foil, if appropriate, to prevent contamination if equipment is going to be stored or transported. Clean plastic can be used to wrap augers, drill stems, casings, etc., if they have been air-dried.

7. All downhole augering, drilling and sampling equipment shall be sandblasted before Step #1 if painted, and/or if there is a buildup of rust, hard or caked matter, etc., that can not be removed by steam and/or high pressure cleaning. All sandblasting shall be performed prior to arrival on site.

8. All well casing, tremie tubing, etc., that arrive on-site with printing and/or writing on them shall be removed before Step #1. Emery cloth or sandpaper can be used to remove the printing and/or writing. Most well material suppliers can supply materials without the printing and/or writing if specified when materials are ordered.

9. Well casing, tremie tubing, etc., that are made of plastic (PVC) shall not be solvent rinsed during the cleaning and decontamination process. Used plastic materials that cannot be cleaned are not acceptable and shall be discarded.

Cleaning and decontamination of all equipment shall occur at a designated area on the site, downgradient, and downwind from the clean equipment drying and storage area. The cleaning and

decontamination area shall contain a wash water and/or waste pit excavated either with a backhoe or other heavy equipment. The pit and surrounding area shall be lined with heavy-duty plastic sheeting and designed to promote runoff of the wash/rinse water into the pit. If a pit cannot be excavated, a catch basin can be constructed out of wood and lined with plastic to contain the waste/rinse water until it can be containerized. All cleaning of drill rods, auger fights, well screen and casing, etc., will be conducted above the plastic sheeting using saw horses or other appropriate means. At the completion of the drilling activities, the pit shall be backfilled with the appropriate material designated by the site project leader, but only after the pit has been sampled, and the waste/rinse water has been pumped into 55-gallon drums for disposal. No solvent rinsates will be placed in the pit unless prior approval is granted. All solvent rinsates shall be collected in separate containers for proper disposal.

Tap water (potable) brought on the site for drilling and cleaning purposes shall be contained in a pre-cleaned tank of sufficient size so that drilling activities can proceed without having to stop and haul water. A stainless steel water tank with a minimum capacity of 1,000 gallons is preferred.

All materials used in the drilling activities shall be sampled for QA/QC purposes. These materials include drilling mud (dry and wet), filter pack materials, bentonite pellets, grout (wet and dry), and the tap water from the storage tank.

Other QA/QC samples shall be collected such as equipment rinse blanks, field blanks, etc., in accordance with other sections.

5.0 Miscellaneous

5.1 Ice Chests and Shipping Containers

All ice chests and reusable containers shall be washed with laboratory detergent (interior and exterior) and rinsed with tap water and air dried before storage. In the event that an ice chest becomes severely contaminated, in the opinion of the field investigator, with concentrated waste or other toxic material, it shall be cleaned as thoroughly as possible, rendered unusable, and properly disposed.

5.2 Organic-Free Water Storage Containers

1. These containers will be used only for transporting organic-free water.

2. New containers shall be prepared then rinsed thoroughly with organic-free water, filled with water and capped.

3. Used containers shall be capped with one layer of Teflon® paper and one layer of aluminum foil immediately after being used in the field.

4. The exterior of the container shall be washed with laboratory detergent and rinsed with de-ionized water.

5. The interior of the container shall be rinsed twice with solvent.

6. The interior of the container shall be thoroughly rinsed with organic free water. The container shall be filled with organic-free water and capped with one layer of Teflon paper, and one layer of aluminum foil. Organic-free water will not be stored in the containers longer than three days prior to a loadout.

5.3 Vehicles

All vehicles utilized by personnel should be washed (if possible) weekly or at the conclusion of each site clean-up or field sampling activities. This routine maintenance should minimize any chance of contamination of equipment or samples due to contamination of vehicles. When vehicles are used in conjunction with hazardous waste site inspections, or on studies where pesticides, herbicides, organic compounds, or other toxic materials are known or suspected to be present, a thorough interior and exterior cleaning is mandatory at the conclusion of such investigations. It shall be the responsibility of the project leader and/or field investigators to see that this procedure is followed.

All vehicles shall be equipped with trash bags and/or trash containers to facilitate vehicle cleaning. All personnel are responsible for keeping field vehicles clean by removing all trash and other debris before it accumulates. All contaminated trash and equipment must be kept separate from ordinary trash and must be properly disposed of on-site or upon return facility for proper disposal (Section 4.5).

6.0 Field Equipment Cleaning Procedures

6.1 General

Sufficient clean equipment should be transported to the field so that an entire study can be conducted without the need for field cleaning. However, this is not possible for some specialized items of field equipment such as portable power augers, well drilling rigs, soil coring rigs, and other large pieces of field equipment. In addition, particularly during large-scale studies, it is not practical or possible to transport to the field all of the precleaned field equipment required. The following procedures are to be utilized when equipment must be cleaned in the field.

6.2 Teflon, Glass, Stainless Steel or Metal Equipment Used to Collect Samples for Organic Compounds and Trace Metals Analyses*

1. Clean with tap water and laboratory detergent using a brush if necessary to remove particulate matter and surface films.

2. Rinse thoroughly with tap water.

3. Rinse thoroughly with de-ionized water.

4. Rinse twice with solvent.

5. Rinse thoroughly with organic-free water and allow to air dry as long as possible.

6. If organic-free water is not available, allow equipment to air dry as long as possible. Do not rinse with de-ionized or distilled water.

7. Wrap with aluminum foil, if appropriate, to prevent contamination if equipment is going to be stored or transported.

000458