Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1388 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 3-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	11	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	11	2 -150	11	Assay Prep	11
				Excessive Wetness	265
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1388

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-486-605-610		0.008
D2 R88-486-610-615		0.007
D2 R88-486-615-620		0.012
D2 R88-486-620-625		0.004
D2 R88-486-625-630		0.004
D2 R88-486-630-635		0.008
D2 R88-486-635-640		0.010
D2 R88-486-640-645		0.006
D2 R88-486-645-650		0.010
D2 R88-486-650-655		0.006
D2 R88-486-655-660		0.005

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK -2	Angle or Vertical Rig ---(circle one)---	DATE: OCT 20, 1988

Daily Start time: NOON 12:00	Daily Finish time: MIDNITE 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHAI - GILT EDGE

Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
R88-486						425 FT.
Depth today: 425	Depth yesterday: (0)	Depth today:		Depth today:		

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers		"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	16 ft.	of 7	"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MISSION		New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY	
12:00	12:15	STANDBY FOR BLAST	
12:15	2:00	TRIP OUT ; RIG DOWN	
2:00	2:45	MOVE	.75
2:45	4:15	SET UP ; DRILL + SET 16' SURFACE	
4:15	12:00	DRILL TO 425'	6 1.75 / 7.75
		RIG HOURS 11	
		MOVING 3/4	
		STANDBY 1/4	

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

3/4 Hrs. MOVING, ____ Hrs. HAULING WATER, 1/4 Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

Mark Waite — Hrs. 12
Drillers signature

BENJIE STOFLET — Hrs. 12
Helpers signature

DOUG DAVIDSON — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robertson Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

YELLOW-GEOLOGIST COPY

LAB. REPORT NO. _____

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 10-23-88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment _____ TOTAL NUMBER OF SAMPLES 60

GEOLOGIST'S NAME _____ PHONE NUMBER _____ PROJECT NAME OR NUMBER _____

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	Ore test
PC	60	R88-487	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
DRY		3-5-	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		295-300	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☐ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 60 DAYS-DISCARD
STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD
STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☐ Results J. Pearson
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results J. Pearson
☐ Invoices Exploration
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

CLIENT'S COPY

LAB. REPORT NO. _____

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 10-23-88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment _____ TOTAL NUMBER OF SAMPLES 20

GEOLOGIST'S NAME _____ PHONE NUMBER _____ PROJECT NAME OR NUMBER _____

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	Ore test
DC	20	R88-487	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
DRY		300-305	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		400-405	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☐ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 60 DAYS-DISCARD

STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD

STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☐ Results J. Baron
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results J. Baron
☐ Invoices Tech Plane
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

CLIENT'S COPY

LAB. REPORT NO. 098-1383

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 10-27-88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment _____ TOTAL NUMBER OF SAMPLES _____

GEOLOGIST'S NAME _____ PHONE NUMBER _____ PROJECT NAME OR NUMBER _____

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	Ore test
RC		488-487	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		410-710	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☐ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 60 DAYS-DISCARD
STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD
STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☐ Results Jim Barron
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results Jim Barron
☐ Invoices EROHM Mine
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

CLIENT'S COPY

LAB. REPORT NO. 098-1387

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 10/23/88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment _____ TOTAL NUMBER OF SAMPLES 54

GEOLOGIST'S NAME JIM BARRON PHONE NUMBER _____ PROJECT NAME OR NUMBER _____

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	Ore test
DC	WET	848-487	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
WET		910-915	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		1170-1175	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☒ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / ☒ unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 60 DAYS-DISCARD

STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD

STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☐ Results JIM BARRON
☐ Invoices BROHM MINE
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

CLIENT'S COPY

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)---	DATE: 10/21/88

Daily Start time: 12:00 am	Daily Finish time: 12:00 pm	Subsistence: 1 Day 3 Men	PROJECT NAME: Brohm (Gilt Edge) 24hrs.

Hole #:	Angle or Vertical --(circle one)---	Hole #: K88-482	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 660	Depth yesterday: (425)	Depth today: 15		Depth today:		_____ FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	Elbow			
	"	Rod Wipers		"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	ft. of	"	Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6"	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	Mission Button		New Bit / Bit previously used on this project / Used Bit (circle one)
BIT#:	SIZE: 5 1/8	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE: Mission Button	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit (circle one)

FROM	TO	ACTIVITY	
11:45am	12:00	Discussing hole	
12:00	1:15	Drilled from 425'-465'	1.25
1:15	2:45	round tripped rods & put a sharpened bit on	1.5
8:45	9:00	Drilled from 465'-660 (started Booster at 4:00)	6.25
9:00	10:15	tripped rods out & abandoned hole	
10:15	10:30	tore down rig	
10:30	11:00	moved to next site	
11:00	12:00	set up, drilled 15' for starter pipe	
12:00	1:30 pm	tore booster apart to see what valves were out	

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) 11 1/2 → Rig Time
5 → Booster
1/2 → move time

Drillers signature: Scott Krug Hrs. 13 3/4

Helpers signature: Kevin Jensen Hrs. 13 3/4

Helpers signature: Brian Mether Hrs. 13 3/4

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robison Was the hole(s) completed to desired depth? Yes ____ No ____? ____

WHITE: Lang Office Copy YELLOW: Geologist Copy

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)---	DATE: OCT. 21, 1988

Daily Start time: NOON 12:00	Daily Finish time: MIDNITE 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHM - GILT EDGE

Hole #: R88-487	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 545	Depth yesterday: (15)	Depth today:		Depth today:		530 FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
____	Gal.	Quick Foam	____	____"	___X___ Nipple	____	____	____
____	Gal.	E-Z Mud	____	____"	___X___ Nipple	____	____	____
____	Bags	Cement	____	____"	___• Elbow	____	____	____
____	____"	Rod Wipers	____	____"	Tee	____	____	____
____	____"	Tri-Cone Wear Sleeves	____	____"	Pipe Plug	____	____	____
____	----	Bazooka Tube	____	ft. of	____ "Casing	____	____	____
____	----	14-Hole Adapter	____	____"	Casing Couplers	____	____	____

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
A 2350	6¼	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MISSION	530	New Bit__Bit previous used on this project__Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit__Bit previous used on this project__Used Bit ---(circle one)---

FROM	TO	ACTIVITY	
12:00	12:30	SET SURFACE CASING	
12:30	1:45	DRILL TO 100'	1.25
1:45	2:15	STANDBY FOR BLAST	.5
2:15	12:00	DRILL 100' TO 545'	9.75 / 11.00
		RIG HOURS 11½	
		STANDBY ½	

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____Hrs. MOVING, ____Hrs. HAULING WATER, ½ Hrs. STANDBY

____Hrs. BIG/SMALL CAT (circle one), ____Hrs. SKIDDER,

____Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

Mark Waite Hrs. 12
Drillers signature

BENSIE STUFLET Hrs. 12
Helpers signature

DOUG DAVIDSON Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____Getting Fuel
____Chasing for Parts
____Drive Time (after the 1st one hour)

CLIENT REP: Wally Robison Was the hole(s) completed to desired depth? Yes____ No____? ____

YELLOW-GEOLOGIST COPY

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig (circle one)	DATE: 10/22/88

Daily Start time: 12:00	Daily Finish time: 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: Brohm (61 1/4 edge) 24hrs

Hole #: R88-48	Angle or Vertical (circle one)	Hole #:	Angle or Vertical (circle one)	Hole #:	Angle or Vertical (circle one)	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 935	Depth yesterday: (545)	Depth today:		Depth today:		390 FT.

MATERIALS USED

Quantity	Size	Material Name	Quantity	Size	Material Name	Quantity	Size	Material Name
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud	2	3"	3 X 12 Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers	2	3"	Tee			
	"	Tri-Cone Wear Sleeves	1	3"	Pipe Plug			
	----	Bazooka Tube		ft. of	"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6 1/4	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	Mission Button		New Bit / Bit previously used on this project / Used Bit (circle one)
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit (circle one)

FROM	TO	ACTIVITY
11:45	12:00	Discussing hole
12:00	11:30	Drilled from 545'-935 on hole #R88-48
	11:12	(Started 3rd Comp. at 8:00)
		(Shut down for 15 min to replace plumbing)
11:30	12:00	tripping out

.25

11.75
9.50
21.25

21.25
20.75
.50

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) 1 3/4 → Rig Time; 1 3/4 → Booster; 3 1/4 → extra Compressor

Scott Krug Hrs. 12 1/4
Drillers signature

Kevin Jensen Hrs. 12 1/4
Helpers signature

Brian Mether Hrs. 12 1/2
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
1/4 Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robinson Was the hole(s) completed to desired depth? Yes ____ No ____? ____

WHITE: Lang Office Copy YELLOW: Geologist Copy

57.5