LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)----	DATE: OCT 22, 1988

Daily Start time: NOON 12:00	Daily Finish time: MIDNITE 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHIM - GILT EDGE

Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
R48-487						85 FT.
Depth today: 1015	Depth yesterday: (930)	Depth today:		Depth today:		

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
____	Gal.	Quick Foam	____	____"	___X___ Nipple	____	____	____
____	Gal.	E-Z Mud	____	____"	___X___ Nipple	____	____	____
____	Bags	Cement	____	____"	___° Elbow	____	____	____
____	____"	Rod Wipers	____	____"	Tee	____	____	____
____	____"	Tri-Cone Wear Sleeves	____	____"	Pipe Plug	____	____	____
____	----	Bazooka Tube	____	ft. of	____ "Casing	____	____	____
____	----	14-Hole Adapter	____	____"	Casing Couplers	____	____	____

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	5 5/8	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	VAREL		New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
12:00	2:30	TRIP FOR TRI-CONE
2:30	12:00	DRILL 930' TO 1015' 9.5
		RIG HOURS 12
		BOOSTER HRS 9½

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

M. L. Wilt — Hrs. 12
Drillers signature

BENJIE STOFLET — Hrs. 12
Helpers signature

DOUG DAVIDSON — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robinson Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

YELLOW-GEOLOGIST COPY

- Move time
- Trip time

foo time in → 88 hours

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)----	DATE: 10/23/88

Daily Start time: 12:00	Daily Finish time: 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: Brohm (Gt Edge) 24 hrs

Hole #: RSS-487	Angle or Vertical ---(circle one)---	Hole #:	Angle or Vertical ---(circle one)---	Hole #:	Angle or Vertical ---(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 1150	Depth yesterday: (1035)	Depth today:		Depth today:		115 FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers		"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	ft. of		"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE: 5 1/8	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE: Varel	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
11:45	12:00	Discussing hole
12:00	12:00	Drilled from 1035'-1150' on hole #RSS-487

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) 12 → Rig Time, 12 → Booster

Scott Krug — Drillers signature — Hrs. 12 1/4

Kevin Jensen — Helpers signature — Hrs. 12 1/4

Brian Mether — Helpers signature — Hrs. 12 1/4

**********JUSTIFY HOURS (If Applies)**********

____ Getting Fuel

____ Chasing for Parts

____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robison Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

WHITE: Lang Office Copy YELLOW: Geologist Copy

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)---	DATE: OCT. 23, 1988

Daily Start time: NOON 12:00	Daily Finish time: MIDNITE 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHM - GILT EDGE

Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
R88-487		R88-488				280 FT.
Depth today: 1175	Depth yesterday: (1150)	Depth today: 255		Depth today:		

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
____	Gal.	Quick Foam	____	____"	___X___ Nipple	____	____	____
____	Gal.	E-Z Mud	____	____"	___X___ Nipple	____	____	____
____	Bags	Cement	____	____"	___• Elbow	____	____	____
____	____"	Rod Wipers	____	____"	Tee	____	____	____
____	____"	Tri-Cone Wear Sleeves	____	____"	Pipe Plug	____	____	____
____	----	Bazooka Tube	____	ft. of	____ "Casing	____	____	____
____	----	14-Hole Adapter	____	____"	Casing Couplers	____	____	____

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	5 5/8"	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	VAREL		New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6"	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MISSION		New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
12:00	2:15	DRILL 1150' TO 1175' TD R88-487
2:15	4:00	TRIP OUT ; RIG DOWN
4:00	5:00	SURVEY HOLE - STAND BY
5:00	5:30	MOVE
5:30	9:00	DRILL & SET 30' SURFACE
9:00	12:00	DRILL TO 255'
		STANDBY FOR HOLE SURVEY - 1 HR
		RIG HOURS - 10½
		BOOSTER HRS - 2¼
		MOVING - ½

SAMPLING PERFORMED BY LANG? (Yes) No Partially (circle one)

½ Hrs. MOVING, ____ Hrs. HAULING WATER, 1 Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

Mark Wade — Hrs. 12
Drillers signature

BENNIE STOFLET — Hrs. 12
Helpers signature

DOUG DAVIDSON — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: [illegible] Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

YELLOW-GEOLOGIST COPY

®

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)-----	DATE:

Daily Start time:	Daily Finish time:	Subsistence: 1 Day Men	PROJECT NAME: Brohm (Gilt Edge)

Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today:	Depth yesterday: ( )	Depth today:		Depth today:		_____ FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
____	Gal.	Quick Foam	____	____"	___X___ Nipple	____	____	____
____	Gal.	E-Z Mud	____	____"	___X___ Nipple	____	____	____
____	Bags	Cement	____	____"	___° Elbow	____	____	____
____	____"	Rod Wipers	____	____"	Tee	____	____	____
____	____"	Tri-Cone Wear Sleeves	____	____"	Pipe Plug	____	____	____
____	----	Bazooka Tube	____	ft. of ____	"Casing	____	____	____
____	----	14-Hole Adapter	____	____"	Casing Couplers	____	____	____

BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit __Bit previously used on this project __ Used Bit ---------(circle one)---------
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit __Bit previously used on this project __ Used Bit ---------(circle one)---------

FROM	TO	ACTIVITY
		Went to Colony, Wy, and picked up 3 pallets of Shur-Gel for Brohm. This is to be used by all rigs for abandoning drill holes.
		64 bags on a pallet
		x 3 pallets
		192 bags total

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) _____

Hrs.

Drillers signature

Hrs.

Helpers signature

Hrs.

Helpers signature

**********JUSTIFY HOURS (If Applies)**********

____ Getting Fuel

____ Chasing for Parts

____ Drive Time (after the 1st one hour)

CLIENT REP: Wally Robison Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

WHITE: Lang Office Copy

YELLOW: Geologist Copy

R88-487 TD - 1175'

Survey Point	Mag. North	True North Azim	Inclination
100	N	N15W 345	89
200	N5W	N20W 340	89.5
300	S80W	N85W 275	89.5
400	VERTICAL	-------- -	90
500	W	N75W 285	89.5
600	VERTICAL	-------- -	90
700	S25W	S40W 220	89
800	S5W	S20W 200	88.5
900	S45W	S60W 240	89.5
1000	S45W	S60W 240	88
1100	S40W	S55W 235	86
1175	S47W	S67W 247	85

(No film to reread.) 4/24/89 SR

RBB - 487

			HD	TVD
0-50		-90	0	50
50-150	N	-89	1.74	99.98 (149.98)
150-250	N5W	-89.5	.87	100 (249.98)
250-350	S80W	-89.5	.87	100 (349.98)
350-450	VERTICAL	-90	0	100 (449.98)
450-550	S90W	-89.5	.87	100 (549.98)
550-650	VERTICAL	-90	0	100 (649.98)
650-750	S25W	-89	1.74	99.98 (749.96)
750-850	S5W	-88.5	2.62	99.97 (849.93)
850-950	S45W	-89.5	.87	100 (949.93)
950-1050	S45W	-88	3.49	99.94 (1049.87)
1050-1150	S40W	-86	6.98	99.76 (1149.63)
1150-1175	S47W	-85	2.18	24.90 (1174.53)

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1387 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 21-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	54	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	54	2 -150	54	Assay Prep	54
				Excessive Wetness	915
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

TWO SEPARATE ASSAY RESULTS REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1387

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-487-905-910		0.010	
D2 R88-487-910-915		0.024	
D2 R88-487-915-920		0.019	
D2 R88-487-920-925		0.030	
D2 R88-487-925-930		0.020	
D2 R88-487-930-935		0.027	
D2 R88-487-935-940		0.014	
D2 R88-487-940-945		0.017	
D2 R88-487-945-950		0.016	
D2 R88-487-950-955		<0.002	
D2 R88-487-955-960		0.022	
D2 R88-487-960-965		0.013	
D2 R88-487-965-970		0.008	
D2 R88-487-970-975		0.004	
D2 R88-487-975-980		0.002	
D2 R88-487-980-985		0.006	
D2 R88-487-985-990		0.005	
D2 R88-487-990-995		0.011	
D2 R88-487-995-1000		0.013	
D2 R88-487-1000-1005		0.007	
D2 R88-487-1005-1010		0.006	
D2 R88-487-1010-1015		0.002	
D2 R88-487-1015-1020		0.011	
D2 R88-487-1020-1025		<0.002	
D2 R88-487-1025-1030		0.016	
D2 R88-487-1030-1035		0.004	
D2 R88-487-1035-1040		0.011	
D2 R88-487-1040-1045		0.029	
D2 R88-487-1045-1050		0.008	
D2 R88-487-1050-1055		0.045	
D2 R88-487-1055-1060		0.022	
D2 R88-487-1060-1065		0.023	
D2 R88-487-1065-1070		0.012	
D2 R88-487-1070-1075		0.011	
D2 R88-487-1075-1080		0.009	
D2 R88-487-1080-1085		0.007	
D2 R88-487-1085-1090		<0.002	
D2 R88-487-1090-1095		<0.002	
D2 R88-487-1095-1100		<0.002	
D2 R88-487-1100-1105		0.029	
D2 R88-487-1105-1110		0.035	
D2 R88-487-1110-1115		0.021	
D2 R88-487-1115-1120		0.010	
D2 R88-487-1120-1125		0.072	0.028
D2 R88-487-1125-1130		0.016	
D2 R88-487-1130-1135		0.006	
D2 R88-487-1135-1140		0.010	
D2 R88-487-1140-1145		0.022	
D2 R88-487-1145-1150		0.018	
D2 R88-487-1150-1155		0.013	
D2 R88-487-1155-1160		0.013	
D2 R88-487-1160-1165		0.013	
D2 R88-487-1165-1170		0.008	
D2 R88-487-1170-1175		0.013	

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 289-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1384 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 21-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	40	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	40	2 -150	40	Assay Prep	40
				Excessive Wetness	796
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1384

PROJECT: NONE LISTED PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-487-705-710		0.021
D2 R88-487-710-715		0.015
D2 R88-487-715-720		0.019
D2 R88-487-720-725		<0.002
D2 R88-487-725-730		0.016
D2 R88-487-730-735		0.014
D2 R88-487-735-740		0.015
D2 R88-487-740-745		0.014
D2 R88-487-745-750		0.015
D2 R88-487-750-755		0.010
D2 R88-487-755-760		0.007
D2 R88-487-760-765		0.004
D2 R88-487-765-770		0.009
D2 R88-487-770-775		0.003
D2 R88-487-775-780		<0.002
D2 R88-487-780-785		<0.002
D2 R88-487-785-790		0.009
D2 R88-487-790-795		0.004
D2 R88-487-795-800		0.013
D2 R88-487-800-805		0.174
D2 R88-487-805-810		0.075
D2 R88-487-810-815		0.039
D2 R88-487-815-820		0.036
D2 R88-487-820-825		0.019
D2 R88-487-825-830		0.008
D2 R88-487-830-835		0.004
D2 R88-487-835-840		0.008
D2 R88-487-840-845		0.003
D2 R88-487-845-850		0.017
D2 R88-487-850-855		0.018
D2 R88-487-855-860		0.008
D2 R88-487-860-865		0.015
D2 R88-487-865-870		0.014
D2 R88-487-870-875		0.017
D2 R88-487-875-880		0.008
D2 R88-487-880-885		0.005
D2 R88-487-885-890		0.014
D2 R88-487-890-895		0.006
D2 R88-487-895-900		0.012
D2 R88-487-900-905		0.011

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1383 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 3-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	957
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1383

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-487-405-410		0.008
D2 R88-487-410-415		0.014
D2 R88-487-415-420		0.004
D2 R88-487-420-425		0.006
D2 R88-487-425-430		0.005
D2 R88-487-430-435		0.007
D2 R88-487-435-440		0.005
D2 R88-487-440-445		0.007
D2 R88-487-445-450		0.008
D2 R88-487-450-455		0.008
D2 R88-487-455-460		0.007
D2 R88-487-460-465		0.014
D2 R88-487-465-470		0.008
D2 R88-487-470-475		0.007
D2 R88-487-475-480		0.006
D2 R88-487-480-485		0.006
D2 R88-487-485-490		0.005
D2 R88-487-490-495		0.007
D2 R88-487-495-500		0.010
D2 R88-487-500-505		0.009
D2 R88-487-505-510		0.010
D2 R88-487-510-515		0.070
D2 R88-487-515-520		0.009
D2 R88-487-520-525		<0.002
D2 R88-487-525-530		<0.002
D2 R88-487-530-535		0.007
D2 R88-487-535-540		0.018
D2 R88-487-540-545		0.124
D2 R88-487-545-550		0.074
D2 R88-487-550-555		0.085
D2 R88-487-555-560		<0.002
D2 R88-487-560-565		0.020
D2 R88-487-565-570		0.010
D2 R88-487-570-575		<0.002
D2 R88-487-575-580		0.023
D2 R88-487-580-585		0.084
D2 R88-487-585-590		0.021
D2 R88-487-590-595		<0.002
D2 R88-487-595-600		0.035
D2 R88-487-600-605		0.016
D2 R88-487-605-610		0.022
D2 R88-487-610-615		0.011
D2 R88-487-615-620		0.008
D2 R88-487-620-625		0.011
D2 R88-487-625-630		0.012
D2 R88-487-630-635		0.007
D2 R88-487-635-640		0.012
D2 R88-487-640-645		0.013
D2 R88-487-645-650		0.013
D2 R88-487-650-655		0.007
D2 R88-487-655-660		0.014
D2 R88-487-660-665		0.017
D2 R88-487-665-670		0.027
D2 R88-487-670-675		0.014
D2 R88-487-675-680		0.013
D2 R88-487-680-685		0.018
D2 R88-487-685-690		0.030
D2 R88-487-690-695		0.010
D2 R88-487-695-700		0.014
D2 R88-487-700-705		<0.002

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1385 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 4-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON