Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1206

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au BCI OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au BCI OPT
D2 R88-459-545-550		0.007		D2 R88-459-745-750		0.008	
D2 R88-459-550-555		0.008		D2 R88-459-750-755		0.007	
D2 R88-459-555-560		0.009		D2 R88-459-755-760		0.008	
D2 R88-459-560-565		0.005		D2 R88-459-760-765		0.005	
D2 R88-459-565-570		0.010		D2 R88-459-765-770		0.004	
D2 R88-459-570-575		0.007		D2 R88-459-770-775		0.009	
D2 R88-459-575-580		0.016	0.016	D2 R88-459-775-780		0.003	
D2 R88-459-580-585		0.002		D2 R88-459-780-785		0.025	0.025
D2 R88-459-585-590		0.003		D2 R88-459-785-790		0.004	
D2 R88-459-590-595		0.004		D2 R88-459-790-795		0.008	
D2 R88-459-595-600		0.004		D2 R88-459-795-800		0.007	
D2 R88-459-600-605		<0.002					
D2 R88-459-605-610		<0.002					
D2 R88-459-610-615		<0.002					
D2 R88-459-615-620		<0.002	<0.002				
D2 R88-459-620-625		<0.002					
D2 R88-459-625-630		<0.002					
D2 R88-459-630-635		<0.002					
D2 R88-459-635-640		0.005					
D2 R88-459-640-645		0.004					
D2 R88-459-645-650		<0.002					
D2 R88-459-650-655		<0.002					
D2 R88-459-655-660		0.002					
D2 R88-459-660-665		0.006					
D2 R88-459-665-670		0.027	0.022				
D2 R88-459-670-675		0.005					
D2 R88-459-675-680		0.006					
D2 R88-459-680-685		0.019					
D2 R88-459-685-690		0.005					
D2 R88-459-690-695		0.004					
D2 R88-459-695-700		0.012					
D2 R88-459-700-705		0.008					
D2 R88-459-705-710		0.005					
D2 R88-459-710-715		0.004					
D2 R88-459-715-720		0.029	0.023				
D2 R88-459-720-725		0.008					
D2 R88-459-725-730		0.005					
D2 R88-459-730-735		0.006					
D2 R88-459-735-740		0.002					
D2 R88-459-740-745		0.003					

TONTO
ROTARY RIG REPORT

TIME SHEET # R 091640

A. OPERATING RIG FUNCTIONS		FOOTAGE CONTRACT RIG HOURS (A) CLIENT	FOOTAGE CONTRACT RIG HOURS (B) TONTO	HOURLY CONTRACT RIG HOURS (C) CLIENT	HOURLY CONTRACT RIG HOURS (D) TONTO
1	Drill OB O to				
2	Drill OB to				
3	Set 0 Casing to 15	2½			
4	DDH Rev. Circ. O to				
5	DHH Rev. Circ. 15 to 325		7		
6	DHH Rev. Circ. to				
7	Tricone Rev. Circ. O to				
8	Tricone Rev. Circ. to				
9	Tricone Rev. Circ. to				
10	Conventional DDH O to				
11	Convenional DHH to				
12	Conventional DHH to				
13	Conventional Tric. O to				
14	Conventional Tric. to				
15	Conventional Tric. to				
16	Rotary Core to				
17	Trip Rods (Bit) at				
18	Trip Rods (Other) at				
19	Pull Casing				
20	Ream Rods / Casing				
21	Drill Sand / Cave				
22	Condition Hole				
23	Survey Hole				
24	Log Hole				
25	Engineering Work				
26	Cement / Grout				
27	Recover Equipment				
28	Rig Up / Rig Down				
29					
30					
31	**TOTAL OPERATING TIME**	2½	7		

B. NON-OPERATING RIG FUNCTIONS		RIG HOURS CLIENT	RIG HOURS TONTO	RIG HOURS CLIENT	RIG HOURS TONTO
32	Mob / Demob				
33	Move	1½	1		
34	Water Supply				
35	Repairs				
36	Service / Maint.				
37	Delays – access				
38	– water				
39	– cement set				
40	– parts				
41					
42	**TOTAL NON-OP TIME**				
43	**TOTAL RIG TIME**	4	8		

C. EXTRA LABOUR		MAN HOURS CLIENT	MAN HOURS TONTO	MAN HOURS CLIENT	MAN HOURS TONTO
44	Supervisor				
45	Water Truck Dr.				
46	Sampler Don Gregg		12		
47	Tim Parino		½		
48	**TOTAL EXTRA LABOUR**				

MATERIALS CONSUMED E. (Specify quantities and types)		CHARGEABLE TO CLIENT (F)	CHARGEABLE TO TONTO (G)	OFFICE USE ONLY (H)
55	Gel (bags)			
56	Polymers			
57				
58	Foam (pails)			
59	Rock Oil (gal.)			
60	LCM			
61				
62	Cement (bags)			
63	Sample Bags			
64	Diesel (gal)			
F. MATERIALS LEFT IN HOLE (recovered)				
65	Drill Pipe ft.			
66				
67	Casing ft.			
68				
69				
G. OTHER MATERIALS CHARGEABLE TO CLIENT			QTY.	
70	Rod Wipers		3	
71				
72				
73				

H. A/R MATERIALS — Office Use Only			
74	Length of Move	93	Hole Start Time
75	Length of Waterline/Haul		
76	Type of Splitter – Wet/Dry	94	Hole Finish Time

I. EQUIPMENT SUMMARY		
77	Water Truck Mileage	# loads
78	Water Truck Hours	
79	Pipe/Boom Truck Usage (hrs)	
80		
81		

J. LABOUR SUMMARY		TRAVEL J	HRS. WKD K	L
	DRILLER I			
82	Tim Parino		12½	
83				
	HELPER			
84	Gary Rieb		12	
85				
	OTHER			
86	Don Gregg Sampler		12	
87	**TOTAL MAN HOURS**		36½	

Payroll Invoicing Cont. Sup.

REMARKS: Moved to hole location no R88-459. Set 15 ft of Casing the first 10 ft loose rock had to back ream. Drilled to 325 ft. The drilling was slow due to hard rock.

	HOLE # M	Angle	SIZE N	FROM O	TO P	FOOTAGE Q	BIT S/N R	HAMMER S/N S	REAMER S/N T	HAMMER MOD. # U
49	R88-459	90°	7⅞	0	15	15	113054			IR80
50	R88-459	90°	6¼	15	325	310	871287			DH6
51										
52										
53										
54										

CLIENT APPROVAL: [signature]

TONTO APPROVAL: Tim Parino

88	**TOTAL FOOTAGE** 325	89	SHIFT: D A (N) G	91	DATE (D/M/YR) 9/22/88
	CLIENT Brohm	90	RIG No. 008	92	JOB No. 778
	LOCATION Lead S.D.				

R 091640

TONTO
ROTARY RIG REPORT

TIME SHEET # R 091674

A. OPERATING RIG FUNCTIONS		A FOOTAGE CONTRACT RIG HOURS CLIENT	B FOOTAGE CONTRACT RIG HOURS TONTO	C HOURLY CONTRACT RIG HOURS CLIENT	D HOURLY CONTRACT RIG HOURS TONTO
1	Drill OB O to				
2	Drill OB to				
3	Set Casing to				
4	DDH Rev. Circ. O to				
5	DHH Rev. Circ. 325 to 705		11½		
6	DHH Rev. Circ. to				
7	Tricone Rev. Circ. O to				
8	Tricone Rev. Circ. to				
9	Tricone Rev. Circ. to				
10	Conventional DDH O to				
11	Convenional DHH to				
12	Conventional DHH to				
13	Conventional Tric. O to				
14	Conventional Tric. to				
15	Conventional Tric. to				
16	Rotary Core to				
17	Trip Rods (Bit) at				
18	Trip Rods (Other) at				
19	Pull Casing				
20	Ream Rods / Casing				
21	Drill Sand / Cave				
22	Condition Hole	½			
23	Survey Hole				
24	Log Hole				
25	Engineering Work				
26	Cement / Grout				
27	Recover Equipment				
28	Rig Up / Rig Down				
29					
30					
31	**TOTAL OPERATING TIME**	½	11½		

B. NON-OPERATING RIG FUNCTIONS		RIG HOURS CLIENT	RIG HOURS TONTO	RIG HOURS CLIENT	RIG HOURS TONTO
32	Mob / Demob				
33	Move				
34	Water Supply				
35	Repairs				
36	Service / Maint.				
37	Delays – access				
38	– water				
39	– cement set				
40	– parts				
41					
42	**TOTAL NON-OP TIME**	—	—		
43	**TOTAL RIG TIME**	½	11½		

C. EXTRA LABOUR		MAN HOURS CLIENT	MAN HOURS TONTO	MAN HOURS CLIENT	MAN HOURS TONTO
44	Supervisor C. MEDLER		½		
45	Water Truck Dr.				
46	Sampler RANDY CONN		12		
47					
48	**TOTAL EXTRA LABOUR**		12½		

E. MATERIALS CONSUMED (Specify quantities and types)		F CHARGEABLE TO CLIENT	G CHARGEABLE TO TONTO	H OFFICE USE ONLY
55	Gel (bags)			
56	Polymers			
57				
58	Foam (pails)			
59	Rock Oil (gal.)			
60	LCM			
61				
62	Cement (bags)			
63	Sample Bags			
64	Diesel (gal) 350			
F. MATERIALS LEFT IN HOLE (recovered)				
65	Drill Pipe ft.			
66				
67	Casing ft.			
68				
69				
G. OTHER MATERIALS CHARGEABLE TO CLIENT		QTY.		
70				
71				
72				
73				

H. A/R MATERIALS — Office Use Only			
74	Length of Move	93	Hole Start Time
75	Length of Waterline/Haul		
76	Type of Splitter – Wet/Dry	94	Hole Finish Time

I. EQUIPMENT SUMMARY		
77	Water Truck Mileage	# loads
78	Water Truck Hours	
79	Pipe/Boom Truck Usage (hrs)	
80		
81		

J. LABOUR SUMMARY		TRAVEL J	HRS. WKD K	L
	DRILLER I			
82	CLIFFORD MEDLER		12½	
83				
	HELPER			
84	ED COSENS		12	
85				
	OTHER			
86	RANDY CONN		12	
87	**TOTAL MAN HOURS**		36½	

Payroll Invoicing Cont. Sup.

REMARKS: DRILL FROM 325' TO 705'

CONDITION FOR WET DRILLING + TIGHT HOLE

	HOLE # M	Angle	SIZE N	FROM O	TO P	FOOTAGE Q	BIT S/N R	HAMMER S/N S	REAMER S/N T	HAMMER MOD. # U
49	K88-459	90	6¼	325	705	380	871287			DH6
50										
51										
52										
53										
54										

CLIENT APPROVAL: [signature]

TONTO APPROVAL: [signature]

88	**TOTAL FOOTAGE** 380	89	SHIFT: D A N G	91	DATE (D/M/YR) 9/23/88
	CLIENT BROHM	90	RIG No. 008	92	JOB No. 778
	LOCATION LEAD, S.D.				

R 091674

TONTO
ROTARY RIG REPORT

TIME SHEET # R 091641

A. OPERATING RIG FUNCTIONS		FOOTAGE CONTRACT RIG HOURS (A) CLIENT	FOOTAGE CONTRACT RIG HOURS (B) TONTO	HOURLY CONTRACT RIG HOURS (C) CLIENT	HOURLY CONTRACT RIG HOURS (D) TONTO
1	Drill OB O to				
2	Drill OB to				
3	Set 0 Casing to 15		1½		
4	DDH Rev. Circ. O to				
5	DHH Rev. Circ. 705 to 805		5		
6	DHH Rev. Circ. to				
7	Tricone Rev. Circ. O to				
8	Tricone Rev. Circ. to				
9	Tricone Rev. Circ. to				
10	Conventional DDH O to				
11	Convenional DHH to				
12	Conventional DHH to				
13	Conventional Tric. O to				
14	Conventional Tric. to				
15	Conventional Tric. to				
16	Rotary Core to				
17	Trip Rods (Bit) at 805 ft		1½		
18	Trip Rods (Other) at				
19	Pull Casing				
20	Ream Rods / Casing				
21	Drill Sand / Cave				
22	Condition Hole				
23	Survey Hole				
24	Log Hole				
25	Engineering Work				
26	Cement / Grout				
27	Recover Equipment				
28	Rig Up / Rig Down				
29	Trying to fish for		1½		
30	Table bushing at 15ft				
31	**TOTAL OPERATING TIME**		9½		

B. NON-OPERATING RIG FUNCTIONS		RIG HOURS (A) CLIENT	RIG HOURS (B) TONTO	RIG HOURS (C) CLIENT	RIG HOURS (D) TONTO
32	Mob / Demob				
33	Move	1½	1		
34	Water Supply				
35	Repairs				
36	Service / Maint.				
37	Delays – access				
38	– water				
39	– cement set				
40	– parts				
41					
42	**TOTAL NON-OP TIME**		1		
43	**TOTAL RIG TIME**	1½	9½		

C. EXTRA LABOUR		MAN HOURS (A) CLIENT	MAN HOURS (B) TONTO	MAN HOURS (C) CLIENT	MAN HOURS (D) TONTO
44	Supervisor				
45	Water Truck Dr.				
46	Sampler Don Gregg		12		
47	Tim Parino		½		
48	**TOTAL EXTRA LABOUR**		12½		

E. MATERIALS CONSUMED (Specify quantities and types)		CHARGEABLE TO CLIENT (F)	CHARGEABLE TO TONTO (G)	OFFICE USE ONLY (H)
55	Gel (bags)			
56	Polymers			
57				
58	Foam (pails)			
59	Rock Oil (gal.)			
60	LCM			
61				
62	Cement (bags)			
63	Sample Bags			
64	Diesel (gal) 200 Gal			
F. MATERIALS LEFT IN HOLE (recovered)				
65	Drill Pipe ft.			
66				
67	Casing ft.			
68				
69				
G. OTHER MATERIALS CHARGEABLE TO CLIENT			QTY.	
70				
71				
72				
73				

H. A/R MATERIALS — Office Use Only			
74	Length of Move	93	Hole Start Time
75	Length of Waterline/Haul		
76	Type of Splitter – Wet/Dry	94	Hole Finish Time

I. EQUIPMENT SUMMARY		
77	Water Truck Mileage	# loads
78	Water Truck Hours	
79	Pipe/Boom Truck Usage (hrs)	
80		
81		

J. LABOUR SUMMARY	I	TRAVEL J	HRS. WKD K	L
	DRILLER			
82	Tim Parino		12½	
83				
	HELPER			
84	Gary Rich		12	
85				
	OTHER			
86	Don Gregg Sampler		12	
87	**TOTAL MAN HOURS**		36½	

Payroll Invoicing Cont. Sup.

REMARKS: On Hole no RBB-459 Hard rock. Client called hole at 805 ft because of Black rock formation Tripped at 805 ft Moved to Hole no RBB-461 ON Hole no RBB-461 - Surface Loose rock & large rock. had to keep back reaming. Lost Table bushing 15 ft down the hole. Client said move ahead a couple of feet

HOLE # M	Angle	SIZE N	FROM O	TO P	FOOTAGE Q	BIT S/N R	HAMMER S/N S	REAMER S/N T	HAMMER MOD. # U
49 RBB-459	90°	6¼	705	805 ft	100	87287			OH6
50 RBB-461	90°	7⅞	0	15 ft	15 ft				IR360
51									
52									
53									
54									

CLIENT APPROVAL: [signature]

TONTO APPROVAL: Tim Parino

88	**TOTAL FOOTAGE** 115	89	SHIFT: D A N G	91	DATE (D/M/YR) 9/23/88
	CLIENT Brohm	90	RIG No. 008	92	JOB No. 778
	LOCATION Lead S.D.				

R 091641

LAB. REPORT NO. _____

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 9.23.88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment _____ TOTAL NUMBER OF SAMPLES _____

GEOLOGIST'S NAME Tim Barron PHONE NUMBER 578-2107 PROJECT NAME OR NUMBER Gilt Edge

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED																						Neutron Activation	DCP	Ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec			
DC	49	R88-459	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		6-245	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
		(DRY)	Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test
			Cu	Pb	Zn	Mo	Ag	Cd	Ni	Co	Mn	Fe	Bi	V	U	W	F	Au	As	Hg	Sn	Sb	Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☑ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / ☑ unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☑ RETURN COD AFTER ANALYSIS COMPLETE - BILL W/ INVOICE
☐ STORE 60 DAYS-DISCARD
STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☑ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD
STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☑ Results Tim Barron
☑ Invoices Brian Minex
☑ Pulps Deadwood, SD
☑ Rejects 57732

☐ Results _____
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

White — Lab Copy - Please Include With Shipment Yellow — Sample Prep. Copy Pink — Client's Copy

BC
BONDAR-CLEGG

SUBMITTAL FORM

LAB. REPORT NO._____

130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
or
P.O. Box 8059
Blaine, WA. 98230

Phone (604) 985-0681
or (702) 331-1813
Fax (604) 985-1071
Telex 04-352667

1A-625 Spice Island Dr.
Sparks, Nevada 89431
(702) 359-9330

12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

243 Catlin St.
Missoula, Montana 59801
(406) 721-4452

37 Sherman St.
Deadwood, S.D. 57732
(605) 578-1903

c/o Lerch Brothers
4th Ave. W. at Grant St.
Hibbing, Minn. 55746
(218) 262-5003

136 Industrial Road
Whitehorse, Yukon Territory
Y1A 2V1
(403) 667-6523

6631 Wes Way
Anchorage, Ak. 99518
(907) 561-0909

Please analyze by **Assay (% ore grade)** ☑ **Geochemical (ppm, trace level)** ☐

Comments _____

Type of Samples	No. of Samples	Sample Numbers (Series)	Elements to be Analyzed	Remarks
	60	488 - 529	AU	
		545 - 575		

Total No. Samples _____ Date Shipped 9-24-88 Prepaid ☐ Collect ☐

No. Parcels in Shipment _____ Date Rec'd at Bondar-Clegg 9-28-88

PLEASE CHECK ✓ BELOW

REJECTS
(COARSE OVERSIZE)

Free storage for 60 days and then discarded unless marked below.

Return immediately ☑ Bill with Invoice

Return collect after 60 days ☐

Store to January at a cost of $10/box (approx. 1 cu. ft.) ☐
(You will then be contacted)

PULPS

Free storage until year end and then discarded unless marked below.

Return collect immediately ☑

Return collect at year end ☐

Results and Invoices To Be Sent To

Jim Barron
BROHM Mining
Deadwood, SD 57732

☐ Results
☑ Invoice (for payment)

☐ Results
☐ Invoice (copy)

☐ Results
☐ Invoice (copy)

Samples submitted by Jim Barron

Shipment number _____

Client project number _____

Purchase order number _____

Printed in Canada

White - Send with Samples Yellow - Client Copy

BONBAR-CLEGG

SUBMITTAL FORM

LAB. REPORT NO._____

130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
or
P.O. Box 8059
Blaine, WA. 98230

Phone (604) 985-0681
or (702) 331-1813
Fax (604) 985-1071
Telex 04-352667

1A-625 Spice Island Dr.
Sparks, Nevada 89431
(702) 359-9330

12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

243 Catlin St.
Missoula, Montana 59801
(406) 721-4452

37 Sherman St.
Deadwood, S.D. 57732
(605) 578-1903

c/o Lerch Brothers
4th Ave. W. at Grant St.
Hibbing, Minn. 55746
(218) 262-5003

136 Industrial Road
Whitehorse, Yukon Territory
Y1A 2V1
(403) 667-6523

6631 Wes Way
Anchorage, Ak. 99518
(907) 561-0909

Please analyze by **Assay (% ore grade)** ☒ **Geochemical (ppm, trace level)** ☐

Comments _____

Type of Samples	No. of Samples	Sample Numbers (Series)	Elements to be Analyzed	Remarks
Drill Cuttings	51	R88 - 459	Au	
		545 - 800		

Total No. Samples 51 Date Shipped 7-25-88 Prepaid ☐

No. Parcels in Shipment 51 Date Rec'd at Bondar-Clegg 9-25-88 Collect ☐

PLEASE CHECK ✓ BELOW

REJECTS
(COARSE OVERSIZE)

Free storage for 60 days and then discarded unless marked below.

Return immediately ☑

Return collect after 60 days ☐

Store to January at a cost of $10/box (approx. 1 cu. ft.) ☐

(You will then be contacted)

PULPS

Free storage until year end and then discarded unless marked below.

bill with Invoice

Return ~~collect~~ immediately ☑

Return collect at year end ☐

Results and Invoices To Be Sent To

Jim Parson
Broulin Mining
Deadwood SD 57732

☐ Results
☐ Invoice (for payment)

☐ Results
☐ Invoice (copy)

☐ Results
☐ Invoice (copy)

Samples submitted by Jim Parson

Shipment number _____

Client project number _____

Purchase order number _____

Printed in Canada

White - Send with Samples Yellow - Client Copy

Contractor: LATK
Coordinates: 95092.71 N / 27677.26 E SITE 128
Project: GILT EDGE
Hole No.: RBB-460
Drill Type:
Casing Depth:
State: S.D.
Sheet 1 of 1
Hole Size:
Bearing: —
Inclination: -90
Date Started: 9.23.88
Property: GILT EDGE
Collar Elev.: 5558.60'
Final Depth: 1120'
Date Completed: 9.25.88
Hole Surveyed: CAVED @ 30'

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	3	0-5		Tqp	0-110 TRACHYTE PORPHYRY	0-110 OXIDE 2-4% jarosite, tr-1% FeOx	.172	
										.034	
									(10-20) 1-3% FeOx, 1-2% jarosite	.035	
										.035	
					20-25				(20-35) 2-4% jarosite, tr FeOx	.044	
										.029	
										.040	
									(35-110) 2-4% FeOx 1-2% jarosite, tr MnOx	.037	
										.083	
					45-50					.043	
										.041	
										.030	
										.055	
										.020	
					70-75					.021	
										.019	
										.016	
										.021	
										.028	
					95-100					.021	
								(100-110) 5-10% Tqtp		.041	
										.044	
			80				Tqtp	110-175 QUARTZ TRACHYRY amoeba shaped quartz phenocrysts	110- SULFIDE 1-3% FeS2	.015	
										.009	
					120-125					.017	
										.011	
										.006	
										.005	
										.005	
					145-150					.004	
										tr	
										.006	
										.005	
										.003	
					170-175					.008	

DRILL CUTTING LOG

Logged by: