Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404.

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1212 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 28-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	61	0.002 OPT		Fire Assay
2	Au	Gold	2	0.002 OPT		Fire Assay
3	Au	Gold	2	0.002 OPT		Fire Assay
4	Au	Gold	1	0.002 OPT		Fire Assay
5	Au	BCI Au (Bondar-Clegg)	6	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	61	2 -150	61	Assay Prep	61
				Excessive Wetness	1489
				Sample Pickup	1

REMARKS: WORK PERFORMED AT OUTSIDE LAB.

3 OR 4 SEPARATE ASSAY RESULTS REPORTED FOR
TWO SAMPLES.

BONDAR-CLEGG CHECKS IN 5TH COLUMN.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1212

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au OPT	Au BCI OPT
D2 R88-460-315-320		0.134	0.246	0.098	0.090	
D2 R88-460-320-325		0.274				
D2 R88-460-325-330		0.174				
D2 R88-460-330-335		0.044				
D2 R88-460-335-340		0.237				0.371
D2 R88-460-340-345		0.170				
D2 R88-460-345-350		0.280				
D2 R88-460-350-355		0.100				
D2 R88-460-355-360		0.232				
D2 R88-460-360-365		0.052				
D2 R88-460-365-370		0.162	0.248	0.122		
D2 R88-460-370-375		0.038				
D2 R88-460-375-380		0.062				
D2 R88-460-380-385		0.032				
D2 R88-460-385-390		0.289				0.305
D2 R88-460-390-395		0.150				
D2 R88-460-395-400		0.048				
D2 R88-460-400-405		0.026				
D2 R88-460-405-410		0.047				
D2 R88-460-410-415		0.016				
D2 R88-460-415-420		0.026				
D2 R88-460-420-425		0.024				
D2 R88-460-425-430		0.072				
D2 R88-460-430-435		0.056				
D2 R88-460-435-440		0.105				0.094
D2 R88-460-440-445		0.064				
D2 R88-460-445-450		0.016				
D2 R88-460-450-455		0.012				
D2 R88-460-455-460		0.016				
D2 R88-460-460-465		0.018				
D2 R88-460-465-470		0.028				
D2 R88-460-470-475		0.016				
D2 R88-460-475-480		0.014				
D2 R88-460-480-485		0.022				0.015
D2 R88-460-485-490		0.018				
D2 R88-460-490-495		0.024				
D2 R88-460-495-500		0.029				
D2 R88-460-500-505		0.028				
D2 R88-460-505-510		0.026				
D2 R88-460-510-515		0.004				

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1212

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au OPT	Au BCI OPT
D2 R88-460-515-520		0.048				
D2 R88-460-520-525		0.086				
D2 R88-460-525-530		0.076				
D2 R88-460-530-535		0.048				
D2 R88-460-535-540		0.181				0.186
D2 R88-460-540-545		0.124				
D2 R88-460-545-550		0.114				
D2 R88-460-550-555		0.072				
D2 R88-460-555-560		0.052				
D2 R88-460-560-565		0.056				
D2 R88-460-565-570		0.058				
D2 R88-460-570-575		0.046				
D2 R88-460-575-580		0.042				
D2 R88-460-580-585		0.064				
D2 R88-460-585-590		0.050				
D2 R88-460-590-595		0.042				
D2 R88-460-595-600		0.086				0.056
D2 R88-460-600-605		0.036				
D2 R88-460-605-610		0.034				
D2 R88-460-610-615		0.034				
D2 R88-460-615-620		0.032				

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: LK-2	Angle or Vertical Rig ---(circle one)---	DATE: 9.24.88

Daily Start time: MIDNITE 12:00	Daily Finish time: NOON 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHM - GILT EDGE

Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
RSS-460						505 FT.
Depth today: 600	Depth yesterday: (85)	Depth today:		Depth today:		

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam	1	3"	3 X 10 Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers	1	3"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	ft. of		"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6 1/4	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MISSION		New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
12:00	12:00	DRILL 85' TO 600'
		RIG HOURS 12
		BOOSTER HOURS 10 1/2

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

Mick Wit — Hrs. 12
Drillers signature

BENZIE STOFLET — Hrs. 12
Helpers signature

DALLAS GARDNER — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: Art Likrowski Was the hole(s) completed to desired depth? Yes ____ No ____? ____

YELLOW-GEOLOGIST COPY

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT | RIG#: LK-2 | Angle or Vertical Rig (circle one) | DATE: 9/24/88

Daily Start time:	Daily Finish time:	Subsistence: 1 Day 3 Men	PROJECT NAME:
12:00	12:00		Brohm (Gift Edge) 24hrs

Hole #:	Angle or Vertical (circle one)	Hole #:	Angle or Vertical (circle one)	Hole #:	Angle or Vertical (circle one)	TOTAL FOOTAGE DRILLED TODAY:
R88-460						300 FT.

Depth today:	Depth yesterday:	Depth today:	Depth today:
905	(605)		

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	Elbow			
	"	Rod Wipers		"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	ft. of		"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6 1/8	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth (circle one of the above)	Mission Button		New Bit / Bit previously used on this project / Used Bit (circle one)
	6 11	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth (circle one of the above)	Mission Button		New Bit / Bit previously used on this project / Used Bit (circle one)

FROM	TO	ACTIVITY
11:45	12:00	Discussing hole
12:00	7:30	Drilled from 605'-845' on hole #R88-460
7:30	10:00	round tripped rods & put on a sharpened bit
10:00	12:00	Drilled from 845'-905' on hole #R88-460

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) 12hrs → Rig Time
1/2 → Booster

Drillers signature: Scott Krug Hrs. 12 1/4

Helpers signature: Kevin Jensen Hrs. 12 1/4

Helpers signature: Brian Mether Hrs. 12 1/4

**********JUSTIFY HOURS (If Applies)**********

____ Getting Fuel

____ Chasing for Parts

____ Drive Time (after the 1st one hour)

CLIENT REP: _____ Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

WHITE: Lang Office Copy

YELLOW: Geologist Copy

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: Lk-2	Angle or Vertical Rig ---(circle one)---	DATE: SEPT 25, 1988

Daily Start time: MIDNITE 12:00	Daily Finish time: NOON 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHM - GILT EDGE

Hole #: R88-960	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 1015	Depth yesterday: (905)	Depth today:		Depth today:		110 FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam		"	X Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers		"	Tee			
	"	Tri-Cone Wear Sleeves		"	Pipe Plug			
	----	Bazooka Tube	ft. of		"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	6 1/4	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MISSION		New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#: 39602	SIZE: 5 5/8	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE: VAREL	FOOTAGE: 55	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
12:00	3:00	DRILL 905 TO 960
3:00	5:30	HAMMER FLOODED ; TRIP FOR TRI-CONE
5:30	12:00	DRILL 960 TO 1015'
		RIG HOURS 12
		BOOSTER HOURS 9 1/2

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) ____

Mark White — Hrs. 12
Drillers signature

BENJIE STOFLEY — Hrs. 12
Helpers signature

DALLAS GARDNER — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: ____ Was the hole(s) completed to desired depth? Yes ____ No ____? ____

YELLOW-GEOLOGIST COPY

®

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: 2K-2	Angle or Vertical Rig ---(circle one)---	DATE: 9/25/88

Daily Start time: 12:00	Daily Finish time: 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: Brohm (Gift Edge) 24 hrs

Hole #: R88-460	Angle or Vertical ---(circle one)---	Hole #:	Angle or Vertical ---(circle one)---	Hole #:	Angle or Vertical ---(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 1075	Depth yesterday: (990')	Depth today:		Depth today:		85 FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
____	Gal.	Quick Foam	____	____	" ___X___ Nipple	____	____	____
____	Gal.	E-Z Mud	____	____	" ___X___ Nipple	____	____	____
____	Bags	Cement	____	____	" ___• Elbow	____	____	____
____	____	" Rod Wipers	____	____	" Tee	____	____	____
____	____	" Tri-Cone Wear Sleeves	____	____	" Pipe Plug	____	____	____
____	----	Bazooka Tube	____	ft. of	____ "Casing	____	____	____
____	----	14-Hole Adapter	____	____	" Casing Couplers	____	____	____

BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE: Varel	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ---(circle one)---

FROM	TO	ACTIVITY
11:45	12:00	Discussing hole
12:00	12:00	Drilled from 990'-1075 on hole #R88-460

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

____ Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) 12 → Big Time
12 → Booster

Scott Krug Hrs. 12¼
Drillers signature

Kevin Jensen Hrs. 12¼
Helpers signature

Brian Mether Hrs. 12¼
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: _____ Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

WHITE: Lang Office Copy YELLOW: Geologist Copy

LANG EXPLORATORY DRILLING DAILY DRILLING REPORT	RIG#: Lk-2	Angle or Vertical Rig ----(circle one)-----	DATE: SEPT. 26, 1988

Daily Start time: MIDNITE 12:00	Daily Finish time: NOON 12:00	Subsistence: 1 Day 3 Men	PROJECT NAME: BROHM - GILT EDGE

Hole #: R88-460	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	Hole #:	Angle or Vertical --(circle one)---	TOTAL FOOTAGE DRILLED TODAY:
Depth today: 1120	Depth yesterday: (1075)	Depth today:		Depth today:		45 FT.

MATERIALS USED

Quantity:	Size:	Material Name:	Quantity:	Size:	Material Name:	Quantity	Size:	Material Name:
	Gal.	Quick Foam	1	3"	3 X 10 Nipple			
	Gal.	E-Z Mud		"	X Nipple			
	Bags	Cement		"	• Elbow			
	"	Rod Wipers	1	3"	Tee			
	"	Tri-Cone Wear Sleeves	1	3"	Pipe Plug			
	----	Bazooka Tube	ft. of		"Casing			
	----	14-Hole Adapter		"	Casing Couplers			

BIT#:	SIZE:	TYPE:	MAKE:	FOOTAGE:	
	5 5/8	Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	VAREL	160	New Bit / Bit previously used on this project / Used Bit ----------(circle one)----------
BIT#:	SIZE:	TYPE: Tri-Cone Carbide, Hammer Bit, Tri-Cone Steel Tooth ---(circle one of the above)---	MAKE:	FOOTAGE:	New Bit / Bit previously used on this project / Used Bit ----------(circle one)----------

FROM	TO	ACTIVITY
12:00	8:30	DRILL 1075' TO 1120' TD R88-460
8:30	10:15	TRIP OUT ; RIG DOWN
10:15	11:30	MOVE
11:30	12:00	SERVICE RIG
		RIG HOURS 10 1/4
		BOOSTER HRS 8 1/2
		MOVING 1 1/4

SAMPLING PERFORMED BY LANG? Yes No Partially (circle one)

____ Hrs. MOVING, ____ Hrs. HAULING WATER, ____ Hrs. STANDBY

____ Hrs. BIG/SMALL CAT (circle one), ____ Hrs. SKIDDER,

1/2 Hrs. HOURLY WORK, CAUSE OF LOST TIME (repairs, lost circulation etc.,) SERVICE RIG

Mark White — Hrs. 12
Drillers signature

BENJIE STOFLET — Hrs. 12
Helpers signature

DALLAS GARDNER — Hrs. 12
Helpers signature

**********JUSTIFY HOURS (If Applies)**********
____ Getting Fuel
____ Chasing for Parts
____ Drive Time (after the 1st one hour)

CLIENT REP: _____ Was the hole(s) completed to desired depth? Yes ____ No ____ ? ____

YELLOW-GEOLOGIST COPY

LAB. REPORT NO. _____

BONDAR-CLEGG INC.

12980 W. CEDAR DR., LAKEWOOD, CO. 80228 PHONE: 989-1404 TELEX: 45-693

SAMPLE SHIPMENT NOTICE

Date Shipped 9.25.88 Via _____ ☐ Prepaid or ☐ Collect

Parcels in Shipment 59 TOTAL NUMBER OF SAMPLES 59

GEOLOGIST'S NAME J. BARRON PHONE NUMBER 578-2107 PROJECT NAME OR NUMBER GIT EDGE

Samples Type	# Samples	Sample Numbers (Series)	ELEMENTS TO BE ANALYZED Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	Ore test
DC	59	D88-460	Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
		0-295	Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
		DRY	Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test
			Cu Pb Zn Mo Ag Cd Ni Co Mn Fe Bi V U W F Au As Hg Sn Sb Ba	E spec	Neutron Activation	DCP	ore test

Please analyze by { ☐ assay (%, ore grade) / ☐ geochemical (ppm, trace level) } methods, the enclosed ☐ { prepared / unprepared } samples

☐ DO NOT ASSAY GEOCHEMICAL OVERLIMITS

COMMENTS _____

PLEASE INDICATE SAMPLE DISPOSITION

COARSE REJECTS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE — BILL W/ INVOICE
☐ STORE 60 DAYS-DISCARD
STORAGE CHARGE WILL BE ASSESSED AFTER 60 DAYS

PULPS

☐ DISCARD AFTER ANALYSIS COMPLETE
☐ RETURN COD AFTER ANALYSIS COMPLETE
☐ STORE 1 YEAR-RETURN COD
STORAGE CHARGE WILL BE ASSESSED AFTER 1 YEAR

RESULTS, INVOICES AND SAMPLES TO BE SENT TO:

☐ Results JIM BARRON
☐ Invoices BROHM MINING
☐ Pulps DEADWOOD, SD
☐ Rejects 57732

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoices _____
☐ Pulps _____
☐ Rejects _____

☐ Results _____
☐ Invoice _____
☐ Pulps _____
☐ Rejects _____

White — Lab Copy - Please Include With Shipment Yellow — Sample Prep. Copy Pink — Client's Copy

BC
BONDAR-CLEGG

SUBMITTAL FORM

LAB. REPORT NO._____

130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
or
P.O. Box 8059
Blaine, WA. 98230

Phone (604) 985-0681
or (702) 331-1813
Fax (604) 985-1071
Telex 04-352667

1A-625 Spice Island Dr.
Sparks, Nevada 89431
(702) 359-9330

12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

243 Catlin St.
Missoula, Montana 59801
(406) 721-4452

37 Sherman St.
Deadwood, S.D. 57732
(605) 578-1903

c/o Lerch Brothers
4th Ave. W. at Grant St.
Hibbing, Minn. 55746
(218) 262-5003

136 Industrial Road
Whitehorse, Yukon Territory
Y1A 2V1
(403) 667-6523

6631 Wes Way
Anchorage, Ak. 99518
(907) 561-0909

Please analyze by **Assay (% ore grade)** ☑ **Geochemical (ppm, trace level)** ☐

Comments _____

Type of Samples	No. of Samples	Sample Numbers (Series)	Elements to be Analyzed	Remarks
Wet DC	54	R88-46	Au	
		~~360-365~~ → 565-570		
		300-305 →		

Total No. Samples 54 Date Shipped 9/28/88 Prepaid ☐ Collect ☐

No. Parcels in Shipment _____ Date Rec'd at Bondar-Clegg _____

PLEASE CHECK ✓ BELOW

REJECTS
(COARSE OVERSIZE)

Free storage for 60 days and then discarded unless marked below.

Return immediately ☑

Return collect after 60 days ☐

Store to January at a cost of $10/box (approx. 1 cu. ft.) ☐
(You will then be contacted)

PULPS

Free storage until year end and then discarded unless marked below.

Return collect immediately ☑

Return collect at year end ☐

Results and Invoices To Be Sent To

BROHAM MINING ☐ Results ☐ Invoice (for payment)

☐ Results ☐ Invoice (copy)

☐ Results ☐ Invoice (copy)

Samples submitted by JIM BARRON

Shipment number _____

Client project number _____

Purchase order number _____

Printed in Canada

White - Send with Samples Yellow - Client Copy