Pit-Bench-Pattern #
5-14-15
Submittal Date
9-25-91

EOP

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

(2)

DATE: 9-26
NAME: MM

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	501		.008	25.	Standard ✓		
2.	502		.006	26.			
3.	503		.018	27.			
4.	504		.019	28.			
5.	505		.012	29.			
6.	506		.009	30.			
7.	507		.005	31.			
8.	Standard ✓		.015	32.			
9.	508		.009	33.			
10.	509		.004	34.			
11.	510		.006	35.			
12.	511		.005	36.			
13.	512-1		.003	37.			
14.	512-2		.002	38.			
15.	✓7		.029	39.			
16.				40.			
17.				41.			
18.				42.	Standard ✓		
19.				43.			
20.				44.			
21.				45.			
22.				46.			
23.				47.			
24.				48.			

Pit-Bench-Pattern #
5-14-15

Submittal Date
9/24/91 2:52p

(Scent)

BLAST HOLE

Hot NaCN Shake and FIRE DETERMINATIONS

DATE: 9/23/91

NAME:

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.				25.	Standard ✓		.015
2.				26.	121		.015
3.				27.	141		.013
4.				28.	142		.040
5.	21		.006	29.	162		.015
6.	22		.006	30.	163		.103
7.	41		.009	31.	183		.012
8.	Standard ✓		.015	32.	184		.006
9.	47		.026	33.	[redacted]		
10.	42		.064	34.			
11.	43		.021	35.	204		.012
12.	44		.008	36.	205		.015
13.	62		.023	37.	225		.014
14.	63-1		.016	38.	226		.028
15.	63-2		.013	39.	247		.027
16.	[redacted]			40.			
17.				41.			
18.	64		.020	42.	Standard ✓		
19.	65		.032	43.			
20.	84		.017	44.			
21.	85		.010	45.			
22.	86		.022	46.			
23.	106		.033	47.			
24.	120		.006	48.			

X

BLAST HOLE ORE TYPE

PATTERN S-14-15 DATE 9/25/91

NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI
21	X			226		X		23				48			
22	X			247		X		24				49			
41	X							25				50			
42		X		1				26				51			
43	X			2				27				52			
44		X		3				28				53			
62	X			4				29				54			
63	X			5				30				55			
64		X		6				31				56			
65		X		7				32				57			
84	X			8				33				58			
85		X		9				34				59			
86		X		10				35				60			
106		X		11				36				61			
120			X	12				37				62			
121		X		13				38				63			
141		X		14				39				64			
142			X	15				40				65			
162		X		16				41				66			
163			X	17				42				67			
183		X		18				43				68			
184		X		19				44				69			
204		X		20				45				70			
205		X		21				46				71			
225		X		22				47				72			

BLAST HOLE ORE TYPE

PATTERN S-14-15 DATE 9/25/91

NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI	NO.	SUL	MIX	OXI
1	X			147			X					25			
2		X		164			X	1				26			
23	X			165			X	2				27			
24	X			166			X	3				28			
45		X		167			X	4				29			
61	X			185			X	5				30			
80	X			186		X		6				31			
81	X			187			X	7				32			
82		X		206			X	8				33			
83	X			207		X		9				34			
100		X		208			X	10				35			
101	X			227			X	11				36			
102	X			228			X	12				37			
103	X			501		X		13				38			
104	X			502		X		14				39			
105	X			503		X		15				40			
122		X		504	X			16				41			
123	X			505	X			17				42			
124	X			506	X			18				43			
125		X		507	X			19				44			
126		X		508	X			20				45			
143		X		509	X			21				46			
144			X	510	X			22				47			
145		X		511	X			23				48			
146			X	512	X			24				49			

S-14-46



BENCH PLAN
SHOT# 11416
BENCH 5460 (1

8- 1-92 DRN 1" =

7.4805 Gallon
in 1 Cu ft

24-inv

25
26
27
28
CST

29
30
31
32
Toe


T5
T6
T3
T2
T1
27500E
45000N
45000N
N
24 08-05/CPM
18 08-06/8:30 AM
0
50
100
150
BENCH PLAN
SHOT# 11416
BENCH 5460 (
8- 1-92
DRN
1 "



BENCH PLAN
SHOT# 11416 L



BENCH PLAN
SHOT# 11416 L



BENCH PLAN
SHOT# 11416 L



BENCH PLAN
SHOT# 11416
BENCH 5460 (

8- 1-92 DRN 1 "

BROHM MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
5-14-16

Submittal Date
8-4-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

DATE 8/5

NAME: TS

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	1		.008	25	[illegible]	[illegible] assay	.014
2.	2		.012	26	[illegible]	[illegible] assay	
3.	3		.016	27	[illegible]	Heavy [illegible] assay	
4.	4		.019	28	[illegible]		.018
5.	5		.005	29	[illegible]		.055
6.	6		.007	30	[illegible]		.017
7.	7		.015	31	[illegible]		.013
8.	[illegible]		.01[illegible]	32	[illegible]		.011
9.	8		.007	33	[redacted]		
10.	9-7		.028	34			
11.	9-1		[illegible]	35	[illegible]		.020
12.	9-2		[illegible]	36	[illegible]		.021
13.	26		.005	37	[illegible]		.022
14.	27		[illegible]	38	[illegible]		.009
15.	28		[illegible]	39	[illegible]		.009
16.	[redacted]			40			.006
17.				41	84		.014
18.	501		[illegible]	42	[illegible]		.015
19.	502		[illegible]	43	[illegible]		.010
20.	503		[illegible]	44	[illegible]		.05
21.	22	Please assay		45	[illegible]		[illegible]
22.	23		.012	46	[illegible]		[illegible]
23.	24		.018	47.	.105		.009
24.	25		.015	48.			

BROWN MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
S-14-16

Submittal Date
8-5-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

(2)

DATE: 8/5

NAME: 93

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	106		.010	25.	Standard ✓		
2.	107		.013	26.			
3.	124		.019	27.			
4.	125		.011	28.			
5.	126		.068	29.			
6.	127		.017	30.			
7.	44-1		.050	31.			
8.	Standard ✓		.015	32.			
9.	144.2		.051	33.			
10.	-7		.028	34.			
11.				35.			
12.				36.			
13.				37.			
14.				38.			
15.				39.			
16.				40.			
17.				41.			
18.				42.	Standard ✓		
19.				43.			
20.				44.			
21.				45.			
22.				46.			
23.				47.			
24.				48.			

BROWN MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
5-14-16

Submittal Date
8-5-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

(1)

DATE: 8/6

NAME: TE

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	145		.034	25.	Standard ✓		.015
2.	146		.024	26.	243		.007
3.	147		.013	27.	244		.014
4.	164		.012	28.	245		.012
5.	165		.028	29.	246		.009
6.	166		.007	30.	262		.008
7.	167		.023	31.	263		.010
8.	Standard ✓		.015	32.	264		.004
9.	184		.015	33.			
10.	47		.026	34.			
11.	185-1		.008	35.	265		.006
12.	185-2		.010	36.	282		.010
13.	186		.013	37.	283		.011
14.	187		.019	38.	284		.011
15.	204		.012	39.	285		.010
16.				40.	20		.013
17.				41.	21		.007
18.	205		.029	42.	Standard ✓		.017
19.	206		.012	43.	41		.042
20.	207		.009	44.	42		.008
21.	223		.011	45.	62		.021
22.	224		.004	46.	82		.013
23.	225		.009	47.	103		.015
24.	226		.010	48.			

BROHN MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
5-14-16
Submittal Date
8-5-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

DATE: 8/6
NAME: 95

(2)

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	123		.013	25.	Standard ✓		
2.	143		.009	26.			
3.	163		.013	27.			
4.	183		.015	28.			
5.	203		.003	29.			
6.	222		.025	30.			
7.	241		.011	31.			
8.	Standard ✓		.014	32.			
9.	242		.009	33.			
10.	7		.026	34.			
11.	261-1		.008	35.			
12.	261-2		.008	36.			
13.	281		.004	37.			
14.	508		.023	38.			
15.	509		.021	39.			
16.				40.			
17.				41.			
18.	510		.054	42.	Standard ✓		
19.	511		.016	43.			
20.	512		.011	44.			
21.	513		.010	45.			
22.	514		.014	46.			
23.				47.			
24.				48.			

X

BROWN MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
S-H-16

Submittal Date
8-6-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

DATE 8/7/92

NAME: [illegible]

(1)

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	10		.004	25.	Standard ✓		.014
2.	61		.025	26.	304		.006
3.	81		.028	27.	305		.009
4.	101		.015	28.	306		.007
5.	102		.017	29.	307		.008
6.	121		.015	30.	308		.004
7.	122		.014	31.	321		.005
8.	Standard ✓		.015	32.	322		.009
9.	141		.008	33.			
10.	57		.023	34.			
11.	142-1		.012	35.	323		.009
12.	142-2		.013	36.	324		.007
13.	161		.007	37.	325		.012
14.	162		.007	38.	326		.043
15.	181		.002	39.	327		.010
16.				40.	328		.012
17.				41.	341		.009
18.	182		.011	42.	Standard ✓		.015
19.	201	Please fire assay		43.	342		.012
20.	202		.008	44.	343		.010
21.	221		.011	45.	344		.012
22.	301		.013	46.	345		.015
23.	302		.028	47.	346		.011
24.	303		.006	48.			

X

BROHM MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern # E.O.P.
5-14-16

Submittal Date
8-6-92

BLAST HOLE

Hot NaCN Shake
and
FIRE DETERMINATIONS

(2)

DATE 8/2

NAME 95

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	347		.021	25.	Standard ✓		.015
2.	361		.003	26.	492		.006
3.	362		.002	27.	493	Please fire assay	
4.	363		.004	28.	494		.001
5.	364		.005	29.	495		.015
6.	365		.007	30.	496		.013
7.	366		.043	31.	497		.017
8.	Standard ✓		.014	32.	498	Please fire assay	
9.	381		.003	33.			
10.	7		.026	34.			
11.	382-1		.003	35.	499		.010
12.	382-2		.003	36.	500		.013
13.	383		.004	37.			
14.	384		.015	38.			
15.	401		.006	39.			
16.				40.			
17.				41.			
18.	402		.006	42.	Standard ✓		
19.	515		.016	43.			
20.	516		.007	44.			
21.	518		.039	45.			
22.	489		.008	46.			
23.	490		.004	47.			
24.	491		.007	48.			

S-14-17

bench no	shot no	bh no	fire au	aa au	fire equiv (aa/ratio)	ore type	ratio	actual ratio (aa/fire)
		0						
0	11417	0			0.000		95.0%	
S14	17	1		3.000	3.158	3	95.0%	
S14	17	2		4.000	4.211	3	95.0%	
S14	17	3		6.000	7.143	2	84.0%	
S14	17	4		2.000	2.381	2	84.0%	
S14	17	22		14.000	16.667	2	84.0%	
S14	17	23		18.000	18.947	3	95.0%	
S14	17	24		5.000	5.263	3	95.0%	
S14	17	25		5.000	5.952	2	84.0%	
S14	17	26		5.000	5.952	2	84.0%	
S14	17	32		7.000	8.333	2	84.0%	
S14	17	41		16.000	19.048	2	84.0%	
S14	17	42		12.000	12.632	3	95.0%	
S14	17	43		8.000	8.421	3	95.0%	
S14	17	44		9.000	9.474	3	95.0%	
S14	17	45		7.000	7.368	3	95.0%	
S14	17	46		5.000	5.263	3	95.0%	
S14	17	47		5.000	5.952	2	84.0%	
S14	17	48		4.000	4.762	2	84.0%	
S14	17	49		6.000	7.143	2	84.0%	
S14	17	50		12.000	12.632	3	95.0%	
S14	17	51		14.000	14.737	3	95.0%	
S14	17	52		73.000	76.842	3	95.0%	
S14	17	53		44.000	46.316	3	95.0%	
S14	17	62		55.000	65.476	2	84.0%	
S14	17	63		29.000	34.524	2	84.0%	
S14	17	64		14.000	14.737	3	95.0%	
S14	17	65		4.000	4.211	3	95.0%	
S14	17	66		10.000	11.905	2	84.0%	
S14	17	67		4.000	4.762	2	84.0%	
S14	17	68		21.000	22.105	3	95.0%	
S14	17	69		6.000	7.143	2	84.0%	
S14	17	70		8.000	9.524	2	84.0%	
S14	17	71		9.000	9.474	3	95.0%	
S14	17	72		76.000	80.000	3	95.0%	
S14	17	73		89.000	93.684	3	95.0%	
S14	17	74		36.000	37.895	3	95.0%	
S14	17	83		19.000	22.619	2	84.0%	
S14	17	84		27.000	28.421	3	95.0%	
S14	17	85		6.000	6.316	3	95.0%	
S14	17	86		5.000	5.263	3	95.0%	
S14	17	87		4.000	4.211	3	95.0%	
S14	17	88		2.000	2.105	3	95.0%	
S14	17	89		6.000	7.143	2	84.0%	
S14	17	90		25.000	26.316	3	95.0%	
S14	17	91		51.000	53.684	3	95.0%	
S14	17	92		406.000	446.154	3	91.0%	
S14	17	93		95.000	105.556	2	90.0%	
S14	17	94		114.000	125.275	3	91.0%	
S14	17	95		80.000	84.211	3	95.0%	
S14	17	96		31.000	32.632	3	95.0%	
S14	17	102		10.000	11.905	2	84.0%	
S14	17	103		53.000	63.095	2	84.0%	

S14	17	104		8.000	9.524	2	84.0%	
S14	17	105		6.000	6.316	3	95.0%	
S14	17	106		4.000	4.211	3	95.0%	
S14	17	107		3.000	3.158	3	95.0%	
S14	17	108		3.000	3.571	2	84.0%	
S14	17	109		6.000	7.143	2	84.0%	
S14	17	110		7.000	8.333	2	84.0%	
S14	17	111	41.000	32.000	41.000	2	100.0%	78.0%
S14	17	112		44.000	52.381	2	84.0%	
S14	17	113		249.000	276.667	2	90.0%	
S14	17	114		18.000	21.429	2	84.0%	
S14	17	115		26.000	27.368	3	95.0%	
S14	17	116		8.000	8.421	3	95.0%	
S14	17	121		5.000	5.952	2	84.0%	
S14	17	122		5.000	5.263	3	95.0%	
S14	17	123		21.000	22.105	3	95.0%	
S14	17	124		2.000	2.105	3	95.0%	
S14	17	125		6.000	6.316	3	95.0%	
S14	17	126		2.000	2.105	3	95.0%	
S14	17	127		9.000	10.714	2	84.0%	
S14	17	128	39.000	34.000	39.000	2	100.0%	87.2%
S14	17	129	50.000	40.000	50.000	2	100.0%	80.0%
S14	17	130		164.000	182.222	2	90.0%	
S14	17	131		123.000	136.667	2	90.0%	
S14	17	132		91.000	101.111	2	90.0%	
S14	17	133		0.000	0.000	2	84.0%	
S14	17	134		14.000	14.737	3	95.0%	
S14	17	135		17.000	17.895	3	95.0%	
S14	17	136		14.000	14.737	3	95.0%	
S14	17	142		10.000	10.526	3	95.0%	
S14	17	143		2.000	2.105	3	95.0%	
S14	17	144		2.000	2.105	3	95.0%	
S14	17	145		4.000	4.211	3	95.0%	
S14	17	146		212.000	232.967	3	91.0%	
S14	17	147		9.000	9.474	3	95.0%	
S14	17	148		54.000	56.842	3	95.0%	
S14	17	149		97.000	102.105	3	95.0%	
S14	17	150		17.000	17.895	3	95.0%	
S14	17	151		8.000	8.421	3	95.0%	
S14	17	152		16.000	16.842	3	95.0%	
S14	17	153		0.000	0.000	3	95.0%	
S14	17	154		20.000	21.053	3	95.0%	
S14	17	155		32.000	33.684	3	95.0%	
S14	17	156		11.000	11.579	3	95.0%	
S14	17	157		12.000	12.632	3	95.0%	
S14	17	161		7.000	7.368	3	95.0%	
S14	17	162		30.000	31.579	3	95.0%	
S14	17	163		3.000	3.158	3	95.0%	
S14	17	164		2.000	2.105	3	95.0%	
S14	17	165		9.000	9.474	3	95.0%	
S14	17	166		20.000	21.053	3	95.0%	
S14	17	167		5.000	5.952	2	84.0%	
S14	17	168		3.000	3.158	3	95.0%	
S14	17	169		20.000	21.053	3	95.0%	
S14	17	170		17.000	17.895	3	95.0%	
S14	17	171		5.000	5.263	3	95.0%	

S14	17	172		10.000	10.526	3	95.0%	
S14	17	173		3.000	3.158	3	95.0%	
S14	17	174		8.000	8.421	3	95.0%	
S14	17	175		21.000	22.105	3	95.0%	
S14	17	176		19.000	20.000	3	95.0%	
S14	17	181		6.000	6.316	3	95.0%	
S14	17	182		5.000	5.263	3	95.0%	
S14	17	183		68.000	71.579	3	95.0%	
S14	17	184	5.000	3.000	5.000	1	100.0%	60.0%
S14	17	185	1.000	2.000	1.000	1	100.0%	200.0%
S14	17	186	6.000	2.000	6.000	1	100.0%	33.3%
S14	17	187	3.000	1.000	3.000	1	100.0%	33.3%
S14	17	188		25.000	26.316	3	95.0%	
S14	17	189		51.000	53.684	3	95.0%	
S14	17	190		6.000	7.143	2	84.0%	
S14	17	191		3.000	3.571	2	84.0%	
S14	17	192		5.000	5.952	2	84.0%	
S14	17	193		8.000	9.524	2	84.0%	
S14	17	194		23.000	24.211	3	95.0%	
S14	17	195		14.000	14.737	3	95.0%	
S14	17	201		32.000	33.684	3	95.0%	
S14	17	202		17.000	17.895	3	95.0%	
S14	17	203		6.000	12.000	1	50.0%	
S14	17	204	10.000	4.000	10.000	1	100.0%	40.0%
S14	17	205	4.000	1.000	4.000	1	100.0%	25.0%
S14	17	206	3.000	2.000	3.000	1	100.0%	66.7%
S14	17	207	1.000	2.000	1.000	1	100.0%	200.0%
S14	17	208		5.000	10.000	1	50.0%	
S14	17	209		6.000	12.000	1	50.0%	
S14	17	210		7.000	7.368	3	95.0%	
S14	17	211		4.000	4.211	3	95.0%	
S14	17	212		7.000	7.368	3	95.0%	
S14	17	213		11.000	11.579	3	95.0%	
S14	17	214		20.000	21.053	3	95.0%	
S14	17	215		7.000	7.368	3	95.0%	
S14	17	216		8.000	8.421	3	95.0%	
S14	17	222		17.000	20.238	2	84.0%	
S14	17	223	12.000	9.000	12.000	1	100.0%	75.0%
S14	17	224	7.000	5.000	7.000	1	100.0%	71.4%
S14	17	225	3.000	1.000	3.000	1	100.0%	33.3%
S14	17	226	2.000	0.000	2.000	1	100.0%	0.0%
S14	17	227	8.000	3.000	8.000	1	100.0%	37.5%
S14	17	228	3.000	1.000	3.000	1	100.0%	33.3%
S14	17	229	5.000	2.000	5.000	1	100.0%	40.0%
S14	17	230		13.000	15.476	2	84.0%	
S14	17	231		6.000	7.143	2	84.0%	
S14	17	232		9.000	10.714	2	84.0%	
S14	17	233		7.000	7.368	3	95.0%	
S14	17	234		17.000	17.895	3	95.0%	
S14	17	235		19.000	20.000	3	95.0%	
S14	17	236		29.000	30.526	3	95.0%	
S14	17	237		24.000	25.263	3	95.0%	
S14	17	241		7.000	8.333	2	84.0%	
S14	17	242	5.000	6.000	5.000	1	100.0%	120.0%
S14	17	243	19.000	4.000	19.000	1	100.0%	21.1%
S14	17	244	69.000	33.000	69.000	2	100.0%	47.8%

S14	17	245	10.000	2.000	10.000	2	100.0%	20.0%
S14	17	246	3.000	2.000	3.000	1	100.0%	66.7%
S14	17	247	3.000	2.000	3.000	1	100.0%	66.7%
S14	17	248	23.000	9.000	23.000	1	100.0%	39.1%
S14	17	249	1.000	4.000	1.000	1	100.0%	400.0%
S14	17	262		6.000	12.000	1	50.0%	
S14	17	263		12.000	24.000	1	50.0%	
S14	17	264	6.000	1.000	6.000	1	100.0%	16.7%
S14	17	265	16.000	8.000	16.000	2	100.0%	50.0%
S14	17	266	11.000	3.000	11.000	2	100.0%	27.3%
S14	17	267	6.000	2.000	6.000	1	100.0%	33.3%
S14	17	268	9.000	3.000	9.000	1	100.0%	33.3%
S14	17	269	17.000	12.000	17.000	1	100.0%	70.6%
S14	17	281	4.000	0.000	4.000	1	100.0%	0.0%
S14	17	282	7.000	1.000	7.000	1	100.0%	14.3%
S14	17	283	2.000	1.000	2.000	1	100.0%	50.0%
S14	17	284	14.000	8.000	14.000	2	100.0%	57.1%
S14	17	285	8.000	7.000	8.000	1	100.0%	87.5%
S14	17	286	6.000	8.000	6.000	2	100.0%	133.3%
S14	17	287		3.000	6.000	1	50.0%	
S14	17	301	5.000	1.000	5.000	1	100.0%	20.0%
S14	17	302	2.000	1.000	2.000	1	100.0%	50.0%
S14	17	303	3.000	8.000	3.000	1	100.0%	266.7%
S14	17	304	2.000	4.000	2.000	1	100.0%	200.0%
S14	17	305		10.000	20.000	1	50.0%	
S14	17	306		1.000	2.000	1	50.0%	
S14	17	321	4.000	2.000	4.000	1	100.0%	50.0%
S14	17	322	25.000	16.000	25.000	1	100.0%	64.0%
S14	17	323		2.000	4.000	1	50.0%	
S14	17	324		10.000	11.905	2	84.0%	
S14	17	501		8.000	8.421	3	95.0%	
S14	17	502		3.000	3.571	2	84.0%	
S14	17	503		9.000	10.714	2	84.0%	
S14	17	504		10.000	11.905	2	84.0%	
S14	17	505		19.000	22.619	2	84.0%	
S14	17	506		20.000	23.810	2	84.0%	
S14	17	507		35.000	41.667	2	84.0%	
S14	17	508		31.000	32.632	3	95.0%	
S14	17	509		11.000	11.579	3	95.0%	
S14	17	510		12.000	24.000	1	50.0%	
S14	17	511		10.000	20.000	1	50.0%	
S14	17	512		9.000	18.000	1	50.0%	
S14	17	513		37.000	38.947	3	95.0%	
S14	17	514		4.000	4.211	3	95.0%	
S14	17	515		16.000	16.842	3	95.0%	
S14	17	516		40.000	42.105	3	95.0%	
S14	17	517		32.000	33.684	3	95.0%	
S14	17	518		9.000	9.474	3	95.0%	
S14	17	519		16.000	19.048	2	84.0%	
S14	17	520	25.000	18.000	25.000	1	100.0%	72.0%
S14	17	521	13.000	9.000	13.000	1	100.0%	69.2%
S14	17	522	44.000	38.000	44.000	1	100.0%	86.4%
S14	17	523	30.000	22.000	30.000	1	100.0%	73.3%
S14	17	524	17.000	3.000	17.000	1	100.0%	17.6%
S14	17	525	6.000	0.000	6.000	1	100.0%	0.0%
S14	17	526	12.000	2.000	12.000	1	100.0%	16.7%

S14	17	527	2.000	1.000	2.000	1	100.0%	50.0%
S14	17	528	8.000	3.000	8.000	1	100.0%	37.5%
S14	17	529	12.000	4.000	12.000	1	100.0%	33.3%
S14	17	530	4.000	4.000	4.000	1	100.0%	100.0%
S14	17	531	36.000	18.000	36.000	1	100.0%	50.0%
S14	17	532	19.000	10.000	19.000	2	100.0%	52.6%
		mean	12.4737	19.5265	22.7541		91.4%	0.065953

FIRE REQUEST SHEET

PATTERN S-14-17 DATE 08/13/92

NO.	SULF	MIX	GRADE	NO.	SULF	MIX	GRADE	NO	SULF	MIX	GRADE
111			.041	527			.002	301			.005
128			.039	528			.008	302			.002
129			.050	529			.012	303			.003
184			.005	530			.004	304			.002
185			.001	531			.036	321			.004
186			.006	532			.019	322			.025
187			.003	243			.005				
204			.010	244			.069				
205			.004	245			.010				
206			.003	246			.003				
207			.001	247			.003				
223			.012	248			.023				
224			.007	249			.001				
225			.003	264			.006				
226			.002	265			.016				
227			.008	266			.011				
228			.003	267			.006				
229			.005	268			.009				
520			.025	269			.017				
521			.013	281			.004				
522			.044	282			.007				
523			.036	283			.002				
524			.017	284			.014				
525			.006	285			.008				
526			.012	286			.006				


45500N
27500E

BROHM MINING CORPORATION
Gilt Edge Project

Pit-Bench-Pattern #
S-14-17

Submittal Date
8/11/92

BLAST HOLE

Bot NaCN Shake
and
FIRE DETERMINATIONS

(2)

DATE: 8/12

NAME: TS

	SAMPLE	FIRE Au.	NaCN Au.		SAMPLE	FIRE Au.	NaCN Au.
1.	172		.010	25.	Standard ✓		.015
2.	173		.003	26.	122		.005
3.	174		.008	27.	123		.021
4.	175		.021	28.	142		.010
5.	176		.019	29.	143		.002
6.	1		.003	30.	161		.007
7.	2		.004	31.	162		.030
8.	Standard ✓		.014	32.	181		.006
9.	22		.014	33.	[redacted]		
10.	7		.024	34.			
11.	23-1		.018	35.	182		.005
12.	23-2		.017	36.	201		.032
13.	41		.016	37.	202		.017
14.	42		.012	38.			
15.	62		.055	39.			
16.	[redacted]			40.			
17.				41.			
18.	63		.029	42.	Standard ✓		
19.	83		.019	43.			
20.	84		.027	44.			
21.	102		.010	45.			
22.	103		.053	46.			
23.	104		.008	47.			
24.	121		.005	48.			