1961308 - R8 SEMS

R88-467

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1229 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1229

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-467-0-5		0.015	D2 R88-467-200-205		0.031
D2 R88-467-5-10		0.018	D2 R88-467-205-210		0.024
D2 R88-467-10-15		0.020	D2 R88-467-210-215		0.020
D2 R88-467-15-20		0.023	D2 R88-467-215-220		0.021
D2 R88-467-20-25		0.026	D2 R88-467-220-225		0.026
D2 R88-467-25-30		0.053	D2 R88-467-225-230		0.025
D2 R88-467-30-35		0.038	D2 R88-467-230-235		0.031
D2 R88-467-35-40		0.025	D2 R88-467-235-240		0.017
D2 R88-467-40-45		0.020	D2 R88-467-240-245		0.015
D2 R88-467-45-50		0.031	D2 R88-467-245-250		0.011
D2 R88-467-50-55		0.031	D2 R88-467-250-255		0.015
D2 R88-467-55-60		0.042	D2 R88-467-255-260		0.013
D2 R88-467-60-65		0.029	D2 R88-467-260-265		0.015
D2 R88-467-65-70		0.050	D2 R88-467-265-270		0.012
D2 R88-467-70-75		0.043	D2 R88-467-270-275		0.014
D2 R88-467-75-80		0.036	D2 R88-467-275-280		0.012
D2 R88-467-80-85		0.033	D2 R88-467-280-285		0.010
D2 R88-467-85-90		0.052	D2 R88-467-285-290		0.009
D2 R88-467-90-95		0.029	D2 R88-467-290-295		0.014
D2 R88-467-95-100		0.023	D2 R88-467-295-300		0.014
D2 R88-467-100-105		0.029			
D2 R88-467-105-110		0.020			
D2 R88-467-110-115		0.016			
D2 R88-467-115-120		0.028			
D2 R88-467-120-125		0.037			
D2 R88-467-125-130		0.027			
D2 R88-467-130-135		0.032			
D2 R88-467-135-140		0.034			
D2 R88-467-140-145		0.040			
D2 R88-467-145-150		0.054			
D2 R88-467-150-155		0.024			
D2 R88-467-155-160		0.021			
D2 R88-467-160-165		0.010			
D2 R88-467-165-170		0.010			
D2 R88-467-170-175		0.011			
D2 R88-467-175-180		0.020			
D2 R88-467-180-185		0.019			
D2 R88-467-185-190		0.015			
D2 R88-467-190-195		0.021			
D2 R88-467-195-200		0.020			

BROHM MINING CO.
OCT 2 1 1988

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13018, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1229
Project : NONE LISTED
Reference: NONE LISTED

---

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

PEB-467 (0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1226 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1082
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1226

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-467-300-305		0.038	D2 R88-467-500-505		0.018
D2 R88-467-305-310		0.018	D2 R88-467-505-510		0.020
D2 R88-467-310-315		0.039	D2 R88-467-510-515		0.023
D2 R88-467-315-320		0.026	D2 R88-467-515-520		0.025
D2 R88-467-320-325		0.035	D2 R88-467-520-525		0.025
D2 R88-467-325-330		0.020	D2 R88-467-525-530		0.053
D2 R88-467-330-335		0.009	D2 R88-467-530-535		0.037
D2 R88-467-335-340		0.010	D2 R88-467-535-540		0.033
D2 R88-467-340-345		0.011	D2 R88-467-540-545		0.033
D2 R88-467-345-350		0.022	D2 R88-467-545-550		0.045
D2 R88-467-350-355		0.026	D2 R88-467-550-555		0.026
D2 R88-467-355-360		<0.002	D2 R88-467-555-560		0.035
D2 R88-467-360-365		0.022	D2 R88-467-560-565		0.057
D2 R88-467-365-370		0.015	D2 R88-467-565-570		0.052
D2 R88-467-370-375		0.016	D2 R88-467-570-575		0.023
D2 R88-467-375-380		0.017	D2 R88-467-575-580		0.027
D2 R88-467-380-385		0.013	D2 R88-467-580-585		0.040
D2 R88-467-385-390		0.021	D2 R88-467-585-590		0.026
D2 R88-467-390-395		0.021	D2 R88-467-590-595		0.045
D2 R88-467-395-400		0.015	D2 R88-467-595-600		0.032
D2 R88-467-400-405		0.018			
D2 R88-467-405-410		0.023			
D2 R88-467-410-415		0.018			
D2 R88-467-415-420		0.020			
D2 R88-467-420-425		0.024			
D2 R88-467-425-430		0.057			
D2 R88-467-430-435		0.030			
D2 R88-467-435-440		0.092			
D2 R88-467-440-445		0.069			
D2 R88-467-445-450		0.050			
D2 R88-467-450-455		0.038			
D2 R88-467-455-460		0.027			
D2 R88-467-460-465		0.017			
D2 R88-467-465-470		0.052			
D2 R88-467-470-475		0.059			
D2 R88-467-475-480		0.032			
D2 R88-467-480-485		0.023			
D2 R88-467-485-490		0.038			
D2 R88-467-490-495		0.021			
D2 R88-467-495-500		0.023			

BROHM MINING CO.
OCT 3 1988

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13013, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1226
Project : NONE LISTED
Reference: NONE LISTED

---

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1082 Samples of Excessive Wetness	at $ 0.15	$ 162.30	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 354.30	$ 354.30
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.77	
2% DEADWOOD CITY SALES TAX		$ 5.89	
Subtotal		$ 17.66	$ 17.66
Invoice Total:			$ 761.96 U.S.

R88 467

(300 - 600)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1235 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 28-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	904
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

TWO SEPARATE ASSAY RESULTS REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1235

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-467-600-605		0.020		D2 R88-467-800-805		0.235	0.196 = .216
D2 R88-467-605-610		0.011		D2 R88-467-805-810		0.038	
D2 R88-467-610-615		0.010		D2 R88-467-810-815		0.023	
D2 R88-467-615-620		0.010		D2 R88-467-815-820		0.070	
D2 R88-467-620-625		0.003		D2 R88-467-820-825		0.010	
D2 R88-467-625-630		0.016		D2 R88-467-825-830		0.011	
D2 R88-467-630-635		0.014		D2 R88-467-830-835		0.013	
D2 R88-467-635-640		0.005		D2 R88-467-835-840		0.013	
D2 R88-467-640-645		0.162		D2 R88-467-840-845		0.015	
D2 R88-467-645-650		0.045		D2 R88-467-845-850		0.022	
D2 R88-467-650-655		0.012		D2 R88-467-850-855		0.020	
D2 R88-467-655-660		0.008		D2 R88-467-855-860		0.021	
D2 R88-467-660-665		0.022		D2 R88-467-860-865		0.037	
D2 R88-467-665-670		0.012		D2 R88-467-865-870		0.023	
D2 R88-467-670-675		0.115		D2 R88-467-870-875		0.016	
D2 R88-467-675-680		0.033		D2 R88-467-875-880		0.018	
D2 R88-467-680-685		0.028		D2 R88-467-880-885		0.024	
D2 R88-467-685-690		0.030		D2 R88-467-885-890		0.103	
D2 R88-467-690-695		0.025		D2 R88-467-890-895		0.033	
D2 R88-467-695-700		0.016		D2 R88-467-895-900		0.014	
D2 R88-467-700-705		0.023					
D2 R88-467-705-710		0.021					
D2 R88-467-710-715		0.027					
D2 R88-467-715-720		0.033					
D2 R88-467-720-725		0.080					
D2 R88-467-725-730		0.046					
D2 R88-467-730-735		0.031					
D2 R88-467-735-740		0.037					
D2 R88-467-740-745		0.057					
D2 R88-467-745-750		0.050					
D2 R88-467-750-755		0.043					
D2 R88-467-755-760		0.026					
D2 R88-467-760-765		0.014					
D2 R88-467-765-770		0.050					
D2 R88-467-770-775		0.085					
D2 R88-467-775-780		0.024					
D2 R88-467-780-785		0.023					
D2 R88-467-785-790		0.025					
D2 R88-467-790-795		0.036					
D2 R88-467-795-800		0.030					

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13160, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-OCT-88

Report No: 098-1235
Project : NONE LISTED
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
904 Samples of Excessive Wetness	at $ 0.15	$ 135.60	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 327.60	$ 327.60
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 10.70	
2% DEADWOOD CITY SALES TAX		$ 5.35	
Subtotal		$ 16.05	$ 16.05
Invoice Total:			$ 733.65 U.S.

BBB-467 (600-900)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1273 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 28-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	54	0.002 OPT		Fire Assay
2	Au	Gold	3	0.002 OPT		Fire Assay
3	Au	Gold	2	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	54	2 -150	54	Assay Prep	54
				Excessive Wetness	704
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

3 SEPARATE ASSAY RESULTS REPORTED FOR 3 SAMPLES

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1273

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-467-900-905		0.023			D2 R88-467-1100-1105		0.070		
D2 R88-467-905-910		0.072			D2 R88-467-1105-1110		0.237	0.315	0.334 = .295
D2 R88-467-910-915		0.019			D2 R88-467-1110-1115		0.031		
D2 R88-467-915-920		0.017			D2 R88-467-1115-1120		0.030		
D2 R88-467-920-925		0.020			D2 R88-467-1120-1125		0.470	0.238	0.138 = .282
D2 R88-467-925-930		0.083			D2 R88-467-1125-1130		0.656	0.550	= .603
D2 R88-467-930-935		0.031			D2 R88-467-1130-1135		0.032		
D2 R88-467-935-940		0.014			D2 R88-467-1135-1140		0.007		
D2 R88-467-940-945		0.023			D2 R88-467-1140-1145		0.007		
D2 R88-467-945-950		0.030			D2 R88-467-1145-1150		0.015		
D2 R88-467-950-955		0.047			D2 R88-467-1150-1155		0.003		
D2 R88-467-955-960		0.003			D2 R88-467-1155-1160		0.013		
D2 R88-467-960-965		0.006			D2 R88-467-1160-1165		0.027		
D2 R88-467-965-970		0.003			D2 R88-467-1165-1170		0.008		
D2 R88-467-970-975		0.004							
D2 R88-467-975-980		0.006							
D2 R88-467-980-985		0.003							
D2 R88-467-985-990		0.005							
D2 R88-467-990-995		0.095							
D2 R88-467-995-1000		0.019							
D2 R88-467-1000-1005		0.015							
D2 R88-467-1005-1010		0.017							
D2 R88-467-1010-1015		0.008							
D2 R88-467-1015-1020		<0.002							
D2 R88-467-1020-1025		0.005							
D2 R88-467-1025-1030		0.014							
D2 R88-467-1030-1035		0.006							
D2 R88-467-1035-1040		0.005							
D2 R88-467-1040-1045		0.004							
D2 R88-467-1045-1050		0.003							
D2 R88-467-1050-1055		0.006							
D2 R88-467-1055-1060		0.005							
D2 R88-467-1060-1065		0.019							
D2 R88-467-1065-1070		0.050							
D2 R88-467-1070-1075		0.040							
D2 R88-467-1075-1080		0.071							
D2 R88-467-1080-1085		0.130							
D2 R88-467-1085-1090		0.060							
D2 R88-467-1090-1095		0.012							
D2 R88-467-1095-1100		0.049							

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13131, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-OCT-88

Report No: 098-1273
Project : NONE LISTED
Reference: NONE LISTED

3 Analyses of Gold	at $ 0.00	$ 0.00	
2 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
54 Analyses of Gold	at $ 6.50	$ 351.00	
Subtotal		$ 351.00	$ 351.00
Sample Preparation			
54 Samples of Assay Prep	at $ 3.00	$ 162.00	
704 Samples of Excessive Wetness	at $ 0.15	$ 105.60	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 279.60	$ 279.60
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 9.02	
2% DEADWOOD CITY SALES TAX		$ 4.51	
Subtotal		$ 13.53	$ 13.53
Invoice Total:			$ 644.13 U.S.

ZBB-467 (900-1170)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1278 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	16	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	16	2 -150	16	Assay Prep	16
				Excessive Wetness	195
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1278

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-467-1170-1175		0.004
D2 R88-467-1175-1180		0.006
D2 R88-467-1180-1185		0.026
D2 R88-467-1185-1190		0.008
D2 R88-467-1190-1195		0.005
D2 R88-467-1195-1200		0.006
D2 R88-467-1200-1205		0.005
D2 R88-467-1205-1210		0.006
D2 R88-467-1210-1215		0.003
D2 R88-467-1215-1220		<0.002
D2 R88-467-1220-1225		0.004
D2 R88-467-1225-1230		<0.002
D2 R88-467-1230-1235		<0.002
D2 R88-467-1235-1240		0.003
D2 R88-467-1240-1245		0.003
D2 R88-467-1245-1250		<0.002

BROHM MINING CO.
OCT 2 1 1988
RECEIVED

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13006, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1278
Project : NONE LISTED
Reference: NONE LISTED

16 Analyses of Gold	at $ 6.50	$ 104.00	
Subtotal		$ 104.00	$ 104.00
Sample Preparation			
16 Samples of Assay Prep	at $ 3.00	$ 48.00	
195 Samples of Excessive Wetness	at $ 0.15	$ 29.25	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 89.25	$ 89.25
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 2.93	
2% DEADWOOD CITY SALES TAX		$ 1.46	
Subtotal		$ 4.39	$ 4.39
Invoice Total:			$ 197.64 U.S.

KEB-467 (illegible)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 25-10-88 10:26:22 098-1229   J. BARRON              05/10/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"12290001" "D" "2" "R88-467-0-5          "    0.015
"12290002" "D" "2" "R88-467-5-10         "    0.018
"12290003" "D" "2" "R88-467-10-15        "    0.020
"12290004" "D" "2" "R88-467-15-20        "    0.023
"12290005" "D" "2" "R88-467-20-25        "    0.026
"12290006" "D" "2" "R88-467-25-30        "    0.053
"12290007" "D" "2" "R88-467-30-35        "    0.038
"12290008" "D" "2" "R88-467-35-40        "    0.025
"12290009" "D" "2" "R88-467-40-45        "    0.020
"12290010" "D" "2" "R88-467-45-50        "    0.031
"12290013" "D" "2" "R88-467-50-55        "    0.031
"12290014" "D" "2" "R88-467-55-60        "    0.042
"12290015" "D" "2" "R88-467-60-65        "    0.029
"12290016" "D" "2" "R88-467-65-70        "    0.050
"12290017" "D" "2" "R88-467-70-75        "    0.043
"12290018" "D" "2" "R88-467-75-80        "    0.036
"12290019" "D" "2" "R88-467-80-85        "    0.033
"12290020" "D" "2" "R88-467-85-90        "    0.052
"12290021" "D" "2" "R88-467-90-95        "    0.029
"12290022" "D" "2" "R88-467-95-100       "    0.023
"12290023" "D" "2" "R88-467-100-105      "    0.029
"12290024" "D" "2" "R88-467-105-110      "    0.020
"12290025" "D" "2" "R88-467-110-115      "    0.016
"12290026" "D" "2" "R88-467-115-120      "    0.028
"12290027" "D" "2" "R88-467-120-125      "    0.037
"12290028" "D" "2" "R88-467-125-130      "    0.027
"12290029" "D" "2" "R88-467-130-135      "    0.032
"12290030" "D" "2" "R88-467-135-140      "    0.034
"12290031" "D" "2" "R88-467-140-145      "    0.040
"12290032" "D" "2" "R88-467-145-150      "    0.054
"12290033" "D" "2" "R88-467-150-155      "    0.024
"12290034" "D" "2" "R88-467-155-160      "    0.021
"12290035" "D" "2" "R88-467-160-165      "    0.010
"12290038" "D" "2" "R88-467-165-170      "    0.010
"12290039" "D" "2" "R88-467-170-175      "    0.011
"12290040" "D" "2" "R88-467-175-180      "    0.020
"12290041" "D" "2" "R88-467-180-185      "    0.019
"12290042" "D" "2" "R88-467-185-190      "    0.015
"12290043" "D" "2" "R88-467-190-195      "    0.021
"12290044" "D" "2" "R88-467-195-200      "    0.020
"12290045" "D" "2" "R88-467-200-205      "    0.031
"12290046" "D" "2" "R88-467-205-210      "    0.024
```

10-160

150' @ .032

175-235

60' @

"12290047"	"D"	"2"	"R88-467-210-215	"	0.020
"12290048"	"D"	"2"	"R88-467-215-220	"	0.021
"12290049"	"D"	"2"	"R88-467-220-225	"	0.026
"12290050"	"D"	"2"	"R88-467-225-230	"	0.025
"12290051"	"D"	"2"	"R88-467-230-235	"	0.031
"12290052"	"D"	"2"	"R88-467-235-240	"	0.017
"12290053"	"D"	"2"	"R88-467-240-245	"	0.015
"12290054"	"D"	"2"	"R88-467-245-250	"	0.011
"12290055"	"D"	"2"	"R88-467-250-255	"	0.015
"12290056"	"D"	"2"	"R88-467-255-260	"	0.013
"12290057"	"D"	"2"	"R88-467-260-265	"	0.015
"12290058"	"D"	"2"	"R88-467-265-270	"	0.012
"12290059"	"D"	"2"	"R88-467-270-275	"	0.014
"12290060"	"D"	"2"	"R88-467-275-280	"	0.012
"12290063"	"D"	"2"	"R88-467-280-285	"	0.010
"12290064"	"D"	"2"	"R88-467-285-290	"	0.009
"12290065"	"D"	"2"	"R88-467-290-295	"	0.014
"12290066"	"D"	"2"	"R88-467-295-300	"	0.014

"END"

175-235
60' @ .023

```
"TITLE 25-10-88 07:47:50 098-1226   J. BARRON              03/10/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1082           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au"
"12260001" "D" "2" "R88-467-300-305      "    0.038
"12260002" "D" "2" "R88-467-305-310      "    0.018
"12260003" "D" "2" "R88-467-310-315      "    0.039
"12260004" "D" "2" "R88-467-315-320      "    0.026
"12260005" "D" "2" "R88-467-320-325      "    0.035
"12260006" "D" "2" "R88-467-325-330      "    0.020
"12260007" "D" "2" "R88-467-330-335      "    0.009
"12260010" "D" "2" "R88-467-335-340      "    0.010
"12260011" "D" "2" "R88-467-340-345      "    0.011
"12260012" "D" "2" "R88-467-345-350      "    0.022
"12260013" "D" "2" "R88-467-350-355      "    0.026
"12260014" "D" "2" "R88-467-355-360      "   -0.002
"12260015" "D" "2" "R88-467-360-365      "    0.022
"12260016" "D" "2" "R88-467-365-370      "    0.015
"12260017" "D" "2" "R88-467-370-375      "    0.016
"12260018" "D" "2" "R88-467-375-380      "    0.017
"12260019" "D" "2" "R88-467-380-385      "    0.013
"12260020" "D" "2" "R88-467-385-390      "    0.021
"12260021" "D" "2" "R88-467-390-395      "    0.021
"12260022" "D" "2" "R88-467-395-400      "    0.015
"12260023" "D" "2" "R88-467-400-405      "    0.018
"12260024" "D" "2" "R88-467-405-410      "    0.023
"12260025" "D" "2" "R88-467-410-415      "    0.018
"12260026" "D" "2" "R88-467-415-420      "    0.020
"12260027" "D" "2" "R88-467-420-425      "    0.024
"12260028" "D" "2" "R88-467-425-430      "    0.057
"12260029" "D" "2" "R88-467-430-435      "    0.030
"12260030" "D" "2" "R88-467-435-440      "    0.092
"12260031" "D" "2" "R88-467-440-445      "    0.069
"12260032" "D" "2" "R88-467-445-450      "    0.050
"12260035" "D" "2" "R88-467-450-455      "    0.038
"12260036" "D" "2" "R88-467-455-460      "    0.027
"12260037" "D" "2" "R88-467-460-465      "    0.017
"12260038" "D" "2" "R88-467-465-470      "    0.052
"12260039" "D" "2" "R88-467-470-475      "    0.059
"12260040" "D" "2" "R88-467-475-480      "    0.032
"12260041" "D" "2" "R88-467-480-485      "    0.023
"12260042" "D" "2" "R88-467-485-490      "    0.038
"12260043" "D" "2" "R88-467-490-495      "    0.021
"12260044" "D" "2" "R88-467-495-500      "    0.023
"12260045" "D" "2" "R88-467-500-505      "    0.018
```

300-330

30'@.029

345-365

20'@

385-605

220'@.034

"12260046"	"D"	"2"	"R88-467-505-510	"	0.020
"12260047"	"D"	"2"	"R88-467-510-515	"	0.023
"12260048"	"D"	"2"	"R88-467-515-520	"	0.025
"12260049"	"D"	"2"	"R88-467-520-525	"	0.025
"12260050"	"D"	"2"	"R88-467-525-530	"	0.053
"12260051"	"D"	"2"	"R88-467-530-535	"	0.037
"12260052"	"D"	"2"	"R88-467-535-540	"	0.033
"12260053"	"D"	"2"	"R88-467-540-545	"	0.033
"12260054"	"D"	"2"	"R88-467-545-550	"	0.045
"12260055"	"D"	"2"	"R88-467-550-555	"	0.026
"12260056"	"D"	"2"	"R88-467-555-560	"	0.035
"12260057"	"D"	"2"	"R88-467-560-565	"	0.057
"12260060"	"D"	"2"	"R88-467-565-570	"	0.052
"12260061"	"D"	"2"	"R88-467-570-575	"	0.023
"12260062"	"D"	"2"	"R88-467-575-580	"	0.027
"12260063"	"D"	"2"	"R88-467-580-585	"	0.040
"12260064"	"D"	"2"	"R88-467-585-590	"	0.026
"12260065"	"D"	"2"	"R88-467-590-595	"	0.045
"12260066"	"D"	"2"	"R88-467-595-600	"	0.032

"END"

```
"TITLE 28-10-88 11:11:08 098-1235   J. BARRON              03/10/88"
"CLIENT BROHM MINING CORP.                                   "
"PROJECT NONE LISTED     #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64= 904           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"  51 TWO SEPARATE ASSAY RESULTS REPORTED FOR ONE          "
"  52 SAMPLE.                                              "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"12350001" "D" "2" "R88-467-600-605      "    0.020      -9
"12350002" "D" "2" "R88-467-605-610      "    0.011      -9
"12350003" "D" "2" "R88-467-610-615      "    0.010      -9
"12350004" "D" "2" "R88-467-615-620      "    0.010      -9
"12350005" "D" "2" "R88-467-620-625      "    0.003      -9
"12350006" "D" "2" "R88-467-625-630      "    0.016      -9
"12350009" "D" "2" "R88-467-630-635      "    0.014      -9
"12350010" "D" "2" "R88-467-635-640      "    0.005      -9
"12350011" "D" "2" "R88-467-640-645      "    0.162      -9
"12350012" "D" "2" "R88-467-645-650      "    0.045      -9
"12350013" "D" "2" "R88-467-650-655      "    0.012      -9
"12350014" "D" "2" "R88-467-655-660      "    0.008      -9
"12350015" "D" "2" "R88-467-660-665      "    0.022      -9
"12350016" "D" "2" "R88-467-665-670      "    0.012      -9
"12350017" "D" "2" "R88-467-670-675      "    0.115      -9
"12350018" "D" "2" "R88-467-675-680      "    0.033      -9
"12350019" "D" "2" "R88-467-680-685      "    0.028      -9
"12350020" "D" "2" "R88-467-685-690      "    0.030      -9
"12350021" "D" "2" "R88-467-690-695      "    0.025      -9
"12350022" "D" "2" "R88-467-695-700      "    0.016      -9
"12350023" "D" "2" "R88-467-700-705      "    0.023      -9
"12350024" "D" "2" "R88-467-705-710      "    0.021      -9
"12350025" "D" "2" "R88-467-710-715      "    0.027      -9
"12350026" "D" "2" "R88-467-715-720      "    0.033      -9
"12350027" "D" "2" "R88-467-720-725      "    0.080      -9
"12350028" "D" "2" "R88-467-725-730      "    0.046      -9
"12350029" "D" "2" "R88-467-730-735      "    0.031      -9
"12350030" "D" "2" "R88-467-735-740      "    0.037      -9
"12350031" "D" "2" "R88-467-740-745      "    0.057      -9
"12350034" "D" "2" "R88-467-745-750      "    0.050      -9
"12350035" "D" "2" "R88-467-750-755      "    0.043      -9
"12350036" "D" "2" "R88-467-755-760      "    0.026      -9
"12350037" "D" "2" "R88-467-760-765      "    0.014      -9
"12350038" "D" "2" "R88-467-765-770      "    0.050      -9
"12350039" "D" "2" "R88-467-770-775      "    0.085      -9
"12350040" "D" "2" "R88-467-775-780      "    0.024      -9
"12350041" "D" "2" "R88-467-780-785      "    0.023      -9
"12350042" "D" "2" "R88-467-785-790      "    0.025      -9
"12350043" "D" "2" "R88-467-790-795      "    0.036      -9
"12350044" "D" "2" "R88-467-795-800      "    0.030      -9
```

385-605 220'@ .034

640-820

180'@

"12350045"	"D"	"2"	"R88-467-800-805	"(.216AV)	0.235	0.196	640-820
"12350046"	"D"	"2"	"R88-467-805-810	"	0.038	-9	18¢ .045
"12350047"	"D"	"2"	"R88-467-810-815	"	0.023	-9	
"12350048"	"D"	"2"	"R88-467-815-820	"	0.070	-9	
"12350049"	"D"	"2"	"R88-467-820-825	"	0.010	-9	
"12350050"	"D"	"2"	"R88-467-825-830	"	0.011	-9	
"12350051"	"D"	"2"	"R88-467-830-835	"	0.013	-9	
"12350052"	"D"	"2"	"R88-467-835-840	"	0.013	-9	
"12350053"	"D"	"2"	"R88-467-840-845	"	0.015	-9	
"12350054"	"D"	"2"	"R88-467-845-850	"	0.022	-9	845-955
"12350055"	"D"	"2"	"R88-467-850-855	"	0.020	-9	
"12350056"	"D"	"2"	"R88-467-855-860	"	0.021	-9	110' @
"12350059"	"D"	"2"	"R88-467-860-865	"	0.037	-9	
"12350060"	"D"	"2"	"R88-467-865-870	"	0.023	-9	
"12350061"	"D"	"2"	"R88-467-870-875	"	0.016	-9	
"12350062"	"D"	"2"	"R88-467-875-880	"	0.018	-9	
"12350063"	"D"	"2"	"R88-467-880-885	"	0.024	-9	
"12350064"	"D"	"2"	"R88-467-885-890	"	0.103	-9	
"12350065"	"D"	"2"	"R88-467-890-895	"	0.033	-9	
"12350066"	"D"	"2"	"R88-467-895-900	"	0.014	-9	

"END"

"TITLE 28-10-88 11:41:25 098-1273 J. BARRON 05/10/88"
"CLIENT BROHM MINING CORP. "
"PROJECT NONE LISTED #SAMPLES: 54 REFERENCE: NONE LISTED "
"SPECIAL VALUES"
" IS Insufficient Sample"
" -9 No Value Recorded"
" Values above the upper limit are shown as +uplimt"
" Values below the lower limit are shown as -lolmt (ie not detected)"
"DETERMINATIONS"

	ELNAME	METHO	ECO	UNI	#SAM	LOLMT	UPLIMT	COMMENTS
01	Au	FA		OPT	54	0.002	99.999	Results Reported
02	Au	FA		OPT	3	0.002	99.999	Results Reported
03	Au	FA		OPT	2	0.002	30.000	Results Reported

"SAMPLE PREPS"
" 40 SAMPLE TYPE=D DRILL CORE "
" 41 P17= 54 Assay Prep "
" 42 P64= 704 Excessive Wetness "
" 43 P23= 1 Sample Pickup "
"REMARKS"
" 50 FINAL RESULTS ARE REPORTED. "
" 51 3 SEPARATE ASSAY RESULTS REPORTED FOR 3 SAMPLES"
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,3(1X,A7,A1))"

"BEGIN "	"Type"	"Frac"	"Sample ID"	" Au" "	Au" "	Au"	
"12730001"	"D"	"2"	"R88-467-900-905 "	0.023	-9	-9	845 -955
"12730002"	"D"	"2"	"R88-467-905-910 "	0.072	-9	-9	
"12730003"	"D"	"2"	"R88-467-910-915 "	0.019	-9	-9	110'@.032
"12730004"	"D"	"2"	"R88-467-915-920 "	0.017	-9	-9	
"12730007"	"D"	"2"	"R88-467-920-925 "	0.020	-9	-9	
"12730008"	"D"	"2"	"R88-467-925-930 "	0.083	-9	-9	
"12730009"	"D"	"2"	"R88-467-930-935 "	0.031	-9	-9	
"12730010"	"D"	"2"	"R88-467-935-940 "	0.014	-9	-9	
"12730011"	"D"	"2"	"R88-467-940-945 "	0.023	-9	-9	
"12730012"	"D"	"2"	"R88-467-945-950 "	0.030	-9	-9	
"12730013"	"D"	"2"	"R88-467-950-955 "	0.047	-9	-9	
"12730014"	"D"	"2"	"R88-467-955-960 "	0.003	-9	-9	
"12730015"	"D"	"2"	"R88-467-960-965 "	0.006	-9	-9	
"12730016"	"D"	"2"	"R88-467-965-970 "	0.003	-9	-9	
"12730017"	"D"	"2"	"R88-467-970-975 "	0.004	-9	-9	
"12730018"	"D"	"2"	"R88-467-975-980 "	0.006	-9	-9	
"12730019"	"D"	"2"	"R88-467-980-985 "	0.003	-9	-9	
"12730020"	"D"	"2"	"R88-467-985-990 "	0.005	-9	-9	
"12730021"	"D"	"2"	"R88-467-990-995 "	0.095	-9	-9	
"12730022"	"D"	"2"	"R88-467-995-1000 "	0.019	-9	-9	
"12730023"	"D"	"2"	"R88-467-1000-1005 "	0.015	-9	-9	
"12730024"	"D"	"2"	"R88-467-1005-1010 "	0.017	-9	-9	
"12730025"	"D"	"2"	"R88-467-1010-1015 "	0.008	-9	-9	
"12730026"	"D"	"2"	"R88-467-1015-1020 "	-0.002	-9	-9	
"12730027"	"D"	"2"	"R88-467-1020-1025 "	0.005	-9	-9	
"12730028"	"D"	"2"	"R88-467-1025-1030 "	0.014	-9	-9	
"12730029"	"D"	"2"	"R88-467-1030-1035 "	0.006	-9	-9	
"12730032"	"D"	"2"	"R88-467-1035-1040 "	0.005	-9	-9	
"12730033"	"D"	"2"	"R88-467-1040-1045 "	0.004	-9	-9	
"12730034"	"D"	"2"	"R88-467-1045-1050 "	0.003	-9	-9	
"12730035"	"D"	"2"	"R88-467-1050-1055 "	0.006	-9	-9	
"12730036"	"D"	"2"	"R88-467-1055-1060 "	0.005	-9	-9	
"12730037"	"D"	"2"	"R88-467-1060-1065 "	0.019	-9	-9	
"12730038"	"D"	"2"	"R88-467-1065-1070 "	0.050	-9	-9	
"12730039"	"D"	"2"	"R88-467-1070-1075 "	0.040	-9	-9	1065-1135
"12730040"	"D"	"2"	"R88-467-1075-1080 "	0.071	-9	-9	
"12730041"	"D"	"2"	"R88-467-1080-1085 "	0.130	-9	-9	70'@.125
"12730042"	"D"	"2"	"R88-467-1085-1090 "	0.060	-9	-9	
"12730043"	"D"	"2"	"R88-467-1090-1095 "	0.012	-9	-9	
"12730044"	"D"	"2"	"R88-467-1095-1100 "	0.049	-9	-9	

"12730045"	"D"	"2"	"R88-467-1100-1105	"	0.070	-9	-9	
"12730046"	"D"	"2"	"R88-467-1105-1110	(.295 AV)	0.237	0.315	0.334	1065-
"12730047"	"D"	"2"	"R88-467-1110-1115	"	0.031	-9	-9	
"12730048"	"D"	"2"	"R88-467-1115-1120	"	0.030	-9	-9	
"12730049"	"D"	"2"	"R88-467-1120-1125	"(.282AV)	0.470	0.238	0.138	
"12730050"	"D"	"2"	"R88-467-1125-1130	"(.603AV)	0.656	0.550	-9	1065-1135
"12730051"	"D"	"2"	"R88-467-1130-1135	"	0.032	-9	-9	70'@.125
"12730052"	"D"	"2"	"R88-467-1135-1140	"	0.007	-9	-9	
"12730053"	"D"	"2"	"R88-467-1140-1145	"	0.007	-9	-9	
"12730054"	"D"	"2"	"R88-467-1145-1150	"	0.015	-9	-9	
"12730057"	"D"	"2"	"R88-467-1150-1155	"	0.003	-9	-9	
"12730058"	"D"	"2"	"R88-467-1155-1160	"	0.013	-9	-9	
"12730059"	"D"	"2"	"R88-467-1160-1165	"	0.027	-9	-9	
"12730060"	"D"	"2"	"R88-467-1165-1170	"	0.008	-9	-9	

"END"

```
"TITLE 25-10-88 10:34:46 098-1278   J. BARRON            11/10/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   16 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA         OPT   16 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  16           Assay Prep          "
"  42 P64= 195           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"12780001" "D" "2" "R88-467-1170-1175   "    0.004
"12780002" "D" "2" "R88-467-1175-1180   "    0.006
"12780003" "D" "2" "R88-467-1180-1185   "    0.026
"12780004" "D" "2" "R88-467-1185-1190   "    0.008
"12780005" "D" "2" "R88-467-1190-1195   "    0.005
"12780006" "D" "2" "R88-467-1195-1200   "    0.006
"12780007" "D" "2" "R88-467-1200-1205   "    0.005
"12780008" "D" "2" "R88-467-1205-1210   "    0.006
"12780009" "D" "2" "R88-467-1210-1215   "    0.003
"12780012" "D" "2" "R88-467-1215-1220   "   -0.002
"12780013" "D" "2" "R88-467-1220-1225   "    0.004
"12780014" "D" "2" "R88-467-1225-1230   "   -0.002
"12780015" "D" "2" "R88-467-1230-1235   "   -0.002
"12780016" "D" "2" "R88-467-1235-1240   "    0.003
"12780017" "D" "2" "R88-467-1240-1245   "    0.003
"12780018" "D" "2" "R88-467-1245-1250   "   -0.002
"END"
```

Contractor: LANG | Coordinates: SITE 133 | Project: GILT EDGE | Hole No.: RBB-467

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 8

Hole Size: | Bearing: — | Inclination: 90 | Date Started: 9.27.88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 1250' | Date Completed: 10.1.88 | Hole Surveyed:

Distance (feet)	Alteration (1 Weak, 2 Moderate, 3 Strong)	Total Sulfides (vol %)	Rock Code	Ore Code	Down Hole Location: Distance Down Hole (feet)	Down Hole Location: Elevation	Rock Type	Description: Mineralogy, Alteration, Textures, Grain Size, Fragment Size	Mineralization: Distribution (Massive, Disseminated, Veinlill, Replacement)	Mineralization: Type	Assay: Au	Assay: Ag
			30	3	0-5		Cdn	0-25 CAMBRIAN DEADWOOD HORNFELS	0-20	OXIDE		
				2	20-25				20-75	MIXED 1-3% FeS_2, 1-2% jarosite		
			70				Tbx2	25-90 BRECCIA				
								(25-40) 50:50 Cdg, Ttp				
								(40-45) 50% Cdg, 30% PC schist, 20% Ttp				
					45-50			(45-50) 70% PC schist, 30% Cdg				
								(50-55) 70% Cdg, 20% Ttp, 10% PC				
								(55-60) 90% Cdg, 10% Ttp	(55-75) 2-3% jarosite, 2-4% FeS_2			
								(60-65) 95% Ttp, 5% Cdg, 5% PC				
								(65-90) 50:50 Ttp, Cdg				
					70-75				70-85 HEAVY FRACTURING.			
				1					75-1250 SULFIDE 5-7% FeS_2			
			40		95-100		Cdg	90-100 CAMBRIAN DEADWOOD QUARTZITE	(90-115) 3-5% FeS_2			
			60				Ttp	100-315 TRACHYTE PORPHYRY - phenos sheared!	100-240 FRACTURED.			
									(115-200) 1-3% FeS_2			
					120-125							
					145-150							
					170-175							

DRILL CUTTING LOG

Logged by: