Contractor _____ Coordinates _____ Project _____ Hole No. RBB-481

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

| DISTANCE (feet) | GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) | TOTAL SULFIDES (vol %) | ROCK CODE | ORE CODE | DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet) | ELEVATION | GEOLOGIC NOTES: ROCK TYPE | DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE | MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) | TYPE | ASSAY: Au | ASSAY: Ag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 60 | 1 | 175-180 | | Tkp | | | | | |
| | | | | | 195-200 | | | | | | | |
| | | | | | 220-225 | | | (220-275) dk gray clay covering 50% chips. | | | | |
| | | | | | 245-250 | | | | | | | |
| | | | | | 270-275 | | | | | | | |
| | | | | | 295-300 | | | | | | | |
| | | | | | 320-325 | | | | | | | |
| | | | | | 345-350 | | | | | | | |

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-481

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

| DISTANCE (feet) | GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) | TOTAL SULFIDES (vol %) | ROCK CODE | ORE CODE | DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet) | ELEVATION | ROCK TYPE | GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE) | MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlet, Replacement) | TYPE | ASSAY Au | ASSAY Ag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 60 | 1 | 350-355 | | Ttp | | | | | |
| | | | | | | | | (355-365) 30-40% chips contain total of 2-3% pyrophyllitic (yellow) clay | | | | |
| | | | | | 370-375 | | | | | | | |
| | | | | | | | | (380-390) 2-3% yellow clay alteration in matrix | | | | |
| | | | | | 395-400 | | | | | | | |
| | | | | | | | | (405-465) 4-8% PC schist | 405-430 FRACTURED | | | |
| | | | | | 420-425 | | | | | | | |
| | | | | | | | | | (425-435) 5-7% $FeS_2$ | | | |
| | | | | | | | | | (435-470) 7-10% $FeS_2$ disp. | | | |
| | | | | | 445-450 | | | | | | | |
| | | | | | | | | | 455-465 FRACTURED | | | |
| | | | | | | | | (465-585) 1-3% PC schist | | | | |
| | | | | | 470-475 | | | | (470-490) 5-7% $FeS_2$ | | | |
| | | | | | | | | | (490-740) 3-5% $FeS_2$ | | | |
| | | | | | 495-500 | | | | | | | |
| | | | | | | | | | 515-540 FRACTURED | | | |
| | | | | | 520-525 | | | | | | | |

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. P88 - 481

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

| DISTANCE (feet) | GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) | TOTAL SULFIDES (vol %) | ROCK CODE | ORE CODE | DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet) | ELEVATION | ROCK TYPE | GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE) | MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) | TYPE | ASSAY Au | ASSAY Ag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 60 | / | 525-530 | | Tkp | | | | | |
| | | | | | 545-550 | | | | | | | |
| | | | | | | | | | 550 - 580 | FRACTURED | | |
| | | | | | | | | <fluorite> | | | | |
| | | | | | 570-575 | | | | | | | |
| | | | | | 595-600 | | | | | | | |
| | | | | | | | | | 600 - 615 | FRACTURED | | |
| | | | | | 620-625 | | | | | | | |
| | | | | | 645-650 | | | | 645 - 670 | FRACTURED | | |
| | | | | | 670-675 | | | | | | | |
| | | | | | 695-700 | | | | | | | |

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-481

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

| DISTANCE (feet) | GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) | TOTAL SULFIDES % (vol %) | ROCK CODE | ORE CODE | DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet) | ELEVATION | GEOLOGIC NOTES: ROCK TYPE | DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE | MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlet, Replacement) | TYPE | ASSAY: Au | Ag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 60 | 1 | 700-705 | | Tkp | | | | | |
| | | | | | 720-725 | | | | | | | |
| | | | | | | | | | 640 – 900) 2-3% FeS2 | | | |
| | | | | | 745-750 | | | | | | | |
| | | | | | | | | | 750 – 760 | FRACTURED | | |
| | | | | | 770-775 | | | | | | | |
| | | | | | 795-800 | | | | | | | |
| | | | | | | | | | 805 – 840 | FRACTURED | | |
| | | | | | 820-825 | | | | | | | |
| | | | | | 845-850 | | | | | | | |
| | | | | | 870-875 | | | | | | | |

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-481

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

| DISTANCE (feet) | GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) | TOTAL SULFIDES (vol %) | ROCK CODE | ORE CODE | DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet) | ELEVATION | ROCK TYPE | GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE) | MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlet, Replacement) | TYPE | ASSAY: Au | Ag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 60 | 1 | 875-880 | | Tkp | | | | | |
| | | | | | 895-900 | | | | 895 - 900 FRACTURED. | | | |
| | | | | | | | | HOLE TD @ 900' | | | | |

DRILL CUTTING LOG

Logged by: _____