288-485

1961326 - R8 SEMS

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1378 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 28-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	4	0.002 OPT		Fire Assay
3	Au	Gold	2	0.002 OPT		Fire Assay
4	Au BCI Au (Bondar-Clegg)		8	0.002 OPT		Fire Assay
5	Au BCI Au (Bondar-Clegg)		2	0.002 OPT		Fire Assay
6	Au BCI Au (Bondar-Clegg)		1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: WORK PERFORMED AT OUTSIDE LAB.

MORE THAN ONE ASSAY RESULT REPORTED FOR SOME SAMPLES.

BONDAR-CLEGG CHECKS IN 4TH, 5TH, 6TH COLUMNS.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1378

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au BCI OPT	Au BCI OPT	Au BCI OPT
D2 R88-485-0-5		0.004			0.008 = .006		
D2 R88-485-5-10		0.004					
D2 R88-485-10-15		0.002					
D2 R88-485-15-20		0.003					
D2 R88-485-20-25		0.004					
D2 R88-485-25-30		0.005					
D2 R88-485-30-35		0.007					
D2 R88-485-35-40		0.039					
D2 R88-485-40-45		0.014					
D2 R88-485-45-50		0.019					
D2 R88-485-50-55		0.054					
D2 R88-485-55-60		0.062					
D2 R88-485-60-65		0.468			0.394 = .431		
D2 R88-485-65-70		0.095			0.091 = .093		
D2 R88-485-70-75		0.043					
D2 R88-485-75-80		0.024					
D2 R88-485-80-85		0.026					
D2 R88-485-85-90		0.044					
D2 R88-485-90-95		0.008					
D2 R88-485-95-100		0.007					
D2 R88-485-100-105		0.004					
D2 R88-485-105-110		0.004					
D2 R88-485-110-115		0.005					
D2 R88-485-115-120		0.008					
D2 R88-485-120-125		0.005					
D2 R88-485-125-130		0.005					
D2 R88-485-130-135		0.012			0.005 = .008		
D2 R88-485-135-140		0.011					
D2 R88-485-140-145		0.023					
D2 R88-485-145-150		0.036					
D2 R88-485-150-155		0.015					
D2 R88-485-155-160		0.008					
D2 R88-485-160-165		0.100					
D2 R88-485-165-170		0.042					
D2 R88-485-170-175		0.124					
D2 R88-485-175-180		0.150	0.105 = .128				
D2 R88-485-180-185		0.102					
D2 R88-485-185-190		0.182			0.092	0.162	0.186 = .156
D2 R88-485-190-195		0.110					
D2 R88-485-195-200		0.050					

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1378

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au BCI OPT	Au BCI OPT	Au BCI OPT
D2 R88-485-200-205		0.044					
D2 R88-485-205-210		0.054					
D2 R88-485-210-215		0.028					
D2 R88-485-215-220		0.082					
D2 R88-485-220-225		0.060					
D2 R88-485-225-230		0.338	0.530	0.382	0.303	= .388	
D2 R88-485-230-235		0.281			0.279	= .280	
D2 R88-485-235-240		0.518	0.540	0.612	0.610	0.460	= .548
D2 R88-485-240-245		0.050					
D2 R88-485-245-250		0.024					
D2 R88-485-250-255		0.048					
D2 R88-485-255-260		0.056					
D2 R88-485-260-265		0.038					
D2 R88-485-265-270		0.050					
D2 R88-485-270-275		0.122					
D2 R88-485-275-280		0.104					
D2 R88-485-280-285		0.128					
D2 R88-485-285-290		0.130	0.176	= .153			
D2 R88-485-290-295		0.074					
D2 R88-485-295-300		0.118					

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13332, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 29-NOV-88

Report No: 098-1378
Project : NONE LISTED
Reference: NONE LISTED

4 Analyses of Gold	at $ 0.00	$ 0.00		
2 Analyses of Gold	at $ 0.00	$ 0.00		
Subtotal		$ 0.00	$	0.00
60 Analyses of Gold	at $ 6.50	$ 390.00		
2 Analyses of Au (Bondar-Clegg)	at $ 0.00	$ 0.00		
1 Analyses of Au (Bondar-Clegg)	at $ 0.00	$ 0.00		
8 Analyses of Au (Bondar-Clegg)	at $ 6.50	$ 52.00		
Subtotal		$ 442.00	$	442.00
Sample Preparation				
60 Samples of Assay Prep	at $ 3.00	$ 180.00		
1 Sample of Sample Pickup	at $12.00	$ 12.00		
Subtotal		$ 192.00	$	192.00
Miscellaneous Charges				
4% S.D. STATE SALES TAX		$ 5.28		
2% DEADWOOD CITY SALES TAX		$ 2.64		
Subtotal		$ 7.92	$	7.92
Invoice Total:			$	641.92 U.S.

R88-455 (0-200)
R88-455 (200-300) } (0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1379 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 22-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	65	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay
3	Au	BCI Au (Bondar-Clegg)	7	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	65	2 -150	65	Assay Prep	65
				Sample Pickup	1

REMARKS: WORK PERFORMED AT OUTSIDE LAB.

2 RESULTS REPORTED FOR ONE SAMPLE.

BONDAR-CLEGG CHECKS IN 2ND COLUMN.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1379

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au BCI OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au BCI OPT
D2 R88-485-300-305		0.091		0.088 = .090	D2 R88-485-500-505		0.018		
D2 R88-485-305-310		0.068			D2 R88-485-505-510		0.008		
D2 R88-485-310-315		0.044			D2 R88-485-510-515		0.018		
D2 R88-485-315-320		0.030			D2 R88-485-515-520		0.010		
D2 R88-485-320-325		0.080	0.114 = .097		D2 R88-485-520-525		0.010		
D2 R88-485-325-330		0.036			D2 R88-485-525-530		0.010		
D2 R88-485-330-335		0.060			D2 R88-485-530-535		0.016		0.023 = .020
D2 R88-485-335-340		0.018			D2 R88-485-535-540		0.014		
D2 R88-485-340-345		0.034			D2 R88-485-540-545		0.016		
D2 R88-485-345-350		0.060			D2 R88-485-545-550		0.010		
D2 R88-485-350-355		0.042			D2 R88-485-550-555		0.012		
D2 R88-485-355-360		0.058			D2 R88-485-555-560		0.008		
D2 R88-485-360-365		0.016			D2 R88-485-560-565		0.012		
D2 R88-485-365-370		0.014			D2 R88-485-565-570		0.014		
D2 R88-485-370-375		0.022			D2 R88-485-570-575		0.022		
D2 R88-485-375-380		0.042			D2 R88-485-575-580		0.024		0.026 = .025
D2 R88-485-380-385		0.046			D2 R88-485-580-585		0.018		
D2 R88-485-385-390		0.153		0.119 = .136	D2 R88-485-585-590		0.014		
D2 R88-485-390-395		0.094			D2 R88-485-590-595		0.028		
D2 R88-485-395-400		0.084			D2 R88-485-595-600		0.014		
D2 R88-485-400-405		0.032			D2 R88-485-600-605		0.018		
D2 R88-485-405-410		0.044			D2 R88-485-605-610		0.030		
D2 R88-485-410-415		0.072			D2 R88-485-610-615		0.020		
D2 R88-485-415-420		0.012			D2 R88-485-615-620		0.018		
D2 R88-485-420-425		<0.002			D2 R88-485-620-625		0.024		0.026 = .025
D2 R88-485-425-430		0.018							
D2 R88-485-430-435		0.060							
D2 R88-485-435-440		0.020							
D2 R88-485-440-445		0.094		0.069 = .082					
D2 R88-485-445-450		0.092							
D2 R88-485-450-455		0.006							
D2 R88-485-455-460		0.012							
D2 R88-485-460-465		0.010							
D2 R88-485-465-470		0.010							
D2 R88-485-470-475		0.012							
D2 R88-485-475-480		0.044							
D2 R88-485-480-485		0.050		0.059 = .054					
D2 R88-485-485-490		0.014							
D2 R88-485-490-495		0.016							
D2 R88-485-495-500		0.020							

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Invoice : 13338, Page 1

Date : 29-NOV-88

Report No: 098-1379
Project : NONE LISTED
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
65 Analyses of Gold	at $ 6.50	$ 422.50	
7 Analyses of Au (Bondar-Clegg)	at $ 6.50	$ 45.50	
Subtotal		$ 468.00	$ 468.00
Sample Preparation			
65 Samples of Assay Prep	at $ 3.00	$ 195.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 207.00	$ 207.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.68	
2% DEADWOOD CITY SALES TAX		$ 2.84	
Subtotal		$ 8.52	$ 8.52
Invoice Total:			$ 683.52 U.S.

R88-455 (300-675)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1377 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	24	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	24	2 -150	24	Assay Prep	24
				Excessive Wetness	662
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1377

PROJECT: NONE LISTED PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-485-625-630		0.035
D2 R88-485-630-635		0.022
D2 R88-485-635-640		0.020
D2 R88-485-640-645		0.021
D2 R88-485-645-650		0.076
D2 R88-485-650-655		0.072
D2 R88-485-655-660		0.050
D2 R88-485-660-665		0.038
D2 R88-485-665-670		0.032
D2 R88-485-670-675		0.024
D2 R88-485-675-680		0.018
D2 R88-485-680-685		0.019
D2 R88-485-685-690		0.024
D2 R88-485-690-695		0.023
D2 R88-485-695-700		0.024
D2 R88-485-700-705		0.020
D2 R88-485-705-710		0.015
D2 R88-485-710-715		0.013
D2 R88-485-715-720		0.014
D2 R88-485-720-725		0.016
D2 R88-485-725-730		0.013
D2 R88-485-730-735		0.015
D2 R88-485-735-740		0.022
D2 R88-485-740-745		0.017

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Invoice : 13190, Page 1

Date : 3-NOV-88

Report No: 098-1377
Project : NONE LISTED
Reference: NONE LISTED

24 Analyses of Gold	at $ 6.50	$ 156.00	
Subtotal		$ 156.00	$ 156.00
Sample Preparation			
24 Samples of Assay Prep	at $ 3.00	$ 72.00	
662 Samples of Excessive Wetness	at $ 0.15	$ 99.30	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 183.30	$ 183.30
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 6.37	
2% DEADWOOD CITY SALES TAX		$ 3.19	
Subtotal		$ 9.56	$ 9.56
Invoice Total:			$ 348.86 U.S.

ZEE-485 (625-745)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1382 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 7-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	63	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	63	2 -150	63	Assay Prep	63
				Excessive Wetness	1102
				Sample Pickup	1

REMARKS: 2 SEPARATE ASSAY RESULTS REPORTED FOR ONE SAMPLE.

FINAL AU RESULTS NOW ALL REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1382

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-485-745-750		0.011	
D2 R88-485-750-755		0.009	
D2 R88-485-755-760		0.011	
D2 R88-485-760-765		0.028	
D2 R88-485-765-770		0.010	
D2 R88-485-770-775		0.012	
D2 R88-485-775-780		0.013	
D2 R88-485-780-785		0.011	
D2 R88-485-785-790		<0.002	
D2 R88-485-790-795		0.007	
D2 R88-485-795-800		0.009	
D2 R88-485-800-805		0.012	
D2 R88-485-805-810		0.014	
D2 R88-485-810-815		0.030	
D2 R88-485-815-820		0.028	
D2 R88-485-820-825		0.014	
D2 R88-485-825-830		0.011	
D2 R88-485-830-835		0.010	
D2 R88-485-835-840		0.009	
D2 R88-485-840-845		0.021	
D2 R88-485-845-850		0.007	
D2 R88-485-850-855		0.008	
D2 R88-485-855-860		0.015	
D2 R88-485-860-865		0.008	
D2 R88-485-865-870		0.011	
D2 R88-485-870-875		0.019	
D2 R88-485-875-880		0.018	
D2 R88-485-880-885		0.013	
D2 R88-485-885-890		0.020	
D2 R88-485-890-895		0.031	
D2 R88-485-895-900		0.020	
D2 R88-485-900-905		0.011	
D2 R88-485-905-910		0.050	
D2 R88-485-910-915		0.022	
D2 R88-485-915-920		0.090	
D2 R88-485-920-925		0.070	
D2 R88-485-925-930		0.079	
D2 R88-485-930-935		0.017	
D2 R88-485-935-940		0.154	
D2 R88-485-940-945		0.092	

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-485-945-950		0.037	0.074 = .056
D2 R88-485-950-955		0.010	
D2 R88-485-955-960		0.013	
D2 R88-485-960-965		0.009	
D2 R88-485-965-970		<0.002	
D2 R88-485-970-975		0.012	
D2 R88-485-975-980		0.015	
D2 R88-485-980-985		0.012	
D2 R88-485-985-990		0.026	
D2 R88-485-990-995		0.015	
D2 R88-485-995-1000		0.014	
D2 R88-485-1000-1005		0.109	
D2 R88-485-1005-1010		0.041	
D2 R88-485-1010-1015		0.051	
D2 R88-485-1015-1020		0.026	
D2 R88-485-1020-1025		0.019	
D2 R88-485-1025-1030		0.023	
D2 R88-485-1030-1035		0.041	
D2 R88-485-1035-1040		0.019	
D2 R88-485-1040-1045		0.010	
D2 R88-485-1045-1050		0.007	
D2 R88-485-1050-1055		0.009	
D2 R88-485-1055-1060		0.009	

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Invoice : 13233, Page 1

Date : 7-NOV-88

Report No: 098-1382
Project : NONE LISTED
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
Cufn 63 Analyses of Gold	at $ 6.50	$ 409.50	
Subtotal		$ 409.50	$ 409.50
Sample Preparation			
63 Samples of Assay Prep	at $ 3.00	$ 189.00	
1102 Samples of Excessive Wetness	at $ 0.15	$ 165.30	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 366.30	$ 366.30
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.13	
2% DEADWOOD CITY SALES TAX		$ 6.07	
Subtotal		$ 18.20	$ 18.20
Invoice Total:			$ 794.00 U.S.

488-485 (745-1060)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1389 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 10-NOV-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	61	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	61	2 -150	61	Assay Prep	61
				Excessive Wetness	1080
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

2 SEPARATE ASSAY RESULTS REPORTED FOR 1 SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1389

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-485-1060-1065		0.026	
D2 R88-485-1065-1070		0.010	
D2 R88-485-1070-1075		0.019	
D2 R88-485-1075-1080		0.005	
D2 R88-485-1080-1085		0.010	
D2 R88-485-1085-1090		0.006	
D2 R88-485-1090-1095		0.018	
D2 R88-485-1095-1100		<0.002	
D2 R88-485-1100-1105		<0.002	
D2 R88-485-1105-1110		<0.002	
D2 R88-485-1110-1115		<0.002	
D2 R88-485-1115-1120		<0.002	
D2 R88-485-1120-1125		<0.002	
D2 R88-485-1125-1130		<0.002	
D2 R88-485-1130-1135		<0.002	
D2 R88-485-1135-1140		<0.002	
D2 R88-485-1140-1145		<0.002	
D2 R88-485-1145-1150		0.004	
D2 R88-485-1150-1155		<0.002	
D2 R88-485-1155-1160		<0.002	
D2 R88-485-1160-1165		0.008	
D2 R88-485-1165-1170		0.007	
D2 R88-485-1170-1175		0.017	
D2 R88-485-1175-1180		0.032	
D2 R88-485-1180-1185		0.038	
D2 R88-485-1185-1190		0.020	
D2 R88-485-1190-1195		0.011	
D2 R88-485-1195-1200		<0.002	
D2 R88-485-1200-1205		0.005	
D2 R88-485-1205-1210		<0.002	
D2 R88-485-1210-1215		0.005	
D2 R88-485-1215-1220		0.008	
D2 R88-485-1220-1225		0.009	
D2 R88-485-1225-1230		0.013	
D2 R88-485-1230-1235		0.008	
D2 R88-485-1235-1240		0.006	
D2 R88-485-1240-1245		0.010	
D2 R88-485-1245-1250		<0.002	
D2 R88-485-1250-1255		0.019	
D2 R88-485-1255-1260		<0.002	
D2 R88-485-1260-1265		<0.002	
D2 R88-485-1265-1270		0.002	
D2 R88-485-1270-1275		0.012	
D2 R88-485-1275-1280		0.004	
D2 R88-485-1280-1285		0.008	
D2 R88-485-1285-1290		0.012	
D2 R88-485-1290-1295		0.006	
D2 R88-485-1295-1300		0.007	
D2 R88-485-1300-1305		0.058	
D2 R88-485-1305-1310		0.035	
D2 R88-485-1310-1315		0.028	
D2 R88-485-1315-1320		0.023	
D2 R88-485-1320-1325		0.094	0.166 = .0.130
D2 R88-485-1325-1330		0.050	
D2 R88-485-1330-1335		0.043	
D2 R88-485-1335-1340		0.023	
D2 R88-485-1340-1345		0.032	
D2 R88-485-1345-1350		0.037	
D2 R88-485-1350-1355		0.020	
D2 R88-485-1355-1360		0.033	
D2 R88-485-1360-1365		0.022	

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13242, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 10-NOV-88

Report No: 098-1389
Project : NONE LISTED
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
61 Analyses of Gold	at $ 6.50	$ 396.50	
Subtotal		$ 396.50	$ 396.50
Sample Preparation			
61 Samples of Assay Prep	at $ 3.00	$ 183.00	
1080 Samples of Excessive Wetness	at $ 0.15	$ 162.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 357.00	$ 357.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.84	
2% DEADWOOD CITY SALES TAX		$ 5.92	
Subtotal		$ 17.76	$ 17.76
Invoice Total:			$ 771.26 U.S.

R88-485 (1060-1365)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

"TITLE 28-11-88 10:00:20 098-1378 J. BARRON 24/10/88"
"CLIENT BROHM MINING CORP. "
"PROJECT NONE LISTED #SAMPLES: 60 REFERENCE: NONE LISTED "
"SPECIAL VALUES"
" IS Insufficient Sample"
" -9 No Value Recorded"
" Values above the upper limit are shown as +uplimt"
" Values below the lower limit are shown as -lolmt (ie not detected)"
"DETERMINATIONS"

"		ELNAME	METHO	ECO	UNI	#SAM	LOLMT	UPLIMT	COMMENTS"
"	01	Au	FA		OPT	60	0.002	99.999	Results Reported "
"	02	Au	FA		OPT	4	0.002	99.999	Results Reported "
"	03	Au	FA		OPT	2	0.002	30.000	Results Reported "
"	04	Au BCI	FA		OPT	8	0.002	99.999	Results Reported "
"	05	Au BCI	FA		OPT	2	0.002	99.999	Results Reported "
"	06	Au BCI	FA		OPT	1	0.002	99.999	Results Reported "

"SAMPLE PREPS"
" 40 SAMPLE TYPE=D DRILL CORE "
" 41 P17= 60 Assay Prep "
" 42 P23= 1 Sample Pickup "
"REMARKS"
" 50 WORK PERFORMED AT OUTSIDE LAB. "
" 51 MORE THAN ONE ASSAY RESULT REPORTED FOR SOME "
" 52 SAMPLES. "
" 53 BONDAR-CLEGG CHECKS IN 4TH, 5TH, 6TH COLUMNS. "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,6(1X,A7,A1))"

"BEGIN "	"Type"	"Frac"	"Sample ID" "	Au" "	Au" "	Au"	"Au BCI"	"Au BCI"	"Au BCI"
"13780001"	"D"	"2"	"R88-485-0-5 "	0.004	-9	-9	0.008	-9	-9
"13780002"	"D"	"2"	"R88-485-5-10 "	0.004	-9	-9	-9	-9	-9
"13780003"	"D"	"2"	"R88-485-10-15 "	0.002	-9	-9	-9	-9	-9
"13780004"	"D"	"2"	"R88-485-15-20 "	0.003	-9	-9	-9	-9	-9
"13780005"	"D"	"2"	"R88-485-20-25 "	0.004	-9	-9	-9	-9	-9
"13780006"	"D"	"2"	"R88-485-25-30 "	0.005	-9	-9	-9	-9	-9
"13780007"	"D"	"2"	"R88-485-30-35 "	0.007	-9	-9	-9	-9	-9
"13780008"	"D"	"2"	"R88-485-35-40 "	0.039	-9	-9	-9	-9	-9
"13780009"	"D"	"2"	"R88-485-40-45 "	0.014	-9	-9	-9	-9	-9
"13780012"	"D"	"2"	"R88-485-45-50 "	0.019	-9	-9	-9	-9	-9
"13780013"	"D"	"2"	"R88-485-50-55 "	0.054	-9	-9	-9	-9	-9
"13780014"	"D"	"2"	"R88-485-55-60 "	0.062	-9	-9	-9	-9	-9
"13780015"	"D"	"2"	"R88-485-60-65 "	0.468	-9	-9	0.394 (.431 AV)	-9	-9
"13780016"	"D"	"2"	"R88-485-65-70 "	0.095	-9	-9	0.091 (.093 AV)	-9	-9
"13780017"	"D"	"2"	"R88-485-70-75 "	0.043	-9	-9	-9	-9	-9
"13780018"	"D"	"2"	"R88-485-75-80 "	0.024	-9	-9	-9	-9	-9
"13780019"	"D"	"2"	"R88-485-80-85 "	0.026	-9	-9	-9	-9	-9
"13780020"	"D"	"2"	"R88-485-85-90 "	0.044	-9	-9	-9	-9	-9
"13780021"	"D"	"2"	"R88-485-90-95 "	0.008	-9	-9	-9	-9	-9
"13780022"	"D"	"2"	"R88-485-95-100 "	0.007	-9	-9	-9	-9	-9
"13780023"	"D"	"2"	"R88-485-100-105 "	0.004	-9	-9	-9	-9	-9
"13780024"	"D"	"2"	"R88-485-105-110 "	0.004	-9	-9	-9	-9	-9
"13780025"	"D"	"2"	"R88-485-110-115 "	0.005	-9	-9	-9	-9	-9
"13780026"	"D"	"2"	"R88-485-115-120 "	0.008	-9	-9	-9	-9	-9
"13780027"	"D"	"2"	"R88-485-120-125 "	0.005	-9	-9	-9	-9	-9
"13780028"	"D"	"2"	"R88-485-125-130 "	0.005	-9	-9	-9	-9	-9
"13780029"	"D"	"2"	"R88-485-130-135 "	0.012	-9	-9	0.005	-9	-9
"13780030"	"D"	"2"	"R88-485-135-140 "	0.011	-9	-9	-9	-9	-9
"13780031"	"D"	"2"	"R88-485-140-145 "	0.023	-9	-9	-9	-9	-9
"13780032"	"D"	"2"	"R88-485-145-150 "	0.036	-9	-9	-9	-9	-9
"13780033"	"D"	"2"	"R88-485-150-155 "	0.015	-9	-9	-9	-9	-9
"13780034"	"D"	"2"	"R88-485-155-160 "	0.008	-9	-9	-9	-9	-9
"13780037"	"D"	"2"	"R88-485-160-165 "	0.100	-9	-9	-9	-9	-9
"13780038"	"D"	"2"	"R88-485-165-170 "	0.042	-9	-9	-9	-9	-9
"13780039"	"D"	"2"	"R88-485-170-175 "	0.124	-9	-9	-9	-9	-9

35-90

55' @ .077

"13780040"	"D"	"2"	"R88-485-175-180	"	0.150	0.105	0.128	-9	-9	-9	-9
"13780041"	"D"	"2"	"R88-485-180-185	"	0.102	-9		-9	-9	-9	-9
"13780042"	"D"	"2"	"R88-485-185-190	"	0.182	-9		-9	0.092	0.162	0.186
"13780043"	"D"	"2"	"R88-485-190-195	"	0.110	-9		-9	-9	-9	-9
"13780044"	"D"	"2"	"R88-485-195-200	"	0.050	-9		-9	-9	-9	-9
"13780045"	"D"	"2"	"R88-485-200-205	"	0.044	-9		-9	-9	-9	-9
"13780046"	"D"	"2"	"R88-485-205-210	"	0.054	-9		-9	-9	-9	-9
"13780047"	"D"	"2"	"R88-485-210-215	"	0.028	-9		-9	-9	-9	-9
"13780048"	"D"	"2"	"R88-485-215-220	"	0.082	-9		-9	-9	-9	-9
"13780049"	"D"	"2"	"R88-485-220-225	"	0.060	-9		-9	-9	-9	-9
"13780050"	"D"	"2"	"R88-485-225-230	"	0.338	0.530		0.382	0.303	-9	-9
"13780051"	"D"	"2"	"R88-485-230-235	"	0.281	-9		-9	0.279	-9	-9
"13780052"	"D"	"2"	"R88-485-235-240	"	0.518	0.540		0.612	0.610	0.460	-9
"13780053"	"D"	"2"	"R88-485-240-245	"	0.050	-9		-9	-9	-9	-9
"13780054"	"D"	"2"	"R88-485-245-250	"	0.024	-9		-9	-9	-9	-9
"13780055"	"D"	"2"	"R88-485-250-255	"	0.048	-9		-9	-9	-9	-9
"13780056"	"D"	"2"	"R88-485-255-260	"	0.056	-9		-9	-9	-9	-9
"13780057"	"D"	"2"	"R88-485-260-265	"	0.038	-9		-9	-9	-9	-9
"13780058"	"D"	"2"	"R88-485-265-270	"	0.050	-9		-9	-9	-9	-9
"13780059"	"D"	"2"	"R88-485-270-275	"	0.122	-9		-9	-9	-9	-9
"13780062"	"D"	"2"	"R88-485-275-280	"	0.104	-9		-9	-9	-9	-9
"13780063"	"D"	"2"	"R88-485-280-285	"	0.128	-9		-9	-9	-9	-9
"13780064"	"D"	"2"	"R88-485-285-290	"	0.130	0.176		-9	-9	-9	-9
"13780065"	"D"	"2"	"R88-485-290-295	"	0.074	-9		-9	-9	-9	-9
"13780066"	"D"	"2"	"R88-485-295-300	"	0.118	-9		-9	-9	-9	-9

"END"

```
"TITLE 10-11-88 15:11:22 098-1379   J. BARRON            24/10/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   65 REFERENCE: NONE LISTED
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   65 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  65           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 WORK PERFORMED AT OUTSIDE LAB.                    "
"  51 2 RESULTS REPORTED FOR ONE SAMPLE.                "
"  52 (BONDAR-CLEGG CHECKS TO FOLLOW.)                  "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"13790001" "D" "2" "R88-485-300-305      "    0.091 —     -9
"13790002" "D" "2" "R88-485-305-310      "    0.068 —     -9
"13790003" "D" "2" "R88-485-310-315      "    0.044 —     -9
"13790004" "D" "2" "R88-485-315-320      "    0.030 —     -9
"13790005" "D" "2" "R88-485-320-325      "    0.080 —  0.114 .097
"13790006" "D" "2" "R88-485-325-330      "    0.036 —     -9
"13790007" "D" "2" "R88-485-330-335      "    0.060 —     -9
"13790008" "D" "2" "R88-485-335-340      "    0.018-      -9
"13790009" "D" "2" "R88-485-340-345      "    0.034 —     -9
"13790010" "D" "2" "R88-485-345-350      "    0.060 —     -9
"13790013" "D" "2" "R88-485-350-355      "    0.042 —     -9
"13790014" "D" "2" "R88-485-355-360      "    0.058 —     -9
"13790015" "D" "2" "R88-485-360-365      "    0.016 -     -9
"13790016" "D" "2" "R88-485-365-370      "    0.014 -     -9
"13790017" "D" "2" "R88-485-370-375      "    0.022 —     -9
"13790018" "D" "2" "R88-485-375-380      "    0.042 —     -9
"13790019" "D" "2" "R88-485-380-385      "    0.046 —     -9
"13790020" "D" "2" "R88-485-385-390      "    0.153 —     -9
"13790021" "D" "2" "R88-485-390-395      "    0.094 —     -9
"13790022" "D" "2" "R88-485-395-400      "    0.084 —     -9
"13790023" "D" "2" "R88-485-400-405      "    0.032 —     -9
"13790024" "D" "2" "R88-485-405-410      "    0.044 —     -9
"13790025" "D" "2" "R88-485-410-415      "    0.072 —     -9
"13790026" "D" "2" "R88-485-415-420      "    0.012       -9
"13790027" "D" "2" "R88-485-420-425      "   -0.002       -9
"13790028" "D" "2" "R88-485-425-430      "    0.018       -9
"13790029" "D" "2" "R88-485-430-435      "    0.060 —     -9
"13790030" "D" "2" "R88-485-435-440      "    0.020 —     -9
"13790031" "D" "2" "R88-485-440-445      "    0.094 —     -9
"13790032" "D" "2" "R88-485-445-450      "    0.092 —     -9
"13790033" "D" "2" "R88-485-450-455      "    0.006       -9
"13790034" "D" "2" "R88-485-455-460      "    0.012       -9
"13790035" "D" "2" "R88-485-460-465      "    0.010       -9
"13790038" "D" "2" "R88-485-465-470      "    0.010       -9
"13790039" "D" "2" "R88-485-470-475      "    0.012       -9
"13790040" "D" "2" "R88-485-475-480      "    0.044 —     -9
"13790041" "D" "2" "R88-485-480-485      "    0.050 —     -9
"13790042" "D" "2" "R88-485-485-490      "    0.014 —     -9
"13790043" "D" "2" "R88-485-490-495      "    0.016 -     -9
"13790044" "D" "2" "R88-485-495-500      "    0.020 —     -9
"13790045" "D" "2" "R88-485-500-505      "    0.018       -9
```

140-415
275'@

430-450
20'@

475-500
25'@

"13790046"	"D"	"2"	"R88-485-505-510	"	0.008	-9
"13790047"	"D"	"2"	"R88-485-510-515	"	0.018	-9
"13790048"	"D"	"2"	"R88-485-515-520	"	0.010	-9
"13790049"	"D"	"2"	"R88-485-520-525	"	0.010	-9
"13790050"	"D"	"2"	"R88-485-525-530	"	0.010	-9
"13790051"	"D"	"2"	"R88-485-530-535	"	0.016	-9
"13790052"	"D"	"2"	"R88-485-535-540	"	0.014	-9
"13790053"	"D"	"2"	"R88-485-540-545	"	0.016	-9
"13790054"	"D"	"2"	"R88-485-545-550	"	0.010	-9
"13790055"	"D"	"2"	"R88-485-550-555	"	0.012	-9
"13790056"	"D"	"2"	"R88-485-555-560	"	0.008	-9
"13790057"	"D"	"2"	"R88-485-560-565	"	0.012	-9
"13790058"	"D"	"2"	"R88-485-565-570	"	0.014	-9
"13790059"	"D"	"2"	"R88-485-570-575	"	0.022	-9
"13790060"	"D"	"2"	"R88-485-575-580	"	0.024	-9
"13790063"	"D"	"2"	"R88-485-580-585	"	0.018	-9
"13790064"	"D"	"2"	"R88-485-585-590	"	0.014	-9
"13790065"	"D"	"2"	"R88-485-590-595	"	0.028	-9
"13790066"	"D"	"2"	"R88-485-595-600	"	0.014	-9
"13790067"	"D"	"2"	"R88-485-600-605	"	0.018	-9
"13790068"	"D"	"2"	"R88-485-605-610	"	0.030	-9
"13790069"	"D"	"2"	"R88-485-610-615	"	0.020	-9
"13790070"	"D"	"2"	"R88-485-615-620	"	0.018	-9
"13790071"	"D"	"2"	"R88-485-620-625	"	0.024	-9

"END"

570-

```
"TITLE 07-11-88 10:50:18 098-1382   J. BARRON              26/10/88"
"CLIENT BROHM MINING CORP.                                   "
"PROJECT NONE LISTED     #SAMPLES:   63 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA         OPT   63 0.002 99.999 Results Reported     "
"  02 Au     FA         OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  63            Assay Prep          "
"  42 P64=1102            Excessive Wetness   "
"  43 P23=   1            Sample Pickup       "
"REMARKS"
"  50 2 SEPARATE ASSAY RESULTS REPORTED FOR ONE       "
"  51 SAMPLE.                                         "
"  52 FINAL AU RESULTS NOW ALL REPORTED.              "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"13820001" "D" "2" "R88-485-745-750      "    0.011       -9
"13820002" "D" "2" "R88-485-750-755      "    0.009       -9
"13820003" "D" "2" "R88-485-755-760      "    0.011       -9
"13820006" "D" "2" "R88-485-760-765      "    0.028       -9   5'@.028
"13820007" "D" "2" "R88-485-765-770      "    0.010       -9
"13820008" "D" "2" "R88-485-770-775      "    0.012       -9
"13820009" "D" "2" "R88-485-775-780      "    0.013       -9
"13820010" "D" "2" "R88-485-780-785      "    0.011       -9
"13820011" "D" "2" "R88-485-785-790      "   -0.002       -9
"13820012" "D" "2" "R88-485-790-795      "    0.007       -9
"13820013" "D" "2" "R88-485-795-800      "    0.009       -9
"13820014" "D" "2" "R88-485-800-805      "    0.012       -9
"13820015" "D" "2" "R88-485-805-810      "    0.014       -9
"13820016" "D" "2" "R88-485-810-815      "    0.030       -9   10'@.029
"13820017" "D" "2" "R88-485-815-820      "    0.028       -9
"13820018" "D" "2" "R88-485-820-825      "    0.014       -9
"13820019" "D" "2" "R88-485-825-830      "    0.011       -9
"13820020" "D" "2" "R88-485-830-835      "    0.010       -9
"13820021" "D" "2" "R88-485-835-840      "    0.009       -9
"13820022" "D" "2" "R88-485-840-845      "    0.021       -9   5'@.021
"13820023" "D" "2" "R88-485-845-850      "    0.007       -9
"13820024" "D" "2" "R88-485-850-855      "    0.008       -9
"13820025" "D" "2" "R88-485-855-860      "    0.015       -9
"13820026" "D" "2" "R88-485-860-865      "    0.008       -9
"13820027" "D" "2" "R88-485-865-870      "    0.011       -9
"13820028" "D" "2" "R88-485-870-875      "    0.019       -9
"13820031" "D" "2" "R88-485-875-880      "    0.018       -9
"13820032" "D" "2" "R88-485-880-885      "    0.013       -9
"13820033" "D" "2" "R88-485-885-890      "    0.020       -9
"13820034" "D" "2" "R88-485-890-895      "    0.031       -9   885-950
"13820035" "D" "2" "R88-485-895-900      "    0.020       -9
"13820036" "D" "2" "R88-485-900-905      "    0.011       -9   65'@.055
"13820037" "D" "2" "R88-485-905-910      "    0.050       -9
"13820038" "D" "2" "R88-485-910-915      "    0.022       -9
"13820039" "D" "2" "R88-485-915-920      "    0.090       -9
"13820040" "D" "2" "R88-485-920-925      "    0.070       -9
"13820041" "D" "2" "R88-485-925-930      "    0.079       -9
"13820042" "D" "2" "R88-485-930-935      "    0.017       -9
"13820043" "D" "2" "R88-485-935-940      "    0.154       -9
"13820044" "D" "2" "R88-485-940-945      "    0.092       -9
```

"13820045"	"D"	"2"	"R88-485-945-950	AVEF .05p	0.037	0.074
"13820046"	"D"	"2"	"R88-485-950-955	"	0.010	-9
"13820047"	"D"	"2"	"R88-485-955-960	"	0.013	-9
"13820048"	"D"	"2"	"R88-485-960-965	"	0.009	-9
"13820049"	"D"	"2"	"R88-485-965-970	"	-0.002	-9
"13820050"	"D"	"2"	"R88-485-970-975	"	0.012	-9
"13820051"	"D"	"2"	"R88-485-975-980	"	0.015	-9
"13820052"	"D"	"2"	"R88-485-980-985	"	0.012	-9
"13820053"	"D"	"2"	"R88-485-985-990	"	0.026	-9
"13820056"	"D"	"2"	"R88-485-990-995	"	0.015	-9
"13820057"	"D"	"2"	"R88-485-995-1000	"	0.014	-9
"13820058"	"D"	"2"	"R88-485-1000-1005	"	0.109	-9
"13820059"	"D"	"2"	"R88-485-1005-1010	"	0.041	-9
"13820060"	"D"	"2"	"R88-485-1010-1015	"	0.051	-9
"13820061"	"D"	"2"	"R88-485-1015-1020	"	0.026	-9
"13820062"	"D"	"2"	"R88-485-1020-1025	"	0.019	-9
"13820063"	"D"	"2"	"R88-485-1025-1030	"	0.023	-9
"13820064"	"D"	"2"	"R88-485-1030-1035	"	0.041	-9
"13820065"	"D"	"2"	"R88-485-1035-1040	"	0.019	-9
"13820066"	"D"	"2"	"R88-485-1040-1045	"	0.010	-9
"13820067"	"D"	"2"	"R88-485-1045-1050	"	0.007	-9
"13820068"	"D"	"2"	"R88-485-1050-1055	"	0.009	-9
"13820069"	"D"	"2"	"R88-485-1055-1060	"	0.009	-9

"END"

985-1035
50' @ .037

```
"TITLE 10-11-88 09:26:44 098-1389   J. BARRON            28/10/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT NONE LISTED     #SAMPLES:   61 REFERENCE: NONE LISTED
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   61 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  61           Assay Prep          "
"  42 P64=1080           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                        "
"  51 2 SEPARATE ASSAY RESULTS REPORTED FOR 1 SAMPLE."
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"13890001" "D" "2" "R88-485-1060-1065   "    0.026 —     -9   5'
"13890002" "D" "2" "R88-485-1065-1070   "    0.010       -9
"13890003" "D" "2" "R88-485-1070-1075   "    0.019       -9
"13890004" "D" "2" "R88-485-1075-1080   "    0.005       -9
"13890005" "D" "2" "R88-485-1080-1085   "    0.010       -9
"13890006" "D" "2" "R88-485-1085-1090   "    0.006       -9
"13890007" "D" "2" "R88-485-1090-1095   "    0.018       -9
"13890008" "D" "2" "R88-485-1095-1100   "   -0.002       -9
"13890009" "D" "2" "R88-485-1100-1105   "   -0.002       -9
"13890010" "D" "2" "R88-485-1105-1110   "   -0.002       -9
"13890013" "D" "2" "R88-485-1110-1115   "   -0.002       -9
"13890014" "D" "2" "R88-485-1115-1120   "   -0.002       -9
"13890015" "D" "2" "R88-485-1120-1125   "   -0.002       -9
"13890016" "D" "2" "R88-485-1125-1130   "   -0.002       -9
"13890017" "D" "2" "R88-485-1130-1135   "   -0.002       -9
"13890018" "D" "2" "R88-485-1135-1140   "   -0.002       -9
"13890019" "D" "2" "R88-485-1140-1145   "   -0.002       -9
"13890020" "D" "2" "R88-485-1145-1150   "    0.004       -9
"13890021" "D" "2" "R88-485-1150-1155   "   -0.002       -9
"13890022" "D" "2" "R88-485-1155-1160   "   -0.002       -9
"13890023" "D" "2" "R88-485-1160-1165   "    0.008       -9
"13890024" "D" "2" "R88-485-1165-1170   "    0.007       -9
"13890025" "D" "2" "R88-485-1170-1175   "    0.017       -9
"13890026" "D" "2" "R88-485-1175-1180   "    0.032 —     -9   1175-1190
"13890027" "D" "2" "R88-485-1180-1185   "    0.038 —     -9
"13890028" "D" "2" "R88-485-1185-1190   "    0.020 —     -9   15'c
"13890029" "D" "2" "R88-485-1190-1195   "    0.011       -9
"13890030" "D" "2" "R88-485-1195-1200   "   -0.002       -9
"13890031" "D" "2" "R88-485-1200-1205   "    0.005       -9
"13890032" "D" "2" "R88-485-1205-1210   "   -0.002       -9
"13890033" "D" "2" "R88-485-1210-1215   "    0.005       -9
"13890034" "D" "2" "R88-485-1215-1220   "    0.008       -9
"13890035" "D" "2" "R88-485-1220-1225   "    0.009       -9
"13890038" "D" "2" "R88-485-1225-1230   "    0.013       -9
"13890039" "D" "2" "R88-485-1230-1235   "    0.008       -9
"13890040" "D" "2" "R88-485-1235-1240   "    0.006       -9
"13890041" "D" "2" "R88-485-1240-1245   "    0.010       -9
"13890042" "D" "2" "R88-485-1245-1250   "   -0.002       -9
"13890043" "D" "2" "R88-485-1250-1255   "    0.019       -9
"13890044" "D" "2" "R88-485-1255-1260   "   -0.002       -9
"13890045" "D" "2" "R88-485-1260-1265   "   -0.002       -9
```

"13890046"	"D"	"2"	"R88-485-1265-1270	"	0.002		-9
"13890047"	"D"	"2"	"R88-485-1270-1275	"	0.012		-9
"13890048"	"D"	"2"	"R88-485-1275-1280	"	0.004		-9
"13890049"	"D"	"2"	"R88-485-1280-1285	"	0.008		-9
"13890050"	"D"	"2"	"R88-485-1285-1290	"	0.012		-9
"13890051"	"D"	"2"	"R88-485-1290-1295	"	0.006		-9
"13890052"	"D"	"2"	"R88-485-1295-1300	"	0.007		-9
"13890053"	"D"	"2"	"R88-485-1300-1305	"	0.058		-9
"13890054"	"D"	"2"	"R88-485-1305-1310	"	0.035		-9
"13890055"	"D"	"2"	"R88-485-1310-1315	"	0.028		-9
"13890056"	"D"	"2"	"R88-485-1315-1320	"	0.023		-9
"13890057"	"D"	"2"	"R88-485-1320-1325	"	0.094	0.166	.130
"13890058"	"D"	"2"	"R88-485-1325-1330	"	0.050		-9
"13890059"	"D"	"2"	"R88-485-1330-1335	"	0.043		-9
"13890060"	"D"	"2"	"R88-485-1335-1340	"	0.023		-9
"13890063"	"D"	"2"	"R88-485-1340-1345	"	0.032		-9
"13890064"	"D"	"2"	"R88-485-1345-1350	"	0.037		-9
"13890065"	"D"	"2"	"R88-485-1350-1355	"	0.020		-9
"13890066"	"D"	"2"	"R88-485-1355-1360	"	0.033		-9
"13890067"	"D"	"2"	"R88-485-1360-1365	"	0.022		-9

"END"

1300 - 1365

65'

TD

Contractor: TONTO | Coordinates: SITE 171 | Project: GILT EDGE | Hole No.: RBB-485

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 8

Hole Size: | Bearing: – | Inclination: 90 | Date Started: | Property: GILT EDGE

Collar Elev.: | Final Depth: 1365' | Date Completed: | Hole Surveyed:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY: Au	ASSAY: Ag
			80	3	0-5		Tqtp	0 – 162 QUARTZ TRACHYTE PORPHYRY. - 1-2% matrix contain embayed quartz phenos.	0 – 155	OXIDE		
					20-25							
					45-50							
					70-75							
					95-100							
					120-125							
					145-150							
			60	2 / 1	170-175		Ttp	162 – 1075 TRACHYTE PORPHYRY - matrix alteration to white/yellow clay - pyrophyllite	155 – 165 MIXED 1-2% FeS_2. 20-25% OXIDE; 165 – 1365 SULFIDE 5-6% FeS_2			

DRILL CUTTING LOG

Logged by: