Artificial Penetration No. 629

Humble Oil & Refining
Chesson "B" #12

FORM 1.

Railroad Commission of Texas--Oil and Gas Department

Austin, Texas

FEB 7 1922

IMPORTANT NOTICE: This is the first record the Railroad Commission has of any well. It is made the basis of all subsequent correspondence. Hence it must be accurate.

NOTIFICATION OF INTENTION TO DRILL, DEEPEN, PLUG OR SHOOT

(To comply with Orders of the Railroad Commission of Texas, governing Oil and Gas Operations in Texas.)

DESCRIPTION OF PROPERTY:

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the Commission, draw in the space below, in ink, a sketch of the lease or block and lot, giving name and number, and indicate thereon the exact location of the well. Also show the distance, in feet, of the well from the two nearest boundaries of the lease, and from the nearest well. Give names of the adjoining lease or property owners.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

North

West

East

Arnold

12 - - - - 600 feet - - -

50' South

This notice must be delivered to Deputy Supervisor or to the Railroad Commission at least five days before drilling or deepening is begun, twenty-four hours before plugging or two days before shooting, so that the Commission may, if it desires, have a representative present.

Date ~~XXXXXX~~ 2-6-22

County Orange

Survey Wm. Dyson

Block No. ..... Lot No. .....

Number of acres 22

Lessor or Owner:

Name Oscar Chasson

Address Orange, Texas.

Lessee or Sub-Lessee:

Name Humble Oil & Refining Co.

Address Houston, Texas.

Date Drilling is to start 2-12-22 Well No. 12

Depth to which you propose to drill ..... feet.

Date you wish to plug ..... Well No. .....
(You must also give notice to adjacent lessees).

Date you wish to shoot ..... Well No. .....

Number of quarts to be used .....

Deliver to Deputy Supervisor in charge of that field or mail to

RAILROAD COMMISSION OF TEXAS, Austin, Texas.

Rule 17. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other well drilling to or producing from the same or adjoining tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to other property lines; provided that the Commission, in order to prevent waste or to protect vested rights, will grant exceptions permit less distance than as above prescribed, upon application that fully outlines the facts, under oath, showing good cause, after ten days' notice to adjacent lessees, whereby. Rule 17 shall not be the present be enforced within the proven oil fields of the Gulf Coast.

JUL 31 1922

Form No. 2.

WELL RECORD

Mail to Railroad Commission of Texas, Austin, Texas

Orange County. Company Humble Oil & Refining Co.

Survey H. & T. C. Block No. Lot No. Acres 22

Lessor Chasson Lease Well No. B-12

Drilling Commenced 1-26-22 19 Drilling Completed 6-2-22 19

Correspondence regarding this well should be sent to Name W. W. JORDREN Address Houston, Tex.

CASING RECORD

SIZE	PUT IN WELL Ft.	PUT IN WELL In.	PULLED OUT Ft.	PULLED OUT In.	LEFT IN WELL Ft.	LEFT IN WELL In.	PACKERS AND SHOES
10"	1210'						
6-5/8"	3772'						

Initial Production of Gas—Volume Pressure

Initial Production of Oil—Barrels TEMPORARILY ABANDONED

Remarks: Salt Water Well Temporarily Abandoned

DESCRIPTION OF PROPERTY:

NORTH

WEST

EAST

SOUTH

GENERAL REMARKS:

SET 4½" SCREEN AT 4277 (35' off bot. 3-21-22

4½" Bottom Setting Nip	4.9
4½" SCM Screen	21.6
4½" Mohair Packer	5.0
4½" 16# Blank Pipe	553.0
4½x6¼" Getty Canvas Packer	6.0

SET 4½" SCREEN AT 3402' - 5-7-22

4½" Bot Setting Nip	2.0
4½" Screen	12.0
4½" Mohair Packer	5.0
4½" Blank Pipe	490.0
4½x6¼" Getty Canvas Seal	6.0

Form 1019b-M459-1321-30m

12 B

FORMATION RECORD

Show all Formation, especially all sands and character and contents thereof.

FORMATIONS	TOP	BOTTOM	REMARKS
20	Clay		
280	Sand & Clay		
500	Gumbo & Sand		
985	Sand & Bldrs.		
1115	Hard Sand & Bldrs.		
	Set 1210' 10" Casing		
1315	Gumbo & Sand		
1415	Gumbo & Bldrs.		
1417	Rock		
1480	Gumbo		
1650	Sand		
1705	Gumbo		
1815	Gumbo & Sand		
1855	Gumbo		
1880	Sand		
1920	Gumbo & Bldrs.		
2025	Gumbo & Sand		
2085	Gumbo & Shale		
2185	Gumbo Sand & Bldrs.		
2285	Gumbo & Bldrs.		
2345	Sand & Gumbo		
2375	Gumbo		
2445	Sand & Bldrs.		
2470	Hard Sand Rock		
2530	Gumbo & Sand		
2543	Gumbo		
2550	Lime Rock		
2600	Sand Rock & Gumbo		
2640	Gumbo		
2712	Gumbo & Bldrs.		
2715	Rock		
2737	Sand		
2743	Rock		
2770	Gumbo & Bldrs.		
2925	Sand & Gumbo		
3015	Gumbo		
3075	Gumbo & Bldrs.		
3120	Sand & Gumbo		
3165	Sand		
3239	Shale & Gumbo		
3320	Gumbo		
3370	Gumbo & Bldrs.		
3387	Gumbo		
3390	Rock		
3450	Gumbo & Sand		
3480	Hard Sand & Gumbo		
3535	Gumbo		
3565	Sand		
3625	Sand & Bldrs.		
3650	Hard Sand & Bldrs.		
3670	Gumbo		
3700	Gumbo & Hard Sand		
3725	Rock Sand		
3745	Hard Sand & Gumbo		
3770	Gumbo		
	Set 3772' 6 5/8" Casing		
3780	Gumbo		
3812	Sand & Shale		
3824	Sticky Shale		
3839	Pack Sand		
3844	Sticky Shale		

REMARKS	
3849	Sand
3871	Shale & Sand
3882	Sand
3985	Gumbo
3893	Sand
3910	Pack Sand
3920	Hard Sand
3935	Pack Sand
3961	Shale & Gumbo
3946	Gumbo
3989	Gumbo & Bldrs.
3999	Gumbo
4035	Gumbo & Bldrs.
4040	Sand
4041	Hard Sand
4049	Gumbo
4057	Shale & Sand
4085	Shale & Gumbo
4100	Gumbo
4140	Gumbo & Bldrs
4170	Sticky Shale
4175	Gumbo
4213	Gumbo & Bldrs.
4240	Gumbo
4245	Correct Measurement
4255	Gumbo
4257	Sand
4262	Gumbo
4270	Sand (Hard)
4277	Sand
Set 4½" Screen 35' off bottom	
Drilled through P.P.V.	
4297	Gumbo
4303	Hard Sand
4315	Sand
Cemented and sidetracked at 3200 ft.	
3202	Milling
3195	Correct Measurement
3215	Gumbo
3221	Sand
3246	Sand & Bldrs.
3321	Gumbo
3363	Gumbo & Bldrs.
3365	Hard Sand Rock
3366	Hard Rock
3385	Gumbo & Bldrs.
3405	Gumbo
3418	Oil Sand
3419	Gumbo
3402	Correct Depth:
3416	Gumbo
3431	Hard Shale
3510	Gumbo
3512	Sand - Gas Show
3546	Hard Sand
3548	Gumbo
3576	Gumbo & Shale
3580	Hard Sand
3605	Sand
3617	Packed Sand
3620	Gumbo

Method of shutting off water 4½x6½" Packer Is water completely shut off? Yes

Amount of water with oil None per cent. - -

I, C. E. RICHARDS being first duly sworn on oath, state that I have knowledge of the facts and matter hereby set forth and that the same are true and correct.

C. E. Richards
Representative of Company

3622	Hard Sand
3647	Gumbo
3690	Sand
3693	Gumbo
3696	Sandy Shale
3713	Gumbo
3747	Gumbo & Bldrs.
3750	Sand
3754	Soft Sand
3756	Hard Sand
3757	Hard Sand Rock
3759	Hard Rock
3760	Hard Sand Rock
3770	Pack Sand
3780	Sand & Shale
3788	Sand
3795	Gumbo
3801	Sand
3821	Blue water Sand
3829	Soft Sand & Shale
3831	Hard Sand
3833	Rock
3835	Hard Sand Rock
3886	Shale
3888	Sand
3920	Gumbo
3928	Sand
3936	Hard Sand
3939	Sand
3941	Hard Sand
3949	Packed Sand
4013	Gumbo
4023	Hard Sand

BOTTOM OF HOLE:

627

52015

R O Lomax

FORM 1

RAILROAD COMMISSION OF TEXAS—OIL AND GAS DIVISION

Austin, Texas

IMPORTANT NOTICE: This is the first record the Railroad Commission has of any well. It is made the basis of all subsequent correspondence. **Hence it must be accurate.**

NOTICE OF INTENTION TO DRILL, DEEPEN OR PLUG

(To comply with Rules of the Railroad Commission of Texas govering Oil and Gas Conservation in Texas.)

DESCRIPTION OF PROPERTY

In order that the well covered by this notice may be definitely and accurately located on maps in the office of the commission, draw in the space below, in ink a sketch of the lease or block and lot, giving name and number, and indicate thereon the exact location of the well. **Also show the distance, in feet, of the well from the two nearest boundaries of the lease and from the nearest well.** Give names of the adjoining lease or property owners.

Scale: 400 feet to 1 inch. If less than 2 acres, 40 feet to 1 inch.

Use back hereof for sketch if necessary.

NORTH

WEST

NOV 5 1930

EAST

600' from East line and 50' from south line.

SOUTH

This notice must be delivered to Deputy Supervisor of your district before drilling, deepening, or plugging. He will forward to the Railroad Commission, Austin Texas.

Date November 3, 1930

Name of company or operator

Name Humble Oil & Rfg. Co.

Address Houston, Texas.

Name of farm or lease

Name O.Chesson "B"

Located in Orange County

Sec. No. Block No.

Survey William Dyson League

Number of acres Well No.

Rotary or Cable Tools

Date work will start

Depth to which you propose to drill feet

Date you wish to plug 11-8-30 Well No. 12

(You must also give notice to adjacent leases.)

Date you wish to deepen Well No.

If lease purchased with one or more wells drilled, from whom purchased?

Name

Address

Deliver to Deputy Supervisor in charge of district in which well is located.

Rule 37. No well for oil or gas shall hereafter be commenced nearer than three hundred (300) feet to any other completed or drilling well on the same or adjacent tract or farm; and no well shall be drilled nearer than one hundred and fifty (150) feet to any property line; provided, that the Commission, in order to prevent waste or to protect vested rights, will grant exceptions permitting drilling within shorter distances than as above prescribed, upon application filed fully stating the facts, notice thereof having first been given to all adjacent lessees affected thereby. Rule 37 shall not for the present be enforced within any proven oil field which is on a proven salt dome structure.

Form 1015b—[illegible]

FORM 4 52015

RAILROAD COMMISSION OF TEXAS

Rule 10. Plugging Dry and Abandoned Wells.—(a)—All abandoned or dry wells shall immediately be plugged according to the following rules:

(b) Manner of Plugging.—All dry or abandoned wells must be plugged by confining all oil, gas or water to the strata in which they occur by the use of mud laden fluid filling well to the top as directed by the Commission or by some other method approved by the Commission. In case of cable drilling, in addition to mud laden fluid, cement and plugs may be used, and shall be so used when so directed.

(c) Notice of Intention to Plug.—Before plugging dry and abandoned wells, notice shall be given to the Railroad Commission of Texas or its conservation agent in the field, and to all available adjoining lease and property owners, and representatives of such lease and property owners may, in addition to the oil and gas conservation agent of the Commission, be present to witness the plugging of these wells if they so desire, but plugging shall not be delayed because of inability to deliver notices to adjoining lease or property owners. (Rule 10 amended November 12, 1931.)

Rule 11. Log and Plugging Record to Be Filed with Commission.—The owner or operator shall, upon the completion of any well, file with the Railroad Commission of Texas a complete record or log of the same, duly signed and sworn to, upon blanks to be furnished by the Commission upon application; and upon plugging any well for any cause whatsoever, a complete record of the plugging thereof shall be made out and duly verified on blanks to be furnished by the Commission.

PLUGGING RECORD

Company Humble Oil & Rfg. Co. Address Houston, Texas

Sec. No. ..... Blk. No. ..... Survey Wm. Dyson County Orange

Well No. 12 Name of Lease C. Chesson "B" No. of Acres .....

Date well was plugged 1-26-31

Character of Well (Whether it was Oil or Gas or Dry) Oil well

Total depth 3402 feet. Top of each producing sand ..... feet

Was the well filled with mud-laden fluid, according to regulations of the Railroad Commission? Yes

How was mud applied? Pumped

Were plugs used? No If so show all shoulders left for casing, depth of each, and size of casing used, size and kind of plugs used, and depth placed. Also amount of cement and rock.

Was well shot? No

RECEIVED
JAN 30 1931
RAILROAD COMMISSION

Show depth and thickness of all water, oil and gas formations

The names of adjacent lease, royalty and land-owners with their addresses in each instance is as follows:

Was notice given before plugging to all available adjacent lease owners as required by subdivision (c) of Rule 10?

I, W. O. Manning, being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth and that the same are true and correct.

Name W. O. Manning, Title Representative of Company

Subscribed and sworn to before me this 27th day of January, 1931

[signature]

Correspondence regarding this well should be addressed to: Notary Public Harris County, Texas

Name D. B. Harris Address Houston, Texas

Form 1171—[illegible]