Laboratory Report

Resource Laboratories, LLC
124 Heritage Avenue #10 Portsmouth, NH 03801

John Cressey
Summit Environmental Consultants
434 Cony Rd
Augusta, ME 04330

PO Number: None
Job ID: 19963
Date Received: 9/10/10

Project: American Tissue 16861

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Resource Laboratories, LLC Quality Assurance Plan. The Standard Operating Procedures (SOP) are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Resource Laboratories, LLC maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Resource Laboratories, LLC

(for)

Sue Sylvester
Principal, General Manager

Date of Approval: 9/29/2010
Total number of pages: 77

Resource Laboratories, LLC Certifications

New Hampshire	1732	Massachusetts	M-NH902
Maine	NH903		

Project ID: American Tissue 16861
Lab ID: 19963

Sample Association Table

Field ID	Matrix	Date-Time Sampled	Lab#	Analysis
MW-410	Water	9/7/2010 10:00	19963-001	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
B-423	Water	9/7/2010 12:00	19963-002	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
B-426	Water	9/8/2010 13:00	19963-003	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-435	Water	9/8/2010 11:00	19963-004	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-408	Water	9/8/2010 9:15	19963-005	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-407	Water	9/8/2010 10:00	19963-006	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-406	Water	9/9/2010 11:20	19963-007	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-433	Water	9/9/2010 10:35	19963-008	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
MW-401	Water	9/9/2010 13:20	19963-009	
				EPH in water by MADEP Method
				VOCs in water by 8260
				VPH in water by MA DEP Method
BKB-402 2-4	Solid	9/7/2010 11:00	19963-010	
				Percent Dry Matter for Solid Sample Calc by 160.4
				VOCs in solids by 8260
				VPH in solids by MA DEP Method
BKB-402 2-4	Solid	9/7/2010 10:50	19963-011	
				EPH in solids by MADEP Method
				Percent Dry Matter for Solid Sample Calc by 160.4
Trip Blank	Solid	9/9/2010	19963-012	
				VOCs in solids by 8260
				VPH in solids by MA DEP Method
Trip Blank	Water	9/9/2010	19963-013	
				VOCs in water by 8260

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-001
Sample ID: MW-410
Matrix: Water
Sampled: 9/7/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-001
Sample ID: MW-410
Matrix: Water
Sampled: 9/7/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	100	78-114	%	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		1002061	9/16/10	3:01	SW5030B8260B
4-bromofluorobenzene SUR	89	86-115	%	1	LMM		1002061	9/16/10	3:01	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-002
Sample ID: B-423
Matrix: Water
Sampled: 9/7/10 12:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-002
Sample ID: B-423
Matrix: Water
Sampled: 9/7/10 12:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
naphthalene	**8**	5	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	101	78-114	%	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		1002061	9/16/10	3:32	SW5030B8260B
4-bromofluorobenzene SUR	91	86-115	%	1	LMM		1002061	9/16/10	3:32	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-003
Sample ID: B-426
Matrix: Water
Sampled: 9/8/10 13:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-003
Sample ID: B-426
Matrix: Water
Sampled: 9/8/10 13:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	98	78-114	%	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
toluene-D8 SUR	97	88-110	%	1	LMM		1002061	9/16/10	4:03	SW5030B8260B
4-bromofluorobenzene SUR	93	86-115	%	1	LMM		1002061	9/16/10	4:03	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-004
Sample ID: MW-435
Matrix: Water
Sampled: 9/8/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-004
Sample ID: MW-435
Matrix: Water
Sampled: 9/8/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	100	78-114	%	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		1002061	9/16/10	1:59	SW5030B8260B
4-bromofluorobenzene SUR	90	86-115	%	1	LMM		1002061	9/16/10	1:59	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-005
Sample ID: MW-408
Matrix: Water
Sampled: 9/8/10 9:15

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-005
Sample ID: MW-408
Matrix: Water
Sampled: 9/8/10 9:15

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	100	78-114	%	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		1002061	9/16/10	2:30	SW5030B8260B
4-bromofluorobenzene SUR	95	86-115	%	1	LMM		1002061	9/16/10	2:30	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-006
Sample ID: MW-407
Matrix: Water
Sampled: 9/8/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-006
Sample ID: MW-407
Matrix: Water
Sampled: 9/8/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	103	78-114	%	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
toluene-D8 SUR	97	88-110	%	1	LMM		1002061	9/16/10	4:33	SW5030B8260B
4-bromofluorobenzene SUR	94	86-115	%	1	LMM		1002061	9/16/10	4:33	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-007
Sample ID: MW-406
Matrix: Water
Sampled: 9/9/10 11:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-007
Sample ID: MW-406
Matrix: Water
Sampled: 9/9/10 11:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	97	78-114	%	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
toluene-D8 SUR	96	88-110	%	1	LMM		1002070	9/16/10	12:20	SW5030B8260B
4-bromofluorobenzene SUR	92	86-115	%	1	LMM		1002070	9/16/10	12:20	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-008
Sample ID: MW-433
Matrix: Water
Sampled: 9/9/10 10:35

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-008
Sample ID: MW-433
Matrix: Water
Sampled: 9/9/10 10:35

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	99	78-114	%	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
toluene-D8 SUR	97	88-110	%	1	LMM		1002070	9/16/10	12:52	SW5030B8260B
4-bromofluorobenzene SUR	94	86-115	%	1	LMM		1002070	9/16/10	12:52	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-009
Sample ID: MW-401
Matrix: Water
Sampled: 9/9/10 13:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-009
Sample ID: MW-401
Matrix: Water
Sampled: 9/9/10 13:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	99	78-114	%	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
toluene-D8 SUR	97	88-110	%	1	LMM		1002070	9/16/10	10:44	SW5030B8260B
4-bromofluorobenzene SUR	93	86-115	%	1	LMM		1002070	9/16/10	10:44	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-010
Sample ID: BKB-402 2-4
Matrix: Solid Percent Dry: 89.7 %
Sampled: 9/7/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
chloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
vinyl chloride	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
bromomethane	< 0.3	0.3	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
chloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
trichlorofluoromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
diethyl ether	< 0.6	0.6	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
acetone	< 3	3	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
methylene chloride	< 0.3	0.3	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
carbon disulfide	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
methyl t-butyl ether (MTBE)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
trans-1,2-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1-dichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
2-butanone (MEK)	< 0.3	0.3	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
2,2-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
cis-1,2-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
chloroform	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
bromochloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
tetrahydrofuran (THF)	< 0.6	0.6	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1,1-trichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
carbon tetrachloride	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2-dichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
benzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
trichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
bromodichloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
dibromomethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
4-methyl-2-pentanone (MIBK)	< 0.5	0.5	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
cis-1,3-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
toluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
trans-1,3-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
2-hexanone	< 0.6	0.6	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1,2-trichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,3-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
tetrachloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
dibromochloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2-dibromoethane (EDB)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
chlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1,1,2-tetrachloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
ethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
m&p-xylenes	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
o-xylene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-010
Sample ID: BKB-402 2-4
Matrix: Solid Percent Dry: 89.7 %
Sampled: 9/7/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
bromoform	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
isopropylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,1,2,2-tetrachloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2,3-trichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
n-propylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
bromobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,3,5-trimethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
2-chlorotoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
4-chlorotoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
tert-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2,4-trimethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
sec-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,3-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
4-isopropyltoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,4-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
n-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2-dibromo-3-chloropropane (DBCP)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2,4-trichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
hexachlorobutadiene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
naphthalene	< 0.3	0.3	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
1,2,3-trichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	98	78-114	%	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
toluene-D8 SUR	101	88-110	%	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
4-bromofluorobenzene SUR	98	86-115	%	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B
a,a,a-trifluorotoluene SUR	93	70-130	%	1	LMM	9/14/10	3585	9/16/10	9:42	SW5035A8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-012
Sample ID: Trip Blank
Matrix: Solid Results expressed on a weight as received basis
Sampled: 9/9/10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
chloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
vinyl chloride	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
bromomethane	< 0.2	0.2	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
chloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
trichlorofluoromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
diethyl ether	< 0.5	0.5	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
acetone	< 2	2	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
methylene chloride	< 0.2	0.2	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
carbon disulfide	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
methyl t-butyl ether (MTBE)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
trans-1,2-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1-dichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
2-butanone (MEK)	< 0.3	0.3	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
2,2-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
cis-1,2-dichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
chloroform	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
bromochloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
tetrahydrofuran (THF)	< 0.5	0.5	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1,1-trichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
carbon tetrachloride	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2-dichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
benzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
trichloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
bromodichloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
dibromomethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
4-methyl-2-pentanone (MIBK)	< 0.4	0.4	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
cis-1,3-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
toluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
trans-1,3-dichloropropene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
2-hexanone	< 0.5	0.5	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1,2-trichloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,3-dichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
tetrachloroethene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
dibromochloromethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2-dibromoethane (EDB)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
chlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1,1,2-tetrachloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
ethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
m&p-xylenes	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
o-xylene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-012
Sample ID: Trip Blank
Matrix: Solid Results expressed on a weight as received basis
Sampled: 9/9/10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
bromoform	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
isopropylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,1,2,2-tetrachloroethane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2,3-trichloropropane	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
n-propylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
bromobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,3,5-trimethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
2-chlorotoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
4-chlorotoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
tert-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2,4-trimethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
sec-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,3-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
4-isopropyltoluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,4-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2-dichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
n-butylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2-dibromo-3-chloropropane (DBCP)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2,4-trichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
hexachlorobutadiene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
naphthalene	< 0.2	0.2	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
1,2,3-trichlorobenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	94	78-114	%	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
toluene-D8 SUR	98	88-110	%	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
4-bromofluorobenzene SUR	97	86-115	%	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B
a,a,a-trifluorotoluene SUR	92	70-130	%	1	LMM	9/14/10	3585	9/15/10	20:49	SW5035A8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-013
Sample ID: Trip Blank
Matrix: Water
Sampled: 9/9/10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
chloromethane	**48**	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
diethyl ether	< 5	5	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
acetone	< 50	50	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1-dichloroethene	< 1	1	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
bromodichloromethane	< 1	1	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
chlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-013
Sample ID: Trip Blank
Matrix: Water
Sampled: 9/9/10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
styrene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
hexachlorobutadiene	< 0.5	0.5	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
Surrogate Recovery		**Limits**								
dibromofluoromethane SUR	94	78-114	%	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
toluene-D8 SUR	96	88-110	%	1	LMM		1002061	9/15/10	21:20	SW5030B8260B
4-bromofluorobenzene SUR	96	86-115	%	1	LMM		1002061	9/15/10	21:20	SW5030B8260B

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-001
Sample ID: MW-410
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/7/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:52	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	90	70-130	%	1	LMM		1002058	9/15/10	21:52	MAVPH
2,5-dibromotoluene as Aliphatic SUR	90	70-130	%	1	LMM		1002058	9/15/10	21:52	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-002
Sample ID: B-423
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/7/10 12:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
naphthalene	**11**	5	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:25	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	94	70-130	%	1	LMM		1002058	9/15/10	22:25	MAVPH
2,5-dibromotoluene as Aliphatic SUR	87	70-130	%	1	LMM		1002058	9/15/10	22:25	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-003
Sample ID: B-426
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/8/10 13:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	22:58	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	86	70-130	%	1	LMM		1002058	9/15/10	22:58	MAVPH
2,5-dibromotoluene as Aliphatic SUR	86	70-130	%	1	LMM		1002058	9/15/10	22:58	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-004
Sample ID: MW-435
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/8/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	20:46	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	88	70-130	%	1	LMM		1002058	9/15/10	20:46	MAVPH
2,5-dibromotoluene as Aliphatic SUR	88	70-130	%	1	LMM		1002058	9/15/10	20:46	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-005
Sample ID: MW-408
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/8/10 9:15

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	21:19	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	87	70-130	%	1	LMM		1002058	9/15/10	21:19	MAVPH
2,5-dibromotoluene as Aliphatic SUR	88	70-130	%	1	LMM		1002058	9/15/10	21:19	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-006
Sample ID: MW-407
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/8/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/15/10	23:31	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	88	70-130	%	1	LMM		1002058	9/15/10	23:31	MAVPH
2,5-dibromotoluene as Aliphatic SUR	88	70-130	%	1	LMM		1002058	9/15/10	23:31	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-007
Sample ID: MW-406
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/9/10 11:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	3:53	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	87	70-130	%	1	LMM		1002058	9/16/10	3:53	MAVPH
2,5-dibromotoluene as Aliphatic SUR	86	70-130	%	1	LMM		1002058	9/16/10	3:53	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-008
Sample ID: MW-433
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/9/10 10:35

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	5:31	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	82	70-130	%	1	LMM		1002058	9/16/10	5:31	MAVPH
2,5-dibromotoluene as Aliphatic SUR	82	70-130	%	1	LMM		1002058	9/16/10	5:31	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-009
Sample ID: MW-401
Matrix: Water
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/9/10 13:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
Unadjusted C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
benzene	< 1	1	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
toluene	< 2	2	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
ethylbenzene	< 2	2	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
m&p-xylenes	< 2	2	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
o-xylene	< 2	2	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
naphthalene	< 5	5	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
C5-C8 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
C9-C12 Aliphatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
C9-C10 Aromatics	< 100	100	ug/L	1	LMM		1002058	9/16/10	2:48	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	86	70-130	%	1	LMM		1002058	9/16/10	2:48	MAVPH
2,5-dibromotoluene as Aliphatic SUR	86	70-130	%	1	LMM		1002058	9/16/10	2:48	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-010
Sample ID: BKB-402 2-4
Matrix: Solid Percent Dry: 89.7 %
Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/7/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
Unadjusted C9-C12 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
methyl t-butyl ether (MTBE)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
benzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
toluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
ethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
m&p-xylenes	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
o-xylene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
naphthalene	< 0.3	0.3	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
C5-C8 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
C9-C12 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
C9-C10 Aromatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	91	70-130	%	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
2,5-dibromotoluene as Aliphatic SUR	91	70-130	%	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH
a,a,a-trifluorotoluene SUR	87	70-130	%	1	LMM	9/14/10	3607	9/16/10	1:42	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-012
Sample ID: Trip Blank
Matrix: Solid Results expressed on a weight as received basis
Samples prepared in methanol within a 1:1 ratio +/- 25% mL MeOH/g soil
Received on ice at 2˚C, in satisfactory condition.
Sampled: 9/9/10

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
Unadjusted C5-C8 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
Unadjusted C9-C12 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
methyl t-butyl ether (MTBE)	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
benzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
toluene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
ethylbenzene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
m&p-xylenes	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
o-xylene	< 0.1	0.1	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
naphthalene	< 0.2	0.2	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
C5-C8 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
C9-C12 Aliphatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
C9-C10 Aromatics	< 5	5	ug/g	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
Surrogate Recovery		**Limits**								
2,5-dibromotoluene as Aromatic SUR	92	70-130	%	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
2,5-dibromotoluene as Aliphatic SUR	92	70-130	%	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH
a,a,a-trifluorotoluene SUR	88	70-130	%	1	LMM	9/14/10	3607	9/17/10	11:58	MAVPH

Hydrocarbon Range data exclude concentrations of any surrogate(s) and/or internal standards eluting in that range.
C5-C8 Aliphatic Hydrocarbons exclude the concentration of target analytes eluting in that range.
C9-C12 Aliphatic Hydrocarbons exclude concentration of target analytes eluting in that range AND C9-C10 Aromatics.

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-001
Sample ID: MW-410
Matrix: Water
Sampled: 9/7/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:50	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	22:54	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:03	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:03	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	22:54	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	59	40-140	%	1	JLZ	9/13/10	3608	9/16/10	14:03	MA EPH
o-terphenyl SUR	63	40-140	%	1	JLZ	9/13/10	3608	9/16/10	22:54	MA EPH
2-fluorobiphenyl SUR	88	40-140	%	1	JLZ	9/13/10	3608	9/16/10	22:54	MA EPH
2-bromonaphthalene SUR	87	40-140	%	1	JLZ	9/13/10	3608	9/16/10	22:54	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-002
Sample ID: B-423
Matrix: Water
Sampled: 9/7/10 12:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	**4.2**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
2-methylnaphthalene	**1.7**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
phenanthrene	**1.7**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
acenaphthylene	**0.5**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
fluorene	**1.3**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
fluoranthene	**0.9**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
pyrene	**1.1**	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
benzo(a)pyrene	**0.3**	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	14:34	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	23:17	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:21	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:21	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	23:17	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	60	40-140	%	1	JLZ	9/13/10	3608	9/16/10	14:21	MA EPH
o-terphenyl SUR	63	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:17	MA EPH
2-fluorobiphenyl SUR	83	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:17	MA EPH
2-bromonaphthalene SUR	81	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:17	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-003
Sample ID: B-426
Matrix: Water
Sampled: 9/8/10 13:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	15:12	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	23:39	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:40	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:40	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	23:39	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	56	40-140	%	1	JLZ	9/13/10	3608	9/16/10	14:40	MA EPH
o-terphenyl SUR	59	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:39	MA EPH
2-fluorobiphenyl SUR	81	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:39	MA EPH
2-bromonaphthalene SUR	82	40-140	%	1	JLZ	9/13/10	3608	9/16/10	23:39	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-004
Sample ID: MW-435
Matrix: Water
Sampled: 9/8/10 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	16:28	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:02	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:58	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	14:58	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:02	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	63	40-140	%	1	JLZ	9/13/10	3608	9/16/10	14:58	MA EPH
o-terphenyl SUR	58	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:02	MA EPH
2-fluorobiphenyl SUR	80	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:02	MA EPH
2-bromonaphthalene SUR	76	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:02	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-005
Sample ID: MW-408
Matrix: Water
Sampled: 9/8/10 9:15

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:06	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:25	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:16	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:16	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:25	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	56	40-140	%	1	JLZ	9/13/10	3608	9/16/10	15:16	MA EPH
o-terphenyl SUR	53	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:25	MA EPH
2-fluorobiphenyl SUR	81	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:25	MA EPH
2-bromonaphthalene SUR	78	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:25	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-006
Sample ID: MW-407
Matrix: Water
Sampled: 9/8/10 10:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	17:44	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:47	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:34	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:34	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	0:47	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	43	40-140	%	1	JLZ	9/13/10	3608	9/16/10	15:34	MA EPH
o-terphenyl SUR	50	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:47	MA EPH
2-fluorobiphenyl SUR	85	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:47	MA EPH
2-bromonaphthalene SUR	84	40-140	%	1	JLZ	9/13/10	3608	9/17/10	0:47	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-007
Sample ID: MW-406
Matrix: Water
Sampled: 9/9/10 11:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	18:22	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:10	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:53	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	15:53	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:10	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	59	40-140	%	1	JLZ	9/13/10	3608	9/16/10	15:53	MA EPH
o-terphenyl SUR	60	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:10	MA EPH
2-fluorobiphenyl SUR	80	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:10	MA EPH
2-bromonaphthalene SUR	81	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:10	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-008
Sample ID: MW-433
Matrix: Water
Sampled: 9/9/10 10:35

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:00	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:32	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	16:11	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	16:11	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:32	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	58	40-140	%	1	JLZ	9/13/10	3608	9/16/10	16:11	MA EPH
o-terphenyl SUR	61	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:32	MA EPH
2-fluorobiphenyl SUR	85	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:32	MA EPH
2-bromonaphthalene SUR	76	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:32	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-009
Sample ID: MW-401
Matrix: Water
Sampled: 9/9/10 13:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
2-methylnaphthalene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
phenanthrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
acenaphthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
acenaphthylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
fluorene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
benzo(a)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
chrysene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
benzo(b)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
benzo(k)fluoranthene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
indeno(1,2,3-cd)pyrene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
dibenzo(a,h)anthracene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
benzo(g,h,i)perylene	< 0.5	0.5	ug/L	1	AJD	9/13/10	3608	9/16/10	19:38	MA EPH
Unadjusted C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:55	MA EPH
C9-C18 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	17:06	MA EPH
C19-C36 Aliphatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/16/10	17:06	MA EPH
C11-C22 Aromatics	< 100	100	ug/L	1	JLZ	9/13/10	3608	9/17/10	1:55	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	50	40-140	%	1	JLZ	9/13/10	3608	9/16/10	17:06	MA EPH
o-terphenyl SUR	45	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:55	MA EPH
2-fluorobiphenyl SUR	80	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:55	MA EPH
2-bromonaphthalene SUR	80	40-140	%	1	JLZ	9/13/10	3608	9/17/10	1:55	MA EPH

Project ID: American Tissue 16861
Job ID: 19963
Sample#: 19963-011
Sample ID: BKB-402 2-4
Matrix: Solid Percent Dry: 89.7 %
Sampled: 9/7/10 10:50

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Analysis Time	Reference
naphthalene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
2-methylnaphthalene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
phenanthrene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
acenaphthene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
acenaphthylene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
fluorene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
anthracene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
fluoranthene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
pyrene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
benzo(a)anthracene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
chrysene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
benzo(b)fluoranthene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
benzo(k)fluoranthene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
benzo(a)pyrene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
indeno(1,2,3-cd)pyrene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
dibenzo(a,h)anthracene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
benzo(g,h,i)perylene	< 0.2	0.2	ug/g	1	AJD	9/15/10	3610	9/20/10	14:17	MA EPH
Unadjusted C11-C22 Aromatics	< 22	22	ug/g	1	JLZ	9/15/10	3610	9/24/10	12:01	MA EPH
C9-C18 Aliphatics	< 22	22	ug/g	1	JLZ	9/15/10	3610	9/24/10	13:54	MA EPH
C19-C36 Aliphatics	< 22	22	ug/g	1	JLZ	9/15/10	3610	9/24/10	13:54	MA EPH
C11-C22 Aromatics	< 22	22	ug/g	1	JLZ	9/15/10	3610	9/24/10	12:01	MA EPH
Surrogate Recovery		**Limits**								
1-chloro-octadecane SUR	51	40-140	%	1	JLZ	9/15/10	3610	9/24/10	13:54	MA EPH
o-terphenyl SUR	40	40-140	%	1	JLZ	9/15/10	3610	9/24/10	12:01	MA EPH
2-fluorobiphenyl SUR	67	40-140	%	1	JLZ	9/15/10	3610	9/24/10	12:01	MA EPH
2-bromonaphthalene SUR	61	40-140	%	1	JLZ	9/15/10	3610	9/24/10	12:01	MA EPH

Quality Control Report

RESOURCE LABORATORIES, LLC

124 Heritage Avenue Unit 10
Portsmouth, NH 03801
www.reslabs.com

RESOURCE LABORATORIES, LLC

Case Narrative
Lab # 19963

Sample Receiving and Chain of Custody Discrepancies

Samples were received in acceptable condition, at 2 degrees C, on ice, and in accordance with sample handling, preservation and integrity guidelines.

Calibration

No exceptions noted.

Method Blank

No exceptions noted.

Surrogate Recoveries

No exceptions noted.

Laboratory Control Sample Results

VPH: The relative percent difference between the LCS and LCSD1002058 was outside the acceptance criteria for methyl t-butyl ether (MTBE). The percent recovery for this analyte in each QC parameter was within the acceptance criteria. No impact to the data suspected.

VOC: The LCS/D1002061 did not meet the acceptance criteria for 2-butanone (MEK). This compound showed high recovery. There is no impact to the data as this analyte was not detected in the associated samples. The relative percent difference between the LCS and LCSD1002061 was outside the acceptance criteria for 2-butanone (MEK), 2,2-dichloropropane, and 2-hexanone. The percent recovery for these analytes in each QC parameter was within the acceptance criteria. No impact to the data suspected.

VOC: The LCS/D1002070 did not meet the acceptance criteria for dichlorodifluoromethane, bromomethane, and 2,2-dichloropropane. These compounds are known to be problematic in the method.

VOC: The MLCS/LCSD 3585 did not meet the acceptance criteria for chloromethane, bromomethane, 2,2-dichloropropane, and 1,1,2,2-tetrachloroethane. These compounds are known to be problematic in the method. The MLCS/D 3585 did not meet the acceptance criteria for trichloroethene. This compound showed high recovery. There is no impact to the data as this analyte was not detected in the associated samples.

Matrix Spike/Matrix Spike Duplicate/Duplicate Results

Not requested for this project.

Other

EPH: The fractionation check sample (LCS) for the batch of silica gel in use for these samples met the method acceptance criteria.

VPH: Target compounds and ranges were determined by GC/MS. Ranges were determined in a similar manner as described in the MADEP APH method of 2/2000.

Reporting Limits: Dilutions performed during the analysis are noted on the result pages.

No other exceptions noted.

- QC Report -

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD		RPD Limit
MAVPH	BLK1002058	Unadjusted C5-C8 Aliphatics		<	100	ug/L							
		Unadjusted C9-C12 Aliphatics		<	100	ug/L							
		methyl t-butyl ether (MTBE)		<	2	ug/L							
		benzene		<	1	ug/L							
		toluene		<	2	ug/L							
		ethylbenzene		<	2	ug/L							
		m&p-xylenes		<	2	ug/L							
		o-xylene		<	2	ug/L							
		naphthalene		<	5	ug/L							
		C9-C10 Aromatics		<	100	ug/L							
		2,5-dibromotoluene as Aromatic			92	%			70	130			
		2,5-dibromotoluene as Aliphatic			91	%			70	130			
	LCS1002058	Unadjusted C5-C8 Aliphatics			760	ug/L	750	101	70	130			
		Unadjusted C9-C12 Aliphatics			540	ug/L	550	98	70	130			
		methyl t-butyl ether (MTBE)			160	ug/L	150	109	70	130			
		benzene			53	ug/L	50	106	70	130			
		toluene			160	ug/L	150	109	70	130			
		ethylbenzene			55	ug/L	50	110	70	130			
		m&p-xylenes			220	ug/L	200	111	70	130			
		o-xylene			110	ug/L	100	107	70	130			
		naphthalene			110	ug/L	100	108	70	130			
		C9-C10 Aromatics			110	ug/L	100	107	70	130			
		2,5-dibromotoluene as Aromatic			99	%			70	130			
		2,5-dibromotoluene as Aliphatic			99	%			70	130			
	LCSD1002058	Unadjusted C5-C8 Aliphatics			660	ug/L	750	88	70	130	14		20
		Unadjusted C9-C12 Aliphatics			480	ug/L	550	88	70	130	11		20
		methyl t-butyl ether (MTBE)			130	ug/L	150	87	70	130	22	*	20
		benzene			49	ug/L	50	98	70	130	8		20
		toluene			150	ug/L	150	100	70	130	9		20
		ethylbenzene			47	ug/L	50	95	70	130	15		20
		m&p-xylenes			190	ug/L	200	96	70	130	14		20
		o-xylene			98	ug/L	100	98	70	130	9		20
		naphthalene			95	ug/L	100	95	70	130	13		20
		C9-C10 Aromatics			97	ug/L	100	97	70	130	10		20
		2,5-dibromotoluene as Aromatic			90	%			70	130			
		2,5-dibromotoluene as Aliphatic			90	%			70	130			
MAVPH	MB3607	Unadjusted C5-C8 Aliphatics		<	5	ug/g							
		Unadjusted C9-C12 Aliphatics		<	5	ug/g							
		methyl t-butyl ether (MTBE)		<	0.1	ug/g							
		benzene		<	0.1	ug/g							
		toluene		<	0.1	ug/g							
		ethylbenzene		<	0.1	ug/g							
		m&p-xylenes		<	0.1	ug/g							
		o-xylene		<	0.1	ug/g							
		naphthalene		<	0.2	ug/g							
		C9-C10 Aromatics		<	5	ug/g							
		2,5-dibromotoluene as Aromatic			85	%			70	130			
		2,5-dibromotoluene as Aliphatic			83	%			70	130			
		a,a,a-trifluorotoluene SUR			76	%			70	130			

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
MAVPH	MLCS3607	Unadjusted C5-C8 Aliphatics		6.7	ug/g	7.5	90	70	130		
		Unadjusted C9-C12 Aliphatics		4.9	ug/g	5.5	89	70	130		
		methyl t-butyl ether (MTBE)		1.2	ug/g	1.5	77	70	130		
		benzene		0.4	ug/g	0.5	85	70	130		
		toluene		1.4	ug/g	1.5	96	70	130		
		ethylbenzene		0.5	ug/g	0.5	90	70	130		
		m&p-xylenes		2.0	ug/g	2	100	70	130		
		o-xylene		1.0	ug/g	1	97	70	130		
		naphthalene		1.0	ug/g	1	97	70	130		
		C9-C10 Aromatics		1.0	ug/g	1	97	70	130		
		2,5-dibromotoluene as Aromatic		90	%			70	130		
		2,5-dibromotoluene as Aliphatic		88	%			70	130		
		a,a,a-trifluorotoluene SUR		75	%			70	130		
	MLCSD3607	Unadjusted C5-C8 Aliphatics		6.8	ug/g	7.5	90	70	130	1	30
		Unadjusted C9-C12 Aliphatics		4.8	ug/g	5.5	87	70	130	3	30
		methyl t-butyl ether (MTBE)		1.2	ug/g	1.5	78	70	130	1	30
		benzene		0.4	ug/g	0.5	84	70	130	2	30
		toluene		1.4	ug/g	1.5	94	70	130	1	30
		ethylbenzene		0.5	ug/g	0.5	92	70	130	2	30
		m&p-xylenes		1.9	ug/g	2	95	70	130	5	30
		o-xylene		0.9	ug/g	1	93	70	130	3	30
		naphthalene		1.0	ug/g	1	96	70	130	1	30
		C9-C10 Aromatics		1.0	ug/g	1	96	70	130	1	30
		2,5-dibromotoluene as Aromatic		89	%			70	130		
		2,5-dibromotoluene as Aliphatic		88	%			70	130		
		a,a,a-trifluorotoluene SUR		80	%			70	130		

Method	QC ID	Parameter	Associated Sample		Result	Units Amt Added	%R	Limits	RPD	RPD Limit
SW5030B8260B	BLK1002061	dichlorodifluoromethane		<	2	ug/L				
		chloromethane		<	2	ug/L				
		vinyl chloride		<	2	ug/L				
		bromomethane		<	2	ug/L				
		chloroethane		<	2	ug/L				
		trichlorofluoromethane		<	2	ug/L				
		diethyl ether		<	10	ug/L				
		acetone		<	50	ug/L				
		1,1-dichloroethene		<	1	ug/L				
		methylene chloride		<	5	ug/L				
		carbon disulfide		<	2	ug/L				
		methyl t-butyl ether (MTBE)		<	2	ug/L				
		trans-1,2-dichloroethene		<	2	ug/L				
		1,1-dichloroethane		<	2	ug/L				
		2-butanone (MEK)		<	10	ug/L				
		2,2-dichloropropane		<	2	ug/L				
		cis-1,2-dichloroethene		<	2	ug/L				
		chloroform		<	2	ug/L				
		bromochloromethane		<	2	ug/L				
		tetrahydrofuran (THF)		<	10	ug/L				
		1,1,1-trichloroethane		<	2	ug/L				
		1,1-dichloropropene		<	2	ug/L				
		carbon tetrachloride		<	2	ug/L				
		1,2-dichloroethane		<	2	ug/L				
		benzene		<	2	ug/L				
		trichloroethene		<	2	ug/L				
		1,2-dichloropropane		<	2	ug/L				
		bromodichloromethane		<	0.6	ug/L				
		dibromomethane		<	2	ug/L				
		4-methyl-2-pentanone (MIBK)		<	10	ug/L				
		cis-1,3-dichloropropene		<	2	ug/L				
		toluene		<	2	ug/L				
		trans-1,3-dichloropropene		<	2	ug/L				
		2-hexanone		<	10	ug/L				
		1,1,2-trichloroethane		<	2	ug/L				
		1,3-dichloropropane		<	2	ug/L				
		tetrachloroethene		<	2	ug/L				
		dibromochloromethane		<	2	ug/L				
		1,2-dibromoethane (EDB)		<	2	ug/L				
		chlorobenzene		<	2	ug/L				
		1,1,1,2-tetrachloroethane		<	2	ug/L				
		ethylbenzene		<	2	ug/L				
		m&p-xylenes		<	2	ug/L				
		o-xylene		<	2	ug/L				
		styrene		<	2	ug/L				
		bromoform		<	2	ug/L				
		isopropylbenzene		<	2	ug/L				
		1,1,2,2-tetrachloroethane		<	2	ug/L				
		1,2,3-trichloropropane		<	2	ug/L				
		n-propylbenzene		<	2	ug/L				
		bromobenzene		<	2	ug/L				
		1,3,5-trimethylbenzene		<	2	ug/L				
		2-chlorotoluene		<	2	ug/L				

Method	QC ID	Parameter	Associated Sample		Result	Units Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	BLK1002061	4-chlorotoluene		<	2	ug/L					
		tert-butylbenzene		<	2	ug/L					
		1,2,4-trimethylbenzene		<	2	ug/L					
		sec-butylbenzene		<	2	ug/L					
		1,3-dichlorobenzene		<	2	ug/L					
		4-isopropyltoluene		<	2	ug/L					
		1,4-dichlorobenzene		<	2	ug/L					
		1,2-dichlorobenzene		<	2	ug/L					
		n-butylbenzene		<	2	ug/L					
		1,2-dibromo-3-chloropropane		<	2	ug/L					
		1,2,4-trichlorobenzene		<	2	ug/L					
		hexachlorobutadiene		<	0.5	ug/L					
		naphthalene		<	5	ug/L					
		1,2,3-trichlorobenzene		<	2	ug/L					
		dibromofluoromethane SUR			93	%		78	114		
		toluene-D8 SUR			98	%		88	110		
		4-bromofluorobenzene SUR			92	%		86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R		Limits		RPD	RPD Limit
SW5030B8260B	LCS1002061	dichlorodifluoromethane			15	ug/L	20	76		70	130		
		chloromethane			20	ug/L	20	100		70	130		
		vinyl chloride			19	ug/L	20	97		70	130		
		bromomethane			17	ug/L	20	83		70	130		
		chloroethane			21	ug/L	20	103		70	130		
		trichlorofluoromethane			19	ug/L	20	94		70	130		
		diethyl ether			22	ug/L	20	108		70	130		
		acetone		<	50	ug/L	20	170					
		1,1-dichloroethene			17	ug/L	20	85		70	130		
		methylene chloride			21	ug/L	20	104		70	130		
		carbon disulfide			17	ug/L	20	87		70	130		
		methyl t-butyl ether (MTBE)			21	ug/L	20	105		70	130		
		trans-1,2-dichloroethene			20	ug/L	20	99		70	130		
		1,1-dichloroethane			19	ug/L	20	97		70	130		
		2-butanone (MEK)			27	ug/L	20	134	*	70	130		
		2,2-dichloropropane			18	ug/L	20	92		70	130		
		cis-1,2-dichloroethene			21	ug/L	20	106		70	130		
		chloroform			20	ug/L	20	100		70	130		
		bromochloromethane			20	ug/L	20	99		70	130		
		tetrahydrofuran (THF)			21	ug/L	20	105		70	130		
		1,1,1-trichloroethane			19	ug/L	20	93		70	130		
		1,1-dichloropropene			19	ug/L	20	96		70	130		
		carbon tetrachloride			16	ug/L	20	81		70	130		
		1,2-dichloroethane			20	ug/L	20	101		70	130		
		benzene			22	ug/L	20	108		70	130		
		trichloroethene			20	ug/L	20	102		70	130		
		1,2-dichloropropane			20	ug/L	20	102		70	130		
		bromodichloromethane			20	ug/L	20	98		70	130		
		dibromomethane			21	ug/L	20	104		70	130		
		4-methyl-2-pentanone (MIBK)			20	ug/L	20	102		70	130		
		cis-1,3-dichloropropene			21	ug/L	20	103		70	130		
		toluene			21	ug/L	20	103		70	130		
		trans-1,3-dichloropropene			20	ug/L	20	101		70	130		
		2-hexanone			23	ug/L	20	113		70	130		
		1,1,2-trichloroethane			21	ug/L	20	105		70	130		
		1,3-dichloropropane			21	ug/L	20	106		70	130		
		tetrachloroethene			21	ug/L	20	106		70	130		
		dibromochloromethane			18	ug/L	20	88		70	130		
		1,2-dibromoethane (EDB)			20	ug/L	20	102		70	130		
		chlorobenzene			21	ug/L	20	107		70	130		
		1,1,1,2-tetrachloroethane			20	ug/L	20	99		70	130		
		ethylbenzene			21	ug/L	20	106		70	130		
		m&p-xylenes			43	ug/L	40	107		70	130		
		o-xylene			21	ug/L	20	106		70	130		
		styrene			21	ug/L	20	107		70	130		
		bromoform			16	ug/L	20	78		70	130		
		isopropylbenzene			20	ug/L	20	101		70	130		
		1,1,2,2-tetrachloroethane			21	ug/L	20	104		70	130		
		1,2,3-trichloropropane			21	ug/L	20	106		70	130		
		n-propylbenzene			21	ug/L	20	104		70	130		
		bromobenzene			21	ug/L	20	105		70	130		
		1,3,5-trimethylbenzene			21	ug/L	20	107		70	130		
		2-chlorotoluene			21	ug/L	20	106		70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	LCS1002061	4-chlorotoluene		21	ug/L	20	106	70	130		
		tert-butylbenzene		21	ug/L	20	104	70	130		
		1,2,4-trimethylbenzene		22	ug/L	20	108	70	130		
		sec-butylbenzene		21	ug/L	20	105	70	130		
		1,3-dichlorobenzene		22	ug/L	20	108	70	130		
		4-isopropyltoluene		21	ug/L	20	104	70	130		
		1,4-dichlorobenzene		20	ug/L	20	101	70	130		
		1,2-dichlorobenzene		22	ug/L	20	110	70	130		
		n-butylbenzene		21	ug/L	20	104	70	130		
		1,2-dibromo-3-chloropropane		18	ug/L	20	89	70	130		
		1,2,4-trichlorobenzene		20	ug/L	20	101	70	130		
		hexachlorobutadiene		20	ug/L	20	98	70	130		
		naphthalene		21	ug/L	20	106	70	130		
		1,2,3-trichlorobenzene		22	ug/L	20	111	70	130		
		dibromofluoromethane SUR		98	%			78	114		
		toluene-D8 SUR		101	%			88	110		
		4-bromofluorobenzene SUR		102	%			86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD		RPD Limit
SW5030B8260B	LCSD1002061	dichlorodifluoromethane			15	ug/L	20	76	70	130	0		20
		chloromethane			20	ug/L	20	100	70	130	0		20
		vinyl chloride			20	ug/L	20	101	70	130	3		20
		bromomethane			19	ug/L	20	95	70	130	13		20
		chloroethane			21	ug/L	20	105	70	130	2		20
		trichlorofluoromethane			20	ug/L	20	99	70	130	6		20
		diethyl ether			21	ug/L	20	106	70	130	2		20
		acetone		<	50	ug/L	20	103			49	*	20
		1,1-dichloroethene			18	ug/L	20	89	70	130	4		20
		methylene chloride			21	ug/L	20	103	70	130	0		20
		carbon disulfide			17	ug/L	20	87	70	130	0		20
		methyl t-butyl ether (MTBE)			21	ug/L	20	103	70	130	2		20
		trans-1,2-dichloroethene			21	ug/L	20	103	70	130	4		20
		1,1-dichloroethane			20	ug/L	20	100	70	130	3		20
		2-butanone (MEK)			19	ug/L	20	96	70	130	32	*	20
		2,2-dichloropropane			14	ug/L	20	72	70	130	24	*	20
		cis-1,2-dichloroethene			22	ug/L	20	108	70	130	2		20
		chloroform			21	ug/L	20	103	70	130	3		20
		bromochloromethane			21	ug/L	20	103	70	130	4		20
		tetrahydrofuran (THF)			20	ug/L	20	100	70	130	5		20
		1,1,1-trichloroethane			19	ug/L	20	95	70	130	2		20
		1,1-dichloropropene			19	ug/L	20	97	70	130	1		20
		carbon tetrachloride			17	ug/L	20	84	70	130	3		20
		1,2-dichloroethane			21	ug/L	20	105	70	130	4		20
		benzene			22	ug/L	20	108	70	130	1		20
		trichloroethene			20	ug/L	20	100	70	130	3		20
		1,2-dichloropropane			21	ug/L	20	104	70	130	1		20
		bromodichloromethane			20	ug/L	20	99	70	130	2		20
		dibromomethane			21	ug/L	20	103	70	130	1		20
		4-methyl-2-pentanone (MIBK)			18	ug/L	20	92	70	130	10		20
		cis-1,3-dichloropropene			20	ug/L	20	98	70	130	5		20
		toluene			21	ug/L	20	105	70	130	2		20
		trans-1,3-dichloropropene			18	ug/L	20	92	70	130	9		20
		2-hexanone			17	ug/L	20	84	70	130	29	*	20
		1,1,2-trichloroethane			21	ug/L	20	107	70	130	1		20
		1,3-dichloropropane			21	ug/L	20	107	70	130	1		20
		tetrachloroethene			21	ug/L	20	104	70	130	2		20
		dibromochloromethane			17	ug/L	20	87	70	130	1		20
		1,2-dibromoethane (EDB)			20	ug/L	20	99	70	130	3		20
		chlorobenzene			22	ug/L	20	108	70	130	1		20
		1,1,1,2-tetrachloroethane			20	ug/L	20	101	70	130	2		20
		ethylbenzene			22	ug/L	20	110	70	130	4		20
		m&p-xylenes			45	ug/L	40	111	70	130	4		20
		o-xylene			22	ug/L	20	109	70	130	3		20
		styrene			22	ug/L	20	109	70	130	2		20
		bromoform			15	ug/L	20	76	70	130	2		20
		isopropylbenzene			21	ug/L	20	103	70	130	2		20
		1,1,2,2-tetrachloroethane			21	ug/L	20	103	70	130	1		20
		1,2,3-trichloropropane			20	ug/L	20	102	70	130	4		20
		n-propylbenzene			21	ug/L	20	105	70	130	0		20
		bromobenzene			21	ug/L	20	104	70	130	0		20
		1,3,5-trimethylbenzene			21	ug/L	20	106	70	130	1		20
		2-chlorotoluene			21	ug/L	20	104	70	130	1		20

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	LCSD1002061	4-chlorotoluene		21	ug/L	20	105	70	130	1	20
		tert-butylbenzene		21	ug/L	20	106	70	130	2	20
		1,2,4-trimethylbenzene		21	ug/L	20	107	70	130	1	20
		sec-butylbenzene		21	ug/L	20	105	70	130	0	20
		1,3-dichlorobenzene		21	ug/L	20	106	70	130	2	20
		4-isopropyltoluene		21	ug/L	20	103	70	130	1	20
		1,4-dichlorobenzene		20	ug/L	20	99	70	130	2	20
		1,2-dichlorobenzene		22	ug/L	20	110	70	130	0	20
		n-butylbenzene		21	ug/L	20	103	70	130	1	20
		1,2-dibromo-3-chloropropane		17	ug/L	20	83	70	130	7	20
		1,2,4-trichlorobenzene		19	ug/L	20	94	70	130	7	20
		hexachlorobutadiene		20	ug/L	20	98	70	130	1	20
		naphthalene		18	ug/L	20	92	70	130	15	20
		1,2,3-trichlorobenzene		21	ug/L	20	104	70	130	6	20
		dibromofluoromethane SUR		100	%			78	114		
		toluene-D8 SUR		101	%			88	110		
		4-bromofluorobenzene SUR		102	%			86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units Amt Added	%R	Limits	RPD	RPD Limit
SW5030B8260B	BLK1002070	dichlorodifluoromethane		<	2	ug/L				
		chloromethane		<	2	ug/L				
		vinyl chloride		<	2	ug/L				
		bromomethane		<	2	ug/L				
		chloroethane		<	2	ug/L				
		trichlorofluoromethane		<	2	ug/L				
		diethyl ether		<	10	ug/L				
		acetone		<	50	ug/L				
		1,1-dichloroethene		<	1	ug/L				
		methylene chloride		<	5	ug/L				
		carbon disulfide		<	2	ug/L				
		methyl t-butyl ether (MTBE)		<	2	ug/L				
		trans-1,2-dichloroethene		<	2	ug/L				
		1,1-dichloroethane		<	2	ug/L				
		2-butanone (MEK)		<	10	ug/L				
		2,2-dichloropropane		<	2	ug/L				
		cis-1,2-dichloroethene		<	2	ug/L				
		chloroform		<	2	ug/L				
		bromochloromethane		<	2	ug/L				
		tetrahydrofuran (THF)		<	10	ug/L				
		1,1,1-trichloroethane		<	2	ug/L				
		1,1-dichloropropene		<	2	ug/L				
		carbon tetrachloride		<	2	ug/L				
		1,2-dichloroethane		<	2	ug/L				
		benzene		<	2	ug/L				
		trichloroethene		<	2	ug/L				
		1,2-dichloropropane		<	2	ug/L				
		bromodichloromethane		<	0.6	ug/L				
		dibromomethane		<	2	ug/L				
		4-methyl-2-pentanone (MIBK)		<	10	ug/L				
		cis-1,3-dichloropropene		<	2	ug/L				
		toluene		<	2	ug/L				
		trans-1,3-dichloropropene		<	2	ug/L				
		2-hexanone		<	10	ug/L				
		1,1,2-trichloroethane		<	2	ug/L				
		1,3-dichloropropane		<	2	ug/L				
		tetrachloroethene		<	2	ug/L				
		dibromochloromethane		<	2	ug/L				
		1,2-dibromoethane (EDB)		<	2	ug/L				
		chlorobenzene		<	2	ug/L				
		1,1,1,2-tetrachloroethane		<	2	ug/L				
		ethylbenzene		<	2	ug/L				
		m&p-xylenes		<	2	ug/L				
		o-xylene		<	2	ug/L				
		styrene		<	2	ug/L				
		bromoform		<	2	ug/L				
		isopropylbenzene		<	2	ug/L				
		1,1,2,2-tetrachloroethane		<	2	ug/L				
		1,2,3-trichloropropane		<	2	ug/L				
		n-propylbenzene		<	2	ug/L				
		bromobenzene		<	2	ug/L				
		1,3,5-trimethylbenzene		<	2	ug/L				
		2-chlorotoluene		<	2	ug/L				

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	BLK1002070	4-chlorotoluene		<	2	ug/L						
		tert-butylbenzene		<	2	ug/L						
		1,2,4-trimethylbenzene		<	2	ug/L						
		sec-butylbenzene		<	2	ug/L						
		1,3-dichlorobenzene		<	2	ug/L						
		4-isopropyltoluene		<	2	ug/L						
		1,4-dichlorobenzene		<	2	ug/L						
		1,2-dichlorobenzene		<	2	ug/L						
		n-butylbenzene		<	2	ug/L						
		1,2-dibromo-3-chloropropane		<	2	ug/L						
		1,2,4-trichlorobenzene		<	2	ug/L						
		hexachlorobutadiene		<	0.5	ug/L						
		naphthalene		<	5	ug/L						
		1,2,3-trichlorobenzene		<	2	ug/L						
		dibromofluoromethane SUR			99	%			78	114		
		toluene-D8 SUR			94	%			88	110		
		4-bromofluorobenzene SUR			89	%			86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R		Limits		RPD	RPD Limit
SW5030B8260B	LCS1002070	dichlorodifluoromethane			13	ug/L	20	67	*	70	130		
		chloromethane			19	ug/L	20	93		70	130		
		vinyl chloride			17	ug/L	20	87		70	130		
		bromomethane			6	ug/L	20	30	*	70	130		
		chloroethane			20	ug/L	20	99		70	130		
		trichlorofluoromethane			17	ug/L	20	85		70	130		
		diethyl ether			21	ug/L	20	103		70	130		
		acetone		<	50	ug/L	20	113					
		1,1-dichloroethene			17	ug/L	20	83		70	130		
		methylene chloride			20	ug/L	20	100		70	130		
		carbon disulfide			17	ug/L	20	83		70	130		
		methyl t-butyl ether (MTBE)			21	ug/L	20	103		70	130		
		trans-1,2-dichloroethene			19	ug/L	20	94		70	130		
		1,1-dichloroethane			19	ug/L	20	94		70	130		
		2-butanone (MEK)			19	ug/L	20	95		70	130		
		2,2-dichloropropane			9	ug/L	20	45	*	70	130		
		cis-1,2-dichloroethene			21	ug/L	20	104		70	130		
		chloroform			19	ug/L	20	96		70	130		
		bromochloromethane			19	ug/L	20	96		70	130		
		tetrahydrofuran (THF)			21	ug/L	20	106		70	130		
		1,1,1-trichloroethane			17	ug/L	20	87		70	130		
		1,1-dichloropropene			19	ug/L	20	93		70	130		
		carbon tetrachloride			15	ug/L	20	76		70	130		
		1,2-dichloroethane			20	ug/L	20	99		70	130		
		benzene			21	ug/L	20	103		70	130		
		trichloroethene			19	ug/L	20	96		70	130		
		1,2-dichloropropane			20	ug/L	20	100		70	130		
		bromodichloromethane			19	ug/L	20	93		70	130		
		dibromomethane			20	ug/L	20	101		70	130		
		4-methyl-2-pentanone (MIBK)			20	ug/L	20	98		70	130		
		cis-1,3-dichloropropene			18	ug/L	20	89		70	130		
		toluene			20	ug/L	20	99		70	130		
		trans-1,3-dichloropropene			17	ug/L	20	87		70	130		
		2-hexanone			18	ug/L	20	91		70	130		
		1,1,2-trichloroethane			20	ug/L	20	101		70	130		
		1,3-dichloropropane			21	ug/L	20	107		70	130		
		tetrachloroethene			20	ug/L	20	98		70	130		
		dibromochloromethane			17	ug/L	20	84		70	130		
		1,2-dibromoethane (EDB)			20	ug/L	20	101		70	130		
		chlorobenzene			21	ug/L	20	106		70	130		
		1,1,1,2-tetrachloroethane			20	ug/L	20	98		70	130		
		ethylbenzene			21	ug/L	20	106		70	130		
		m&p-xylenes			42	ug/L	40	106		70	130		
		o-xylene			21	ug/L	20	105		70	130		
		styrene			21	ug/L	20	106		70	130		
		bromoform			15	ug/L	20	74		70	130		
		isopropylbenzene			20	ug/L	20	100		70	130		
		1,1,2,2-tetrachloroethane			22	ug/L	20	110		70	130		
		1,2,3-trichloropropane			21	ug/L	20	107		70	130		
		n-propylbenzene			20	ug/L	20	100		70	130		
		bromobenzene			20	ug/L	20	102		70	130		
		1,3,5-trimethylbenzene			21	ug/L	20	103		70	130		
		2-chlorotoluene			20	ug/L	20	101		70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	LCS1002070	4-chlorotoluene		20	ug/L	20	101	70	130		
		tert-butylbenzene		20	ug/L	20	100	70	130		
		1,2,4-trimethylbenzene		21	ug/L	20	105	70	130		
		sec-butylbenzene		20	ug/L	20	100	70	130		
		1,3-dichlorobenzene		20	ug/L	20	102	70	130		
		4-isopropyltoluene		20	ug/L	20	99	70	130		
		1,4-dichlorobenzene		19	ug/L	20	97	70	130		
		1,2-dichlorobenzene		21	ug/L	20	107	70	130		
		n-butylbenzene		19	ug/L	20	97	70	130		
		1,2-dibromo-3-chloropropane		18	ug/L	20	90	70	130		
		1,2,4-trichlorobenzene		19	ug/L	20	97	70	130		
		hexachlorobutadiene		18	ug/L	20	89	70	130		
		naphthalene		22	ug/L	20	108	70	130		
		1,2,3-trichlorobenzene		21	ug/L	20	106	70	130		
		dibromofluoromethane SUR		96	%			78	114		
		toluene-D8 SUR		98	%			88	110		
		4-bromofluorobenzene SUR		101	%			86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R		Limits		RPD		RPD Limit
SW5030B8260B	LCSD1002070	dichlorodifluoromethane			15	ug/L	20	73		70	130	9		20
		chloromethane			19	ug/L	20	96		70	130	3		20
		vinyl chloride			19	ug/L	20	93		70	130	6		20
		bromomethane			9	ug/L	20	46	*	70	130	42	*	20
		chloroethane			20	ug/L	20	102		70	130	3		20
		trichlorofluoromethane			19	ug/L	20	93		70	130	9		20
		diethyl ether			21	ug/L	20	106		70	130	3		20
		acetone		<	50	ug/L	20	104				8		20
		1,1-dichloroethene			17	ug/L	20	85		70	130	2		20
		methylene chloride			20	ug/L	20	101		70	130	1		20
		carbon disulfide			17	ug/L	20	86		70	130	5		20
		methyl t-butyl ether (MTBE)			21	ug/L	20	104		70	130	1		20
		trans-1,2-dichloroethene			20	ug/L	20	100		70	130	6		20
		1,1-dichloroethane			19	ug/L	20	95		70	130	1		20
		2-butanone (MEK)			19	ug/L	20	97		70	130	2		20
		2,2-dichloropropane			9	ug/L	20	46	*	70	130	2		20
		cis-1,2-dichloroethene			21	ug/L	20	104		70	130	1		20
		chloroform			20	ug/L	20	98		70	130	2		20
		bromochloromethane			19	ug/L	20	95		70	130	0		20
		tetrahydrofuran (THF)			21	ug/L	20	103		70	130	3		20
		1,1,1-trichloroethane			18	ug/L	20	90		70	130	3		20
		1,1-dichloropropene			19	ug/L	20	95		70	130	2		20
		carbon tetrachloride			16	ug/L	20	80		70	130	5		20
		1,2-dichloroethane			20	ug/L	20	98		70	130	1		20
		benzene			21	ug/L	20	105		70	130	1		20
		trichloroethene			20	ug/L	20	98		70	130	2		20
		1,2-dichloropropane			20	ug/L	20	102		70	130	2		20
		bromodichloromethane			19	ug/L	20	94		70	130	1		20
		dibromomethane			20	ug/L	20	101		70	130	0		20
		4-methyl-2-pentanone (MIBK)			19	ug/L	20	95		70	130	2		20
		cis-1,3-dichloropropene			18	ug/L	20	90		70	130	1		20
		toluene			20	ug/L	20	100		70	130	1		20
		trans-1,3-dichloropropene			18	ug/L	20	89		70	130	2		20
		2-hexanone			18	ug/L	20	90		70	130	2		20
		1,1,2-trichloroethane			20	ug/L	20	99		70	130	2		20
		1,3-dichloropropane			21	ug/L	20	104		70	130	3		20
		tetrachloroethene			20	ug/L	20	99		70	130	0		20
		dibromochloromethane			17	ug/L	20	83		70	130	0		20
		1,2-dibromoethane (EDB)			20	ug/L	20	99		70	130	2		20
		chlorobenzene			21	ug/L	20	105		70	130	2		20
		1,1,1,2-tetrachloroethane			20	ug/L	20	98		70	130	0		20
		ethylbenzene			21	ug/L	20	104		70	130	2		20
		m&p-xylenes			42	ug/L	40	105		70	130	1		20
		o-xylene			21	ug/L	20	104		70	130	2		20
		styrene			21	ug/L	20	104		70	130	2		20
		bromoform			14	ug/L	20	72		70	130	2		20
		isopropylbenzene			20	ug/L	20	98		70	130	2		20
		1,1,2,2-tetrachloroethane			21	ug/L	20	107		70	130	2		20
		1,2,3-trichloropropane			20	ug/L	20	102		70	130	5		20
		n-propylbenzene			20	ug/L	20	102		70	130	2		20
		bromobenzene			21	ug/L	20	104		70	130	1		20
		1,3,5-trimethylbenzene			21	ug/L	20	103		70	130	0		20
		2-chlorotoluene			20	ug/L	20	102		70	130	1		20

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5030B8260B	LCSD1002070	4-chlorotoluene		20	ug/L	20	101	70	130	0	20
		tert-butylbenzene		20	ug/L	20	100	70	130	0	20
		1,2,4-trimethylbenzene		21	ug/L	20	104	70	130	1	20
		sec-butylbenzene		20	ug/L	20	102	70	130	2	20
		1,3-dichlorobenzene		21	ug/L	20	103	70	130	1	20
		4-isopropyltoluene		20	ug/L	20	100	70	130	1	20
		1,4-dichlorobenzene		19	ug/L	20	96	70	130	1	20
		1,2-dichlorobenzene		21	ug/L	20	105	70	130	2	20
		n-butylbenzene		20	ug/L	20	98	70	130	0	20
		1,2-dibromo-3-chloropropane		17	ug/L	20	84	70	130	6	20
		1,2,4-trichlorobenzene		19	ug/L	20	96	70	130	1	20
		hexachlorobutadiene		18	ug/L	20	91	70	130	2	20
		naphthalene		21	ug/L	20	106	70	130	2	20
		1,2,3-trichlorobenzene		21	ug/L	20	105	70	130	1	20
		dibromofluoromethane SUR		97	%			78	114		
		toluene-D8 SUR		101	%			88	110		
		4-bromofluorobenzene SUR		101	%			86	115		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits	RPD	RPD Limit
SW5035A8260B	MB3585	dichlorodifluoromethane		<	0.1	ug/g					
		chloromethane		<	0.1	ug/g					
		vinyl chloride		<	0.1	ug/g					
		bromomethane		<	0.2	ug/g					
		chloroethane		<	0.1	ug/g					
		trichlorofluoromethane		<	0.1	ug/g					
		diethyl ether		<	0.5	ug/g					
		acetone		<	2.5	ug/g					
		1,1-dichloroethene		<	0.1	ug/g					
		methylene chloride		<	0.2	ug/g					
		carbon disulfide		<	0.1	ug/g					
		methyl t-butyl ether (MTBE)		<	0.1	ug/g					
		trans-1,2-dichloroethene		<	0.1	ug/g					
		1,1-dichloroethane		<	0.1	ug/g					
		2-butanone (MEK)		<	0.5	ug/g					
		2,2-dichloropropane		<	0.1	ug/g					
		cis-1,2-dichloroethene		<	0.1	ug/g					
		chloroform		<	0.1	ug/g					
		bromochloromethane		<	0.1	ug/g					
		tetrahydrofuran (THF)		<	0.5	ug/g					
		1,1,1-trichloroethane		<	0.1	ug/g					
		1,1-dichloropropene		<	0.1	ug/g					
		carbon tetrachloride		<	0.1	ug/g					
		1,2-dichloroethane		<	0.1	ug/g					
		benzene		<	0.1	ug/g					
		trichloroethene		<	0.1	ug/g					
		1,2-dichloropropane		<	0.1	ug/g					
		bromodichloromethane		<	0.1	ug/g					
		dibromomethane		<	0.1	ug/g					
		4-methyl-2-pentanone (MIBK)		<	0.5	ug/g					
		cis-1,3-dichloropropene		<	0.1	ug/g					
		toluene		<	0.1	ug/g					
		trans-1,3-dichloropropene		<	0.1	ug/g					
		2-hexanone		<	0.5	ug/g					
		1,1,2-trichloroethane		<	0.1	ug/g					
		1,3-dichloropropane		<	0.1	ug/g					
		tetrachloroethene		<	0.1	ug/g					
		dibromochloromethane		<	0.1	ug/g					
		1,2-dibromoethane (EDB)		<	0.1	ug/g					
		chlorobenzene		<	0.1	ug/g					
		1,1,1,2-tetrachloroethane		<	0.1	ug/g					
		ethylbenzene		<	0.1	ug/g					
		m&p-xylenes		<	0.1	ug/g					
		o-xylene		<	0.1	ug/g					
		styrene		<	0.1	ug/g					
		bromoform		<	0.1	ug/g					
		isopropylbenzene		<	0.1	ug/g					
		1,1,2,2-tetrachloroethane		<	0.1	ug/g					
		1,2,3-trichloropropane		<	0.1	ug/g					
		n-propylbenzene		<	0.1	ug/g					
		bromobenzene		<	0.1	ug/g					
		1,3,5-trimethylbenzene		<	0.1	ug/g					
		2-chlorotoluene		<	0.1	ug/g					

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5035A8260B	MB3585	4-chlorotoluene		<	0.1	ug/g						
		tert-butylbenzene		<	0.1	ug/g						
		1,2,4-trimethylbenzene		<	0.1	ug/g						
		sec-butylbenzene		<	0.1	ug/g						
		1,3-dichlorobenzene		<	0.1	ug/g						
		4-isopropyltoluene		<	0.1	ug/g						
		1,4-dichlorobenzene		<	0.1	ug/g						
		1,2-dichlorobenzene		<	0.1	ug/g						
		n-butylbenzene		<	0.1	ug/g						
		1,2-dibromo-3-chloropropane		<	0.1	ug/g						
		1,2,4-trichlorobenzene		<	0.1	ug/g						
		hexachlorobutadiene		<	0.1	ug/g						
		naphthalene		<	0.2	ug/g						
		1,2,3-trichlorobenzene		<	0.1	ug/g						
		dibromofluoromethane SUR			104	%			78	114		
		toluene-D8 SUR			104	%			88	110		
		4-bromofluorobenzene SUR			105	%			86	115		
		a,a,a-trifluorotoluene SUR			86	%			70	130		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R		Limits		RPD	RPD Limit
SW5035A8260B	MLCS3585	dichlorodifluoromethane			0.7	ug/g	1	71		70	130		
		chloromethane			0.6	ug/g	1	62	*	70	130		
		vinyl chloride			1.0	ug/g	1	96		70	130		
		bromomethane			0.6	ug/g	1	64	*	70	130		
		chloroethane			0.8	ug/g	1	84		70	130		
		trichlorofluoromethane			0.9	ug/g	1	88		70	130		
		diethyl ether			1.0	ug/g	1	100		70	130		
		acetone		<	2.5	ug/g	1	95					
		1,1-dichloroethene			0.8	ug/g	1	79		70	130		
		methylene chloride			1.0	ug/g	1	95		70	130		
		carbon disulfide			0.7	ug/g	1	75		70	130		
		methyl t-butyl ether (MTBE)			1.0	ug/g	1	101		70	130		
		trans-1,2-dichloroethene			1.0	ug/g	1	96		70	130		
		1,1-dichloroethane			1.3	ug/g	1	128		70	130		
		2-butanone (MEK)			0.8	ug/g	1	77		70	130		
		2,2-dichloropropane			0.5	ug/g	1	49	*	70	130		
		cis-1,2-dichloroethene			1.1	ug/g	1	109		70	130		
		chloroform			1.2	ug/g	1	119		70	130		
		bromochloromethane			1.1	ug/g	1	112		70	130		
		tetrahydrofuran (THF)			0.8	ug/g	1	83		70	130		
		1,1,1-trichloroethane			1.1	ug/g	1	112		70	130		
		1,1-dichloropropene			1.0	ug/g	1	101		70	130		
		carbon tetrachloride			1.2	ug/g	1	123		70	130		
		1,2-dichloroethane			1.2	ug/g	1	119		70	130		
		benzene			1.0	ug/g	1	103		70	130		
		trichloroethene			1.4	ug/g	1	139	*	70	130		
		1,2-dichloropropane			1.0	ug/g	1	105		70	130		
		bromodichloromethane			1.2	ug/g	1	116		70	130		
		dibromomethane			1.1	ug/g	1	114		70	130		
		4-methyl-2-pentanone (MIBK)			0.9	ug/g	1	91		70	130		
		cis-1,3-dichloropropene			1.0	ug/g	1	97		70	130		
		toluene			1.1	ug/g	1	111		70	130		
		trans-1,3-dichloropropene			1.0	ug/g	1	96		70	130		
		2-hexanone			0.8	ug/g	1	84		70	130		
		1,1,2-trichloroethane			1.1	ug/g	1	107		70	130		
		1,3-dichloropropane			0.9	ug/g	1	92		70	130		
		tetrachloroethene			1.0	ug/g	1	97		70	130		
		dibromochloromethane			1.0	ug/g	1	100		70	130		
		1,2-dibromoethane (EDB)			0.9	ug/g	1	91		70	130		
		chlorobenzene			1.0	ug/g	1	100		70	130		
		1,1,1,2-tetrachloroethane			1.1	ug/g	1	107		70	130		
		ethylbenzene			0.9	ug/g	1	95		70	130		
		m&p-xylenes			2.0	ug/g	2	98		70	130		
		o-xylene			1.0	ug/g	1	98		70	130		
		styrene			1.0	ug/g	1	96		70	130		
		bromoform			0.9	ug/g	1	93		70	130		
		isopropylbenzene			0.9	ug/g	1	94		70	130		
		1,1,2,2-tetrachloroethane			0.5	ug/g	1	53	*	70	130		
		1,2,3-trichloropropane			0.9	ug/g	1	89		70	130		
		n-propylbenzene			0.9	ug/g	1	92		70	130		
		bromobenzene			1.0	ug/g	1	100		70	130		
		1,3,5-trimethylbenzene			1.0	ug/g	1	97		70	130		
		2-chlorotoluene			1.0	ug/g	1	101		70	130		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5035A8260B	MLCS3585	4-chlorotoluene		0.9	ug/g	1	90	70	130		
		tert-butylbenzene		1.0	ug/g	1	96	70	130		
		1,2,4-trimethylbenzene		1.0	ug/g	1	99	70	130		
		sec-butylbenzene		0.9	ug/g	1	92	70	130		
		1,3-dichlorobenzene		1.0	ug/g	1	104	70	130		
		4-isopropyltoluene		0.9	ug/g	1	93	70	130		
		1,4-dichlorobenzene		1.0	ug/g	1	96	70	130		
		1,2-dichlorobenzene		1.1	ug/g	1	107	70	130		
		n-butylbenzene		0.9	ug/g	1	88	70	130		
		1,2-dibromo-3-chloropropane		0.9	ug/g	1	87	70	130		
		1,2,4-trichlorobenzene		0.9	ug/g	1	94	70	130		
		hexachlorobutadiene		1.0	ug/g	1	96	70	130		
		naphthalene		0.9	ug/g	1	94	70	130		
		1,2,3-trichlorobenzene		1.1	ug/g	1	106	70	130		
		dibromofluoromethane SUR		108	%			78	114		
		toluene-D8 SUR		105	%			88	110		
		4-bromofluorobenzene SUR		104	%			86	115		
		a,a,a-trifluorotoluene SUR		79	%			70	130		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R		Limits		RPD	RPD Limit
SW5035A8260B	MLCSD3585	dichlorodifluoromethane			0.7	ug/g	1	72		70	130	1	30
		chloromethane			0.7	ug/g	1	66	*	70	130	6	30
		vinyl chloride			1.0	ug/g	1	96		70	130	0	30
		bromomethane			0.5	ug/g	1	50	*	70	130	23	30
		chloroethane			0.8	ug/g	1	83		70	130	1	30
		trichlorofluoromethane			0.9	ug/g	1	89		70	130	2	30
		diethyl ether			1.0	ug/g	1	101		70	130	1	30
		acetone		<	2.5	ug/g	1	95				0	30
		1,1-dichloroethene			0.8	ug/g	1	82		70	130	4	30
		methylene chloride			1.0	ug/g	1	97		70	130	2	30
		carbon disulfide			0.8	ug/g	1	76		70	130	2	30
		methyl t-butyl ether (MTBE)			1.0	ug/g	1	99		70	130	2	30
		trans-1,2-dichloroethene			1.0	ug/g	1	97		70	130	1	30
		1,1-dichloroethane			1.3	ug/g	1	127		70	130	1	30
		2-butanone (MEK)			0.8	ug/g	1	82		70	130	7	30
		2,2-dichloropropane			0.5	ug/g	1	48	*	70	130	0	30
		cis-1,2-dichloroethene			1.1	ug/g	1	108		70	130	1	30
		chloroform			1.2	ug/g	1	118		70	130	1	30
		bromochloromethane			1.1	ug/g	1	110		70	130	2	30
		tetrahydrofuran (THF)			0.8	ug/g	1	82		70	130	1	30
		1,1,1-trichloroethane			1.1	ug/g	1	110		70	130	1	30
		1,1-dichloropropene			1.0	ug/g	1	101		70	130	0	30
		carbon tetrachloride			1.2	ug/g	1	122		70	130	0	30
		1,2-dichloroethane			1.2	ug/g	1	116		70	130	3	30
		benzene			1.0	ug/g	1	103		70	130	1	30
		trichloroethene			1.4	ug/g	1	137	*	70	130	1	30
		1,2-dichloropropane			1.1	ug/g	1	106		70	130	1	30
		bromodichloromethane			1.1	ug/g	1	113		70	130	3	30
		dibromomethane			1.1	ug/g	1	113		70	130	1	30
		4-methyl-2-pentanone (MIBK)			0.9	ug/g	1	93		70	130	2	30
		cis-1,3-dichloropropene			1.0	ug/g	1	95		70	130	2	30
		toluene			1.1	ug/g	1	110		70	130	1	30
		trans-1,3-dichloropropene			0.9	ug/g	1	93		70	130	2	30
		2-hexanone			0.8	ug/g	1	81		70	130	4	30
		1,1,2-trichloroethane			1.1	ug/g	1	106		70	130	1	30
		1,3-dichloropropane			0.9	ug/g	1	92		70	130	1	30
		tetrachloroethene			1.0	ug/g	1	97		70	130	0	30
		dibromochloromethane			1.0	ug/g	1	100		70	130	0	30
		1,2-dibromoethane (EDB)			0.9	ug/g	1	92		70	130	1	30
		chlorobenzene			1.0	ug/g	1	100		70	130	0	30
		1,1,1,2-tetrachloroethane			1.1	ug/g	1	107		70	130	0	30
		ethylbenzene			1.0	ug/g	1	98		70	130	3	30
		m&p-xylenes			1.9	ug/g	2	96		70	130	2	30
		o-xylene			1.0	ug/g	1	99		70	130	1	30
		styrene			1.0	ug/g	1	97		70	130	0	30
		bromoform			0.9	ug/g	1	94		70	130	1	30
		isopropylbenzene			0.9	ug/g	1	95		70	130	0	30
		1,1,2,2-tetrachloroethane			0.5	ug/g	1	54	*	70	130	2	30
		1,2,3-trichloropropane			0.9	ug/g	1	88		70	130	1	30
		n-propylbenzene			0.9	ug/g	1	90		70	130	2	30
		bromobenzene			1.0	ug/g	1	97		70	130	3	30
		1,3,5-trimethylbenzene			1.0	ug/g	1	96		70	130	2	30
		2-chlorotoluene			0.9	ug/g	1	85		70	130	16	30

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
SW5035A8260B	MLCSD3585	4-chlorotoluene		1.0	ug/g	1	99	70	130	9	30
		tert-butylbenzene		0.9	ug/g	1	94	70	130	2	30
		1,2,4-trimethylbenzene		1.0	ug/g	1	96	70	130	3	30
		sec-butylbenzene		0.9	ug/g	1	91	70	130	1	30
		1,3-dichlorobenzene		1.0	ug/g	1	101	70	130	3	30
		4-isopropyltoluene		0.9	ug/g	1	91	70	130	2	30
		1,4-dichlorobenzene		0.9	ug/g	1	94	70	130	3	30
		1,2-dichlorobenzene		1.0	ug/g	1	104	70	130	3	30
		n-butylbenzene		0.9	ug/g	1	87	70	130	1	30
		1,2-dibromo-3-chloropropane		0.9	ug/g	1	86	70	130	0	30
		1,2,4-trichlorobenzene		0.9	ug/g	1	92	70	130	2	30
		hexachlorobutadiene		1.0	ug/g	1	96	70	130	0	30
		naphthalene		0.9	ug/g	1	92	70	130	3	30
		1,2,3-trichlorobenzene		1.0	ug/g	1	104	70	130	1	30
		dibromofluoromethane SUR		107	%			78	114		
		toluene-D8 SUR		103	%			88	110		
		4-bromofluorobenzene SUR		106	%			86	115		
		a,a,a-trifluorotoluene SUR		77	%			70	130		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
MA EPH	BLK3608	naphthalene		<	0.5	ug/L						
		2-methylnaphthalene		<	0.5	ug/L						
		phenanthrene		<	0.5	ug/L						
		acenaphthene		<	0.5	ug/L						
		acenaphthylene		<	0.5	ug/L						
		fluorene		<	0.5	ug/L						
		anthracene		<	0.5	ug/L						
		fluoranthene		<	0.5	ug/L						
		pyrene		<	0.5	ug/L						
		benzo(a)anthracene		<	0.5	ug/L						
		chrysene		<	0.5	ug/L						
		benzo(b)fluoranthene		<	0.5	ug/L						
		benzo(k)fluoranthene		<	0.5	ug/L						
		benzo(a)pyrene		<	0.2	ug/L						
		indeno(1,2,3-cd)pyrene		<	0.5	ug/L						
		dibenzo(a,h)anthracene		<	0.5	ug/L						
		benzo(g,h,i)perylene		<	0.5	ug/L						
		Unadjusted C11-C22 Aromatics		<	100	ug/L						
		C9-C18 Aliphatics		<	100	ug/L						
		C19-C36 Aliphatics		<	100	ug/L						
		C11-C22 Aromatics		<	100	ug/L						
		1-chloro-octadecane SUR			56	%			40	140		
		o-terphenyl SUR			51	%			40	140		
		2-fluorobiphenyl SUR			82	%			40	140		
		2-bromonaphthalene SUR			76	%			40	140		
	LCS3608	naphthalene			27	ug/L	60	44	40	140		
		2-methylnaphthalene			26	ug/L	60	44	40	140		
		phenanthrene			30	ug/L	60	51	40	140		
		acenaphthene			28	ug/L	60	47	40	140		
		acenaphthylene			27	ug/L	60	45	40	140		
		fluorene			29	ug/L	60	49	40	140		
		anthracene			31	ug/L	60	52	40	140		
		fluoranthene			32	ug/L	60	53	40	140		
		pyrene			30	ug/L	60	50	40	140		
		benzo(a)anthracene			33	ug/L	60	54	40	140		
		chrysene			31	ug/L	60	52	40	140		
		benzo(b)fluoranthene			34	ug/L	60	56	40	140		
		benzo(k)fluoranthene			27	ug/L	60	45	40	140		
		benzo(a)pyrene			33	ug/L	60	55	40	140		
		indeno(1,2,3-cd)pyrene			31	ug/L	60	52	40	140		
		dibenzo(a,h)anthracene			34	ug/L	60	56	40	140		
		benzo(g,h,i)perylene			30	ug/L	60	51	40	140		
		Unadjusted C11-C22 Aromatics			790	ug/L	1020	77	40	140		
		C9-C18 Aliphatics			200	ug/L	360	54	40	140		
		C19-C36 Aliphatics			410	ug/L	480	84	40	140		
		C11-C22 Aromatics			280	ug/L						
		1-chloro-octadecane SUR			63	%			40	140		
		o-terphenyl SUR			62	%			40	140		
		2-fluorobiphenyl SUR			82	%			40	140		
		2-bromonaphthalene SUR			79	%			40	140		

Method	QC ID	Parameter	Associated Sample		Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
MA EPH	LCSD3608	naphthalene			27	ug/L	60	44	40	140	0	25
		2-methylnaphthalene			27	ug/L	60	44	40	140	1	25
		phenanthrene			33	ug/L	60	55	40	140	9	25
		acenaphthene			29	ug/L	60	49	40	140	4	25
		acenaphthylene			28	ug/L	60	47	40	140	4	25
		fluorene			31	ug/L	60	51	40	140	5	25
		anthracene			34	ug/L	60	57	40	140	9	25
		fluoranthene			35	ug/L	60	58	40	140	8	25
		pyrene			33	ug/L	60	55	40	140	11	25
		benzo(a)anthracene			35	ug/L	60	58	40	140	8	25
		chrysene			34	ug/L	60	57	40	140	9	25
		benzo(b)fluoranthene			34	ug/L	60	57	40	140	2	25
		benzo(k)fluoranthene			32	ug/L	60	53	40	140	16	25
		benzo(a)pyrene			35	ug/L	60	59	40	140	7	25
		indeno(1,2,3-cd)pyrene			34	ug/L	60	56	40	140	8	25
		dibenzo(a,h)anthracene			36	ug/L	60	60	40	140	8	25
		benzo(g,h,i)perylene			33	ug/L	60	56	40	140	9	25
		Unadjusted C11-C22 Aromatics			790	ug/L	1020	77	40	140	0	25
		C9-C18 Aliphatics			180	ug/L	360	50	40	140	8	25
		C19-C36 Aliphatics			420	ug/L	480	86	40	140	2	25
		C11-C22 Aromatics			240	ug/L						
		1-chloro-octadecane SUR			59	%			40	140		
		o-terphenyl SUR			60	%			40	140		
		2-fluorobiphenyl SUR			80	%			40	140		
		2-bromonaphthalene SUR			82	%			40	140		
MA EPH	BLK3610	naphthalene		<	0.1	ug/g						
		2-methylnaphthalene		<	0.1	ug/g						
		phenanthrene		<	0.1	ug/g						
		acenaphthene		<	0.1	ug/g						
		acenaphthylene		<	0.1	ug/g						
		fluorene		<	0.1	ug/g						
		anthracene		<	0.1	ug/g						
		fluoranthene		<	0.1	ug/g						
		pyrene		<	0.1	ug/g						
		benzo(a)anthracene		<	0.1	ug/g						
		chrysene		<	0.1	ug/g						
		benzo(b)fluoranthene		<	0.1	ug/g						
		benzo(k)fluoranthene		<	0.1	ug/g						
		benzo(a)pyrene		<	0.1	ug/g						
		indeno(1,2,3-cd)pyrene		<	0.1	ug/g						
		dibenzo(a,h)anthracene		<	0.1	ug/g						
		benzo(g,h,i)perylene		<	0.1	ug/g						
		Unadjusted C11-C22 Aromatics		<	20	ug/g						
		C9-C18 Aliphatics		<	20	ug/g						
		C19-C36 Aliphatics		<	20	ug/g						
		C11-C22 Aromatics		<	20	ug/g						
		1-chloro-octadecane SUR			65	%			40	140		
		o-terphenyl SUR			58	%			40	140		
		2-fluorobiphenyl SUR			81	%			40	140		
		2-bromonaphthalene SUR			80	%			40	140		

Method	QC ID	Parameter	Associated Sample	Result	Units	Amt Added	%R	Limits		RPD	RPD Limit
MA EPH	LCS3610	naphthalene		3.1	ug/g	6	52	40	140		
		2-methylnaphthalene		3.1	ug/g	6	51	40	140		
		phenanthrene		3.4	ug/g	6	57	40	140		
		acenaphthene		3.2	ug/g	6	53	40	140		
		acenaphthylene		3.0	ug/g	6	51	40	140		
		fluorene		3.3	ug/g	6	54	40	140		
		anthracene		3.6	ug/g	6	59	40	140		
		fluoranthene		3.6	ug/g	6	60	40	140		
		pyrene		3.3	ug/g	6	55	40	140		
		benzo(a)anthracene		3.6	ug/g	6	59	40	140		
		chrysene		3.5	ug/g	6	58	40	140		
		benzo(b)fluoranthene		3.6	ug/g	6	60	40	140		
		benzo(k)fluoranthene		3.2	ug/g	6	53	40	140		
		benzo(a)pyrene		3.6	ug/g	6	59	40	140		
		indeno(1,2,3-cd)pyrene		3.5	ug/g	6	58	40	140		
		dibenzo(a,h)anthracene		3.7	ug/g	6	62	40	140		
		benzo(g,h,i)perylene		3.4	ug/g	6	57	40	140		
		Unadjusted C11-C22 Aromatics		82	ug/g	102	80	40	140		
		C9-C18 Aliphatics		25	ug/g	36	68	40	140		
		C19-C36 Aliphatics		45	ug/g	48	93	40	140		
		C11-C22 Aromatics		24	ug/g						
		1-chloro-octadecane SUR		66	%			40	140		
		o-terphenyl SUR		63	%			40	140		
		2-fluorobiphenyl SUR		81	%			40	140		
		2-bromonaphthalene SUR		81	%			40	140		
	LCSD3610	naphthalene		3.0	ug/g	6	50	40	140	3	25
		2-methylnaphthalene		3.0	ug/g	6	50	40	140	2	25
		phenanthrene		3.3	ug/g	6	55	40	140	3	25
		acenaphthene		3.1	ug/g	6	52	40	140	1	25
		acenaphthylene		3.0	ug/g	6	50	40	140	0	25
		fluorene		3.2	ug/g	6	53	40	140	2	25
		anthracene		3.5	ug/g	6	58	40	140	3	25
		fluoranthene		3.5	ug/g	6	58	40	140	3	25
		pyrene		3.2	ug/g	6	54	40	140	3	25
		benzo(a)anthracene		3.5	ug/g	6	59	40	140	2	25
		chrysene		3.4	ug/g	6	57	40	140	0	25
		benzo(b)fluoranthene		3.6	ug/g	6	59	40	140	1	25
		benzo(k)fluoranthene		3.1	ug/g	6	52	40	140	2	25
		benzo(a)pyrene		3.6	ug/g	6	59	40	140	0	25
		indeno(1,2,3-cd)pyrene		3.4	ug/g	6	56	40	140	3	25
		dibenzo(a,h)anthracene		3.6	ug/g	6	61	40	140	2	25
		benzo(g,h,i)perylene		3.3	ug/g	6	55	40	140	3	25
		Unadjusted C11-C22 Aromatics		81	ug/g	102	79	40	140	1	25
		C9-C18 Aliphatics		24	ug/g	36	67	40	140	2	25
		C19-C36 Aliphatics		41	ug/g	48	85	40	140	9	25
		C11-C22 Aromatics		24	ug/g						
		1-chloro-octadecane SUR		60	%			40	140		
		o-terphenyl SUR		61	%			40	140		
		2-fluorobiphenyl SUR		80	%			40	140		
		2-bromonaphthalene SUR		81	%			40	140		

Lab Number:	LCS NBT3608
Sample Designation:	Laboratory Control Sample 304W
Date Sampled:	N/A
Date Received:	N/A
Date Extracted:	9/13/10
Matrix:	Water
Containers:	N/A
Sample Preservation:	N/A
Temperature:	N/A
Dilution Factor:	1
Analyst:	JLZ

NAPHTHALENE BREAKTHROUGH CALCULATION

Method for Ranges: MADEP EPH 2004-1.1

Method for Target Analytes: EPA 8270C

	LCS Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	1.0%	<5.0%	9/16/10
2-methylnaphthalene	0.5%	<5.0%	9/16/10

Lab Number:	LCSD NBT3608
Sample Designation:	Laboratory Control Sample Duplicate 304W
Date Sampled:	N/A
Date Received:	N/A
Date Extracted:	9/13/10
Matrix:	Water
Containers:	N/A
Sample Preservation:	N/A
Temperature:	N/A
Dilution Factor:	1
Analyst:	JLZ

NAPHTHALENE BREAKTHROUGH CALCULATION

Method for Ranges: MADEP EPH 2004-1.1

Method for Target Analytes: EPA 8270C

	LCSD Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	0.9%	<5.0%	9/16/10
2-methylnaphthalene	0.7%	<5.0%	9/16/10

Lab Number:	LCS NBT3610
Sample Designation:	Laboratory Control Sample 091410S
Date Sampled:	N/A
Date Received:	N/A
Date Extracted:	9/14/10
Matrix:	Solid
Containers:	N/A
Sample Preservation:	N/A
Temperature:	N/A
Dilution Factor:	1
Analyst:	JLZ

NAPHTHALENE BREAKTHROUGH CALCULATION

Method for Ranges: MADEP EPH 2004-1.1

Method for Target Analytes: EPA 8270C

	LCS Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	0.8%	<5.0%	9/16/10
2-methylnaphthalene	0.7%	<5.0%	9/16/10

Lab Number:	LCSD NBT3610
Sample Designation:	Laboratory Control Sample Duplicate 091410S
Date Sampled:	N/A
Date Received:	N/A
Date Extracted:	9/14/10
Matrix:	Solid
Containers:	N/A
Sample Preservation:	N/A
Temperature:	N/A
Dilution Factor:	1
Analyst:	JLZ

NAPHTHALENE BREAKTHROUGH CALCULATION

Method for Ranges: MADEP EPH 2004-1.1

Method for Target Analytes: EPA 8270C

	LCSD Aliphatic Breakthrough (%)	Acceptance Criteria	Date of Analysis
naphthalene	0.9%	<5.0%	9/16/10
2-methylnaphthalene	0.8%	<5.0%	9/16/10

RL Resource Laboratories, LLC
124 Heritage Avenue • Portsmouth, NH 03801
Phone: 603-436-2001 • Fax: 603-430-2100

CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

19963

Company Name: Summit Environmental
Company Address: 434 Cony Rd. Augusta, ME.
Report To: John Cressey
Phone #: (207) 621-8334
Invoice To:

Project Name: American Tissue
Project #: 16861
Project Location: NH MA (ME) VT ____ Other
Protocol: (RCRA) MCP SDWA NHDES NPDES OTHER
Reporting Limits: QAPP EPA DW GW-1 Other S-1
Quote #____ ☐ NH GREE/ODD Fund Pricing
PO #____

ANALYSIS REQUEST

Lab Sample ID (Lab Use Only)	Field ID	# CONTAINERS	Matrix: WATER	Matrix: SOLID	Matrix: OTHER	Preservation Method: HCl	HNO_3	H_2SO_4	NaOH	MeOH	OTHER (Specify)	Sampling: DATE	TIME	SAMPLER*	☑ VOC 8260 ☐ VOC 8260 NHDES ☐ VOC 8260 MADEP	☐ VOC 624 ☐ VOC BTEX ☐ MtBE, only ☐ VOC 8021VT	☑ VPH MADEP ☐ MEGRO ☐ GRO 8015	☐ VOC 524.2 ☐ VOC 524.2 NH List	☐ TPH ☐ DRO 8015 ☐ MEDRO ☑ EPH MADEP ☐ TPH Fingerprint	☐ 8270PAH ☐ 8270ABN ☐ 625 ☐ EDB 504.1	☐ 8082 PCB ☐ 8081 Pesticides ☐ 608 Pest/PCB	☐ O&G 1664 ☐ Mineral O&G SM5520F	☐ pH ☐ BOD ☐ Conductivity ☐ Turbidity	☐ TSS ☐ TDS ☐ TS ☐ TVS ☐ Alkalinity	☐ RCRA Metals ☐ Priority Pollutant Metals ☐ TAL Metals	☐ Total Metals-list:	☐ Dissolved Metals-list:	☐ Ammonia ☐ COD ☐ TKN ☐ TN ☐ TON	☐ T-Phosphorus ☐ Phenols ☐ Bacteria P/A ☐ Bacteria MPN	☐ Cyanide ☐ Sulfide ☐ Nitrate + Nitrite ☐ Ortho P	☐ Nitrate ☐ Nitrite ☐ Chloride ☐ Sulfate ☐ Bromide ☐ Fluoride	☐ Corrosivity ☐ Reactive CN ☐ Reactive S- ☐ Ignitibility/FP	☐ TCLP Metals ☐ TCLP VOC ☐ TCLP SVOC ☐ TCLP Pesticide	Subcontract: ☐ TOC ☐ Grain Size ☐ TCLP Herbicides	Grab (G) or Composite (C)
19963-01	MW-410	5	✓			✓						9-7	10:00	GA	✓		✓		✓																
02	B-423	5	✓			✓						9-7	12:00		✓		✓		✓																
03	B-426	5	✓			✓						9-8	1:00		✓		✓		✓																
04	MW-435	5	✓			✓						9-8	11:00		✓		✓		✓																
05	MW-408	5	✓			✓						9-8	9:15		✓		✓		✓																
06	MW-407	5	✓			✓						9-8	10:00		✓		✓		✓																
07	MW-406	5	✓			✓						9-9	11:20		✓		✓		✓																
08	MW-433	5	✓			✓						9-9	10:35		✓		✓		✓																
09	MW-401	5	✓			✓						9-9	1:20		✓		✓		✓																
10	BKB-402 24	2	~~✓~~	(✓)	@9/14/10					✓		9-7	11:00	JBR	✓		✓																		
11	BKB-402 2-4	1		✓								9-7	10:50	JBR					✓																

(*)

TAT REQUESTED
Priority (24 hr)** ☐
Expedited (48 hr)** ☐
Standard (10 Business Days) ☐
**Date Needed ____

* See www.reslabs.com for sample acceptance policy and current accreditation lists.

SPECIAL INSTRUCTIONS
(*) -12 = Solid VOC TB
-13 = H_2O VOC TB @ 9/10/10

REPORTING INSTRUCTIONS ☐ PDF (e-mail address)____
☐ HARD COPY REQUIRED ☐ FAX (FAX#)____ ☐ OTHER (specify)____

RECEIVED ON ICE ☑ YES ☐ NO
TEMPERATURE 2 °C

CUSTODY RECORD

	Date	Time		Date	Time
Relinquished by Sampler: [signature]	9-10-10	9:40	Received by: Storage SS	9-10-10	940 AM
Relinquished by: Storage SS	9-10-10	12:30	Received by:		
Relinquished by:			Received by Laboratory: Way Bill#: [signature]	9-10-10	12:30

77