From: Jonathan Freedman
To: Richard Franklin
Subject: Re: LST 1166 list
Date: 04/23/2010 03:38 PM

Richard - I understand completely. Marcia's message sounded very ominous. It leaves one wondering. Rick Parkin canceled his trip to Alaska this week.

I'm sending a revised one and forwarding to the USCG. I'll cc you. Tristen and my attorney are OK with it. If you have any problems later, we will revise and resend to the Coast Guard.

I'll be on the road next week. You can reach me at (206) 713-7248.

Jonathan Freedman (206) 553-0266
USEPA, Region 10
Sediment Management Program
1200 Sixth Avenue, Suite 900
ETPA - 083
Seattle WA 98101
freedman.jonathan@epa.gov
FAX: (206) 553-1775

▼ Richard Franklin---04/22/2010 06:09:57 PM---Thanks Jonathan. we'll take a look and get back to you soon. We may not get everyone's comments by

From: Richard Franklin/R10/USEPA/US
To: Jonathan Freedman/R10/USEPA/US@EPA
Cc: Tristen Gardner/R10/USEPA/US@EPA
Date: 04/22/2010 06:09 PM
Subject: Re: LST 1166 list

Thanks Jonathan. we'll take a look and get back to you soon. We may not get everyone's comments by tomorrow since most of our group are taking off on Friday or Monday to destress, honor Carl Lautenberger or go to his funeral in Anchorage.

Thanks for all the work.

Richard Franklin
Federal On-Scene Coordinator
U.S. EPA Region 10
Oregon Operations Office
805 SW Broadway, Suite 500
Portland, OR 97205

Office: (503) 326-2917
Cell: (503) 475-4178

▼ Jonathan Freedman---04/22/2010 06:00:53 PM---Richard and Tristen: The last two weeks have been an unanticipated drill that we just finished yest

From: Jonathan Freedman/R10/USEPA/US
To: Tristen Gardner/R10/USEPA/US@EPA, Richard Franklin/R10/USEPA/US@EPA
Date: 04/22/2010 06:00 PM
Subject: LST 1166 list

Richard and Tristen: The last two weeks have been an unanticipated drill that we just finished yesterday at 5:00 pm. Here is a draft list for your review. I could not locate the photos after I looked at them a week ago. Tristen, I must have downloaded them to a temp file and lost them.

I still don't know what we tell the USCG about the PCBs. Tristen, I thought you said wiring and intact paint could be left in place. That would satisfy the general permit. Please advise.

[attachment "LST 1166 cleanup list.doc" deleted by Richard Franklin/R10/USEPA/US]

Jonathan Freedman (206) 553-0266
USEPA, Region 10
Sediment Management Program
1200 Sixth Avenue, Suite 900
ETPA - 083
Seattle WA 98101
freedman.jonathan@epa.gov
FAX: (206) 553-1775