EXHIBIT 7

PORT NO: IHMSR
N DATE : 04/20 5

HAZARDOUS MATE SYSTEM
BP-8: COMPUTER LISTING OF ENTORY SUBMITTED
INSPECTION RESPONSIBILITY: VALLEY INDUSTRIAL

BUSINESS 00800-2
FIRST IN : 89
BLOCK # :

S NAME : FLIGHT ACCESSORY SERVICES INC
S OWNER : HAWKER PACIFIC
-SITE MANAGER : ROB KENZEL
ERG CONTACT : ERIK JOHNSON EXT 268
T EMERG CONTACT: CAROL SCHAUB

ADDR: 11260 01/02 W SHERMAN WY
PH #: 818-765-6201
PH #: 818-765-6201
PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

EXT HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME / CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
ATION:	LUBE STORAGE LAFD#: 026628-004-4 NFPA-704:						PRODUCTS: 2
	SHELL TELLUS OIL		70.00 GA	DRUMS, CARBOY	ACUTE	L	COMBUSTIBLE LIQ
	HYDRO CARBON MIXTURE	99%					
	SHELL GARIA OIL		70.00 GA	DRUMS, CARBOYS	ACUTE	L	COMBUSTIBLE LIQ
	HYDROCARBON MIXTURE	99%					
ATION:	PLATING GRIND SHOP LAFD#: 026628-005-4 NFPA-704:						PRODUCTS: 13
	CADMIUM PLATING SOLUTION		850.00 GA	ABOVEGROUND TANK	ACUTE	L	CLASS B POISON
	* CAD OXIDE	30%	1306-19-0				
	* SODIUM CYANIDE	30%	143-33-9				
	SODIUM HYDROXIDE	30%	1310-73-2				
	HYDROCHLORIC ACID SOLUTION		90.00 GA	ABOVEGROUND TANK	ACUTE	L	FLAMMABLE MAT
	* DARAFFINS	90%	7647-01-0				
	DEODORIZED KEROSENE MAG OIL -L-		55.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	DARAFFINS	96%					
	BENZENE	2%					
	ETCHING SOLUTION		250.00 GA	PROCESS EQUIP	ACUTE	L	CORROSIVE MAT
	* HYDROFLORIC ACID	4%	7664-39-3				
	* SULFURIC ACID	50%					
	NEUTALING RINSE SOLUTION		340.00 GA	ABOVEGROUND TANK	CHRONIC	L	CORROSIVE MAT
	CHROMIC ACID	6%	1115-74-5				
	ELECTRO CLEANER SOLUTION OAKITE 90		960.00 GA	ABOVEGROUND TANK	ACUTE	L	CORROSIVE MAT
	SODIUM HYDROXIDE	50%	1310-73-2				
	SODIUM MEASILICATE PENTAINDRATIE	25%	6834-92-0				
	SODIUM CARBONATE TETRASODIUM	10%	497-19-8				
	PYROPHOSPHATE	10%	7722-88-5				
	CHROME PLATING SOLUTION		2,000.00 GA	ABOVEGROUND TANK	ACUTE	L	CORROSIVE MAT
	CHROMIC ACID	25%	11115-74-5				
	* SULFURIC ACID	25%	7664-93-9				

SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

IS NAME : FLIGHT ACCESSORY SERVICES INC ADDR: 11260 01/02 W SHERMAN WY
IS OWNER : HAWKER PACIFIC
I-SITE MANAGER : ROB KENZEL PH #: 818-765-6201
IERG CONTACT : ERIK JOHNSON EXT 268 PH #: 818-765-6201
.T EMERG CONTACT: CAROL SCHAUB PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

Q	EXT HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME / CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
4		NITROGEN LIQUID		3,974.00 CF	GAS CYLINDER	ACUTE	G	NONFLAM COMP GAS
		NITROGEN	99%	7727-37-9				
5		NITROGEN GAS		1,100.00 CF	GAS CYLINDER	ACUTE	G	NONFLAM COMP GAS
		NITROGEN	99%	7727-37-9				

CATION: BUILDING # 3 LAFD#: 026628-008-4 NFPA-704: PRODUCTS: 2

1.		METHYLENE CHLORIDE		55.00 GA	DRUMS, CARBOYS	ACUTE	L	OTHER REG MATERIAL
		METHYLENE	100%	75-09-2				
2		SKYDROL 500 B4		110.00 GA	DRUMS, CARBOYS	CHRONIC	L	COMBUSTIBLE LIQ
		TRIBLIT PHOSPHATE	40%	126-73-8				
		BUTYL PCRESOL	20%	128-37-0				

CATION: OIL STORAGE LAFD#: 026628-009-4 NFPA-704: PRODUCTS: 11

1		RHO SOLU 1204		160.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
		RHO SOLUE	100%	64742-89-8		FIRE		
2		DEODORRIZED KEROSENE MAG -OIL -C-		55.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
		PARAFFINS	96%			FIRE		
		BENZENE	2%					
3		LACQUER THINNER CHASE CHEM		110.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
		TOLUENE	22%	108-88-3		FIRE		
		KETONES	50%	78-93-3				
		GLYCOL ETHERS	5%					
		PETROLEUM HYDROCARBONS	22%					
4		SKY DROL 500 B-4 HYDRAULIC OIL		110.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
		TRIBUTY PHOSPHATE	40%	126-73-8		FIRE		
		2, 6, DI TEST BUTYLPLRESOL	20%	128-37-0				

P SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

HAZARDOUS MATE S SYSTEM
BP-8: COMPUTER LISTING OF INVENTORY SUBMITTED
INSPECTION RESPONSIBILITY: VALLEY INDUSTRIAL

BUSINESS #: 000800-2
FIRST IN : 89
BLOCK # :

S NAME : FLIGHT ACCESSORY SERVICES INC
S OWNER : HAWKER PACIFIC
-SITE MANAGER : ROB KENZEL
ERG CONTACT : ERIK JOHNSON EXT 268
T EMERG CONTACT: CAROL SCHAUB

ADDR: 11260 01/02 W SHERMAN WY
PH #: 818-765-6201
PH #: 818-765-6201
PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

EXT. HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME / CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
CATION:	PAINT SHOP LAFD#: 026628-011-4 NFPA-704:						PRODUCTS: 2
L	LACQUER THINNER CHASE CHEM		55.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	TOLUENE	22%	108-88-3				
	KENTONES	50%	78-93-3				
	GLYCOL ETHERS	5%					
	PETROLEUM HYDROCARBONS	22%					
?	RHO SOLU 1204		55.00 GA	DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	RHO SOLUE	100%	64742-89-8				

P SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

PORT NO: IHMSR
N DATE : 04/20 5

HAZARDOUS MATE SYSTEM
BP-8: COMPUTER LISTING OF ENTORY SUBMITTED
INSPECTION RESPONSIBILITY: VALLEY INDUSTRIAL

PAGE 1
BUSINESS 00800-2
FIRST IN : 89
BLOCK # :

S NAME : FLIGHT ACCESSORY SERVICES INC
S OWNER : HAWKER PACIFIC
SITE MANAGER : ROB KENZEL
ERG CONTACT : ERIK JOHNSON EXT 268
T EMERG CONTACT: CAROL SCHAUB

ADDR: 11260 01/02 W SHERMAN WY
PH #: 818-765-6201
PH #: 818-765-6201
PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

EXT HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME	CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
ATION:	LUBE STORAGE LAFD#: 026628-004-4 NFPA-704:							PRODUCTS: 2
	SHELL TELLUS OIL		70.00 GA		DRUMS, CARBOYS	ACUTE	L	COMBUSTIBLE LIQ
	HYDRO CARBON MIXTURE	99%						
	SHELL GARIA OIL		70.00 GA		DRUMS, CARBOYS	ACUTE	L	COMBUSTIBLE LIQ
	HYDROCARBON MIXTURE	99%						
ATION:	PLATING GRIND SHOP LAFD#: 026628-005-4 NFPA-704:							PRODUCTS: 13
	CADMIUM PLATING SOLUTION		850.00 GA		ABOVEGROUND TANK	ACUTE	L	CLASS B POISON
	* CAD OXIDE	30%		1306-19-0				
	* SODIUM CYANIDE	30%		143-33-9				
	SODIUM HYDROXIDE	30%		1310-73-2				
	HYDROCHLORIC ACID SOLUTION		90.00 GA		ABOVEGROUND TANK	ACUTE	L	FLAMMABLE MAT
	* DARAFFINS	90%		7647-01-0				
	DEODORIZED KEROSENE MAG OIL -L-		55.00 GA		DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	DARAFFINS	96%						
	BENZENE	2%						
	ETCHING SOLUTION		250.00 GA		PROCESS EQUIP	ACUTE	L	CORROSIVE MAT
	* HYDROFLORIC ACID	4%		7664-39-3				
	* SULFURIC ACID	50%						
	NEUTALING RINSE SOLUTION		340.00 GA		ABOVEGROUND TANK	CHRONIC	L	CORROSIVE MAT
	CHROMIC ACID	6%		1115-74-5				
	ELECTRO CLEANER SOLUTION OAKITE 90		960.00 GA		ABOVEGROUND TANK	ACUTE	L	CORROSIVE MAT
	SODIUM HYDROXIDE	50%		1310-73-2				
	SODIUM MEASILICATE PENTAINDRATIE	25%		6834-92-0				
	SODIUM CARBONATE TETRASODIUM	10%		497-19-8				
	PYROPHOSPHATE	10%		7722-88-5				
	CHROME PLATING SOLUTION		2,000.00 GA		ABOVEGROUND TANK	ACUTE	L	CORROSIVE MAT
	CHROMIC ACID	25%		11115-74-5				
	* SULFURIC ACID	25%		7664-93-9				

SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

S NAME : FLIGHT ACCESSORY SERVICES INC ADDR: 11260 01/02 W SHERMAN WY
S OWNER : HAWKER PACIFIC
-SITE MANAGER : ROB KENZEL PH #: 818-765-6201
ERG CONTACT : ERIK JOHNSON EXT 268 PH #: 818-765-6201
T EMERG CONTACT: CAROL SCHAUB PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

Q	EXT HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME / CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
4		NITROGEN LIQUID		3,974.00 CF	GAS CYLINDER	ACUTE	G	NONFLAM COMP GAS
		NITROGEN	99%	7727-37-9				
5		NITROGEN GAS		1,100.00 CF	GAS CYLINDER	ACUTE	G	NONFLAM COMP GAS
		NITROGEN	99%	7727-37-9				

CATION: BUILDING # 3 LAFD#: 026628-008-4 NFPA-704: PRODUCTS: 2

L		METHYLENE CHLORIDE		55.00 GA	DRUMS, CARBOYS	ACUTE	L	OTHER REG MATERIAL
		METHYLENE	100%	75-09-2				
2		SKYDROL 500 B4		110.00 GA	DRUMS, CARBOYS	CHRONIC	L	COMBUSTIBLE LIQ
		TRIBLIT PHOSPHATE	40%	126-73-8				
		BUTYL PCRESOL	20%	128-37-0				

CATION: OIL STORAGE LAFD#: 026628-009-4 NFPA-704: PRODUCTS: 11

1		RHO SOLU 1204		160.00 GA	DRUMS, CARBOYS	ACUTE FIRE	L	FLAMMABLE MAT
		RHO SOLUE	100%	64742-89-8				
1		DEODORRIZED KEROSENE MAG -OIL -C-		55.00 GA	DRUMS, CARBOYS	ACUTE FIRE	L	FLAMMABLE MAT
		PARAFFINS	96%					
		BENZENE	2%					
1		LACQUER THINNER CHASE CHEM		110.00 GA	DRUMS, CARBOYS	ACUTE FIRE	L	FLAMMABLE MAT
		TOLUENE	22%	108-88-3				
		KETONES	50%	78-93-3				
		GLYCOL ETHERS	5%					
		PETROLEUM HYDROCARBONS	22%					
1		SKY DROL 500 B-4 HYDRAULIC OIL		110.00 GA	DRUMS, CARBOYS	ACUTE FIRE	L	FLAMMABLE MAT
		TRIBUTY PHOSPHATE	40%	126-73-8				
		2, 6, DI TEST BUTYLPLRESOL	20%	128-37-0				

P SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

HAZARDOUS MATE S SYSTEM
BP-8: COMPUTER LISTING OF INVENTORY SUBMITTED
INSPECTION RESPONSIBILITY: VALLEY INDUSTRIAL

BUSINESS #: 000800-2
FIRST IN : 89
BLOCK # :

S NAME : FLIGHT ACCESSORY SERVICES INC
S OWNER : HAWKER PACIFIC
SITE MANAGER : ROB KENZEL
ERG CONTACT : ERIK JOHNSON EXT 268
EMERG CONTACT: CAROL SCHAUB

ADDR: 11260 01/02 W SHERMAN WY
PH #: 818-765-6201
PH #: 818-765-6201
PH #: 818-765-6201

BUS PLN RCVD: 04/22/1988 INV VERIFIED: 10/11/1994
SIC CODE : 3600
NO OF EMPLOYEES : 3
SQ FT OF FACILITY : 800

EXT HAZ	MATERIAL DESCRIPTION / INGREDIENTS	WST MAX%	MAXIMUM QUANTITY AT ANY TIME	CAS NO.	STORAGE TYPES	HEALTH & PHYS HAZ	ST	HAZARD CLASS
ATION:	PAINT SHOP LAFD#: 026628-011-4 NFPA-704:							PRODUCTS: 2
	LACQUER THINNER CHASE CHEM		55.00 GA		DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	TOLUENE	22%		108-88-3				
	KENTONES	50%		78-93-3				
	GLYCOL ETHERS	5%						
	PETROLEUM HYDROCARBONS	22%						
	RHO SOLU 1204		55.00 GA		DRUMS, CARBOYS	ACUTE	L	FLAMMABLE MAT
	RHO SOLUE	100%		64742-89-8				

P SIG:_____ INSP DATE:_____ BUS REP SIG:_____ DATE:_____ DE SIG:_____ DATE:_____

EXHIBIT 8

ANNUAL INVENTORY UPDATE

HAWKER PACIFIC

11310 W. SHERMAN WY.
LOS ANGELES, CA. 91352

Facility ID: 027553-8

California Health and Safety Code Chapter 6.95 requires all handlers of hazardous materials to ***annually update*** *their hazardous material inventory with the local administering agency on or before* ***March 1.*** *The Los Angeles Fire Department, as that agency, processes and maintains business emergency response plans and inventories for businesses within the City.*

Annual Inventory Update (choose one method):

☒ **Modify existing business information and inventory** (attached to this letter) **OR**

☐ **Submit entire inventory** (complete business information and chemical inventory forms) **OR**

☐ **Complete Certification Statement** (below) stating that the most recent inventory (attached to this letter) is complete, accurate and up to date.

The Certification Statement can be used if all of the following apply:

1. *Business has previously filed the hazardous materials inventory report*
2. *Company official signs* ***Certification Statement*** *and attests to:*
   a) *most recently submitted inventory is complete, accurate and up to date*
   b) *no change in quantity of hazardous materials in that inventory*
   c) *all hazardous materials are listed in that inventory*
3. *Business is not subject to EPCRA (Emergency Planning and Community Right to Know Act) reporting requirements*

CERTIFICATION STATEMENT:

I certify that I am the business owner or officially designated representative of the business listed at the top of this form.

I certify that the information contained in the hazardous materials inventory most recently submitted to the Los Angeles Fire Department CUPA is complete, accurate, and up to date.

And that there has been no change in the quantity of hazardous materials reported in the most recently submitted inventory.

And that no hazardous materials subject to inventory requirements are being handled that are not listed on the most recently submitted inventory.

ERIK JOHNSON
Name

02-26-01
Date

HAZARDOUS WASTE SUPERVISOR
Title

Facility ID: 027553-8

RETURN TO:

City of Los Angeles Fire Department

Fire Prevention Bureau - Technical Section
200 N. Main Street, Room 970
Los Angeles, CA 90012

CITY OF LOS ANGELES
CALIFORNIA

MAYOR
RICHARD J. RIORDAN

DEPARTMENT OF FIRE
200 NORTH MAIN STREET
LOS ANGELES, CA 90012
(213) 485-6003
http://www.cityofla.org/dept/LAFD

Hazardous Materials System

BP-8: Computer Listing of Inventory Submitted

Inspection Responsibility: VI

Business No: 027553-8
First In: 089

Business Name:	HAWKER PACIFIC	Business Address:	11310 W SHERMAN WY	Last Inspection Date:	
Business Owner:	HAWKER PACIFIC INC		LOS ANGELES, 91352	SIC Code:	3499
On-Site Manager:	HAWKER PACIFIC INC	Phone #:	(818)765-6201	# of Employees:	180
Emergency Contact:		Phone #:	( ) -	Sq. Ft. of Facility:	0
Alt Emerg Contact:		Phone #:	( ) -		

Chemical & Ingredients	WST	Max Quantity on Hand / Max %	Storage Types / CAS #	Fed Haz Category	State	Hazard Class

My signature indicates that I have verified and agreed with the types and quantities of hazardous materials at this address

INSP SIG: _____ INSP DATE: _____ BUS. REP SIG: _____ DATE: _____ DE SIG: _____ DATE: _____

Total Pages: 1

WASTE LIQUID, CORROSIVE 1000 GALLONS DRUM

City of Los Angeles Fire Department
Fire Prevention Bureau – Technical Section
200 N. Main St., Rm. 970
Los Angeles, CA 90012

Fact Sheet: HAZARDOUS MATERIALS INVENTORY UPDATES

California Health and Safety Code Chapter 6.95 requires routine updating of hazardous material inventories with the local administering agency. The Los Angeles City Fire Department, as that agency, processes and maintains business emergency response plans and inventories for businesses within the City.

Hazardous Materials Inventory Reporting Requirements are:

1. **Initial submission**
2. **Updates for changes**
3. **Annual update or certification statement**

INITIAL SUBMISSION:

Businesses are required to complete "The Certified Unified Program Agencies of Los Angeles County Unified Program (UP) Form." This forms package includes forms and instructions for all programs in the Unified Program and is divided into 4 sections: Facility Information, Hazardous Materials, Underground Storage Tanks, and Hazardous Waste.

UPDATES FOR CHANGES (this can occur anytime during the year):

Both the FACILITY INFORMATION and HAZARDOUS MATERIALS SECTIONS must be kept up to date.

Section 2729.4 Hazardous Materials Inventory Submittal states:

Businesses shall submit an amendment to the inventory within 30 days of the following events:

(1) A 100 percent or more increase in the quantity of a previously disclosed material.
(2) Any handling of a previously undisclosed hazardous material subject to the inventory requirements of this chapter.
(3) Change of business address.
(4) Change of business ownership.
(5) Change of business name.

ANNUAL UPDATE:

State law requires businesses to submit their hazardous materials inventories annually on or before March 1.

This ANNUAL UPDATE can be accomplished in one of three ways:

1. Modifications to existing inventory listing **OR**
2. Submission of entire inventory **OR**
3. Certification Statement to CUPA that the most recent inventory is complete, accurate and up to date.

CITY OF LOS ANGELES
CALIFORNIA

MAYOR
RICHARD J. RIORDAN

Business Information

DEPARTMENT OF FIRE
200 NORTH MAIN STREET
LOS ANGELES, CA 90012
(213) 485-~~6003~~
http://www.cityofla.org/dept/LAFD

INSTRUCTIONS: Please complete and sign this form; your signature indicates that the information, as supplied, is accurate.

Business Number: 027553-8 This is your current business plan number. This number must appear on all business plan forms!

Business Name: HAWKER PACIFIC

Address Where Business is Conducted: 11310 W SHERMAN WY
LOS ANGELES, 91352

Mailing Address: 11310 SHERMAN WY
SUN VALLEY, CA 91352

Other On-Site Addresses:

Briefly describe the nature of the hazardous materials operations:
HAZ WASTE LIQUID - CORROSIVE - SPENT SOLUTIONS.
HAZ WASTE SOLIDS - PRODUCTION DEBRIS

Number of Employees: ~~180~~ 300 **Dun & Bradstreet Number:** - -

SIC Code: ~~3499~~ 3728

CONTACT	WORK #	24 HOUR #	PAGER #
Owner Name: HAWKER PACIFIC INC	(818)765-6201	( ) -	( ) -
On-Site Manager: HAWKER PACIFIC INC	(818)765-6201	( ) -	( ) -
Emergency Contact:	( ) -	( ) -	( ) -
2nd Emergency Contact:	( ) -	( ) -	( ) -

EXHIBIT 9

HAWKER PACIFIC
AEROSPACE

March 14, 1998

LOS ANGELES CITY FIRE DEPARTMENT

ENCLOSED IS A AMENDED COPY OF THIS FACILITIES CERTIFICATE OF DISCLOSURE. AS REQUESTED LIQUID MEASURES HAVE BEEN CHANGED FROM POUNDS TO GALLONS. IF YOU HAVE ANY QUESTIONS PLEASE CONTACT ME AT 1-818-765-6201 EXT. 249.

THANK YOU
ERIK JOHNSON
HAZARDOUS WASTE SUPERVISOR

SECTION A: APPLICATION FOR CERTIFICATE OF DISCLOSURE

AMOUNT DUE	FD CLASS	FOR OFFICE USE ONLY: LAFD No.	FD BUS No.	LOCATION CHANGE	F.S. No.
		MO PC PERIOD	AMOUNT RECEIVED DATE	FD DISTRICT	
$	F	P 21 A	$		

NSTRUCTIONS: TYPE OR PRINT NEATLY. COMPLETE **ALL** ITEMS BELOW. SUBMIT AN EXTRA COPY OF THE COMPLETED PAGE (A-1) AN INCOMPLETE OR ILLEGIBLE FORM WILL BE REJECTED RESULTING IN NON-COMPLIANCE.

BUSINESS TAX ACCOUNT NO. _____ SIC CODE NO. 3728

LEGAL NAME OF BUSINESS HAWKER PACIFIC INC.

BUSINESS SITE ADDRESS 11240 SHERMAN WAY UNIT NO. ——

CITY SUN VALLEY STATE CAL ZIP 91352

NAME OF BUSINESS OWNER _____ PHONE _____

NAME OF ON-SITE MANAGER BRAD MULVIHLL PHONE 818-765-6201

PRIMARY EMERGENCY CONTACT DAVE CLARK 24 HR EMERGENCY PHONE 818-765-6201

ALTERNATE EMER. CONTACT ERIK JOHNSON 24 HR EMERGENCY PHONE 818-765-6201

DOING BUSINESS AS (DBA) _____

BUSINESS MAILING ADDRESS SAME IN CARE OF _____

NAME OF PROPERTY OWNER _____ DUN & BRADSTREET NO. ____-____-____

MAILING ADDRESS _____

LIST ALL ADDITIONAL ADDRESSES THAT MAY BE USED TO REPORT AN EMERGENCY AT THIS SITE 11260, 11260 ½, 11258, 11252 11310 SHERMAN WAY.

BRIEFLY DESCRIBE HOW HAZARDOUS MATERIALS ARE USED IN YOUR BUSINESS SOLVENTS FOR CLEANING, PAINTS AND PRIMERS, PLATING SOLUTIONS, SEALENTS, ADHESIVES.

NUMBER OF EMPLOYEES: SQUARE FOOTAGE OF FACILITY:

CHECK APPLICABLE BOXES:

☐ NO PERMIT FOR HAZARDOUS SUBSTANCE OR WASTE HAS BEEN ISSUED TO MY BUSINESS.

☐ PHYSICIANS, DENTISTS, PODIATRISTS, VETERINARIANS AND PHARMACISTS WHO STORE **ONLY** OXYGEN OR NITROUS OXIDE IN QUANTITIES OF 1000 CUBIC FEET OR LESS OF EITHER MATERIAL MUST CHECK THIS BOX.

PERMIT INFORMATION: If your business has a permit issued for hazardous substance or waste, list the permit number:

A. L.A. FIRE DEPARTMENT (FIRE PERMIT) 648082-06
B. L.A. BUREAU OF SANITATION N.A
C. SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT ID# 40829
D. STATE HEALTH SERVICES (RADIOACTIVE MAT'L LICENSE) NA.
E. L.A. COUNTY HEALTH DEPT. (GENERATORS HAZARDOUS WASTE) 570824
F. E.P.A. I.D. (GENERATORS HAZARDOUS WASTE) CAT 000646257
G. E.P.A. I.D. (HAZARDOUS WASTE HAULERS) N.A.
H. E.P.A. I.D. (HAZARDOUS WASTE FACILITY-TSD) N.A.
I. REGIONAL WATER QUALITY BOARD 68-028 1986
J. CAL-OSHA (CARCINOGEN REGISTRATION) NA
OTHER AGENCY (SPECIFY) _____

IT IS UNLAWFUL FOR ANY PERSON TO KNOWINGLY VIOLATE ANY PROVISION OF THE FIRE CODE. I CERTIFY UNDER PENALTY OF PERJURY THAT THE ABOVE INFORMATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I AGREE TO COMPLY WITH ALL REGULATIONS, LAWS, AND ORDINANCES PERTAINING TO OR RELATING TO THE ABOVE BUSINESS.

FOR OFFICE USE ONLY:

SIGNATURE OF BUSINESS OWNER OR AUTHORIZED REPRESENTATIVE, TITLE DATE

[signature] NOV 2 1997

SIGNATURE OF ON-SITE MANAGER DATE

FOR OFFICE USE ONLY:

RECEIVED BY INITIALS: _____ DATE _____

INSPECTOR I.D. _____ LAFD SIGNATURE _____ DATE _____

DATA ENTRY INITIALS: _____ DATE _____

HAWKER PACIFIC INC.

STANDARD BUSINESS PLAN

11240 SHERMAN WAY, SUN VALLEY, CALIFORNIA 91352

SECTION 1

SUMMARY

HAWKER PACIFIC INC. IS AN AUTHORIZED FAA REPAIR STATION FOR AIRCRAFT LANDING GEAR AND FLIGHT CONTROL EQUIPMENT. HAWKER PACIFIC ALSO MANUFACTURES ARTICLES OF THIS TYPE FOR SALE TO AIRCRAFT COMPANIES AND GOVERNMENT AGENCIES. THE FACILITY CURRENTLY OCCUPIES EIGHT BUILDINGS LOCATED AT 11240 , 11260-1/2 AND 11310 SHERMAN WAY, SUN VALLEY. HAWKER PACIFIC INC. EMPLOYEES 195 PEOPLE.

BUILDING #1, CONTAINS A MANUFACTURING AREA. NO HAZARDOUS MATERIALS ARE STORED IN THIS BUILDING.

BUILDING #2, CONTAINS A MANUFACTURING AREA, NON-DESTRUCTIVE TESTING, OFFICES, AND A PLATING SHOP. EXCEPT FOR MATERIALS CONTAINED IN THE VARIOUS PLATING SOLUTIONS, NO LARGE QUANTITIES OF HAZARDOUS MATERIALS ARE STORED IN THIS BUILDING. THE PLATING TANKS ARE CONTAINED WITHIN, OR ARE ARRANGED TO DRAIN INTO, A LARGE SUMP. THE CYANIDE CADMIUM TANK IS SURROUNDED BY A SEPARATE HOLDING AREA TO PREVENT MIXING WITH THE ACID SOLUTIONS IN CASE OF AN ACCIDENTAL SPILL.

BUILDING #3, CONTAINS THE ASSEMBLY, TEST, STOCKROOM, AND PAINT SHOP. COMPRESSED AND LIQUEFIED GASES, PRIMARILY NITROGEN, ARE USED DURING ASSEMBLY AND TEST OPERATIONS. SOLVENT TANKS USED FOR CLEANING PARTS HOLD LESS THAN 20 GALLONS OF SOLVENT. TEST FLUIDS USED ARE "SKYDROL 500", A FIRE RESISTANT MATERIAL USED IN COMMERCIAL AIRCRAFT AND A COMBUSTIBLE FLUID, MIL-H-5606, USED BY MILITARY AIRCRAFT. THE PAINT SHOP HAS TWO SPRAY BOOTHS AND AN INFRA-RED OVEN. DO TO THE SMALL NUMBER OF PARTS THAT WE PAINT NO CONTAINER IN THIS AREA IS LARGER THAN 55 GALLONS.

BUILDING #4, CURRENTLY HOUSES THE SHIPPING AND RECEIVING DEPARTMENTS, STOCKROOM, AND CARPENTRY SHOP. THE ONLY HAZARDOUS MATERIALS USED IN THIS BUILDING ARE SMALL QUANTITIES OF PAINT AND A POLYMERIC ISOCYANATE URETHANE RESIN FOR A FOAM PACKAGING MACHINE.

BUILDING #5, CURRENTLY HOUSES A SMALL PARTS CELL AND THE FACILITY MAINTENANCE AREA. THE SMALL PARTS CELL INCLUDES GRINDERS, LATHES, AND A NON-DESTRUCTIVE TESTING AREA. THE NON-DESTRUCTIVE TESTING AREA USES A KEROSENE LIKE FLAMMABLE LIQUID APPROXIMATELY 20 GALLONS. THE MAINTENANCE SHOP DOES REPAIRS ON MACHINERY, EQUIPMENT THAT IS USED AT THIS FACILITY. REPAIRS CAN INVOLVE WELDING, MACHINING AND GRINDING. HAZARDOUS MATERIALS USED IN THE MAINTENANCE SHOP INCLUDE OILS, PAINTS, AND WELDING GASES.

BUILDING #6, IS USED FOR FACILITY MAINTENANCE SUPPLIES, AND WASTE AND HAZARDOUS MATERIALS STORAGE. THE MAINTENANCE SUPPLIES ARE STEEL BARS, MOTORS, TOOLING, AND ETC., MOSTLY STEEL AND ALUMINUM IN CONSTRUCTION. WASTE AND HAZARDOUS MATERIALS CONSISTS OF CORROSIVE MATERIALS, ACIDS, CAUSTICS STORED IN CONTAINMENT PALLETS.

BUILDING #7, HOUSES WHEEL AND BRAKE OPERATIONS, HYDRAULIC SHOP TEST AND ASSEMBLY, AND A PAINT SHOP. THE WHEEL AND BRAKE OPERATIONS PERFORM, TESTING, DISASSEMBLY AND ASSEMBLY OF WHEELS AND BRAKES. THE HYDRAULIC SHOP TESTS AND OVERHAULS SMALL HYDRAULIC COMPONENTS. THE PAINT SHOP CONTAINS ONE SPRAY BOOTH. COMPRESSED GASES, PRIMARILY NITROGEN ARE USED DURING ASSEMBLY AND TEST OPERATIONS. SOLVENT TANKS USED FOR CLEANING PARTS HOLD LESS THAN 20 GALLONS OF SOLVENT. TEST FLUIDS USED ARE "SKYDROL 500", A FIRE RESISTANT MATERIAL USED IN COMMERCIAL AIRCRAFT AND A COMBUSTIBLE FLUID, MIL-H-5606, USED IN MILITARY AIRCRAFT.

BUILDING #8, HOUSES CONTAINS OFFICES . NO HAZARDOUS MATERIALS ARE STORED IN THIS BUILDING.

SECTION 2

2.1 NOTIFICATION PROCEDURES

IN THE EVENT OF AN ACCIDENTAL OR A THREATENED RELEASE OF A HAZARDOUS MATERIAL, THIS FACILITY WILL CONTACT THE FOLLOWING AGENCIES:

LOS ANGELES CITY FIRE DEPARTMENT 911
THE STATE OFFICE OF EMERGENCY SERVICES 1-800-852-7550
1-916-427-4341

NOTIFICATION WILL BE MADE BY ONE OF THE FOLLOWING MANAGERS:

BRAD MULVIHILL DAVE CLARK

IN THE EVENT THAT NEITHER OF THESE MANAGERS ARE PRESENT AT THIS FACILITY , NOTIFICATION WILL BE MADE BY A MEMBER OF MANAGEMENT, AT THE SUPERVISOR LEVEL OR HIGHER.

2.2 DEFINITIONS

EMERGENCY: IS A SUDDEN, GENERALLY UNEXPECTED OCCURRENCE OR SET OF CIRCUMSTANCES DEMANDING IMMEDIATE ACTION.

FIRE EMERGENCY: ANY HAZARDOUS MATERIAL SPILL OR RELEASE (MORE THAN 1 LB. DRY OR 1 GAL. LIQUID).

MEDICAL EMERGENCY: ANY SITUATION WHERE IMMEDIATE MEDICAL ATTENTION IS REQUIRED.

2.3 MEDICAL ASSISTANCE

IF AN ACTUAL RELEASE OCCURS, FIRST AID WILL BE ADMINISTERED BY PERSONNEL THAT HAVE HAD BASIC FIRST AID AND/OR CPR TRAINING. FIRST AID SHALL BE LIMITED TO LOCAL FIRST AID AS DEFINED IN THE MATERIAL SAFETY DATA SHEETS FOR THAT MATERIAL. A TRAUMA KIT, OXYGEN, STRETCHER, AND SHOCK BLANKETS ARE LOCATED IN A LOCKER INSIDE BUILDING #2.

THE INJURED WILL BE DIRECTED TO THE FOLLOWING MEDICAL FACILITIES:

SAINT JOSEPH OCCUPATIONAL HEALTH CENTER
3413 PACIFIC AVENUE
BURBANK, CALIF. 91505

SAINT JOSEPH MEDICAL CENTER
BUENA VISTA AVENUE
BURBANK, CALIF. 91505

NUMBER OF PEOPLE INJURED, AND THE EXTENT OF INJURIES WILL BE DOCUMENTED.

2.4 EVACUATION

IF AN EVACUATION FROM A BUILDING, OR THE FACILITY, IS REQUIRED EMPLOYEES WILL BE NOTIFIED BY THE FOLLOWING METHODS:

A) VERBAL - PERSON TO PERSON.

B) PUBLIC ADDRESS SYSTEM - PHONE SYSTEM. (DIAL 80 *)

C) WARNING SIREN LOCATED IN BUILDING NO. 2 , FOLLOWED BY A MESSAGE OVER THE PUBLIC ADDRESS SYSTEM.

FACILITY EVACUATION PROCEDURES ARE DESCRIBED IN THIS FACILITIES EVACUATION PLAN.

EVACUATION PLANS FOR EACH AREA WILL BE POSTED, AND AREA SUPERVISORS WILL DIRECT THE OPERATION. SHOULD THE PAGING SYSTEM BE INOPERATIVE, THE AREA SUPERVISORS WILL ACT AS RUNNERS TO ALERT OTHERS. IN CASE OF THREAT TO PERSONNEL ON ADJACENT PROPERTY, THESE COMPANIES WILL BE NOTIFIED BY RUNNERS ONLY.

2.5 MITIGATION

EVERY EFFORT WILL BE MADE TO DAM, ABSORB OR NEUTRALIZE ANY SPILL BEFORE IT BECOMES AN ACTUAL RELEASE. A RELEASE ONTO SOIL WILL BE TREATED TO NEUTRALIZE THE MATERIAL IF POSSIBLE. HAWKER PACIFIC IS PREPARED TO IDENTIFY AND EXCAVATE CONTAMINATED SOIL AND DISPOSE OF IT AS REQUIRED BY THE AUTHORITIES.

2.6 PREVENTION

THIS FACILITY PERFORMS REGULAR INSPECTIONS OF EACH BUILDING AND WORK AREA.

TO PREVENT A RELEASE OF HAZARDOUS MATERIALS, ALL PERMANENT LIQUID USE OR STORAGE LOCATIONS OF OVER 55 GALLONS WILL BE CONTAINED WITHIN A BERMED AREA, OR A SPILL PALLET. SINCE MOST MATERIALS ARE MOVED OR HANDLED IN AMOUNTS GREATER THAN 5 GALLONS, ACCIDENTAL RELEASES IS MINIMIZED. ALL POWDER OR CRYSTALLINE MATERIAL IS STORED IN AMOUNTS OF 500 POUNDS OR LESS. WHEN POWDER OR CRYSTALLINE MATERIAL IS TRANSPORTED ON SITE, QUANTITIES ARE RELATIVELY SMALL (BATCH WEIGHTS OF LESS THAN 50 POUNDS), THUS, THE RISK OF ACCIDENTAL RELEASE OF AMOUNTS GREATER THAN 50 POUNDS IS MINIMIZED

SECTION 3

3.1 NEW EMPLOYEE TRAINING

AS REQUIRED BY THE "HAZARDOUS MATERIALS INFORMATION ACT" ALL EMPLOYEES ARE INSTRUCTED IN THE TYPES OF MATERIALS ENCOUNTERED IN THE WORKPLACE. EMPLOYEES ARE PROVIDED WITH A BOOKLET WHICH EXPLAINS THE "MATERIAL SAFETY DATA SHEETS" AND CONTAINS A GLOSSARY AND IDENTIFICATION OF MATERIALS LIKELY TO BE ENCOUNTERED BY THE HAZARDOUS MATERIALS IDENTIFICATION GUIDE (HMIG) SYMBOLS. THOSE EMPLOYEES HANDLING HAZARDOUS MATERIALS WILL BE INSTRUCTED IN THE FOLLOWING ITEMS:

a. MATERIAL IDENTIFICATION

b. HAZARDOUS INGREDIENT

c. EFFECTS OF THESE MATERIALS - ON HUMANS - ON THE ENVIRONMENT

d. FIRST AID TREATMENT

e. NEUTRALIZATION AND CONTAINMENT PROCEDURES

f. POSSIBLE RESULTS OF A RELEASE

g. DEPLOYMENT OF EMERGENCY EQUIPMENT

3.2 EMPLOYEES RESPONSIBLE FOR COORDINATING WITH FIRST RESPONDERS

(LOS ANGELES CITY FIRE DEPARTMENT)

ALL AREA SUPERVISORS WILL BE INSTRUCTED TO COORDINATE ACTIVITIES WITH THE LAFD SO THAT EACH CAN ACT AS A BACKUP TO THE HAZARDOUS WASTE SUPERVISOR. AN "EMERGENCY CHECK LIST" HAS BEEN PREPARED TO ASSURE HAVING THE MAXIMUM INFORMATION AVAILABLE FOR THE LAFD. THE EMERGENCY CHECK LIST WILL BE FILLED OUT BY THE HAZARDOUS WASTE SUPERVISOR.

3.3 EMPLOYEE TRAINING ON EMERGENCY RESPONSE PLAN

THE EMERGENCY RESPONSE PLAN IS INCLUDED IN NEW EMPLOYEE INDOCTRINATION SESSION. CURRENT EMPLOYEES WILL BE TRAINED IN GROUPS, WITH THE DEPTH OF TRAINING VARIED TO SUIT THE OCCUPATION AND JOB LOCATION. A. EMPLOYEES HANDLING HAZARDOUS WASTE WILL BE GIVEN REFRESHER TRAINING YEARLY .

EMERGENCY CHECK LIST

FOR A ACCIDENTAL OR A THREATENED RELEASE OF A HAZARDOUS MATERIAL.

DATE: _____ TIME : _____ AM/PM

TYPE OF EMERGENCY: FIRE_____ MEDICAL_____ CHEMICAL_____ ACT OF GOD_____

LOCATION AND BUILDING: #_____ AREA/ROOM _____

OUTSIDE SERVICES CALLED: YES / NO

LOS ANGELES CITY FIRE DEPARTMENT 911
THE STATE OFFICE OF EMERGENCY SERVICES 1-800-852-7550
1-916-427-4341

BY: _____ TIME: _____ AM / PM _____

INJURIES: YES / NO

_____

_____

TREATMENT: YES / NO

_____

_____

DAMAGE: YES / NO

_____

_____

ACTION TAKEN: YES / NO

_____

_____

OUTSIDE SERVICES CONTACT: YES / NO PHONE NUMBER: _____

_____

_____

WAS AN OUTSIDE AGENCY CONTACTED: YES / NO

OUTSIDE AGENCY:

_____

_____

SIGNATURE: _____ DATE: _____
HAWKER PACIFIC INC. REPRESENTATIVE

COMMENTS:

REVISION PAGE

DATE	SECTION	SECTION NAME
97 10 15	COMPLETE	COMPLETE


NORTH
SHERMAN WAY
PROPERTY LINE
PROPERTY LINE
PROPERTY LINE
HAWKER PACIFIC, INC.
BUILDING # 8
FLAMMABLE STORAGE BUILDING
BUILDING # 7
GRASS
BUILDING # 4
DRIVE WAY
BUILDING # 6
BUILDING #5
BUILDING # 1
REARDICE
BUILDING # 2
BUILDING # 3
PROPERTY LINE
PROPERTY LINE
PROPERTY LINE
HAWKER PACIFIC INC.
SUN VALLEY, CALIFORNIA
1" = 100
11/15/97
EKJ

ESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 1 OF 3

NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BLDG #1, MACHINE SHOP ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	BLASOCUT 2000 COOLENT	☐ PU ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STOR TEMPER (MARK
378 LBS (CIRCLE ONE) GALS 45 CU. FT.	688 LBS (CIRCLE ONE) GALS 83 CU. FT.	I	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREA AN DISP (SEE T
ANIONIC EMULSIFER	25 %	68608-26-4	360	N.A.	N.A
CHLORINATED PARAFFIN	7 %	108171-27-3			
PETROLEUM HYDROCARBON	60 %	64742-52-5			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	TRIM SOL COOLENT	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK O
186 LBS (CIRCLE ONE) GALS 25 CU. FT.	285 LBS (CIRCLE ONE) GALS 25 CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATM AND DISPO (SEE TA
CHLORINATED ALKENE POLYMER	25 %	68410-99-1	366	N.A	N.A
PETROLEUM OIL	35 %	8002-05-9			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PURE ☐ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATI (MARK ON
LBS (CIRCLE ONE) GALS CU. FT.	LBS (CIRCLE ONE) GALS CU. FT.		1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMI AND DISPOS (SEE TABI
	%				
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

HAZARDOUS WASTE INVENTORY F

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE: 2 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PA COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZAR MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BLDG #2 ROOM NUMBER OR UNDERGROUND TANK NO.: LAB.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [X] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: SULFURIC ACID, REAGENT GRADE

(3) MARK ONE: [ ] P [X] M [ ] W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
15 LBS	15 LBS	P	1 [X] 3 [ ] 5 [X]	SOLID [ ]	2A	ABOVE [ ]	ABOVE
1.5 (CIRCLE ONE) GALS CU. FT.	1.5 (CIRCLE ONE) GALS CU. FT.	GLASS BOTTLES	2 [X] 4 [ ]	LIQUID [X]		STANDARD [X]	AMBIENT
				GAS [ ]		BELOW [ ]	BELOW
							CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISP (SEE T
SULFURIC ACID	90 %	7664-93-9	366	N.A.	N.
WATER	10 %	NA.			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME:

(3) MARK ONE: [ ] PUR [ ] MIX [ ] WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEM (M
LBS	LBS		1 [ ] 3 [ ] 5 [ ]	SOLID [ ]		ABOVE [ ]	ABOVE
(CIRCLE ONE) GALS CU. FT.	(CIRCLE ONE) GALS CU. FT.		2 [ ] 4 [ ]	LIQUID [ ]		STANDARD [ ]	AMBIENT
				GAS [ ]		BELOW [ ]	BELOW
							CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATM AND DISPO (SEE TA
	%				
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME:

(3) MARK ONE: [ ] PURE [ ] MIXT [ ] WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON
LBS	LBS		1 [ ] 3 [ ] 5 [ ]	SOLID [ ]		ABOVE [ ]	ABOVE
(CIRCLE ONE) GALS CU. FT.	(CIRCLE ONE) GALS CU. FT.		2 [ ] 4 [ ]	LIQUID [ ]		STANDARD [ ]	AMBIENT
				GAS [ ]		BELOW [ ]	BELOW
							CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND (SE
	%				
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

ISS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 3 OF 3

HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: N. D. T.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: BASE OIL HF

(3) MARK ONE: [ ] P [X] M [ ] W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
250 LBS (CIRCLE ONE) GALS 35 CU. FT.	250 LBS (CIRCLE ONE) GALS 35 CU. FT.	I	1 [ ] 3 [X] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGEN

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 4)
SOLVENT REFINED	%				
HYDROTREATED MIDDLE	%		366	N.A	N.
DIST	99 %	64742-57-0			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: ECOLINK ELECTRON SOLUTION

(3) MARK ONE: [ ] PU [X] MIX [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
400 LBS (CIRCLE ONE) GALS 50 CU. FT.	1438 LBS (CIRCLE ONE) GALS 177 CU. FT.	I	1 [ ] 3 [X] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 4)
HYDROTREATED LIGHT	%				
DISTILLATES	90 %	64742-56-9	366	NA	N.
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: TRACER TECH. P-135 E SOLUTION

(3) MARK ONE: [ ] PUR [X] MIXT [ ] WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
65 LBS (CIRCLE ONE) GALS 9 CU. FT.	65 LBS (CIRCLE ONE) GALS 9 CU. FT.	I	1 [ ] 3 [X] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1D	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 4)
NO HAZARDOUS CHEMICALS	%				
	%		366	N.A	N.
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

HAC/NVFM-BK/000202

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 4 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKI COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATING S

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	LHE CADMIUM SOLUTION 2023	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STOR TEMPE (MARK ABOVE AMBIENT BELOW CRYOGEN
20 LBS; 2.5 (CIRCLE ONE) G. S CU. FT.	115 LBS; 14 (CIRCLE ONE) GALS CU. FT.	Q	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREA A DISP (SEE T
CADMIUM	10 %	7440-43-9	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ALODINE PLATING SOLUTION	☐ PU ☒ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK C ABOVE AMBIENT BELOW CRYOGENIC
6748 LBS; 793 (CIRCLE ONE) GALS CU. FT.	6748 LBS; 793 (CIRCLE ONE) GALS CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AN DISPO (SEE TA
DIVERCOAT 7-T POWDER	2 %	7738-94-5	366	NA	NA
WATER	98 %	NA.			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ALUMINUM CLEANER PLATING SOLUTION	☐ PUR. ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK O ABOVE AMBIENT BELOW CRYOGENIC
713 LBS; 92 (CIRCLE ONE) GALS CU. FT.	713 LBS; 92 (CIRCLE ONE) GALS CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AND DISPO (SEE TA
ALDENT NON ETCH ALUMINU	%		366	N.A.	N.A
CLEANER	30 %	UNKN.			
WATER	70 %	NA.			

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 5 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATING S

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ALUMINUM ETCH SOLUTION	☐ PU ☒ MI ☐ W.

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER (MARK
1868 LBS (CIRCLE ONE) GALS 217 CU. FT.	1868 LBS (CIRCLE ONE) GALS 217 CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISP (SEE T
OAKITE 160 CLEANER	4 %	NA	366	N.A.	N.A
WATER	96 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ANODE CLEANER SOLUTION	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERA (MARK O
722 LBS (CIRCLE ONE) GALS 200 CU. FT.	2235 LBS (CIRCLE ONE) GALS 600 CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREAT AND DISPO (SEE TA
ROCHELL SALTS	13 %	304-59-6	366	N.A	N.
SODIUM HYDROXIDE BEADS	13 %	1310-73-2			
WATER	74 %	NA			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	CADMIUM PLATING SOLUTION	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON
8600 LBS (CIRCLE ONE) GALS 825 CU. FT.	8600 LBS (CIRCLE ONE) GALS 825 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TABL
CADMIUM OXIDE	4 %	306-19-0	366	NA	NA
SODIUM CARBONATE DENSE	4	NA			
SODIUM HYDROXIDE	6 %	1310-73-2			
SODIUM CYANIDE	11 %	143-33-9			

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 6 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATING SHOP

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	CADMIUM STRIP SOLUTION.	☐ PU ☒ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
165 LBS	165 LBS	D	1 ☒ 3 ☐ 5 ☒ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐
(CIRCLE ONE) 27 GALS CU. FT.	(CIRCLE ONE) 27 GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
AMMONIUM NITRATE	19 %	6484-52-2	366	NA.	N.A
PERLLIZED	%				
WATER	81 %	N.A.			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	CHROME PLATING SOLUTION	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
26888 LBS	26,888 LBS	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐
(CIRCLE ONE) 2600 GALS CU. FT.	(CIRCLE ONE) 2600 GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
CHROMIC ACID FLAKE	27 %	1333-82-0	366	NA	NA
SULFURIC ACID	2 %	7664-93-9			
WATER	71 %	NA			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	CHROME STRIP SOLUTION	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
12,937 LBS	12,937 LBS	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐
(CIRCLE ONE) 1350 GALS CU. FT.	(CIRCLE ONE) 1350 GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SODIUM CARBONATE DENSE	6 %	497-19-8	366	NA	N.A
SODIUM HYDROXIDE BEADS	10 %	1310-73-2			
WATER	84 %	NA			

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 7 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATING S

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	DE SMUT PLATING SOLUTION	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
1668 LBS (CIRCLE ONE) GALS 200 CU. FT.	1668 LBS (CIRCLE ONE) GALS 200 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TA
OAKITE 34	7 %	MIXTURE	366	NA	NA
WATER	93 %	NA.			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	ETCHING SOLUTION	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
6754 LBS (CIRCLE ONE) GALS 825 CU. FT.	6754 LBS (CIRCLE ONE) GALS 825 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TA
AMMONIUM BIFLORIDE SALTS	5 %	1341-49-7	366	N.A.	N.A
SULFURIC ACID	55 %	7664-93-9			
WATER	40 %	NA			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐	IRIDITE PLATING SOLUTION	☐ PURI ☒ MIXT ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
6541 LBS (CIRCLE ONE) GALS 825 CU. FT.	6541 LBS (CIRCLE ONE) GALS 825 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TAB
UNI-CHROME 95-SOL.	8 %	MIXTURE	366	N.A.	N.A
WATER	92 %	NA.			
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 8 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACK COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATING SHOP

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	NICKEL PLATING SOLUTION	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
14,512 LBS (CIRCLE ONE) GALS 1450 CU. FT.	14,512 LBS (CIRCLE ONE) GALS 1450 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SNR -24 NICKEL SOL.	45 %	MIXTURE	366	N.A.	N.
WATER	55 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	NITAL ETCH SOLUTION, HYDROCHLORIC ACID	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
6651 LBS (CIRCLE ONE) GALS 710 CU. FT.	6651 LBS (CIRCLE ONE) GALS 710 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
HYDROCHLORIC ACID	4 %	7647-01-0	366	NA	NA
WATER	96 %	N.A.			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	NITAL ETCH SOLUTION, NITRIC ACID	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
6651 LBS (CIRCLE ONE) GALS 710 CU. FT.	6651 LBS (CIRCLE ONE) GALS 710 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NITRIC ACID	4 %	7697-37-2	366	NA	NA
WATER	96 %	NA.			
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

FORM ISS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 9 OF 3
ISS
HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 2 ROOM NUMBER OR UNDERGROUND TANK NO.: PLATINGS

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	NITRIC ACID SOLUTION	PU ☐ MI ☒ W ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
626 LBS; (CIRCLE ONE) GALS 74 CU. FT.	626 LBS; (CIRCLE ONE) GALS 74 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NITRIC ACID	25 %	7697-37-2	366	NA.	N.
WATER	75 %	N.A.			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	PASSIVATION SOLUTION.	PUR ☐ MIX ☒ WAS ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
688 LBS; (CIRCLE ONE) GALS 74 CU. FT.	688 LBS; (CIRCLE ONE) GALS 74 CU. FT.	D	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NITRIC ACID	30 %	7697-37-2	366	NA	NA
SODIUM DICHROMATE	4 %	10588-01-9			
WATER	66 %	NA.			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	SELECTRON SPS NICKEL SOLUTION	PURE ☐ MIXT ☒ WAST ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
32 LBS; (CIRCLE ONE) GALS 2 CU. FT.	32 LBS; (CIRCLE ONE) GALS 2 CU. FT.	Q	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
HYDROCHLORIC ACID	9 %	7647-01-0	366	NA	NA
ACETIC ACID	5	64-19-7			
WATER	44 %	NA			
NICKEL SULFATE	42 %	7786-81-4			

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 10 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 3

ROOM NUMBER OR UNDERGROUND TANK NO.: ASSEMPLY AREA

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: 1213 SOLVENT

(3) MARK ONE: [ ] PU [X] MI [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK (
100 LBS (CIRCLE ONE) GALS 13.5 CU. FT.	100 LBS (CIRCLE ONE) GALS 13.5 CU. FT.	I	1 [X] 3 [X] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	3A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
NAPHTHALENE	99 %	91-20-3	366	NA	N
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [X] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: ACTIVATER SOLUTION NO. 1

(3) MARK ONE: [ ] PURI [X] MIXT [ ] WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON
31 LBS (CIRCLE ONE) GALS 2 CU. FT.	31 LBS (CIRCLE ONE) GALS 2 CU. FT.	P PLASTIC BOTTLE	1 [X] 3 [ ] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	2A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
SULFURIC ACID	10 %	7664-93-9	366	N.A	NA
WATER	90 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: BRAY COAT 202 GREASE

(3) MARK ONE: [ ] PURE [X] MIXTU [ ] WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ONE
225 LBS (CIRCLE ONE) GALS 32 CU. FT.	630 LBS (CIRCLE ONE) GALS 100 CU. FT.	Q	1 [ ] 3 [X] 5 [ ] 2 [X] 4 [ ]	SOLID [X] LIQUID [ ] GAS [ ]	1D	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE [ ] AMBIENT [ ] BELOW [ ] CRYOGENIC [ ]

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMI AND DISPOS (SEE TAB
ORGANIC CALCIUM SALT	10 %	64789-86-4	366	N.A.	N.A
PETROLEUM HYDROCARBON	10 %	64742-52-5			
	%				

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 11 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #3 ROOM NUMBER OR UNDERGROUND TANK NO.: ASSEMBB

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	LIQUID-NITROGEN	☒ P ☐ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
156 LBS (CIRCLE ONE) GALS CU. FT.	1652 LBS (CIRCLE ONE) GALS CU. FT.	J	1 ☒ 3 ☐ 5 ☐ 2 ☐ 4 ☒	SOLID ☐ LIQUID ☒ GAS ☐	1A	ABOVE ☒ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
LIQUID NITROGEN	100 %	7727-37-9	366	NA	N
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	HYDRALIC FLUID, RED OIL, MIL-H-5606	☐ PU ☒ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS (CIRCLE ONE) GALS 40 CU. FT.	300 LBS (CIRCLE ONE) GALS 40 CU. FT.	B	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SOLVENT REFINED	%		366	NA	N
HYDROTREATED MIDDLE	%				
DIST.	85 %	64742-57-0			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SKYDROL - NON FLAMMABLE HYDRALIC FLUID.	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS (CIRCLE ONE) GALS 40 CU. FT.	300 LBS (CIRCLE ONE) GALS 40 CU. FT.	B	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
BUTYL DIPHENYL PHOSPHATE	1-100 %	2752-95-6	366	N.A.	N.
DI-BUTYL PHENYL PHOSPHATE	1-100 %	2528-36-1			
TRI BUTYL PHOSPHATE	1-100 %	126-73-8			

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 12 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #3 ROOM NUMBER OR UNDERGROUND TANK NO.: PAINT SHO

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [X] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: PAINT - MICRO SHEILD.

(3) MARK ONE: [ ] PU [X] MI [ ] W.

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER (MARK ABOVE AMBIENT BELOW CRYOGENI
172 LBS; 20 (CIRCLE ONE) GALS CU. FT.	800 LBS; 20 (CIRCLE ONE) GALS CU. FT.	A	1 [ ] 3 [X] 5 [ ]; 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISP (SEE TA
TOLUENE	50 %	108-88-3	366	N.A.	N
PROPYLENE OXIDE	3	75-56-9			
TETRAHYDRAFURAN	25 %	109-99-9			
METHYL ETHYL KETONE	15 %	78-93-3			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: PAINT - 446-22-2000 GLOSS GRAY

(3) MARK ONE: [ ] PUR [X] MI [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORA E PRESSURE (MARK ONE)	(11) STORAC TEMPERA (MARK O. ABOVE AMBIENT BELOW CRYOGENIC
180 LBS; 20 (CIRCLE ONE) GALS CU. FT.	1063 LBS; 120 (CIRCLE ONE) GALS CU. FT.	A	1 [ ] 3 [X] 5 [ ]; 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATI AND DISPO (SEE TA
1,2,4 - TRIMETHYBENZENE	10	95-63-6	366	N.A.	N.A
METHYL ETHYL KETONE	10 %	78-93-3			
METHYL AMYL KETONE	10	110-43-0			
P.M. SOLVENT	10 %	107-98-2			
SILICA CRYSTALLINE	10				
XYLENE	10 %	1330-20-7			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [ ]

(2) CHEMICAL, PRODUCT, OR WASTE NAME:

(3) MARK ONE: [ ] PURE [ ] MIXT [ ] WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
LBS; (CIRCLE ONE) GALS CU. FT.	LBS; (CIRCLE ONE) GALS CU. FT.		1 [ ] 3 [ ] 5 [ ]; 2 [ ] 4 [ ]	SOLID [ ] LIQUID [ ] GAS [ ]		ABOVE [ ] STANDARD [ ] BELOW [ ]	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMI AND DISPOS (SEE TABL
	%				
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE: _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 13 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 4 ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	INSTA PAK, COMP. A	☐ PU ☒ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
500 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	500 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 2 ☒ 3 ☒ 4 ☐ 5 ☒	SOLID ☐ LIQUID ☐ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISP (SEE T
POLYMERIC MDI	%	9016-87-9	366	NA	N.
POLY METHYLENE	%				
POLY PHENYLENE ESTER	99 %				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	INSTA PAK, COMP. B	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
500 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	500 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 2 ☒ 3 ☒ 4 ☐ 5 ☒	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
DIETHANOLAMINE	1.5 %	111-42-2	366	NA.	N.
TRICHLOROMONO	15 %	75-69-4			
FLUOROMETHANE	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PUR ☐ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
LBS; (CIRCLE ONE) GALS / CU. FT.	LBS; (CIRCLE ONE) GALS / CU. FT.		1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATI AND DISPO (SEE TA
	%				
	%				
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 14 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACK COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #5 ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	KK 655 KLEANING KOMPOUND - SOAP	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
440 LBS; (CIRCLE ONE) GALS 55 CU. FT.	1618 LBS; (CIRCLE ONE) GALS 210 CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	10	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
UNKNOWN	100 %		366	N.A.	N.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	LIQUID NITROGEN	☒ PUR ☐ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
156 LBS; (CIRCLE ONE) GALS CU. FT.	1652 LBS; (CIRCLE ONE) GALS CU. FT.	J	1 ☒ 3 ☐ 5 ☐ 2 ☐ 4 ☒	SOLID ☐ LIQUID ☒ GAS ☐	1.A	ABOVE ☒ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
LIQUID NITROGEN	100 %	7727-37-9	366	N.A.	N.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	BLASO CUT 2000, MACHINE COOLANT	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
688 LBS; (CIRCLE ONE) GALS 110 CU. FT.	688 LBS; (CIRCLE ONE) GALS 110 CU. FT.	I	1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☒ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
ANIONIC EMULSIFIER	30 %	68608-26-4	366	N.A	N.A
CHLORANATED PARAFFIN	10 %	108171-27-3			
PETROLEUM HYDRO-CARBON	60 %	64742-32-5			

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 15 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #5 ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	BASE OIL HF	PU ☐ MI ☒ WA ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
100 LBS / (CIRCLE ONE) GALS / 15 CU. FT.	100 LBS / (CIRCLE ONE) GALS / 15 CU. FT.	I	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SOLVENT REFINED	%				
HYDROTREATED MIDDLE	%		366	N.A.	N.
DIST.	100 %	8042-47-5			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	TRACER TECH P-135-E PENETRENT	PU ☐ MI ☒ WA ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
65 LBS / (CIRCLE ONE) GALS / 10 CU. FT.	65 LBS / (CIRCLE ONE) GALS / 10 CU. FT.	A	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
UNKNOWN NO HAZARDOUS	100 %				
INGREDIENTS	%		366	N.A.	N.
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		PUR ☐ MIX ☐ WA ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
LBS / (CIRCLE ONE) GALS / CU. FT.	LBS / (CIRCLE ONE) GALS / CU. FT.		1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
	%				
	%				
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 16 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKI COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES [X] NO [ ]	CADMIUM OXIDE	[X] P [ ] M [ ] W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
100 LBS (CIRCLE ONE) GALS CU. FT.	100 LBS (CIRCLE ONE) GALS CU. FT.	B	1 [X] 3 [ ] 5 [ ] 2 [X] 4 [ ]	SOLID [X] LIQUID [ ] GAS [ ]	5B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
CADMIUM OXIDE	100 %	306-19-0	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES [X] NO [ ]	HYDROCLORIC ACID/MURATIC ACID. TECH GRADE	[X] PUR [ ] MIX [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
400 LBS (CIRCLE ONE) 55 GALS CU. FT.	1952 LBS (CIRCLE ONE) 220 GALS CU. FT.	B	1 [X] 3 [ ] 5 [X] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	2·A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
HYDROCHLORIC ACID	15 %	7647-01-0	366	N.A.	N.A
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES [X] NO [ ]	NIKLAD 1000 A ELECTROLESS NICKEL SOL	[ ] PURE [X] MIXT [ ] WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
60 LBS (CIRCLE ONE) 5 GALS CU. FT.	165 LBS (CIRCLE ONE) 15 GALS CU. FT.	Q	1 [X] 3 [ ] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	2A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NICKEL SULFATE	50 %	7786-81-4	366	NA	NA
SULFURIC ACID	50 %	7664-93-9			
	%				

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE: _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 17 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	NITRIC ACID, REAGENT GRADE	☐ PU ☒ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK C
10 LBS; 1 (CIRCLE ONE) GALS / CU. FT.	30 LBS; 3 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2 A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREAT ANI DISPO (SEE TA
NITRIC ACID	70 %	7697-37-2	366	N.A.	N.
WATER	30 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	NITRIC ACID TECH GRADE	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERAT (MARK ON
109 LBS; 10 (CIRCLE ONE) GALS / CU. FT.	1100 LBS; 100 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2 A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
NITRIC ACID	22 %	7697-37-2	366	N.A.	N.A
WATER	78 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	DE OXIDIZER, OAKITE 34	☐ PURE ☒ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERAT (MARK ON
255 LBS; (CIRCLE ONE) GALS / CU. FT.	600 LBS; (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2 A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND DISPOS (SEE TABL
SODIUM DICHROMATE	20 %	10588-01-9	366	NA	NA
SULFURIC ACID	40 %	7664-93-9			
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 18 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	SODIUM CYANIDE	☒ PU ☐ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER (MARK ABOVE AMBIENT BELOW CRYOGENI
110 LBS (CIRCLE ONE) GALS CU. FT.	770 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	5B	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
SODIUM CYANIDE	100 %		366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	SULFURIC ACID 66 BE, 93 %	☐ PURI ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
849 LBS (CIRCLE ONE) GALS CU. FT.	849 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
SULFURIC ACID	93 %		366	NA.	NA.
WATER	7 %				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	SULFURIC ACID TECH GRADE	☐ PURE ☒ MIXTU ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ONE ABOVE AMBIENT BELOW CRYOGENIC
173 LBS (CIRCLE ONE) GALS CU. FT.	292 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND DISPOS (SEE TABL
SULFURIC ACID.	48 %		366	N.A	N.A
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 19 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☒ NO ☐	UNICHROME 95-A DIP	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
319 LBS (CIRCLE ONE) GALS 35 CU. FT.	1168 LBS (CIRCLE ONE) GALS 35 CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2 A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
ACETIC ACID	10 %	64-19-7	366	N.A.	N
CHROMIC ACID FLAKE	25	7738-94-5			
NITRIC ACID	20 %	7697-37-2			
WATER	45 %	N.A.			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	BORIC ACID POWDER	☒ PU ☐ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
500 LBS (CIRCLE ONE) GALS CU. FT.	500 LBS (CIRCLE ONE) GALS CU. FT.	F	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	1 C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
BORIC ACID	100 %	10043-35-3	366	N.A	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	CHROMIC ACID FLAKE	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
1000 LBS (CIRCLE ONE) GALS CU. FT.	7300 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☒ 3 ☐ 5 ☒ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2 A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
CHROMIC ACID FLAKE	100 %	1333-82-0	366	NA	N
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 20 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	NICKEL ANODE CHIPS - DEPLORIZED	☒ PU ☐ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER (MARK ABOVE AMBIENT BELOW CRYOGENI
550 LBS (CIRCLE ONE) GALS CU. FT.	550 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
NICKEL METAL	98 %	N.A.	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	NICKEL CARBONATE BASIC	☒ PUR ☐ MIXT ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
120 LBS (CIRCLE ONE) GALS CU. FT.	540 LBS (CIRCLE ONE) GALS CU. FT.	G	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2-A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
NICKEL CARBONATE	99 %	3333-67-3	366	N.A.	NA
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	NIKLAD 1000 B ELECROLESS NIKKE SOL.	☐ PURE ☒ MIXTU ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
74 LBS 10 (CIRCLE ONE) GALS CU. FT.	232 LBS 30 (CIRCLE ONE) GALS CU. FT.	Q	1 ☒ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TABL
MALEIC ACID	7 %	110-16-7	366	N.A.	N.A
SODIUM HYPOPHOSPHITE	5 %	7681-53-0			
	%				

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE: _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 21 OF 38

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALLEY

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 6 ROOM NUMBER OR UNDERGROUND TANK NO.: HA2-MAT

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ROCHELL SALTS	☒ PURE ☐ MIXTURE ☐ WASTE

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS (CIRCLE ONE) GALS CU. FT.	800 LBS (CIRCLE ONE) GALS CU. FT.	F	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
ROCHELL SALTS	99 %	304-59-6	366	N.A.	N.A.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SNR-24 NICKEL PLATING SOLUTION	☐ PURE ☒ MIXTURE ☐ WASTE

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
485 LBS (CIRCLE ONE) GALS CU. FT.	1346 LBS (CIRCLE ONE) GALS CU. FT.	B	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☒ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NICKEL SULFAMATE	40 %	7786-81-4	366	N.A.	N.A.
WATER	60 %	N.A			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SODIUM CARBONATE - DENSE	☒ PURE ☐ MIXTURE ☐ WASTE

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
800 LBS (CIRCLE ONE) GALS CU. FT.	2800 LBS (CIRCLE ONE) GALS CU. FT.	F	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SODIUM CARBONATE	99 %		366	N.A.	N.A
	%	497-19-8			
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 22 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACK COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MA

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SODIUM HYDROXIDE BEADS	☒ P / ☐ M / ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
900 LBS (CIRCLE ONE) GALS CU. FT.	2400 LBS (CIRCLE ONE) GALS CU. FT.	F	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SODIUM HYDROXIDE	99 %	1310-73-2	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SODIUM HYDROXIDE SOLUTION 50%	☐ PUR / ☒ MIX / ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
507 LBS (CIRCLE ONE) GALS 55 CU. FT.	702 LBS (CIRCLE ONE) GALS 110 CU. FT.	B	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
SODIUM HYDROXIDE SOL.	50 %	1310-73-2	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	CLEANER - SWIPE	☐ PURE / ☒ MIXT / ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS (CIRCLE ONE) GALS 55 CU. FT.	600 LBS (CIRCLE ONE) GALS 110 CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
UNKNOWN	50 %	N.A	366	N.A.	N.A
WATER	50 %	N.A.			
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 23 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #7 ROOM NUMBER OR UNDERGROUND TANK NO. ASSEMBLY

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: 12-13 SOLVENT - AHO-CHEM

(3) MARK ONE: [ ] P [X] M [ ] W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
100 LBS	100 LBS	I	1 [X] 3 [X] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	3A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC
15 (CIRCLE ONE) GALS CU. FT.	15 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
NAPHTHALENE	100 %	91-20-3	366	N.A.	N
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: HONING OIL MB-30

(3) MARK ONE: [ ] PUR [X] MIX [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
10 LBS	10 LBS	I	1 [ ] 3 [X] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC
2.0 (CIRCLE ONE) GALS CU. FT.	2 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
ANIMAL FAT	15	8016-28-2			
SULFURIZED FAT	15 %	61790-49-6			
TOLYLTRIAZOLE	15	29385-43-1			
PETROLIUM HYDROCARBON	15 %	64742-52-2			
PETROLEUM DISTILLATE	20	64742-44-2	366	N.A.	N.
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: ISOPROPYL ALCOHOL

(3) MARK ONE: [X] PURI [ ] MIXT [ ] WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
10 LBS	10 LBS	Q	1 [X] 3 [X] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	3A	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC
1.5 (CIRCLE ONE) GALS CU. FT.	1.5 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
ISOPROPYL ALCOHOL	100 %	67-63-0			
	%				
	%		366	NA	NA

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 24 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VAL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #7 ROOM NUMBER OR UNDERGROUND TANK NO.: ASSEMBLY

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: HYDRAULIC FLUID -RED OIL -MIL-H-5606

(3) MARK ONE: [ ] PU [X] MI [ ] W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STOR. TEMPER. (MARK
300 LBS	300 LBS	B	1 [ ] 3 [X] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGEN
55 (CIRCLE ONE) GALS CU. FT.	55 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AN DISP (SEE T
SOLVENT REFINED	%		366	N.A.	N.
HYDROTREATED MIDDLE	%				
DISTILLATE	99 %	64742-46-7			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: SKYDROL NON FLAMMABLE HYDRAULIC FLUID

(3) MARK ONE: [ ] PU [X] MIX [ ] WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERA (MARK O
300 LBS	300 LBS	B	1 [X] 3 [ ] 5 [ ] 2 [X] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1D	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC
55 (CIRCLE ONE) GALS CU. FT.	55 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AN DISPO (SEE TA
BUTYL DIPHENYL PHOSPHATE	1-100 %	2752-95-6	366	N.A.	N.
DI-BUTYL PHENYL PHOSPHATE	1-100 %	2528-36-1			
TRI-BUTYL PHOSPHATE	1-100 %	126-73-8			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES [ ] NO [X]

(2) CHEMICAL, PRODUCT, OR WASTE NAME: BASE OIL HF

(3) MARK ONE: [ ] PURE [X] MIX [ ] WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON
100 LBS	100 LBS	I	1 [ ] 3 [X] 5 [ ] 2 [ ] 4 [ ]	SOLID [ ] LIQUID [X] GAS [ ]	1B	ABOVE [ ] STANDARD [X] BELOW [ ]	ABOVE AMBIENT BELOW CRYOGENIC
15 (CIRCLE ONE) GALS CU. FT.	15 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPO (SEE TA
SOLVENT REFINED HYDRO	%		366	NA	NA
TREATED MIDDLE DIST.	99 %	64742-46-7			
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000 800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 25 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING # 7 ROOM NUMBER OR UNDERGROUND TANK NO.: ASSEMBL

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	TRACER TECH. P135-E PENETRENT SOLUTION	☐ P ☒ M ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STOR TEMPER (MARK
65 LBS (CIRCLE ONE) GALS 10 CU. FT.	65 LBS (CIRCLE ONE) GALS 10 CU. FT.	I	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGEN

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREA A DISP (SEE T
NO KNOWN HAZARDOUS	%				
CHEMICALS	%	—	366	N.A.	N.
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PU ☐ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK C
LBS (CIRCLE ONE) GALS CU. FT.	LBS (CIRCLE ONE) GALS CU. FT.		1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AN DISPO (SEE TA
	%				
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PUR ☐ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK O
LBS (CIRCLE ONE) GALS CU. FT.	LBS (CIRCLE ONE) GALS CU. FT.		1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPO (SEE TAB
	%				
	%				
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 26 OF 35

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #7 ROOM NUMBER OR UNDERGROUND TANK NO.: PAINT SHO

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	PAINT 643-03-0009	☐ PU ☒ MI ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK ONE)
325 LBS; 35 (CIRCLE ONE) GALS / CU. FT.	560 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	A	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AN DISPO (SEE TA
METHYL ETHYL KETONE	30 %	78-93-3	366	N.A.	N.
METHOXY PROPANOL ACETATE	40 %	10476-95-6			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	PAINT CC-750 BAC-707-GLOSS GRAY	☐ PURE ☒ MIXT ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON
211 LBS; 20 (CIRCLE ONE) GALS / CU. FT.	1015 LBS; 100 (CIRCLE ONE) GALS / CU. FT.	A	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREAT AND DISPOS (SEE TABL
XYLENE	1	1330-20-7	366	NA.	N.A
POLYESTER POLYOL	20 %	unknown			
TITANIUM DIOXIDE	38	13463-67-7			
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PURE ☐ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON
LBS; (CIRCLE ONE) GALS / CU. FT.	LBS; (CIRCLE ONE) GALS / CU. FT.		1 ☒ 3 ☐ 5 ☐ 2 ☐ 4 ☒	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND DISPOSA (SEE TABL
	%				
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 27 OF 3[illegible]

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL[illegible]

BUILDING NAME OR OUTDOOR AREA LOCATION: YARD - STORAGE BLDG ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	#273 SOLVENT - RHO-CHEM	☐ PU ☒ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER (MARK
750 LBS	8106 LBS	B	1 ☒ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	3A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI
110 (CIRCLE ONE) GALS CU. FT.	1080 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
NAPHTHALENE	99 %	91-20-3	366	N.A.	N.
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	BASE OIL - HF	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK O
1043 LBS	2202 LBS	B	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC
110 (CIRCLE ONE) GALS CU. FT.	300 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATM AND DISPO (SEE TA
SOLVENT REFINED HYDRO -	%		366	N.A.	N.
TREATED MIDDLE DIST.	99 %	64742-57-0			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	HONING OIL - MB-30	☐ PURE ☒ MIXT ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERAT (MARK ON
518 LBS	1064 LBS	B	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC
65 (CIRCLE ONE) GALS CU. FT.	110 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
ANIMAL FAT	15	8016-28-2	366	N.A	N.
SULFURIZED FAT	15 %	61790-49-6			
TOLYLTRIAZOLE	15	29385-43-1			
PETROLEUM HYDROCARBON	15 %	64742-52-2			
PETROLEUM DISTILLATE	20 %	64742-44-2			

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 28 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: YARD · STORAGE BLDG ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	INSTA - PACK COMP. A.	☐ PU ☒ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STOR TEMPER (MARK ABOVE AMBIENT BELOW CRYOGENI
1000 LBS (CIRCLE ONE) GALS 110 CU. FT.	6835 LBS (CIRCLE ONE) GALS 715 CU. FT.	B	1 ☒ 3 ☒ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREA AN DISP (SEE T
POLYMERIC MDI -	%				
POLY METHYLENE	%				
POLY PHENYLENE ESTER	99 %	9016-87-9	366	N.A.	N.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	INSTA - PACK COMP B.	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG TEMPERA (MARK O ABOVE AMBIENT BELOW CRYOGENIC
1100 LBS (CIRCLE ONE) GALS 110 CU. FT.	6009 LBS (CIRCLE ONE) GALS 715 CU. FT.	B	1 ☒ 3 ☒ 5 ☒ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATM AND DISPO (SEE TA
DIETHAN LAMINE	1.5 %	111-42-2			
TRICHLOROMONO.	15 %	75-69-4			
FLUOROMETHANE	%		366	NA	NA

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	ISOPROPYL ALCOHOL	☒ PURE ☐ MIXT ☐ WAST

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
243 LBS (CIRCLE ONE) GALS 55 CU. FT.	713 LBS (CIRCLE ONE) GALS 330 CU. FT.	B	1 ☒ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	3A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM. AND DISPOS. (SEE TABL
ISOPROPYL ALCOHOL	100 %	67-63-0			
	%				
	%		366	NA	NA

FOR OFFICE USE ONLY:

INSP. ID: _____ INSP. INITIAL: _____ DATE: _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800 - 2 LAFD NO.: _____ DATE: 10-20-97 PAGE 29 OF 35

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALLE

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKET. COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: YARD - STORAGE BLDG ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	HYDRAULIC OFLUID - MIL-H-5606 - RED OIL	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS; (CIRCLE ONE) GALS 110 CU. FT.	11,148 LBS; (CIRCLE ONE) GALS 1400 CU. FT.	B	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE)
SOLVENT REFINED HYDRO -	%		366	N.A.	N.A.
TREATED MIDDLE DIST.	85 %	64742-46-7			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	SKYDROL NONFLAMMABLE HYD. FLUID	☐ PUR ☒ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
300 LBS; (CIRCLE ONE) GALS 110 CU. FT.	2535 LBS; (CIRCLE ONE) GALS 330 CU. FT.	B	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE)
BUTYL DIPHENYL PHOSPHATE	1-100 %	2752-95-6	366	N.A.	N.
DI-BUTYL PHENYL PHOSPHATE	1-100 %	2528-36-1			
TRI-BUTYL PHOSPHATE	1-100 %	126-73-8			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	CLEANER SWIPE	☐ PUR ☒ MIX ☐ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
265 LBS; (CIRCLE ONE) GALS 55 CU. FT.	928 LBS; (CIRCLE ONE) GALS 220 CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1.C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE)
NO HAZARDOUS INGREDIENTS.	100 %	NA.	366	N.A.	N.
	%				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 30 OF

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VAL

BUILDING NAME OR OUTDOOR AREA LOCATION: YARD - STORAGE BLDG ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	LACQUER THINNER	☒

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	STO TEMP (MA ABOVE AMBIEN BELOW CRYOGI
780 LBS; 110 (CIRCLE ONE) GALS / CU. FT.	6890 LBS; 490 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	3 A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	TRE DIS (SEE
METHYL ETHYL KETONE	40 %	78-93-3	366	N.A.	N
TOLUENE	40	108-88-3			
ISOPROPYL ALCOHOL	10 %	67-63-0			
ETHYLENE MONOBUTYL ETHER	10 %	111-76-1			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	METHYL ETHEL KETONE - M.E.K.	☒

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPERA (MARK ABOVE AMBIENT BELOW CRYOGENIC
450 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	1915 LBS; 220 (CIRCLE ONE) GALS / CU. FT.	B	1 ☒ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	3A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATI AN DISPO (SEE TA
METHYL ETHYL KETONE	100 %	78-93-3	366	N.A.	N.

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	MOBIL OIL, HYDRAULIC FLUID AW 46	☒

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ONE ABOVE AMBIENT BELOW CRYOGENIC
275 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	1835 LBS; 220 (CIRCLE ONE) GALS / CU. FT.	B	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	

12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND DISPOSA (SEE TABLE
PETROLEUM HYDRO CARBON	99 %	64742-52-5	366	N.A.	N.A

OR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

CANVFM-BK/020392

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 31 OF 3[illegible]

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL[illegible]

BUILDING NAME OR OUTDOOR AREA LOCATION: YARD-STORAGE BLD ROOM NUMBER OR UNDERGROUND TANK NO.: _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	TRACER TECH. P-135 E; PENETRENT-SOL	PU[illegible] ☐ MI[illegible] ☒ WA[illegible] ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA[illegible] TEMPERA[illegible] (MARK [illegible]
195 LBS; 20 (CIRCLE ONE) GALS / CU. FT.	667 LBS; 100 (CIRCLE ONE) GALS / CU. FT.	A	1 ☐ 3 ☒ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1D	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI[illegible]

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1[illegible]) TREAT[illegible] AN[illegible] DISPO[illegible] (SEE TA[illegible]
NO HAZARDOUS INGREDENTS.	%		366	N.A	N.[illegible]
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☒	TRIM SOL MACHINE COOLENT	PUR[illegible] ☐ MIXT[illegible] ☒ WAS[illegible] ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAG[illegible] TEMPERAT[illegible] (MARK ON[illegible]
285 LBS; 55 (CIRCLE ONE) GALS / CU. FT.	2725 LBS; 220 (CIRCLE ONE) GALS / CU. FT.	B	1 ☐ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1C	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM[illegible] AND DISPOS[illegible] (SEE TAB[illegible]
CHLORINATED ALKENE	%		366	NA	NA
POLYMER	25 %	68410-99-1			
PETROLEUM OIL	35 %	8002-05-9			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		PURE ☐ MIXT[illegible] ☐ WAST[illegible] ☐

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU[illegible] (MARK ONE[illegible]
LBS; (CIRCLE ONE) GALS / CU. FT.	LBS; (CIRCLE ONE) GALS / CU. FT.		1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☐ GAS ☐		ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE ☐ AMBIENT ☐ BELOW ☐ CRYOGENIC ☐

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME[illegible] AND DISPOSA[illegible] (SEE TABL[illegible]
	%				
	%				
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

ACAN/FM.PK/09/92

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 33 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: _____ **ROOM NUMBER OR UNDERGROUND TANK NO.:** _____

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PI ☐ MI ☐ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE	(7) HEALTH & PHYSICAL HAZARDS	(8) PHYSICAL STATE	(9) HAZARD CLASS	(10) STORAGE PRESSURE	(1 STORA TEMPER. (MARK
____ LBS (CIRCLE ONE) GALS CU. FT.	____ LBS (CIRCLE ONE) GALS CU. FT.	(SEE TABLE 1) ____	(SEE TABLE 2) CHECK APPLICABLE BOXES: 1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	(MARK ONE) SOLID ☐ LIQUID ☐ GAS ☐	(SEE TABLE 3) ____	(MARK ONE) ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENI

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREA A DISP (SEE T
____	____%	____	____	____	____
____	____%	____			
____	____%	____			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PUR ☐ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE	(7) HEALTH & PHYSICAL HAZARDS	(8) PHYSICAL STATE	(9) HAZARD CLASS	(10) STORAGE PRESSURE	(11) STORAG TEMPERA (MARK O
____ LBS (CIRCLE ONE) GALS CU. FT.	____ LBS (CIRCLE ONE) GALS CU. FT.	(SEE TABLE 1) ____	(SEE TABLE 2) MARK APPLICABLE BOXES: 1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	(MARK ONE) SOLID ☐ LIQUID ☐ GAS ☐	(SEE TABLE 3) ____	(MARK ONE) ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15 TREATM AND DISPO (SEE TAB
____	____%	____	____	____	____
____	____%	____			
____	____%	____			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE?	(2) CHEMICAL, PRODUCT, OR WASTE NAME	(3) MARK ONE:
YES ☐ NO ☐		☐ PURE ☐ MIX ☐ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE	(7) HEALTH & PHYSICAL HAZARDS	(8) PHYSICAL STATE	(9) HAZARD CLASS	(10) STORAGE PRESSURE	(11) STORAGE TEMPERATU (MARK ON
____ LBS (CIRCLE ONE) GALS CU. FT.	____ LBS (CIRCLE ONE) GALS CU. FT.	(SEE TABLE 1) ____	(SEE TABLE 2) MARK APPLICABLE BOXES: 1 ☐ 3 ☐ 5 ☐ 2 ☐ 4 ☐	(MARK ONE) SOLID ☐ LIQUID ☐ GAS ☐	(SEE TABLE 3) ____	(MARK ONE) ABOVE ☐ STANDARD ☐ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TAB
____	____%	____	____	____	____
____	____%	____			
____	____%	____			

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 34 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN VALL

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-M

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☐ NO ☒

(2) CHEMICAL, PRODUCT, OR WASTE NAME: USED OIL + WATER

(3) MARK ONE: ☐ PU ☐ MI ☒ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
4100 LBS	40,000 LBS	B	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	1B	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC
500 (CIRCLE ONE) GALS CU. FT.	4800 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
OIL	90 %		365	221	0
WATER	10 %	NA			
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☐ NO ☒

(2) CHEMICAL, PRODUCT, OR WASTE NAME: USED PAINT THINNER

(3) MARK ONE: ☐ PU ☐ MI ☒ WA

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
1500 LBS	6000 LBS	B	1 ☐ 3 ☒ 5 ☐ 2 ☐ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	3A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC
176 (CIRCLE ONE) GALS CU. FT.	705 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
	%		365	213	07
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☒ NO ☐

(2) CHEMICAL, PRODUCT, OR WASTE NAME: USED FILTERS

(3) MARK ONE: ☐ PUR ☐ MIX ☒ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATURE (MARK ONE)
LBS	LBS	G	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2-A	ABOVE ☐ STANDARD ☒ BELOW ☐	ABOVE AMBIENT BELOW CRYOGENIC
162 (CIRCLE ONE) GALS CU. FT.	1134 (CIRCLE ONE) GALS CU. FT.						

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATMENT AND DISPOSAL (SEE TABLE 5)
	%		365	181 352	02
	%				
	%				

FOR OFFICE USE ONLY:
INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____

BUSINESS NO.: 000800-2 LAFD NO.: _____ DATE: 10-20-97 PAGE 35 OF 3

BUSINESS NAME: HAWKER PACIFIC INC. ADDRESS: 11240 SHERMAN WAY, SUN. VALL

MAKE EXTRA PHOTOCOPIES OF THIS FORM BEFORE COMPLETING IT. READ ALL OF THE INSTRUCTIONS INCLUDED IN THIS PACKE COMPLETE A SEPARATE FORM FOR EACH BUILDING, OUTDOOR AREA, UNDERGROUND TANK, OR ROOM WHERE HAZARDOUS MATERIALS OR WASTE ARE LOCATED. SPECIFY THE LOCATION.

BUILDING NAME OR OUTDOOR AREA LOCATION: BUILDING #6 ROOM NUMBER OR UNDERGROUND TANK NO.: HAZ-MA

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☐ NO ☒

(2) CHEMICAL, PRODUCT, OR WASTE NAME: STRIPING SOLUTION FOR CHROME PLATING

(3) MARK ONE: ☐ PU ☐ MI ☒ W

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) CHECK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORA TEMPER/ (MARK ABOVE AMBIENT BELOW CRYOGENI
____ LBS; 1500 (CIRCLE ONE) GALS; CU. FT.	____ LBS; 1500 (CIRCLE ONE) GALS; CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(1 TREAT AN DISPO (SEE TA
SODIUM HYDROXIDE	30 %		10	723	02
SODA ASH	20 %				
WATER	50 %	NA			

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☒ NO ☐

(2) CHEMICAL, PRODUCT, OR WASTE NAME: WASTE WATER

(3) MARK ONE: ☐ PURE ☐ MIXT ☒ WAS

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERAT (MARK ON ABOVE AMBIENT BELOW CRYOGENIC
2000 LBS; 200 (CIRCLE ONE) GALS; CU. FT.	20,000 LBS; 2000 (CIRCLE ONE) GALS; CU. FT.	D	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☐ LIQUID ☒ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATM AND DISPOS (SEE TABL
DILUTE ACIDS WITH METALS	100 %		75	135 / 723	02
	%				
	%				

(1) IS THIS AN EXTREMELY HAZARDOUS SUBSTANCE? YES ☒ NO ☐

(2) CHEMICAL, PRODUCT, OR WASTE NAME: PRODUCTION TRASH

(3) MARK ONE: ☐ PURE ☐ MIXTU ☒ WASTE

(4) MAXIMUM AMOUNT AT ANY TIME	(5) TOTAL ANNUAL AMOUNT	(6) STORAGE TYPE (SEE TABLE 1)	(7) HEALTH & PHYSICAL HAZARDS (SEE TABLE 2) MARK APPLICABLE BOXES:	(8) PHYSICAL STATE (MARK ONE)	(9) HAZARD CLASS (SEE TABLE 3)	(10) STORAGE PRESSURE (MARK ONE)	(11) STORAGE TEMPERATU (MARK ONE ABOVE AMBIENT BELOW CRYOGENIC
1200 LBS; (CIRCLE ONE) GALS; CU. FT.	7200 LBS; (CIRCLE ONE) GALS; CU. FT.	G	1 ☒ 3 ☐ 5 ☐ 2 ☒ 4 ☐	SOLID ☒ LIQUID ☐ GAS ☐	2A	ABOVE ☐ STANDARD ☒ BELOW ☐	

(12) HAZARDOUS CHEMICAL INGREDIENTS:	PERCENTAGE	CAS NUMBER	(13) NUMBER OF DAYS ON-SITE	(14) STATE WASTE CODE (SEE TABLE 4)	(15) TREATME AND DISPOSA (SEE TABL
FLOOR SWEEPINGS, + DEBRIS	75 %		75	181 / 352	02
ABSORBENT	25 %				
	%				

FOR OFFICE USE ONLY:

INSP. ID _____ INSP. INITIAL _____ DATE _____ DATA ENTRY INITIALS: _____ DATE: _____