Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 01	MW-0620-S1	2/6/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 01	MW-0620-S1	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 01	MW-0620-S1	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 01	MW-0621-S1	2/6/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 01	MW-0649-S1	2/6/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02	LFMW-1	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	LFMW-1	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	LFMW-1	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	LFMW-2	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	LFMW-2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	LFMW-2	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	LFMW-3	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	LFMW-3	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	LFMW-3	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	LFMW-4	6/1/1992		NA	NA	< U	< U	NA	< U	**0.022**	NA	< U
AOI 02	LFMW-4	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	LFMW-4	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	LFMW-5	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	LFMW-5	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	LFMW-5	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	LFMW-6	6/1/1992	FD	NA	NA	< 0.005 U	< 0.01 U	NA	< 0.005 U	< 0.005 U	NA	< 0.005 U
AOI 02	LFMW-6	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	LFMW-6	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	MW-0408-S2	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0408-S2	2/28/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0408-S2	2/6/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0408-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0408-S2	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0601-S2A	3/1/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0601-S2A	3/1/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0601-S2A	2/2/2007	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02	MW-0601-S2A	2/2/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0601-S2A	10/10/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02	MW-0601-S2A	10/10/2007	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02	MW-0601-S2A	5/15/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02	MW-0601-S2B	3/1/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-0601-S2B	2/2/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02	MW-14-S2	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	< U
AOI 02	MW-14-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	MW-14-S2	10/9/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02	MW-21-S2	8/31/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 02	MW-21-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02	MW-22-S2	8/31/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 02	MW-22-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 02-01	MW-0615-S2	1/26/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0016 J	< 0.01 U
AOI 02-01	MW-0615-S2	1/26/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.001 J	< 0.005 U	< 0.005 U	0.0015 J	< 0.01 U
AOI 02-01	MW-0615-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-01	MW-0640-S2	1/30/2007	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0238	< 0.005 U	**0.139**	**0.0026**	< 0.01 U
AOI 02-01	MW-0640-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0267	< 0.005 U	**0.139**	< 0.002 U	< 0.01 U
AOI 02-01	MW-0640-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0312	< 0.005 U	**0.0421**	**0.009**	< 0.01 U
AOI 02-01	MW-0640-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0617 U	< 0.005 U	**0.101**	< 0.0095 U	< 0.01 U
AOI 02-01	MW-6-S2	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	**0.31**	< 0.005 U	< 0.005 U
AOI 02-01	MW-6-S2	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 02-01	MW-6-S2	10/18/1999		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.088**	< 0.005 U	**0.53**	**0.0048**	NA
AOI 02-01	MW-6-S2	4/14/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.2**	< 0.005 U	**0.77**	**0.037**	NA
AOI 02-02	MW-0702-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0022**	< 0.01 U
AOI 02-02	MW-0702-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-02	MW-0702-S2	5/15/2008	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02-02	MW-0702-S2	5/15/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02-02	MW-0702-S2	4/9/2009	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 02-02	MW-0702-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0028 J	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-02	MW-0801-S2	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-02	MW-0801-S2	10/30/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0058	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-02	MW-0801-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0078	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-02	MW2-2-S2	4/14/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 02-02	MW2-2-S2	1/10/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.25**	< 0.01 U
AOI 02-02	MW2-2-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.349**	< 0.01 U
AOI 02-02	MW2-2-S2	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.249**	< 0.01 U
AOI 02-02	MW2-2-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.439**	< 0.01 U
AOI 02-02	MW-5-S2	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 02-02	MW-5-S2	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 02-03	MW2-3-S2	4/14/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02-03	MW2-3-S2	1/10/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-03	MW2-3-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-03	MW2-3-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0616-S2	1/27/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0616-S2	1/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0616-S2	1/29/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0616-S2	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0616-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0617-S2	1/26/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0617-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0642-S2	1/30/2007		< 0.005 U	< 0.005 U	0.0036 J	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0642-S2	5/13/2008		< 0.005 U	< 0.005 U	0.005	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0703-S2	11/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-0703-S2	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-04	MW-3-S2	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 02-04	MW-3-S2	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	0.031
AOI 02-04	MW-3-S2	8/14/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	0.011
AOI 02-04	MW-3-S2	10/29/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	0.0051
AOI 02-04	MW-3-S2	2/12/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	0.0052
AOI 02-04	MW-3-S2	12/9/1999		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02-04	MW-3-S2	5/18/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02-04	MW-4-S2	2/19/1997		NA	NA	**2.2**	NA	NA	NA	NA	NA	1.5
AOI 02-04	MW-4-S2	8/14/1997		NA	NA	**0.82**	NA	NA	NA	NA	NA	0.52
AOI 02-04	MW-4-S2	10/29/1997		NA	NA	**0.48**	NA	NA	NA	NA	NA	0.34
AOI 02-04	MW-4-S2	2/12/1998		NA	NA	**0.17**	NA	NA	NA	NA	NA	0.11
AOI 02-04	MW-4-S2	10/18/1999		< 0.005 U	< 0.005 U	**0.01**	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.01**	NA
AOI 02-04	MW-4-S2	4/14/2000		< 0.005 U	< 0.005 U	**0.0079**	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0084**	NA
AOI 02-06	MW-0618-S2	1/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	0.15	0.068	< 0.005 U	0.0014 J	**0.15**	< 0.01 U
AOI 02-06	MW-0618-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0518 U	< 0.005 U	< 0.005 U	< 0.16 U	< 0.01 U
AOI 02-06	MW-0619-S2	1/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.032	< 0.005 U	0.0033 J	**0.11**	< 0.01 U
AOI 02-06	MW-0619-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0211 U	< 0.01 U
AOI 02-06	MW-0643-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0575	< 0.005 U	**0.0366**	**0.0278**	< 0.01 U
AOI 02-06	MW-0643-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0358 U	< 0.005 U	< 0.0288 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0644-S2	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0644-S2	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0644-S2	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0644-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0017 J	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0645-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.173**	< 0.005 U	< 0.005 U	**0.0347**	< 0.01 U
AOI 02-06	MW-0645-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0458 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0647-S2	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0647-S2	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 02-06	MW-0706-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0167	< 0.005 U	< 0.005 U	**0.157**	< 0.01 U
AOI 02-06	MW-0706-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0212 U	< 0.005 U	< 0.005 U	**0.267**	< 0.01 U
AOI 02-06	MW-2-S2	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 02-06	MW-2-S2	10/18/1999		**0.021**	< 0.005 U	< 0.005 U	< 0.005 U	**0.57**	< 0.005 U	< 0.005 U	**0.25**	NA
AOI 02-06	MW-2-S2	4/14/2000	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 02-06	MW-2-S2	4/14/2000		**0.01**	< 0.005 U	< 0.005 U	< 0.005 U	**0.31**	< 0.005 U	**0.0077**	**0.1**	NA
AOI 02-07	MW2-1-S2	4/14/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.067	< 0.005 U	< 0.005 U	**0.053**	NA
AOI 02-07	MW2-1-S2	1/10/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.067	< 0.005 U	0.0039 J	**0.059**	< 0.01 U
AOI 02-07	MW2-1-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0484 U	< 0.005 U	< 0.005 U	< 0.095 U	< 0.01 U
AOI 06	MW-0603-S1	3/1/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 06	MW-0603-S1	3/1/2006	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 08	MW-0650-S1	2/6/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 09	MW-0651-S2	2/5/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 09	MW-0651-S2	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 09	MW-13-S2	6/1/1992		NA	NA	NA	NA	NA	< U	NA	NA	NA
AOI 09	MW-13-S2	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	**0.31**	< 0.005 U	< 0.005 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 09	MW-13-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 09	MW-23-S2	8/31/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 09	MW-23-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 09	MW-23-S2	9/28/2000	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 09	MW-23-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 09	MW-23-S2	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 13	MW-0652-S1	2/5/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0077	**0.0057**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 13	MW-0652-S1	10/11/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 14	MW-20-S1	9/28/2000	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	0.021	< 0.005 U	< 0.005 U	**0.013**	< 0.005 U
AOI 14	MW-20-S1	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	0.02	< 0.005 U	< 0.005 U	**0.013**	< 0.005 U
AOI 14	MW-20-S1	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.19**	< 0.005 U	< 0.005 U	**0.084**	NA
AOI 14	MW-20-S1	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 14	MW-20-S1	3/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.15**	< 0.005 U	< 0.005 U	**0.037**	NA
AOI 14	MW-20-S1	8/14/2002	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.27**	< 0.005 U	< 0.005 U	**0.08**	< 0.01 U
AOI 14	MW-20-S1	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.27**	< 0.005 U	< 0.005 U	**0.083**	< 0.01 U
AOI 14	MW-20-S1	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.032	< 0.005 U	< 0.005 U	**0.15**	< 0.01 U
AOI 14	MW-20-S1	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.049**	< 0.01 U
AOI 14	MW-20-S1	1/19/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.036	< 0.005 U	< 0.005 U	**0.086**	< 0.01 U
AOI 15	MW-3-1-S1	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-1-S1	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-1-S1	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-2-S1	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-2-S1	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-2-S1	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-2-S1	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 15	MW-3-2-S1	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 15	MW-3-2-S1	3/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 15	MW-3-2-S1	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 15	MW-3-2-S1	1/19/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 15	MW-3-2-S1	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 15	MW-3-3-S1	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	8/28/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	11/25/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	2/17/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	9/7/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	1/13/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	5/19/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-3-S1	1/29/2001		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-4-S1	5/29/1998		NA	NA	**0.32**	NA	NA	NA	NA	NA	0.58
AOI 15	MW-3-4-S1	8/28/1998		NA	NA	**0.057**	NA	NA	NA	NA	NA	0.169
AOI 15	MW-3-4-S1	11/25/1998		NA	NA	**0.12**	NA	NA	NA	NA	NA	0.23
AOI 15	MW-3-4-S1	2/17/1999		NA	NA	**0.188**	NA	NA	NA	NA	NA	0.805
AOI 15	MW-3-4-S1	5/14/1999		NA	NA	**0.07**	NA	NA	NA	NA	NA	0.23
AOI 15	MW-3-4-S1	9/7/1999		NA	NA	**0.02**	NA	NA	NA	NA	NA	0.08
AOI 15	MW-3-4-S1	1/13/2000		NA	NA	**0.02**	NA	NA	NA	NA	NA	0.15
AOI 15	MW-3-4-S1	5/19/2000		NA	NA	**0.007**	NA	NA	NA	NA	NA	0.07
AOI 15	MW-3-4-S1	9/20/2000		NA	NA	**0.023**	NA	NA	NA	NA	NA	0.12
AOI 15	MW-3-4-S1	1/29/2001		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-5-S2	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-5-S2	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-5-S2	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-5-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 15	MW-3-6-S2	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-6-S2	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-6-S2	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-6-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 15	MW-3-7-S2	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-7-S2	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-7-S2	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-7-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 15	MW-3-8-S2	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-8-S2	5/14/1999		NA	NA	**0.0067**	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-8-S2	1/29/2001		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-9-S2	5/29/1998		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-9-S2	5/14/1999	FD	NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-9-S2	5/14/1999		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 15	MW-3-9-S2	9/20/2000		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 15	MW-3-9-S2	9/29/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 15	MW-3-9-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 15	MW-3-9-S2	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0204-T	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.065**	NA
AOI 19	MW-0204-T	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.018**	< 0.01 U
AOI 19	MW-0204-T	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0204-T	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.021**	< 0.01 U
AOI 19	MW-0204-T	1/18/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0204-T	2/2/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0413-S1	11/23/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0506-S1	11/18/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.017	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0506-S1	2/28/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0507-S1	11/18/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.016	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0507-S1	2/28/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0027 J	0.0011 J	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0508-S1	11/18/2005	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.003 J	< 0.005 U	< 0.005 U	**0.0068**	< 0.01 U
AOI 19	MW-0508-S1	11/18/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.003 J	< 0.005 U	< 0.005 U	**0.007**	< 0.01 U
AOI 19	MW-0508-S1	2/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0037 J	< 0.005 U	< 0.005 U	**0.0067**	< 0.01 U
AOI 19	MW-0508-S1	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-0605-S2	2/28/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 19	MW-11-S1	6/1/1992		NA	NA	NA	NA	NA	< U	NA	NA	NA
AOI 19	MW-11-S1	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	**0.31**	< 0.005 U	< 0.005 U
AOI 19	MW-11-S1	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 19	MW-11-S1	1/18/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.001 J	< 0.005 U	< 0.002 U	< 0.01 U
AOI 24	MW-9-S1	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 24	MW-9-S1	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 26	IW-0201-S1	5/23/2002		**0.0078 J**	< 0.005 U	< 0.005 U	0.15 J	**0.39**	< 0.005 U	< 0.005 U	**0.46 J**	< 0.01 U
AOI 26	IW-0202-S1	5/23/2002		< 0.12 R	< 0.12 U	< 0.12 U	2.6	**0.63**	< 0.12 U	< 0.12 U	**2**	< 0.25 UJ
AOI 26	IW-0202-S1	8/14/2002		< 0.05 U	< 0.05 U	< 0.05 U	1.7	**0.58**	< 0.05 U	< 0.05 U	**0.18**	< 0.1 U
AOI 26	IW-0202-S1	9/11/2002		**0.13**	< 0.005 U	< 0.005 U	9.8	**0.25**	< 0.005 U	**0.006**	**0.094**	< 0.01 U
AOI 26	IW-0203-S1	5/22/2002		< 0.12 R	< 0.12 UJ	< 0.12 UJ	3.5 J	**0.21 J**	< 0.12 UJ	< 0.12 UJ	**1.8 J**	< 0.25 UJ
AOI 26	IW-0203-S1	10/9/2007		**0.0287**	< 0.005 U	< 0.005 U	0.934	0.0278	< 0.005 U	< 0.005 U	**0.0139**	< 0.01 U
AOI 26	MW-0103-S1	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.097**	**0.016**	**0.0056**	< 0.002 U	NA
AOI 26	MW-0103-S1	11/1/2001	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.019	**0.015**	< 0.005 U	< 0.002 U	NA
AOI 26	MW-0103-S1	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.015	**0.011**	< 0.005 U	< 0.002 U	NA
AOI 26	MW-0103-S1	3/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0081**	< 0.005 U	< 0.002 U	NA
AOI 26	MW-0103-S1	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	0.032	**0.0074**	< 0.005 U	< 0.002 R	< 0.01 U
AOI 26	MW-0103-S1	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0095	**0.011**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0103-S1	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0055	**0.0091 J**	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 26	MW-0103-S1	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0103-S1	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0062**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0103-S1	1/18/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.092**	**0.011**	**0.0053**	< 0.002 U	< 0.01 U
AOI 26	MW-0103-S1	5/15/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.00059 J	**0.0075**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0103-S1	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.00062 J	**0.0073**	0.001 J	< 0.002 U	< 0.01 U
AOI 26	MW-0115-S1	5/22/2002		< 0.005 R	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	0.0068 J	< 0.005 UJ	**0.0082 J**	**0.019 J**	< 0.01 UJ
AOI 26	MW-0115-S1	7/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.01	< 0.005 U	**0.0091**	< 0.002 U	< 0.01 U
AOI 26	MW-0115-S1	8/13/2002		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	**0.24**	< 0.05 U	< 0.05 U	< 0.02 U	< 0.1 U
AOI 26	MW-0115-S1	9/11/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.01	0.038	< 0.005 U	< 0.005 U	**0.005**	< 0.01 U
AOI 26	MW-0115-S1	9/26/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	0.021	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0115-S1	11/21/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0072	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0115-S1	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	0.026	< 0.005 U	< 0.005 U	< 0.005 U	**0.011**	< 0.01 U
AOI 26	MW-0115-S1	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0115-S1	1/18/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0211-S1	5/22/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	0.061	< 0.005 U	**0.1**	**1.2 J**	< 0.01 U
AOI 26	MW-0211-S1	7/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.033	< 0.005 U	< 0.005 U	**0.0054**	< 0.01 U
AOI 26	MW-0211-S1	8/14/2002		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	**0.084**	< 0.05 U	< 0.05 U	< 0.02 U	< 0.1 U
AOI 26	MW-0211-S1	9/11/2002		**0.013**	< 0.005 U	< 0.005 U	0.023	**0.27**	< 0.005 U	< 0.005 U	**0.014**	< 0.01 U
AOI 26	MW-0211-S1	9/26/2002		< 0.005 R	< 0.005 U	< 0.005 U	0.023	0.0084	< 0.005 U	< 0.005 U	**0.0051**	< 0.01 U
AOI 26	MW-0211-S1	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.03 J	< 0.005 U	< 0.005 UJ	< 0.005 U	**0.0045 J**	< 0.01 UJ
AOI 26	MW-0212-S1	5/22/2002		< 0.05 R	< 0.05 UJ	< 0.05 UJ	< 0.05 UJ	**0.31 J**	< 0.05 UJ	< 0.05 UJ	**3.6 J**	< 0.1 UJ
AOI 26	MW-0212-S1	5/22/2002	FD	< 0.05 R	< 0.05 UJ	< 0.05 UJ	< 0.05 UJ	**0.3 J**	< 0.05 UJ	< 0.05 UJ	**1.9 J**	< 0.1 UJ
AOI 26	MW-0212-S1	7/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.0088	**0.11**	< 0.005 U	0.005	**0.13**	< 0.01 U
AOI 26	MW-0212-S1	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.065	0.024	< 0.005 U	< 0.005 U	**0.19**	< 0.01 U
AOI 26	MW-0212-S1	9/11/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.11	0.012	< 0.005 U	< 0.005 U	**0.086**	< 0.01 U
AOI 26	MW-0212-S1	9/27/2002		< 0.005 R	< 0.005 U	< 0.005 U	0.019	< 0.005 U	< 0.005 U	< 0.005 U	**0.0087**	< 0.01 U
AOI 26	MW-0212-S1	11/19/2002	FD	< 0.05 U	< 0.05 U	< 0.05 U	0.068 J	< 0.05 UJ	< 0.05 U	< 0.05 U	< 0.02 UJ	< 0.1 U
AOI 26	MW-0212-S1	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 U	0.067	0.0063 J	< 0.005 UJ	< 0.005 U	**0.0059 J**	< 0.01 UJ

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 26	MW-0212-S1	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0212-S1	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0212-S1	1/18/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0411-S2	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.012	< 0.005 U	< 0.005 U	< 0.002 U	0.055
AOI 26	MW-0411-S2	5/19/2004	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.01	< 0.005 U	< 0.005 U	< 0.002 U	0.047
AOI 26	MW-0411-S2	11/17/2004	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0072	< 0.005 U	**0.01**	< 0.002 U	0.21
AOI 26	MW-0411-S2	11/17/2004		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.02 U	0.39
AOI 26	MW-0628-S2B	1/30/2007	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0628-S2B	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0628-S2B	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S3	1/29/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0013 J	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S3	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0128	< 0.005 U	< 0.005 U	**0.0031**	< 0.01 U
AOI 26	MW-0630-S3	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0058	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S3	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S4	2/5/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S4	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-0630-S4	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 26	MW-15-S2	6/1/1992		NA	NA	NA	NA	NA	**0.006**	NA	NA	NA
AOI 26	MW-15-S2	9/28/2000		0.0063	< 0.005 U	< 0.005 U	< 0.01 U	**4.6**	< 0.005 U	**0.084**	**1.8**	< 0.005 U
AOI 27	MW-0631-S1	2/5/2007		< 0.005 U	< 0.005 U	**0.2**	< 0.005 U	**0.796**	< 0.005 U	**0.25**	**0.0617**	< 0.01 U
AOI 27	MW-0631-S1	6/21/2007		< 0.005 U	< 0.005 U	**0.132**	< 0.005 U	**0.145**	< 0.005 U	< 0.005 U	**0.0381**	< 0.01 U
AOI 27	MW-0631-S1	10/11/2007		< 0.005 U	< 0.005 U	**0.0844**	< 0.005 U	**0.302 J**	< 0.005 U	**0.0472**	**0.0282**	< 0.01 U
AOI 27	MW-0631-S1	10/11/2007	FD	< 0.005 U	< 0.005 U	**0.0795**	< 0.005 U	**0.265**	< 0.005 U	**0.0475**	**0.0235**	< 0.01 U
AOI 27	MW-0631-S1	5/15/2008		< 0.005 U	< 0.005 U	**0.0652**	< 0.005 U	**1.59**	< 0.005 UJ	**0.331**	**0.118**	< 0.01 U
AOI 27	MW-0631-S1	5/15/2008	FD	< 0.005 U	< 0.005 U	**0.065**	< 0.005 U	**1.59**	< 0.005 UJ	**0.325**	**0.128**	< 0.01 U
AOI 30	MW-0609-S2	2/2/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0115	< 0.005 U	**0.0193**	**0.0047**	< 0.01 U
AOI 30	MW-0609-S2	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0104	< 0.005 U	**0.0207**	**0.008**	< 0.01 U
AOI 30	MW-0609-S2	10/11/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0087	< 0.005 U	**0.0163**	**0.0048**	< 0.01 U
AOI 30	MW-0609-S2	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0133	< 0.005 UJ	**0.0179**	**0.0092**	< 0.01 U
AOI 31	MW-0632-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0039 J	< 0.005 U	< 0.005 U	**0.0073**	< 0.01 U
AOI 31	MW-0632-S2	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0067	< 0.005 U	< 0.005 U	**0.0134**	< 0.01 U
AOI 31	MW-0632-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0061 U	< 0.01 U
AOI 32	MW-0410-S2	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.14**	< 0.005 U	< 0.005 U	**0.71**	< 0.01 U
AOI 32	MW-0410-S2	11/17/2004		< 0.005 U	< 0.005 U	**0.027**	0.017	< 0.005 U	< 0.005 U	< 0.005 U	**0.012**	< 0.01 U
AOI 32	MW-0410-S2	6/30/2005		< 0.005 U	< 0.005 U	**0.016**	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0410-S2	2/27/2006		< 0.005 U	< 0.005 U	**0.0078**	0.0026 J	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0410-S2	10/9/2007		< 0.005 U	< 0.005 U	**0.0052**	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0410-S2	5/15/2008		< 0.005 U	< 0.005 U	0.0026 J	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	0.00069 J
AOI 32	MW-0412-S2	5/18/2004		< 0.005 U	< 0.005 U	**0.49**	0.79	0.04	< 0.005 U	**0.03**	< 0.002 U	< 0.01 U
AOI 32	MW-0412-S2	11/17/2004		< 0.005 U	< 0.005 U	**1.1**	1.7	< 0.005 U	**0.0056**	**0.0054**	< 0.002 U	< 0.01 U
AOI 32	MW-0611-S1	2/2/2007		< 0.005 U	< 0.005 U	**0.0371**	0.152	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0611-S1	5/15/2008		< 0.005 U	< 0.005 U	**0.0458**	0.0931	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0629-S2	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0303	< 0.005 U	**0.0485**	< 0.002 U	< 0.01 U
AOI 32	MW-0629-S2	10/11/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0968**	< 0.005 U	**0.0944**	< 0.002 U	< 0.01 U
AOI 32	MW-0629-S2	5/15/2008		0.00095 J	< 0.005 U	< 0.005 U	< 0.005 U	**0.0754**	< 0.005 U	**0.105**	< 0.002 U	< 0.01 U
AOI 32	MW-0629-S3	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.007**	< 0.01 U
AOI 32	MW-0629-S3	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0134**	< 0.01 U
AOI 32	MW-0629-S3	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0051**	< 0.01 U
AOI 32	MW-0629-S3	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0011 J	< 0.01 U
AOI 32	MW-0629-S3	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0074**	< 0.01 U
AOI 32	MW-0709-S2	10/9/2007		< 0.005 U	< 0.005 U	**0.0466**	0.409	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0709-S2	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 32	MW-0803-S3	6/18/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0052**	< 0.01 U
AOI 32	MW-0803-S3	8/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	**0.0044**	< 0.01 U
AOI 32	MW-0803-S3	9/16/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.008**	< 0.01 U
AOI 32	MW-0803-S3	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0091**	< 0.01 U
AOI 32	MW-0803-S3	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0079**	< 0.01 U
AOI 33	MW-0634-S2B	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 33	MW-0634-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0104-S2	5/17/2001	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0104-S2	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0104-S2	12/13/2001	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	NA
AOI 40	MW-0104-S2	12/13/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	NA
AOI 40	MW-0104-S2	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0104-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0104-S2	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0104-S2	2/27/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 40	MW-0104-S2	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0104-S2	1/31/2007	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0104-S2	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0105-S2	5/16/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0105-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0105-S2	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0106-S2	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0106-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0106-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0106-S2	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0106-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0107-S2	5/16/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-0107-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0107-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0107-S2	1/19/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0107-S2	5/13/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0116-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0116-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0116-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0116-S2	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2A	11/17/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2A	1/13/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2A	1/13/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2A	10/10/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0522-S2A	5/12/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0522-S2B	11/17/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2B	1/13/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0522-S2B	5/12/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0523-S2	11/16/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0017 J	< 0.002 U	< 0.01 U
AOI 40	MW-0523-S2	12/2/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0523-S2	1/17/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0523-S2	10/10/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0524-S2A	11/17/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0524-S2A	1/17/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0524-S2A	10/11/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0524-S2A	5/12/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0524-S2B	11/16/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0524-S2B	1/17/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0524-S2B	5/12/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0525-S2	11/16/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0525-S2	1/17/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0525-S2	5/15/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0526-S2B	11/17/2005	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0526-S2B	11/17/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0526-S2B	1/17/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0526-S2B	1/17/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-0623-S2A	5/12/2008		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-0624-S2B	2/5/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-16-S2	6/1/1992		NA	NA	< U	< U	NA	< U	< U	NA	0.008
AOI 40	MW-16-S2	8/30/1995		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-16-S2	9/28/2000	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	0.006	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 40	MW-16-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 40	MW-16-S2	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-16-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-16-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-24-S2A	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 40	MW-24-S2A	9/28/2000		< 0.05 U	< 0.05 U	< 0.05 U	< 0.1 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.02 U	< 0.05 U
AOI 40	MW-24-S2A	7/23/2001	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-24-S2A	7/23/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-24-S2A	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-24-S2A	3/14/2002	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-24-S2A	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 40	MW-24-S2A	1/10/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-24-S2A	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-28-S2	5/16/2001		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.02 U	NA
AOI 40	MW-28-S2	1/20/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-30-S2	5/16/2001		< 0.01 U	< 0.01 U	< 0.01 U	< 0.01 U	< 0.01 U	< 0.01 U	< 0.01 U	< 0.002 U	NA
AOI 40	MW-30-S2	3/13/2002	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-30-S2	3/13/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-30-S2	8/14/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-30-S2	11/17/2004		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-30-S2	1/20/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-31-S2	5/16/2001		< 0.025 U	< 0.025 U	< 0.025 U	< 0.025 U	< 0.025 U	< 0.025 U	< 0.025 U	< 0.025 U	NA
AOI 40	MW-31-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-31-S2	8/14/2002	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-31-S2	8/14/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-31-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-31-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-31-S2	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 40	MW-32-S2	5/18/2001		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	NA
AOI 40	MW-32-S2	3/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-32-S2	8/15/2002		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-32-S2	11/17/2004		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-33-S2	5/16/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 40	MW-33-S2	1/20/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	MW-34-S2	5/16/2001		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	NA
AOI 40	MW-34-S2	1/20/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 40	OSBW-1	9/29/2000		< 0.05 U	< 0.05 U	< 0.05 U	< 0.1 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.02 U	< 0.05 U
AOI 40	OSBW-2	9/29/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 41	MW-12-S1	6/1/1992		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 41	MW-12-S1	9/29/2000		< 0.005 U	< 0.005 U	< 0.005 U	0.032	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 41	MW-12-S1	5/18/2001		< 0.005 U	< 0.005 U	< 0.005 U	0.096	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 41	MW-12-S1	5/18/2001	FD	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	0.09 J	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	< 0.002 UJ	NA
AOI 41	MW-12-S1	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	0.35	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 41	MW-12-S1	3/15/2002		< 0.005 U	< 0.005 UJ	**0.014**	0.5	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 41	MW-12-S1	5/23/2002		< 0.005 R	< 0.005 U	**0.007**	2.8	< 0.005 U	< 0.005 U	< 0.005 U	**0.01 J**	< 0.01 U
AOI 41	MW-12-S1	9/27/2002	FD	< 0.005 R	< 0.005 U	**0.027**	0.77	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 41	MW-12-S1	9/27/2002		< 0.005 R	< 0.005 U	**0.026**	0.78	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 41	MW-12-S1	11/19/2002		< 0.05 U	< 0.05 U	< 0.05 U	1.1 J	< 0.05 U	< 0.05 U	< 0.05 U	< 0.02 U	< 0.1 U
AOI 41	MW-12-S1	11/20/2003		< 0.005 U	< 0.005 U	**0.042**	4.8	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 41	MW-12-S1	5/19/2004		< 0.005 U	< 0.005 U	**0.046**	15	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 41	MW-12-S1	11/17/2004		< 0.005 U	< 0.005 U	**0.064**	16	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 41	MW-12-S1	3/2/2006		< 0.005 U	< 0.005 U	**0.039**	5.9	< 0.005 U	< 0.005 U	< 0.005 U	**0.0039**	0.0013 J
AOI 42	MW-0635-S2A	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S2A	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S2A	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S3	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S3	10/9/2007	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S3	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0635-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2A	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.169**	**0.0564**	**0.0141**	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2A	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0096**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2A	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.067	**0.0331**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2A	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.163**	**0.0896**	**0.0057**	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2B	1/30/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0091	**7.11**	**0.0153**	< 0.002 U	0.0019 J
AOI 42	MW-0636-S2B	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0149	**0.0232**	**0.0054**	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2B	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.17**	**2.83**	**0.158**	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S2B	5/14/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	**0.0755**	**4.63**	**0.206**	< 0.02 U	< 0.1 U
AOI 42	MW-0636-S3	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.005	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S3	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0629	**0.0199**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S3	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.007**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S3	5/14/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0052	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0636-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.005	0.0039 J	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0804-S2A	6/19/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.51**	**1.03**	**0.284**	< 0.002 U	< 0.01 U
AOI 42	MW-0804-S2A	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.51**	**1**	**0.283**	< 0.002 U	< 0.01 U
AOI 42	MW-0804-S2A	10/30/2008		0.0056	< 0.005 U	< 0.005 U	< 0.005 U	**2.22**	**0.764**	**0.569**	< 0.002 U	< 0.01 U
AOI 42	MW-0805-S2B	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0805-S2B	10/30/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 42	MW-0805-S2B	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0808-S2A	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0808-S2A	10/30/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	MW-0808-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 42	PZ-42-0702-S2A	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0612-S2B	3/3/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0612-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0021 J	< 0.002 U	< 0.01 U
AOI 43	MW-0613-S2A	3/3/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0613-S2A	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0613-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0614-S2B	3/3/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0614-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0614-S2B	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S2B	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S2B	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S2B	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S3	1/31/2007	FD	NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 43	MW-0637-S3	1/31/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S3	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0637-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0707-S2B	10/26/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0707-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0707-S2B	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.007**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0708-S2A	10/26/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.69**	**0.0392**	**2.22**	< 0.002 U	< 0.01 U
AOI 43	MW-0708-S2A	5/14/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	**1.53**	**0.0562**	**2.7**	< 0.02 U	< 0.1 U
AOI 43	MW-0806-S2A	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0806-S2A	10/30/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0807-S2A	6/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0807-S2A	10/30/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0807-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0812-S2A	4/6/2009	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0812-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 43	MW-0813-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 46	MW-0638-S2B	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 46	MW-0638-S2B	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 46	MW-0638-S2B	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0073 U	0.0024 J	< 0.002 U	< 0.01 U
AOI 50	MW-10-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 50	MW-10-S2	3/3/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 51	MW-0101-S2B	7/23/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0101-S2B	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0101-S2B	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.035**	**0.016**	< 0.002 U	< 0.01 U
AOI 51	MW-0101-S2B	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**2**	**0.062**	< 0.002 U	< 0.01 U
AOI 51	MW-0101-S2B	1/8/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0069	< 0.005 U	**0.0051**	< 0.002 U	< 0.01 U
AOI 51	MW-0101-S2B	2/26/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0101-S2B	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**2.9**	**0.039**	< 0.002 U	< 0.01 U
AOI 51	MW-0101-S2B	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.014	**2.2**	**0.038**	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0102-S2	11/2/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0102-S2	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	10/28/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0102-S2	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0108-S2B	11/1/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.055	**16**	**0.8**	**0.0044**	NA
AOI 51	MW-0108-S2B	3/18/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.075**	**14**	**0.63**	**0.0076**	NA
AOI 51	MW-0108-S2B	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.11**	**8.6**	**0.71**	**0.0058**	< 0.01 U
AOI 51	MW-0108-S2B	5/22/2003	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.043	**9.7**	**0.42**	< 0.002 U	< 0.01 U
AOI 51	MW-0108-S2B	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.048	**7.4**	**0.43**	< 0.002 U	< 0.01 U
AOI 51	MW-0108-S2B	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.086**	**2.1**	**0.85**	< 0.002 U	< 0.01 U
AOI 51	MW-0108-S2B	5/18/2004	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.03	**12**	**0.25**	**0.019**	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 51	MW-0108-S2B	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.027	**14**	**0.22**	**0.019**	< 0.01 U
AOI 51	MW-0108-S2B	11/17/2004		0.0053	< 0.005 U	< 0.005 U	0.021	0.023	**9**	**0.47**	**0.022**	< 0.01 U
AOI 51	MW-0108-S2B	11/18/2004	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.011**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0108-S2B	6/29/2005	FD	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	**8.4**	**0.58**	< 0.1 U	< 0.5 U
AOI 51	MW-0108-S2B	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.12**	**9**	**0.65**	**0.025**	< 0.01 U
AOI 51	MW-0108-S2B	1/23/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.032	**4.7**	**0.28**	**0.019**	< 0.01 U
AOI 51	MW-0109-S2B	11/2/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0055**	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0109-S2B	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.013**	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0109-S2B	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.013**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0109-S2B	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.017**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0109-S2B	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0109-S2B	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0035**	< 0.01 U
AOI 51	MW-0109-S2B	11/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.014**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0109-S2B	5/14/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	**4.21**	**0.234**	< 0.02 U	< 0.1 U
AOI 51	MW-0110-S2A	11/2/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0033**	NA
AOI 51	MW-0110-S2A	3/18/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0110-S2A	8/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0110-S2A	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0110-S2A	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0111-S2	11/2/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0111-S2	3/15/2002		< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0111-S2	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 51	MW-0111-S2	8/13/2002	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0111-S2	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0111-S2	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 51	MW-0111-S2	11/19/2002	FD	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 51	MW-0201-S2A	3/18/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0201-S2A	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S2A	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S2A	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S2A	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0201-S3	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	5/23/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0201-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	3/15/2002		< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0202-S2A	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2A	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.015	**0.011 J**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	1/31/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.012	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.011	< 0.005 U	< 0.005 U	**0.0034**	< 0.01 U
AOI 51	MW-0202-S2B	6/21/2007	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S2B	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.01	< 0.005 U	< 0.005 U	**0.0034**	< 0.01 U
AOI 51	MW-0202-S3	3/15/2002		< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 51	MW-0202-S3	8/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0104	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0092 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 51	MW-0202-S3	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0102	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0202-S3	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0209-S2B	6/27/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	4.3 J	0.057	< 0.002 U	< 0.01 UJ
AOI 51	MW-0209-S2B	8/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.025	2.6	0.11	< 0.002 U	< 0.01 U
AOI 51	MW-0209-S2B	8/15/2002	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.025	2.8 J	0.12	< 0.002 U	< 0.01 U
AOI 51	MW-0209-S2B	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	7.8	0.18	< 0.002 U	< 0.01 U
AOI 51	MW-0209-S2B	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0063	7.4	0.17	0.0065	< 0.01 U
AOI 51	MW-0209-S2B	11/20/2003	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0065	8	0.18	0.0074	< 0.01 U
AOI 51	MW-0209-S2B	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0083	< 0.005 U	0.0041	< 0.01 U
AOI 51	MW-0209-S2B	11/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	11	0.27	< 0.002 U	< 0.01 U
AOI 51	MW-0209-S2B	6/29/2005		< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	5.5	< 0.25 U	< 0.1 U	< 0.5 U
AOI 51	MW-0209-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0022 J	2.5	0.185	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 51	MW-0210-S3	8/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.023	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	5/22/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.014	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	11/20/2003		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	11/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.018	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	1/13/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0210-S3	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0401-S2B	2/26/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0401-S2B	5/15/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0401-S2B	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S2B	2/26/2004		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	7.2	0.093	< 0.02 U	< 0.1 U
AOI 51	MW-0402-S2B	5/19/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.1	2.5	1.2	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S2B	11/11/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.18	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S2B	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.28	1.8	0.28	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S2B	1/25/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.23	0.56	0.16	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S2B	2/24/2006		0.0029 J	NA	< 0.005 U	< 0.005 U	NA	2.5	0.69	0.0014 J	NA
AOI 51	MW-0402-S2B	2/24/2006		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 51	MW-0402-S2B	5/15/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	0.213	8.07	0.428	< 0.02 U	< 0.1 U
AOI 51	MW-0402-S3	1/21/2005	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.29	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S3	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.26	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S3	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.022	0.016	0.006	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S3	1/25/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0402-S3	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0403-S2B	2/26/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.039	0.34	0.065	< 0.002 U	< 0.01 U
AOI 51	MW-0403-S2B	5/18/2004		0.047	< 0.005 U	< 0.005 U	< 0.005 U	0.085	5.9	0.65	0.018	< 0.01 U
AOI 51	MW-0403-S2B	11/12/2004		0.036	< 0.005 U	< 0.005 U	< 0.005 U	0.048	20	< 0.005 U	0.024	< 0.01 U
AOI 51	MW-0403-S2B	6/28/2005		< 0.5 U	< 0.5 U	< 0.5 U	< 0.5 U	< 0.5 U	30	0.7	< 0.2 U	< 1 U
AOI 51	MW-0403-S2B	5/13/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.181 U	48.8	1.66	< 0.0368 U	< 0.1 U
AOI 51	MW-0404-S2B	2/26/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0404-S2B	5/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0404-S2B	11/12/2004		0.0082	< 0.005 U	< 0.005 U	< 0.005 U	0.024	0.35	< 0.005 U	0.0042	< 0.01 U
AOI 51	MW-0404-S2B	5/14/2008		< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	< 0.05 U	8.53	0.266	< 0.02 U	< 0.1 U
AOI 51	MW-0406-S2B	2/26/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0034	< 0.01 U
AOI 51	MW-0406-S2B	11/17/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	1/13/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0072	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0406-S2B	4/10/2009	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0073	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0409-S2B	5/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0409-S2B	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.012	0.016	< 0.005 U	0.012	< 0.01 U
AOI 51	MW-0409-S2B	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0057	0.011	< 0.005 U	0.011	< 0.01 U
AOI 51	MW-0409-S2B	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.016	0.003 J	< 0.005 U	0.017	< 0.01 U
AOI 51	MW-0409-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0396	< 0.005 U	< 0.005 U	0.0133	< 0.01 U
AOI 51	MW-0409-S2B	5/14/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0558	< 0.005 U	< 0.005 U	0.0144	< 0.01 U
AOI 51	MW-0409-S2B	10/29/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0978	< 0.005 U	< 0.005 U	0.0484	< 0.01 U
AOI 51	MW-0409-S2B	10/29/2008		0.0053	< 0.005 U	< 0.005 U	< 0.005 U	0.114	< 0.005 U	< 0.005 U	0.0564	< 0.01 U
AOI 51	MW-0409-S3	1/19/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0409-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0409-S3	1/11/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0011 J	< 0.005 U	< 0.005 U	0.0055	< 0.01 U
AOI 51	MW-0409-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.007	< 0.005 U	< 0.005 U	0.0179	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 51	MW-0409-S3	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0042	< 0.01 U
AOI 51	MW-0414-S2A/S2B	1/21/2005		< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	13	0.47	< 0.1 U	< 0.5 U
AOI 51	MW-0414-S2A/S2B	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.37	0.39	0.12	< 0.002 U	< 0.01 U
AOI 51	MW-0414-S2A/S2B	1/25/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.023	0.35	0.067	< 0.002 U	< 0.01 U
AOI 51	MW-0414-S2A/S2B	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0099	0.793	0.157	< 0.002 U	< 0.01 U
AOI 51	MW-0414-S3	1/21/2005		< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	92	0.48 J	< 0.4 U	< 2 U
AOI 51	MW-0414-S3	6/29/2005		< 0.5 U	< 0.5 U	< 0.5 U	< 0.5 U	< 0.5 U	81	2.1	< 0.2 U	< 1 U
AOI 51	MW-0414-S3	1/25/2006		0.014	< 0.005 U	0.002 J	< 0.005 U	0.37	53	1.8	< 0.002 U	0.0011 J
AOI 51	MW-0414-S3	5/15/2008		< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	7.85	44.1	14.9	< 0.1 U	< 0.5 U
AOI 51	MW-0416-S2A	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	0.045	0.025	0.0097	0.02	< 0.01 U
AOI 51	MW-0416-S2A	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.15	0.011	< 0.005 U	0.04	< 0.01 U
AOI 51	MW-0416-S2A	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0039 J	0.0174	0.004 J	0.0055	< 0.01 U
AOI 51	MW-0417-S3	11/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0071	27	0.12	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S3	1/31/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.049	1.4	0.11	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S3	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.079	0.27	0.11	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S3	1/23/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.045	0.12	0.081	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.203 U	0.636	0.632	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S4	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S4	6/30/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0417-S4	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S2A	11/18/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.014	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S2A	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.018	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S2A	1/23/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.018	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S2A	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0108	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S3	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S3	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S3	1/23/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0418-S3	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.36	0.0118	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	1/19/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	1/12/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	1/12/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S2B	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S3	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S3	1/12/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0419-S3	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	1/12/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S2A	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S3	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S3	1/12/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0420-S3	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	1/13/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S2	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S3	11/12/2004		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S3	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S3	1/12/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S3	5/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0421-S3	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0423-S2A	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	0.11	< 0.005 U	0.0058	< 0.01 U
AOI 51	MW-0423-S2A	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.04	< 0.005 U	0.0061	< 0.01 U
AOI 51	MW-0423-S2A	1/24/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.018	< 0.005 U	0.0036	< 0.01 U
AOI 51	MW-0423-S2A	1/24/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.017	< 0.005 U	0.0031	< 0.01 U
AOI 51	MW-0423-S2A	2/1/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0092	0.0019 J	0.0025	< 0.01 U
AOI 51	MW-0423-S2A	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0109	0.0041 J	0.0076	< 0.01 U

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 51	MW-0424-S2A	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.096**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0424-S2A	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.025	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0424-S2A	1/24/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.015	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0424-S2A	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0064	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0425-S2A	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0077	**0.068**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0425-S2A	6/29/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.013	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0425-S2A	1/24/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0085	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0425-S2A	5/15/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0034 J	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0426-S2B	1/21/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0426-S2B	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0426-S2B	1/23/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0426-S2B	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0426-S2B	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0427-S2B	1/20/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	**1.5**	**0.047**	0.002	< 0.01 U
AOI 51	MW-0427-S2B	6/28/2005		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.56**	**0.014**	**0.0035**	< 0.01 U
AOI 51	MW-0427-S2B	10/28/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0074	**1.12**	**0.0495**	**0.0065**	< 0.01 U
AOI 51	MW-0817-S2B	11/12/2008		< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0817-S2B	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0817-S3	11/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0817-S3	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0818-S3	11/11/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0818-S3	11/11/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0818-S3	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-0819-S2B	11/11/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.002 U	< 0.01 U
AOI 51	MW-0819-S2B	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-8-S2B	6/1/1992		NA	NA	NA	NA	NA	< 0.005 U	NA	NA	NA
AOI 51	MW-8-S2B	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 51	MW-8-S2B	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	**2.8**	**0.067**	< 0.002 U	< 0.005 U
AOI 51	MW-8-S2B	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.9**	**0.061**	< 0.002 U	NA
AOI 51	MW-8-S2B	11/2/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.8**	**0.085**	< 0.002 U	NA
AOI 51	MW-8-S2B	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.013**	< 0.005 U	< 0.002 U	NA
AOI 51	MW-S2-0601	10/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	0.021	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S2-0601	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S2A-0501	8/19/2008		< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	**1.37 J**	**0.0113 J**	< 0.002 UJ	< 0.01 UJ
AOI 51	MW-S2A-0501	9/16/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.503**	**0.0149**	< 0.002 U	< 0.01 U
AOI 51	MW-S2A-0501	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**1.05**	**0.0067**	< 0.002 U	< 0.01 U
AOI 51	MW-S2B-0501	10/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0072	< 0.005 U	< 0.005 U	**0.0059**	< 0.01 U
AOI 51	MW-S2B-0501	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0106	< 0.005 U	< 0.005 U	**0.0089**	< 0.01 U
AOI 51	MW-S2B-0501	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0122	< 0.005 U	< 0.005 U	**0.0149**	< 0.01 U
AOI 51	MW-S2B-0501	8/19/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	0.0074	< 0.005 U	< 0.005 U	**0.006**	< 0.01 U
AOI 51	MW-S2B-0501	9/16/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0089	< 0.005 U	< 0.005 U	**0.0124**	< 0.01 U
AOI 51	MW-S2B-0501	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0154	< 0.005 U	< 0.005 U	**0.0293**	< 0.01 U
AOI 51	MW-S2B-0501	4/6/2009		0.0052	< 0.005 U	< 0.005 U	< 0.005 U	**0.0719**	< 0.005 U	< 0.005 U	**0.0339**	< 0.01 U
AOI 51	MW-S3-0501	10/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0024 J	0.0032 J	0.0013 J	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0501	6/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0389**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0501	5/14/2008		0.0059	< 0.005 U	< 0.005 U	< 0.005 U	0.003 J	**0.162**	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0501	4/10/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0025 J	**0.0781**	**0.0418**	**0.0034**	< 0.01 U
AOI 51	MW-S3-0601	10/27/2006	FD	< 0.005 U	< 0.005 U	< 0.005 U	0.021 J	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0601	10/27/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0601	6/21/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0601	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 51	MW-S3-0601	4/6/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 53	MW-0203-S2A	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 53	MW-0203-S2A	2/1/2007		NA	NA	NA	NA	NA	NA	NA	NA	NA
AOI 53	MW-0205-S2A	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 53	MW-0205-S2A	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 53	MW-0205-S2A	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 53	MW-0206-S2A	5/23/2002	FD	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 53	MW-0206-S2A	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 53	MW-0206-S2A	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 53	MW-0206-S2A	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 53	MW-0207-S2B	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 53	MW-0207-S2B	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 53	MW-0207-S2B	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ
AOI 53	MW-0208-S2A	5/23/2002		< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 R	< 0.01 U
AOI 53	MW-0208-S2A	8/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
AOI 53	MW-0208-S2A	11/19/2002		< 0.005 U	< 0.005 U	< 0.005 R	< 0.005 UJ	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 UJ

Table 2. Groundwater VOC Analytical Results, Interim Measures Semi-Annual Status and Groundwater Monitoring

Area	Location ID	Sample Date	Field Duplicate (FD)	1,1-Dichloroethene mg/L	1,2-Dibromoethane (Ethylene Dibromide) mg/L	Benzene mg/L	Chloroethane mg/L	cis-1,2-Dichloroethene mg/L	Tetrachloroethene mg/L	Trichloroethene mg/L	Vinyl chloride mg/L	Xylene (total) mg/L
AOI 53	MW-25-S2	8/30/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
AOI 53	MW-25-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 53	MW-25-S2	5/17/2001		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 53	MW-25-S2	3/13/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 54	MW-7-S2	6/1/1992		NA	NA	NA	NA	NA	< U	NA	NA	NA
AOI 54	MW-7-S2	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
AOI 54	MW-7-S2	9/28/2000		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.005 U
AOI 54	MW-7-S2	3/14/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	NA
AOI 54	MW-7-S2	2/28/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0701-S2	10/10/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0701-S2	5/14/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0701-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0053	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0704-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0622	< 0.005 U	< 0.005 U	**0.129**	< 0.01 U
Perimeter	MW-0704-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0966**	< 0.005 U	< 0.005 U	**0.185**	< 0.01 U
Perimeter	MW-0705-S2	10/9/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.132**	< 0.005 U	**0.0723**	< 0.002 U	< 0.01 U
Perimeter	MW-0705-S2	5/12/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.0688 U	< 0.005 U	< 0.0631 U	< 0.002 U	< 0.01 U
Perimeter	MW-0705-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0347	< 0.005 U	**0.0931**	< 0.002 U	< 0.01 U
Perimeter	MW-0802-S2	6/18/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.706**	< 0.005 U	< 0.005 U	**0.118**	< 0.01 U
Perimeter	MW-0802-S2	8/19/2008	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 UJ	**0.616**	< 0.005 U	< 0.005 U	**0.0383**	< 0.01 U
Perimeter	MW-0802-S2	8/19/2008		< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	< 0.005 UJ	**0.564 J**	< 0.005 UJ	< 0.005 UJ	**0.0377 J**	< 0.01 UJ
Perimeter	MW-0802-S2	9/16/2008		**0.0076**	< 0.005 U	< 0.005 U	< 0.005 U	**0.712**	< 0.005 U	< 0.005 U	**0.0919**	< 0.01 U
Perimeter	MW-0802-S2	9/16/2008	FD	**0.0072**	< 0.005 U	< 0.005 U	< 0.005 U	**0.749**	< 0.005 U	< 0.005 U	**0.0894**	< 0.01 U
Perimeter	MW-0802-S2	10/29/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.474**	< 0.005 U	< 0.005 U	**0.0096**	< 0.01 U
Perimeter	MW-0802-S2	4/9/2009	FD	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.184**	0.0025 J	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0802-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.184**	0.0025 J	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0809-S2	11/11/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.283**	< 0.005 U	**0.0396**	**0.0083**	< 0.01 U
Perimeter	MW-0809-S2	4/9/2009		**0.0081**	< 0.005 U	< 0.005 U	< 0.005 U	**0.65**	< 0.005 U	**0.0577**	**0.0135**	< 0.01 U
Perimeter	MW-0810-S2	11/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0083	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0810-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0811-S2	11/13/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-0811-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Perimeter	MW-17-S2	6/1/1992	FD	NA	NA	< 0.005 U	< 0.01 U	NA	< 0.005 U	< 0.005 U	NA	< 0.005 U
Perimeter	MW-17-S2	6/1/1992		NA	NA	< 0.0016 U	< 0.0015 U	NA	< U	< U	NA	< U
Perimeter	MW-2-4-S2	4/9/2009		**0.0838**	< 0.005 U	< 0.005 U	< 0.005 U	**1.59**	< 0.005 U	**0.178**	**0.388**	0.0167
Perimeter	MW2-4-S2	4/14/2000		NA	< 0.005 U	< 0.005 U	< 0.005 U	**2.9**	< 0.005 U	**1.1**	NA	NA
Perimeter	MW2-4-S2	1/9/2006		**0.09**	< 0.005 U	< 0.005 U	< 0.005 U	**1.7**	< 0.005 U	**0.38**	**0.2**	< 0.01 U
Perimeter	MW2-4-S2	5/12/2008		**0.0663**	< 0.005 U	< 0.005 U	< 0.005 U	**1.27**	< 0.005 U	**0.152**	**0.311**	< 0.01 U
Perimeter	MW2-4-S2	5/12/2008	FD	**0.064**	< 0.005 U	< 0.005 U	< 0.005 U	**1.26**	< 0.005 U	**0.152**	**0.313**	< 0.01 U
Perimeter	PZ-0801-S2	6/18/2008		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.396**	< 0.005 U	**0.198**	**0.0117**	< 0.01 U
Perimeter	PZ-0801-S2	4/9/2009		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.184**	< 0.005 U	**0.168**	**0.0042**	< 0.01 U
Plant 1	MW-1	2/19/1997		NA	NA	< 0.005 U	NA	NA	NA	NA	NA	< 0.005 U
Production Well	PW-07-A	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Production Well	PW-10-S3	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Production Well	PW-11-S4	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Production Well	PW-12-S4	9/15/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
Production Well	PW-12-S4	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
Production Well	PW-2-S3	8/15/2002		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.063	< 0.005 U	< 0.005 U	**0.0096**	< 0.01 U
Production Well	PW-2-S3	4/21/2006		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.069 J	< 0.005 U	< 0.005 U	**0.018**	< 0.01 U
Production Well	PW-2-S3	2/5/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	0.0198	< 0.005 U	< 0.005 U	**0.0077**	< 0.01 U
Production Well	PW-2-S3	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	**0.0849**	< 0.005 U	< 0.005 U	**0.0297**	< 0.01 U
Production Well	PW-5-S4	9/15/1995		< 0.005 U	< 0.005 U	< 0.005 U	< 0.01 U	< 0.005 U	NA	< 0.005 U	< 0.005 U	< 0.005 U
Production Well	PW-5-S4	7/20/2007		< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.005 U	< 0.002 U	< 0.01 U
	Drinking Water Criteria (MCL or Region 9)			**.007**		**.005**		**.07**	**.005**	**.005**	**.002**	**10**

NOTES:
Concentrations exceeding the Drinking Water Criteria are highlighted green
mg/L- milligram per liter
U- Not detected above laboratory reporting limits
J - Estimated value
R - Rejected value
UJ - Not detected above laboratory reporting limits, value is estimated
NA - Not analyzed
MCL - Maximum Contaminant Levels