~~~
~~~

33 Cont. Cal. Std (35)

Mean Conc (ug/L): 32.8 SD: 0.10 RSD(%): 0.3

(As) SR16122 10-3-87

Element File: AS_CLP
Element: As
Date: 11/03/87
Time: 11:42
Data Storage File: As_data
ID/Weight File:
Technique: HGA
Calibration Type: Linear

~~~~~~

Sample ID: Blank Sequence No.: 00001 Sampler Position: 1

Peak Area (A-s): -0.003
Peak Height (A): 0.015
Background Pk Area (A-s): 0.047
Background Pk Height (A): 0.114
Blank Corrected Pk Area (A-s): -0.003

Peak Area (A-s): 0.004
Peak Height (A): 0.016
Background Pk Area (A-s): 0.014
Background Pk Height (A): 0.022
Blank Corrected Pk Area (A-s): 0.004

Mean Pk Area (A-s): 0.000 SD: 0.0047 RSD(%): 345.2

Auto-zero performed.

~~~~~~

Sample ID: Standard 1 Sequence No.: 00002 Sampler Position: 2

Peak Area (A-s): 0.098
Peak Height (A): 0.116
Background Pk Area (A-s): 0.019
Background Pk Height (A): 0.019
Blank Corrected Pk Area (A-s): 0.098

Peak Area (A-s): 0.091 Peak Height (A): 0.104
Background Pk Area (A-s): 0.020 Background Pk Height (A): 0.021
Blank Corrected Pk Area (A-s): 0.091

Mean Pk Area (A-s): 0.094 SD: 0.0053 RSD(%): 5.6

Standard number 1 applied. [20.0]

~~~
~~~

Peak Area (A-s): 0.184 Peak Height (A): 0.227
Background Pk Area (A-s): 0.027 Background Pk Height (A): 0.026
Blank Corrected Pk Area (A-s): 0.183
Concentration (ug/L): 39.8

Peak Area (A-s): 0.189 Peak Height (A): 0.221
Background Pk Area (A-s): 0.023 Background Pk Height (A): 0.020
Blank Corrected Pk Area (A-s): 0.188
Concentration (ug/L): 40.8

40 ICV-2 (41)

Mean Conc (ug/L): 40.3 SD: 0.74 RSD(%): 1.8

~~~
~~~

Sample ID: 10 Sequence No.: 00010 Sampler Position: 10

Peak Area (A-s): 0.195 Peak Height (A): 0.225
Background Pk Area (A-s): 0.066 Background Pk Height (A): 0.058
Blank Corrected Pk Area (A-s): 0.194
Concentration (ug/L): 42.1

Peak Area (A-s): 0.194 Peak Height (A): 0.224
Background Pk Area (A-s): 0.065 Background Pk Height (A): 0.067
Blank Corrected Pk Area (A-s): 0.193
Concentration (ug/L): 41.9

96%

~~276~~ 272+20

Mean Conc (ug/L): 42.0 SD: 0.11 RSD(%): 0.3

~~~
~~~

~~~
~~~

<2 Cont. Cal. Blk. (0)

Mean Conc (ug/L): 0.1 SD: 0.66 RSD(%): 722.3

~~~
~~~

(As) SR16122 11-03-87

Element File: AS_CLP
Element: As
Date: 11/03/87
Time: 14:27
Data Storage File: As_data
ID/Weight File:
Technique: HGA
Calibration Type: Linear

~~~~~~

Sample ID: Blank Sequence No.: 00001 Sampler Position: 1

Peak Area (A-s): 0.008
Peak Height (A): 0.014
Background Pk Area (A-s): 0.015
Background Pk Height (A): 0.021
Blank Corrected Pk Area (A-s): 0.008

Peak Area (A-s): -0.001
Peak Height (A): 0.012
Background Pk Area (A-s): 0.020
Background Pk Height (A): 0.018
Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): 0.004 SD: 0.0062 RSD(%): 172.6

Auto-zero performed.

~~~~~~

Sample ID: Standard 1 Sequence No.: 00002 Sampler Position: 2

Peak Area (A-s): 0.085
Peak Height (A): 0.110
Background Pk Area (A-s): 0.028
Background Pk Height (A): 0.023
Blank Corrected Pk Area (A-s): 0.081

Peak Area (A-s): 0.091
Peak Height (A): 0.112
Background Pk Area (A-s): 0.020
Background Pk Height (A): 0.019
Blank Corrected Pk Area (A-s): 0.087

Mean Pk Area (A-s): 0.084 SD: 0.0044 RSD(%): 5.2

Standard number 1 applied. [20.0]

~~~~~~

Sample ID: Standard 2 Sequence No.: 00003 Sampler Position: 3

Peak Area (A-s): 0.160
Peak Height (A): 0.195
Background Pk Area (A-s): 0.029
Background Pk Height (A): 0.022
Blank Corrected Pk Area (A-s): 0.156
Concentration (ug/L): 37.1

Peak Area (A-s): 0.167
Peak Height (A): 0.207
Background Pk Area (A-s): 0.030
Background Pk Height (A): 0.028
Blank Corrected Pk Area (A-s): 0.164
Concentration (ug/L): 38.8

Mean Conc (ug/L): 38.0 SD: 1.25 RSD(%): 3.3

Standard number 2 applied. [35.0]

~~~~~~

Sample ID: Standard 3 Sequence No.: 00004 Sampler Position: 4

Peak Area (A-s): 0.235 Peak Height (A): 0.288
Background Pk Area (A-s): 0.041 Background Pk Height (A): 0.030
Blank Corrected Pk Area (A-s): 0.231
Concentration (ug/L): 51.4

Peak Area (A-s): 0.246 Peak Height (A): 0.294
Background Pk Area (A-s): 0.038 Background Pk Height (A): 0.029
Blank Corrected Pk Area (A-s): 0.242
Concentration (ug/L): 53.9

Mean Conc (ug/L): 52.7 SD: 1.73 RSD(%): 3.3

Standard number 3 applied. [50.0]

~~~
~~~

~~~
~~~

52 281 ½

Mean Conc (ug/L): 25.9 SD: 0.01 RSD(%): 0.0

~~~
~~~

3

283

Mean Conc (ug/L): 2.5 SD: 0.75 RSD(%): 29.4

~~~
~~~

Concentration (ug/L): 9.2 9

Mean Conc (ug/L): 8.7 SD: 0.73 RSD(%): 8.4 284

~~~
~~~

Blank Corrected Pk Area (A-s): 0.132
Concentration (ug/L): 28.4 29

286

Mean Conc (ug/L): 29.3 SD: 1.39 RSD(%): 4.7

~~~
~~~

Background Pk Area (A-s): 0.052 Background Pk Height (A): 0.039
Blank Corrected Pk Area (A-s): 0.064
Concentration (ug/L): 13.9 13

288

Mean Conc (ug/L): 12.7 SD: 1.65 RSD(%): 12.9

~~~
~~~

Peak Area (A-s): 0.016 Peak Height (A): 0.030
Background Pk Area (A-s): 0.046 Background Pk Height (A): 0.034
Blank Corrected Pk Area (A-s): 0.013
Concentration (ug/L): 2.8 3 ~~280~~ 296

Mean Conc (ug/L): 2.6 SD: 0.29 RSD(%): 11.5

~~~
~~~

Peak Area (A-s): 0.039 Peak Height (A): 0.062
Background Pk Area (A-s): 0.057 Background Pk Height (A): 0.045
Blank Corrected Pk Area (A-s): 0.036
Concentration (ug/L): 7.7 8 298A

Mean Conc (ug/L): 7.7 SD: 0.10 RSD(%): 1.2

~~~
~~~

Concentration (ug/L): 4.3

Peak Area (A-s): 0.025 Peak Height (A): 0.027
Background Pk Area (A-s): 0.042 Background Pk Height (A): 0.025
Blank Corrected Pk Area (A-s): 0.021
Concentration (ug/L): 4.6 5 299

Mean Conc (ug/L): 4.5 SD: 0.18 RSD(%): 4.1

~~~
~~~

Blank Corrected Pk Area (A-s): 0.013
Concentration (ug/L): 2.7

Peak Area (A-s): 0.014 Peak Height (A): 0.028
Background Pk Area (A-s): 0.047 Background Pk Height (A): 0.031
Blank Corrected Pk Area (A-s): 0.010
Concentration (ug/L): 2.2 3

300

Mean Conc (ug/L): 2.5 SD: 0.35 RSD(%): 14.2

~~~
~~~

Background Pk Area (A-s): 0.046 Background Pk Height (A): 0.028
Blank Corrected Pk Area (A-s): 0.006
Concentration (ug/L): 1.3

Peak Area (A-s): 0.011 Peak Height (A): 0.024
Background Pk Area (A-s): 0.041 Background Pk Height (A): 0.027
Blank Corrected Pk Area (A-s): 0.008
Concentration (ug/L): 1.7 <2 302

Mean Conc (ug/L): 1.5 SD: 0.26 RSD(%): 17.4

~~~
~~~

Peak Area (A-s): 0.004 Peak Height (A): 0.017
Background Pk Area (A-s): 0.033 Background Pk Height (A): 0.025
Blank Corrected Pk Area (A-s): 0.000
Concentration (ug/L): 0.0

Peak Area (A-s): 0.008 Peak Height (A): 0.014
Background Pk Area (A-s): 0.032 Background Pk Height (A): 0.026
Blank Corrected Pk Area (A-s): 0.004
Concentration (ug/L): 0.9 <2 304

Mean Conc (ug/L): 0.4 SD: 0.61 RSD(%): 136.0

~~~
~~~

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
Net #1	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCl

DATA

1. Sample Number	BLK	1.0 ppm	→			→
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )						
b.Obs. Conc( )	0.0	1.0	1.0	1.0	1.0	1.0
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	1.0 ppm	→				
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)				avg 1.0		
8a.Obs. Conc( )				std dev 0.049		
b.Obs. Conc( )	0.9	0.9				
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0 (mg/L)	0.033	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
JB	10/19/87	
WITNESS	**DATE**	**PAGE NUMBER**
[illegible]	11-3-87	211

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
Set #2	16122

ANALYSIS FOR	MATRIX
Pb	0.31 M HNO_3, 0.67 M HCL

DATA

1. Sample Number	BLK	1.0 ppm →				
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )						
b.Obs. Conc( )	0.0	0.9	0.9	0.9	1.0	0.9
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	1.0 ppm →					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)				avg = 0.978		
8a.Obs. Conc( )				std dev = 0.049		
b.Obs. Conc( )	0.9	1.0				
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0 (mg/L)	0.030	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
JB	10/21/87	
WITNESS	**DATE**	**PAGE NUMBER**
[illegible]	11-3-87	212

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
Act #3	16122

ANALYSIS FOR	MATRIX
Pb	0.31 M HNO_3, 0.67 M HCL

DATA

1. Sample Number	BLK	1.0 ppm	→	→	→	→
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )						
b.Obs. Conc( )	0.0	~~0~~ 1.0	1.0	1.0	1.0	1.1
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	1.0 ppm	→				
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)				avg = 1.0		
8a.Obs. Conc( )				std dev = 0.058		
b.Obs. Conc( )	0.9	1.0				
c.Obs. Conc( )						
9. Ave Sam Conc( )			Inst.	Det.	Limit	= 0.16
10. Blank( )						= 0.2
11. Net=L.9-L.10( )						mg/L
12. Sample Conc.( )			Spike	Level	= 1000	ppb Pb

for all subsequent MCS's.

Sensitivity 3.0 (mg/L)	0.026	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
JB	10/23/87	
WITNESS	**DATE**	**PAGE NUMBER**
JC	11-3-87	213

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
quartz	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCl

DATA

1. Sample Number	CAL BLK	Ver std ICV-1	RGT BLK	FILTER BLK-1	MCS-1	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	0.0	4.4	0.0	0.0	1.1	0.0
b.Obs. Conc( )	0.0	4.4	0.0	0.0	1.0	0.0
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	3.0					
b.Obs. Conc( )	2.9					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0(mg/L)	0.033	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
TD	10/19/87	
WITNESS	**DATE**	**PAGE NUMBER**
YC	11-3-87	214

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
quartz	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCl

DATA

1. Sample Number	CAL BLK	VER STD ICV-1	RGT BLK	FILTER BLK-5	MCS-2	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	0.0	4.4	0.0	0.0	0.9	0.0
b.Obs. Conc( )	0.0	4.4	0.0	0.0	0.9	0.0
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	2.9					
b.Obs. Conc( )	3.0					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0 (mg/L)	0.030	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
TB	10/21/87	
WITNESS	**DATE**	**PAGE NUMBER**
TC	11-3-87	215

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
quartz	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCL

DATA

1. Sample Number	CAL BLK	Verified ICV-1	RGT BLK	FILTER BLK-3	MCS-3	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	0.0	4.4	0.0	0.0	1.0	0.0
b.Obs. Conc( )	0.0	4.4	0.0	0.0	1.0	0.0
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	3.0					
b.Obs. Conc( )	3.0					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0(mg/L)	0.026	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
TB	10/23/87	
WITNESS	**DATE**	**PAGE NUMBER**
JC	11-3-87	216

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
fiberglass	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCL

DATA

1. Sample Number	CAL BLK	WQS ATM LCV-1	RGT BLK	FILTER BLK-1	MCS-1	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )						
b.Obs. Conc( )	0.0	4.5	0.0	0.0	1.0	0.0
c.Obs. Conc( )	0.0	4.4	-0.1	0.0	0.9	0.0
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	3.0					
b.Obs. Conc( )	2.9					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0 (mg/L)	0.033	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
TB	10/19/87	
WITNESS	**DATE**	**PAGE NUMBER**
JC	11-3-87	217

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
fiberglass	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO_3, 0.67 m HCL

DATA

1. Sample Number	CAL BLK	VERIFIED ICV-1	REGT BLK	FILTER BLK-2	MCS-2	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	0.1	4.4	0.0	0.0	1.0	0.0
b.Obs. Conc( )	0.0	4.4	0.0	0.0	1.0	-0.1
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	29					
b.Obs. Conc( )	3.0					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 30 (mg/L)	0.030	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
JB	10/21/87	
WITNESS	**DATE**	**PAGE NUMBER**
YC	11-3-87	218

ANALYTICAL WORKSHEET

Weyerhaeuser Company
Analytical Laboratories
Tacoma, Washington

Atomic Absorption

MATERIAL	SERVICE REQUEST NUMBER
fiberglass	16122

ANALYSIS FOR	MATRIX
Pb	0.31 m HNO3, 0.67 m HCl

DATA

1. Sample Number	CAL BLK	ICV-1	RGT BLK	FILTER BLK-3	MCS-3	0 ppm
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	0.0	4.4	0.1	0.0	1.0	0.0
b.Obs. Conc( )	0.0	4.4	0.0	0.0	1.0	0.0
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

1. Sample Number	3 ppm					
2. Flask Number						
3. Sample Aliq( )						
4. % OD						
5. Initial Dilution(mL)						
6. Second Aliquot (mL)						
7. Second Dilution (mL)						
8a.Obs. Conc( )	3.0					
b.Obs. Conc( )	3.0					
c.Obs. Conc( )						
9. Ave Sam Conc( )						
10. Blank( )						
11. Net=L.9-L.10( )						
12. Sample Conc.( )						

Sensitivity 3.0 (mg/L)	0.026	Calculations:
Integregation Time (sec)	2	Comments:

ANALYST	DATE	NB NUMBER
TB	10/23/87	
WITNESS	**DATE**	**PAGE NUMBER**
[illegible]	11-3-87	219

(Pb) SR16122 11-4-87

Element File: PB_CLP
Element: Pb
Date: 11/04/87
Time: 9:10
Data Storage File: Pb_data
ID/Weight File:
Technique: HGA
Calibration Type: Linear

~~~~~~

Sample ID: Blank Sequence No.: 00001 Sampler Position: 1

Peak Area (A-s): 0.008
Peak Height (A): 0.017
Background Pk Area (A-s): -0.010
Background Pk Height (A): 0.030
Blank Corrected Pk Area (A-s): 0.008

Peak Area (A-s): 0.004
Peak Height (A): 0.013
Background Pk Area (A-s): -0.005
Background Pk Height (A): 0.030
Blank Corrected Pk Area (A-s): 0.004

Mean Pk Area (A-s): 0.006 SD: 0.0027 RSD(%): 44.8

Auto-zero performed.

~~~~~~

Sample ID: Standard 1 Sequence No.: 00002 Sampler Position: 2

Peak Area (A-s): 0.099
Peak Height (A): 0.148
Background Pk Area (A-s): 0.016
Background Pk Height (A): 0.034
Blank Corrected Pk Area (A-s): 0.093

Peak Area (A-s): 0.105
Peak Height (A): 0.157
Background Pk Area (A-s): 0.010
Background Pk Height (A): 0.034
Blank Corrected Pk Area (A-s): 0.099

Mean Pk Area (A-s): 0.096 SD: 0.0043 RSD(%): 4.5

Standard number 1 applied. [20.0]

~~~~~~

Sample ID: Standard 2 Sequence No.: 00003 Sampler Position: 3

Peak Area (A-s): 0.174
Peak Height (A): 0.250
Background Pk Area (A-s): 0.026
Background Pk Height (A): 0.050
Blank Corrected Pk Area (A-s): 0.169
Concentration (ug/L): 35.2

Peak Area (A-s): 0.170
Peak Height (A): 0.245
Background Pk Area (A-s): 0.024
Background Pk Height (A): 0.055
Blank Corrected Pk Area (A-s): 0.164
Concentration (ug/L): 34.2

Mean Conc (ug/L): 34.7 SD: 0.71 RSD(%): 2.0
~~~~~~

Standard number 2 applied. [35.0]

~~~
~~~