TABLE L-1

Comparison of EPA Method 418.1 and EPA Method 8015 (Modified)

Analytical Results On Selected Soil Sample Results

LF 2193

(results reported in parts per million - ppm)

Sample Identification	Modified EPA Method 8015						EPA Method 418.1
	C5-C10	C7-C20	C10-C20	C5-C30	C20-C30	Subtotal	
Perimeter Sampling (NW Property Boundary)							
SS-1	---	---	520	---	200	720	2000
SS-2	---	---	---	---	280	280	1100
SS-3	---	---	9500	---	3900	13400	15000
Perimeter Sampling (NE Property Boundary)							
SS-4	---	---	---	---	800	800	800
SS-5	---	---	---	---	220	220	420
SS-6	---	---	---	---	---	ND	ND
SS-7	1200*	---	---	---	3000	3000	2100
SS-8	---	---	---	---	600	600	310
SS-9	---	---	---	---		ND	30
Perimeter Sampling (SE Property Boundary)							
SS-10	---	---	---	---	120	120	300
SS-11	220	---	---	---	4000	4220	1400
SS-12	---	---	---	---	31000	31000	1300
SS-13	---	---	---	---	---	ND	140
Former Above Ground Storage Tank Area							
T3B-10	---	7400	---	---	1800	9200	9900
T5A-1	---	---	---	---	200	200	ND
T9A-1a	4300	---	890	---	340	5530	3600
T9A-1b	---	---	---	---	---	ND	29
SB-3-15	---	---	---	8400	---	8400	6100
SB-27-30	---	---	---	29000	---	29000	NA
SS-12	---	---	---	---	31000	31000	1300
SS-13	---	---	---	---	---	ND	140
Isolated Samples							
T4B-1a	---	1700	---	---	390	2090	4000
T1A-4	---	---	---	---	110	110	180
T5A-1	---	---	---	---	200	200	NA
T7A-1	---	---	---	---	1500	1500	1000

ND Not Detected above laboratory method detection limits

NA Not Analyzed

C5-C10 Gasoline

C7-C20 Undifferentiated Hydrocarbons

C10-C20 Diesel Fuel

C5-C30 Undifferentiated Total Hydrocarbons

C20-C30 Heavy Hydrocarbons

--- Hydrocarbon range not detected in sample above laboratory detection limits

*C7-C12 Mineral Spirits

TABLE 1
Soil Sample Analytical Results
Modified EPA Method 8015
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons	Breakdown of Hydrocarbon Ranges
Test Pit Samples				
T1A-4	12/20/90	2.5	110	110*
T2A-1	12/20/90	4.5	ND	ND
T2B-1	12/20/90	4.5	ND	ND
T3B-4	12/20/90	4	ND	ND
T3B-10	12/20/90	5	9200	1800*; 7400**
T4A-2	12/20/90	3	ND	ND
T4A-3	12/20/90	3	ND	ND
T4B-1A	12/20/90	3	2090	390*; 1700**
T4B-3	12/20/90	3	ND	ND
T5A-1	12/19/90	5	200	200*
T5B-2A	12/19/90	6	ND	ND
T6A-3	12/19/90	5	ND	ND
T6B-7A	12/19/90	6	ND	ND
T6B-7B	12/19/90	5	ND	ND
T7A-1	12/19/90	5	1500	1500*
T7C-1	12/19/90	5	ND	ND
T7C-2	12/19/90	5	ND	ND
T8B-2A	12/19/90	3.5	ND	ND
T8B-2B	12/20/90	3	ND	ND
TLB-1	12/20/90	3	ND	ND
T9A-1A	07/19/91	4	5530	340*; 890+; 4300τ
T9A-1B	07/19/91	5	ND	ND
T9A-2	07/19/91	5	ND	ND
T9A-3	07/19/91	5	ND	ND
T9B-1	07/19/91	5	ND	ND
Soil Borings				
SB1-10	01/08/91	11	ND	ND
SB1-25	01/08/91	26	ND	ND
SB2-15	01/02/91	15	ND	ND
SB2-35	01/02/91	35	ND	ND
SB2-50	01/02/91	50	ND	ND
SB3-15	01/08/91	16	8400	8400***
SB3-25	01/08/91	26	ND	ND
SB4-10	01/03/91	11	ND	ND
SB4-25	01/03/91	26	ND	ND
SB5-10	01/03/91	11	ND	ND
SB5-25	01/03/91	26	ND	ND
SB6-10	01/03/91	11	ND	ND
SB6-25	01/03/91	26	ND	ND
SB7-10	01/03/91	11	ND	ND
SB7-30	01/03/91	31	ND	ND

numeric reviewer MCS

25-Oct-91

TABLE 1
Soil Sample Analytical Results
Modified EPA Method 8015
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons	Breakdown of Hydrocarbon Ranges
SB8-10	01/08/91	11	ND	ND
SB8-25	01/08/91	26	ND	ND
SB9-5	01/08/91	6	ND	ND
SB9-5(QA/QC)	01/08/91	6	ND	ND
SB9-25	01/08/91	26	ND	ND
SB10-5	01/02/91	5	ND	ND
SB10-20	01/02/91	20	ND	ND
SB11-5	01/02/91	5	ND	ND
SB11-25	01/02/91	25	ND	ND
SB12-10	01/02/91	10	ND	ND
SB12-20	01/02/91	20	ND	ND
SB13-5	01/02/91	6	ND	ND
SB13-25	01/02/91	26	ND	ND
SB13-25(QA/QC)	01/02/91	26	ND	ND
SB14-5	01/08/91	5	ND	ND
SB14-15	01/08/91	15	ND	ND
SB14-25	01/08/91	25	ND	ND
SB14-25(QA/QC)	01/08/91	25	ND	ND
SB15-5	01/08/91	6	ND	ND
SB15-20	01/08/91	21	ND	ND
SB16-15	01/08/91	16	ND	ND
SB16-25	01/08/91	26	ND	ND
SB17-5	01/03/91	6	ND	ND
SB17-20	01/03/91	21	ND	ND
SB18-5	01/03/91	6	ND	ND
SB18-25	01/03/91	26	ND	ND
SB18-25(QA/QC)	01/02/91	26	ND	ND
SB19-10	01/03/91	11	ND	ND
SB19-15	01/03/91	16	ND	ND
SB20-15	01/08/91	16	ND	ND
SB20-55	01/08/91	56	ND	ND
SB21-15	01/08/91	16	ND	ND
SB21-25	01/08/91	26	ND	ND
SB22-10	01/08/91	11	ND	ND
SB22-25	01/08/91	26	ND	ND
SB22-25(QA/QC)	01/08/91	26	ND	ND
SB27-15	09/30/91	15	29000	29000***
SB27-30	09/30/91	30	ND	ND
Perimeter Sampling				
SS-1	07/19/91	4.5	720	200*; 520+
SS-2	07/19/91	3	280	280*
SS-3	07/19/91	2.5	13400	3900*; 9500+

numeric reviewer MCS

25-Oct-91

TABLE 1
Soil Sample Analytical Results
Modified EPA Method 8015
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons	Breakdown of Hydrocarbon Ranges
SS-4	07/18/91	3	800	800*
SS-5	07/18/91	2	220	220*
SS-6	07/18/91	2.5	ND	ND
SS-7	07/18/91	2.5	4200	3000*; 1200¥
SS-8	07/18/91	2	600	600*
SS-9	07/18/91	2	ND	ND
SS-10	07/18/91	2.5	120	120*
SS-11	07/18/91	3	4220	4000*; 220τ
SS-12	07/18/91	3.5	31000	31000*
SS-13	07/18/91	4	ND	ND

NOTES: ND = Not Detected (above each chemical constituent method detection limit).
* = Heavy Hydrocarbons (C20-C30)
** = Undifferentiated Hydrocarbons (C7-C20)
*** = Total Hydrocarbons (C5-C30)
+ = Diesel Fuel (C10-C20)
τ = Gasoline (C5-C10)
¥ = Mineral Spirits (C7-C12)
(QA/QC) = Quality Assurance/Quality Control
Modified EPA Method 8015: Laboratory method detection limits vary with each fuel hydrocarbon (i.e., carbon chain length). Refer to laboratory data sheets in Appendix I for specific detection limits.

TABLE 2
Soil Sample Analytical Results
EPA Method 418.1
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons
Test Pit Samples			
T1A-1	12/20/90	4	ND
T1A-4	12/20/90	2.5	180
T1B-2	12/20/90	4	ND
T1B-4	12/20/90	4	ND
T2B-1	12/20/90	4.5	ND
T2B-2	12/20/90	4.5	28
T2B-6	12/20/90	3	ND
T3B-10	12/20/90	5	9900
T4A-3	12/20/90	3	ND
T4B-1A	12/20/90	3	4000
T4B-1B	12/20/90	3	ND
T4B-3	12/20/90	3	12
T5B-2C	12/19/90	5	ND
T5B-2D	12/19/90	6	ND
T6A-3	12/19/90	5	ND
T6A-8	12/19/90	6.5	ND
T6B-7A	12/19/90	6	ND
T7A-1	12/17/90	5	1000
T7A-1S	12/19/90	4	ND
T8A-2	12/17/90	3.5	ND
T8B-2A	12/17/90	3.5	ND
TLB-1	12/20/90	3	90
TLB-5	12/20/90	3	49
T9A-1A	7/19/91	4	3600
T9A-1B	7/19/91	4	29
T9A-2	7/19/91	5	ND
T9A-3	7/19/91	5	ND
T9B-1	7/19/91	5	ND
Soil Borings			
SB1-10	1/8/91	11	ND
SB1-25	1/8/91	26	ND
SB2-15	1/2/91	15	ND
SB2-35	1/2/91	35	ND
SB2-50	1/2/91	50	ND
SB3-15	1/8/91	16	6100
SB3-25	1/8/91	26	ND
SB4-10	1/3/91	11	ND
SB4-25	1/3/91	26	ND
SB5-10	1/3/91	11	ND
SB5-25	1/3/91	26	ND
SB6-10	1/3/91	11	ND

numeric reviewer MCS

TABLE 2
Soil Sample Analytical Results
EPA Method 418.1
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons
SB6-25	1/3/91	26	ND
SB7-10	1/3/91	11	ND
SB7-30	1/3/91	31	ND
SB8-10	1/8/91	11	280
SB8-25	1/8/91	26	ND
SB9-5	1/8/91	6	ND
SB9-5(QA/QC)	1/8/91	6	11
SB9-25	1/8/91	26	ND
SB10-5	1/2/91	5	13
SB10-20	1/2/91	20	ND
SB11-5	1/2/91	5	ND
SB11-25	1/2/91	25	16
SB12-10	1/2/91	10	ND
SB12-20	1/2/91	20	ND
SB13-5	1/2/91	5	ND
SB13-25	1/2/91	25	ND
SB13-25(QA/QC)	1/2/91	25	ND
SB14-5	1/8/91	5	ND
SB14-15	1/8/91	15	ND
SB14-25	1/8/91	25	ND
SB14-25(QA/QC)	1/8/91	25	ND
SB15-5	1/3/91	6	ND
SB15-20	1/3/91	21	ND
SB16-15	1/8/91	16	ND
SB16-25	1/8/91	26	ND
SB17-5	1/3/91	6	ND
SB17-20	1/3/91	21	ND
SB18-5	1/3/91	6	ND
SB18-25	1/3/91	26	ND
SB18-25(QA/QC)	1/3/91	26	ND
SB19-10	1/3/91	11	ND
SB19-15	1/3/91	16	ND
SB20-15	1/8/91	16	ND
SB20-55	1/8/91	56	ND
SB21-15	1/8/91	16	ND
SB21-25	1/8/91	26	ND
SB22-10	1/8/91	11	ND
SB22-25	1/8/91	26	ND
SB22-25(QA/QC)	1/8/91	26	ND
Perimeter Sampling			
SS-1	7/19/91	4.5	2000
SS-2	7/19/91	3	1100

numeric reviewer MCS

25-Oct-

TABLE 2
Soil Sample Analytical Results
EPA Method 418.1
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Total Petroleum Hydrocarbons
SS-3	7/19/91	2.5	15000
SS-4	7/18/91	3	800
SS-5	7/18/91	2	420
SS-6	7/18/91	2.5	ND
SS-7	7/18/91	2.5	2100
SS-8	7/18/91	2	310
SS-9	7/18/91	2	30
SS-10	7/18/91	2.5	300
SS-11	7/18/91	3	1400
SS-12	7/18/91	3.5	1300
SS-13	7/18/91	4	140

Notes: ND = Not detected above laboratory method detection limits

numeric reviewer MCS

25-Oct-

TABLE 3
Soil Sample Analytical Results
EPA Method 8260
LF 2193
(results reported in parts per million - ppm)

Sample Location	Sample Date	Sample Depth	TCE	PCE	DCE	Methylene Chloride	Other Compounds
Test Pit Samples							
T1B-1	12/20/90	4	ND	ND	ND	ND	
T2A-2	12/20/90	3	ND	ND	ND	ND	
T3B-1	12/20/90	5	ND	ND	ND	ND	Toluene 0.013
T5A-3	12/19/90	5	ND	ND	ND	ND	
T5B-2A	12/19/90	6	ND	ND	ND	ND	
T6A-7	12/19/90	3.5	ND	ND	ND	ND	
T7A-1N	12/17/90	5	ND	ND	ND	ND	Toluene 0.008
T8A-1	12/17/90	3	ND	ND	ND	ND	Toluene 0.008
TLA-1	12/20/90	3	ND	ND	ND	ND	
TLA-3	12/20/90	3	ND	ND	ND	ND	
TLB-5	12/20/90	3	ND	ND	ND	ND	
T9A-1A	07/19/91	4	10	2500	7.9	3.6	Benzene 9.3; Xylenes 10; Carbon Disulfide* 5.5; Ethylbenzene 1.5; Toluene 3.5; (C9-C10) 10; (C6-C11) 200
T9A-1B	07/19/91	4	ND	0.32	ND	0.009*	
T9B-1	07/19/91	5	ND	ND	ND	0.007*	Carbon Disulfide* 0.014
T9A-2	07/19/91	5	ND	ND	ND	ND	
T9A-3	07/19/91	5	ND	ND	ND	0.024*	Carbon Disulfide* 0.017; (C10-C12) 0.4
Soil Borings							
SB1-10	01/08/91	11	ND	ND	ND	ND	
SB1-25	01/08/91	26	ND	ND	ND	ND	
SB2-35	01/02/91	35	ND	ND	ND	ND	
SB2-50	01/02/91	50	ND	ND	ND	ND	
SB3-15	01/08/91	16	15	430	ND	ND	(C8-C11) 300
SB3-25	01/08/91	26	ND	ND	ND	ND	
SB4-5	01/03/91	6	ND	ND	ND	ND	
SB4-25	01/03/91	26	ND	ND	ND	ND	
SB5-10	01/03/91	11	ND	ND	ND	ND	
SB5-25	01/03/91	25	ND	ND	ND	ND	
SB6-10	01/03/91	11	ND	ND	ND	ND	
SB6-25	01/03/91	26	ND	ND	ND	ND	
SB7-10	01/03/91	11	ND	ND	ND	ND	
SB7-30	01/03/91	31	ND	ND	ND	ND	
SB8-10	01/08/91	11	ND	ND	ND	ND	
SB8-25	01/08/91	26	ND	ND	ND	ND	
SB9-5	01/08/91	6	ND	ND	ND	0.048	
SB9-25	01/08/91	26	ND	ND	ND	0.047	
SB11-5	01/02/91	5	ND	ND	ND	ND	
SB11-25	01/02/91	25	ND	ND	ND	ND	
SB12-10	01/02/91	10	ND	ND	ND	ND	
SB12-20	01/02/91	20	ND	ND	ND	ND	
SB14-15	01/08/91	15	ND	ND	ND	0.034	
SB14-25	01/08/91	25	ND	ND	0.04	ND	
SB14-25 (QA/QC)	01/08/91	25	ND	ND	ND	ND	
SB15-5	01/03/91	6	ND	ND	ND	ND	
SB15-20	01/03/91	21	ND	ND	ND	ND	
SB16-15	01/08/91	16	ND	ND	ND	ND	
SB16-25	01/08/91	26	ND	ND	ND	ND	
SB17-5	01/03/91	6	ND	ND	ND	ND	
SB17-20	01/03/91	21	ND	ND	ND	ND	
SB18-5	01/03/91	6	ND	ND	ND	ND	
SB18-25	01/03/91	26	ND	ND	ND	ND	
SB18-25 (QA/QC)	01/03/91	26	ND	ND	ND	ND	
SB21-15	01/08/91	16	ND	ND	ND	ND	
SB21-25	01/08/91	26	ND	ND	ND	ND	
SB27-15	09/30/91	15	ND	ND	53	2*	Benzene 2; Naphthalene 5; Methylnaphthalenes 8; Dimethylnaphthalenes 6; C9-C11 alkylbenzenes 300; C5-C12 aliphatic & alicyclic hydrocarbons 1000
SB27-30	09/30/91	30	ND	ND	0.02	0.03	

numeric reviewer MCS

29-Oct-

TABLE 3
Soil Sample Analytical Results
EPA Method 8260
LF 2193
(results reported in parts per million - ppm)

Sample Location	Sample Date	Sample Depth	TCE	PCE	DCE	Methylene Chloride	Other Compounds
Perimeter Sampling							
SS-1	07/19/91	4.5	ND	0.037	0.009	0.008*	
SS-2	07/19/91	3	ND	ND	ND	0.014*	Carbon Disulfide* 0.008
SS-3	07/19/91	2.5	ND	ND	ND	0.008*	Carbon Disulfide* 0.015
SS-4	07/18/91	3	ND	ND	ND	0.007*	Carbon Disulfide* 0.005
SS-5	07/18/91	2	ND	ND	ND	0.008*	Carbon Disulfide* 0.005
SS-6	07/18/91	2.5	ND	ND	ND	0.007*	Carbon Disulfide* 0.005
SS-7	07/18/91	2.5	ND	ND	ND	0.007*	Acetone 0.091; MEK 0.036; Ethylbenzene 0.041; Toluene 0.012; Xylenes 0.96; C9-C10 0.9; C7-C11 10; Unidentified 0.3
SS-8	07/18/91	2	ND	ND	ND	0.005*	
SS-9	07/18/91	2	ND	ND	ND	0.007*	Carbon Disulfide* 0.006
SS-13	07/18/91	4	ND	1.3	ND	ND	

NOTES:
ND = Not detected above laboratory method detection limits
TCE = Trichloroethylene
PCE = Tetrachloroethylene
DCE = Cis-1,1-dichloroethylene
MEK = methyl ethyl ketone (2-Butanone)
(C6-C11) = Aliphatic and Alicyclic Hydrocarbons
(C8-C11) = Undifferentiated C8 through C11 aliphatic and alicyclic hydrocarbons
(C9-C10) = Alkylbenzenes
(C10-C12) = Aliphatic and Alicyclic Hydrocarbons
(QA/QC) = Quality Assurance/Quality Control Sample (using comparable soil sample under 8240 analysis)
* = Carbon Disulfide and Methylene Chloride were identified in the Laboratory Blank Samples

EPA Method 8260: Of the volatile organic compounds analyzed, TCE, PCE, DCE and Methylene Chloride were the only chemical constituents detected at concentrations above the laboratory's test method detection limits.

numeric reviewer MCS

29-Oct-

TABLE 4
Soil Sample Analytical Results
EPA Method 8020
LF 2193
(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth	Benzene	Toluene	Xylenes	Ethylbenzene
Soil Borings						
SB7-15	1/3/91	16	ND	ND	ND	ND
SB10-5	1/2/91	5	ND	0.001	0.009	0.002
SB10-20	1/2/91	20	ND	0.001	0.006	0.002
SB12-10	1/2/91	10	ND	ND	0.003	ND
SB12-25	1/2/91	25	ND	0.002	0.003	0.001
SB13-5	1/2/91	5	ND	ND	0.002	ND
SB13-25	1/2/91	25	ND	ND	ND	ND
SB13-25(QA/QC)	1/2/91	25	ND	ND	ND	ND
SB14-5	1/8/91	5	ND	ND	ND	ND
SB15-10	1/3/91	11	ND	ND	0.066	0.008
SB15-25	1/3/91	26	ND	ND	ND	ND
SB18-5	1/3/91	6	ND	ND	ND	ND
SB18-25	1/3/91	26	ND	ND	ND	ND
SB18-25(QA/QC)	1/3/91	26	ND	ND	ND	ND
SB19-10	1/3/91	11	ND	ND	ND	ND
SB19-15	1/3/91	16	ND	ND	0.006	ND
SB20-15	1/8/91	16	ND	ND	ND	ND
SB20-55	1/8/91	56	ND	ND	ND	ND
SB22-10	1/8/91	11	0.001	0.002	0.001	ND
SB22-25	1/8/91	26	0.018	0.004	0.004	ND
SB22-25(QA/QC)	1/8/91	26	ND	ND	ND	ND
Perimeter Sampling						
SS-10	07/18/91	2.5	ND	ND	ND	ND
SS-11	07/18/91	3.0	ND	ND	ND	ND
SS-12	07/18/91	3.5	ND	ND	ND	ND

NOTES:

ND = Not Detected Above Laboratory Test Method Detection Limits

(QA/QC) = Quality Assurance/Quality Control Sample (A Comparable Soil Sample)

TABLE 5
Soil Sample Analytical Results
EPA Method 8270
LF 2193
(results reported in parts per million -ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Concentration of Semi-Volatile Organics
Soil Borings			
SB1-25	01/08/91	26	ND
SB2-50	01/02/91	50	ND

Notes: ND = not detected above laboratory test method detection limits

numeric reviewer [illegible]

10-Oct-9'

TABLE 6
Soil Sample Analytical Results
Title 22 CCR Metals
LF 2193
(results reported in parts per million - ppm)

Sample Location	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium (III/IV)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
Boneyard Samples																		
RB1-3	7/18/91	16	14	1440**	0.57	5.88	46.3	9.23	440**	1090*	ND	1.5	21	1.4	0.38	D.11	45.2	5490*
RB1-8	7/18/91	32.6	9	2700**	0.54	11.8**	52.9**	12.7	627**	1750*	ND	1.18	32	10	0.47	0.06	32	10DDO*
RB2-3	7/18/91	2.8	4	135	0.53	0.94	23.6	7.39	30.5	530**	2.82**	0.35	15.2	3	0.07	0.13	39	216
RB2-8	7/18/91	2.6	4	824	0.69	1.43	29.9	8.78	142	150**	0.2	0.41	29.6	ND	0.20	0.16	42	956
RB3-8	7/17/91	1	11	190	0.98	ND	38.7	18.9	35.2	10.4	ND	0.53	28.7	ND	ND	0.15	63	64.4
RB4-3	7/17/91	0.5	3	105	0.45	ND	22.7	7.62	13.6	5.02	ND	0.35	17.2	ND	ND	0.12	41	44.8
RB4-8	7/17/91	1	11	147	0.62	ND	38.8	14.5	33.7	10.1	ND	0.26	23.8	ND	D.03	0.18	55	57.8
RB5-3	7/18/91	5.3	19	61D	0.41	3.19	30.9	9.36	112	450**	3.11**	1.45	24.2	2	0.20	0.14	43	1220
RB5-8	7/18/91	9	89**	585	0.51	3.32	89.8**	11.1	71.5	692**	34.1*	1	58.4	3.5	0.17	0.14	42	1720
RB6-3	7/17/91	0.3	3	103	0.5	ND	20.5	7.05	15.1	4.47	ND	0.21	15.6	ND	0.04	0.1	36	45.5
RB7-3	7/18/91	1.6	5	199	0.59	0.09	24.0	7.79	21.3	15.6	ND	0.56	17.1	ND	0.08	0.08	44	94
RB8-3	7/18/91	1.0	5	109	0.59	0.09	25.9	9.22	17.6	6.9	ND	0.43	17.9	ND	0.04	0.15	49	59
RB8-8	7/18/91	1.2	8	113	0.64	ND	33.2	13	28.4	8.2	ND	0.19	20.2	ND	ND	0.13	56	57
RB9-3	7/17/91	5.9	16	332	0.42	0.66	61.8**	12.4	160	180**	D.9	2.53	42	4	0.13	0.12	44	2300
RB9-8	7/17/91	10	12	695	0.52	4.3	57.5**	11.4	130	1150*	2.49**	2.3	33.7	7.4	0.26	0.11	46	1880
RB10-3	7/18/91	1.2	8	121	0.41	0.19	23.6	8.68	21.5	27	ND	0.56	16.9	2	0.02	0.14	44	334
RB10-8	7/18/91	0.9	4	109	0.28	0.17	26.1	7.53	36.7	31.5	ND	0.78	34.3	ND	ND	0.12	39	162
RB11-3	7/18/91	2	4	99.2	0.57	0.09	22.9	7.9	17.1	10.3	ND	0.3	15.3	ND	ND	0.12	41	58
RB11-8	7/18/91	6.1	5	460	0.39	1.55	32.2	7.90	1500**	344**	10.1**	0.80	16.6	3	0.20	0.11	35	1000
RB12-8	7/17/91	0.7	4	97.4	0.45	ND	24.4	8.11	18.5	5.06	ND	0.47	16.8	ND	0.06	0.09	39	50.5
Title 22 Standards																		
TTLC	- -	500	500	10000	75	100	2500/500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
10 times STLC*	- -	150	50	1000	7.5	10	5600/50	800	250	50	2	3500	200	10	50	70	240	2500

NOTES:
- ND = Not detected above laboratory test method detection limits
- (QA/QC) = Quality Assurance/Quality Control Sample (a comparable soil sample)
- DUP = Duplicate
- TTLC = Total Threshold Limit Concentration
- STLC = Soluble Threshold Limit Concentration
- * = exceeds TTLC
- ** = exceeds 10x STLC

numeric reviewer MCS

28-Oct-91

TABLE 6
Soil Sample Analytical Results
Title 22 CCR Metals
LF 2193
(results reported in parts per million - ppm)

Sample Location	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium (III/IV)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
Test Pit Samples																		
T3B-1	12/20/90	1.24	4	137	0.49	0.33	27.2	9.26	39.5	38.5	0.04	0.93	22.3	0.7	0.06	0.15	49	113
T5B-2B	12/20/90	0.79	4	129	0.46	0.16	24.9	8.22	32.9	5.5	0.04	0.2	16.6	0.7	0.04	0.12	45	55.9
T6B-7A	12/20/90	0.78	5	98	0.36	0.06	23.8	10.6	18.9	5.6	0.03	0.23	14.5	ND	ND	0.13	44	46.3
T7A-1	12/20/90	0.72	4	102	0.31	0.42	22.4	8.26	26	128**	0.04	0.68	17.1	0.8	0.03	0.15	41	87.3
T8A-1	12/20/90	0.83	4	103	0.31	0.07	22.1	8.61	80.5	15.7	ND	0.29	14.5	0.8	0.05	0.13	41	76.1
TLA-1	12/20/90	8.97	7	980	0.46	3.64	32.5	9.86	267**	600**	0.15	0.93	20.4	2	0.27	0.11	46	2400
TLA-3	12/20/90	0.93	3	98.9	0.55	0.14	23	8.13	17.9	6.6	0.03	0.47	15.3	1	0.03	0.11	40	48
Soil Borings																		
SB1-10	1/8/91	0.9	8	161	0.55	0.03	32.9	10.5	27.5	8.01	ND	0.2	23.8	ND	0.04	0.18	54	63
SB1-25	1/8/91	1.1	11	297	0.72	0.05	38.7	14.7	37.8	7.54	ND	0.56	27	0.7	0.06	0.21	77	85
SB2-15	1/4/91	0.8	3.6	173	0.43	0.04	24.9	10.9	24.1	6.94	ND	0.22	21.4	0.5	0.03	0.14	42	66.8
SB3-15	1/8/91	0.8	2.6	124	0.39	0.08	28.3	9.45	23.4	6.69	ND	0.1	19	0.5	0.02	0.15	40	59
SB3-25	1/8/91	1.4	14.5	489	0.58	0.1	33.6	15.9	38.6	9.47	ND	1.19	29.5	1.6	0.05	0.15	72	104
SB4a-10	1/3/91	1.21	7.6	157	0.61	0.05	29.8	10.4	21.7	7.07	ND	0.26	21.5	0.8	0.03	0.13	51	54.3
SB4a-15	1/3/91	0.63	2.7	147	0.37	0.09	21.8	8.14	17.6	4.98	ND	0.11	15	0.7	ND	0.11	34.6	49.1
SB5a-10	1/3/91	0.77	6.6	94.3	0.57	0.04	19.9	6.16	19.6	5.97	0.02	0.15	16	0.7	0.03	0.08	37	41.3
SB5a-15	1/3/91	0.7	1.5	180	0.64	0.07	39.2	10.5	27.4	7.03	0.02	0.25	27.9	0.9	0.15	0.2	43	78.2
SB5a-15(QA/QC)	1/3/91	7.1	ND	120	0.08	ND	20	10	37	ND	ND	ND	22	0.8	ND	ND	18	64
SB6a-10	1/3/91	0.64	2.9	70.8	0.23	0.04	11.7	4.7	12.1	3.33	ND	0.28	9.03	ND	ND	0.04	27	29.3
SB7a-10	1/3/91	0.77	6.9	105	0.53	0.02	20.3	7.61	21.1	6.21	ND	0.31	14.9	1.2	0.05	0.1	37	43.8
SB7a-15	1/3/91	0.73	2.2	146	0.45	0.05	19.5	8.64	17.9	5.78	0.03	0.26	17.2	0.6	0.03	0.11	35	54.2
SB8-10	1/8/91	8.4	7.8	990	0.35	2.55	30.9	11	181	530**	0.58	0.54	24	4.2	0.18	0.1	42	3500**
SB8-25	1/8/91	1	11.8	203	0.6	0.14	30.4	12.1	28.6	8.16	ND	0.19	22	0.4	0.05	0.12	59.8	72
SB9-5	1/8/91	0.5	3	101	0.48	0.04	21.3	7.94	15	4.99	ND	0.26	14.9	0.7	0.03	0.11	39	47
SB9-5(QA/QC)	1/8/91	3.3	1.7	79	0.02	0.15	16	6.8	13	ND	ND	0.13	13	ND	ND	ND	21	34
SB9-10	1/8/91	0.8	7.8	155	0.59	ND	33.1	12	27.2	8.71	ND	0.27	21.2	0.6	ND	0.14	56	61
SB9-25	1/8/91	1.4	19.2	289	0.59	0.09	32.6	17.7	35	11.8	ND	0.81	29.8	1.6	ND	0.18	64	85
SB21-15	1/8/91	0.8	4.2	48.3	0.25	ND	11.8	5.6	13.4	2.89	ND	0.15	10.3	ND	ND	0.08	30	35
SB21-25	1/8/91	1.4	27.2	184	0.58	0.07	34.5	14.8	36.3	9.92	ND	0.74	29	0.7	ND	0.15	66	76
SB23-10	7/17/91	0.4	5	104	0.44	ND	20.3	7.23	15.6	6.97	ND	0.85	15	ND	0.02	0.11	38	44.6
SB23-10 DUP	7/17/91	3.2	ND	91	0.18	0.2	17	7.9	15	6.6	ND	ND	ND	ND	ND	ND	28	41
SB23-25	7/17/91	1.5	11	138	0.72	ND	39.5	10.4	27.6	5.69	ND	0.32	21.9	ND	0.06	0.14	57	66.8
SB23-25 DUP	7/17/91	9.4	ND	160	0.22	0.4	26	13	28	ND	ND	ND	0.2	ND	ND	ND	47	60
SB24-15	7/17/91	1	5	128	0.49	ND	29	8.51	21.7	15.6	ND	1.67	18.2	ND	0.05	0.2	42	84.2
SB24-15 DUP	7/17/91	2.3	ND	90	0.14	ND	15	6.3	14	ND	ND	ND	1.5	NO	ND	ND	18	34
SB24-25	7/17/91	0.7	7	160	0.52	ND	32.1	11	26.5	5.61	ND	0.34	20.5	ND	0.05	0.17	48	66.3
SB25-5	7/17/91	0.6	4	86	0.4	ND	19.9	7.56	15.6	4.3	ND	0.35	13.8	ND	0.03	0.12	38	40.3
SB25-15	7/17/91	ND	ND	90.2	0.23	ND	21.3	6.76	16.6	3.58	ND	0.14	15.1	ND	0.04	0.13	30	49.3

numeric reviewer [illegible]

28-Oct-91

TABLE 7

Soil Sample Analytical Results

Waste Extraction Test (WET) for Soluble/Extractable Metals

LF 2193

(results reported in parts per million - ppm)

Sample Location	Date Collected	Sample Depth (Feet)	Lead	Zinc	Copper	Mercury	Chromium (III/IV)
Test Pit Samples							
T7A-1	12/17/90	5	2	NA	NA	NA	NA
TLA-1	12/20/90	3	18*	NA	11	NA	NA
Soil Boring Samples							
SB8-10	01/08/91	11	7*	280*	NA	NA	NA
Boneyard Samples							
RB1-3	07/18/91	3	10.9*	NA	NA	NA	NA
RB1-8	07/18/91	8	12*	474*	1.8	NA	0.3
RB2-3	07/18/91	3	0.54	NA	NA	ND	NA
RB2-8	07/18/91	8	0.58	NA	NA	NA	NA
RB5-3	07/18/91	3	11*	NA	NA	ND	NA
RB5-8	07/18/91	3	151*	NA	NA	ND	0.4
RB9-3	07/17/91	3	0.33	NA	NA	NA	NA
RB9-8	07/17/91	8	44.4*	NA	NA	ND	0.6
RB11-8	07/17/91	8	2.3	NA	4.0	ND	NA

Notes: NA = not analyzed
ND = not detected above laboratory test method detection limits
* = STLC limit exceeded

numeric reviewer _____

31-Oct-91

Table 8
Initial Soil Sampling Results
Initial Statistical Analyses
Former Boneyard Area
(results reported in parts per million - ppm)

Sample Location	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium (III/IV)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
Three-Foot Sampling Depth																		
RB1-3	7/18/91	16.0	14.0	1440.0 *	0.57	5.88	46.3	9.23	440.0 *	1090.00 **	ND	1.50	21.0	1.4	0.38	0.11	45.2	5490.0 **
RB2-3	7/18/91	2.8	4.0	135.0	0.53	0.94	23.6	7.39	30.5	530.00 **	2.82 *	0.35	15.2	3.0	0.07	0.13	39.0	216.0
RB4-3	7/17/91	0.5	3.0	105.0	0.45	0.1	22.7	7.62	13.6	5.02	ND	0.35	17.2	3.0	0.02	0.12	41.0	44.8
RB5-3	7/18/91	5.3	19.0	610.0	0.41	3.19	30.9	9.36	12.0	450.00 **	3.11	1.45	24.2	2.0	0.20	0.14	43.0	1220.0
RB6-3	7/17/91	0.3	3.0	103.0	0.50	0.1	20.5	7.05	15.1	4.47	ND	0.21	15.6	3.0	0.04	0.10	36.0	45.5
RB7-3	7/18/91	1.6	5.0	199.0	0.59	0.09	24.0	7.79	21.3	15.60	ND	0.56	17.1	3.0	0.08	0.08	44.0	94.0
RB8-3	7/18/91	1.0	5.0	109.0	0.59	0.09	25.9	9.22	17.6	6.90	ND	0.43	17.9	3.0	0.04	0.15	49.0	59.0
RB9-3	7/17/91	5.9	16.0	332.0	0.42	0.66	61.8 *	12.40	160.0	180.00 **	0.90	2.53	42.0	4.0	0.13	0.12	44.0	2300.0
RB10-3	7/18/91	1.2	8.0	121.0	0.41	0.19	23.6	8.68	21.5	27.00	ND	0.56	16.9	2.0	0.02	0.14	44.0	334.0
RB11-3	7/18/91	2.0	4.0	99.2	0.57	0.09	22.9	7.90	17.1	10.30	ND	0.30	15.3	3.0	0.02	0.12	41.0	58.0
Average		3.66	8.10	325.32	0.50	1.13	30.22	8.66	74.87	231.93	0.74	0.82	20.24	2.74	0.10	0.12	42.62	986.13
Standard Deviation		4.74	5.97	423.40	0.08	1.92	13.36	1.55	135.87	360.12	1.45	0.76	8.14	0.74	0.11	0.02	3.58	1743.94
80% Confidence Range		2.09	2.63	186.51	0.03	0.85	5.88	0.68	59.85	158.63	0.53	0.33	3.59	0.32	0.05	0.01	1.58	768.21
90% Upper Limit		5.75	10.73	511.83	0.54	1.98	36.10	9.35	134.72	390.56	1.27	1.16	23.83	3.06	0.15	0.13	44.20	1754.34
Eight-Foot Sampling Depth																		
RB1-8	7/18/91	32.6	9	2700 *	0.54	11.8 *	52.9 **	12.7	627 **	1750 **	ND	1.18	32	10	0.47	0.06	32	10000 ***
RB2a8	7/18/91	2.6	4	824	0.69	1.43	29.9	8.78	142	150	ND	0.41	29.6	3	0.2	0.16	42	956
RB3-8	7/17/91	1	11	190	0.98	0.1	38.7	18.9	35.2	10.4	ND	0.53	28.7	3	0.02	0.15	63	64.4
RB4-8	7/17/91	1	11	147	0.62	0.1	38.8	14.5	33.7	10.1	ND	0.26	23.8	3	0.03	0.18	55	57.8
RB5-8	7/18/91	9	89 *	585	0.51	3.32	89.8 **	11.1	71.5	692 **	34.1 **	1	58.4	3.5	0.17	0.14	42	1720
RB6-8	7/18/91	1.2	8	113	0.64	0.1	33.2	13	28.4	8.2	0.2	0.19	20.2	3	0.02	0.13	56	57
RB9-8	7/17/91	10	12	695	0.52	4.3	57.5 **	11.4	130	1150 **	2.49 **	2.3	33.7	7.4	0.26	0.11	46	1880
RB10-8	7/18/91	0.9	4	109	0.28	0.17	26.1	7.53	36.7	31.5	0.2	0.78	23.3	3	0.02	0.12	39	162
RB11-8	7/18/91	6.1	5	460	0.39	1.55	32.2	7.9	1500 **	344 **	10.1 **	0.8	16.6	3	0.2	0.11	35	1000
RB12-8	7/17/91	0.7	4	97.4	0.45	0.1	24.4	8.11	18.5	5.06	0.2	0.47	16.8	3	0.06	0.09	39	50.5
Average		6.51	15.70	592.04	0.56	2.26	42.35	11.39	262.30	415.13	4.73	0.79	28.31	4.19	0.15	0.11	44.90	1594.77
Standard Deviation		9.82	25.95	788.29	0.19	3.69	19.85	3.58	471.66	603.94	10.79	0.62	12.16	2.46	0.15	0.05	10.03	3037.06
80% Confidence Range		4.33	11.43	347.24	0.08	1.62	8.74	1.58	207.77	266.04	4.75	0.27	5.36	1.08	0.06	0.02	4.42	1337.84
90% Upper Limit		10.84	27.13	939.28	0.65	3.88	51.09 ***	12.97	470.07 ***	681.17 ***	9.48 ***	1.06	33.67	5.27	0.21	0.14	49.32	2932.61 ***
Combined Statistical Analysis																		
Average		5.09	11.90	458.68	0.53	1.72	36.29	10.03	64.33	323.53	2.73	0.81	24.28	3.47	0.12	0.12	43.76	1290.45
Standard Deviation		7.65	18.74	630.86	0.14	2.91	17.60	3.03	99.50	492.99	7.75	0.67	10.89	1.92	0.13	0.04	7.42	2430.48
S bar X		1.71	4.19	141.06	0.03	0.65	3.94	0.68	22.25	110.23	1.73	0.15	2.44	0.43	0.03	0.01	1.66	543.47
80% Confidence Range (b)		2.27	5.56	187.33	0.04	0.86	5.23	0.90	29.55	146.39	2.30	0.20	3.23	0.57	0.04	0.01	2.20	721.73
90% Upper Limit		7.36	17.46	646.01	0.58	2.58	41.51	10.93	93.87	469.92 ***	5.03 ***	1.01	27.51	4.03	0.16	0.13	45.96	2012.18
Title 22 Standards																		
TTLC	- -	500	500	10000	75	100	2500/500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
10 times STLC	- -	150	50	1000	7.5	10	50	800	250	50	2	3500	200	10	50	70	240	2500

NOTES: The combined statistical analysis is based on the entire population of analytical data included in this table
ND = Not detected above laboratory test method detection limits
(QA/QC) = Quality Assurance/Quality Control Sample (a comparable soil sample)
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
* = Samples exceeding the 10x STLC
** = Samples exceeding 10x STLC selected to be run for isolated soluble metal based on statistical concentrations
*** = Statistical Group Exceeds STLC limits

numeric reviewer

31-Oct-91

Table 9
Modified Statistical Analyses
Former Boneyard Area
(results reported in parts per million - ppm)

Sample Location	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium (III/IV)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
Three-Foot Sampling Depth																		
RB1-3	7/18/91	1.60	1.40	144.00	0.057	0.588	4.63	0.923	44.00	10.90 *	ND	0.150	2.10	0.14	0.038	0.011	4.52	549.00
RB2-3	7/18/91	0.28	0.40	13.50	0.053	0.094	2.36	0.739	3.05	0.54 *	ND *	0.035	1.52	0.30	0.007	0.013	3.90	21.60
RB4-3	7/17/91	0.05	0.30	10.50	0.045	0.010	2.27	0.762	1.36	0.50	ND	0.035	1.72	0.30	ND	0.012	4.10	4.48
RB5-3	7/18/91	0.53	1.90	61.00	0.041	0.319	3.09	0.936	1.20	11.00 *	ND *	0.145	2.42	0.20	0.020	0.014	4.30	122.00
RB6-3	7/17/91	0.03	0.30	10.30	0.050	0.010	2.05	0.705	1.51	0.45	ND	0.021	1.56	0.30	0.004	0.010	3.60	4.55
RB7-3	7/18/91	0.16	0.50	19.90	0.059	0.009	2.40	0.779	2.13	1.56	ND	0.056	1.71	0.30	0.008	0.008	4.40	9.40
RB8-3	7/18/91	0.10	0.50	10.90	0.059	0.009	2.59	0.922	1.76	0.69	ND	0.043	1.79	0.30	0.004	0.015	4.90	5.90
RB9-3	7/17/91	0.59	1.60	33.20	0.042	0.066	6.18	1.240	16.00	0.33 *	0.090	0.253	4.20	0.40	0.013	0.012	4.40	230.00
RB10-3	7/18/91	0.12	0.80	12.10	0.041	0.019	2.36	0.868	2.15	2.70	ND	0.056	1.69	0.20	ND	0.014	4.40	33.40
RB11-3	7/18/91	0.20	0.40	9.92	0.057	0.009	2.29	0.790	1.71	1.03	ND	0.030	1.53	0.30	ND	0.012	4.10	5.80
Average		0.37	0.81	32.53	0.050	0.113	3.02	0.866	7.49	2.97	0.016	0.082	2.02	0.27	0.010	0.012	4.26	98.61
Standard Deviation		0.47	0.60	42.34	0.008	0.192	1.34	0.155	13.59	4.27	0.026	0.076	0.81	0.07	0.011	0.002	0.36	174.39
80% Confidence Range (þ)		0.21	0.26	18.65	0.003	0.085	0.59	0.068	5.99	1.88	0.011	0.033	0.36	0.03	0.005	0.001	0.16	76.82
90% Upper Limit		0.57	1.07	51.18	0.054	0.198	3.61	0.935	13.47	4.85	0.028	0.116	2.38	0.31	0.015	0.013	4.42	175.43
Eight-Foot Sampling Depth																		
RB1-8	7/18/91	3.26	0.90	270.00	0.054	1.180	0.30 *	1.270	1.80 *	12.00 *	ND	0.118	3.20	1.00	0.047	0.006	3.20	474.00 *
RB2-8	7/18/91	0.26	0.40	82.40	0.069	0.143	2.99	0.878	14.20	0.58 *	0.020	0.041	2.96	0.30	0.020	0.016	4.20	95.60
RB3-8	7/17/91	0.10	1.10	19.00	0.098	0.010	3.87	1.890	3.52	1.04	ND	0.053	2.87	0.30	ND	0.015	6.30	6.44
RB4-8	7/17/91	0.10	1.10	14.70	0.062	0.010	3.88	1.450	3.37	1.01	ND	0.026	2.38	0.30	0.003	0.018	5.50	5.78
RB5-8	7/18/91	0.90	8.90	58.50	0.051	0.332	0.40 *	1.110	7.15	151.00 *	ND *	0.100	5.84	0.35	0.017	0.014	4.20	172.00
RB8-8	7/18/91	0.12	0.80	11.30	0.064	0.010	3.32	1.300	2.84	0.82	ND	0.019	2.02	0.30	ND	0.013	5.60	5.70
RB9-8	7/17/91	1.00	1.20	69.50	0.052	0.430	0.60 *	1.140	13.00	44.40 *	ND *	0.230	3.37	0.74	0.026	0.011	4.60	188.00
RB10-8	7/18/91	0.09	0.40	10.90	0.028	0.017	2.61	0.753	3.67	3.15	ND	0.078	2.33	0.30	ND	0.012	3.90	16.20
RB11-8	7/18/91	0.61	0.50	46.00	0.039	0.155	3.22	0.790	4.00 *	40.00 *	ND *	0.080	1.66	0.30	0.020	0.011	3.50	100.00
RB12-8	7/17/91	0.07	0.40	9.74	0.045	0.010	2.44	0.811	1.85	0.51	ND	0.047	1.68	0.30	0.006	0.009	3.90	5.05
Average		0.65	1.57	59.20	0.056	0.230	2.36	1.139	5.54	25.45	0.009	0.079	2.83	0.42	0.015	0.013	4.49	106.88
Standard Deviation		0.98	2.59	78.83	0.019	0.366	1.41	0.358	4.51	47.20	0.004	0.062	1.22	0.25	0.015	0.004	1.00	147.16
80% Confidence Range (þ)		0.43	1.14	34.72	0.008	0.161	0.62	0.158	1.99	20.79	0.002	0.027	0.54	0.11	0.006	0.002	0.44	64.83
90% Upper Limit		1.08	2.71	93.93	0.065	0.391	2.98	1.297	7.53	46.24 ***	0.011	0.106	3.37	0.53	0.021	0.014	4.93	171.70
Combined Statistical Analysis																		
Average		0.51	1.19	45.87	0.053	0.172	2.69	1.003	6.51	14.21	0.013	0.08	2.43	0.35	0.012	0.012	4.38	102.75
Standard Deviation		0.76	1.87	63.09	0.014	0.291	1.38	0.303	9.90	34.60	0.018	0.07	1.09	0.19	0.013	0.003	0.74	157.11
80% Confidence Range (þ)		0.23	0.56	18.73	0.004	0.086	0.41	0.090	2.94	10.27	0.005	0.02	0.32	0.06	0.004	0.001	0.22	46.65
90% Upper Limit		0.74	1.75	64.60	0.058	0.258	3.10	1.093	9.45	24.48	0.018	0.10	2.75	0.40	0.016	0.013	4.60	149.40
Title 22 Standards STLC Limits**	- -	15	5.0	100	0.75	1.0	5.0	80	25	5.0	0.20	350	20	1.0	5.0	7.0	24	250

NOTES: The values for total metal concentrations in this table have been divided by 10 in order to allow comparison directly with the WET analytical data and the STLC Limits. This methodology is detailed in Appendix F of the report. The concentration units of the WET data values and the original total metal values are in parts per million. The combined statistical analysis is based on the entire population of analytical data included inthis table.

ND = Not detected above laboratory test method detection limits
(QA/QC) = Quality Assurance/Quality Control Sample (a comparable soil sample)
DUP = Duplicate
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
* = Results from WET analysis
** = As specified in Title 22 CCR
*** = Statistical Group Exceeds STLC limits

31-Oct-91

Numeric Reviewer

DRAFT



MAP SOURCE: Thomas Bros. Guide, Los Angeles County, 1989, pp. 61, 82.

N

SCALE

0 1/4 1/2 1 MILE

Figure 1 : SITE VICINITY

Project No. 2193

LEVINE • FRICKE
CONSULTING ENGINEERS AND HYDROGEOLOGISTS

092790DTS/ldr

2193-04