From: McDonald, Jeffrey
To: "Gilmore, Tyler J"
Cc: Bayer, MaryRose; Vermeul, V R (Vince); Greenhagen, Andrew; Allan Batka; Elkins, Timothy
Subject: RE: updated draft PISC for your review and reply
Date: Tuesday, February 25, 2014 10:17:00 AM

Tyler,
That sounds good. Can you include Allan and Tim (I'll cc: them here). I'll let Molly let you know if any of the Cadmus contractors will sit in on the call.
Maybe 2 or 3pm CST?
Jeff

Jeffrey R. McDonald, Geologist
Underground Injection Control Branch
U.S. EPA - Region 5
(312) 353-6288 [office]
(312) 408-2240 [direct fax]
mcdonald.jeffrey@epa.gov

From: Gilmore, Tyler J [mailto:Tyler.Gilmore@pnnl.gov]
Sent: Tuesday, February 25, 2014 9:50 AM
To: McDonald, Jeffrey
Cc: Bayer, MaryRose; Vermeul, V R (Vince); Greenhagen, Andrew
Subject: Re: updated draft PISC for your review and reply

Jeff,
We received the PISC, thank you. I'll review and provide an estimated turnaround time.

Also, are you available today for a conference call on the Testing and Monitoring Plan? We'd like to run some items by you to get your input before completing the T&M plan. Vince Vermeul, our lead on the monitoring, has some questions.
Thanks
Tyler

From: <McDonald>, Jeff McDonald <mcdonald.jeffrey@epa.gov>
Date: Monday, February 24, 2014 11:49 AM
To: Tyler Gilmore <tyler.gilmore@pnnl.gov>
Cc: "Greenhagen, Andrew" <Greenhagen.Andrew@epa.gov>, "Elkins, Timothy" <elkins.timothy@epa.gov>, "Batka, Allan" <batka.allan@epa.gov>, "Bayer, MaryRose" <Bayer.MaryRose@epa.gov>, "Smith, Robert H" <smith.roberth@epa.gov>, "Krueger, Thomas" <krueger.thomas@epa.gov>, "McAuliffe, Mary" <mcauliffe.mary@epa.gov>, "Shari.Ring@cadmusgroup.com" <Shari.Ring@cadmusgroup.com>

Subject: RE: updated draft PISC for your review and reply

Oops

Jeffrey R. McDonald, Geologist
Underground Injection Control Branch
U.S. EPA - Region 5
(312) 353-6288
mcdonald.jeffrey@epa.gov

From: McDonald, Jeffrey
Sent: Monday, February 24, 2014 1:40 PM
To: Gilmore, Tyler J
Cc: Greenhagen, Andrew; Elkins, Timothy; Batka, Allan; Bayer, MaryRose; Smith, Robert H; Krueger, Thomas; McAuliffe, Mary; Shari.Ring@cadmusgroup.com
Subject: updated draft PISC for your review and reply

Tyler,
Like I mentioned before, there were a lot of comments and discussion on this so it took a little longer than we'd hoped. There is still quite a bit that needs the FGA's attention. Thanks to all in the Region, HQ and Cadmus that helped with this.
Let me know when you think you can turn this around back to us by.
Jeff

Jeffrey R. McDonald, Geologist
Underground Injection Control Branch
U.S. EPA - Region 5
(312) 353-6288
mcdonald.jeffrey@epa.gov