7428 Rockville Road, Indianapolis, IN 46214

June 10, 2015

Mr. Juan Thomas
United States Environmental Protection Agency Region 5
RCRA Enforcement and Compliance Assurance Branch, DE-9J
77 West Jackson Boulevard
Chicago, IL 60604

Re: Implemented Corrective Measures – Groundwater Recovery and Treatment System
Semi-Annual Post Closure Monitoring Report
Former Amphenol Facility #IND 044 587 848
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Thomas:

This Implemented Corrective Measures – Groundwater Recovery and Treatment System (ICM-GRTS) Report is submitted on behalf of the "Performing Respondent", Amphenol Corporation. This report summarizes the "Work Efforts" completed during the first semi-annual period (October 31, 2014 through April 17, 2015) of the calendar year 2015. The "Work Efforts" were conducted pursuant to Section VIII of the Administrative Order on Consent for Corrective Measures Implementation (CMI) for the above referenced site and in accordance with the approved Post Closure Monitoring Work Plan submitted to the USEPA in March 2000.

The "Work Efforts" performed at the site included:

- Operations and Maintenance of the Groundwater Recovery and Treatment System
- Groundwater Elevation Monitoring
- Quarterly Sampling and Analysis of the Groundwater Recovery and Treatment System
- Semi-Annual Groundwater Sampling and Analysis

Groundwater Recovery and Treatment System – Operations and Maintenance

The Implemented Corrective Measure (ICM) at the site is a groundwater pump and treat system consisting of 5 recovery wells (RW-1 through RW-5). Recovery wells RW-1, RW-2, and RW-3 have 5 foot screened intervals at depths of approximately 15 to 20 ft BGS and 2 foot sumps. Recovery well RW-4 has a 10 foot screened interval at a depth of approximately 13 to 23 ft BGS and a 4-foot sump. An additional recovery well (RW-5) was installed in June 2010 and activated in July 2010 in conjunction with supplemental bioremediation activities completed at the site. Recovery well RW-5 has a 10 foot screened interval at a depth of approximately 14 to 24 feet BGS and a 2-foot sump. Electric submersible pumps are used to pump groundwater from the recovery wells to an air stripper where volatile organic compounds (VOCs) are volatilized and exhausted to the atmosphere. Groundwater effluent from the air stripper is discharged to the City of Franklin municipal sanitary sewer system. In addition to VOC removal, the ICM is designed to lower the potentiometric groundwater surface to below the level of the existing storm sewer invert.

To ensure proper performance of the groundwater recovery and treatment system, IWM Consulting Group, LLC (IWM) personnel conducted routine operation and maintenance (O&M) inspections. Bi-weekly O&M

duties include measurement of influent flow rates, measurement of groundwater elevations of the recovery wells, routine inspections and necessary repairs of influent and effluent lines, and air stripper maintenance. On a monthly basis, depth to groundwater is recorded in monitoring wells IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-24, MW-26, MW-27, MW-28, MW-29, MW-30, and recovery wells RW-1 through RW-5. The air stripper trays and effluent discharge line are inspected and cleaned as necessary during monthly O&M activities. Also, influent sediment filters are replaced monthly. Quarterly O&M activities include complete disassembly and cleaning of the air stripper trays and sump. The sequestering agent system is also maintained on a quarterly basis. The air stripper blower lubrication and integrity is inspected on a quarterly basis. All recovery well pumps are also removed and cleaned on a quarterly basis. Monthly O&M reports are attached in **Appendix A**.

During this reporting period (October 31, 2014 through April 17, 2015), approximately 6,432,536 gallons of groundwater were recovered, treated, and discharged. The combined average influent flow rate for the period was 26.6 gpm. To date, approximately 208,093,015 gallons have been recovered since the groundwater recovery and treatment system was activated in February 1995. Groundwater recovery rates to date are provided in **Table 1**.

Overall the groundwater recovery and treatment system was very reliable and was operational during the majority of this reporting period. However, the following operational issues were encountered:

IWM personnel mobilized to the site on November 13, 2014 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival with the exception of the recovery pump within recovery well RW-3, which was found to be inoperable. IWM personnel replaced the recovery pump and floats in recovery well RW-3 on November 13, 2014. The groundwater recovery and treatment system was completely operational upon departure from the site on November 13, 2014.

At the request of a Duke Energy contractor, IWM personnel mobilized to the site on December 18, 2014 in order to temporarily shut down the groundwater recovery and treatment system during neighborhood electrical work being conducted by Duke Energy contractors. The groundwater recovery and treatment system was reactivated following the completion of the electrical work on December 18, 2014; however, the system building heater was found to be inoperable during system reactivation. A temporary heater was placed inside the system building in order to keep the system building temperature above freezing until a replacement heater was installed. A replacement heater was immediately ordered; however, replacement units were on backorder from the manufacturer due to demand. The groundwater recovery and treatment system was completely operational prior to deactivation and after reactivation on December 18, 2014.

IWM personnel mobilized to the site on January 29, 2015 to replace the system building heater which had been found to be inoperable in December 2014. Prior to this replacement, IWM personnel had periodically mobilized to the site to insure that the temporary heater that had been placed inside the system building in December 2014 was continuing to keep the temperature inside the system building above freezing. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 29, 2015.

IWM personnel mobilized to the site on February 6, 2015 to complete monthly and bi-weekly system operation and maintenance activities. Quarterly system operation and maintenance activities were not completed due to freezing temperatures since pulling the extraction pumps from the recovery wells could damage the influent lines. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on February 6, 2015.

IWM personnel mobilized to the site on February 20, 2015 to complete biweekly system operation and maintenance activities. During the later half of February, low temperatures were consistently below zero. Recovery well RW-5 was discovered to have frozen lines underground (within the recovery well manhole) due to these low temperatures and was not able to transfer water from the recovery well to the groundwater recovery and treatment system. In order to assist in thawing the influent lines and to prevent future freezing, additional insulation was planned to be installed in the well vault for RW-5. Additionally, the recovery well was reactivated upon warmer temperatures. Consequently, quarterly groundwater samples were not obtained during the February 20, 2015 site visit as a full complement of influent samples could not be obtained. Quarterly groundwater samples were obtained upon the reactivation of recovery well RW-5 in March 2015. The groundwater recovery and treatment system was completely operational with the exception of RW-5 upon arrival and departure from the site on February 20, 2015.

IWM personnel mobilized to the site on February 26, 2015 to install additional insulation in the well vault of recovery well RW-5 to assist in thawing the influent lines and prevent future freezing. The lines remained frozen during the installation, preventing RW-5 from being reactivated. Recovery well RW-5 was reactivated once warmer temperatures and the thawing of the influent lines occurred. The groundwater recovery and treatment system was completely operational with the exception of RW-5 upon arrival and departure from the site on February 26, 2015.

IWM personnel mobilized to the site on March 6, 2015 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational with the exception of recovery well RW-5 upon arrival and departure from the site on March 6, 2015. The influent line for recovery well RW-5 had remained frozen since early February 2015, even after insulation was installed for the influent line in February 2015.

IWM personnel mobilized to the site on March 12, 2015 to reactivate recovery well RW-5 after warmer temperatures had thawed the frozen influent line. Water and ice was cleared from the influent line prior to RW-5 being reactivated. Upon reactivation, the totalizer for recovery well RW-5 was found to be non-functional. A new totalizer was ordered for replacement later in March 2015. The groundwater recovery and treatment system was completely operational upon departure from the site on March 12, 2015. The complete set of quarterly system samples were obtained on March 13, 2015.

IWM personnel mobilized to the site on March 20, 2015 to complete bi-weekly system operation and maintenance activities. A new totalizer was installed for recovery well RW-5 during the March 20, 2015 bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 20, 2015.

Groundwater Level Measurements

IWM personnel gauged select monitoring wells (IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-23, MW-24, MW-26, MW-27, MW-28, MW-29, and MW-30) at the site on a monthly basis using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. For this semi-annual reporting period, depth to water in the monitoring wells ranged from 9.43 feet below top of casing (TOC) in MW-9 to 18.15 feet below TOC in MW-22. During this reporting period, neither LNAPL nor DNAPL were detected within the monitoring and recovery well network at the site. Additionally, the water table has fluctuated slightly from October 2014 to April 2015. The groundwater elevation data indicates that the groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume. **Figure 1** is a site plan illustrating pertinent site features and well locations. A groundwater elevation contour map based on the most recent gauging event

(April 3, 2015) is provided as **Figure 2**. Historic groundwater elevation data and groundwater contour maps for this reporting period are provided in each monthly O&M report included in **Appendix A**. Groundwater elevations during this semi-annual reporting period are provided in **Table 2**.

Quarterly Treatment System Sampling and Analysis

On November 24, 2014, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260.

Laboratory analytical results from the November 24, 2014 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

On March 13, 2015, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace for VOC analysis by SW-846 Method 8260.

Laboratory analytical results from the March 13, 2015 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery well RW-2. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. No constituents of concern were detected in the system sample obtained from recovery well RW-4 or the remedial system's effluent water sample.

The analytical reports for the quarterly system sampling events are included in **Appendix B**. A summary of quarterly system sampling results is included in **Table 3**.

Semi-Annual Groundwater Sampling and Analysis

On April 10, 2015, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace for VOC analysis using US EPA SW 846 Method 8260. Groundwater sampling logs are provided in **Appendix C**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (784.6 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (1,131.2 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration.

1,1-Dichloroethane was detected in monitoring wells IT-2 and MW-12R. Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

Overall, the groundwater recovery and treatment system, along with supplemental activities completed in 2010 and 2011, appear to be effectively reducing VOC concentrations at the site. When comparing the highest observed historical total VOC concentrations (generally before or immediately following the start of the groundwater recovery and treatment system in March 1995) to the results of the April 2015 groundwater sampling event, the following total VOC concentration reductions have been observed:

Well ID	Highest Total VOC Concentration (Date)	April 2015 Total VOC Concentration	Percent Reduction
IT-2	289 µg/L (8/1/86)	52.8 µg/L	81.73%
IT-3	560 µg/L (2/1/86)	Non-detect	99.99%
MW-12/12R	64,680 µg/L (5/1/86)	1,131.2 µg/L	98.25%
MW-22	6,600 µg/L (10/9/96)	784.6 µg/L	88.11%
MW-28	1,015 µg/L (2/17/93)	61.5 µg/L	93.94%
MW-30	106 (9/29/00)	8.1 µg/L	92.36%

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Laboratory data sheets are provided in **Appendix D**. A summary of groundwater analytical results is included in **Table 4**.

Conclusions

Based on the data collected during this semi-annual post closure monitoring period, the following conclusions can be asserted:

1. The groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume.

2. The cone of influence developed by the on-site recovery wells extends beyond the downgradient site property boundary.

3. The average combined influent rate for the groundwater recovery system is approximately 26.6 gpm.

4. The highest dissolved PCE concentrations were detected near the suspected release area where the sanitary sewer crosses the existing storm sewer.

5. The highest VOC concentrations were detected in the groundwater samples obtained from monitoring wells MW-22 and MW-12R, located in the vicinity of recovery wells RW-3 and RW-2, respectively. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentrations.

6. Following activation of the groundwater recovery and treatment system, total dissolved VOC concentrations decreased substantially. Since initial startup of the remedial system, total VOC concentrations have displayed decreasing trends in monitoring wells IT-2, IT-3, MW-12/12R, MW-22, MW-28, and MW-30.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG
Project Geologist

Bradley E. Gentry, LPG
Vice-President/Brownfield Coordinator

Attachments
cc: Mr. Samuel Waldo, Amphenol Corporation

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (04/03/2015)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056
1/9/2015	21,316,070	36,922,878	57,997,656	68,786,228	19,363,399	204,407,458
1/23/2015	21,345,587	36,959,350	58,144,372	68,993,833	19,513,801	204,978,170
1/29/2015	21,357,127	36,973,611	58,205,489	69,081,001	19,576,585	205,215,040
2/6/2015	21,371,505	36,991,245	58,286,851	69,198,021	19,660,311	205,529,160
2/20/2015	21,394,354	37,020,048	58,428,275	69,404,547	19,660,702	205,929,153
2/26/2015	21,403,733	37,035,407	58,488,245	69,491,602	19,660,702	206,100,916
3/6/2015	21,416,567	37,056,085	58,568,322	69,610,071	19,660,702	206,332,974
3/13/2015	21,432,404	37,077,255	58,637,051	69,713,961	19,672,942	206,554,840
3/20/2015	21,451,911	37,099,505	58,705,735	69,817,260	19,758,622	206,854,260
4/3/2015	21,496,123	37,157,768	58,840,954	70,024,505	19,923,353	207,463,930
4/10/2015	21,520,195	37,190,147	58,908,094	70,129,386	20,006,301	207,775,350
4/17/2015	21,548,296	37,225,866	58,974,446	70,234,441	20,088,739	208,093,015

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08
	01/09/15		NG	NG
	02/06/15		13.22	719.03
	03/06/15		NG	NG
	04/03/15		13.18	719.07

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29
	01/09/15		11.08	717.63
	02/06/15		11.35	717.36
	03/06/15		11.24	717.47
	04/03/15		11.30	717.41

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59
	01/09/15		15.81	720.63
	02/06/15		15.85	720.59
	03/06/15		16.02	720.42
	04/03/15		15.80	720.64

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29
	01/09/15		9.43	723.61
	02/06/15		9.67	723.37
	03/06/15		9.78	723.26
	04/03/15		9.62	723.42

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67
	01/09/15		17.39	718.76
	02/06/15		17.51	718.64
	03/06/15		17.13	719.02
	04/03/15		17.48	718.67

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23
	01/09/15		10.46	723.57
	02/06/15		10.76	723.27
	03/06/15		10.83	723.20
	04/03/15		10.72	723.31

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39
	01/09/15		17.34	720.57
	02/06/15		17.52	720.39
	03/06/15		17.68	720.23
	04/03/15		17.47	720.44

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63
	01/09/15		17.95	719.69
	02/06/15		18.05	719.59
	03/06/15		18.15	719.49
	04/03/15		17.95	719.69

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90
	01/09/15		16.08	719.94
	02/06/15		16.13	719.89
	03/06/15		16.20	719.82
	04/03/15		16.08	719.94

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50
	01/09/15		13.57	722.82
	02/06/15		13.83	722.56
	03/06/15		13.98	722.41
	04/03/15		13.80	722.59

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29
	01/09/15		16.32	720.31
	02/06/15		16.35	720.28
	03/06/15		16.48	720.15
	04/03/15		16.29	720.34

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11
	01/09/15		NG	NG
	02/06/15		17.96	720.08
	03/06/15		18.07	719.97
	04/03/15		17.93	720.11

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81
	01/09/15		17.62	719.99
	02/06/15		17.83	719.78
	03/06/15		17.93	719.68
	04/03/15		17.77	719.84

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06
	01/09/15		15.75	719.09
	02/06/15		15.83	719.01
	03/06/15		15.82	719.02
	04/03/15		15.80	719.04

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69
	01/09/15		12.14	718.83
	02/06/15		12.00	718.97
	03/06/15		12.80	718.17
	04/03/15		12.21	718.76

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60
	01/09/15		15.45	716.60
	02/06/15		15.51	716.54
	03/06/15		14.71	717.34
	04/03/15		15.40	716.65

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30
	01/09/15		17.25	715.94
	02/06/15		17.31	715.88
	03/06/15		18.69	714.50
	04/03/15		17.25	715.94

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17
	01/09/15		18.95	716.53
	02/06/15		18.76	716.72
	03/06/15		19.89	715.59
	04/03/15		18.84	716.64

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31
	01/09/15		14.65	717.31
	02/06/15		14.72	717.24
	03/06/15		13.10	718.86
	04/03/15		14.62	717.34

NR-Not Recorded
NG-Not Gauged

Table 3
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3
	11/16/2012	ND	ND	ND	28.3	ND	109	28.7	ND	74.7	ND	ND	ND	ND	ND	ND	240.7
	2/25/2013	ND	ND	ND	ND	ND	ND	12.2	ND	25.0	ND	ND	ND	ND	ND	ND	37.2
	5/30/2013	ND	ND	ND	ND	ND	ND	12.6	ND	26.3	ND	ND	ND	ND	ND	ND	38.9
	8/23/2013	ND	ND	ND	ND	ND	10.9	14.6	ND	30.9	ND	ND	ND	ND	ND	ND	56.4
	11/13/2013	ND	ND	ND	5.9	ND	9.2	16.5	ND	24.8	ND	ND	ND	ND	ND	ND	56.4
	2/19/2014	ND	ND	ND	6.5	ND	26.9	18.0	ND	38.1	ND	ND	ND	ND	ND	ND	89.5
	5/16/2014	ND	ND	ND	9.3	ND	27.8	13.6	ND	29.0	ND	ND	ND	ND	ND	ND	79.7
	8/22/2014	ND	ND	ND	ND	ND	ND	9.7	ND	17.9	ND	ND	ND	ND	ND	ND	27.6
	11/24/2014	ND	ND	ND	30.7	ND	98.6	14.6	ND	50.7	ND	ND	ND	ND	ND	ND	194.6
	3/13/2015	ND	ND	ND	ND	ND	8.2	11.0	ND	17.3	ND	ND	ND	ND	ND	ND	36.5

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9
	11/16/2012	ND	ND	ND	24.7	ND	98.0	37.9	ND	47.7	ND	ND	ND	ND	ND	ND	208.3
	2/25/2013	ND	ND	ND	80.6	ND	154.0	41.5	ND	93.3	ND	ND	ND	ND	ND	ND	369.4
	5/30/2013	5.1	ND	ND	14.6	ND	206.0	72.4	ND	125.0	ND	ND	ND	ND	ND	ND	423.1
	8/23/2013	9.3	ND	ND	ND	ND	195.0	76.4	ND	148.0	ND	ND	ND	ND	ND	ND	428.7
	11/13/2013	5.7	ND	ND	ND	ND	118.0	70.0	ND	87.2	ND	ND	ND	ND	ND	ND	280.9
	2/19/2014	12.9	ND	ND	ND	ND	195.0	89.0	ND	165.0	ND	ND	ND	ND	ND	ND	461.9
	5/16/2014	9.6	ND	ND	14.2	ND	171.0	72.6	ND	129.0	ND	ND	ND	ND	ND	ND	396.4
	8/22/2014	7	ND	ND	ND	ND	139.0	58.4	ND	107.0	ND	ND	ND	ND	ND	ND	311.4
	11/24/2014	ND	ND	ND	ND	ND	89.6	32.0	ND	56.5	ND	ND	ND	ND	ND	ND	178.1
	3/13/2015	7	ND	ND	6.2	ND	132.0	46.5	ND	74.2	ND	ND	ND	ND	ND	ND	265.9

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2
	11/16/2012	5.9	ND	ND	80.5	ND	154	66.6	ND	68.4	ND	ND	ND	ND	ND	ND	375.4
	2/25/2013	ND	ND	ND	47	ND	110	53.3	ND	66.1	ND	ND	ND	ND	ND	ND	276.4
	5/30/2013	ND	ND	ND	21.5	ND	99	48.8	ND	40.2	ND	ND	ND	ND	ND	ND	209.0
	8/23/2013	5.3	ND	ND	25.9	ND	135	48.8	ND	53.3	ND	ND	ND	ND	ND	ND	268.3
	11/13/2013	5.5	ND	ND	31.6	ND	157	52.0	ND	51.8	ND	ND	ND	ND	ND	ND	297.9
	2/19/2014	6.5	ND	ND	21.8	ND	144	62.6	ND	58.1	ND	ND	ND	ND	ND	ND	293.0
	5/16/2014	5.8	ND	ND	8.2	ND	93	50.8	ND	35.7	ND	ND	ND	ND	ND	ND	193.0
	8/22/2014	ND	ND	ND	7.3	ND	86.9	41.3	ND	32.8	ND	ND	ND	ND	ND	ND	168.3
	11/24/2014	ND	ND	ND	13.8	ND	123.0	38.0	ND	41.5	ND	ND	ND	ND	ND	ND	216.3
	3/13/2015	ND	ND	ND	21.4	ND	114.0	35.3	ND	35.9	ND	ND	ND	ND	ND	ND	206.6

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
	11/16/2012	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/25/2013	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	5/30/2013	ND	ND	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7
	8/23/2013	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6
	11/13/2013	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/19/2014	ND	ND	ND	ND	ND	10.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.3
	5/16/2014	ND	ND	ND	ND	ND	9.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.7
	8/22/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	11/24/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	3/13/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2
	11/16/2012	ND	ND	ND	172	ND	534	68.0	ND	279	ND	ND	ND	ND	ND	ND	1,053.0
	2/25/2013	ND	ND	ND	29.3	ND	122	27.8	ND	72.1	ND	ND	ND	ND	ND	ND	251.2
	5/30/2013	ND	ND	ND	128.0	ND	614	38.7	ND	242.0	ND	ND	ND	ND	ND	ND	1,022.7
	8/23/2013	ND	ND	ND	194.0	ND	580	39.9	ND	305.0	ND	ND	ND	ND	ND	ND	1,118.9
	11/13/2013	ND	ND	ND	148.0	ND	570	42.7	ND	265.0	ND	ND	ND	ND	ND	ND	1,025.7
	2/19/2014	ND	ND	ND	202.0	ND	538	47.5	ND	290.0	ND	ND	ND	ND	ND	ND	1,077.5
	5/16/2014	ND	ND	ND	181.0	ND	397	36.4	ND	228.0	ND	ND	ND	ND	ND	ND	842.4
	8/22/2014	ND	ND	ND	169.0	ND	418	28.8	ND	211.0	ND	ND	ND	ND	ND	ND	826.8
	11/24/2014	ND	ND	ND	210.0	ND	442	27.5	ND	258.0	ND	ND	ND	ND	ND	ND	937.5
	3/13/2015	ND	ND	ND	60.7	ND	336	30.5	ND	159.0	ND	ND	ND	ND	ND	ND	586.2

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/16/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/23/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/13/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/19/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/16/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/22/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/24/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	3/13/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

Table 4

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6
	4/5/2013	12.58	8	27.6	ND	5.5	26.7	ND	ND	ND	ND	ND	67.8
	10/1/2013	13.95	10	35.2	ND	6.5	22.2	ND	ND	ND	ND	ND	73.9
	4/11/2014	11.79	5	15	ND	6.5	36.8	ND	ND	ND	ND	ND	63.3
	10/8/2014	13.23	9.4	51.7	ND	ND	9.4	ND	ND	ND	ND	ND	70.5
	4/10/2015	12.02	7.3	29.4	ND	ND	16.1	ND	ND	ND	ND	ND	52.8

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6
	4/5/2013	10.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	10.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	10.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	10.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	757.8
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001.3
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576.3
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,566.6
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968.2
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6
	4/5/2013	16.09	5.3	154	665	56.9	170	ND	ND	ND	ND	ND	1,051.2
	10/1/2013	18.22	ND	10.1	392	39.2	66	ND	ND	ND	ND	ND	507.3
	4/11/2014	16.21	5	47.1	458	49	79.4	ND	ND	ND	ND	ND	638.5
	10/8/2014	17.51	ND	12.9	378	55.1	48.5	ND	ND	ND	ND	ND	494.5
	4/10/2015	16.34	13.2	124	757	102	135	ND	ND	ND	ND	ND	1,131.2

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5
	4/5/2013	9.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Duplicate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	8.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	10.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	8.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3
	4/5/2013	17.29	ND	27	745	10.1	107	ND	ND	ND	ND	ND	889.1
	Duplicate		ND	71.2	1,000	14	176	ND	ND	ND	ND	ND	1,261.2
	10/1/2013	18.71	ND	32.8	638	8.5	96.5	ND	ND	ND	ND	ND	775.8
	4/11/2014	16.66	ND	11.7	744	9.2	65.2	ND	ND	ND	ND	ND	830.1
	Duplicate		ND	50.8	901	14.7	154	ND	ND	ND	ND	ND	1,120.5
	10/8/2014	18.05	ND	25.2	555	11.7	76.5	ND	ND	ND	ND	ND	668.4
	4/10/2015	16.79	ND	11.8	699	9.4	64.4	ND	ND	ND	ND	ND	784.6
	Duplicate		ND	10.3	718	9.5	64.2	ND	ND	ND	ND	ND	802.0

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0
	4/5/2013	16.99	ND	ND	29.1	11.3	17.1	ND	ND	ND	ND	ND	57.5
	10/1/2013	18.57	ND	ND	19	11.6	8.8	ND	ND	ND	ND	ND	39.4
	4/11/2014	16.13	ND	ND	29.5	10.7	10.8	ND	ND	ND	ND	ND	51.0
	10/8/2014	17.97	ND	ND	24	9.8	12.6	ND	ND	ND	ND	ND	46.4
	4/10/2015	16.62	ND	ND	38.6	10.3	12.6	ND	ND	ND	ND	ND	61.5

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/5/2013	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	18.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	17.85	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	16.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4
	4/5/2013	15.45	ND	ND	ND	10.9	ND	ND	ND	ND	ND	ND	10.9
	10/1/2013	15.95	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/11/2014	14.96	ND	ND	ND	8.8	ND	ND	ND	ND	ND	ND	8.8
	10/8/2014	15.72	ND	ND	ND	10.5	ND	ND	ND	ND	ND	ND	10.5
	Duplicate		ND	ND	ND	11.9	ND	ND	ND	ND	ND	ND	11.9
	4/10/2015	15.20	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

APPENDIX A

Monthly O&M Reports

7428 Rockville Road, Indianapolis, IN 46214

December 11, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the October 31 through November 24, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On November 13, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.17 feet below top of casing (TOC) in MW-9 to 18.15 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-4, and RW-5 were operational during groundwater gauging activities. The recovery pump within recovery well RW-3 was found to be inoperable upon arrival on November 13, 2014 and RW-3 was consequently not gauged during pump replacement. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the November 13, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From October 31 through November 24, 2014, approximately 885,341 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 202,545,820 gallons. The average influent groundwater recovery rate from October 31 through November 24, 2014 was approximately 25.6 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on November 13, 2014 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival with the exception of the recovery pump within recovery well RW-3, which was found to be inoperable. IWM personnel replaced the recovery pump and floats in recovery well RW-3 on

November 13, 2014. The groundwater recovery and treatment system was completely operational upon departure from the site on November 13, 2014.

IWM personnel mobilized to the site on November 24, 2014 to complete biweekly system operation and maintenance activities and obtain quarterly system samples. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 24, 2014.

Quarterly Treatment System Sampling

On November 24, 2014, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the November 24, 2014 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of December 2014. Site visits are scheduled for the weeks beginning December 8 and December 22, 2014. The information from these site inspections will be included in the December 2014 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (11/13/14)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3
	11/16/2012	ND	ND	ND	28.3	ND	109	28.7	ND	74.7	ND	ND	ND	ND	ND	ND	240.7
	2/25/2013	ND	ND	ND	ND	ND	ND	12.2	ND	25.0	ND	ND	ND	ND	ND	ND	37.2
	5/30/2013	ND	ND	ND	ND	ND	ND	12.6	ND	26.3	ND	ND	ND	ND	ND	ND	38.9
	8/23/2013	ND	ND	ND	ND	ND	10.9	14.6	ND	30.9	ND	ND	ND	ND	ND	ND	56.4
	11/13/2013	ND	ND	ND	5.9	ND	9.2	16.5	ND	24.8	ND	ND	ND	ND	ND	ND	56.4
	2/19/2014	ND	ND	ND	6.5	ND	26.9	18.0	ND	38.1	ND	ND	ND	ND	ND	ND	89.5
	5/16/2014	ND	ND	ND	9.3	ND	27.8	13.6	ND	29.0	ND	ND	ND	ND	ND	ND	79.7
	8/22/2014	ND	ND	ND	ND	ND	ND	9.7	ND	17.9	ND	ND	ND	ND	ND	ND	27.6
	11/24/2014	ND	ND	ND	30.7	ND	98.6	14.6	ND	50.7	ND	ND	ND	ND	ND	ND	194.6

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9
	11/16/2012	ND	ND	ND	24.7	ND	98.0	37.9	ND	47.7	ND	ND	ND	ND	ND	ND	208.3
	2/25/2013	ND	ND	ND	80.6	ND	154.0	41.5	ND	93.3	ND	ND	ND	ND	ND	ND	369.4
	5/30/2013	5.1	ND	ND	14.6	ND	206.0	72.4	ND	125.0	ND	ND	ND	ND	ND	ND	423.1
	8/23/2013	9.3	ND	ND	ND	ND	195.0	76.4	ND	148.0	ND	ND	ND	ND	ND	ND	428.7
	11/13/2013	5.7	ND	ND	ND	ND	118.0	70.0	ND	87.2	ND	ND	ND	ND	ND	ND	280.9
	2/19/2014	12.9	ND	ND	ND	ND	195.0	89.0	ND	165.0	ND	ND	ND	ND	ND	ND	461.9
	5/16/2014	9.6	ND	ND	14.2	ND	171.0	72.6	ND	129.0	ND	ND	ND	ND	ND	ND	396.4
	8/22/2014	7	ND	ND	ND	ND	139.0	58.4	ND	107.0	ND	ND	ND	ND	ND	ND	311.4
	11/24/2014	ND	ND	ND	ND	ND	89.6	32.0	ND	56.5	ND	ND	ND	ND	ND	ND	178.1

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2
	11/16/2012	5.9	ND	ND	80.5	ND	154	66.6	ND	68.4	ND	ND	ND	ND	ND	ND	375.4
	2/25/2013	ND	ND	ND	47	ND	110	53.3	ND	66.1	ND	ND	ND	ND	ND	ND	276.4
	5/30/2013	ND	ND	ND	21.5	ND	99	48.8	ND	40.2	ND	ND	ND	ND	ND	ND	209.0
	8/23/2013	5.3	ND	ND	25.9	ND	135	48.8	ND	53.3	ND	ND	ND	ND	ND	ND	268.3
	11/13/2013	5.5	ND	ND	31.6	ND	157	52.0	ND	51.8	ND	ND	ND	ND	ND	ND	297.9
	2/19/2014	6.5	ND	ND	21.8	ND	144	62.6	ND	58.1	ND	ND	ND	ND	ND	ND	293.0
	5/16/2014	5.8	ND	ND	8.2	ND	93	50.8	ND	35.7	ND	ND	ND	ND	ND	ND	193.0
	8/22/2014	ND	ND	ND	7.3	ND	86.9	41.3	ND	32.8	ND	ND	ND	ND	ND	ND	168.3
	11/24/2014	ND	ND	ND	13.8	ND	123.0	38.0	ND	41.5	ND	ND	ND	ND	ND	ND	216.3

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
	11/16/2012	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/25/2013	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	5/30/2013	ND	ND	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7
	8/23/2013	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6
	11/13/2013	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/19/2014	ND	ND	ND	ND	ND	10.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.3
	5/16/2014	ND	ND	ND	ND	ND	9.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.7
	8/22/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	11/24/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2
	11/16/2012	ND	ND	ND	172	ND	534	68.0	ND	279	ND	ND	ND	ND	ND	ND	1,053.0
	2/25/2013	ND	ND	ND	29.3	ND	122	27.8	ND	72.1	ND	ND	ND	ND	ND	ND	251.2
	5/30/2013	ND	ND	ND	128.0	ND	614	38.7	ND	242.0	ND	ND	ND	ND	ND	ND	1,022.7
	8/23/2013	ND	ND	ND	194.0	ND	580	39.9	ND	305.0	ND	ND	ND	ND	ND	ND	1,118.9
	11/13/2013	ND	ND	ND	148.0	ND	570	42.7	ND	265.0	ND	ND	ND	ND	ND	ND	1,025.7
	2/19/2014	ND	ND	ND	202.0	ND	538	47.5	ND	290.0	ND	ND	ND	ND	ND	ND	1,077.5
	5/16/2014	ND	ND	ND	181.0	ND	397	36.4	ND	228.0	ND	ND	ND	ND	ND	ND	842.4
	8/22/2014	ND	ND	ND	169.0	ND	418	28.8	ND	211.0	ND	ND	ND	ND	ND	ND	826.8
	11/24/2014	ND	ND	ND	210.0	ND	442	27.5	ND	258.0	ND	ND	ND	ND	ND	ND	937.5

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/16/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/23/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/13/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/19/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/16/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/22/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/24/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 11-13-14
IWM Personnel: R. Mien D. White
Arrival Time: 8:39
Departure Time: 4:30
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 23383482.0 RW-2 21714990.0 RW-3 40884303.0 RW-4 67943708.0 RW-5 18743995.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 4.2 RW-2 3.6 RW-3 .14 3.1 New pump RW-4 3.9 RW-5 4.3

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: clean

Building Temperature: 68 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

All but RW-3 pump was bad Replace pump and floats

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4 Y RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 11-24-14
IWM Personnel: R. Mien
Arrival Time: 8:30
Departure Time: 11:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 26000560 RW-2 21733274.0 RW-3 41002934.0 RW-4 68105871.0 RW-5 18864830.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.00 RW-5 8.75

Pump Running Amps RW-1 3.3 RW-2 3.2 RW-3 3.1 RW-4 4.1 RW-5 3.5

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 70° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

System Sample Laboratory Analytical Report

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

December 10, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50107586

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on November 24, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project:	Amphenol
Pace Project No.:	50107586

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky UST Certification #: 0042
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50107586001	**RW-1**	Water	11/24/14 10:20	11/24/14 12:17
50107586002	**RW-2**	Water	11/24/14 10:15	11/24/14 12:17
50107586003	**RW-3**	Water	11/24/14 10:10	11/24/14 12:17
50107586004	**RW-4**	Water	11/24/14 10:05	11/24/14 12:17
50107586005	**RW-5**	Water	11/24/14 10:00	11/24/14 12:17
50107586006	**EFFLUENT**	Water	11/24/14 09:55	11/24/14 12:17

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50107586001	**RW-1**	EPA 8260	RSW	72
50107586002	**RW-2**	EPA 8260	RSW	72
50107586003	**RW-3**	EPA 8260	RSW	72
50107586004	**RW-4**	EPA 8260	RSW	72
50107586005	**RW-5**	EPA 8260	RSW	72
50107586006	**EFFLUENT**	EPA 8260	RSW	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-1 **Lab ID: 50107586001** Collected: 11/24/14 10:20 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 15:57	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 15:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 15:57	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 15:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 15:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 15:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 15:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 15:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 15:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 15:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 15:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 15:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 15:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 15:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 15:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 15:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 15:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 15:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 15:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 15:57	75-35-4	
cis-1,2-Dichloroethene	**30.7**	ug/L	5.0	1		12/05/14 15:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 15:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 15:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 15:57	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 15:57	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 15:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 15:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 15:57	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-1 **Lab ID: 50107586001** Collected: 11/24/14 10:20 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 15:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 15:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 15:57	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 15:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 15:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 15:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 15:57	79-34-5	
Tetrachloroethene	**98.6**	ug/L	5.0	1		12/05/14 15:57	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 15:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	120-82-1	
1,1,1-Trichloroethane	**14.6**	ug/L	5.0	1		12/05/14 15:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	79-00-5	
Trichloroethene	**50.7**	ug/L	5.0	1		12/05/14 15:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 15:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 15:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 15:57	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	113	%.	79-116	1		12/05/14 15:57	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 15:57	460-00-4	
Toluene-d8 (S)	94	%.	81-110	1		12/05/14 15:57	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-2 **Lab ID: 50107586002** Collected: 11/24/14 10:15 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 16:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 16:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 16:27	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 16:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 16:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 16:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 16:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 16:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 16:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 16:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 16:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 16:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 16:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 16:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 16:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 16:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 16:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 16:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 16:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 16:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 16:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 16:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 16:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-2 **Lab ID: 50107586002** Collected: 11/24/14 10:15 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 16:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 16:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 16:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 16:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:27	79-34-5	
Tetrachloroethene	**89.6**	ug/L	5.0	1		12/05/14 16:27	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 16:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	120-82-1	
1,1,1-Trichloroethane	**32.0**	ug/L	5.0	1		12/05/14 16:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	79-00-5	
Trichloroethene	**56.5**	ug/L	5.0	1		12/05/14 16:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 16:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 16:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 16:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	113	%.	79-116	1		12/05/14 16:27	1868-53-7	
4-Bromofluorobenzene (S)	92	%.	80-114	1		12/05/14 16:27	460-00-4	
Toluene-d8 (S)	92	%.	81-110	1		12/05/14 16:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-3 **Lab ID: 50107586003** Collected: 11/24/14 10:10 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 16:57	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 16:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:57	75-35-4	
cis-1,2-Dichloroethene	**13.8**	ug/L	5.0	1		12/05/14 16:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 16:57	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 16:57	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 16:57	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-3 **Lab ID: 50107586003** Collected: 11/24/14 10:10 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 16:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 16:57	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:57	79-34-5	
Tetrachloroethene	**123**	ug/L	5.0	1		12/05/14 16:57	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	120-82-1	
1,1,1-Trichloroethane	**38.0**	ug/L	5.0	1		12/05/14 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	79-00-5	
Trichloroethene	**41.5**	ug/L	5.0	1		12/05/14 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 16:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 16:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 16:57	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%.	79-116	1		12/05/14 16:57	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 16:57	460-00-4	
Toluene-d8 (S)	92	%.	81-110	1		12/05/14 16:57	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-4 **Lab ID: 50107586004** Collected: 11/24/14 10:05 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 17:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 17:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 17:26	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 17:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 17:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 17:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 17:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 17:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 17:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 17:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 17:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 17:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 17:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 17:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 17:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 17:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 17:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 17:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 17:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 17:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 17:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 17:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 17:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 17:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 17:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-4 **Lab ID: 50107586004** Collected: 11/24/14 10:05 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 17:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 17:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 17:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 17:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 17:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 17:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 17:26	79-34-5	
Tetrachloroethene	**8.6**	ug/L	5.0	1		12/05/14 17:26	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 17:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 17:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 17:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 17:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%.	79-116	1		12/05/14 17:26	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		12/05/14 17:26	460-00-4	
Toluene-d8 (S)	94	%.	81-110	1		12/05/14 17:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-5 **Lab ID: 50107586005** Collected: 11/24/14 10:00 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 18:25	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 18:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 18:25	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 18:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 18:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 18:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 18:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 18:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 18:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 18:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 18:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 18:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 18:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 18:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 18:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 18:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 18:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 18:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 18:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 18:25	75-35-4	
cis-1,2-Dichloroethene	**210**	ug/L	5.0	1		12/05/14 18:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 18:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 18:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 18:25	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 18:25	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 18:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 18:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 18:25	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-5 **Lab ID: 50107586005** Collected: 11/24/14 10:00 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 18:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 18:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 18:25	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 18:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 18:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 18:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 18:25	79-34-5	
Tetrachloroethene	**442**	ug/L	50.0	10		12/05/14 18:55	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 18:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	120-82-1	
1,1,1-Trichloroethane	**27.5**	ug/L	5.0	1		12/05/14 18:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	79-00-5	
Trichloroethene	**258**	ug/L	5.0	1		12/05/14 18:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 18:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 18:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 18:25	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	116	%.	79-116	1		12/05/14 18:25	1868-53-7	
4-Bromofluorobenzene (S)	89	%.	80-114	1		12/05/14 18:25	460-00-4	
Toluene-d8 (S)	95	%.	81-110	1		12/05/14 18:25	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: EFFLUENT **Lab ID: 50107586006** Collected: 11/24/14 09:55 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 19:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 19:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 19:24	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 19:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 19:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 19:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 19:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 19:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 19:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 19:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 19:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 19:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 19:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 19:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 19:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 19:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 19:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 19:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 19:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 19:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 19:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 19:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 19:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 19:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 19:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: EFFLUENT **Lab ID: 50107586006** Collected: 11/24/14 09:55 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 19:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 19:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 19:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 19:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 19:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 19:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 19:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		12/05/14 19:24	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 19:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 19:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 19:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 19:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	119	%.	79-116	1		12/05/14 19:24	1868-53-7	S3
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 19:24	460-00-4	
Toluene-d8 (S)	90	%.	81-110	1		12/05/14 19:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

QC Batch: MSV/71469 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

METHOD BLANK: 1199218 Matrix: Water
Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,1-Trichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,2-Trichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2,3-Trichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
1,3-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,3-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,4-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
2,2-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
2-Butanone (MEK)	ug/L	ND	25.0	12/05/14 13:30	
2-Chlorotoluene	ug/L	ND	5.0	12/05/14 13:30	
2-Hexanone	ug/L	ND	25.0	12/05/14 13:30	
4-Chlorotoluene	ug/L	ND	5.0	12/05/14 13:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	12/05/14 13:30	
Acetone	ug/L	ND	100	12/05/14 13:30	
Acrolein	ug/L	ND	50.0	12/05/14 13:30	
Acrylonitrile	ug/L	ND	100	12/05/14 13:30	
Benzene	ug/L	ND	5.0	12/05/14 13:30	
Bromobenzene	ug/L	ND	5.0	12/05/14 13:30	
Bromochloromethane	ug/L	ND	5.0	12/05/14 13:30	
Bromodichloromethane	ug/L	ND	5.0	12/05/14 13:30	
Bromoform	ug/L	ND	5.0	12/05/14 13:30	
Bromomethane	ug/L	ND	5.0	12/05/14 13:30	
Carbon disulfide	ug/L	ND	10.0	12/05/14 13:30	
Carbon tetrachloride	ug/L	ND	5.0	12/05/14 13:30	
Chlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
Chloroethane	ug/L	ND	5.0	12/05/14 13:30	
Chloroform	ug/L	ND	5.0	12/05/14 13:30	
Chloromethane	ug/L	ND	5.0	12/05/14 13:30	
cis-1,2-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

METHOD BLANK: 1199218 Matrix: Water

Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
Dibromochloromethane	ug/L	ND	5.0	12/05/14 13:30	
Dibromomethane	ug/L	ND	5.0	12/05/14 13:30	
Dichlorodifluoromethane	ug/L	ND	5.0	12/05/14 13:30	
Ethyl methacrylate	ug/L	ND	100	12/05/14 13:30	
Ethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	12/05/14 13:30	
Iodomethane	ug/L	ND	10.0	12/05/14 13:30	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	12/05/14 13:30	
Methyl-tert-butyl ether	ug/L	ND	4.0	12/05/14 13:30	
Methylene Chloride	ug/L	ND	5.0	12/05/14 13:30	
n-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
n-Propylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Naphthalene	ug/L	ND	5.0	12/05/14 13:30	
p-Isopropyltoluene	ug/L	ND	5.0	12/05/14 13:30	
sec-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Styrene	ug/L	ND	5.0	12/05/14 13:30	
tert-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Tetrachloroethene	ug/L	ND	5.0	12/05/14 13:30	
Toluene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,2-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,3-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	12/05/14 13:30	
Trichloroethene	ug/L	ND	5.0	12/05/14 13:30	
Trichlorofluoromethane	ug/L	ND	5.0	12/05/14 13:30	
Vinyl acetate	ug/L	ND	50.0	12/05/14 13:30	
Vinyl chloride	ug/L	ND	2.0	12/05/14 13:30	
Xylene (Total)	ug/L	ND	10.0	12/05/14 13:30	
4-Bromofluorobenzene (S)	%.	92	80-114	12/05/14 13:30	
Dibromofluoromethane (S)	%.	110	79-116	12/05/14 13:30	
Toluene-d8 (S)	%.	92	81-110	12/05/14 13:30	

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	41.3	83	61-135	
1,1,1-Trichloroethane	ug/L	50	44.6	89	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	39.8	80	66-126	
1,1,2-Trichloroethane	ug/L	50	41.7	83	77-130	
1,1-Dichloroethane	ug/L	50	41.2	82	75-130	
1,1-Dichloroethene	ug/L	50	61.6	123	68-127	
1,1-Dichloropropene	ug/L	50	51.7	103	78-130	
1,2,3-Trichlorobenzene	ug/L	50	54.7	109	70-130	
1,2,3-Trichloropropane	ug/L	50	41.8	84	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	47.2	94	68-131	
1,2,4-Trimethylbenzene	ug/L	50	50.2	100	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	46.9	94	76-125	
1,2-Dichlorobenzene	ug/L	50	53.0	106	75-123	
1,2-Dichloroethane	ug/L	50	48.5	97	75-128	
1,2-Dichloropropane	ug/L	50	45.2	90	74-121	
1,3,5-Trimethylbenzene	ug/L	50	49.9	100	70-126	
1,3-Dichlorobenzene	ug/L	50	52.8	106	74-122	
1,3-Dichloropropane	ug/L	50	46.1	92	74-123	
1,4-Dichlorobenzene	ug/L	50	53.2	106	76-120	
2,2-Dichloropropane	ug/L	50	35.9	72	50-137	
2-Butanone (MEK)	ug/L	250	207	83	58-139	
2-Chlorotoluene	ug/L	50	46.9	94	74-122	
2-Hexanone	ug/L	250	212	85	54-140	
4-Chlorotoluene	ug/L	50	52.3	105	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	206	82	58-138	
Acetone	ug/L	250	231	93	49-150	
Acrolein	ug/L	1000	1070	107	41-200	
Acrylonitrile	ug/L	1000	1120	112	63-137	
Benzene	ug/L	50	51.2	102	74-122	
Bromobenzene	ug/L	50	48.6	97	72-127	
Bromochloromethane	ug/L	50	52.6	105	63-132	
Bromodichloromethane	ug/L	50	43.6	87	62-136	
Bromoform	ug/L	50	33.9	68	44-134	
Bromomethane	ug/L	50	55.0	110	22-181	
Carbon disulfide	ug/L	100	125	125	59-132	
Carbon tetrachloride	ug/L	50	39.3	79	56-137	
Chlorobenzene	ug/L	50	52.6	105	78-123	
Chloroethane	ug/L	50	67.6	135	60-144	
Chloroform	ug/L	50	49.9	100	78-126	
Chloromethane	ug/L	50	45.8	92	42-134	
cis-1,2-Dichloroethene	ug/L	50	54.6	109	75-122	
cis-1,3-Dichloropropene	ug/L	50	38.3	77	64-126	
Dibromochloromethane	ug/L	50	40.6	81	58-128	
Dibromomethane	ug/L	50	49.7	99	73-125	
Dichlorodifluoromethane	ug/L	50	47.3	95	35-181	
Ethyl methacrylate	ug/L	200	161	81	69-133	
Ethylbenzene	ug/L	50	51.5	103	66-133	
Hexachloro-1,3-butadiene	ug/L	50	49.7	99	59-145	
Iodomethane	ug/L	100	101	101	21-170	
Isopropylbenzene (Cumene)	ug/L	50	51.8	104	69-124	
Methyl-tert-butyl ether	ug/L	100	91.1	91	69-122	
Methylene Chloride	ug/L	50	53.1	106	68-132	
n-Butylbenzene	ug/L	50	51.0	102	70-126	
n-Propylbenzene	ug/L	50	50.8	102	71-122	
Naphthalene	ug/L	50	49.1	98	68-127	
p-Isopropyltoluene	ug/L	50	51.3	103	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	49.7	99	70-128	
Styrene	ug/L	50	54.2	108	74-126	
tert-Butylbenzene	ug/L	50	40.5	81	51-118	
Tetrachloroethene	ug/L	50	52.2	104	69-130	
Toluene	ug/L	50	49.6	99	72-122	
trans-1,2-Dichloroethene	ug/L	50	58.8	118	72-124	
trans-1,3-Dichloropropene	ug/L	50	37.9	76	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	153	76	56-133	
Trichloroethene	ug/L	50	51.1	102	76-126	
Trichlorofluoromethane	ug/L	50	68.0	136	76-149	
Vinyl acetate	ug/L	200	152	76	45-151	
Vinyl chloride	ug/L	50	46.1	92	59-126	
Xylene (Total)	ug/L	150	156	104	70-124	
4-Bromofluorobenzene (S)	%.			96	80-114	
Dibromofluoromethane (S)	%.			108	79-116	
Toluene-d8 (S)	%.			95	81-110	

MATRIX SPIKE SAMPLE: 1199221

Parameter	Units	50107586006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	38.3	77	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	42.4	85	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	38.3	77	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	42.1	84	61-139	
1,1-Dichloroethane	ug/L	ND	50	46.9	94	57-147	
1,1-Dichloroethene	ug/L	ND	50	69.8	140	55-145	
1,1-Dichloropropene	ug/L	ND	50	54.0	108	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	53.1	106	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	41.7	83	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	43.3	87	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	50.8	102	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	46.8	94	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	53.6	107	38-136	
1,2-Dichloroethane	ug/L	ND	50	52.7	105	62-138	
1,2-Dichloropropane	ug/L	ND	50	46.4	93	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	50.7	101	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	52.6	105	28-141	
1,3-Dichloropropane	ug/L	ND	50	45.8	92	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	51.6	103	30-139	
2,2-Dichloropropane	ug/L	ND	50	13.6	27	37-139	M0
2-Butanone (MEK)	ug/L	ND	250	203	81	37-156	
2-Chlorotoluene	ug/L	ND	50	47.4	95	27-142	
2-Hexanone	ug/L	ND	250	209	84	44-143	
4-Chlorotoluene	ug/L	ND	50	51.5	103	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	202	81	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

MATRIX SPIKE SAMPLE: 1199221

Parameter	Units	50107586006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	254	102	39-156	
Acrolein	ug/L	ND	1000	1060	106	33-200	
Acrylonitrile	ug/L	ND	1000	1170	117	48-149	
Benzene	ug/L	ND	50	53.4	107	62-129	
Bromobenzene	ug/L	ND	50	51.0	102	39-140	
Bromochloromethane	ug/L	ND	50	59.8	120	49-142	
Bromodichloromethane	ug/L	ND	50	44.5	89	50-142	
Bromoform	ug/L	ND	50	28.5	57	36-125	
Bromomethane	ug/L	ND	50	58.0	116	13-179	
Carbon disulfide	ug/L	ND	100	139	139	45-142	
Carbon tetrachloride	ug/L	ND	50	36.6	73	46-142	
Chlorobenzene	ug/L	ND	50	53.8	108	49-136	
Chloroethane	ug/L	ND	50	79.0	158	47-160	
Chloroform	ug/L	ND	50	54.3	109	54-150	
Chloromethane	ug/L	ND	50	53.0	106	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	58.9	116	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	28.9	58	52-123	
Dibromochloromethane	ug/L	ND	50	36.6	73	48-125	
Dibromomethane	ug/L	ND	50	55.0	110	59-134	
Dichlorodifluoromethane	ug/L	ND	50	59.3	119	24-197	
Ethyl methacrylate	ug/L	ND	200	147	74	55-139	
Ethylbenzene	ug/L	ND	50	53.9	108	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	45.5	91	10-176	
Iodomethane	ug/L	ND	100	103	103	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	56.4	113	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	81.8	82	63-130	
Methylene Chloride	ug/L	ND	50	59.1	118	45-156	
n-Butylbenzene	ug/L	ND	50	48.5	97	10-161	
n-Propylbenzene	ug/L	ND	50	51.3	103	16-150	
Naphthalene	ug/L	ND	50	48.5	97	39-140	
p-Isopropyltoluene	ug/L	ND	50	50.3	101	10-163	
sec-Butylbenzene	ug/L	ND	50	50.0	100	10-160	
Styrene	ug/L	ND	50	55.8	112	36-139	
tert-Butylbenzene	ug/L	ND	50	42.3	85	12-134	
Tetrachloroethene	ug/L	ND	50	52.3	103	33-151	
Toluene	ug/L	ND	50	52.9	106	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	63.0	126	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	25.8	52	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	120	60	32-139	
Trichloroethene	ug/L	ND	50	53.1	106	50-143	
Trichlorofluoromethane	ug/L	ND	50	83.3	167	60-175	
Vinyl acetate	ug/L	ND	200	51.2	26	17-142	
Vinyl chloride	ug/L	ND	50	53.3	107	44-145	
Xylene (Total)	ug/L	ND	150	166	111	29-145	
4-Bromofluorobenzene (S)	%.				101	80-114	
Dibromofluoromethane (S)	%.				114	79-116	
Toluene-d8 (S)	%.				100	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

SAMPLE DUPLICATE: 1199220

Parameter	Units	50107586004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

SAMPLE DUPLICATE: 1199220

Parameter	Units	50107586004 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	8.6	7.5	14	20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	94	94	0		
Dibromofluoromethane (S)	%.	114	117	2		S3
Toluene-d8 (S)	%.	94	92	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50107586

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50107586001	**RW-1**	EPA 8260	MSV/71469		
50107586002	**RW-2**	EPA 8260	MSV/71469		
50107586003	**RW-3**	EPA 8260	MSV/71469		
50107586004	**RW-4**	EPA 8260	MSV/71469		
50107586005	**RW-5**	EPA 8260	MSV/71469		
50107586006	**EFFLUENT**	EPA 8260	MSV/71469		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A — Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B — Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C — Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N): Y/N

Analyses Test: VOC 8260 WT

Residual Chlorine (Y/N)

50107586

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	VOC 8260 WT	Residual Chlorine (Y/N)	
1	RW-1	WT		11-24-	1020				3				X					X		-001
2	RW-2	WT			1015				3				X					X		-002
3	RW-3	WT			1010				3				X					X		-003
4	RW-4	WT			1005				3				X					X		-004
5	RW-5	WT			1000				3				X					X		-005
6	EFFLUENT	WT			955				3				X					X		-006
7																				
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Kyle Miers IWM	11-24-14	1217	[illegible] Pace	11/24/14	1217	5.2	Y	N	Y

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Kyle Miers
SIGNATURE of SAMPLER:	Kyle Miers
DATE Signed:	11-24-14

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

WI Client del

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Consulting Project # 50107586

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Ice/Foamblock

Thermometer 1 2 3 4 5 6 (A) B C D E F **Type of Ice:** (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature 5.2°C **Ice Visible in Sample Containers:** ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 11/24/14 [illegible]

		Comments:
Chain of Custody Present:	☒Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☒Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☒Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☒Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☒No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☒No ☐N/A	6.
Containers Intact:	☒Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☒No ☐N/A	10.
Trip Blank Present:	☐Yes ☒No ☐N/A	11.
Trip Blank Custody Seals Present	☐Yes ☐No ☒N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☒Yes ☐No ☐N/A	12.
Sufficient Volume:	☒Yes ☐No ☐N/A	13.
Correct Containers Used:	☒Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [signature] **Date:** 11/24/14

Form F-IN-Q-290-rev.06, 05Aug2014

Sample Container Count

CLIENT: IWM Consulting

COC PAGE 1 of 1

COC ID# _____

Project # 52107586

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	_____	pH <2	pH>12	Comments
1	3																			
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber gl	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber gla	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber g	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber g	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber g	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gl	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

7428 Rockville Road, Indianapolis, IN 46214

January 9, 2015

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the November 24 through December 24, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On December 24, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.75 feet below top of casing (TOC) in MW-9 to 18.01 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the December 24, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From November 24 through December 24, 2014, approximately 1,209,236 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 203,755,056 gallons. The average influent groundwater recovery rate from November 24 through December 24, 2014 was approximately 27.99 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on December 11, 2014 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 11, 2014.

At the request of a Duke Energy contractor, IWM personnel mobilized to the site on December 18, 2014 in order to temporarily shut down the groundwater recovery and treatment system during neighborhood electrical work being conducted by Duke Energy contractors. The groundwater recovery and treatment system was reactivated following the completion of the electrical work on December 18, 2014; however, the system building heater was found to be inoperable during system reactivation. A temporary heater was placed inside the system building in order to keep the system building temperature above freezing until a replacement heater can be installed. A replacement heater was immediately ordered; however, replacement units are currently on backorder from the manufacturer due to demand. IWM anticipates the replacement of the system building heater to be conducted in January 2015. The groundwater recovery and treatment system was completely operational prior to deactivation and after reactivation on December 18, 2014.

IWM personnel mobilized to the site on December 24, 2014 to complete biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 24, 2014.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of January 2015. Site visits are scheduled for the weeks beginning January 5 and January 19, 2015. Upon receipt of the replacement system building heater, the new unit will be installed. The information from these site inspections will be included in the January 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (12/24/14)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 12-11-14
IWM Personnel: R. Mien
Arrival Time: 3:40
Departure Time: 5:45
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 26323881.0 RW-2 21767303.0 RW-3 41190387.0 RW-4 68362687.0 RW-5 19054101.0

Flow Rate GPM: RW-1 Cyc RW-2 Cyc RW-3 6.25 RW-4 10.0 RW-5 8.75

Pump Running Amps RW-1 3.2 RW-2 3.0 RW-3 3.1 RW-4 4.1 RW-5 3.1

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 68 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 12-24-14
IWM Personnel: David M.
Arrival Time: 945
Departure Time:
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 2656911 RW-2 21796589 RW-3 41324796 RW-4 68547867 RW-5 19190045

Flow Rate GPM: RW-1 cyc RW-2 cyc RW-3 9.0 RW-4 10 RW-5 8.70

Pump Running Amps RW-1 4.1 RW-2 3.71 RW-3 3.89 RW-4 4.37 RW-5 3.7

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 60 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

February 10, 2015

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the December 24, 2014 through January 29, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On January 9, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.43 feet below top of casing (TOC) in MW-9 to 17.95 feet below TOC in MW-22. Monitoring wells IT-2 and MW-28 had frozen well caps and were unable to be accessed for gauging. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the January 9, 2015 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From December 24, 2014 through January 29, 2015, approximately 1,459,984 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 205,215,040 gallons. The average influent groundwater recovery rate from December 24, 2014 through January 29, 2015 was approximately 28.16 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on January 9, 2015 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 9, 2015.

IWM personnel mobilized to the site on January 23, 2015 to complete biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 23, 2015.

IWM personnel mobilized to the site on January 29, 2015 to replace the system building heater which had been found to be inoperable in December 2014. Prior to this replacement, IWM personnel had periodically mobilized to the site to insure that the temporary heater that had been placed inside the system building in December 2014 was continuing to keep the temperature inside the system building above freezing. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 29, 2015.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities are scheduled for the month of February 2015. Site visits are scheduled for the weeks beginning February 2 and February 16, 2015. The information from these site inspections will be included in the February 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (01/09/2015)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08
	01/09/15		NG	NG

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29
	01/09/15		11.08	717.63

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59
	01/09/15		15.81	720.63

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29
	01/09/15		9.43	723.61

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67
	01/09/15		17.39	718.76

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23
	01/09/15		10.46	723.57

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39
	01/09/15		17.34	720.57

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63
	01/09/15		17.95	719.69

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90
	01/09/15		16.08	719.94

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50
	01/09/15		13.57	722.82

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29
	01/09/15		16.32	720.31

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11
	01/09/15		NG	NG

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81
	01/09/15		17.62	719.99

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06
	01/09/15		15.75	719.09

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69
	01/09/15		12.14	718.83

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60
	01/09/15		15.45	716.60

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30
	01/09/15		17.25	715.94

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17
	01/09/15		18.95	716.53

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31
	01/09/15		14.65	717.31

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056
1/9/2015	21,316,070	36,922,878	57,997,656	68,786,228	19,363,399	204,407,458
1/23/2015	21,345,587	36,959,350	58,144,372	68,993,833	19,513,801	204,978,170
1/29/2015	21,357,127	36,973,611	58,205,489	69,081,001	19,576,585	205,215,040

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 1-9-15
IWM Personnel: R. Mien
Arrival Time: 1 15
Departure Time: 4 25
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 26885 21.0 RW-2 21833554.0 RW-3 41496928.0 RW-4 68178622 8.0 RW-5 19363399.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.25 RW-4 10.00 RW-5 9.50

Pump Running Amps RW-1 3.2 RW-2 3.2 RW-3 3.3 RW-4 4.0 RW-5 3.4

Air Stripper Pressure: 16 Inches of Water

Effluent Clarity: Clear

Building Temperature: 38 up to 42 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4 Y RW-5

Stripper Trays and Tubes Checked: Yes

Stripper Trays and Tubes Cleaned: No

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 1-23-15
IWM Personnel: R. Mien
Arrival Time: 441
Departure Time: 5:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 27180380 RW-2 21870006.0 RW-3 41643644.0 RW-4 68993833.0 RW-5 19513801.0

Flow Rate GPM: RW-1 cycle RW-2 cycle RW-3 8.00 RW-4 10.00 RW-5 8.25

Pump Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.3 RW-4 4.1 RW-5 3.5

Air Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 58° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

March 3, 2015

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the January 29 through February 26, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On February 6, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.67 feet below top of casing (TOC) in MW-9 to 18.05 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the February 6, 2015 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From January 29 through February 26, 2015, approximately 885,876 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 206,100,916 gallons. The average influent groundwater recovery rate from January 29 through February 26, 2015 was approximately 21.97 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on February 6, 2015 to complete monthly and bi-weekly system operation and maintenance activities. Quarterly system operation and maintenance activities were not completed due to freezing temperatures since pulling the extraction pumps from the recovery wells could damage the influent lines. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on February 6, 2015.

IWM personnel mobilized to the site on February 20, 2015 to complete biweekly system operation and maintenance activities. During the later half of February, low temperatures were consistently below zero. Recovery well RW-5 was discovered to have frozen lines underground due to these low temperatures and was not able to transfer water from the recovery well to the groundwater recovery and treatment system. In order to assist in thawing the influent lines and to prevent future freezing, additional insulation was planned to be installed in the well vault for RW-5. Additionally, the recovery well will be reactivated pending warmer temperatures. Consequently, quarterly groundwater samples were not obtained during the February 20, 2015 site visit as a full complement of influent samples could not be obtained. Quarterly groundwater samples will be obtained upon the reactivation of recovery well RW-5. The groundwater recovery and treatment system was completely operational with the exception of RW-5 upon arrival and departure from the site on February 20, 2015.

IWM personnel mobilized to the site on February 26, 2015 to install additional insulation in the well vault of recovery well RW-5 to assist in thawing the influent lines and prevent future freezing. The lines remained frozen during the installation, preventing RW-5 from being reactivated. Recovery well RW-5 will be reactivated pending warmer temperatures and the thawing of the influent lines. The groundwater recovery and treatment system was completely operational with the exception of RW-5 upon arrival and departure from the site on February 26, 2015.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of March 2015. Quarterly system operation and maintenance activities will be completed as weather permits and quarterly system samples will be obtained after the reactivation of recovery well RW-5. Site visits are scheduled for the weeks beginning March 2 and March 16, 2015. The information from these site inspections will be included in the March 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (02/06/2015)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08
	01/09/15		NG	NG
	02/06/15		13.22	719.03

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29
	01/09/15		11.08	717.63
	02/06/15		11.35	717.36

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59
	01/09/15		15.81	720.63
	02/06/15		15.85	720.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29
	01/09/15		9.43	723.61
	02/06/15		9.67	723.37

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67
	01/09/15		17.39	718.76
	02/06/15		17.51	718.64

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23
	01/09/15		10.46	723.57
	02/06/15		10.76	723.27

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39
	01/09/15		17.34	720.57
	02/06/15		17.52	720.39

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63
	01/09/15		17.95	719.69
	02/06/15		18.05	719.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90
	01/09/15		16.08	719.94
	02/06/15		16.13	719.89

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50
	01/09/15		13.57	722.82
	02/06/15		13.83	722.56

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29
	01/09/15		16.32	720.31
	02/06/15		16.35	720.28

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11
	01/09/15		NG	NG
	02/06/15		17.96	720.08

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81
	01/09/15		17.62	719.99
	02/06/15		17.83	719.78

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06
	01/09/15		15.75	719.09
	02/06/15		15.83	719.01

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69
	01/09/15		12.14	718.83
	02/06/15		12.00	718.97

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60
	01/09/15		15.45	716.60
	02/06/15		15.51	716.54

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30
	01/09/15		17.25	715.94
	02/06/15		17.31	715.88

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17
	01/09/15		18.95	716.53
	02/06/15		18.76	716.72

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31
	01/09/15		14.65	717.31
	02/06/15		14.72	717.24

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056
1/9/2015	21,316,070	36,922,878	57,997,656	68,786,228	19,363,399	204,407,458
1/23/2015	21,345,587	36,959,350	58,144,372	68,993,833	19,513,801	204,978,170
1/29/2015	21,357,127	36,973,611	58,205,489	69,081,001	19,576,585	205,215,040
2/6/2015	21,371,505	36,991,245	58,286,851	69,198,021	19,660,311	205,529,160
2/20/2015	21,394,354	37,020,048	58,428,275	69,404,547	19,660,702	205,929,153
2/26/2015	21,403,733	37,035,407	58,488,245	69,491,602	19,660,702	206,100,916

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 2-6-15
IWM Personnel: R. Mier
Arrival Time: 12.05
Departure Time: 3:15
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 22458560 RW-2 21901901.0 RW-3 41786123.0 RW-4 6919 8021.0 RW-5 19660311.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 8.25 RW-4 10.00 RW-5 8.25

Pump Running Amps RW-1 3.2 RW-2 3.3 RW-3 3.1 RW-4 4.0 RW-5 3.5

Air Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: clean

Building Temperature: 68° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4 Y RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: No

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 7-20-15
IWM Personnel: Rmien
Arrival Time: 11:00
Departure Time: 1:30
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 21668050 RW-2 21930704 RW-3 41921541.0 RW-4 69404541.0 RW-5 19660102.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.25 RW-4 10.00 RW-5 NA

Pump Running Amps RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

Air Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 69° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired
Lines	(NO)	YES	Repaired
Stripper	(NO)	YES	Repaired

If yes, explain: RW-5 Line was frozen and will not pump

MONTHLY DATA

Filter Cartridges Replaced: _____ RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 2-26-15

IWM Personnel: R. Mien

Arrival Time: 10:00

Departure Time: 2:00

Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 27761840 RW-2 21946063.0 RW-3 41987517.0 RW-4 69491602 RW-5 19660702.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.50 RW-4 10.00 RW-5 NA

Pump Running Amps RW-1 3.5 RW-2 3.5 RW-3 3.8 RW-4 4.0 RW-5 NA

Air Stripper Pressure: 16" Inches of Water

Effluent Clarity: clear

Building Temperature: 68 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain: Rw-5 is still Frozen

MONTHLY DATA

Filter Cartridges Replaced: _____ RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

April 6, 2015

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the February 26 through March 20, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On March 6, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.78 feet below top of casing (TOC) in MW-9 to 18.15 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, and RW-4 were operational during groundwater gauging activities. Recovery well RW-5 was not operational during groundwater gauging activities due to a frozen influent line. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a Groundwater Elevation Map based on the March 6, 2015 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From February 26 through March 20, 2015, approximately 753,344 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 206,854,260 gallons. The average influent groundwater recovery rate from February 26 through March 20, 2015 was approximately 23.78 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on March 6, 2015 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational with the exception of recovery well RW-5 upon arrival and departure from the site on March 6, 2015. The influent

line for recovery well RW-5 had remained frozen since early February 2015, even after insulation was installed for the influent line in February 2015.

IWM personnel mobilized to the site on March 12, 2015 to reactivate recovery well RW-5 after warmer temperatures had thawed the frozen influent line. Water and ice was cleared from the influent line prior to RW-5 being reactivated. Upon reactivation, the totalizer for recovery well RW-5 was found to be non-functional. A new totalizer was ordered for replacement later in March 2015. The groundwater recovery and treatment system was completely operational upon departure from the site on March 12, 2015.

IWM personnel mobilized to the site on March 13, 2015 to obtained quarterly system samples. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 13, 2015.

IWM personnel mobilized to the site on March 20, 2015 to complete bi-weekly system operation and maintenance activities. A new totalizer was installed for recovery well RW-5 during the March 20, 2015 bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 20, 2015.

Quarterly Treatment System Sampling

On March 13, 2015, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260.

Laboratory analytical results from the March 13, 2015 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery well RW-2. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. No constituents of concern were detected in the system sample obtained from recovery well RW-4 or the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of April 2014. Site visits are scheduled for the weeks beginning March 30 and April 13, 2015. The information from these site inspections will be included in the April 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG #2397
Project Geologist

Bradley E. Gentry, LPG #2165
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (03/06/2015)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3
	11/16/2012	ND	ND	ND	28.3	ND	109	28.7	ND	74.7	ND	ND	ND	ND	ND	ND	240.7
	2/25/2013	ND	ND	ND	ND	ND	ND	12.2	ND	25.0	ND	ND	ND	ND	ND	ND	37.2
	5/30/2013	ND	ND	ND	ND	ND	ND	12.6	ND	26.3	ND	ND	ND	ND	ND	ND	38.9
	8/23/2013	ND	ND	ND	ND	ND	10.9	14.6	ND	30.9	ND	ND	ND	ND	ND	ND	56.4
	11/13/2013	ND	ND	ND	5.9	ND	9.2	16.5	ND	24.8	ND	ND	ND	ND	ND	ND	56.4
	2/19/2014	ND	ND	ND	6.5	ND	26.9	18.0	ND	38.1	ND	ND	ND	ND	ND	ND	89.5
	5/16/2014	ND	ND	ND	9.3	ND	27.8	13.6	ND	29.0	ND	ND	ND	ND	ND	ND	79.7
	8/22/2014	ND	ND	ND	ND	ND	ND	9.7	ND	17.9	ND	ND	ND	ND	ND	ND	27.6
	11/24/2014	ND	ND	ND	30.7	ND	98.6	14.6	ND	50.7	ND	ND	ND	ND	ND	ND	194.6
	3/13/2015	ND	ND	ND	ND	ND	8.2	11.0	ND	17.3	ND	ND	ND	ND	ND	ND	36.5

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9
	11/16/2012	ND	ND	ND	24.7	ND	98.0	37.9	ND	47.7	ND	ND	ND	ND	ND	ND	208.3
	2/25/2013	ND	ND	ND	80.6	ND	154.0	41.5	ND	93.3	ND	ND	ND	ND	ND	ND	369.4
	5/30/2013	5.1	ND	ND	14.6	ND	206.0	72.4	ND	125.0	ND	ND	ND	ND	ND	ND	423.1
	8/23/2013	9.3	ND	ND	ND	ND	195.0	76.4	ND	148.0	ND	ND	ND	ND	ND	ND	428.7
	11/13/2013	5.7	ND	ND	ND	ND	118.0	70.0	ND	87.2	ND	ND	ND	ND	ND	ND	280.9
	2/19/2014	12.9	ND	ND	ND	ND	195.0	89.0	ND	165.0	ND	ND	ND	ND	ND	ND	461.9
	5/16/2014	9.6	ND	ND	14.2	ND	171.0	72.6	ND	129.0	ND	ND	ND	ND	ND	ND	396.4
	8/22/2014	7	ND	ND	ND	ND	139.0	58.4	ND	107.0	ND	ND	ND	ND	ND	ND	311.4
	11/24/2014	ND	ND	ND	ND	ND	89.6	32.0	ND	56.5	ND	ND	ND	ND	ND	ND	178.1
	3/13/2015	7	ND	ND	6.2	ND	132.0	46.5	ND	74.2	ND	ND	ND	ND	ND	ND	265.9

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2
	11/16/2012	5.9	ND	ND	80.5	ND	154	66.6	ND	68.4	ND	ND	ND	ND	ND	ND	375.4
	2/25/2013	ND	ND	ND	47	ND	110	53.3	ND	66.1	ND	ND	ND	ND	ND	ND	276.4
	5/30/2013	ND	ND	ND	21.5	ND	99	48.8	ND	40.2	ND	ND	ND	ND	ND	ND	209.0
	8/23/2013	5.3	ND	ND	25.9	ND	135	48.8	ND	53.3	ND	ND	ND	ND	ND	ND	268.3
	11/13/2013	5.5	ND	ND	31.6	ND	157	52.0	ND	51.8	ND	ND	ND	ND	ND	ND	297.9
	2/19/2014	6.5	ND	ND	21.8	ND	144	62.6	ND	58.1	ND	ND	ND	ND	ND	ND	293.0
	5/16/2014	5.8	ND	ND	8.2	ND	93	50.8	ND	35.7	ND	ND	ND	ND	ND	ND	193.0
	8/22/2014	ND	ND	ND	7.3	ND	86.9	41.3	ND	32.8	ND	ND	ND	ND	ND	ND	168.3
	11/24/2014	ND	ND	ND	13.8	ND	123.0	38.0	ND	41.5	ND	ND	ND	ND	ND	ND	216.3
	3/13/2015	ND	ND	ND	21.4	ND	114.0	35.3	ND	35.9	ND	ND	ND	ND	ND	ND	206.6

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
	11/16/2012	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/25/2013	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	5/30/2013	ND	ND	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7
	8/23/2013	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6
	11/13/2013	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/19/2014	ND	ND	ND	ND	ND	10.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.3
	5/16/2014	ND	ND	ND	ND	ND	9.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.7
	8/22/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	11/24/2014	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	3/13/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2
	11/16/2012	ND	ND	ND	172	ND	534	68.0	ND	279	ND	ND	ND	ND	ND	ND	1,053.0
	2/25/2013	ND	ND	ND	29.3	ND	122	27.8	ND	72.1	ND	ND	ND	ND	ND	ND	251.2
	5/30/2013	ND	ND	ND	128.0	ND	614	38.7	ND	242.0	ND	ND	ND	ND	ND	ND	1,022.7
	8/23/2013	ND	ND	ND	194.0	ND	580	39.9	ND	305.0	ND	ND	ND	ND	ND	ND	1,118.9
	11/13/2013	ND	ND	ND	148.0	ND	570	42.7	ND	265.0	ND	ND	ND	ND	ND	ND	1,025.7
	2/19/2014	ND	ND	ND	202.0	ND	538	47.5	ND	290.0	ND	ND	ND	ND	ND	ND	1,077.5
	5/16/2014	ND	ND	ND	181.0	ND	397	36.4	ND	228.0	ND	ND	ND	ND	ND	ND	842.4
	8/22/2014	ND	ND	ND	169.0	ND	418	28.8	ND	211.0	ND	ND	ND	ND	ND	ND	826.8
	11/24/2014	ND	ND	ND	210.0	ND	442	27.5	ND	258.0	ND	ND	ND	ND	ND	ND	937.5
	3/13/2015	ND	ND	ND	60.7	ND	336	30.5	ND	159.0	ND	ND	ND	ND	ND	ND	586.2

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/16/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/23/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/13/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/19/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/16/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/22/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/24/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	3/13/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08
	01/09/15		NG	NG
	02/06/15		13.22	719.03
	03/06/15		NG	NG

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29
	01/09/15		11.08	717.63
	02/06/15		11.35	717.36
	03/06/15		11.24	717.47

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59
	01/09/15		15.81	720.63
	02/06/15		15.85	720.59
	03/06/15		16.02	720.42

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29
	01/09/15		9.43	723.61
	02/06/15		9.67	723.37
	03/06/15		9.78	723.26

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67
	01/09/15		17.39	718.76
	02/06/15		17.51	718.64
	03/06/15		17.13	719.02

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23
	01/09/15		10.46	723.57
	02/06/15		10.76	723.27
	03/06/15		10.83	723.20

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39
	01/09/15		17.34	720.57
	02/06/15		17.52	720.39
	03/06/15		17.68	720.23

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63
	01/09/15		17.95	719.69
	02/06/15		18.05	719.59
	03/06/15		18.15	719.49

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90
	01/09/15		16.08	719.94
	02/06/15		16.13	719.89
	03/06/15		16.20	719.82

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50
	01/09/15		13.57	722.82
	02/06/15		13.83	722.56
	03/06/15		13.98	722.41

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29
	01/09/15		16.32	720.31
	02/06/15		16.35	720.28
	03/06/15		16.48	720.15

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11
	01/09/15		NG	NG
	02/06/15		17.96	720.08
	03/06/15		18.07	719.97

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81
	01/09/15		17.62	719.99
	02/06/15		17.83	719.78
	03/06/15		17.93	719.68

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06
	01/09/15		15.75	719.09
	02/06/15		15.83	719.01
	03/06/15		15.82	719.02

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69
	01/09/15		12.14	718.83
	02/06/15		12.00	718.97
	03/06/15		12.80	718.17

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60
	01/09/15		15.45	716.60
	02/06/15		15.51	716.54
	03/06/15		14.71	717.34

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30
	01/09/15		17.25	715.94
	02/06/15		17.31	715.88
	03/06/15		18.69	714.50

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17
	01/09/15		18.95	716.53
	02/06/15		18.76	716.72
	03/06/15		19.89	715.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31
	01/09/15		14.65	717.31
	02/06/15		14.72	717.24
	03/06/15		13.10	718.86

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056
1/9/2015	21,316,070	36,922,878	57,997,656	68,786,228	19,363,399	204,407,458
1/23/2015	21,345,587	36,959,350	58,144,372	68,993,833	19,513,801	204,978,170
1/29/2015	21,357,127	36,973,611	58,205,489	69,081,001	19,576,585	205,215,040
2/6/2015	21,371,505	36,991,245	58,286,851	69,198,021	19,660,311	205,529,160
2/20/2015	21,394,354	37,020,048	58,428,275	69,404,547	19,660,702	205,929,153
2/26/2015	21,403,733	37,035,407	58,488,245	69,491,602	19,660,702	206,100,916
3/6/2015	21,416,567	37,056,085	58,568,322	69,610,071	19,660,702	206,332,974
3/13/2015	21,432,404	37,077,255	58,637,051	69,713,961	19,672,942	206,554,840
3/20/2015	21,451,911	37,099,505	58,705,735	69,817,260	19,758,622	206,854,260

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 3-6-15
IWM Personnel: R Mien
Arrival Time: 9:05
Departure Time: 12:05
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 2789018.0 RW-2 21866741.0 RW-3 42067594.0 RW-4 69610071.0 RW-5 19660702.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.50 RW-4 10.00 RW-5 NA

Pump Running Amps RW-1 3.2 RW-2 3.0 RW-3 3.3 RW-4 4.1 RW-5 NA

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 67 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 3-13-15
IWM Personnel: R. Mien
Arrival Time: 9:10
Departure Time: 12:00
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 2804855.0 RW-2 21987911.0 RW-3 42136323.0 RW-4 69713961.0 RW-5 19660702

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.50 RW-4 10.00 RW-5 N/A

Pump Running Amps RW-1 12.10 RW-2 15.10 RW-3 16.91 RW-4 19.48 RW-5 14.50

Air Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 68° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 3-20-15
IWM Personnel: R. Mien
Arrival Time: 10:45
Departure Time: 1230
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

	RW-1	RW-2	RW-3	RW-4	RW-5
Totalizer Readings:	28243662.0	22010161.0	42205007.0	69817260.0	New Totalizer 0
Flow Rate GPM:	cycling	cycling	7.50	10.00	8.50
Pump Running Amps	3.1	3.1	3.3	4.0	3.4

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 68° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

Replace RW-5 Totalizer with new one

ATTACHMENT D

System Sample Laboratory Analytical Report

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

March 24, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50114335

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on March 13, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 50114335

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177/ E-10247
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Pennsylvania Certification #: 68-05340
Texas Certification #: T104704355-15-8
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50114335001	**RW-1**	Water	03/13/15 09:53	03/13/15 12:25
50114335002	**RW-2**	Water	03/13/15 10:01	03/13/15 12:25
50114335003	**RW-3**	Water	03/13/15 10:10	03/13/15 12:25
50114335004	**RW-4**	Water	03/13/15 10:32	03/13/15 12:25
50114335005	**RW-5**	Water	03/13/15 10:22	03/13/15 12:25
50114335006	**EFFLUENT**	Water	03/13/15 09:47	03/13/15 12:25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50114335001	**RW-1**	EPA 8260	DAE	72
50114335002	**RW-2**	EPA 8260	DAE	72
50114335003	**RW-3**	EPA 8260	DAE	72
50114335004	**RW-4**	EPA 8260	DAE	72
50114335005	**RW-5**	EPA 8260	DAE	72
50114335006	**EFFLUENT**	EPA 8260	DAE	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-1 **Lab ID: 50114335001** Collected: 03/13/15 09:53 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 03:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 03:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 03:36	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 03:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 03:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 03:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 03:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 03:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 03:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 03:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 03:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 03:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 03:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 03:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 03:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 03:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 03:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 03:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 03:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 03:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 03:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 03:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 03:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 03:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 03:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-1 **Lab ID: 50114335001** Collected: 03/13/15 09:53 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 03:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 03:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 03:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 03:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 03:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 03:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 03:36	79-34-5	
Tetrachloroethene	**8.2**	ug/L	5.0	1		03/20/15 03:36	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 03:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	120-82-1	
1,1,1-Trichloroethane	**11.0**	ug/L	5.0	1		03/20/15 03:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	79-00-5	
Trichloroethene	**17.3**	ug/L	5.0	1		03/20/15 03:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 03:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 03:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 03:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	79-116	1		03/20/15 03:36	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 03:36	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		03/20/15 03:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-2 **Lab ID: 50114335002** Collected: 03/13/15 10:01 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 04:09	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 04:09	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 04:09	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 04:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 04:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 04:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 04:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 04:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 04:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 04:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 04:09	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 04:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 04:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 04:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 04:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 04:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 04:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-71-8	
1,1-Dichloroethane	**7.0**	ug/L	5.0	1		03/20/15 04:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:09	75-35-4	
cis-1,2-Dichloroethene	**6.2**	ug/L	5.0	1		03/20/15 04:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 04:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 04:09	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 04:09	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 04:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 04:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 04:09	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-2 **Lab ID: 50114335002** Collected: 03/13/15 10:01 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 04:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 04:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 04:09	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 04:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 04:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:09	79-34-5	
Tetrachloroethene	**132**	ug/L	5.0	1		03/20/15 04:09	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 04:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	120-82-1	
1,1,1-Trichloroethane	**46.5**	ug/L	5.0	1		03/20/15 04:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 04:09	79-00-5	
Trichloroethene	**74.2**	ug/L	5.0	1		03/20/15 04:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 04:09	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 04:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 04:09	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	95	%.	79-116	1		03/20/15 04:09	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 04:09	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		03/20/15 04:09	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-3 **Lab ID: 50114335003** Collected: 03/13/15 10:10 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 04:41	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 04:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 04:41	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 04:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 04:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 04:41	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 04:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 04:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 04:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 04:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 04:41	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 04:41	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 04:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 04:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 04:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 04:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 04:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:41	75-35-4	
cis-1,2-Dichloroethene	**21.4**	ug/L	5.0	1		03/20/15 04:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 04:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 04:41	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 04:41	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 04:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 04:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 04:41	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-3 **Lab ID: 50114335003** Collected: 03/13/15 10:10 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 04:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 04:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 04:41	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 04:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 04:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:41	79-34-5	
Tetrachloroethene	**114**	ug/L	5.0	1		03/20/15 04:41	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 04:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	120-82-1	
1,1,1-Trichloroethane	**35.3**	ug/L	5.0	1		03/20/15 04:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	79-00-5	
Trichloroethene	**35.9**	ug/L	5.0	1		03/20/15 04:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 04:41	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 04:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 04:41	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	95	%.	79-116	1		03/20/15 04:41	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	80-114	1		03/20/15 04:41	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		03/20/15 04:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-4 **Lab ID: 50114335004** Collected: 03/13/15 10:32 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 07:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 07:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 07:24	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 07:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 07:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 07:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 07:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 07:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 07:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 07:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 07:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 07:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 07:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 07:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 07:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 07:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 07:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 07:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 07:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 07:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 07:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 07:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 07:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-4 **Lab ID: 50114335004** Collected: 03/13/15 10:32 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 07:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 07:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 07:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 07:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 07:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/20/15 07:24	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 07:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 07:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 07:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 07:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		03/20/15 07:24	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		03/20/15 07:24	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		03/20/15 07:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-5 **Lab ID: 50114335005** Collected: 03/13/15 10:22 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 07:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 07:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 07:56	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 07:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 07:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 07:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 07:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 07:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 07:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 07:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 07:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 07:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 07:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 07:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 07:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 07:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 07:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:56	75-35-4	
cis-1,2-Dichloroethene	**60.7**	ug/L	5.0	1		03/20/15 07:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 07:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 07:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 07:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 07:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 07:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 07:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-5 **Lab ID: 50114335005** Collected: 03/13/15 10:22 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 07:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 07:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 07:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 07:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 07:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:56	79-34-5	
Tetrachloroethene	**336**	ug/L	50.0	10		03/20/15 08:28	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 07:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	120-82-1	
1,1,1-Trichloroethane	**30.5**	ug/L	5.0	1		03/20/15 07:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	79-00-5	
Trichloroethene	**159**	ug/L	5.0	1		03/20/15 07:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 07:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 07:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 07:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	79-116	1		03/20/15 07:56	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 07:56	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		03/20/15 07:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: EFFLUENT **Lab ID: 50114335006** Collected: 03/13/15 09:47 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 09:01	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 09:01	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 09:01	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 09:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 09:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 09:01	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 09:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 09:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 09:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 09:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 09:01	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 09:01	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 09:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 09:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 09:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 09:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 09:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 09:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 09:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 09:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 09:01	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 09:01	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 09:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 09:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 09:01	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: EFFLUENT **Lab ID: 50114335006** Collected: 03/13/15 09:47 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 09:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 09:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 09:01	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 09:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 09:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 09:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 09:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/20/15 09:01	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 09:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 09:01	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 09:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 09:01	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	79-116	1		03/20/15 09:01	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	80-114	1		03/20/15 09:01	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		03/20/15 09:01	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

QC Batch: MSV/74674 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

METHOD BLANK: 1258042 Matrix: Water
Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,3-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
2,2-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
2-Butanone (MEK)	ug/L	ND	25.0	03/20/15 02:32	
2-Chlorotoluene	ug/L	ND	5.0	03/20/15 02:32	
2-Hexanone	ug/L	ND	25.0	03/20/15 02:32	
4-Chlorotoluene	ug/L	ND	5.0	03/20/15 02:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/20/15 02:32	
Acetone	ug/L	ND	100	03/20/15 02:32	
Acrolein	ug/L	ND	50.0	03/20/15 02:32	
Acrylonitrile	ug/L	ND	100	03/20/15 02:32	
Benzene	ug/L	ND	5.0	03/20/15 02:32	
Bromobenzene	ug/L	ND	5.0	03/20/15 02:32	
Bromochloromethane	ug/L	ND	5.0	03/20/15 02:32	
Bromodichloromethane	ug/L	ND	5.0	03/20/15 02:32	
Bromoform	ug/L	ND	5.0	03/20/15 02:32	
Bromomethane	ug/L	ND	5.0	03/20/15 02:32	
Carbon disulfide	ug/L	ND	10.0	03/20/15 02:32	
Carbon tetrachloride	ug/L	ND	5.0	03/20/15 02:32	
Chlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
Chloroethane	ug/L	ND	5.0	03/20/15 02:32	
Chloroform	ug/L	ND	5.0	03/20/15 02:32	
Chloromethane	ug/L	ND	5.0	03/20/15 02:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

METHOD BLANK: 1258042 Matrix: Water

Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
Dibromochloromethane	ug/L	ND	5.0	03/20/15 02:32	
Dibromomethane	ug/L	ND	5.0	03/20/15 02:32	
Dichlorodifluoromethane	ug/L	ND	5.0	03/20/15 02:32	
Ethyl methacrylate	ug/L	ND	100	03/20/15 02:32	
Ethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/20/15 02:32	
Iodomethane	ug/L	ND	10.0	03/20/15 02:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/20/15 02:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/20/15 02:32	
Methylene Chloride	ug/L	5.3	5.0	03/20/15 02:32	
n-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
n-Propylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Naphthalene	ug/L	ND	5.0	03/20/15 02:32	
p-Isopropyltoluene	ug/L	ND	5.0	03/20/15 02:32	
sec-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Styrene	ug/L	ND	5.0	03/20/15 02:32	
tert-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Tetrachloroethene	ug/L	ND	5.0	03/20/15 02:32	
Toluene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/20/15 02:32	
Trichloroethene	ug/L	ND	5.0	03/20/15 02:32	
Trichlorofluoromethane	ug/L	ND	5.0	03/20/15 02:32	
Vinyl acetate	ug/L	ND	50.0	03/20/15 02:32	
Vinyl chloride	ug/L	ND	2.0	03/20/15 02:32	
Xylene (Total)	ug/L	ND	10.0	03/20/15 02:32	
4-Bromofluorobenzene (S)	%.	98	80-114	03/20/15 02:32	
Dibromofluoromethane (S)	%.	103	79-116	03/20/15 02:32	
Toluene-d8 (S)	%.	100	81-110	03/20/15 02:32	

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.8	102	61-135	
1,1,1-Trichloroethane	ug/L	50	46.5	93	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	52.6	105	66-126	
1,1,2-Trichloroethane	ug/L	50	47.4	95	77-130	
1,1-Dichloroethane	ug/L	50	47.3	95	75-130	
1,1-Dichloroethene	ug/L	50	47.2	94	68-127	
1,1-Dichloropropene	ug/L	50	49.5	99	78-130	
1,2,3-Trichlorobenzene	ug/L	50	48.4	97	70-130	
1,2,3-Trichloropropane	ug/L	50	47.9	96	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	48.1	96	68-131	
1,2,4-Trimethylbenzene	ug/L	50	51.4	103	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	76-125	
1,2-Dichlorobenzene	ug/L	50	47.7	95	75-123	
1,2-Dichloroethane	ug/L	50	48.2	96	75-128	
1,2-Dichloropropane	ug/L	50	45.4	91	74-121	
1,3,5-Trimethylbenzene	ug/L	50	48.6	97	70-126	
1,3-Dichlorobenzene	ug/L	50	47.7	95	74-122	
1,3-Dichloropropane	ug/L	50	46.8	94	74-123	
1,4-Dichlorobenzene	ug/L	50	44.9	90	76-120	
2,2-Dichloropropane	ug/L	50	43.9	88	50-137	
2-Butanone (MEK)	ug/L	250	246	98	58-139	
2-Chlorotoluene	ug/L	50	46.2	92	74-122	
2-Hexanone	ug/L	250	285	114	54-140	
4-Chlorotoluene	ug/L	50	46.3	93	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	263	105	58-138	
Acetone	ug/L	250	227	91	49-150	
Acrolein	ug/L	1000	1230	123	41-200	
Acrylonitrile	ug/L	1000	1040	104	63-137	
Benzene	ug/L	50	46.8	94	74-122	
Bromobenzene	ug/L	50	47.9	96	72-127	
Bromochloromethane	ug/L	50	47.5	95	63-132	
Bromodichloromethane	ug/L	50	43.4	87	62-136	
Bromoform	ug/L	50	42.6	85	44-134	
Bromomethane	ug/L	50	61.0	122	22-181	
Carbon disulfide	ug/L	100	91.3	91	59-132	
Carbon tetrachloride	ug/L	50	49.4	99	56-137	
Chlorobenzene	ug/L	50	45.5	91	78-123	
Chloroethane	ug/L	50	56.8	114	60-144	
Chloroform	ug/L	50	42.8	86	78-126	
Chloromethane	ug/L	50	48.2	96	42-134	
cis-1,2-Dichloroethene	ug/L	50	50.3	101	75-122	
cis-1,3-Dichloropropene	ug/L	50	49.5	99	64-126	
Dibromochloromethane	ug/L	50	46.4	93	58-128	
Dibromomethane	ug/L	50	41.9	84	73-125	
Dichlorodifluoromethane	ug/L	50	56.7	113	35-181	
Ethyl methacrylate	ug/L	200	212	106	69-133	
Ethylbenzene	ug/L	50	46.9	94	66-133	
Hexachloro-1,3-butadiene	ug/L	50	49.4	99	59-145	
Iodomethane	ug/L	100	97.2	97	21-170	
Isopropylbenzene (Cumene)	ug/L	50	54.5	109	69-124	
Methyl-tert-butyl ether	ug/L	100	99.1	99	69-122	
Methylene Chloride	ug/L	50	86.0	172	68-132	L3
n-Butylbenzene	ug/L	50	54.4	109	70-126	
n-Propylbenzene	ug/L	50	50.9	102	71-122	
Naphthalene	ug/L	50	48.0	96	68-127	
p-Isopropyltoluene	ug/L	50	51.5	103	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	54.2	108	70-128	
Styrene	ug/L	50	51.7	103	74-126	
tert-Butylbenzene	ug/L	50	44.9	90	51-118	
Tetrachloroethene	ug/L	50	44.7	89	69-130	
Toluene	ug/L	50	49.3	99	72-122	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	72-124	
trans-1,3-Dichloropropene	ug/L	50	48.5	97	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	153	76	56-133	
Trichloroethene	ug/L	50	44.3	89	76-126	
Trichlorofluoromethane	ug/L	50	52.7	105	76-149	
Vinyl acetate	ug/L	200	244	122	45-151	
Vinyl chloride	ug/L	50	53.3	107	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%.			102	80-114	
Dibromofluoromethane (S)	%.			100	79-116	
Toluene-d8 (S)	%.			101	81-110	

MATRIX SPIKE SAMPLE: 1258045

Parameter	Units	50114669004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	48.8	98	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	47.8	93	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	45.1	90	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	44.6	89	61-139	
1,1-Dichloroethane	ug/L	ND	50	47.3	95	57-147	
1,1-Dichloroethene	ug/L	ND	50	48.0	96	55-145	
1,1-Dichloropropene	ug/L	ND	50	48.8	98	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	40.0	80	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	42.7	85	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	40.3	81	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	47.6	95	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	48.1	96	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	43.7	87	38-136	
1,2-Dichloroethane	ug/L	ND	50	46.7	93	62-138	
1,2-Dichloropropane	ug/L	ND	50	45.1	90	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	45.7	91	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	43.2	86	28-141	
1,3-Dichloropropane	ug/L	ND	50	45.4	91	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	40.9	82	30-139	
2,2-Dichloropropane	ug/L	ND	50	33.4	67	37-139	
2-Butanone (MEK)	ug/L	ND	250	221	88	37-156	
2-Chlorotoluene	ug/L	ND	50	42.7	85	27-142	
2-Hexanone	ug/L	ND	250	242	97	44-143	
4-Chlorotoluene	ug/L	ND	50	43.9	88	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	235	94	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

MATRIX SPIKE SAMPLE: 1258045

Parameter	Units	50114669004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	207	83	39-156	
Acrolein	ug/L	ND	1000	982	98	33-200	
Acrylonitrile	ug/L	ND	1000	981	98	48-149	
Benzene	ug/L	ND	50	46.3	93	62-129	
Bromobenzene	ug/L	ND	50	44.9	90	39-140	
Bromochloromethane	ug/L	ND	50	47.9	96	49-142	
Bromodichloromethane	ug/L	ND	50	40.5	81	50-142	
Bromoform	ug/L	ND	50	38.5	77	36-125	
Bromomethane	ug/L	ND	50	48.0	96	13-179	
Carbon disulfide	ug/L	ND	100	94.2	94	45-142	
Carbon tetrachloride	ug/L	ND	50	51.4	103	46-142	
Chlorobenzene	ug/L	ND	50	43.7	87	49-136	
Chloroethane	ug/L	ND	50	55.7	111	47-160	
Chloroform	ug/L	ND	50	43.2	86	54-150	
Chloromethane	ug/L	ND	50	48.7	97	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	50.3	101	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	44.8	90	52-123	
Dibromochloromethane	ug/L	ND	50	44.6	89	48-125	
Dibromomethane	ug/L	ND	50	42.0	84	59-134	
Dichlorodifluoromethane	ug/L	ND	50	58.7	117	24-197	
Ethyl methacrylate	ug/L	ND	200	191	96	55-139	
Ethylbenzene	ug/L	ND	50	46.3	93	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	38.1	76	10-176	
Iodomethane	ug/L	ND	100	97.2	97	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	54.3	109	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	96.3	96	63-130	
Methylene Chloride	ug/L	ND	50	50.6	101	45-156	
n-Butylbenzene	ug/L	ND	50	48.9	98	10-161	
n-Propylbenzene	ug/L	ND	50	46.3	93	16-150	
Naphthalene	ug/L	ND	50	39.1	78	39-140	
p-Isopropyltoluene	ug/L	ND	50	46.9	94	10-163	
sec-Butylbenzene	ug/L	ND	50	50.1	100	10-160	
Styrene	ug/L	ND	50	48.4	97	36-139	
tert-Butylbenzene	ug/L	ND	50	41.5	83	12-134	
Tetrachloroethene	ug/L	ND	50	44.5	89	33-151	
Toluene	ug/L	ND	50	47.5	95	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	48.3	97	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	44.0	88	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	127	63	32-139	
Trichloroethene	ug/L	40.2	50	85.6	91	50-143	
Trichlorofluoromethane	ug/L	ND	50	53.5	107	60-175	
Vinyl acetate	ug/L	ND	200	141	70	17-142	
Vinyl chloride	ug/L	ND	50	56.2	112	44-145	
Xylene (Total)	ug/L	ND	150	147	98	29-145	
4-Bromofluorobenzene (S)	%.				104	80-114	
Dibromofluoromethane (S)	%.				102	79-116	
Toluene-d8 (S)	%.				103	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

SAMPLE DUPLICATE: 1258044

Parameter	Units	50114669003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

SAMPLE DUPLICATE: 1258044

Parameter	Units	50114669003 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	23.3	22.2	5	20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	97	3		
Dibromofluoromethane (S)	%.	95	94	1		
Toluene-d8 (S)	%.	98	100	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50114335

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50114335001	**RW-1**	EPA 8260	MSV/74674		
50114335002	**RW-2**	EPA 8260	MSV/74674		
50114335003	**RW-3**	EPA 8260	MSV/74674		
50114335004	**RW-4**	EPA 8260	MSV/74674		
50114335005	**RW-5**	EPA 8260	MSV/74674		
50114335006	**EFFLUENT**	EPA 8260	MSV/74674		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A
Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B
Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C
Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N: VOC 8260 WT	Residual Chlorine (Y/N)	50114335
1	RW-1	WT		3-13-15	9:53				3				X					X		-001
2	RW-2	WT			10:01				3				X					X		-002
3	RW-3	WT			10:10				3				X					X		-003
4	RW-4	WT			10:32				3				X					X		-004
5	RW-5	WT			10:22				3				X					X		-005
6	EFFLUENT	WT			9:47				3				X					X		-006
7																				
8																				
9																				
10																				
11																				
12																				

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	Ralph Mier IWM	3-13-15	1225	Brian Stuli / PACE	3-13-15	1225	7.4	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed: 3-13-15

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50114335

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Foam

Thermometer 1 2 3 4 5 6 (A) B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 7.4°C Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 3-13-15 BAS

		Comments:
Chain of Custody Present:	☒Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☒Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☒Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☒Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☒No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☒No ☐N/A	6.
Containers Intact:	☒Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☐No ☒N/A	10.
Trip Blank Present:	☐Yes ☒No ☐N/A	11.
Trip Blank Custody Seals Present	☐Yes ☐No ☒N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☒Yes ☐No ☐N/A	12.
Sufficient Volume:	☒Yes ☐No ☐N/A	13.
Correct Containers Used:	☒Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: Kenneth Hunt **Date:** 3/13/15

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 50114335

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SP5T		pH <2	pH>12	Comments
1	3																			
2	↓																			
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

F-IN-Q-270-rev.05,02Apr2014

7428 Rockville Road, Indianapolis, IN 46214

May 6, 2015

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the March 20 through April 17, 2015 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On April 3, 2015, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.62 feet below top of casing (TOC) in MW-9 to 17.95 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the April 3, 2015 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From March 20 through April 17, 2015, approximately 1,238,755 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 208,093,015 gallons. The average influent groundwater recovery rate from March 20 through April 17, 2015 was approximately 30.72 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on April 3, 2015 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 3, 2015.

IWM personnel mobilized to the site on April 10, 2015 to complete semi-annual groundwater sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 10, 2015.

IWM personnel mobilized to the site on April 17, 2015 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 17, 2015.

Semi-Annual Groundwater Sampling and Analysis

On April 10, 2015, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace Analytical Services, Inc. (Pace) for VOC analysis using US EPA SW 846 Method 8260. Groundwater sampling logs are provided in **Attachment D**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (784.6 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (1,131.2 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration.

1,1-Dichloroethane was detected in monitoring wells IT-2 and MW-12R. Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

Overall, the groundwater recovery and treatment system, along with supplemental activities completed in 2010 and 2011, appear to be effectively reducing VOC concentrations at the site. When comparing the highest observed historical total VOC concentrations (generally before or immediately following the start of the groundwater recovery and treatment system in March 1995) to the results of the April 2015 groundwater sampling event, the following total VOC concentration reductions have been observed:

Well ID	Highest Total VOC Concentration (Date)	April 2015 Total VOC Concentration	Percent Reduction
IT-2	289 µg/L (8/1/86)	52.8 µg/L	81.73%
IT-3	560 µg/L (2/1/86)	Non-detect	99.99%
MW-12/12R	64,680 µg/L (5/1/86)	1,131.2 µg/L	98.25%
MW-22	6,600 µg/L (10/9/96)	784.6 µg/L	88.11%
MW-28	1,015 µg/L (2/17/93)	61.5 µg/L	93.94%
MW-30	106 (9/29/00)	8.1 µg/L	92.36%

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Attachment D**. Laboratory data sheets are provided in **Attachment E**. A summary of groundwater analytical results is included in **Table 1**.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities are scheduled for the month of May 2015. Site visits are scheduled for the weeks beginning April 27, May 11, and May 25, 2015. The information from these site inspections will be included in the May 2015 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher R. Newell, LPG
Project Geologist

Bradley E. Gentry, LPG
Vice-President

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (04/03/2015)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6
	4/5/2013	12.58	8	27.6	ND	5.5	26.7	ND	ND	ND	ND	ND	67.8
	10/1/2013	13.95	10	35.2	ND	6.5	22.2	ND	ND	ND	ND	ND	73.9
	4/11/2014	11.79	5	15	ND	6.5	36.8	ND	ND	ND	ND	ND	63.3
	10/8/2014	13.23	9.4	51.7	ND	ND	9.4	ND	ND	ND	ND	ND	70.5
	4/10/2015	12.02	7.3	29.4	ND	ND	16.1	ND	ND	ND	ND	ND	52.8

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6
	4/5/2013	10.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	10.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	10.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	10.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	757.8
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001.3
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576.3
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,566.6
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968.2
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6
	4/5/2013	16.09	5.3	154	665	56.9	170	ND	ND	ND	ND	ND	1,051.2
	10/1/2013	18.22	ND	10.1	392	39.2	66	ND	ND	ND	ND	ND	507.3
	4/11/2014	16.21	5	47.1	458	49	79.4	ND	ND	ND	ND	ND	638.5
	10/8/2014	17.51	ND	12.9	378	55.1	48.5	ND	ND	ND	ND	ND	494.5
	4/10/2015	16.34	13.2	124	757	102	135	ND	ND	ND	ND	ND	1,131.2

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5
	4/5/2013	9.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Duplicate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	8.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	10.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	8.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3
	4/5/2013	17.29	ND	27	745	10.1	107	ND	ND	ND	ND	ND	889.1
	Duplicate		ND	71.2	1,000	14	176	ND	ND	ND	ND	ND	1,261.2
	10/1/2013	18.71	ND	32.8	638	8.5	96.5	ND	ND	ND	ND	ND	775.8
	4/11/2014	16.66	ND	11.7	744	9.2	65.2	ND	ND	ND	ND	ND	830.1
	Duplicate		ND	50.8	901	14.7	154	ND	ND	ND	ND	ND	1,120.5
	10/8/2014	18.05	ND	25.2	555	11.7	76.5	ND	ND	ND	ND	ND	668.4
	4/10/2015	16.79	ND	11.8	699	9.4	64.4	ND	ND	ND	ND	ND	784.6
	Duplicate		ND	10.3	718	9.5	64.2	ND	ND	ND	ND	ND	802.0

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0
	4/5/2013	16.99	ND	ND	29.1	11.3	17.1	ND	ND	ND	ND	ND	57.5
	10/1/2013	18.57	ND	ND	19	11.6	8.8	ND	ND	ND	ND	ND	39.4
	4/11/2014	16.13	ND	ND	29.5	10.7	10.8	ND	ND	ND	ND	ND	51.0
	10/8/2014	17.97	ND	ND	24	9.8	12.6	ND	ND	ND	ND	ND	46.4
	4/10/2015	16.62	ND	ND	38.6	10.3	12.6	ND	ND	ND	ND	ND	61.5

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/5/2013	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	18.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/8/2014	17.85	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/10/2015	16.58	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4
	4/5/2013	15.45	ND	ND	ND	10.9	ND	ND	ND	ND	ND	ND	10.9
	10/1/2013	15.95	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/11/2014	14.96	ND	ND	ND	8.8	ND	ND	ND	ND	ND	ND	8.8
	10/8/2014	15.72	ND	ND	ND	10.5	ND	ND	ND	ND	ND	ND	10.5
	Duplicate		ND	ND	ND	11.9	ND	ND	ND	ND	ND	ND	11.9
	4/10/2015	15.20	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95
	05/02/14		12.17	720.08
	06/14/14		11.60	720.65
	07/11/14		12.43	719.82
	08/08/14		12.75	719.50
	09/05/14		12.91	719.34
	10/08/14		13.23	719.02
	11/13/14		13.30	718.95
	12/24/14		13.17	719.08
	01/09/15		NG	NG
	02/06/15		13.22	719.03
	03/06/15		NG	NG
	04/03/15		13.18	719.07

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56
	05/02/14		10.58	718.13
	06/14/14		10.34	718.37
	07/11/14		10.58	718.13
	08/08/14		10.78	717.93
	09/05/14		10.75	717.96
	10/08/14		10.95	717.76
	11/13/14		11.08	717.63
	12/24/14		11.42	717.29
	01/09/15		11.08	717.63
	02/06/15		11.35	717.36
	03/06/15		11.24	717.47
	04/03/15		11.30	717.41

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63
	05/02/14		14.47	721.97
	06/14/14		14.18	722.26
	07/11/14		14.76	721.68
	08/08/14		15.27	721.17
	09/05/14		15.42	721.02
	10/08/14		15.92	720.52
	11/13/14		16.13	720.31
	12/24/14		15.85	720.59
	01/09/15		15.81	720.63
	02/06/15		15.85	720.59
	03/06/15		16.02	720.42
	04/03/15		15.80	720.64

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85
	05/02/14		7.76	725.28
	06/14/14		7.28	725.76
	07/11/14		8.16	724.88
	08/08/14		8.86	724.18
	09/05/14		9.16	723.88
	10/08/14		9.81	723.23
	11/13/14		10.17	722.87
	12/24/14		9.75	723.29
	01/09/15		9.43	723.61
	02/06/15		9.67	723.37
	03/06/15		9.78	723.26
	04/03/15		9.62	723.42

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47
	05/02/14		16.55	719.60
	06/14/14		15.77	720.38
	07/11/14		16.72	719.43
	08/08/14		17.01	719.14
	09/05/14		17.18	718.97
	10/08/14		17.51	718.64
	11/13/14		17.42	718.73
	12/24/14		17.48	718.67
	01/09/15		17.39	718.76
	02/06/15		17.51	718.64
	03/06/15		17.13	719.02
	04/03/15		17.48	718.67

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59
	05/02/14		9.06	724.97
	06/14/14		8.67	725.36
	07/11/14		9.37	724.66
	08/08/14		10.40	723.63
	09/05/14		10.08	723.95
	10/08/14		10.87	723.16
	11/13/14		11.23	722.80
	12/24/14		10.80	723.23
	01/09/15		10.46	723.57
	02/06/15		10.76	723.27
	03/06/15		10.83	723.20
	04/03/15		10.72	723.31

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42
	05/02/14		16.17	721.74
	06/14/14		15.88	722.03
	07/11/14		16.48	721.43
	08/08/14		16.94	720.97
	09/05/14		17.11	720.80
	10/08/14		17.58	720.33
	11/13/14		17.80	720.11
	12/24/14		17.52	720.39
	01/09/15		17.34	720.57
	02/06/15		17.52	720.39
	03/06/15		17.68	720.23
	04/03/15		17.47	720.44

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58
	05/02/14		16.91	720.73
	06/14/14		16.52	721.12
	07/11/14		17.11	720.53
	08/08/14		17.50	720.14
	09/05/14		17.65	719.99
	10/08/14		18.05	719.59
	11/13/14		18.15	719.49
	12/24/14		18.01	719.63
	01/09/15		17.95	719.69
	02/06/15		18.05	719.59
	03/06/15		18.15	719.49
	04/03/15		17.95	719.69

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79
	05/02/14		14.95	721.07
	06/14/14		14.68	721.34
	07/11/14		15.16	720.86
	08/08/14		15.55	720.47
	09/05/14		15.71	720.31
	10/08/14		16.05	719.97
	11/13/14		16.25	719.77
	12/24/14		16.12	719.90
	01/09/15		16.08	719.94
	02/06/15		16.13	719.89
	03/06/15		16.20	719.82
	04/03/15		16.08	719.94

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79
	05/02/14		12.13	724.26
	06/14/14		11.70	724.69
	07/11/14		12.42	723.97
	08/08/14		13.01	723.38
	09/05/14		13.22	723.17
	10/08/14		13.86	722.53
	11/13/14		14.18	722.21
	12/24/14		13.89	722.50
	01/09/15		13.57	722.82
	02/06/15		13.83	722.56
	03/06/15		13.98	722.41
	04/03/15		13.80	722.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43
	05/02/14		14.93	721.70
	06/14/14		14.53	722.10
	07/11/14		15.19	721.44
	08/08/14		15.66	720.97
	09/05/14		15.84	720.79
	10/08/14		16.38	720.25
	11/13/14		16.57	720.06
	12/24/14		16.34	720.29
	01/09/15		16.32	720.31
	02/06/15		16.35	720.28
	03/06/15		16.48	720.15
	04/03/15		16.29	720.34

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18
	05/02/14		16.62	721.42
	06/14/14		16.22	721.82
	07/11/14		16.87	721.17
	08/08/14		17.32	720.72
	09/05/14		17.48	720.56
	10/08/14		17.97	720.07
	11/13/14		18.14	719.90
	12/24/14		17.93	720.11
	01/09/15		NG	NG
	02/06/15		17.96	720.08
	03/06/15		18.07	719.97
	04/03/15		17.93	720.11

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87
	05/02/14		16.48	721.13
	06/14/14		16.10	721.51
	07/11/14		16.74	720.87
	08/08/14		17.17	720.44
	09/05/14		17.36	720.25
	10/08/14		17.85	719.76
	11/13/14		18.00	719.61
	12/24/14		17.80	719.81
	01/09/15		17.62	719.99
	02/06/15		17.83	719.78
	03/06/15		17.93	719.68
	04/03/15		17.77	719.84

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64
	05/02/14		15.18	719.66
	06/14/14		14.78	720.06
	07/11/14		15.27	719.57
	08/08/14		15.47	719.37
	09/05/14		15.55	719.29
	10/08/14		15.72	719.12
	11/13/14		15.72	719.12
	12/24/14		15.78	719.06
	01/09/15		15.75	719.09
	02/06/15		15.83	719.01
	03/06/15		15.82	719.02
	04/03/15		15.80	719.04

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07
	05/02/14		12.80	718.17
	06/14/14		12.30	718.67
	07/11/14		12.89	718.08
	08/08/14		13.10	717.87
	09/05/14		13.01	717.96
	10/08/14		12.15	718.82
	11/13/14		12.90	718.07
	12/24/14		12.28	718.69
	01/09/15		12.14	718.83
	02/06/15		12.00	718.97
	03/06/15		12.80	718.17
	04/03/15		12.21	718.76

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62
	05/02/14		15.20	716.85
	06/14/14		15.15	716.90
	07/11/14		15.08	716.97
	08/08/14		14.60	717.45
	09/05/14		14.56	717.49
	10/08/14		15.65	716.40
	11/13/14		14.98	717.07
	12/24/14		15.45	716.60
	01/09/15		15.45	716.60
	02/06/15		15.51	716.54
	03/06/15		14.71	717.34
	04/03/15		15.40	716.65

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97
	05/02/14		15.13	718.06
	06/14/14		15.32	717.87
	07/11/14		15.68	717.51
	08/08/14		15.45	717.74
	09/05/14		15.42	717.77
	10/08/14		16.85	716.34
	11/13/14		NG	NG
	12/24/14		17.89	715.30
	01/09/15		17.25	715.94
	02/06/15		17.31	715.88
	03/06/15		18.69	714.50
	04/03/15		17.25	715.94

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38
	05/02/14		17.43	718.05
	06/14/14		16.90	718.58
	07/11/14		16.05	719.43
	08/08/14		18.34	717.14
	09/05/14		18.30	717.18
	10/08/14		19.61	715.87
	11/13/14		19.73	715.75
	12/24/14		18.31	717.17
	01/09/15		18.95	716.53
	02/06/15		18.76	716.72
	03/06/15		19.89	715.59
	04/03/15		18.84	716.64

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46
	05/02/14		14.10	717.86
	06/14/14		14.21	717.75
	07/11/14		14.18	717.78
	08/08/14		14.50	717.46
	09/05/14		14.57	717.39
	10/08/14		14.81	717.15
	11/13/14		14.75	717.21
	12/24/14		14.65	717.31
	01/09/15		14.65	717.31
	02/06/15		14.72	717.24
	03/06/15		13.10	718.86
	04/03/15		14.62	717.34

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	***-***	***-***	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	***-***	***-***	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	***-***	***-***	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	***-***	***-***	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789
5/2/2014	20,649,796	36,220,523	55,855,609	65,070,851	16,495,304	194,313,310
5/16/2014	20,701,406	36,275,293	55,971,296	65,280,691	16,663,176	194,913,089
5/30/2014	20,753,409	36,329,628	56,088,110	65,492,982	16,829,166	195,514,522
6/14/2014	20,794,298	36,371,897	56,178,428	65,657,502	16,956,000	195,979,352
6/26/2014	20,845,396	36,425,906	56,277,675	65,840,690	17,103,753	196,514,647
7/11/2014	20,902,170	36,484,485	56,403,449	66,069,532	17,286,861	197,167,724
7/25/2014	20,949,099	36,532,274	56,519,208	66,278,440	17,453,870	197,754,118
8/8/2014	20,992,106	36,576,227	56,636,634	66,489,309	17,622,038	198,337,541
8/22/2014	21,029,912	36,615,310	56,749,737	66,696,135	17,785,918	198,898,239
9/5/2014	21,065,532	36,652,820	56,865,500	66,909,032	17,952,196	199,466,307
9/19/2014	21,101,206	36,690,779	56,980,353	67,119,933	18,116,511	200,030,009
9/26/2014	21,117,240	36,707,673	57,036,346	67,222,553	18,195,917	200,300,956
10/8/2014	21,143,064	36,734,197	57,135,015	67,403,911	18,335,212	200,772,626
10/17/2014	21,161,672	36,752,610	57,209,521	67,540,401	18,440,192	201,125,623
10/31/2014	21,188,902	36,780,585	57,322,493	67,748,966	18,598,306	201,660,479

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
11/13/2014	21,211,031	36,804,334	57,385,031	67,943,708	18,743,995	202,109,326
11/24/2014	21,227,605	36,822,618	57,503,662	68,105,871	18,864,837	202,545,820
12/11/2014	21,259,937	36,856,647	57,691,115	68,362,687	19,054,101	203,245,714
12/24/2014	21,284,460	36,885,933	57,825,524	68,547,867	19,190,045	203,755,056
1/9/2015	21,316,070	36,922,878	57,997,656	68,786,228	19,363,399	204,407,458
1/23/2015	21,345,587	36,959,350	58,144,372	68,993,833	19,513,801	204,978,170
1/29/2015	21,357,127	36,973,611	58,205,489	69,081,001	19,576,585	205,215,040
2/6/2015	21,371,505	36,991,245	58,286,851	69,198,021	19,660,311	205,529,160
2/20/2015	21,394,354	37,020,048	58,428,275	69,404,547	19,660,702	205,929,153
2/26/2015	21,403,733	37,035,407	58,488,245	69,491,602	19,660,702	206,100,916
3/6/2015	21,416,567	37,056,085	58,568,322	69,610,071	19,660,702	206,332,974
3/13/2015	21,432,404	37,077,255	58,637,051	69,713,961	19,672,942	206,554,840
3/20/2015	21,451,911	37,099,505	58,705,735	69,817,260	19,758,622	206,854,260
4/3/2015	21,496,123	37,157,768	58,840,954	70,024,505	19,923,353	207,463,930
4/10/2015	21,520,195	37,190,147	58,908,094	70,129,386	20,006,301	207,775,350
4/17/2015	21,548,296	37,225,866	58,974,446	70,234,441	20,088,739	208,093,015

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.
- New totalizer installed for Recovery well RW-5 on March 20, 2015, the total gallons pumped from recovery well RW-5 during March 2015 was estimated at 8.5 gpm.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 4-3-15
IWM Personnel: R. Mier
Arrival Time: 10:00
Departure Time: 12:38
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 28685574.0 RW-2 22068424.0 RW-3 42340226.0 RW-4 70024505.0 RW-5 164731.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.25 RW-4 10.00 RW-5 8.25

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.2 RW-4 4.0 RW-5 3.5

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 72 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired
Lines	NO	YES	Repaired
Stripper	NO	YES	Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4 Y RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: No

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 4-10-15
IWM Personnel: R. Mien D. White
Arrival Time: 9:00
Departure Time: 2:30
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 28926646 RW-2 22100803.0 RW-3 42407366.0 RW-4 70129386.0 RW-5 02476798

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 7.00 RW-4 10.00 RW-5 8.00

Pump Running Amps RW-1 ____ RW-2 ____ RW-3 ____ RW-4 ____ RW-5 ____

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 54 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain: ____

MONTHLY DATA

Filter Cartridges Replaced: ____ RW-1 ____ RW-2 ____ RW-3 ____ RW-4 ____ RW-5

Stripper Trays and Tubes Checked: ____

Stripper Trays and Tubes Cleaned: ____

Monitoring/Recovery Wells Gauged: ____

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 4-17-15
IWM Personnel: R. Mien
Arrival Time: 1:58
Departure Time: 3:02
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 2920747.0 RW-2 2213652 22.0 RW-3 4247 3718.0 RW-4 7023 ~~444~~1.0 RW-5 3301117.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.0 RW-5 8.50

Pump Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.2 RW-4 4.0 RW-5 3.3

Air Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: Clear

Building Temperature: 70 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

Groundwater Field Sampling Logs

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	It- 2	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	13:25 Time Out 13:40

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	17.30		
Depth to Water	10.60		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		6.7
Volume of water in well (gal.)		1.09
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.33	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.48
Conductivity (uS/cm)		.754
pH (SU)		6.86
ORP (mV)		-72.4
DO (mg/L)		.63
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	IT-3	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	13:04 Time Out 13:19

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	13.70		
Depth to Water	10.66		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		3.1
Volume of water in well (gal.)		.50
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.33	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:28
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		10.59
Conductivity (uS/cm)		.977
pH (SU)		6.95
ORP (mV)		181.2
DO (mg/L)		2.64
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-12R
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/20/15
Time In 11:04 Time Out 11:20

I. Well Information

Reference point on well casing		Y (circled)	N
Well Diameter	ID 2	OD	
Total Well Depth	25.20		
Depth to Water	16.34		
Slug Test Performed		Y	N (circled)
Redevelop		Y	N (circled)

II. Well Water Information

Length of water column (ft.)		8.86
Volume of water in well (gal.)		1.44
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:20
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.50
Conductivity (uS/cm)		1.497
pH (SU)		6.90
ORP (mV)		179.5
DO (mg/L)		2.24
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	12:30 Time Out 12:44

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	23.45		
Depth to Water	8.51		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)	14.94
Volume of water in well (gal.)	2.43
Volume of bailer (gal.)	0.33

III. Evacuation Information

Volume of water removed from well (gal.)	5.0	Evacuation Method	Bailer
Did well go dry ?	Y N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:54
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		13.02
Conductivity (uS/cm)		832
pH (SU)		6.76
ORP (mV)		103.5
DO (mg/L)		1.25
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-22	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	7/10/15
		Time In	9:47 Time Out 10:08

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2	OD	
Total Well Depth	24.00		
Depth to Water	16.79		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		7.21
Volume of water in well (gal.)		1.18
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.5	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		13.09
Conductivity (uS/cm)		1,084
pH (SU)		6.77
ORP (mV)		94.6
DO (mg/L)		1.51
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

Duplicate taken @ this sample point

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW - 28
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 10:09 Time Out 10:26

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	25.25		
Depth to Water	16.62		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		8.63
Volume of water in well (gal.)		1.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		12.04
Conductivity (uS/cm)		1832
pH (SU)		6.86
ORP (mV)		284.2
DO (mg/L)		8.42
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-29
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 10:33 Time Out 11:01

I. Well Information

Reference point on well casing		Y (circled) N
Well Diameter	ID 2	OD
Total Well Depth	25.53	
Depth to Water	16.58	
Slug Test Performed		Y N (circled)
Redevelop		Y N (circled)

II. Well Water Information

Length of water column (ft.)	8.95
Volume of water in well (gal.)	1.45
Volume of bailer (gal.)	0.33

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:01
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		12.0
Conductivity (uS/cm)		885
pH (SU)		6.84
ORP (mV)		157.3
DO (mg/L)		0.65
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-30
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 13:44 Time Out

I. Well Information

Reference point on well casing		Y (circled) N
Well Diameter	ID 2	OD
Total Well Depth	21.20	
Depth to Water	15.20	
Slug Test Performed		Y N (circled)
Redevelop		Y N (circled)

II. Well Water Information

Length of water column (ft.)		6.0
Volume of water in well (gal.)		.978
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	14:09
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.13
Conductivity (uS/cm)		1,040
pH (SU)		6.84
ORP (mV)		71.7
DO (mg/L)		1.74
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT E

Groundwater Laboratory Analytical Report

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

April 24, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50116432

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on April 10, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 50116432

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177/ E-10247
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Pennsylvania Certification #: 68-05340
Texas Certification #: T104704355-15-8
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50116432001	**IT-2**	Water	04/10/15 13:45	04/10/15 15:12
50116432002	**IT-3**	Water	04/10/15 13:28	04/10/15 15:12
50116432003	**MW-12R**	Water	04/10/15 11:28	04/10/15 15:12
50116432004	**MW-20**	Water	04/10/15 12:54	04/10/15 15:12
50116432005	**MW-22**	Water	04/10/15 10:45	04/10/15 15:12
50116432006	**MW-28**	Water	04/10/15 10:55	04/10/15 15:12
50116432007	**MW-29**	Water	04/10/15 11:02	04/10/15 15:12
50116432008	**MW-30**	Water	04/10/15 14:09	04/10/15 15:12
50116432009	**DUPLICATE**	Water	04/10/15 08:00	04/10/15 15:12
50116432010	**TRIP BLANK**	Water	04/10/15 08:00	04/10/15 15:15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50116432001	**IT-2**	EPA 8260	RFS	72
50116432002	**IT-3**	EPA 8260	RFS	72
50116432003	**MW-12R**	EPA 8260	RFS	72
50116432004	**MW-20**	EPA 8260	RFS	72
50116432005	**MW-22**	EPA 8260	RFS	72
50116432006	**MW-28**	EPA 8260	RFS	72
50116432007	**MW-29**	EPA 8260	RFS	72
50116432008	**MW-30**	EPA 8260	RFS	72
50116432009	**DUPLICATE**	EPA 8260	RFS	72
50116432010	**TRIP BLANK**	EPA 8260	RFS	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50116432

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50116432001	**IT-2**					
EPA 8260	1,1-Dichloroethane	7.3	ug/L	5.0	04/18/15 02:38	
EPA 8260	cis-1,2-Dichloroethene	29.4	ug/L	5.0	04/18/15 02:38	
EPA 8260	Trichloroethene	16.1	ug/L	5.0	04/18/15 02:38	
50116432003	**MW-12R**					
EPA 8260	1,1-Dichloroethane	13.2	ug/L	5.0	04/18/15 03:29	
EPA 8260	cis-1,2-Dichloroethene	124	ug/L	5.0	04/18/15 03:29	
EPA 8260	Tetrachloroethene	757	ug/L	50.0	04/18/15 03:54	
EPA 8260	1,1,1-Trichloroethane	102	ug/L	5.0	04/18/15 03:29	
EPA 8260	Trichloroethene	135	ug/L	5.0	04/18/15 03:29	
50116432005	**MW-22**					
EPA 8260	cis-1,2-Dichloroethene	11.8	ug/L	5.0	04/18/15 04:45	
EPA 8260	Tetrachloroethene	699	ug/L	125	04/18/15 05:10	
EPA 8260	1,1,1-Trichloroethane	9.4	ug/L	5.0	04/18/15 04:45	
EPA 8260	Trichloroethene	64.4	ug/L	5.0	04/18/15 04:45	
50116432006	**MW-28**					
EPA 8260	Tetrachloroethene	38.6	ug/L	5.0	04/18/15 05:36	
EPA 8260	1,1,1-Trichloroethane	10.3	ug/L	5.0	04/18/15 05:36	
EPA 8260	Trichloroethene	12.6	ug/L	5.0	04/18/15 05:36	
50116432008	**MW-30**					
EPA 8260	1,1,1-Trichloroethane	8.1	ug/L	5.0	04/20/15 13:40	
50116432009	**DUPLICATE**					
EPA 8260	cis-1,2-Dichloroethene	10.3	ug/L	5.0	04/20/15 19:38	
EPA 8260	Tetrachloroethene	718	ug/L	50.0	04/22/15 11:13	
EPA 8260	1,1,1-Trichloroethane	9.5	ug/L	5.0	04/20/15 19:38	
EPA 8260	Trichloroethene	64.2	ug/L	5.0	04/20/15 19:38	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-2 **Lab ID: 50116432001** Collected: 04/10/15 13:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 02:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 02:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 02:38	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 02:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 02:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 02:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 02:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 02:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 02:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 02:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 02:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 02:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 02:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 02:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 02:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 02:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 02:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 02:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 02:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-71-8	
1,1-Dichloroethane	**7.3**	ug/L	5.0	1		04/18/15 02:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 02:38	75-35-4	
cis-1,2-Dichloroethene	**29.4**	ug/L	5.0	1		04/18/15 02:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 02:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 02:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 02:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 02:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 02:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 02:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 02:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-2 **Lab ID: 50116432001** Collected: 04/10/15 13:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 02:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 02:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 02:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 02:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 02:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 02:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 02:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 02:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 02:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	79-00-5	
Trichloroethene	**16.1**	ug/L	5.0	1		04/18/15 02:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 02:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 02:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 02:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		04/18/15 02:38	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		04/18/15 02:38	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/18/15 02:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-3 **Lab ID: 50116432002** Collected: 04/10/15 13:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 03:04	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 03:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 03:04	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 03:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 03:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 03:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 03:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 03:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 03:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 03:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 03:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 03:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 03:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 03:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 03:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 03:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 03:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 03:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 03:04	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 03:04	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 03:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 03:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 03:04	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-3 **Lab ID: 50116432002** Collected: 04/10/15 13:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 03:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 03:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 03:04	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 03:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 03:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 03:04	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 03:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 03:04	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 03:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 03:04	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		04/18/15 03:04	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	80-114	1		04/18/15 03:04	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		04/18/15 03:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-12R **Lab ID: 50116432003** Collected: 04/10/15 11:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 03:29	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 03:29	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 03:29	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 03:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 03:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 03:29	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 03:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 03:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 03:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 03:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 03:29	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 03:29	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 03:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 03:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 03:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 03:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 03:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-71-8	
1,1-Dichloroethane	**13.2**	ug/L	5.0	1		04/18/15 03:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:29	75-35-4	
cis-1,2-Dichloroethene	**124**	ug/L	5.0	1		04/18/15 03:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 03:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 03:29	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 03:29	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 03:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 03:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 03:29	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-12R **Lab ID: 50116432003** Collected: 04/10/15 11:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 03:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 03:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 03:29	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 03:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 03:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:29	79-34-5	
Tetrachloroethene	**757**	ug/L	50.0	10		04/18/15 03:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 03:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	120-82-1	
1,1,1-Trichloroethane	**102**	ug/L	5.0	1		04/18/15 03:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:29	79-00-5	
Trichloroethene	**135**	ug/L	5.0	1		04/18/15 03:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 03:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 03:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 03:29	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/18/15 03:29	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		04/18/15 03:29	460-00-4	
Toluene-d8 (S)	102	%.	81-110	1		04/18/15 03:29	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-20 **Lab ID: 50116432004** Collected: 04/10/15 12:54 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 04:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 04:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 04:20	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 04:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 04:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 04:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 04:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 04:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 04:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 04:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 04:20	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 04:20	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 04:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 04:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 04:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 04:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 04:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 04:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 04:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 04:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 04:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 04:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 04:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-20 **Lab ID: 50116432004** Collected: 04/10/15 12:54 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 04:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 04:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 04:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 04:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 04:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 04:20	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 04:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 04:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 04:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 04:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		04/18/15 04:20	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	80-114	1		04/18/15 04:20	460-00-4	
Toluene-d8 (S)	102	%.	81-110	1		04/18/15 04:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-22 **Lab ID: 50116432005** Collected: 04/10/15 10:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 04:45	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 04:45	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 04:45	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 04:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 04:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 04:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 04:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 04:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 04:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 04:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 04:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 04:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 04:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 04:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 04:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 04:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 04:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:45	75-35-4	
cis-1,2-Dichloroethene	**11.8**	ug/L	5.0	1		04/18/15 04:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 04:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 04:45	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 04:45	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 04:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 04:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 04:45	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-22 **Lab ID: 50116432005** Collected: 04/10/15 10:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 04:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 04:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 04:45	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 04:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 04:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:45	79-34-5	
Tetrachloroethene	**699**	ug/L	125	25		04/18/15 05:10	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 04:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	120-82-1	
1,1,1-Trichloroethane	**9.4**	ug/L	5.0	1		04/18/15 04:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	79-00-5	
Trichloroethene	**64.4**	ug/L	5.0	1		04/18/15 04:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 04:45	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 04:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 04:45	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		04/18/15 04:45	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/18/15 04:45	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		04/18/15 04:45	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-28 **Lab ID: 50116432006** Collected: 04/10/15 10:55 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 05:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 05:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 05:36	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 05:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 05:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 05:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 05:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 05:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 05:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 05:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 05:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 05:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 05:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 05:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 05:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 05:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 05:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 05:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 05:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 05:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 05:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 05:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 05:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 05:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 05:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-28 **Lab ID: 50116432006** Collected: 04/10/15 10:55 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 05:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 05:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 05:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 05:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 05:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 05:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 05:36	79-34-5	
Tetrachloroethene	**38.6**	ug/L	5.0	1		04/18/15 05:36	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 05:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	120-82-1	
1,1,1-Trichloroethane	**10.3**	ug/L	5.0	1		04/18/15 05:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	79-00-5	
Trichloroethene	**12.6**	ug/L	5.0	1		04/18/15 05:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 05:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 05:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 05:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	79-116	1		04/18/15 05:36	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	80-114	1		04/18/15 05:36	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/18/15 05:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-29 **Lab ID: 50116432007** Collected: 04/10/15 11:02 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 13:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 13:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 13:15	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 13:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 13:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 13:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 13:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 13:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 13:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 13:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 13:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 13:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 13:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 13:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 13:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 13:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 13:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 13:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 13:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 13:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 13:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 13:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 13:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-29 **Lab ID: 50116432007** Collected: 04/10/15 11:02 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 13:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 13:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 13:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 13:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 13:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 13:15	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 13:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 13:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 13:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 13:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	79-116	1		04/20/15 13:15	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/20/15 13:15	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/20/15 13:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-30 **Lab ID: 50116432008** Collected: 04/10/15 14:09 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 13:40	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 13:40	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 13:40	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 13:40	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 13:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 13:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 13:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 13:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 13:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 13:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 13:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 13:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 13:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 13:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 13:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 13:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 13:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 13:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 13:40	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 13:40	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 13:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 13:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 13:40	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-30 **Lab ID: 50116432008** Collected: 04/10/15 14:09 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 13:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 13:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 13:40	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 13:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 13:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 13:40	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 13:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	120-82-1	
1,1,1-Trichloroethane	**8.1**	ug/L	5.0	1		04/20/15 13:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 13:40	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 13:40	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 13:40	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	79-116	1		04/20/15 13:40	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		04/20/15 13:40	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		04/20/15 13:40	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: DUPLICATE **Lab ID: 50116432009** Collected: 04/10/15 08:00 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 19:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 19:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 19:38	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 19:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 19:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 19:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 19:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 19:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 19:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 19:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 19:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 19:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 19:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 19:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 19:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 19:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 19:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 19:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 19:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 19:38	75-35-4	
cis-1,2-Dichloroethene	**10.3**	ug/L	5.0	1		04/20/15 19:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 19:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 19:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 19:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 19:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 19:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 19:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 19:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: DUPLICATE **Lab ID: 50116432009** Collected: 04/10/15 08:00 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 19:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 19:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 19:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 19:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 19:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 19:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 19:38	79-34-5	
Tetrachloroethene	**718**	ug/L	50.0	10		04/22/15 11:13	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 19:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	120-82-1	
1,1,1-Trichloroethane	**9.5**	ug/L	5.0	1		04/20/15 19:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	79-00-5	
Trichloroethene	**64.2**	ug/L	5.0	1		04/20/15 19:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 19:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 19:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 19:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/20/15 19:38	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/20/15 19:38	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		04/20/15 19:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: TRIP BLANK **Lab ID: 50116432010** Collected: 04/10/15 08:00 Received: 04/10/15 15:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 14:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 14:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 14:32	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 14:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 14:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 14:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 14:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 14:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 14:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 14:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 14:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 14:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 14:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 14:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 14:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 14:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 14:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 14:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 14:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 14:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 14:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 14:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 14:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 14:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 14:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: TRIP BLANK **Lab ID: 50116432010** Collected: 04/10/15 08:00 Received: 04/10/15 15:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 14:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 14:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 14:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 14:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 14:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 14:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 14:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 14:32	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 14:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 14:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 14:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 14:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	79-116	1		04/20/15 14:32	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	80-114	1		04/20/15 14:32	460-00-4	
Toluene-d8 (S)	101	%.	81-110	1		04/20/15 14:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

QC Batch: MSV/75743 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

METHOD BLANK: 1277649 Matrix: Water
Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,3-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
2,2-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
2-Butanone (MEK)	ug/L	ND	25.0	04/17/15 21:32	
2-Chlorotoluene	ug/L	ND	5.0	04/17/15 21:32	
2-Hexanone	ug/L	ND	25.0	04/17/15 21:32	
4-Chlorotoluene	ug/L	ND	5.0	04/17/15 21:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/17/15 21:32	
Acetone	ug/L	ND	100	04/17/15 21:32	
Acrolein	ug/L	ND	50.0	04/17/15 21:32	
Acrylonitrile	ug/L	ND	100	04/17/15 21:32	
Benzene	ug/L	ND	5.0	04/17/15 21:32	
Bromobenzene	ug/L	ND	5.0	04/17/15 21:32	
Bromochloromethane	ug/L	ND	5.0	04/17/15 21:32	
Bromodichloromethane	ug/L	ND	5.0	04/17/15 21:32	
Bromoform	ug/L	ND	5.0	04/17/15 21:32	
Bromomethane	ug/L	ND	5.0	04/17/15 21:32	
Carbon disulfide	ug/L	ND	10.0	04/17/15 21:32	
Carbon tetrachloride	ug/L	ND	5.0	04/17/15 21:32	
Chlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
Chloroethane	ug/L	ND	5.0	04/17/15 21:32	
Chloroform	ug/L	ND	5.0	04/17/15 21:32	
Chloromethane	ug/L	ND	5.0	04/17/15 21:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

METHOD BLANK: 1277649 Matrix: Water

Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
Dibromochloromethane	ug/L	ND	5.0	04/17/15 21:32	
Dibromomethane	ug/L	ND	5.0	04/17/15 21:32	
Dichlorodifluoromethane	ug/L	ND	5.0	04/17/15 21:32	
Ethyl methacrylate	ug/L	ND	100	04/17/15 21:32	
Ethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/17/15 21:32	
Iodomethane	ug/L	ND	10.0	04/17/15 21:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/17/15 21:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/17/15 21:32	
Methylene Chloride	ug/L	ND	5.0	04/17/15 21:32	
n-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
n-Propylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Naphthalene	ug/L	ND	5.0	04/17/15 21:32	
p-Isopropyltoluene	ug/L	ND	5.0	04/17/15 21:32	
sec-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Styrene	ug/L	ND	5.0	04/17/15 21:32	
tert-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Tetrachloroethene	ug/L	ND	5.0	04/17/15 21:32	
Toluene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/17/15 21:32	
Trichloroethene	ug/L	ND	5.0	04/17/15 21:32	
Trichlorofluoromethane	ug/L	ND	5.0	04/17/15 21:32	
Vinyl acetate	ug/L	ND	50.0	04/17/15 21:32	
Vinyl chloride	ug/L	ND	2.0	04/17/15 21:32	
Xylene (Total)	ug/L	ND	10.0	04/17/15 21:32	
4-Bromofluorobenzene (S)	%.	103	80-114	04/17/15 21:32	
Dibromofluoromethane (S)	%.	98	79-116	04/17/15 21:32	
Toluene-d8 (S)	%.	103	81-110	04/17/15 21:32	

LABORATORY CONTROL SAMPLE: 1277650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.5	105	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	52.1	104	66-126	
1,1-Dichloroethene	ug/L	50	50.6	101	68-127	
1,2,4-Trimethylbenzene	ug/L	50	53.8	108	69-127	
1,2-Dichloropropane	ug/L	50	51.3	103	74-121	
Benzene	ug/L	50	53.1	106	74-122	
Chlorobenzene	ug/L	50	54.5	109	78-123	
Chloroform	ug/L	50	47.6	95	78-126	
Ethylbenzene	ug/L	50	55.8	112	66-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1277650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isopropylbenzene (Cumene)	ug/L	50	58.2	116	69-124	
Methyl-tert-butyl ether	ug/L	50	49.9	100	69-122	
Naphthalene	ug/L	50	55.2	110	68-127	
Tetrachloroethene	ug/L	50	54.6	109	69-130	
Toluene	ug/L	50	53.2	106	72-122	
Trichloroethene	ug/L	50	50.7	101	76-126	
Vinyl chloride	ug/L	50	60.8	122	59-126	
Xylene (Total)	ug/L	150	161	107	70-124	
4-Bromofluorobenzene (S)	%.			100	80-114	
Dibromofluoromethane (S)	%.			100	79-116	
Toluene-d8 (S)	%.			102	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

QC Batch: MSV/75783 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

METHOD BLANK: 1278831 Matrix: Water
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,3-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
2,2-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
2-Butanone (MEK)	ug/L	ND	25.0	04/20/15 10:51	
2-Chlorotoluene	ug/L	ND	5.0	04/20/15 10:51	
2-Hexanone	ug/L	ND	25.0	04/20/15 10:51	
4-Chlorotoluene	ug/L	ND	5.0	04/20/15 10:51	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/20/15 10:51	
Acetone	ug/L	ND	100	04/20/15 10:51	
Acrolein	ug/L	ND	50.0	04/20/15 10:51	
Acrylonitrile	ug/L	ND	100	04/20/15 10:51	
Benzene	ug/L	ND	5.0	04/20/15 10:51	
Bromobenzene	ug/L	ND	5.0	04/20/15 10:51	
Bromochloromethane	ug/L	ND	5.0	04/20/15 10:51	
Bromodichloromethane	ug/L	ND	5.0	04/20/15 10:51	
Bromoform	ug/L	ND	5.0	04/20/15 10:51	
Bromomethane	ug/L	ND	5.0	04/20/15 10:51	
Carbon disulfide	ug/L	ND	10.0	04/20/15 10:51	
Carbon tetrachloride	ug/L	ND	5.0	04/20/15 10:51	
Chlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
Chloroethane	ug/L	ND	5.0	04/20/15 10:51	
Chloroform	ug/L	ND	5.0	04/20/15 10:51	
Chloromethane	ug/L	ND	5.0	04/20/15 10:51	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

METHOD BLANK: 1278831 Matrix: Water
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
Dibromochloromethane	ug/L	ND	5.0	04/20/15 10:51	
Dibromomethane	ug/L	ND	5.0	04/20/15 10:51	
Dichlorodifluoromethane	ug/L	ND	5.0	04/20/15 10:51	
Ethyl methacrylate	ug/L	ND	100	04/20/15 10:51	
Ethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/20/15 10:51	
Iodomethane	ug/L	ND	10.0	04/20/15 10:51	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/20/15 10:51	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/20/15 10:51	
Methylene Chloride	ug/L	ND	5.0	04/20/15 10:51	
n-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
n-Propylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Naphthalene	ug/L	ND	5.0	04/20/15 10:51	
p-Isopropyltoluene	ug/L	ND	5.0	04/20/15 10:51	
sec-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Styrene	ug/L	ND	5.0	04/20/15 10:51	
tert-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Tetrachloroethene	ug/L	ND	5.0	04/20/15 10:51	
Toluene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/20/15 10:51	
Trichloroethene	ug/L	ND	5.0	04/20/15 10:51	
Trichlorofluoromethane	ug/L	ND	5.0	04/20/15 10:51	
Vinyl acetate	ug/L	ND	50.0	04/20/15 10:51	
Vinyl chloride	ug/L	ND	2.0	04/20/15 10:51	
Xylene (Total)	ug/L	ND	10.0	04/20/15 10:51	
4-Bromofluorobenzene (S)	%.	100	80-114	04/20/15 10:51	
Dibromofluoromethane (S)	%.	101	79-116	04/20/15 10:51	
Toluene-d8 (S)	%.	102	81-110	04/20/15 10:51	

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.8	110	61-135	
1,1,1-Trichloroethane	ug/L	50	49.8	100	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	54.2	108	66-126	
1,1,2-Trichloroethane	ug/L	50	49.6	99	77-130	
1,1-Dichloroethane	ug/L	50	48.5	97	75-130	
1,1-Dichloroethene	ug/L	50	47.0	94	68-127	
1,1-Dichloropropene	ug/L	50	48.9	98	78-130	
1,2,3-Trichlorobenzene	ug/L	50	55.8	112	70-130	
1,2,3-Trichloropropane	ug/L	50	55.2	110	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	58.2	116	68-131	
1,2,4-Trimethylbenzene	ug/L	50	52.0	104	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	52.6	105	76-125	
1,2-Dichlorobenzene	ug/L	50	53.0	106	75-123	
1,2-Dichloroethane	ug/L	50	45.8	92	75-128	
1,2-Dichloropropane	ug/L	50	50.2	100	74-121	
1,3,5-Trimethylbenzene	ug/L	50	51.4	103	70-126	
1,3-Dichlorobenzene	ug/L	50	52.0	104	74-122	
1,3-Dichloropropane	ug/L	50	52.3	105	74-123	
1,4-Dichlorobenzene	ug/L	50	53.1	106	76-120	
2,2-Dichloropropane	ug/L	50	52.8	106	50-137	
2-Butanone (MEK)	ug/L	250	298	119	58-139	
2-Chlorotoluene	ug/L	50	50.6	101	74-122	
2-Hexanone	ug/L	250	282	113	54-140	
4-Chlorotoluene	ug/L	50	51.8	104	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	280	112	58-138	
Acetone	ug/L	250	234	94	49-150	
Acrolein	ug/L	1000	1580	158	41-200	
Acrylonitrile	ug/L	200	219	110	63-137	
Benzene	ug/L	50	51.3	103	74-122	
Bromobenzene	ug/L	50	49.8	100	72-127	
Bromochloromethane	ug/L	50	56.3	113	63-132	
Bromodichloromethane	ug/L	50	47.6	95	62-136	
Bromoform	ug/L	50	46.8	94	44-134	
Bromomethane	ug/L	50	52.0	104	22-181	
Carbon disulfide	ug/L	50	52.4	105	59-132	
Carbon tetrachloride	ug/L	50	51.6	103	56-137	
Chlorobenzene	ug/L	50	51.5	103	78-123	
Chloroethane	ug/L	50	55.9	112	60-144	
Chloroform	ug/L	50	43.4	87	78-126	
Chloromethane	ug/L	50	52.7	105	42-134	
cis-1,2-Dichloroethene	ug/L	50	51.0	102	75-122	
cis-1,3-Dichloropropene	ug/L	50	49.9	100	64-126	
Dibromochloromethane	ug/L	50	57.2	114	58-128	
Dibromomethane	ug/L	50	57.2	114	73-125	
Dichlorodifluoromethane	ug/L	50	43.0	86	35-181	
Ethyl methacrylate	ug/L	200	229	115	69-133	
Ethylbenzene	ug/L	50	52.5	105	66-133	
Hexachloro-1,3-butadiene	ug/L	50	55.0	110	59-145	
Iodomethane	ug/L	100	98.2	98	21-170	
Isopropylbenzene (Cumene)	ug/L	50	54.1	108	69-124	
Methyl-tert-butyl ether	ug/L	50	48.4	97	69-122	
Methylene Chloride	ug/L	50	44.8	90	68-132	
n-Butylbenzene	ug/L	50	53.3	107	70-126	
n-Propylbenzene	ug/L	50	50.6	101	71-122	
Naphthalene	ug/L	50	55.4	111	68-127	
p-Isopropyltoluene	ug/L	50	51.8	104	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	53.8	108	70-128	
Styrene	ug/L	50	52.8	106	74-126	
tert-Butylbenzene	ug/L	50	43.6	87	51-118	
Tetrachloroethene	ug/L	50	50.1	100	69-130	
Toluene	ug/L	50	50.3	101	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	72-124	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	231	116	56-133	
Trichloroethene	ug/L	50	49.3	99	76-126	
Trichlorofluoromethane	ug/L	50	54.6	109	76-149	
Vinyl acetate	ug/L	200	241	121	45-151	
Vinyl chloride	ug/L	50	54.5	109	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%.			101	80-114	
Dibromofluoromethane (S)	%.			101	79-116	
Toluene-d8 (S)	%.			100	81-110	

MATRIX SPIKE SAMPLE: 1278834

Parameter	Units	50116432009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	53.0	106	50-132	
1,1,1-Trichloroethane	ug/L	9.5	50	63.0	107	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	49.5	99	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	49.4	99	61-139	
1,1-Dichloroethane	ug/L	ND	50	49.4	99	57-147	
1,1-Dichloroethene	ug/L	ND	50	50.8	102	55-145	
1,1-Dichloropropene	ug/L	ND	50	51.1	102	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	49.5	99	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	50.8	102	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	50.2	100	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	47.6	95	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	49.7	99	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	49.5	99	38-136	
1,2-Dichloroethane	ug/L	ND	50	44.8	90	62-138	
1,2-Dichloropropane	ug/L	ND	50	47.9	96	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.1	96	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	48.6	97	28-141	
1,3-Dichloropropane	ug/L	ND	50	52.6	105	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	50.4	101	30-139	
2,2-Dichloropropane	ug/L	ND	50	46.4	93	37-139	
2-Butanone (MEK)	ug/L	ND	250	254	101	37-156	
2-Chlorotoluene	ug/L	ND	50	50.1	100	27-142	
2-Hexanone	ug/L	ND	250	247	99	44-143	
4-Chlorotoluene	ug/L	ND	50	48.9	98	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	251	100	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

MATRIX SPIKE SAMPLE: 1278834

Parameter	Units	50116432009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	194	78	39-156	
Acrolein	ug/L	ND	1000	1160	116	33-200	
Acrylonitrile	ug/L	ND	200	190	95	48-149	
Benzene	ug/L	ND	50	50.5	101	62-129	
Bromobenzene	ug/L	ND	50	48.9	98	39-140	
Bromochloromethane	ug/L	ND	50	53.0	106	49-142	
Bromodichloromethane	ug/L	ND	50	46.4	93	50-142	
Bromoform	ug/L	ND	50	40.0	80	36-125	
Bromomethane	ug/L	ND	50	50.3	101	13-179	
Carbon disulfide	ug/L	ND	50	45.9	92	45-142	
Carbon tetrachloride	ug/L	ND	50	52.7	105	46-142	
Chlorobenzene	ug/L	ND	50	52.9	106	49-136	
Chloroethane	ug/L	ND	50	57.7	115	47-160	
Chloroform	ug/L	ND	50	44.6	89	54-150	
Chloromethane	ug/L	ND	50	52.8	106	30-148	
cis-1,2-Dichloroethene	ug/L	10.3	50	60.3	100	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	47.0	94	52-123	
Dibromochloromethane	ug/L	ND	50	52.3	105	48-125	
Dibromomethane	ug/L	ND	50	53.4	107	59-134	
Dichlorodifluoromethane	ug/L	ND	50	49.0	98	24-197	
Ethyl methacrylate	ug/L	ND	200	211	106	55-139	
Ethylbenzene	ug/L	ND	50	51.5	103	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	50.5	101	10-176	
Iodomethane	ug/L	ND	100	97.6	98	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	54.2	108	18-152	
Methyl-tert-butyl ether	ug/L	ND	50	45.2	90	63-130	
Methylene Chloride	ug/L	ND	50	43.4	87	45-156	
n-Butylbenzene	ug/L	ND	50	48.4	97	10-161	
n-Propylbenzene	ug/L	ND	50	49.1	98	16-150	
Naphthalene	ug/L	ND	50	50.4	101	39-140	
p-Isopropyltoluene	ug/L	ND	50	48.6	97	10-163	
sec-Butylbenzene	ug/L	ND	50	52.5	105	10-160	
Styrene	ug/L	ND	50	47.3	95	36-139	
tert-Butylbenzene	ug/L	ND	50	42.9	86	12-134	
Toluene	ug/L	ND	50	49.6	99	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	54.7	109	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	46.4	93	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	138	69	32-139	
Trichloroethene	ug/L	64.2	50	111	93	50-143	
Trichlorofluoromethane	ug/L	ND	50	61.9	124	60-175	
Vinyl acetate	ug/L	ND	200	161	80	17-142	
Vinyl chloride	ug/L	ND	50	58.6	117	44-145	
Xylene (Total)	ug/L	ND	150	150	100	29-145	
4-Bromofluorobenzene (S)	%.				100	80-114	
Dibromofluoromethane (S)	%.				101	79-116	
Toluene-d8 (S)	%.				101	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

SAMPLE DUPLICATE: 1278833

Parameter	Units	50116432008 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	8.1	8.4	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

SAMPLE DUPLICATE: 1278833

Parameter	Units	50116432008 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	.97J		20	
Toluene	ug/L	ND	.16J		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	1.5J		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	99	1		
Dibromofluoromethane (S)	%.	102	98	4		
Toluene-d8 (S)	%.	99	100	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50116432

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50116432001	**IT-2**	EPA 8260	MSV/75743		
50116432002	**IT-3**	EPA 8260	MSV/75743		
50116432003	**MW-12R**	EPA 8260	MSV/75743		
50116432004	**MW-20**	EPA 8260	MSV/75743		
50116432005	**MW-22**	EPA 8260	MSV/75743		
50116432006	**MW-28**	EPA 8260	MSV/75743		
50116432007	**MW-29**	EPA 8260	MSV/75783		
50116432008	**MW-30**	EPA 8260	MSV/75783		
50116432009	**DUPLICATE**	EPA 8260	MSV/75783		
50116432010	**TRIP BLANK**	EPA 8260	MSV/75783		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A — Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone: 347-1111	Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B — Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C — Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test: VOC 8260 WT	Residual Chlorine (Y/N)	50116432
1	IT-2	WT	G		1345				3				X					X		-001
2	IT-3	WT			1328								X					X		-002
3	MW-12R	WT			1128								X					X		-003
4	MW-20	WT			1254								X					X		-004
5	MW-22	WT			1045								X					X		-005
6	MW-28	WT			1055								X					X		-006
7	MW-29	WT			1109								X					X		-007
8	MW-30	WT			1409								X					X		-008
9	DUPLICATE	WT											X					X		-009
10	TRIP BLANK	WT											X					X		-010
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
	Ralph Mier IWM	4-10-15	3:12	H. Lawson / PACO	4-10-15	3:12	5.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed: 4-10-15

TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

MLI / client

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50116432

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature 5.7 Ice Visible in Sample Containers: ☐ yes ☑ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and Initials of person examining contents: H.S. 4-10-15

		Comments:
Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☑No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	6.
Containers Intact:	☑Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☑N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☑No ☐N/A	10.
Trip Blank Present:	☑Yes ☐No ☐N/A	11.
Trip Blank Custody Seals Present	☑Yes ☐No ☐N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	12.
Sufficient Volume:	☑Yes ☐No ☐N/A	13.
Correct Containers Used:	☑Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hunt **Date:** 4/10/15

Form F-IN-Q-290-rev.06, 05Aug2014

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 50116432

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SP5T	_____	pH <2	pH>12	Comments
1	3																			
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

APPENDIX B

Laboratory Analytical Reports
Groundwater Recovery and Treatment System Samples

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

December 10, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50107586

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on November 24, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project:	Amphenol
Pace Project No.:	50107586

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky UST Certification #: 0042
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50107586001	**RW-1**	Water	11/24/14 10:20	11/24/14 12:17
50107586002	**RW-2**	Water	11/24/14 10:15	11/24/14 12:17
50107586003	**RW-3**	Water	11/24/14 10:10	11/24/14 12:17
50107586004	**RW-4**	Water	11/24/14 10:05	11/24/14 12:17
50107586005	**RW-5**	Water	11/24/14 10:00	11/24/14 12:17
50107586006	**EFFLUENT**	Water	11/24/14 09:55	11/24/14 12:17

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50107586001	**RW-1**	EPA 8260	RSW	72
50107586002	**RW-2**	EPA 8260	RSW	72
50107586003	**RW-3**	EPA 8260	RSW	72
50107586004	**RW-4**	EPA 8260	RSW	72
50107586005	**RW-5**	EPA 8260	RSW	72
50107586006	**EFFLUENT**	EPA 8260	RSW	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-1 **Lab ID: 50107586001** Collected: 11/24/14 10:20 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 15:57	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 15:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 15:57	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 15:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 15:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 15:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 15:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 15:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 15:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 15:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 15:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 15:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 15:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 15:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 15:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 15:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 15:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 15:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 15:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 15:57	75-35-4	
cis-1,2-Dichloroethene	**30.7**	ug/L	5.0	1		12/05/14 15:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 15:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 15:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 15:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 15:57	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 15:57	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 15:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 15:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 15:57	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-1 **Lab ID: 50107586001** Collected: 11/24/14 10:20 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 15:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 15:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 15:57	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 15:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 15:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 15:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 15:57	79-34-5	
Tetrachloroethene	**98.6**	ug/L	5.0	1		12/05/14 15:57	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 15:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 15:57	120-82-1	
1,1,1-Trichloroethane	**14.6**	ug/L	5.0	1		12/05/14 15:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 15:57	79-00-5	
Trichloroethene	**50.7**	ug/L	5.0	1		12/05/14 15:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 15:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 15:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 15:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 15:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 15:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 15:57	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	113	%.	79-116	1		12/05/14 15:57	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 15:57	460-00-4	
Toluene-d8 (S)	94	%.	81-110	1		12/05/14 15:57	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-2 **Lab ID: 50107586002** Collected: 11/24/14 10:15 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 16:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 16:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 16:27	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 16:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 16:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 16:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 16:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 16:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 16:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 16:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 16:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 16:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 16:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 16:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 16:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 16:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 16:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 16:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 16:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 16:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 16:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 16:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 16:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-2 **Lab ID: 50107586002** Collected: 11/24/14 10:15 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 16:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 16:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 16:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 16:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:27	79-34-5	
Tetrachloroethene	**89.6**	ug/L	5.0	1		12/05/14 16:27	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 16:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:27	120-82-1	
1,1,1-Trichloroethane	**32.0**	ug/L	5.0	1		12/05/14 16:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 16:27	79-00-5	
Trichloroethene	**56.5**	ug/L	5.0	1		12/05/14 16:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 16:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 16:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 16:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 16:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 16:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	113	%.	79-116	1		12/05/14 16:27	1868-53-7	
4-Bromofluorobenzene (S)	92	%.	80-114	1		12/05/14 16:27	460-00-4	
Toluene-d8 (S)	92	%.	81-110	1		12/05/14 16:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-3 **Lab ID: 50107586003** Collected: 11/24/14 10:10 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 16:57	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 16:57	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:57	75-35-4	
cis-1,2-Dichloroethene	**13.8**	ug/L	5.0	1		12/05/14 16:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 16:57	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 16:57	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 16:57	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-3 **Lab ID: 50107586003** Collected: 11/24/14 10:10 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 16:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 16:57	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 16:57	79-34-5	
Tetrachloroethene	**123**	ug/L	5.0	1		12/05/14 16:57	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 16:57	120-82-1	
1,1,1-Trichloroethane	**38.0**	ug/L	5.0	1		12/05/14 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 16:57	79-00-5	
Trichloroethene	**41.5**	ug/L	5.0	1		12/05/14 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 16:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 16:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 16:57	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%.	79-116	1		12/05/14 16:57	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 16:57	460-00-4	
Toluene-d8 (S)	92	%.	81-110	1		12/05/14 16:57	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-4 **Lab ID: 50107586004** Collected: 11/24/14 10:05 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 17:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 17:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 17:26	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 17:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 17:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 17:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 17:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 17:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 17:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 17:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 17:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 17:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 17:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 17:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 17:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 17:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 17:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 17:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 17:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 17:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 17:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 17:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 17:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 17:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 17:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 17:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-4 **Lab ID: 50107586004** Collected: 11/24/14 10:05 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 17:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 17:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 17:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 17:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 17:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 17:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 17:26	79-34-5	
Tetrachloroethene	**8.6**	ug/L	5.0	1		12/05/14 17:26	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 17:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 17:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 17:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		12/05/14 17:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 17:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 17:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 17:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 17:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 17:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 17:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%.	79-116	1		12/05/14 17:26	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		12/05/14 17:26	460-00-4	
Toluene-d8 (S)	94	%.	81-110	1		12/05/14 17:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-5 **Lab ID: 50107586005** Collected: 11/24/14 10:00 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 18:25	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 18:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 18:25	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 18:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 18:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 18:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 18:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 18:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 18:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 18:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 18:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 18:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 18:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 18:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 18:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 18:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 18:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 18:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 18:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 18:25	75-35-4	
cis-1,2-Dichloroethene	**210**	ug/L	5.0	1		12/05/14 18:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 18:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 18:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 18:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 18:25	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 18:25	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 18:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 18:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 18:25	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: RW-5 **Lab ID: 50107586005** Collected: 11/24/14 10:00 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 18:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 18:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 18:25	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 18:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 18:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 18:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 18:25	79-34-5	
Tetrachloroethene	**442**	ug/L	50.0	10		12/05/14 18:55	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 18:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 18:25	120-82-1	
1,1,1-Trichloroethane	**27.5**	ug/L	5.0	1		12/05/14 18:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 18:25	79-00-5	
Trichloroethene	**258**	ug/L	5.0	1		12/05/14 18:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 18:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 18:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 18:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 18:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 18:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 18:25	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	116	%.	79-116	1		12/05/14 18:25	1868-53-7	
4-Bromofluorobenzene (S)	89	%.	80-114	1		12/05/14 18:25	460-00-4	
Toluene-d8 (S)	95	%.	81-110	1		12/05/14 18:25	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: EFFLUENT **Lab ID: 50107586006** Collected: 11/24/14 09:55 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		12/05/14 19:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		12/05/14 19:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		12/05/14 19:24	107-13-1	
Benzene	ND	ug/L	5.0	1		12/05/14 19:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		12/05/14 19:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		12/05/14 19:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		12/05/14 19:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		12/05/14 19:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		12/05/14 19:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		12/05/14 19:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		12/05/14 19:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		12/05/14 19:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		12/05/14 19:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 19:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		12/05/14 19:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		12/05/14 19:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		12/05/14 19:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		12/05/14 19:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		12/05/14 19:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		12/05/14 19:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		12/05/14 19:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		12/05/14 19:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		12/05/14 19:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		12/05/14 19:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		12/05/14 19:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		12/05/14 19:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50107586

Sample: EFFLUENT **Lab ID: 50107586006** Collected: 11/24/14 09:55 Received: 11/24/14 12:17 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		12/05/14 19:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		12/05/14 19:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		12/05/14 19:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		12/05/14 19:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	103-65-1	
Styrene	ND	ug/L	5.0	1		12/05/14 19:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 19:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		12/05/14 19:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		12/05/14 19:24	127-18-4	
Toluene	ND	ug/L	5.0	1		12/05/14 19:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		12/05/14 19:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		12/05/14 19:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		12/05/14 19:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		12/05/14 19:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		12/05/14 19:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		12/05/14 19:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		12/05/14 19:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		12/05/14 19:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		12/05/14 19:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	119	%.	79-116	1		12/05/14 19:24	1868-53-7	S3
4-Bromofluorobenzene (S)	91	%.	80-114	1		12/05/14 19:24	460-00-4	
Toluene-d8 (S)	90	%.	81-110	1		12/05/14 19:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

QC Batch: MSV/71469 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

METHOD BLANK: 1199218 Matrix: Water
Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,1-Trichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1,2-Trichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	
1,1-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2,3-Trichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichloroethane	ug/L	ND	5.0	12/05/14 13:30	
1,2-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
1,3-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
1,3-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
1,4-Dichlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
2,2-Dichloropropane	ug/L	ND	5.0	12/05/14 13:30	
2-Butanone (MEK)	ug/L	ND	25.0	12/05/14 13:30	
2-Chlorotoluene	ug/L	ND	5.0	12/05/14 13:30	
2-Hexanone	ug/L	ND	25.0	12/05/14 13:30	
4-Chlorotoluene	ug/L	ND	5.0	12/05/14 13:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	12/05/14 13:30	
Acetone	ug/L	ND	100	12/05/14 13:30	
Acrolein	ug/L	ND	50.0	12/05/14 13:30	
Acrylonitrile	ug/L	ND	100	12/05/14 13:30	
Benzene	ug/L	ND	5.0	12/05/14 13:30	
Bromobenzene	ug/L	ND	5.0	12/05/14 13:30	
Bromochloromethane	ug/L	ND	5.0	12/05/14 13:30	
Bromodichloromethane	ug/L	ND	5.0	12/05/14 13:30	
Bromoform	ug/L	ND	5.0	12/05/14 13:30	
Bromomethane	ug/L	ND	5.0	12/05/14 13:30	
Carbon disulfide	ug/L	ND	10.0	12/05/14 13:30	
Carbon tetrachloride	ug/L	ND	5.0	12/05/14 13:30	
Chlorobenzene	ug/L	ND	5.0	12/05/14 13:30	
Chloroethane	ug/L	ND	5.0	12/05/14 13:30	
Chloroform	ug/L	ND	5.0	12/05/14 13:30	
Chloromethane	ug/L	ND	5.0	12/05/14 13:30	
cis-1,2-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

METHOD BLANK: 1199218 Matrix: Water

Associated Lab Samples: 50107586001, 50107586002, 50107586003, 50107586004, 50107586005, 50107586006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
Dibromochloromethane	ug/L	ND	5.0	12/05/14 13:30	
Dibromomethane	ug/L	ND	5.0	12/05/14 13:30	
Dichlorodifluoromethane	ug/L	ND	5.0	12/05/14 13:30	
Ethyl methacrylate	ug/L	ND	100	12/05/14 13:30	
Ethylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	12/05/14 13:30	
Iodomethane	ug/L	ND	10.0	12/05/14 13:30	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	12/05/14 13:30	
Methyl-tert-butyl ether	ug/L	ND	4.0	12/05/14 13:30	
Methylene Chloride	ug/L	ND	5.0	12/05/14 13:30	
n-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
n-Propylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Naphthalene	ug/L	ND	5.0	12/05/14 13:30	
p-Isopropyltoluene	ug/L	ND	5.0	12/05/14 13:30	
sec-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Styrene	ug/L	ND	5.0	12/05/14 13:30	
tert-Butylbenzene	ug/L	ND	5.0	12/05/14 13:30	
Tetrachloroethene	ug/L	ND	5.0	12/05/14 13:30	
Toluene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,2-Dichloroethene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,3-Dichloropropene	ug/L	ND	5.0	12/05/14 13:30	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	12/05/14 13:30	
Trichloroethene	ug/L	ND	5.0	12/05/14 13:30	
Trichlorofluoromethane	ug/L	ND	5.0	12/05/14 13:30	
Vinyl acetate	ug/L	ND	50.0	12/05/14 13:30	
Vinyl chloride	ug/L	ND	2.0	12/05/14 13:30	
Xylene (Total)	ug/L	ND	10.0	12/05/14 13:30	
4-Bromofluorobenzene (S)	%.	92	80-114	12/05/14 13:30	
Dibromofluoromethane (S)	%.	110	79-116	12/05/14 13:30	
Toluene-d8 (S)	%.	92	81-110	12/05/14 13:30	

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	41.3	83	61-135	
1,1,1-Trichloroethane	ug/L	50	44.6	89	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	39.8	80	66-126	
1,1,2-Trichloroethane	ug/L	50	41.7	83	77-130	
1,1-Dichloroethane	ug/L	50	41.2	82	75-130	
1,1-Dichloroethene	ug/L	50	61.6	123	68-127	
1,1-Dichloropropene	ug/L	50	51.7	103	78-130	
1,2,3-Trichlorobenzene	ug/L	50	54.7	109	70-130	
1,2,3-Trichloropropane	ug/L	50	41.8	84	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	47.2	94	68-131	
1,2,4-Trimethylbenzene	ug/L	50	50.2	100	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	46.9	94	76-125	
1,2-Dichlorobenzene	ug/L	50	53.0	106	75-123	
1,2-Dichloroethane	ug/L	50	48.5	97	75-128	
1,2-Dichloropropane	ug/L	50	45.2	90	74-121	
1,3,5-Trimethylbenzene	ug/L	50	49.9	100	70-126	
1,3-Dichlorobenzene	ug/L	50	52.8	106	74-122	
1,3-Dichloropropane	ug/L	50	46.1	92	74-123	
1,4-Dichlorobenzene	ug/L	50	53.2	106	76-120	
2,2-Dichloropropane	ug/L	50	35.9	72	50-137	
2-Butanone (MEK)	ug/L	250	207	83	58-139	
2-Chlorotoluene	ug/L	50	46.9	94	74-122	
2-Hexanone	ug/L	250	212	85	54-140	
4-Chlorotoluene	ug/L	50	52.3	105	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	206	82	58-138	
Acetone	ug/L	250	231	93	49-150	
Acrolein	ug/L	1000	1070	107	41-200	
Acrylonitrile	ug/L	1000	1120	112	63-137	
Benzene	ug/L	50	51.2	102	74-122	
Bromobenzene	ug/L	50	48.6	97	72-127	
Bromochloromethane	ug/L	50	52.6	105	63-132	
Bromodichloromethane	ug/L	50	43.6	87	62-136	
Bromoform	ug/L	50	33.9	68	44-134	
Bromomethane	ug/L	50	55.0	110	22-181	
Carbon disulfide	ug/L	100	125	125	59-132	
Carbon tetrachloride	ug/L	50	39.3	79	56-137	
Chlorobenzene	ug/L	50	52.6	105	78-123	
Chloroethane	ug/L	50	67.6	135	60-144	
Chloroform	ug/L	50	49.9	100	78-126	
Chloromethane	ug/L	50	45.8	92	42-134	
cis-1,2-Dichloroethene	ug/L	50	54.6	109	75-122	
cis-1,3-Dichloropropene	ug/L	50	38.3	77	64-126	
Dibromochloromethane	ug/L	50	40.6	81	58-128	
Dibromomethane	ug/L	50	49.7	99	73-125	
Dichlorodifluoromethane	ug/L	50	47.3	95	35-181	
Ethyl methacrylate	ug/L	200	161	81	69-133	
Ethylbenzene	ug/L	50	51.5	103	66-133	
Hexachloro-1,3-butadiene	ug/L	50	49.7	99	59-145	
Iodomethane	ug/L	100	101	101	21-170	
Isopropylbenzene (Cumene)	ug/L	50	51.8	104	69-124	
Methyl-tert-butyl ether	ug/L	100	91.1	91	69-122	
Methylene Chloride	ug/L	50	53.1	106	68-132	
n-Butylbenzene	ug/L	50	51.0	102	70-126	
n-Propylbenzene	ug/L	50	50.8	102	71-122	
Naphthalene	ug/L	50	49.1	98	68-127	
p-Isopropyltoluene	ug/L	50	51.3	103	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

LABORATORY CONTROL SAMPLE: 1199219

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	49.7	99	70-128	
Styrene	ug/L	50	54.2	108	74-126	
tert-Butylbenzene	ug/L	50	40.5	81	51-118	
Tetrachloroethene	ug/L	50	52.2	104	69-130	
Toluene	ug/L	50	49.6	99	72-122	
trans-1,2-Dichloroethene	ug/L	50	58.8	118	72-124	
trans-1,3-Dichloropropene	ug/L	50	37.9	76	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	153	76	56-133	
Trichloroethene	ug/L	50	51.1	102	76-126	
Trichlorofluoromethane	ug/L	50	68.0	136	76-149	
Vinyl acetate	ug/L	200	152	76	45-151	
Vinyl chloride	ug/L	50	46.1	92	59-126	
Xylene (Total)	ug/L	150	156	104	70-124	
4-Bromofluorobenzene (S)	%.			96	80-114	
Dibromofluoromethane (S)	%.			108	79-116	
Toluene-d8 (S)	%.			95	81-110	

MATRIX SPIKE SAMPLE: 1199221

Parameter	Units	50107586006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	38.3	77	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	42.4	85	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	38.3	77	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	42.1	84	61-139	
1,1-Dichloroethane	ug/L	ND	50	46.9	94	57-147	
1,1-Dichloroethene	ug/L	ND	50	69.8	140	55-145	
1,1-Dichloropropene	ug/L	ND	50	54.0	108	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	53.1	106	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	41.7	83	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	43.3	87	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	50.8	102	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	46.8	94	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	53.6	107	38-136	
1,2-Dichloroethane	ug/L	ND	50	52.7	105	62-138	
1,2-Dichloropropane	ug/L	ND	50	46.4	93	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	50.7	101	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	52.6	105	28-141	
1,3-Dichloropropane	ug/L	ND	50	45.8	92	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	51.6	103	30-139	
2,2-Dichloropropane	ug/L	ND	50	13.6	27	37-139	M0
2-Butanone (MEK)	ug/L	ND	250	203	81	37-156	
2-Chlorotoluene	ug/L	ND	50	47.4	95	27-142	
2-Hexanone	ug/L	ND	250	209	84	44-143	
4-Chlorotoluene	ug/L	ND	50	51.5	103	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	202	81	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

MATRIX SPIKE SAMPLE: 1199221

Parameter	Units	50107586006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	254	102	39-156	
Acrolein	ug/L	ND	1000	1060	106	33-200	
Acrylonitrile	ug/L	ND	1000	1170	117	48-149	
Benzene	ug/L	ND	50	53.4	107	62-129	
Bromobenzene	ug/L	ND	50	51.0	102	39-140	
Bromochloromethane	ug/L	ND	50	59.8	120	49-142	
Bromodichloromethane	ug/L	ND	50	44.5	89	50-142	
Bromoform	ug/L	ND	50	28.5	57	36-125	
Bromomethane	ug/L	ND	50	58.0	116	13-179	
Carbon disulfide	ug/L	ND	100	139	139	45-142	
Carbon tetrachloride	ug/L	ND	50	36.6	73	46-142	
Chlorobenzene	ug/L	ND	50	53.8	108	49-136	
Chloroethane	ug/L	ND	50	79.0	158	47-160	
Chloroform	ug/L	ND	50	54.3	109	54-150	
Chloromethane	ug/L	ND	50	53.0	106	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	58.9	116	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	28.9	58	52-123	
Dibromochloromethane	ug/L	ND	50	36.6	73	48-125	
Dibromomethane	ug/L	ND	50	55.0	110	59-134	
Dichlorodifluoromethane	ug/L	ND	50	59.3	119	24-197	
Ethyl methacrylate	ug/L	ND	200	147	74	55-139	
Ethylbenzene	ug/L	ND	50	53.9	108	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	45.5	91	10-176	
Iodomethane	ug/L	ND	100	103	103	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	56.4	113	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	81.8	82	63-130	
Methylene Chloride	ug/L	ND	50	59.1	118	45-156	
n-Butylbenzene	ug/L	ND	50	48.5	97	10-161	
n-Propylbenzene	ug/L	ND	50	51.3	103	16-150	
Naphthalene	ug/L	ND	50	48.5	97	39-140	
p-Isopropyltoluene	ug/L	ND	50	50.3	101	10-163	
sec-Butylbenzene	ug/L	ND	50	50.0	100	10-160	
Styrene	ug/L	ND	50	55.8	112	36-139	
tert-Butylbenzene	ug/L	ND	50	42.3	85	12-134	
Tetrachloroethene	ug/L	ND	50	52.3	103	33-151	
Toluene	ug/L	ND	50	52.9	106	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	63.0	126	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	25.8	52	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	120	60	32-139	
Trichloroethene	ug/L	ND	50	53.1	106	50-143	
Trichlorofluoromethane	ug/L	ND	50	83.3	167	60-175	
Vinyl acetate	ug/L	ND	200	51.2	26	17-142	
Vinyl chloride	ug/L	ND	50	53.3	107	44-145	
Xylene (Total)	ug/L	ND	150	166	111	29-145	
4-Bromofluorobenzene (S)	%.				101	80-114	
Dibromofluoromethane (S)	%.				114	79-116	
Toluene-d8 (S)	%.				100	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

SAMPLE DUPLICATE: 1199220

Parameter	Units	50107586004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50107586

SAMPLE DUPLICATE: 1199220

Parameter	Units	50107586004 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	8.6	7.5	14	20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	94	94	0		
Dibromofluoromethane (S)	%.	114	117	2		S3
Toluene-d8 (S)	%.	94	92	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50107586

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
S3	Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50107586

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50107586001	**RW-1**	EPA 8260	MSV/71469		
50107586002	**RW-2**	EPA 8260	MSV/71469		
50107586003	**RW-3**	EPA 8260	MSV/71469		
50107586004	**RW-4**	EPA 8260	MSV/71469		
50107586005	**RW-5**	EPA 8260	MSV/71469		
50107586006	**EFFLUENT**	EPA 8260	MSV/71469		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A — Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B — Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C — Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N): Y/N

Analyses Test: VOC 8260 WT

Residual Chlorine (Y/N)

50107586

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	VOC 8260 WT	Residual Chlorine (Y/N)	
1	RW-1	WT		11-24-	1020				3				X					X		-001
2	RW-2	WT			1015				3				X					X		-002
3	RW-3	WT			1010				3				X					X		-003
4	RW-4	WT			1005				3				X					X		-004
5	RW-5	WT			1000				3				X					X		-005
6	EFFLUENT	WT			955				3				X					X		-006
7																				
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Kyle Miers IWM	11-24-14	1217	[illegible] Pace	11/24/14	1217	5.2	Y	N	Y

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Kyle Miers
SIGNATURE of SAMPLER:	Kyle Miers
DATE Signed:	11-24-14

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

WI Client del

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Consulting Project # 50107586

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Ice/Foamblock

Thermometer 1 2 3 4 5 6 (A) B C D E F **Type of Ice:** (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature 5.2°C **Ice Visible in Sample Containers:** ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 11/24/14 [illegible]

		Comments:
Chain of Custody Present:	☒Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☒Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☒Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☒Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☒No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☒No ☐N/A	6.
Containers Intact:	☒Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☒No ☐N/A	10.
Trip Blank Present:	☐Yes ☒No ☐N/A	11.
Trip Blank Custody Seals Present	☐Yes ☐No ☒N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☒Yes ☐No ☐N/A	12.
Sufficient Volume:	☒Yes ☐No ☐N/A	13.
Correct Containers Used:	☒Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [signature] **Date:** 11/24/14

Form F-IN-Q-290-rev.06, 05Aug2014

Sample Container Count

CLIENT: IWM Consulting

COC PAGE 1 of 1

COC ID# _____

Project # 52107586

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	_____	pH <2	pH>12	Comments
1	3																			
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber gl	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber gla	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber g	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber g	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber g	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gl	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

March 24, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50114335

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on March 13, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 50114335

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177/ E-10247
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Pennsylvania Certification #: 68-05340
Texas Certification #: T104704355-15-8
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50114335001	**RW-1**	Water	03/13/15 09:53	03/13/15 12:25
50114335002	**RW-2**	Water	03/13/15 10:01	03/13/15 12:25
50114335003	**RW-3**	Water	03/13/15 10:10	03/13/15 12:25
50114335004	**RW-4**	Water	03/13/15 10:32	03/13/15 12:25
50114335005	**RW-5**	Water	03/13/15 10:22	03/13/15 12:25
50114335006	**EFFLUENT**	Water	03/13/15 09:47	03/13/15 12:25

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50114335001	**RW-1**	EPA 8260	DAE	72
50114335002	**RW-2**	EPA 8260	DAE	72
50114335003	**RW-3**	EPA 8260	DAE	72
50114335004	**RW-4**	EPA 8260	DAE	72
50114335005	**RW-5**	EPA 8260	DAE	72
50114335006	**EFFLUENT**	EPA 8260	DAE	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-1 **Lab ID: 50114335001** Collected: 03/13/15 09:53 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 03:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 03:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 03:36	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 03:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 03:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 03:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 03:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 03:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 03:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 03:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 03:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 03:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 03:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 03:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 03:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 03:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 03:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 03:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 03:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 03:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 03:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 03:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 03:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 03:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 03:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 03:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 03:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-1 **Lab ID: 50114335001** Collected: 03/13/15 09:53 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 03:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 03:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 03:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 03:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 03:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 03:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 03:36	79-34-5	
Tetrachloroethene	**8.2**	ug/L	5.0	1		03/20/15 03:36	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 03:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 03:36	120-82-1	
1,1,1-Trichloroethane	**11.0**	ug/L	5.0	1		03/20/15 03:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 03:36	79-00-5	
Trichloroethene	**17.3**	ug/L	5.0	1		03/20/15 03:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 03:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 03:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 03:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 03:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 03:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 03:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	79-116	1		03/20/15 03:36	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 03:36	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		03/20/15 03:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-2 **Lab ID: 50114335002** Collected: 03/13/15 10:01 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 04:09	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 04:09	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 04:09	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 04:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 04:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 04:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 04:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 04:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 04:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 04:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 04:09	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 04:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 04:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 04:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 04:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 04:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 04:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-71-8	
1,1-Dichloroethane	**7.0**	ug/L	5.0	1		03/20/15 04:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:09	75-35-4	
cis-1,2-Dichloroethene	**6.2**	ug/L	5.0	1		03/20/15 04:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 04:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 04:09	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 04:09	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 04:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 04:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 04:09	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-2 **Lab ID: 50114335002** Collected: 03/13/15 10:01 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 04:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 04:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 04:09	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 04:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 04:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:09	79-34-5	
Tetrachloroethene	**132**	ug/L	5.0	1		03/20/15 04:09	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 04:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:09	120-82-1	
1,1,1-Trichloroethane	**46.5**	ug/L	5.0	1		03/20/15 04:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 04:09	79-00-5	
Trichloroethene	**74.2**	ug/L	5.0	1		03/20/15 04:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 04:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 04:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 04:09	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 04:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 04:09	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	95	%.	79-116	1		03/20/15 04:09	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 04:09	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		03/20/15 04:09	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-3 **Lab ID: 50114335003** Collected: 03/13/15 10:10 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 04:41	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 04:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 04:41	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 04:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 04:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 04:41	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 04:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 04:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 04:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 04:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 04:41	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 04:41	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 04:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 04:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 04:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 04:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 04:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 04:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:41	75-35-4	
cis-1,2-Dichloroethene	**21.4**	ug/L	5.0	1		03/20/15 04:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 04:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 04:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 04:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 04:41	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 04:41	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 04:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 04:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 04:41	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-3 **Lab ID: 50114335003** Collected: 03/13/15 10:10 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 04:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 04:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 04:41	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 04:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 04:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 04:41	79-34-5	
Tetrachloroethene	**114**	ug/L	5.0	1		03/20/15 04:41	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 04:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 04:41	120-82-1	
1,1,1-Trichloroethane	**35.3**	ug/L	5.0	1		03/20/15 04:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 04:41	79-00-5	
Trichloroethene	**35.9**	ug/L	5.0	1		03/20/15 04:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 04:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 04:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 04:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 04:41	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 04:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 04:41	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	95	%.	79-116	1		03/20/15 04:41	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	80-114	1		03/20/15 04:41	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		03/20/15 04:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-4 **Lab ID: 50114335004** Collected: 03/13/15 10:32 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 07:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 07:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 07:24	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 07:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 07:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 07:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 07:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 07:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 07:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 07:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 07:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 07:24	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 07:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 07:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 07:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 07:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 07:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 07:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 07:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 07:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 07:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 07:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 07:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-4 **Lab ID: 50114335004** Collected: 03/13/15 10:32 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 07:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 07:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 07:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 07:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 07:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/20/15 07:24	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 07:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/20/15 07:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 07:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 07:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 07:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 07:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 07:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		03/20/15 07:24	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		03/20/15 07:24	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		03/20/15 07:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-5 **Lab ID: 50114335005** Collected: 03/13/15 10:22 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 07:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 07:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 07:56	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 07:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 07:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 07:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 07:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 07:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 07:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 07:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 07:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 07:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 07:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 07:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 07:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 07:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 07:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 07:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:56	75-35-4	
cis-1,2-Dichloroethene	**60.7**	ug/L	5.0	1		03/20/15 07:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 07:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 07:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 07:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 07:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 07:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 07:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 07:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 07:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: RW-5 **Lab ID: 50114335005** Collected: 03/13/15 10:22 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 07:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 07:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 07:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 07:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 07:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 07:56	79-34-5	
Tetrachloroethene	**336**	ug/L	50.0	10		03/20/15 08:28	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 07:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 07:56	120-82-1	
1,1,1-Trichloroethane	**30.5**	ug/L	5.0	1		03/20/15 07:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 07:56	79-00-5	
Trichloroethene	**159**	ug/L	5.0	1		03/20/15 07:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 07:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 07:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 07:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 07:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 07:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 07:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	79-116	1		03/20/15 07:56	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		03/20/15 07:56	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		03/20/15 07:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: EFFLUENT **Lab ID: 50114335006** Collected: 03/13/15 09:47 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/20/15 09:01	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/20/15 09:01	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/20/15 09:01	107-13-1	
Benzene	ND	ug/L	5.0	1		03/20/15 09:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/20/15 09:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/20/15 09:01	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/20/15 09:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/20/15 09:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/20/15 09:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/20/15 09:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/20/15 09:01	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/20/15 09:01	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/20/15 09:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 09:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/20/15 09:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/20/15 09:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/20/15 09:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/20/15 09:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/20/15 09:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/20/15 09:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/20/15 09:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/20/15 09:01	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/20/15 09:01	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/20/15 09:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/20/15 09:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/20/15 09:01	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50114335

Sample: EFFLUENT **Lab ID: 50114335006** Collected: 03/13/15 09:47 Received: 03/13/15 12:25 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/20/15 09:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/20/15 09:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/20/15 09:01	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/20/15 09:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	103-65-1	
Styrene	ND	ug/L	5.0	1		03/20/15 09:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 09:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/20/15 09:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/20/15 09:01	127-18-4	
Toluene	ND	ug/L	5.0	1		03/20/15 09:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/20/15 09:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/20/15 09:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/20/15 09:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/20/15 09:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/20/15 09:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/20/15 09:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/20/15 09:01	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/20/15 09:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/20/15 09:01	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	79-116	1		03/20/15 09:01	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	80-114	1		03/20/15 09:01	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		03/20/15 09:01	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

QC Batch: MSV/74674 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

METHOD BLANK: 1258042 Matrix: Water
Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	
1,1-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichloroethane	ug/L	ND	5.0	03/20/15 02:32	
1,2-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
1,3-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
2,2-Dichloropropane	ug/L	ND	5.0	03/20/15 02:32	
2-Butanone (MEK)	ug/L	ND	25.0	03/20/15 02:32	
2-Chlorotoluene	ug/L	ND	5.0	03/20/15 02:32	
2-Hexanone	ug/L	ND	25.0	03/20/15 02:32	
4-Chlorotoluene	ug/L	ND	5.0	03/20/15 02:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/20/15 02:32	
Acetone	ug/L	ND	100	03/20/15 02:32	
Acrolein	ug/L	ND	50.0	03/20/15 02:32	
Acrylonitrile	ug/L	ND	100	03/20/15 02:32	
Benzene	ug/L	ND	5.0	03/20/15 02:32	
Bromobenzene	ug/L	ND	5.0	03/20/15 02:32	
Bromochloromethane	ug/L	ND	5.0	03/20/15 02:32	
Bromodichloromethane	ug/L	ND	5.0	03/20/15 02:32	
Bromoform	ug/L	ND	5.0	03/20/15 02:32	
Bromomethane	ug/L	ND	5.0	03/20/15 02:32	
Carbon disulfide	ug/L	ND	10.0	03/20/15 02:32	
Carbon tetrachloride	ug/L	ND	5.0	03/20/15 02:32	
Chlorobenzene	ug/L	ND	5.0	03/20/15 02:32	
Chloroethane	ug/L	ND	5.0	03/20/15 02:32	
Chloroform	ug/L	ND	5.0	03/20/15 02:32	
Chloromethane	ug/L	ND	5.0	03/20/15 02:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

METHOD BLANK: 1258042 Matrix: Water

Associated Lab Samples: 50114335001, 50114335002, 50114335003, 50114335004, 50114335005, 50114335006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
Dibromochloromethane	ug/L	ND	5.0	03/20/15 02:32	
Dibromomethane	ug/L	ND	5.0	03/20/15 02:32	
Dichlorodifluoromethane	ug/L	ND	5.0	03/20/15 02:32	
Ethyl methacrylate	ug/L	ND	100	03/20/15 02:32	
Ethylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/20/15 02:32	
Iodomethane	ug/L	ND	10.0	03/20/15 02:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/20/15 02:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/20/15 02:32	
Methylene Chloride	ug/L	5.3	5.0	03/20/15 02:32	
n-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
n-Propylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Naphthalene	ug/L	ND	5.0	03/20/15 02:32	
p-Isopropyltoluene	ug/L	ND	5.0	03/20/15 02:32	
sec-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Styrene	ug/L	ND	5.0	03/20/15 02:32	
tert-Butylbenzene	ug/L	ND	5.0	03/20/15 02:32	
Tetrachloroethene	ug/L	ND	5.0	03/20/15 02:32	
Toluene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/20/15 02:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/20/15 02:32	
Trichloroethene	ug/L	ND	5.0	03/20/15 02:32	
Trichlorofluoromethane	ug/L	ND	5.0	03/20/15 02:32	
Vinyl acetate	ug/L	ND	50.0	03/20/15 02:32	
Vinyl chloride	ug/L	ND	2.0	03/20/15 02:32	
Xylene (Total)	ug/L	ND	10.0	03/20/15 02:32	
4-Bromofluorobenzene (S)	%.	98	80-114	03/20/15 02:32	
Dibromofluoromethane (S)	%.	103	79-116	03/20/15 02:32	
Toluene-d8 (S)	%.	100	81-110	03/20/15 02:32	

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.8	102	61-135	
1,1,1-Trichloroethane	ug/L	50	46.5	93	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	52.6	105	66-126	
1,1,2-Trichloroethane	ug/L	50	47.4	95	77-130	
1,1-Dichloroethane	ug/L	50	47.3	95	75-130	
1,1-Dichloroethene	ug/L	50	47.2	94	68-127	
1,1-Dichloropropene	ug/L	50	49.5	99	78-130	
1,2,3-Trichlorobenzene	ug/L	50	48.4	97	70-130	
1,2,3-Trichloropropane	ug/L	50	47.9	96	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	48.1	96	68-131	
1,2,4-Trimethylbenzene	ug/L	50	51.4	103	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	76-125	
1,2-Dichlorobenzene	ug/L	50	47.7	95	75-123	
1,2-Dichloroethane	ug/L	50	48.2	96	75-128	
1,2-Dichloropropane	ug/L	50	45.4	91	74-121	
1,3,5-Trimethylbenzene	ug/L	50	48.6	97	70-126	
1,3-Dichlorobenzene	ug/L	50	47.7	95	74-122	
1,3-Dichloropropane	ug/L	50	46.8	94	74-123	
1,4-Dichlorobenzene	ug/L	50	44.9	90	76-120	
2,2-Dichloropropane	ug/L	50	43.9	88	50-137	
2-Butanone (MEK)	ug/L	250	246	98	58-139	
2-Chlorotoluene	ug/L	50	46.2	92	74-122	
2-Hexanone	ug/L	250	285	114	54-140	
4-Chlorotoluene	ug/L	50	46.3	93	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	263	105	58-138	
Acetone	ug/L	250	227	91	49-150	
Acrolein	ug/L	1000	1230	123	41-200	
Acrylonitrile	ug/L	1000	1040	104	63-137	
Benzene	ug/L	50	46.8	94	74-122	
Bromobenzene	ug/L	50	47.9	96	72-127	
Bromochloromethane	ug/L	50	47.5	95	63-132	
Bromodichloromethane	ug/L	50	43.4	87	62-136	
Bromoform	ug/L	50	42.6	85	44-134	
Bromomethane	ug/L	50	61.0	122	22-181	
Carbon disulfide	ug/L	100	91.3	91	59-132	
Carbon tetrachloride	ug/L	50	49.4	99	56-137	
Chlorobenzene	ug/L	50	45.5	91	78-123	
Chloroethane	ug/L	50	56.8	114	60-144	
Chloroform	ug/L	50	42.8	86	78-126	
Chloromethane	ug/L	50	48.2	96	42-134	
cis-1,2-Dichloroethene	ug/L	50	50.3	101	75-122	
cis-1,3-Dichloropropene	ug/L	50	49.5	99	64-126	
Dibromochloromethane	ug/L	50	46.4	93	58-128	
Dibromomethane	ug/L	50	41.9	84	73-125	
Dichlorodifluoromethane	ug/L	50	56.7	113	35-181	
Ethyl methacrylate	ug/L	200	212	106	69-133	
Ethylbenzene	ug/L	50	46.9	94	66-133	
Hexachloro-1,3-butadiene	ug/L	50	49.4	99	59-145	
Iodomethane	ug/L	100	97.2	97	21-170	
Isopropylbenzene (Cumene)	ug/L	50	54.5	109	69-124	
Methyl-tert-butyl ether	ug/L	100	99.1	99	69-122	
Methylene Chloride	ug/L	50	86.0	172	68-132	L3
n-Butylbenzene	ug/L	50	54.4	109	70-126	
n-Propylbenzene	ug/L	50	50.9	102	71-122	
Naphthalene	ug/L	50	48.0	96	68-127	
p-Isopropyltoluene	ug/L	50	51.5	103	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

LABORATORY CONTROL SAMPLE: 1258043

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	54.2	108	70-128	
Styrene	ug/L	50	51.7	103	74-126	
tert-Butylbenzene	ug/L	50	44.9	90	51-118	
Tetrachloroethene	ug/L	50	44.7	89	69-130	
Toluene	ug/L	50	49.3	99	72-122	
trans-1,2-Dichloroethene	ug/L	50	47.6	95	72-124	
trans-1,3-Dichloropropene	ug/L	50	48.5	97	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	153	76	56-133	
Trichloroethene	ug/L	50	44.3	89	76-126	
Trichlorofluoromethane	ug/L	50	52.7	105	76-149	
Vinyl acetate	ug/L	200	244	122	45-151	
Vinyl chloride	ug/L	50	53.3	107	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%.			102	80-114	
Dibromofluoromethane (S)	%.			100	79-116	
Toluene-d8 (S)	%.			101	81-110	

MATRIX SPIKE SAMPLE: 1258045

Parameter	Units	50114669004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	48.8	98	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	47.8	93	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	45.1	90	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	44.6	89	61-139	
1,1-Dichloroethane	ug/L	ND	50	47.3	95	57-147	
1,1-Dichloroethene	ug/L	ND	50	48.0	96	55-145	
1,1-Dichloropropene	ug/L	ND	50	48.8	98	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	40.0	80	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	42.7	85	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	40.3	81	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	47.6	95	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	48.1	96	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	43.7	87	38-136	
1,2-Dichloroethane	ug/L	ND	50	46.7	93	62-138	
1,2-Dichloropropane	ug/L	ND	50	45.1	90	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	45.7	91	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	43.2	86	28-141	
1,3-Dichloropropane	ug/L	ND	50	45.4	91	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	40.9	82	30-139	
2,2-Dichloropropane	ug/L	ND	50	33.4	67	37-139	
2-Butanone (MEK)	ug/L	ND	250	221	88	37-156	
2-Chlorotoluene	ug/L	ND	50	42.7	85	27-142	
2-Hexanone	ug/L	ND	250	242	97	44-143	
4-Chlorotoluene	ug/L	ND	50	43.9	88	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	235	94	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

MATRIX SPIKE SAMPLE: 1258045

Parameter	Units	50114669004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	207	83	39-156	
Acrolein	ug/L	ND	1000	982	98	33-200	
Acrylonitrile	ug/L	ND	1000	981	98	48-149	
Benzene	ug/L	ND	50	46.3	93	62-129	
Bromobenzene	ug/L	ND	50	44.9	90	39-140	
Bromochloromethane	ug/L	ND	50	47.9	96	49-142	
Bromodichloromethane	ug/L	ND	50	40.5	81	50-142	
Bromoform	ug/L	ND	50	38.5	77	36-125	
Bromomethane	ug/L	ND	50	48.0	96	13-179	
Carbon disulfide	ug/L	ND	100	94.2	94	45-142	
Carbon tetrachloride	ug/L	ND	50	51.4	103	46-142	
Chlorobenzene	ug/L	ND	50	43.7	87	49-136	
Chloroethane	ug/L	ND	50	55.7	111	47-160	
Chloroform	ug/L	ND	50	43.2	86	54-150	
Chloromethane	ug/L	ND	50	48.7	97	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	50.3	101	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	44.8	90	52-123	
Dibromochloromethane	ug/L	ND	50	44.6	89	48-125	
Dibromomethane	ug/L	ND	50	42.0	84	59-134	
Dichlorodifluoromethane	ug/L	ND	50	58.7	117	24-197	
Ethyl methacrylate	ug/L	ND	200	191	96	55-139	
Ethylbenzene	ug/L	ND	50	46.3	93	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	38.1	76	10-176	
Iodomethane	ug/L	ND	100	97.2	97	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	54.3	109	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	96.3	96	63-130	
Methylene Chloride	ug/L	ND	50	50.6	101	45-156	
n-Butylbenzene	ug/L	ND	50	48.9	98	10-161	
n-Propylbenzene	ug/L	ND	50	46.3	93	16-150	
Naphthalene	ug/L	ND	50	39.1	78	39-140	
p-Isopropyltoluene	ug/L	ND	50	46.9	94	10-163	
sec-Butylbenzene	ug/L	ND	50	50.1	100	10-160	
Styrene	ug/L	ND	50	48.4	97	36-139	
tert-Butylbenzene	ug/L	ND	50	41.5	83	12-134	
Tetrachloroethene	ug/L	ND	50	44.5	89	33-151	
Toluene	ug/L	ND	50	47.5	95	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	48.3	97	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	44.0	88	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	127	63	32-139	
Trichloroethene	ug/L	40.2	50	85.6	91	50-143	
Trichlorofluoromethane	ug/L	ND	50	53.5	107	60-175	
Vinyl acetate	ug/L	ND	200	141	70	17-142	
Vinyl chloride	ug/L	ND	50	56.2	112	44-145	
Xylene (Total)	ug/L	ND	150	147	98	29-145	
4-Bromofluorobenzene (S)	%.				104	80-114	
Dibromofluoromethane (S)	%.				102	79-116	
Toluene-d8 (S)	%.				103	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

SAMPLE DUPLICATE: 1258044

Parameter	Units	50114669003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50114335

SAMPLE DUPLICATE: 1258044

Parameter	Units	50114669003 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	23.3	22.2	5	20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	97	3		
Dibromofluoromethane (S)	%.	95	94	1		
Toluene-d8 (S)	%.	98	100	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50114335

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50114335

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50114335001	**RW-1**	EPA 8260	MSV/74674		
50114335002	**RW-2**	EPA 8260	MSV/74674		
50114335003	**RW-3**	EPA 8260	MSV/74674		
50114335004	**RW-4**	EPA 8260	MSV/74674		
50114335005	**RW-5**	EPA 8260	MSV/74674		
50114335006	**EFFLUENT**	EPA 8260	MSV/74674		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A
Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B
Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C
Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N: VOC 8260 WT	Residual Chlorine (Y/N)	50114335
1	RW-1	WT		3-13-15	9:53				3				X					X		-001
2	RW-2	WT			10:01				3				X					X		-002
3	RW-3	WT			10:10				3				X					X		-003
4	RW-4	WT			10:32				3				X					X		-004
5	RW-5	WT			10:22				3				X					X		-005
6	EFFLUENT	WT			9:47				3				X					X		-006
7																				
8																				
9																				
10																				
11																				
12																				

MATRIX CODE: Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Other OT; Tissue TS

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	Ralph Mier IWM	3-13-15	1225	Brian Stuli / PACE	3-13-15	1225	7.4	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed: 3-13-15

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50114335

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Foam

Thermometer 1 2 3 4 5 6 (A) B C D E F Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 7.4°C Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 3-13-15 BAS

		Comments:
Chain of Custody Present:	☒Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☒Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☒Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☒Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☒No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☒No ☐N/A	6.
Containers Intact:	☒Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☐No ☒N/A	10.
Trip Blank Present:	☐Yes ☒No ☐N/A	11.
Trip Blank Custody Seals Present	☐Yes ☐No ☒N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☒Yes ☐No ☐N/A	12.
Sufficient Volume:	☒Yes ☐No ☐N/A	13.
Correct Containers Used:	☒Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: Kenneth Hunt **Date:** 3/13/15

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 50114335

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SP5T		pH <2	pH>12	Comments
1	3																			
2	↓																			
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

F-IN-Q-270-rev.05,02Apr2014

APPENDIX C

Semi-Annual Groundwater Sampling Logs

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	It- 2	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	13:25 Time Out 13:40

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	17.30		
Depth to Water	10.60		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		6.7
Volume of water in well (gal.)		1.09
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.33	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.48
Conductivity (uS/cm)		.754
pH (SU)		6.86
ORP (mV)		-72.4
DO (mg/L)		.63
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	IT-3	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	13:04 Time Out 13:19

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	13.70		
Depth to Water	10.66		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		3.1
Volume of water in well (gal.)		.50
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.33	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:28
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		10.59
Conductivity (uS/cm)		.977
pH (SU)		6.95
ORP (mV)		181.2
DO (mg/L)		2.64
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-12R
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/20/15
Time In 11:04 Time Out 11:20

I. Well Information

Reference point on well casing		Y (circled)	N
Well Diameter	ID 2	OD	
Total Well Depth	25.20		
Depth to Water	16.34		
Slug Test Performed		Y	N (circled)
Redevelop		Y	N (circled)

II. Well Water Information

Length of water column (ft.)		8.86
Volume of water in well (gal.)		1.44
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:20
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.50
Conductivity (uS/cm)		1.497
pH (SU)		6.90
ORP (mV)		179.5
DO (mg/L)		2.24
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/10/15
		Time In	12:30 Time Out 12:44

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	23.45		
Depth to Water	8.51		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)	14.94
Volume of water in well (gal.)	2.43
Volume of bailer (gal.)	0.33

III. Evacuation Information

Volume of water removed from well (gal.)	5.0	Evacuation Method	Bailer
Did well go dry ?	Y N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:54
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		13.02
Conductivity (uS/cm)		832
pH (SU)		6.76
ORP (mV)		103.5
DO (mg/L)		1.25
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-22	Project No.	IN-AMP-14-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	7/10/15
		Time In	9:47 Time Out 10:08

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2	OD	
Total Well Depth	24.00		
Depth to Water	16.79		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		7.21
Volume of water in well (gal.)		1.18
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.5	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		13.09
Conductivity (uS/cm)		1,084
pH (SU)		6.77
ORP (mV)		94.6
DO (mg/L)		1.51
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

Duplicate taken @ this sample point

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW - 28
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 10:09 Time Out 10:26

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2	OD	
Total Well Depth	25.25		
Depth to Water	16.62		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		8.63
Volume of water in well (gal.)		1.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		12.04
Conductivity (uS/cm)		1832
pH (SU)		6.86
ORP (mV)		284.2
DO (mg/L)		8.42
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-29
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 10:33 Time Out 11:01

I. Well Information

Reference point on well casing		Y (circled) N
Well Diameter	ID 2	OD
Total Well Depth	25.53	
Depth to Water	16.58	
Slug Test Performed		Y N (circled)
Redevelop		Y N (circled)

II. Well Water Information

Length of water column (ft.)	8.95
Volume of water in well (gal.)	1.45
Volume of bailer (gal.)	0.33

III. Evacuation Information

Volume of water removed from well (gal.)		3.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:01
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		12.0
Conductivity (uS/cm)		885
pH (SU)		6.84
ORP (mV)		157.3
DO (mg/L)		0.65
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-30
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-14-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/10/15
Time In 13:44 Time Out

I. Well Information

Reference point on well casing		Y (circled) N
Well Diameter	ID 2	OD
Total Well Depth	21.20	
Depth to Water	15.20	
Slug Test Performed		Y N (circled)
Redevelop		Y N (circled)

II. Well Water Information

Length of water column (ft.)		6.0
Volume of water in well (gal.)		.978
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.0
Did well go dry ?	Y	N (circled)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	14:09
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		11.13
Conductivity (uS/cm)		1,040
pH (SU)		6.84
ORP (mV)		71.7
DO (mg/L)		1.74
Film	Y	N (circled)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM/DEW

APPENDIX D

Laboratory Analytical Report
Semi-Annual Groundwater Samples

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

April 24, 2015

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 50116432

Dear Mr. Newell:
Enclosed are the analytical results for sample(s) received by the laboratory on April 10, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 50116432

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #:E-10177/ E-10247
Kentucky UST Certification #: 0042
Kentucky WW Certification #:98019
Louisiana/NELAP Certification #: 04076
Ohio VAP Certification #: CL-0065
Oklahoma Certification #: 2014-148
Pennsylvania Certification #: 68-05340
Texas Certification #: T104704355-15-8
West Virginia Certification #: 330
Wisconsin Certification #: 999788130
USDA Soil Permit #: P330-10-00128

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50116432001	**IT-2**	Water	04/10/15 13:45	04/10/15 15:12
50116432002	**IT-3**	Water	04/10/15 13:28	04/10/15 15:12
50116432003	**MW-12R**	Water	04/10/15 11:28	04/10/15 15:12
50116432004	**MW-20**	Water	04/10/15 12:54	04/10/15 15:12
50116432005	**MW-22**	Water	04/10/15 10:45	04/10/15 15:12
50116432006	**MW-28**	Water	04/10/15 10:55	04/10/15 15:12
50116432007	**MW-29**	Water	04/10/15 11:02	04/10/15 15:12
50116432008	**MW-30**	Water	04/10/15 14:09	04/10/15 15:12
50116432009	**DUPLICATE**	Water	04/10/15 08:00	04/10/15 15:12
50116432010	**TRIP BLANK**	Water	04/10/15 08:00	04/10/15 15:15

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	Method	Analysts	Analytes Reported
50116432001	**IT-2**	EPA 8260	RFS	72
50116432002	**IT-3**	EPA 8260	RFS	72
50116432003	**MW-12R**	EPA 8260	RFS	72
50116432004	**MW-20**	EPA 8260	RFS	72
50116432005	**MW-22**	EPA 8260	RFS	72
50116432006	**MW-28**	EPA 8260	RFS	72
50116432007	**MW-29**	EPA 8260	RFS	72
50116432008	**MW-30**	EPA 8260	RFS	72
50116432009	**DUPLICATE**	EPA 8260	RFS	72
50116432010	**TRIP BLANK**	EPA 8260	RFS	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: Amphenol
Pace Project No.: 50116432

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50116432001	**IT-2**					
EPA 8260	1,1-Dichloroethane	7.3	ug/L	5.0	04/18/15 02:38	
EPA 8260	cis-1,2-Dichloroethene	29.4	ug/L	5.0	04/18/15 02:38	
EPA 8260	Trichloroethene	16.1	ug/L	5.0	04/18/15 02:38	
50116432003	**MW-12R**					
EPA 8260	1,1-Dichloroethane	13.2	ug/L	5.0	04/18/15 03:29	
EPA 8260	cis-1,2-Dichloroethene	124	ug/L	5.0	04/18/15 03:29	
EPA 8260	Tetrachloroethene	757	ug/L	50.0	04/18/15 03:54	
EPA 8260	1,1,1-Trichloroethane	102	ug/L	5.0	04/18/15 03:29	
EPA 8260	Trichloroethene	135	ug/L	5.0	04/18/15 03:29	
50116432005	**MW-22**					
EPA 8260	cis-1,2-Dichloroethene	11.8	ug/L	5.0	04/18/15 04:45	
EPA 8260	Tetrachloroethene	699	ug/L	125	04/18/15 05:10	
EPA 8260	1,1,1-Trichloroethane	9.4	ug/L	5.0	04/18/15 04:45	
EPA 8260	Trichloroethene	64.4	ug/L	5.0	04/18/15 04:45	
50116432006	**MW-28**					
EPA 8260	Tetrachloroethene	38.6	ug/L	5.0	04/18/15 05:36	
EPA 8260	1,1,1-Trichloroethane	10.3	ug/L	5.0	04/18/15 05:36	
EPA 8260	Trichloroethene	12.6	ug/L	5.0	04/18/15 05:36	
50116432008	**MW-30**					
EPA 8260	1,1,1-Trichloroethane	8.1	ug/L	5.0	04/20/15 13:40	
50116432009	**DUPLICATE**					
EPA 8260	cis-1,2-Dichloroethene	10.3	ug/L	5.0	04/20/15 19:38	
EPA 8260	Tetrachloroethene	718	ug/L	50.0	04/22/15 11:13	
EPA 8260	1,1,1-Trichloroethane	9.5	ug/L	5.0	04/20/15 19:38	
EPA 8260	Trichloroethene	64.2	ug/L	5.0	04/20/15 19:38	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-2 **Lab ID: 50116432001** Collected: 04/10/15 13:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 02:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 02:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 02:38	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 02:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 02:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 02:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 02:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 02:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 02:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 02:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 02:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 02:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 02:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 02:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 02:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 02:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 02:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 02:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 02:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-71-8	
1,1-Dichloroethane	**7.3**	ug/L	5.0	1		04/18/15 02:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 02:38	75-35-4	
cis-1,2-Dichloroethene	**29.4**	ug/L	5.0	1		04/18/15 02:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 02:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 02:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 02:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 02:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 02:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 02:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 02:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 02:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-2 **Lab ID: 50116432001** Collected: 04/10/15 13:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 02:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 02:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 02:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 02:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 02:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 02:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 02:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 02:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 02:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 02:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 02:38	79-00-5	
Trichloroethene	**16.1**	ug/L	5.0	1		04/18/15 02:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 02:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 02:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 02:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 02:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 02:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 02:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		04/18/15 02:38	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		04/18/15 02:38	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/18/15 02:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-3 **Lab ID: 50116432002** Collected: 04/10/15 13:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 03:04	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 03:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 03:04	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 03:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 03:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 03:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 03:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 03:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 03:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 03:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 03:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 03:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 03:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 03:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 03:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 03:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 03:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 03:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 03:04	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 03:04	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 03:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 03:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 03:04	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: IT-3 **Lab ID: 50116432002** Collected: 04/10/15 13:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 03:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 03:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 03:04	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 03:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 03:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 03:04	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 03:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/18/15 03:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 03:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 03:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 03:04	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 03:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 03:04	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		04/18/15 03:04	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	80-114	1		04/18/15 03:04	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		04/18/15 03:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-12R **Lab ID: 50116432003** Collected: 04/10/15 11:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 03:29	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 03:29	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 03:29	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 03:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 03:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 03:29	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 03:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 03:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 03:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 03:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 03:29	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 03:29	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 03:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 03:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 03:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 03:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 03:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 03:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-71-8	
1,1-Dichloroethane	**13.2**	ug/L	5.0	1		04/18/15 03:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 03:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:29	75-35-4	
cis-1,2-Dichloroethene	**124**	ug/L	5.0	1		04/18/15 03:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 03:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 03:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 03:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 03:29	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 03:29	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 03:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 03:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 03:29	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-12R **Lab ID: 50116432003** Collected: 04/10/15 11:28 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 03:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 03:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 03:29	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 03:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 03:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 03:29	79-34-5	
Tetrachloroethene	**757**	ug/L	50.0	10		04/18/15 03:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 03:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 03:29	120-82-1	
1,1,1-Trichloroethane	**102**	ug/L	5.0	1		04/18/15 03:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 03:29	79-00-5	
Trichloroethene	**135**	ug/L	5.0	1		04/18/15 03:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 03:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 03:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 03:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 03:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 03:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 03:29	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/18/15 03:29	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		04/18/15 03:29	460-00-4	
Toluene-d8 (S)	102	%.	81-110	1		04/18/15 03:29	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-20 **Lab ID: 50116432004** Collected: 04/10/15 12:54 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 04:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 04:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 04:20	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 04:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 04:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 04:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 04:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 04:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 04:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 04:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 04:20	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 04:20	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 04:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 04:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 04:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 04:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 04:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 04:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 04:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 04:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 04:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 04:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 04:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-20 **Lab ID: 50116432004** Collected: 04/10/15 12:54 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 04:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 04:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 04:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 04:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 04:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/18/15 04:20	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 04:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/18/15 04:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 04:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 04:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 04:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 04:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 04:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		04/18/15 04:20	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	80-114	1		04/18/15 04:20	460-00-4	
Toluene-d8 (S)	102	%.	81-110	1		04/18/15 04:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-22 **Lab ID: 50116432005** Collected: 04/10/15 10:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 04:45	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 04:45	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 04:45	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 04:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 04:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 04:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 04:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 04:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 04:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 04:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 04:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 04:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 04:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 04:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 04:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 04:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 04:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 04:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:45	75-35-4	
cis-1,2-Dichloroethene	**11.8**	ug/L	5.0	1		04/18/15 04:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 04:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 04:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 04:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 04:45	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 04:45	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 04:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 04:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 04:45	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-22 **Lab ID: 50116432005** Collected: 04/10/15 10:45 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 04:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 04:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 04:45	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 04:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 04:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 04:45	79-34-5	
Tetrachloroethene	**699**	ug/L	125	25		04/18/15 05:10	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 04:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 04:45	120-82-1	
1,1,1-Trichloroethane	**9.4**	ug/L	5.0	1		04/18/15 04:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 04:45	79-00-5	
Trichloroethene	**64.4**	ug/L	5.0	1		04/18/15 04:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 04:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 04:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 04:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 04:45	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 04:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 04:45	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	79-116	1		04/18/15 04:45	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/18/15 04:45	460-00-4	
Toluene-d8 (S)	100	%.	81-110	1		04/18/15 04:45	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-28 **Lab ID: 50116432006** Collected: 04/10/15 10:55 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/18/15 05:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/18/15 05:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/18/15 05:36	107-13-1	
Benzene	ND	ug/L	5.0	1		04/18/15 05:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/18/15 05:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/18/15 05:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/18/15 05:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/18/15 05:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/18/15 05:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/18/15 05:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/18/15 05:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/18/15 05:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/18/15 05:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 05:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/18/15 05:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/18/15 05:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/18/15 05:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/18/15 05:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/18/15 05:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/18/15 05:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/18/15 05:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/18/15 05:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/18/15 05:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/18/15 05:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/18/15 05:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/18/15 05:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/18/15 05:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-28 **Lab ID: 50116432006** Collected: 04/10/15 10:55 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/18/15 05:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/18/15 05:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/18/15 05:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/18/15 05:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	103-65-1	
Styrene	ND	ug/L	5.0	1		04/18/15 05:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 05:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/18/15 05:36	79-34-5	
Tetrachloroethene	**38.6**	ug/L	5.0	1		04/18/15 05:36	127-18-4	
Toluene	ND	ug/L	5.0	1		04/18/15 05:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/18/15 05:36	120-82-1	
1,1,1-Trichloroethane	**10.3**	ug/L	5.0	1		04/18/15 05:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/18/15 05:36	79-00-5	
Trichloroethene	**12.6**	ug/L	5.0	1		04/18/15 05:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/18/15 05:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/18/15 05:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/18/15 05:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/18/15 05:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/18/15 05:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/18/15 05:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	79-116	1		04/18/15 05:36	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	80-114	1		04/18/15 05:36	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/18/15 05:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-29 **Lab ID: 50116432007** Collected: 04/10/15 11:02 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 13:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 13:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 13:15	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 13:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 13:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 13:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 13:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 13:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 13:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 13:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 13:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 13:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 13:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 13:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 13:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 13:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 13:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 13:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 13:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 13:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 13:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 13:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 13:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-29 **Lab ID: 50116432007** Collected: 04/10/15 11:02 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 13:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 13:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 13:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 13:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 13:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 13:15	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 13:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 13:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 13:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 13:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 13:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 13:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 13:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	79-116	1		04/20/15 13:15	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	80-114	1		04/20/15 13:15	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		04/20/15 13:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-30 **Lab ID: 50116432008** Collected: 04/10/15 14:09 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 13:40	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 13:40	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 13:40	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 13:40	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 13:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 13:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 13:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 13:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 13:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 13:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 13:40	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 13:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 13:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 13:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 13:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 13:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 13:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 13:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 13:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 13:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 13:40	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 13:40	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 13:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 13:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 13:40	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: MW-30 **Lab ID: 50116432008** Collected: 04/10/15 14:09 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 13:40	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 13:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 13:40	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 13:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 13:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 13:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 13:40	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 13:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 13:40	120-82-1	
1,1,1-Trichloroethane	**8.1**	ug/L	5.0	1		04/20/15 13:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 13:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 13:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 13:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 13:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 13:40	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 13:40	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 13:40	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 13:40	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	79-116	1		04/20/15 13:40	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	80-114	1		04/20/15 13:40	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		04/20/15 13:40	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: DUPLICATE **Lab ID: 50116432009** Collected: 04/10/15 08:00 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 19:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 19:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 19:38	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 19:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 19:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 19:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 19:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 19:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 19:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 19:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 19:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 19:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 19:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 19:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 19:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 19:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 19:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 19:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 19:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 19:38	75-35-4	
cis-1,2-Dichloroethene	**10.3**	ug/L	5.0	1		04/20/15 19:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 19:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 19:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 19:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 19:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 19:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 19:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 19:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 19:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: DUPLICATE **Lab ID: 50116432009** Collected: 04/10/15 08:00 Received: 04/10/15 15:12 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 19:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 19:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 19:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 19:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 19:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 19:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 19:38	79-34-5	
Tetrachloroethene	**718**	ug/L	50.0	10		04/22/15 11:13	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 19:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 19:38	120-82-1	
1,1,1-Trichloroethane	**9.5**	ug/L	5.0	1		04/20/15 19:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 19:38	79-00-5	
Trichloroethene	**64.2**	ug/L	5.0	1		04/20/15 19:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 19:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 19:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 19:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 19:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 19:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 19:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	79-116	1		04/20/15 19:38	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/20/15 19:38	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		04/20/15 19:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: TRIP BLANK **Lab ID: 50116432010** Collected: 04/10/15 08:00 Received: 04/10/15 15:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/20/15 14:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/20/15 14:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/20/15 14:32	107-13-1	
Benzene	ND	ug/L	5.0	1		04/20/15 14:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/20/15 14:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/20/15 14:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/20/15 14:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/20/15 14:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/20/15 14:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/20/15 14:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/20/15 14:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/20/15 14:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/20/15 14:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 14:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/20/15 14:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/20/15 14:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/20/15 14:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/20/15 14:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/20/15 14:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/20/15 14:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/20/15 14:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/20/15 14:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/20/15 14:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/20/15 14:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/20/15 14:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/20/15 14:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 50116432

Sample: TRIP BLANK **Lab ID: 50116432010** Collected: 04/10/15 08:00 Received: 04/10/15 15:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/20/15 14:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/20/15 14:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/20/15 14:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/20/15 14:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	103-65-1	
Styrene	ND	ug/L	5.0	1		04/20/15 14:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 14:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/20/15 14:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/20/15 14:32	127-18-4	
Toluene	ND	ug/L	5.0	1		04/20/15 14:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/20/15 14:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/20/15 14:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/20/15 14:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/20/15 14:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/20/15 14:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/20/15 14:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/20/15 14:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/20/15 14:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/20/15 14:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	79-116	1		04/20/15 14:32	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	80-114	1		04/20/15 14:32	460-00-4	
Toluene-d8 (S)	101	%.	81-110	1		04/20/15 14:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

QC Batch: MSV/75743 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

METHOD BLANK: 1277649 Matrix: Water
Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	
1,1-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichloroethane	ug/L	ND	5.0	04/17/15 21:32	
1,2-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
1,3-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
2,2-Dichloropropane	ug/L	ND	5.0	04/17/15 21:32	
2-Butanone (MEK)	ug/L	ND	25.0	04/17/15 21:32	
2-Chlorotoluene	ug/L	ND	5.0	04/17/15 21:32	
2-Hexanone	ug/L	ND	25.0	04/17/15 21:32	
4-Chlorotoluene	ug/L	ND	5.0	04/17/15 21:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/17/15 21:32	
Acetone	ug/L	ND	100	04/17/15 21:32	
Acrolein	ug/L	ND	50.0	04/17/15 21:32	
Acrylonitrile	ug/L	ND	100	04/17/15 21:32	
Benzene	ug/L	ND	5.0	04/17/15 21:32	
Bromobenzene	ug/L	ND	5.0	04/17/15 21:32	
Bromochloromethane	ug/L	ND	5.0	04/17/15 21:32	
Bromodichloromethane	ug/L	ND	5.0	04/17/15 21:32	
Bromoform	ug/L	ND	5.0	04/17/15 21:32	
Bromomethane	ug/L	ND	5.0	04/17/15 21:32	
Carbon disulfide	ug/L	ND	10.0	04/17/15 21:32	
Carbon tetrachloride	ug/L	ND	5.0	04/17/15 21:32	
Chlorobenzene	ug/L	ND	5.0	04/17/15 21:32	
Chloroethane	ug/L	ND	5.0	04/17/15 21:32	
Chloroform	ug/L	ND	5.0	04/17/15 21:32	
Chloromethane	ug/L	ND	5.0	04/17/15 21:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

METHOD BLANK: 1277649 Matrix: Water

Associated Lab Samples: 50116432001, 50116432002, 50116432003, 50116432004, 50116432005, 50116432006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
Dibromochloromethane	ug/L	ND	5.0	04/17/15 21:32	
Dibromomethane	ug/L	ND	5.0	04/17/15 21:32	
Dichlorodifluoromethane	ug/L	ND	5.0	04/17/15 21:32	
Ethyl methacrylate	ug/L	ND	100	04/17/15 21:32	
Ethylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/17/15 21:32	
Iodomethane	ug/L	ND	10.0	04/17/15 21:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/17/15 21:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/17/15 21:32	
Methylene Chloride	ug/L	ND	5.0	04/17/15 21:32	
n-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
n-Propylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Naphthalene	ug/L	ND	5.0	04/17/15 21:32	
p-Isopropyltoluene	ug/L	ND	5.0	04/17/15 21:32	
sec-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Styrene	ug/L	ND	5.0	04/17/15 21:32	
tert-Butylbenzene	ug/L	ND	5.0	04/17/15 21:32	
Tetrachloroethene	ug/L	ND	5.0	04/17/15 21:32	
Toluene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/17/15 21:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/17/15 21:32	
Trichloroethene	ug/L	ND	5.0	04/17/15 21:32	
Trichlorofluoromethane	ug/L	ND	5.0	04/17/15 21:32	
Vinyl acetate	ug/L	ND	50.0	04/17/15 21:32	
Vinyl chloride	ug/L	ND	2.0	04/17/15 21:32	
Xylene (Total)	ug/L	ND	10.0	04/17/15 21:32	
4-Bromofluorobenzene (S)	%.	103	80-114	04/17/15 21:32	
Dibromofluoromethane (S)	%.	98	79-116	04/17/15 21:32	
Toluene-d8 (S)	%.	103	81-110	04/17/15 21:32	

LABORATORY CONTROL SAMPLE: 1277650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.5	105	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	52.1	104	66-126	
1,1-Dichloroethene	ug/L	50	50.6	101	68-127	
1,2,4-Trimethylbenzene	ug/L	50	53.8	108	69-127	
1,2-Dichloropropane	ug/L	50	51.3	103	74-121	
Benzene	ug/L	50	53.1	106	74-122	
Chlorobenzene	ug/L	50	54.5	109	78-123	
Chloroform	ug/L	50	47.6	95	78-126	
Ethylbenzene	ug/L	50	55.8	112	66-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1277650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isopropylbenzene (Cumene)	ug/L	50	58.2	116	69-124	
Methyl-tert-butyl ether	ug/L	50	49.9	100	69-122	
Naphthalene	ug/L	50	55.2	110	68-127	
Tetrachloroethene	ug/L	50	54.6	109	69-130	
Toluene	ug/L	50	53.2	106	72-122	
Trichloroethene	ug/L	50	50.7	101	76-126	
Vinyl chloride	ug/L	50	60.8	122	59-126	
Xylene (Total)	ug/L	150	161	107	70-124	
4-Bromofluorobenzene (S)	%.			100	80-114	
Dibromofluoromethane (S)	%.			100	79-116	
Toluene-d8 (S)	%.			102	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

QC Batch: MSV/75783 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

METHOD BLANK: 1278831 Matrix: Water
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	
1,1-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichloroethane	ug/L	ND	5.0	04/20/15 10:51	
1,2-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
1,3-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
2,2-Dichloropropane	ug/L	ND	5.0	04/20/15 10:51	
2-Butanone (MEK)	ug/L	ND	25.0	04/20/15 10:51	
2-Chlorotoluene	ug/L	ND	5.0	04/20/15 10:51	
2-Hexanone	ug/L	ND	25.0	04/20/15 10:51	
4-Chlorotoluene	ug/L	ND	5.0	04/20/15 10:51	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/20/15 10:51	
Acetone	ug/L	ND	100	04/20/15 10:51	
Acrolein	ug/L	ND	50.0	04/20/15 10:51	
Acrylonitrile	ug/L	ND	100	04/20/15 10:51	
Benzene	ug/L	ND	5.0	04/20/15 10:51	
Bromobenzene	ug/L	ND	5.0	04/20/15 10:51	
Bromochloromethane	ug/L	ND	5.0	04/20/15 10:51	
Bromodichloromethane	ug/L	ND	5.0	04/20/15 10:51	
Bromoform	ug/L	ND	5.0	04/20/15 10:51	
Bromomethane	ug/L	ND	5.0	04/20/15 10:51	
Carbon disulfide	ug/L	ND	10.0	04/20/15 10:51	
Carbon tetrachloride	ug/L	ND	5.0	04/20/15 10:51	
Chlorobenzene	ug/L	ND	5.0	04/20/15 10:51	
Chloroethane	ug/L	ND	5.0	04/20/15 10:51	
Chloroform	ug/L	ND	5.0	04/20/15 10:51	
Chloromethane	ug/L	ND	5.0	04/20/15 10:51	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

METHOD BLANK: 1278831 Matrix: Water
Associated Lab Samples: 50116432007, 50116432008, 50116432009, 50116432010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
Dibromochloromethane	ug/L	ND	5.0	04/20/15 10:51	
Dibromomethane	ug/L	ND	5.0	04/20/15 10:51	
Dichlorodifluoromethane	ug/L	ND	5.0	04/20/15 10:51	
Ethyl methacrylate	ug/L	ND	100	04/20/15 10:51	
Ethylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/20/15 10:51	
Iodomethane	ug/L	ND	10.0	04/20/15 10:51	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/20/15 10:51	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/20/15 10:51	
Methylene Chloride	ug/L	ND	5.0	04/20/15 10:51	
n-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
n-Propylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Naphthalene	ug/L	ND	5.0	04/20/15 10:51	
p-Isopropyltoluene	ug/L	ND	5.0	04/20/15 10:51	
sec-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Styrene	ug/L	ND	5.0	04/20/15 10:51	
tert-Butylbenzene	ug/L	ND	5.0	04/20/15 10:51	
Tetrachloroethene	ug/L	ND	5.0	04/20/15 10:51	
Toluene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/20/15 10:51	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/20/15 10:51	
Trichloroethene	ug/L	ND	5.0	04/20/15 10:51	
Trichlorofluoromethane	ug/L	ND	5.0	04/20/15 10:51	
Vinyl acetate	ug/L	ND	50.0	04/20/15 10:51	
Vinyl chloride	ug/L	ND	2.0	04/20/15 10:51	
Xylene (Total)	ug/L	ND	10.0	04/20/15 10:51	
4-Bromofluorobenzene (S)	%.	100	80-114	04/20/15 10:51	
Dibromofluoromethane (S)	%.	101	79-116	04/20/15 10:51	
Toluene-d8 (S)	%.	102	81-110	04/20/15 10:51	

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.8	110	61-135	
1,1,1-Trichloroethane	ug/L	50	49.8	100	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	54.2	108	66-126	
1,1,2-Trichloroethane	ug/L	50	49.6	99	77-130	
1,1-Dichloroethane	ug/L	50	48.5	97	75-130	
1,1-Dichloroethene	ug/L	50	47.0	94	68-127	
1,1-Dichloropropene	ug/L	50	48.9	98	78-130	
1,2,3-Trichlorobenzene	ug/L	50	55.8	112	70-130	
1,2,3-Trichloropropane	ug/L	50	55.2	110	58-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	58.2	116	68-131	
1,2,4-Trimethylbenzene	ug/L	50	52.0	104	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	52.6	105	76-125	
1,2-Dichlorobenzene	ug/L	50	53.0	106	75-123	
1,2-Dichloroethane	ug/L	50	45.8	92	75-128	
1,2-Dichloropropane	ug/L	50	50.2	100	74-121	
1,3,5-Trimethylbenzene	ug/L	50	51.4	103	70-126	
1,3-Dichlorobenzene	ug/L	50	52.0	104	74-122	
1,3-Dichloropropane	ug/L	50	52.3	105	74-123	
1,4-Dichlorobenzene	ug/L	50	53.1	106	76-120	
2,2-Dichloropropane	ug/L	50	52.8	106	50-137	
2-Butanone (MEK)	ug/L	250	298	119	58-139	
2-Chlorotoluene	ug/L	50	50.6	101	74-122	
2-Hexanone	ug/L	250	282	113	54-140	
4-Chlorotoluene	ug/L	50	51.8	104	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	280	112	58-138	
Acetone	ug/L	250	234	94	49-150	
Acrolein	ug/L	1000	1580	158	41-200	
Acrylonitrile	ug/L	200	219	110	63-137	
Benzene	ug/L	50	51.3	103	74-122	
Bromobenzene	ug/L	50	49.8	100	72-127	
Bromochloromethane	ug/L	50	56.3	113	63-132	
Bromodichloromethane	ug/L	50	47.6	95	62-136	
Bromoform	ug/L	50	46.8	94	44-134	
Bromomethane	ug/L	50	52.0	104	22-181	
Carbon disulfide	ug/L	50	52.4	105	59-132	
Carbon tetrachloride	ug/L	50	51.6	103	56-137	
Chlorobenzene	ug/L	50	51.5	103	78-123	
Chloroethane	ug/L	50	55.9	112	60-144	
Chloroform	ug/L	50	43.4	87	78-126	
Chloromethane	ug/L	50	52.7	105	42-134	
cis-1,2-Dichloroethene	ug/L	50	51.0	102	75-122	
cis-1,3-Dichloropropene	ug/L	50	49.9	100	64-126	
Dibromochloromethane	ug/L	50	57.2	114	58-128	
Dibromomethane	ug/L	50	57.2	114	73-125	
Dichlorodifluoromethane	ug/L	50	43.0	86	35-181	
Ethyl methacrylate	ug/L	200	229	115	69-133	
Ethylbenzene	ug/L	50	52.5	105	66-133	
Hexachloro-1,3-butadiene	ug/L	50	55.0	110	59-145	
Iodomethane	ug/L	100	98.2	98	21-170	
Isopropylbenzene (Cumene)	ug/L	50	54.1	108	69-124	
Methyl-tert-butyl ether	ug/L	50	48.4	97	69-122	
Methylene Chloride	ug/L	50	44.8	90	68-132	
n-Butylbenzene	ug/L	50	53.3	107	70-126	
n-Propylbenzene	ug/L	50	50.6	101	71-122	
Naphthalene	ug/L	50	55.4	111	68-127	
p-Isopropyltoluene	ug/L	50	51.8	104	72-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

LABORATORY CONTROL SAMPLE: 1278832

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
sec-Butylbenzene	ug/L	50	53.8	108	70-128	
Styrene	ug/L	50	52.8	106	74-126	
tert-Butylbenzene	ug/L	50	43.6	87	51-118	
Tetrachloroethene	ug/L	50	50.1	100	69-130	
Toluene	ug/L	50	50.3	101	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	72-124	
trans-1,3-Dichloropropene	ug/L	50	53.1	106	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	231	116	56-133	
Trichloroethene	ug/L	50	49.3	99	76-126	
Trichlorofluoromethane	ug/L	50	54.6	109	76-149	
Vinyl acetate	ug/L	200	241	121	45-151	
Vinyl chloride	ug/L	50	54.5	109	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%.			101	80-114	
Dibromofluoromethane (S)	%.			101	79-116	
Toluene-d8 (S)	%.			100	81-110	

MATRIX SPIKE SAMPLE: 1278834

Parameter	Units	50116432009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	53.0	106	50-132	
1,1,1-Trichloroethane	ug/L	9.5	50	63.0	107	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	49.5	99	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	49.4	99	61-139	
1,1-Dichloroethane	ug/L	ND	50	49.4	99	57-147	
1,1-Dichloroethene	ug/L	ND	50	50.8	102	55-145	
1,1-Dichloropropene	ug/L	ND	50	51.1	102	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	49.5	99	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	50.8	102	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	50.2	100	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	47.6	95	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	49.7	99	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	49.5	99	38-136	
1,2-Dichloroethane	ug/L	ND	50	44.8	90	62-138	
1,2-Dichloropropane	ug/L	ND	50	47.9	96	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.1	96	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	48.6	97	28-141	
1,3-Dichloropropane	ug/L	ND	50	52.6	105	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	50.4	101	30-139	
2,2-Dichloropropane	ug/L	ND	50	46.4	93	37-139	
2-Butanone (MEK)	ug/L	ND	250	254	101	37-156	
2-Chlorotoluene	ug/L	ND	50	50.1	100	27-142	
2-Hexanone	ug/L	ND	250	247	99	44-143	
4-Chlorotoluene	ug/L	ND	50	48.9	98	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	251	100	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

MATRIX SPIKE SAMPLE: 1278834

Parameter	Units	50116432009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Acetone	ug/L	ND	250	194	78	39-156	
Acrolein	ug/L	ND	1000	1160	116	33-200	
Acrylonitrile	ug/L	ND	200	190	95	48-149	
Benzene	ug/L	ND	50	50.5	101	62-129	
Bromobenzene	ug/L	ND	50	48.9	98	39-140	
Bromochloromethane	ug/L	ND	50	53.0	106	49-142	
Bromodichloromethane	ug/L	ND	50	46.4	93	50-142	
Bromoform	ug/L	ND	50	40.0	80	36-125	
Bromomethane	ug/L	ND	50	50.3	101	13-179	
Carbon disulfide	ug/L	ND	50	45.9	92	45-142	
Carbon tetrachloride	ug/L	ND	50	52.7	105	46-142	
Chlorobenzene	ug/L	ND	50	52.9	106	49-136	
Chloroethane	ug/L	ND	50	57.7	115	47-160	
Chloroform	ug/L	ND	50	44.6	89	54-150	
Chloromethane	ug/L	ND	50	52.8	106	30-148	
cis-1,2-Dichloroethene	ug/L	10.3	50	60.3	100	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	47.0	94	52-123	
Dibromochloromethane	ug/L	ND	50	52.3	105	48-125	
Dibromomethane	ug/L	ND	50	53.4	107	59-134	
Dichlorodifluoromethane	ug/L	ND	50	49.0	98	24-197	
Ethyl methacrylate	ug/L	ND	200	211	106	55-139	
Ethylbenzene	ug/L	ND	50	51.5	103	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	50.5	101	10-176	
Iodomethane	ug/L	ND	100	97.6	98	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	54.2	108	18-152	
Methyl-tert-butyl ether	ug/L	ND	50	45.2	90	63-130	
Methylene Chloride	ug/L	ND	50	43.4	87	45-156	
n-Butylbenzene	ug/L	ND	50	48.4	97	10-161	
n-Propylbenzene	ug/L	ND	50	49.1	98	16-150	
Naphthalene	ug/L	ND	50	50.4	101	39-140	
p-Isopropyltoluene	ug/L	ND	50	48.6	97	10-163	
sec-Butylbenzene	ug/L	ND	50	52.5	105	10-160	
Styrene	ug/L	ND	50	47.3	95	36-139	
tert-Butylbenzene	ug/L	ND	50	42.9	86	12-134	
Toluene	ug/L	ND	50	49.6	99	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	54.7	109	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	46.4	93	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	138	69	32-139	
Trichloroethene	ug/L	64.2	50	111	93	50-143	
Trichlorofluoromethane	ug/L	ND	50	61.9	124	60-175	
Vinyl acetate	ug/L	ND	200	161	80	17-142	
Vinyl chloride	ug/L	ND	50	58.6	117	44-145	
Xylene (Total)	ug/L	ND	150	150	100	29-145	
4-Bromofluorobenzene (S)	%.				100	80-114	
Dibromofluoromethane (S)	%.				101	79-116	
Toluene-d8 (S)	%.				101	81-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

SAMPLE DUPLICATE: 1278833

Parameter	Units	50116432008 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	8.1	8.4	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 50116432

SAMPLE DUPLICATE: 1278833

Parameter	Units	50116432008 Result	Dup Result	RPD	Max RPD	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	.97J		20	
Toluene	ug/L	ND	.16J		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	1.5J		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	99	1		
Dibromofluoromethane (S)	%.	102	98	4		
Toluene-d8 (S)	%.	99	100	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: Amphenol
Pace Project No.: 50116432

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
Not NELAP Accredited
4860 Blazer Parkway
Dublin, OH 43017
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 50116432

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50116432001	**IT-2**	EPA 8260	MSV/75743		
50116432002	**IT-3**	EPA 8260	MSV/75743		
50116432003	**MW-12R**	EPA 8260	MSV/75743		
50116432004	**MW-20**	EPA 8260	MSV/75743		
50116432005	**MW-22**	EPA 8260	MSV/75743		
50116432006	**MW-28**	EPA 8260	MSV/75743		
50116432007	**MW-29**	EPA 8260	MSV/75783		
50116432008	**MW-30**	EPA 8260	MSV/75783		
50116432009	**DUPLICATE**	EPA 8260	MSV/75783		
50116432010	**TRIP BLANK**	EPA 8260	MSV/75783		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A — Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cnewell@iwmconsult.com
Phone: 347-1111	Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B — Required Project Information:

Report To:	Chris Newell
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol
Container Order Number:	

Section C — Invoice Information:

Attention:	Chris Newell
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test: VOC 8260 WT	Residual Chlorine (Y/N)	50116432
1	IT-2	WT	G		1345				3				X					X		-001
2	IT-3	WT			1328								X					X		-002
3	MW-12R	WT			1128								X					X		-003
4	MW-20	WT			1254								X					X		-004
5	MW-22	WT			1045								X					X		-005
6	MW-28	WT			1055								X					X		-006
7	MW-29	WT			1109								X					X		-007
8	MW-30	WT			1409								X					X		-008
9	DUPLICATE	WT											X					X		-009
10	TRIP BLANK	WT											X					X		-010
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
	Ralph Mier IWM	4-10-15	3:12	H. Lawson / PACO	4-10-15	3:12	5.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed: 4-10-15

TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

MLI / client

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 50116432

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

Thermometer 1 2 3 4 5 6 A B C D E F Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature 5.7 Ice Visible in Sample Containers: ☐ yes ☑ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and Initials of person examining contents: H.S. 4-10-15

		Comments:
Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☑No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	6.
Containers Intact:	☑Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes ☐No ☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.	☐Yes ☐No ☑N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
Headspace in VOA Vials (>6mm):	☐Yes ☑No ☐N/A	10.
Trip Blank Present:	☑Yes ☐No ☐N/A	11.
Trip Blank Custody Seals Present	☑Yes ☐No ☐N/A	
Project Manager Review		
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	12.
Sufficient Volume:	☑Yes ☐No ☐N/A	13.
Correct Containers Used:	☑Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hunt **Date:** 4/10/15

Form F-IN-Q-290-rev.06, 05Aug2014

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 50116432

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SP5T	_____	pH <2	pH>12	Comments
1	3																			
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	SP5T	120mL Coliform Na Thiosulfate
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag