From:	Jane Murray
To:	Derek Allen; Prichard, Gary; Vantil, Barbara; Hyde, Tinka; John Haas; rduncan1@falcon1.net
Cc:	Hedman, Susan; Maraldo, Dean; Desai, Sudhir; Councilmember Gene Meadows; Kevin E . Johnson; Kevin W. Johnson; Rich Saddler; Larry Essman; Robert Forrey; Ruth Marasek; Brenda Mccane; Vicci Felts; Sue Zoellner; Donna Voorheis; Janice Shanks
Subject:	Re: Combined Sewer Backup & Overland Storm Water Flooding
Date:	Wednesday, July 15, 2015 12:39:01 PM

Mr. Allen:

I disagree. My statements are not misleading nor is my blog. What you don't know is the history and detail. I do. Many people yet don't understand that what backed up was indeed combined storm water & sewage. Even those that sued the city in the past continued to talk about "water in basement".

You stated below: "The purpose of the project was to protect home from combined or sanitary sewer backups. Dry basements were never guaranteed."

Did you see the photos on my blog from Ms. McCane's house on Shawnee? It is sewage/storm water. She has had repeated sewage backups over the years. She was not home when the storm hit. I suggested she call you this morning and ask you to come and look. The house next door to her was also hit badly as was the house at 1922 25th Street owned by Ms. Angie Hamilton. She told me it was combined sewer backup and at least 6". She was still cleaning up when I spoke with her at approximately 7:00 pm last night.

I did not go door to door but saw city workers and at least 1 police officer.

You stated below: "Only two houses I entered had water in any portion (the floor was multi-leveled) of their basement and it was 1-2” in depth and was clear water. In these no determination could be made if the water was coming from basement walls. The rest had no standing water. Most had evidence the floor was wet but the water had since drained down their floor drains. Again, most houses had evidence of a wet floor but no house had any standing water. Residents were understanding and absolutely no one said it was worse than before. This statement is blatantly false."

At what time did the plant start bypassing? How many millions of gallons of untreated sewage go to the Ohio River yesterday? How much each day of the last 5 days?

My theory is that the CSO backup in our homes quickly ran out when the bypass began. That has been the history and this was my deduction from my brother's eye witness account of what happened in my basement.

I think it terrific that some people such as Mr. Essman did not suffer as they have in the past, but that in no way proves that Mr. Duncan's and Strand's "plan" worked. Has Strand provided the U.S. EPA the required engineering proof that the plan would/will work?

When did the telemetry equipment go off line? Councilmember Meadows told me that

he was told it was moved. If that is true, where is it and did a signal go to the plant from it yesterday late afternoon when the storm hit?

In my opinion, the city has a responsibility to analyze the storm water problems in our neighborhood caused by the continual build-out at SOMC, Hillview, the horrible parking lot at the Army Reserve site (that Jim Kalb allowed to ignore the storm water retention requirements) residences, and commercial development all in contravention to the city's storm water ordinance and regulations (have you seen them?), MS4 requirements and any other federal and/or state requirements - and our sewage backups and other overland storm water disasters. That is what they are - disasters for us.

Our property values and quality of life have plummeted thanks to sewage and storm water problems created and unsolved, and the run away and cut through traffic about which the city council, past mayors nor you have done anything.

So, again, I totally disagree with you and stand by my call for the city council to sue Strand and fire Rick Duncan.

M. Jane Murray, M.A.

M. Jane Murray
www.wegottroublerighthereinrivercity.blogspot.com

From: Derek Allen
To: Jane Murray ; Gary Prichard ; Barbara VanTil ; Tinka G. Hyde ; John Haas ; "rduncan1@falcon1.net"
Cc: Susan Hedman ; Dean Maraldo ; Sudhir Desai ; Councilmember Gene Meadows ; Kevin E . Johnson ; Kevin W. Johnson ; Rich Saddler ; Larry Essman ; Robert Forrey ; Ruth Marasek ; Brenda Mccane ; Vicci Felts ; Sue Zoellner ; Donna Voorheis ; Janice Shanks
Sent: Wednesday, July 15, 2015 12:14 PM
Subject: RE: Combined Sewer Backup & Overland Storm Water Flooding

Dear Ms. Murray:
City employees and City Police went door to door last night after the rain event. I was present and coordinated this effort. We went to every house we could (however, you are correct we did not go to yours) and asked if the residents had water or flooding in their basement. We stopped going north in the 2700 block of Grandview when every resident stated that they were dry and had no water at all in their basements.
Each house was checked, address and name taken and recorded. If the occupant said they had water we went in and viewed and took pictures. In every instance there was no evidence what-so-ever of CSO backup. Any house that had water, the water was clear. Some houses had water seeping from basement walls. Only two houses I entered had water in any portion (the floor was multi-leveled) of their basement and it was 1-2” in depth and was clear water. In these no determination

could be made if the water was coming from basement walls. The rest had no standing water. Most had evidence the floor was wet but the water had since drained down their floor drains. Again, most houses had evidence of a wet floor but no house had any standing water. Residents were understanding and absolutely no one said it was worse than before. This statement is blatantly false. If you claim what you say is true then please provide names and addresses of these home owners so we may speak to them regarding their problem.

The manholes on the 400,000 gallon underground storage structure were opened after the rain and the structure was not completely full. The estimate was that the structure was 75% full. It worked as designed. The street flooding was due to grass, weeds, leaves and mulch clogging the catch basins. Once this was removed the street quickly drained. In the 2700 block once the debris was removed the two feet of water in the street drained in less than two minutes.

The flooding at the intersection at 25th and Coles (in the street) will be mitigated when the detention/retention facility is constructed in the fall. Even with this issue when the basements surrounding this intersection were entered there was no standing water.

Mr. Duncan and I personally spoke with Mr. Essman last night and he did not have a problem and he was not upset.

What you fail to mention is that with the storm of that magnitude there was flooding all over the city. The flooding in this area was just as bad as other areas.

The purpose of the project was to protect home from combined or sanitary sewer backups. Dry basements were never guaranteed.

I saw your blog and in my opinion it was untrue and misleading. I believe this email is also misleading.

Derek K. Allen, ICMA-CM
City Manager
City of Portsmouth
728 Second Street
Portsmouth, Ohio 45662
Phone: 740.354.8807
Fax: 740.354.8809

From: Jane Murray [mailto:mjanemurray@yahoo.com]
Sent: Wednesday, July 15, 2015 10:01 AM
To: Gary Prichard ; Barbara VanTil ; Tinka G. Hyde
Cc: Susan Hedman ; Dean Maraldo ; Sudhir Desai ; Councilmember Gene Meadows ; Kevin E. Johnson ; Kevin W.W. Johnson ; Rich Saddler ; Larry Essman ; Robert Forrey ; Ruth Marasek ; Brenda Mccane ; Vicci Felts ; Sue Zoellner ; Donna Voorheis ; Janice Shanks
Subject: Combined Sewer Backup & Overland Storm Water Flooding

We wish to inform you of the massive storm flooding in our neighborhood just after 5:00 p.m. EDT yesterday. I've spoken with numerous people who've had 6+ inches, 3-5 inches, or 1-3 inches of combined sewer backup into their basements. Additional storm water damage has also occurred. Many report that the problems are worse than before.

City workers, police, the City Manager & City Solicitor canvassed the neighborhood getting names and addresses of those damaged. No one came

to my door though. My brother was here (I was at work) and reported that I had 1-2" of CSO in my basement and he saw water shooting 3 feet high out of the storm drain across the street from my house. The city and others have similar photos of water shooting out down Grandview Avenue.

I have some names and a few pictures and will be gathering more. I will send reports to you.

Mr. Essman and I await response to our email from last week and will, no doubt, have additional questions from this "event", such as why was the telemetry equipment moved.

You can see a few pictures on my blog:
http://wegottroublerighthereinrivercity.blogspot.com/2015/07/the-big-fixit-aint.html

Thank you.

M. Jane Murray and Larry C. Essman

M. Jane Murray
www.wegottroublerighthereinrivercity.blogspot.com