To: lidewitt@mt.gov[lidewitt@mt.gov]
Cc: John.Stroiazzo@glencore-ca.com[John.Stroiazzo@glencore-ca.com]; Steve Wright - CFAC[swright@cfaluminum.com]; Andrew Baris[abaris@rouxinc.com]; cowen@mt.gov[cowen@mt.gov]; Cirian, Mike[Cirian.Mike@epa.gov]
From: Michael Ritorto
Sent: Fri 12/16/2016 6:34:36 PM
Subject: RE: Request for Approval to Utilize CFAC Borrow Pit Soil for Backfill
removed.txt
2476.0001y152.lr.pdf

Hi Lisa,

Can you pass this along to the appropriate people in MDEQ for review?

Michael Ritorto

Principal Hydrogeologist / Office Manager

ROUX ASSOCIATES, INC.

209 Shafter Street | Islandia, New York 11749

Direct: (631)630-2370 | Mobile: (631)445-4576

Email: mritorto@rouxinc.com | Website: www.rouxinc.com

We solve our clients' most challenging environmental problems.

Follow us on: Check out our blog:

From: Cirian, Mike [mailto:Cirian.Mike@epa.gov]
Sent: Thursday, December 15, 2016 5:10 PM
To: Michael Ritorto <mritorto@rouxinc.com>
Cc: John.Stroiazzo@glencore-ca.com; Steve Wright - CFAC <swright@cfaluminum.com>; lidewitt@mt.gov; Hoogerheide, Roger <Hoogerheide.Roger@epa.gov>; Andrew Baris <abaris@rouxinc.com>
Subject: Re: Request for Approval to Utilize CFAC Borrow Pit Soil for Backfill

Hello Michael

I'm fine with the use of the borrow source materials. Be sure to get MDEQ concurrence on the RCRA site usage.

Mike

Sent from my iPhone

On Dec 13, 2016, at 1:23 PM, Michael Ritorto <mritorto@rouxinc.com> wrote:

> Good Afternoon Mike,
>
> Please see the attached letter regarding use of soil from the CFAC Borrow Pit Area as fill at the CFAC Site. Please contact me if you have any questions regarding the submittal.

Michael Ritorto

Principal Hydrogeologist / Office Manager

ROUX ASSOCIATES, INC.

209 Shafter Street | Islandia, New York 11749

Direct: (631)630-2370 | Mobile: (631)445-4576

Email: mritorto@rouxinc.com | Website: www.rouxinc.com

We solve our clients' most challenging environmental problems.

Follow us on: <image002.jpg> <image003.jpg> <image004.jpg> Check out our blog: <image005.jpg>

<2476.0001y152.lr.pdf>