To: Courtnage, Robert[Courtnage.Robert@EPA.GOV]
Cc: Jon, Jay[Jon.Jay@epa.gov]
From: Nordgren, Judith
Sent: Fri 5/12/2017 6:35:23 PM
Subject: Response to EPA Questions
Response to EPA Questions.pdf
Attach 1 - CI Pamphlet 137.pdf
Attach 2 - NESHAP compliance.pdf
Attach 3 - NPDES information.pdf
Attach 4 - Water filtration PFD.pdf
Attach 5 - Asbestos handling PFD.pdf
Attach 6 - Asbestos dust collector preventative maintenance.pdf
Attach 7 - Workplace monitoring data.pdf

Dear Robert,

Please find attached the ACC Chlorine Chemistry Division's response to your request for additional information. I apologize for my delay in getting this to you, however, I trust you will find this information helpful. Please let me know if you have any other questions. I will be out of the country next week but will be following emails.

Have a wonderful weekend and Mother's Day with your family,

Judith

Judith Drew Nordgren | American Chemistry Council
Managing Director Chlorine Chemistry Division
700 2nd Street NE Washington DC 20002
O | 202.249.6709
www.americanchemistry.com/chlorine

++++++++++++++++++++++++++++ This message may contain confidential information and is intended only for the individual named. If you are not the named addressee do not disseminate, distribute or copy this email. Please notify the sender immediately by email if you have received this email by mistake and delete this email from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of email transmission. American Chemistry Council, 700 – 2nd Street NE, Washington, DC 20002, www.americanchemistry.com