From:	Schofield, Susan
To:	Zeno, Denise
Subject:	Cabo Rojo results figures/tables
Date:	Wednesday, May 08, 2013 10:46:12 AM
Attachments:	EcstasyOPrints_SoilGW_Draft.pdf DElegant_SoilGWScreening_draft.pdf

---

Buenos dias Denise,
I am going to send you results summary figures for the soil/gw screening with the GC. I will also email our proposed soil delineation sample locations that will be sent to DESA for full VOC analysis. We would like your approval of the locations before we start the soil sampling for DESA. I will have to flood your inbox with emails with the figures attached so they will all go through!
We anticipate completing the soil/gw screening with the GC on May 13 or 14. At that point we will be finished using the GC in the field and would ship it back to the vendor. Do you anticipate that there will be any other need for the GC (e.g., adding in additional PSAs)? If you do, we would need to get additional calibration materials for the GC since we only have supplies to last through the end of our approved work. Please let me know what you are planning, so we can make the appropriate arrangements.
Thanks,
Susan

Susan E. Schofield, P.G.
CDM Smith
1225 Ponce de Leon Avenue
VIG Tower, Suite 603
San Juan, PR 00907
schofieldse@CDMSmith.com
787-722-5428
203-645-2549 (mobile)