TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-21793-1
Client Project/Site: Canton Drop Forge

For:
TRC Environmental Corp-Payne Firm
1382 West Ninth Street
Cleveland, Ohio 44113

Attn: Kathleen Teuscher

Patrick O'Meara

Authorized for release by:
3/22/2013 4:09:57 PM

Patrick O'Meara
Project Manager II
patrick.omeara@testamericainc.com



LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Method Summary 6
Sample Summary 7
Detection Summary 8
Client Sample Results 9
Surrogate Summary 13
QC Sample Results 14
QC Association Summary 17
Lab Chronicle 19
Certification Summary 20
Chain of Custody 21

Definitions/Glossary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Job ID: 240-21793-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: TRC Environmental Corp-Payne Firm

Project: Canton Drop Forge

Report Number: 240-21793-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

TestAmerica utilizes USEPA approved methods, where applicable, in all analytical work. The samples presented in this report were analyzed for the parameter(s) listed on the analytical methods summary page in accordance with the method(s) indicated and were analyzed in accordance with Ohio Voluntary Action Program protocols, where applicable.

A summary of QC data for these analyses is included at the back of the report.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the applicable methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 03/08/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the cooler at receipt was 2.4 C.

SEMIVOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for semivolatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8270C. The samples were prepared on 03/11/2013 and analyzed on 03/13/2013 and 03/15/2013.

Surrogates are added during the extraction process prior to dilution. When the sample is diluted, surrogate recoveries are diluted out and no corrective action is required.

Samples SP-01 (240-21793-1)[50X] and SP-02 (240-21793-2)[2.5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the SVOCs analyses. All quality control parameters were within the acceptance limits.

GASOLINE RANGE ORGANICS (GRO)

Job ID: 240-21793-1 (Continued)

Laboratory: TestAmerica Canton (Continued)

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for gasoline range organics (GRO) in accordance with EPA SW-846 Method 8015B - GRO. The samples were analyzed on 03/13/2013.

GRO (C6-C12) was detected in method blank MB 240-78133/1-A at a level below the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged.

No other difficulties were encountered during the GRO analyses. All other quality control parameters were within the acceptance limits.

DIESEL RANGE ORGANICS (DRO)

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for diesel range organics (DRO) in accordance with EPA SW-846 Method 8015B - DRO. The samples were prepared on 03/11/2013 and analyzed on 03/13/2013 and 03/14/2013.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required.

Samples SP-01 (240-21793-1)[50X] and SP-02 (240-21793-2)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the DRO analyses. All quality control parameters were within the acceptance limits.

TOTAL METALS (ICP)

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for total metals (ICP) in accordance with EPA SW-846 Method 6010B. The samples were prepared on 03/12/2013 and analyzed on 03/13/2013.

Barium was detected in method blank MB 240-78008/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged.

No other difficulties were encountered during the metals analyses. All other quality control parameters were within the acceptance limits.

TOTAL MERCURY

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for total mercury in accordance with EPA SW-846 Method 7471A. The samples were prepared on 03/12/2013 and analyzed on 03/14/2013.

No other difficulties were encountered during the mercury analyses. All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Samples SP-01 (240-21793-1) and SP-02 (240-21793-2) were analyzed for percent solids in accordance with EPA Method 160.3 MOD. The samples were analyzed on 03/11/2013.

No difficulties were encountered during the % solids analyses. All quality control parameters were within the acceptance limits.

Method Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Method	Method Description	Protocol	Laboratory
8270C	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NC
8015A/OVAP	Gasoline Range Organics (GRO-OVAP)	OVAP	TAL NC
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL NC
6010B	Metals (ICP)	SW846	TAL NC
7471A	Mercury (CVAA)	SW846	TAL NC
Moisture	Percent Moisture	EPA	TAL NC

Protocol References:

EPA = US Environmental Protection Agency

OVAP = OVAP

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NC = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Sample Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-21793-1	SP-01	Solid	03/08/13 12:45	03/08/13 13:12
240-21793-2	SP-02	Solid	03/08/13 12:50	03/08/13 13:12

Detection Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-01 — Lab Sample ID: 240-21793-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	2400		580	290	ug/Kg	50	☼	8270C	Total/NA
Benzo[a]pyrene	1500		580	290	ug/Kg	50	☼	8270C	Total/NA
Benzo[b]fluoranthene	650		580	290	ug/Kg	50	☼	8270C	Total/NA
Benzo[g,h,i]perylene	700		580	290	ug/Kg	50	☼	8270C	Total/NA
Anthracene	930		580	290	ug/Kg	50	☼	8270C	Total/NA
Chrysene	5200		580	96	ug/Kg	50	☼	8270C	Total/NA
Fluoranthene	1700		580	290	ug/Kg	50	☼	8270C	Total/NA
Fluorene	540	J	580	290	ug/Kg	50	☼	8270C	Total/NA
Phenanthrene	2900		580	290	ug/Kg	50	☼	8270C	Total/NA
Pyrene	8300		580	290	ug/Kg	50	☼	8270C	Total/NA
Acenaphthene	690		580	290	ug/Kg	50	☼	8270C	Total/NA
Naphthalene	540	J	580	290	ug/Kg	50	☼	8270C	Total/NA
GRO (C6-C12)	5500	B	890	410	ug/Kg	1	☼	8015A/OVAP	Total/NA
Diesel Range Organics (C10-C20)	1800		1500	820	mg/Kg	50	☼	8015B	Total/NA
Oil Range Organics (C20-C34)	19000		1500	820	mg/Kg	50	☼	8015B	Total/NA
Barium	180	B	34	0.12	mg/Kg	1	☼	6010B	Total/NA
Cadmium	0.63		0.34	0.062	mg/Kg	1	☼	6010B	Total/NA
Chromium	45		0.86	0.34	mg/Kg	1	☼	6010B	Total/NA
Silver	0.29	J	0.86	0.17	mg/Kg	1	☼	6010B	Total/NA
Arsenic	86		1.7	0.52	mg/Kg	1	☼	6010B	Total/NA
Lead	56		0.52	0.33	mg/Kg	1	☼	6010B	Total/NA
Selenium	9.9		0.86	0.77	mg/Kg	1	☼	6010B	Total/NA
Mercury	0.78		0.18	0.027	mg/Kg	1	☼	7471A	Total/NA

Client Sample ID: SP-02 — Lab Sample ID: 240-21793-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	26		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Benzo[a]pyrene	24		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Benzo[b]fluoranthene	16	J	21	11	ug/Kg	2.5	☼	8270C	Total/NA
Benzo[g,h,i]perylene	22		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Anthracene	12	J	21	11	ug/Kg	2.5	☼	8270C	Total/NA
Chrysene	64		21	3.5	ug/Kg	2.5	☼	8270C	Total/NA
Fluoranthene	22		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Phenanthrene	35		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Pyrene	120		21	11	ug/Kg	2.5	☼	8270C	Total/NA
Naphthalene	22		21	11	ug/Kg	2.5	☼	8270C	Total/NA
GRO (C6-C12)	250	B	130	59	ug/Kg	1	☼	8015A/OVAP	Total/NA
Oil Range Organics (C20-C34)	370		110	59	mg/Kg	5	☼	8015B	Total/NA
Barium	81	B	23	0.082	mg/Kg	1	☼	6010B	Total/NA
Cadmium	0.31		0.23	0.042	mg/Kg	1	☼	6010B	Total/NA
Chromium	14		0.58	0.23	mg/Kg	1	☼	6010B	Total/NA
Arsenic	44		1.2	0.35	mg/Kg	1	☼	6010B	Total/NA
Lead	25		0.35	0.22	mg/Kg	1	☼	6010B	Total/NA
Selenium	4.4		0.58	0.52	mg/Kg	1	☼	6010B	Total/NA
Mercury	0.064	J	0.14	0.020	mg/Kg	1	☼	7471A	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-01
Date Collected: 03/08/13 12:45
Date Received: 03/08/13 13:12

Lab Sample ID: 240-21793-1
Matrix: Solid
Percent Solids: 57.0

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	2400		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Benzo[a]pyrene	1500		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Benzo[b]fluoranthene	650		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Benzo[g,h,i]perylene	700		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Benzo[k]fluoranthene	ND		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Anthracene	930		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Chrysene	5200		580	96	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Dibenz(a,h)anthracene	ND		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Fluoranthene	1700		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Fluorene	540	J	580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Indeno[1,2,3-cd]pyrene	ND		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Phenanthrene	2900		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Pyrene	8300		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Acenaphthene	690		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Acenaphthylene	ND		580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50
Naphthalene	540	J	580	290	ug/Kg	☼	03/11/13 10:18	03/13/13 19:42	50

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*61*		*24 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*
2-Fluorophenol (Surr)	*52*		*24 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*
2,4,6-Tribromophenol (Surr)	*45*		*10 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*
Nitrobenzene-d5 (Surr)	*47*		*20 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*
Phenol-d5 (Surr)	*48*		*26 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*
Terphenyl-d14 (Surr)	*88*		*36 - 110*	*03/11/13 10:18*	*03/13/13 19:42*	*50*

Method: 8015A/OVAP - Gasoline Range Organics (GRO-OVAP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	5500	B	890	410	ug/Kg	☼	03/13/13 09:36	03/13/13 15:28	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*56*		*10 - 150*	*03/13/13 09:36*	*03/13/13 15:28*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C20)	1800		1500	820	mg/Kg	☼	03/11/13 10:22	03/14/13 00:28	50
Oil Range Organics (C20-C34)	19000		1500	820	mg/Kg	☼	03/11/13 10:22	03/14/13 00:28	50

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Nonane	*45*		*10 - 110*	*03/11/13 10:22*	*03/14/13 00:28*	*50*

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	180	B	34	0.12	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Cadmium	0.63		0.34	0.062	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Chromium	45		0.86	0.34	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Silver	0.29	J	0.86	0.17	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Arsenic	86		1.7	0.52	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Lead	56		0.52	0.33	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1
Selenium	9.9		0.86	0.77	mg/Kg	☼	03/12/13 10:17	03/13/13 08:57	1

Client Sample Results

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-01
Date Collected: 03/08/13 12:45
Date Received: 03/08/13 13:12

Lab Sample ID: 240-21793-1
Matrix: Solid
Percent Solids: 57.0

Method: 7471A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.78		0.18	0.027	mg/Kg	☼	03/12/13 14:10	03/14/13 12:38	1

Client Sample Results

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-02

Date Collected: 03/08/13 12:50
Date Received: 03/08/13 13:12

Lab Sample ID: 240-21793-2

Matrix: Solid
Percent Solids: 78.6

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	26		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Benzo[a]pyrene	24		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Benzo[b]fluoranthene	16	J	21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Benzo[g,h,i]perylene	22		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Benzo[k]fluoranthene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Anthracene	12	J	21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Chrysene	64		21	3.5	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Dibenz(a,h)anthracene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Fluoranthene	22		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Fluorene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Indeno[1,2,3-cd]pyrene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Phenanthrene	35		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Pyrene	120		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Acenaphthene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Acenaphthylene	ND		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5
Naphthalene	22		21	11	ug/Kg	☼	03/11/13 10:18	03/15/13 20:04	2.5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*61*		*24 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*
2-Fluorophenol (Surr)	*48*		*24 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*
2,4,6-Tribromophenol (Surr)	*65*		*10 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*
Nitrobenzene-d5 (Surr)	*52*		*20 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*
Phenol-d5 (Surr)	*49*		*26 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*
Terphenyl-d14 (Surr)	*85*		*36 - 110*	*03/11/13 10:18*	*03/15/13 20:04*	*2.5*

Method: 8015A/OVAP - Gasoline Range Organics (GRO-OVAP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	250	B	130	59	ug/Kg	☼	03/13/13 09:36	03/13/13 16:04	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*86*		*10 - 150*	*03/13/13 09:36*	*03/13/13 16:04*	*1*

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C20)	ND		110	59	mg/Kg	☼	03/11/13 10:22	03/13/13 01:34	5
Oil Range Organics (C20-C34)	370		110	59	mg/Kg	☼	03/11/13 10:22	03/13/13 01:34	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Nonane	*36*		*10 - 110*	*03/11/13 10:22*	*03/13/13 01:34*	*5*

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	81	B	23	0.082	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Cadmium	0.31		0.23	0.042	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Chromium	14		0.58	0.23	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Silver	ND		0.58	0.12	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Arsenic	44		1.2	0.35	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Lead	25		0.35	0.22	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1
Selenium	4.4		0.58	0.52	mg/Kg	☼	03/12/13 10:17	03/13/13 09:03	1

Client Sample Results

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-02
Date Collected: 03/08/13 12:50
Date Received: 03/08/13 13:12

Lab Sample ID: 240-21793-2
Matrix: Solid
Percent Solids: 78.6

Method: 7471A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.064	J	0.14	0.020	mg/Kg	☼	03/12/13 14:10	03/14/13 17:30	1

8

Surrogate Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		FBP	2FP	TBP	NBZ	PHL	TPH
Lab Sample ID	Client Sample ID	(24-110)	(24-110)	(10-110)	(20-110)	(26-110)	(36-110)
240-21793-1	SP-01	61	52	45	47	48	88
240-21793-2	SP-02	61	48	65	52	49	85
LCS 240-77851/10-A	Lab Control Sample	64	56	56	58	56	84
MB 240-77851/9-A	Method Blank	73	63	43	67	63	98

Surrogate Legend

FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
TBP = 2,4,6-Tribromophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPH = Terphenyl-d14 (Surr)

Method: 8015A/OVAP - Gasoline Range Organics (GRO-OVAP)

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		TFT2
Lab Sample ID	Client Sample ID	(10-150)
240-21793-1	SP-01	56
240-21793-2	SP-02	86
LCS 240-78133/2-A	Lab Control Sample	97
MB 240-78133/1-A	Method Blank	76

Surrogate Legend

TFT = Trifluorotoluene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		C91
Lab Sample ID	Client Sample ID	(10-110)
240-21793-1	SP-01	45
240-21793-2	SP-02	36
LCS 240-77852/15-A	Lab Control Sample	42
MB 240-77852/14-A	Method Blank	46

Surrogate Legend

C9 = n-Nonane

QC Sample Results

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Method: 8270C - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 240-77851/9-A
Matrix: Solid
Analysis Batch: 78121

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 77851

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Benzo[a]pyrene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Benzo[b]fluoranthene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Benzo[g,h,i]perylene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Benzo[k]fluoranthene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Anthracene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Chrysene	ND		6.7	1.1	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Dibenz(a,h)anthracene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Fluoranthene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Fluorene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Indeno[1,2,3-cd]pyrene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Phenanthrene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Pyrene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Acenaphthene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Acenaphthylene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1
Naphthalene	ND		6.7	3.3	ug/Kg		03/11/13 10:18	03/13/13 11:26	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2-Fluorobiphenyl (Surr)	*73*		*24 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*
2-Fluorophenol (Surr)	*63*		*24 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*
2,4,6-Tribromophenol (Surr)	*43*		*10 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*
Nitrobenzene-d5 (Surr)	*67*		*20 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*
Phenol-d5 (Surr)	*63*		*26 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*
Terphenyl-d14 (Surr)	*98*		*36 - 110*	*03/11/13 10:18*	*03/13/13 11:26*	*1*

Lab Sample ID: LCS 240-77851/10-A
Matrix: Solid
Analysis Batch: 78338

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77851

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzo[a]anthracene	667	511		ug/Kg		77	50 - 110
Benzo[a]pyrene	667	564		ug/Kg		85	44 - 110
Benzo[b]fluoranthene	667	620		ug/Kg		93	43 - 110
Benzo[g,h,i]perylene	667	613		ug/Kg		92	51 - 110
Benzo[k]fluoranthene	667	568		ug/Kg		85	38 - 105
Anthracene	667	508		ug/Kg		76	48 - 110
Chrysene	667	555		ug/Kg		83	50 - 110
Dibenz(a,h)anthracene	667	638		ug/Kg		96	51 - 110
Fluoranthene	667	547		ug/Kg		82	51 - 110
Fluorene	667	505		ug/Kg		76	46 - 110
Indeno[1,2,3-cd]pyrene	667	595		ug/Kg		89	50 - 110
Phenanthrene	667	491		ug/Kg		74	49 - 110
Pyrene	667	521		ug/Kg		78	49 - 110
Acenaphthene	667	502		ug/Kg		75	38 - 110
Acenaphthylene	667	476		ug/Kg		71	40 - 110
Naphthalene	667	466		ug/Kg		70	36 - 110

Method: 8270C - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 240-77851/10-A — **Client Sample ID: Lab Control Sample**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 78338 — **Prep Batch: 77851**

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	64		24 - 110
2-Fluorophenol (Surr)	56		24 - 110
2,4,6-Tribromophenol (Surr)	56		10 - 110
Nitrobenzene-d5 (Surr)	58		20 - 110
Phenol-d5 (Surr)	56		26 - 110
Terphenyl-d14 (Surr)	84		36 - 110

Method: 8015A/OVAP - Gasoline Range Organics (GRO-OVAP)

Lab Sample ID: MB 240-78133/1-A — **Client Sample ID: Method Blank**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 78130 — **Prep Batch: 78133**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C12)	53.5	J	100	46	ug/Kg		03/13/13 09:36	03/13/13 12:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	76		10 - 150	03/13/13 09:36	03/13/13 12:28	1

Lab Sample ID: LCS 240-78133/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 78130 — **Prep Batch: 78133**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
GRO (C6-C12)	800	823		ug/Kg		103	60 - 142

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Trifluorotoluene (Surr)	97		10 - 150

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 240-77852/14-A — **Client Sample ID: Method Blank**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 78043 — **Prep Batch: 77852**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C20)	ND		17	9.3	mg/Kg		03/11/13 10:22	03/12/13 18:08	1
Oil Range Organics (C20-C34)	ND		17	9.3	mg/Kg		03/11/13 10:22	03/12/13 18:08	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Nonane	46		10 - 110	03/11/13 10:22	03/12/13 18:08	1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 240-77852/15-A
Matrix: Solid
Analysis Batch: 78043

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 77852

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel	83.3	61.9		mg/Kg		74	47 - 138

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
n-Nonane	*42*		*10 - 110*

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 240-78008/1-A
Matrix: Solid
Analysis Batch: 78244

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 78008

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	0.106	J	20	0.071	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Cadmium	ND		0.20	0.036	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Chromium	ND		0.50	0.20	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Silver	ND		0.50	0.10	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Arsenic	ND		1.0	0.30	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Lead	ND		0.30	0.19	mg/Kg		03/12/13 10:17	03/13/13 07:06	1
Selenium	ND		0.50	0.45	mg/Kg		03/12/13 10:17	03/13/13 07:06	1

Lab Sample ID: LCS 240-78008/2-A
Matrix: Solid
Analysis Batch: 78244

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 78008

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Barium	200	193		mg/Kg		96	80 - 120
Cadmium	5.00	4.92		mg/Kg		98	80 - 120
Chromium	20.0	20.0		mg/Kg		100	80 - 120
Silver	5.00	5.07		mg/Kg		101	80 - 120
Arsenic	200	189		mg/Kg		94	80 - 120
Lead	50.0	48.1		mg/Kg		96	80 - 120
Selenium	200	188		mg/Kg		94	80 - 120

Method: 7471A - Mercury (CVAA)

Lab Sample ID: MB 240-78015/1-A
Matrix: Solid
Analysis Batch: 78388

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 78015

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.10	0.015	mg/Kg		03/12/13 14:10	03/14/13 12:23	1

Lab Sample ID: LCS 240-78015/2-A
Matrix: Solid
Analysis Batch: 78388

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 78015

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.833	0.823		mg/Kg		99	73 - 121

QC Association Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

GC/MS Semi VOA

Prep Batch: 77851

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	3540C	
240-21793-2	SP-02	Total/NA	Solid	3540C	
LCS 240-77851/10-A	Lab Control Sample	Total/NA	Solid	3540C	
MB 240-77851/9-A	Method Blank	Total/NA	Solid	3540C	

Analysis Batch: 78121

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	8270C	77851
MB 240-77851/9-A	Method Blank	Total/NA	Solid	8270C	77851

Analysis Batch: 78338

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 240-77851/10-A	Lab Control Sample	Total/NA	Solid	8270C	77851

Analysis Batch: 78452

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-2	SP-02	Total/NA	Solid	8270C	77851

GC VOA

Analysis Batch: 78130

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	8015A/OVAP	78133
240-21793-2	SP-02	Total/NA	Solid	8015A/OVAP	78133
LCS 240-78133/2-A	Lab Control Sample	Total/NA	Solid	8015A/OVAP	78133
MB 240-78133/1-A	Method Blank	Total/NA	Solid	8015A/OVAP	78133

Prep Batch: 78133

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	5030B	
240-21793-2	SP-02	Total/NA	Solid	5030B	
LCS 240-78133/2-A	Lab Control Sample	Total/NA	Solid	5030B	
MB 240-78133/1-A	Method Blank	Total/NA	Solid	5030B	

GC Semi VOA

Prep Batch: 77852

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	3540C	
240-21793-2	SP-02	Total/NA	Solid	3540C	
LCS 240-77852/15-A	Lab Control Sample	Total/NA	Solid	3540C	
MB 240-77852/14-A	Method Blank	Total/NA	Solid	3540C	

Analysis Batch: 78043

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-2	SP-02	Total/NA	Solid	8015B	77852
LCS 240-77852/15-A	Lab Control Sample	Total/NA	Solid	8015B	77852
MB 240-77852/14-A	Method Blank	Total/NA	Solid	8015B	77852

QC Association Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

GC Semi VOA (Continued)

Analysis Batch: 78160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	8015B	77852

Metals

Prep Batch: 78008

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	3050B	
240-21793-2	SP-02	Total/NA	Solid	3050B	
LCS 240-78008/2-A	Lab Control Sample	Total/NA	Solid	3050B	
MB 240-78008/1-A	Method Blank	Total/NA	Solid	3050B	

Prep Batch: 78015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	7471A	
240-21793-2	SP-02	Total/NA	Solid	7471A	
LCS 240-78015/2-A	Lab Control Sample	Total/NA	Solid	7471A	
MB 240-78015/1-A	Method Blank	Total/NA	Solid	7471A	

Analysis Batch: 78244

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	6010B	78008
240-21793-2	SP-02	Total/NA	Solid	6010B	78008
LCS 240-78008/2-A	Lab Control Sample	Total/NA	Solid	6010B	78008
MB 240-78008/1-A	Method Blank	Total/NA	Solid	6010B	78008

Analysis Batch: 78388

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	7471A	78015
240-21793-2	SP-02	Total/NA	Solid	7471A	78015
LCS 240-78015/2-A	Lab Control Sample	Total/NA	Solid	7471A	78015
MB 240-78015/1-A	Method Blank	Total/NA	Solid	7471A	78015

General Chemistry

Analysis Batch: 77923

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-21793-1	SP-01	Total/NA	Solid	Moisture	
240-21793-2	SP-02	Total/NA	Solid	Moisture	

Lab Chronicle

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Client Sample ID: SP-01

Lab Sample ID: 240-21793-1

Date Collected: 03/08/13 12:45
Date Received: 03/08/13 13:12

Matrix: Solid
Percent Solids: 57.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			77851	03/11/13 10:18	AC	TAL NC
Total/NA	Analysis	8270C		50	78121	03/13/13 19:42	JG	TAL NC
Total/NA	Prep	5030B			78133	03/13/13 09:36	HMB	TAL NC
Total/NA	Analysis	8015A/OVAP		1	78130	03/13/13 15:28	HMB	TAL NC
Total/NA	Prep	3540C			77852	03/11/13 10:22	AC	TAL NC
Total/NA	Analysis	8015B		50	78160	03/14/13 00:28	DB	TAL NC
Total/NA	Prep	3050B			78008	03/12/13 10:17	DE	TAL NC
Total/NA	Analysis	6010B		1	78244	03/13/13 08:57	KC	TAL NC
Total/NA	Prep	7471A			78015	03/12/13 14:10	DE	TAL NC
Total/NA	Analysis	7471A		1	78388	03/14/13 12:38	SG	TAL NC
Total/NA	Analysis	Moisture		1	77923	03/11/13 16:48	AM	TAL NC

Client Sample ID: SP-02

Lab Sample ID: 240-21793-2

Date Collected: 03/08/13 12:50
Date Received: 03/08/13 13:12

Matrix: Solid
Percent Solids: 78.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3540C			77851	03/11/13 10:18	AC	TAL NC
Total/NA	Analysis	8270C		2.5	78452	03/15/13 20:04	JG	TAL NC
Total/NA	Prep	5030B			78133	03/13/13 09:36	HMB	TAL NC
Total/NA	Analysis	8015A/OVAP		1	78130	03/13/13 16:04	HMB	TAL NC
Total/NA	Prep	3540C			77852	03/11/13 10:22	AC	TAL NC
Total/NA	Analysis	8015B		5	78043	03/13/13 01:34	DB	TAL NC
Total/NA	Prep	3050B			78008	03/12/13 10:17	DE	TAL NC
Total/NA	Analysis	6010B		1	78244	03/13/13 09:03	KC	TAL NC
Total/NA	Prep	7471A			78015	03/12/13 14:10	DE	TAL NC
Total/NA	Analysis	7471A		1	78388	03/14/13 17:30	SG	TAL NC
Total/NA	Analysis	Moisture		1	77923	03/11/13 16:48	AM	TAL NC

Laboratory References:

TAL NC = TestAmerica Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

Certification Summary

Client: TRC Environmental Corp-Payne Firm
Project/Site: Canton Drop Forge

TestAmerica Job ID: 240-21793-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-13
Connecticut	State Program	1	PH-0590	12-31-13
Florida	NELAP	4	E87225	06-30-13
Georgia	State Program	4	N/A	06-30-13
Illinois	NELAP	5	200004	07-31-13
Kansas	NELAP	7	E-10336	01-31-14
Kentucky	State Program	4	58	06-30-13
L-A-B	DoD ELAP		L2315	07-28-13
Minnesota	NELAP	5	039-999-348	12-31-13
Nevada	State Program	9	OH-000482008A	07-31-13
New Jersey	NELAP	2	OH001	06-30-13
New York	NELAP	2	10975	04-01-13
Ohio VAP	State Program	5	CL0024	01-19-14
Pennsylvania	NELAP	3	68-00340	08-31-13
Texas	NELAP	6		08-03-13
USDA	Federal		P330-11-00328	08-26-14
Virginia	NELAP	3	460175	09-14-13
Washington	State Program	10	C971	01-12-14
West Virginia DEP	State Program	3	210	12-31-13
Wisconsin	State Program	5	999518190	08-31-13

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratory location: N. Canton
Regulatory program: ☐ DW ☐ NPDES ☐ RCRA ☒ Other OH VAP

TestAmerica Laboratories, Inc.

Client Contact			
Company Name: TRC ENVIRONMENTAL	Client Project Manager: KATHIE TEUSLER	Site Contact: M. BITTO	Lab Contact: PATRICIA DMERTA
Address: 1382 W. 9th St. 200	Telephone: 216.344.5072	Telephone: 330.416.4809	Telephone:
City/State/Zip: CLEVELAND OH 44113	Email: KTEUSLER@TRCSOLUTIONS.COM		
Phone: 216.344.3072			
Project Name: COF	Method of Shipment/Carrier: DROPOFF		
Project Number: 196463 TASK 4	Shipping/Tracking No:		
PO#			

COC No: 041017
1 of 1 COCs

Analysis Turnaround Time (in BUS days)
TAT if different from below
☐ 3 weeks
☒ 2 weeks
☐ 1 week
☐ 2 days
☐ 1 day

For lab use only
Walk-in client: ☐
Lab pickup: ☐
Lab sampling: ☐
Job/SDG No.:

Sample Identification	Sample Date	Sample Time	Matrix: Air	Aqueous	Sediment	Solid	Other:	Containers & Preservatives: H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Unpres	Other:	Filtered Sample (Y/N)	Composite=C/Grab=G	PAH	TPH GRO	TPH ORO	RCRA METALS							Sample Specific Notes / Special Instructions:
SP-01	3/8/13	1245			✓								1		N	G	X	X	X	X							
SP-02	3/8/13	1250			✓								1		N	G	X	X	X	X							

240-21793 Chain of Custody

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return to Client ☒ Disposal By Lab ☐ Archive For _____ Months

Special Instructions/QC Requirements & Comments:
OHIO VAP

Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
	TRC	3/8/13 1312		TA	3-8-13 1312
Relinquished by:	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company:	Date/Time:	Received in Laboratory by:	Company:	Date/Time:

©2008, TestAmerica Laboratories, Inc. All rights reserved.
TestAmerica & Design ™ are trademarks of TestAmerica Laboratories, Inc.

TAL 0018- 1 (04/10)

TestAmerica Canton Sample Receipt Form/Narrative Login # : 21793

Client TRC Site Name _____ By: _____

Cooler Received on 3-8-13 Opened on 3-8-13 (Signature)

FedEx: 1st Grd Exp UPS FAS Stetson (Client Drop Off) TestAmerica Courier Other _____

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other BAG

Packing material used: Bubble Wrap Foam (Plastic Bag) None Other _____

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# 1	(CF –2 °C) Observed Sample Temp. ____ °C	Corrected Sample Temp. ____ °C	
IR GUN# 4G	(CF 0 °C) Observed Sample Temp. ____ °C	Corrected Sample Temp. ____ °C	☐ Multiple on Back
IR GUN# 5G	(CF 0 °C) Observed Sample Temp. ____ °C	Corrected Sample Temp. ____ °C	
IR GUN# 8	(CF 0 °C) Observed Sample Temp. 2.4 °C	Corrected Sample Temp. 2.4 °C	

2. Were custody seals on the outside of the cooler(s)? If Yes Quantity _____ Yes (No)
   - Were custody seals on the outside of the cooler(s) signed & dated? Yes No (NA)
   - Were custody seals on the bottle(s)? Yes (No)
3. Shippers' packing slip attached to the cooler(s)? ~~Yes (No)~~
4. Did custody papers accompany the sample(s)? (Yes) No
5. Were the custody papers relinquished & signed in the appropriate place? (Yes) No
6. Did all bottles arrive in good condition (Unbroken)? (Yes) No
7. Could all bottle labels be reconciled with the COC? (Yes) No
8. Were correct bottle(s) used for the test(s) indicated? (Yes) No
9. Sufficient quantity received to perform indicated analyses? (Yes) No
10. Were sample(s) at the correct pH upon receipt? Yes No (NA)
11. Were VOAs on the COC? Yes (No)
12. Were air bubbles >6 mm in any VOA vials? Yes No (NA)
13. Was a trip blank present in the cooler(s)? Yes (No)

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in Sample Receiving to meet recommended pH level(s). Nitric Acid Lot# 031512-HNO3; Sulfuric Acid Lot# 051012-H2SO4; Sodium Hydroxide Lot# 121809 -NaOH; Hydrochloric Acid Lot# 041911-HCl; Sodium Hydroxide and Zinc Acetate Lot# 100108-(CH3COO)2ZN/NaOH. What time was preservative added to sample(s)? _____

Client ID	pH	Date	Initials

Cooler #	Observed Sample Temp. °C	Corrected Sample Temp. °C	IR #	Coolant