ID 09961
1.7.82
4a

Glenn K. Rodenhurst

INSPECTION EVALUATION- Environmental Protection Specialist
Name & title evaluator

RCRA	X	TSCA		FIFRA	

ACTION TAKEN

- ____ No Action Indicated
- ____ Violation Assessment
- ____ Letter of Non-Compliance
- ____ Referral for Admin. Civil Penalty
- ____ Referral for Criminal Action
- ____ Refer to State

Ken Babin
Name of inspector

January 7, 1982
Date of inspection

ARCOM, Inc.
Rt. 3, Box 258-A6
Rathdrum, Idaho 83858
Establishment Name & Address

Not entered HWDMS jwf

IDD000800961

COMMENTS: Inspection done by phone. Recommendations by inspector were incorrect (see Linda Dawson's comments). Recommend this facility be reinspected using EPA/State personnel. Facility definitely qualifies under RCRA as a TSD.
Recommend a member of State Provost's staff accompany state inspector. Memo should be sent to Provost advising him of this assignment.

Glenn K. Rodenhurst
4-27-82

Concur: JS

Nonconcur:

Date: 4/20/82

USEPA RCRA
3009298

STATE OF IDAHO

DEPARTMENT OF HEALTH
AND WELFARE

DIVISION OF ENVIRONMENT
Statehouse
Boise, Idaho 83720

RECEIVED
JAN 14 1982
DHW - Div. of Environment



RCRA INSPECTION REPORT

Arrcom Inc.
(formerly Drexler)

Rec'd 3-8-82
P & CB
gke

STATE OF IDAHO

RCRA INSPECTION REPORT

1. Facility Information and Address E.P.A. ID. _____

Arrcom Inc. PO Box 125 Otis Orchards, WASH. 99027

2. Responsible Official GEN. Transp. TSDF

Al Pickett, (509) 484-8282

3. Survey Participants

Ken Bobin by telephone on January 8, 1982.

4. Date of Inspection

Have visited site in the past. This is a new operation, interview was done by phone. Some operator business name change.

5. Applicable Regulations

40 FR 262-265 Feb + May 1980

6. Purpose of Inspection Survey

7. Facility Description

Pick up waste oils, paint thinners, acetone solvents, etc filter them and then sold as a burner or auxiliary fuel. All are combined. Filter sludge is the waste product (sand, grit, cake, etc). Generate approx. 5 cubic yards per year. Presently stockpiled on the site.

26. Recommendations

Incorrect ; storage for any time of hazardous waste in a waste pile requires a RCRA permit. Would not get 90 day storage allowance. (262.34)

Also, as per 261.6(b), facility needs a storage permit to accept listed wastes onto the site.

LD
4/82

26. RECOMMENDATIONS

Since waste sludge is the only solid waste, if operator were to remove & appropriately dispose of this on a regular basis it would not accummulate so as to require RCRA regulation. Exception is if any of the products are from the P-List.

Operation of the site will resume as soon as weather permits; too cold & too much snow presently.

27. INSPECTION CONDUCTED by

Name of Inspector(s) Ken Babin

Position Sr. Environmental Health Specialist PHD I

28. FACILITY OFFICIAL

Position

Date and Time 1/7/81 per phone conversation

1/7/81

STATE OF IDAHO

RCRA INSPECTION REPORT

1. Facility Information and Address E.P.A. ID. _____

Arrcom Inc. PO Box 125 Otis Orchards, WASH. 99027
mailing address

Facility location: Rathdrum, Id

2. Responsible Official GEN. Transp. TSDF

Al Pickett, (509) 484-8282

3. Survey Participants

Ken Babin by telephone on January 7, 1982.

4. Date of Inspection

Have visited site in the past. This is a new operator, interview was done by phone. Some operator business name change.

5. Applicable Regulations

40 FR 262-265 Feb + May 1980

6. Purpose of Inspection Survey

7. Facility Description

Pick up waste oils, paint thinners, acetone solvents, etc filter them and then sold as a burner or auxiliary fuel. All are combined. Filter sludge is the waste product (sand, grit, cork, etc). Generate approx. 5 cubic yards per year. Presently stockpiled on the site.

26. RECOMMENDATIONS

Since waste sludge is the only solid waste, if operator were to remove & appropriately dispose of this on a regular basis it would not accummulate so as to require RCRA regulation. Exception is if any of the products are from the P-List.

Operation of the site will resume as soon as weather permits; too cold & too much snow presently.

27. INSPECTION CONDUCTED by

Name of Inspector(s) Ken Babin

Sr. Environmental Health Specialist
Position PHD I

28. FACILITY OFFICIAL

Position

Date and Time 1/7/81 per phone conversation

26. Recommendations

* Incorrect ; storage for any time of hazardous waste in a waste pile requires a RCRA permit. Would not get 90 day storage allowance. (262.34)
also, as per 261.6(b), facility needs a storage permit to accept listed wastes onto the site.

ZD
4/82