PHILIP
ENVIRONMENTAL
CHEMICAL GROUP
WESTERN REGION

WA 2917
8to
5/8/97

RECEIVED
MAY 09 1997
"RCRA/TSCA"
Permits Team"

Recycling Solutions for Our Environment

May 8, 1997

CERTIFIED MAIL

FILE COPY

Mr. David Domingo
EPA Project Coordinator
U.S. EPA
1200 Sixth Avenue, M/S WCM-121
Seattle, WA 98101

Mr. Domingo:

Following is the Bimonthly Progress Report required by the 3008(h) Order for RFI activities completed at the Burlington Environmental Inc. (dba Philip Environmental) "Philip" Pier 91 Facility for the months of March and April 1997.

Description of Work Completed

- Completed second quarter 1997 groundwater sampling and water/product levels in April.
- PLP group met with Ecology on 3/18/97 to discuss draft MTCA Order. A "redline" of the Scope of Work section was returned to Ecology on 4/18 and the Findings of Fact Section returned on 5/5/97.

Summary of All Findings

- First and second quarter 1997 groundwater monitoring data are enclosed.

Projected Work for Next Reporting Period

- Meet with Ecology in May to discuss the PLP's revisions to draft MTCA Order.

If you have any questions, please contact me at (425) 227-6121.

Respectfully,

John Stiller
Project Coordinator

cc: Galen Tritt, Ecology NWRO

USEPA RCRA
3012474

955 Powell Avenue SW • Renton, Washington 98055
206/227-0311 • Fax: 206/227-6179

TPH in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*68334-30-5*	*86290-81-5*	*N/A*
MTCA Method A (ug/l)		*1000*	*1000*	*1000*
Well Number	*Sample Date*	*TPH as Diesel (mg/l)*	*TPH as Gasoline (mg/l)*	*TPH (4.18) (mg/l)*
CP-103A	4/2/97	<250	1930	<1000
CP-103B	4/2/97	<250	390	4200
CP-104A	4/3/97	<250	500	<1000
CP-106A	4/1/97	<5000	<300	<1000
CP-107	4/9/97	300	<300	2100
CP-108A	4/2/97	<250	<300	<1000
CP-109	4/9/97	620	1380	3300
CP-110	4/9/97	<250	1260	<1000
CP-111	4/3/97	<250	<300	<1000
CP-112	4/3/97	<250	<300	<1000
CP-113	4/3/97	<250	320	<1000
CP-114	4/1/97	<5000	<300	<1000
CP-115A	4/3/97	<250	<300	<1000
CP-116	4/9/97	<250	520	<1000
CP-118	4/9/97	780	<300	3400
CP-119	4/9/97	1770	<300	5200
CP-121	4/3/97	<250	<300	<1000
CP-122B	4/1/97	<5000	<300	<1000
CP-205A	4/1/97	<5000	<300	<1000
W-10	4/2/97	290	500	1200

VOCs in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*79-34-5*	*541-73-1*	*106-46-7*	*95-50-1*	*95-20-3*
MTCA Method B (ug/l)		*0.219*	*PQL = 10*	*1.82*	*7.2*	*32*
Well Number	*Sample Date*	*1,1,2,2-tetrachloro-ethane (ug/l)*	*1,3-Dichloro-benzene (ug/l)*	*1,4-Dichloro-benzene (ug/l)*	*1,2-Dichloro-benzene (ug/l)*	*Naphthalene (ug/l)*
CP-103A	4/2/97	<3	<1	<1	<1	<5
CP-103B	4/2/97	<3	<1	<1	<1	<5
CP-104A	4/3/97	<3	<1	<1	<1	<5
CP-104B	4/3/97	<3	<1	<1	<1	<5
CP-106A	4/1/97	<3	<1	<1	<1	6.19
CP-106B	4/1/97	<3	<1	<1	<1	<5
CP-107	4/9/97	<3	1.30	2.15	1.23	<5
CP-108A	4/2/97	<3	<1	<1	<1	<5
CP-108B	4/2/97	<3	<1	<1	<1	<5
CP-109	4/9/97	<3	<1	<1	<1	<5
CP-110	4/9/97	<3	<1	<1	<1	<5
CP-111	4/3/97	<3	<1	<1	<1	<5
CP-112	4/3/97	<3	<1	<1	<1	<5
CP-113	4/3/97	<3	<1	<1	<1	<5
CP-114	4/1/97	<3	<1	<1	<1	<5
CP-115A	4/3/97	<3	<1	<1	<1	<5
CP-115B	4/3/97	<3	<1	<1	<1	<5
CP-116	4/9/97	<3	<1	<1	8.02	<5
CP-118	4/9/97	<3	<1	<1	<1	<5
CP-119	4/9/97	<3	<1	<1	<1	<5
CP-121	4/3/97	<3	<1	<1	<1	<5
CP-122B	4/1/97	<3	<1	<1	<1	<5
CP-205A	4/1/97	<3	<1	<1	<1	<5
CP-205B	4/1/97	<3	<1	<1	<1	<5
W-10	4/2/97	<3	<1	<1	<1	<5

VOCs in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*127-18-4*	*591-78-6*	*124-48-1*	*108-90-7*	*100-41-4*	*1330-20-7*	*95-47-6*	*100-42-5*	*75-25-2*
MTCA Method B (ug/l)		*0.858*	*PQL = 50*	*0.521*	*160*	*800*	*16000*	*16000*	*1.46*	*5.54*
Well Number	*Sample Date*	*PCE (ug/l)*	*2-Hexanone (ug/l)*	*Dibromo-chloro methane (ug/l)*	*Chloro-benzene (ug/l)*	*Ethyl-benzene (ug/l)*	*m,p-Xylenes (ug/l)*	*o-Xylene (ug/l)*	*Styrene (ug/l)*	*Bromoform (ug/l)*
CP-103A	4/2/97	1.50	<5	<1	<1	1.08	5.07	1.67	<1	<1
CP-103B	4/2/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-104A	4/3/97	<1	<5	<1	<1	<1	8.99	4.08	<1	<1
CP-104B	4/3/97	<1	<5	<1	<1	<1	1.20	<1	<1	<1
CP-106A	4/1/97	<1	<5	<1	<1	39.1	7.85	2.93	<1	<1
CP-106B	4/1/97	<1	<5	<1	<1	1.74	6.76	1.89	<1	<1
CP-107	4/9/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-108A	4/2/97	<1	<5	<1	<1	1.68	7.44	2.34	<1	<1
CP-108B	4/2/97	<1	5.10	<1	<1	<1	2.63	1.02	<1	<1
CP-109	4/9/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-110	4/9/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-111	4/3/97	<1	<5	<1	<1	<1	3.78	2.10	<1	<1
CP-112	4/3/97	<1	<5	<1	<1	<1	8.80	2.79	<1	<1
CP-113	4/3/97	<1	<5	<1	<1	<1	1.77	<1	<1	<1
CP-114	4/1/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-115A	4/3/97	<1	<5	<1	<1	<1	35.4	11.8	<1	<1
CP-115B	4/3/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-116	4/9/97	<1	<5	<1	<1	<1	2.26	14.2	<1	<1
CP-118	4/9/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-119	4/9/97	<1	<5	<1	<1	<1	45.3	41.4	<1	<1
CP-121	4/3/97	<1	15.7	<1	<1	<1	<1	<1	<1	<1
CP-122B	4/1/97	<1	9.76	<1	<1	<1	2.57	<1	<1	<1
CP-205A	4/1/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-205B	4/1/97	<1	<5	<1	<1	1.23	4.34	1.16	<1	<1
W-10	4/2/97	<1	<5	<1	<1	<1	2.28	1.18	<1	<1

VOCs in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*71-43-2*	*79-01-6*	*78-87-5*	*75-27-4*	*110-75-8*	*108-10-1*	*108-88-3*	*10061-02-6*	*79-00-5*
MTCA Method B (ug/l)		*1.51*	*3.98*	*0.643*	*0.706*	*PQL = 10*	*400*	*1600*	*PQL = 5*	*0.768*
Well Number	*Sample Date*	*Benzene (ug/l)*	*TCE (ug/l)*	*1,2-Dichloro propane (ug/l)*	*Bromo-dichloro methane (ug/l)*	*2-Chloro-ethyl-vinyl ether (ug/l)*	*4-Methyl-2-pentanone (ug/l)*	*Toluene (ug/l)*	*Trans-1,3-Dichloro-propene (ug/l)*	*1,1,2-trichloro-ethane (ug/l)*
CP-103A	4/2/97	7.48	<2	<1	<1	<1	<5	142	<1	<1
CP-103B	4/2/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-104A	4/3/97	2.24	<2	<1	<1	<1	<5	7.59	<1	<1
CP-104B	4/3/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-106A	4/1/97	1.94	<2	<1	<1	<1	<5	<2	<1	<1
CP-106B	4/1/97	2.23	<2	<1	<1	<1	<5	8.01	<1	<1
CP-107	4/9/97	4.06	<2	<1	<1	<1	<5	<2	<1	<1
CP-108A	4/2/97	5.90	<2	<1	<1	<1	<5	14.8	<1	<1
CP-108B	4/2/97	2.08	<2	<1	<1	<1	<5	5.37	<1	<1
CP-109	4/9/97	4.84	<2	<1	<1	<1	<5	<2	<1	26.7
CP-110	4/9/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-111	4/3/97	5.78	<2	<1	<1	<1	<5	3.93	<1	<1
CP-112	4/3/97	3.43	<2	<1	<1	<1	<5	5.45	<1	<1
CP-113	4/3/97	1.17	<2	<1	<1	<1	<5	2.67	<1	<1
CP-114	4/1/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-115A	4/3/97	13.9	<2	<1	<1	<1	<5	51.0	<1	<1
CP-115B	4/3/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-116	4/9/97	6.17	<2	<1	<1	<1	<5	<2	<1	<1
CP-118	4/9/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-119	4/9/97	42.8	3.46	<1	<1	<1	<5	66.0	<1	<1
CP-121	4/3/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-122B	4/1/97	1.16	<2	<1	<1	<1	<5	6.42	<1	<1
CP-205A	4/1/97	1.73	<2	<1	<1	<1	<5	<2	<1	<1
CP-205B	4/1/97	4.19	<2	<1	<1	<1	<5	7.41	<1	<1
W-10	4/2/97	10.1	<2	<1	<1	<1	<5	3.88	<1	<1

VOCs in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*156-60-5*	*75-34-3*	*108-05-4*	*156-59-2*	*78-93-3*	*67-66-3*	*71-55-6*	*56-23-5*	*107-06-2*
MTCA Method B (ug/l)		*160*	*800*	*8000*	*80*	*4800*	*7.17*	*7200*	*0.337*	*0.481*
Well Number	*Sample Date*	*trans-1,2-DCE (ug/l)*	*1,1-DCA (ug/l)*	*Vinyl acetate (ug/l)*	*cis-1,2-DCE (ug/l)*	*2-Butanone (ug/l)*	*Chloroform (ug/l)*	*1,1,1-TCA (ug/l)*	*Carbon tetra-chloride (ug/l)*	*1,2-DCA (ug/l)*
CP-103A	4/2/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-103B	4/2/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-104A	4/3/97	<1	1.63	<1	<1	<5	<1	<1	<1	<1
CP-104B	4/3/97	<1	5.48	<1	<1	<5	<1	<1	<1	<1
CP-106A	4/1/97	<1	2.84	<1	1.58	<5	<1	<1	<1	<1
CP-106B	4/1/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-107	4/9/97	<1	5.50	<1	1.34	<5	<1	<1	<1	<1
CP-108A	4/2/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-108B	4/2/97	<1	<1	<1	<1	7.80	<1	<1	<1	<1
CP-109	4/9/97	<1	1.41	<1	<1	<5	<1	<1	<1	<1
CP-110	4/9/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-111	4/3/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-112	4/3/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-113	4/3/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-114	4/1/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-115A	4/3/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-115B	4/3/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-116	4/9/97	<1	2.53	<1	<1	<5	<1	<1	<1	<1
CP-118	4/9/97	<1	2.51	<1	<1	<5	<1	<1	<1	<1
CP-119	4/9/97	<1	30.5	<1	4.23	<5	<1	<1	<1	<1
CP-121	4/3/97	<1	<1	<1	<1	14.7	<1	<1	<1	<1
CP-122B	4/1/97	<1	<1	<1	<1	9.55	<1	<1	<1	<1
CP-205A	4/1/97	<1	<1	<1	<1	7.94	<1	<1	<1	<1
CP-205B	4/1/97	<1	<1	<1	<1	23.5	<1	<1	<1	<1
W-10	4/2/97	<1	<1	<1	<1	<5	<1	<1	<1	<1

VOCs in Groundwater
2nd Quarter 1997
Pier 91 Facility

CAS Number		*75-71-8*	*74-87-3*	*75-01-4*	*74-83-9*	*75-00-3*	*75-69-4*	*75-35-4*	*67-64-1*	*75-15-0*	*75-09-2*
MTCA Method B (ug/l)		*1600*	*3.37*	*0.023*	*11.2*	*PQL = 10*	*2400*	*0.0729*	*800*	*800*	*5.83*
Well Number	*Sample Date*	*Dichloro-difluoro-methane (ug/l)*	*Chloro-methane (ug/l)*	*Vinyl chloride (ug/l)*	*Bromo-methane (ug/l)*	*Chloro-ethane (ug/l)*	*Trichloro-fluoro-methane (ug/l)*	*1,1-DCE (ug/l)*	*Acetone (ug/l)*	*Carbon disulfide (ug/l)*	*Methylene chloride (ug/l)*
CP-103A	4/2/97	<1	<1	<1	<1	3.49	<1	<1	<5	<1	<5
CP-103B	4/2/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-104A	4/3/97	1.63	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-104B	4/3/97	<1	<1	<1	<1	<1	<1	<1	<5	1.29	<5
CP-106A	4/1/97	<1	11.6	1.06	<1	4.56	<1	<1	<5	<1	<5
CP-106B	4/1/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-107	4/9/97	4.16	<1	1.45	<1	25.9	<1	<1	<5	<1	<5
CP-108A	4/2/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-108B	4/2/97	<1	<1	<1	<1	<1	<1	<1	12.2	7.43	<5
CP-109	4/9/97	<1	<1	<1	<1	46.4	<1	<1	<5	<1	<5
CP-110	4/9/97	<1	<1	<1	<1	4.71	<1	<1	<5	<1	<5
CP-111	4/3/97	<1	<1	<1	<1	17.0	<1	<1	<5	<1	<5
CP-112	4/3/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-113	4/3/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-114	4/1/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-115A	4/3/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-115B	4/3/97	<1	<1	<1	<1	<1	<1	<1	<5	1.44	<5
CP-116	4/9/97	<1	<1	<1	<1	<1	<1	<1	14.4	<1	<5
CP-118	4/9/97	<1	2.58	<1	<1	4.94	<1	<1	13.3	<1	<5
CP-119	4/9/97	<1	<1	1.18	<1	44.9	<1	<1	9.84	<1	<5
CP-121	4/3/97	<1	9.69	<1	<1	<1	<1	<1	20.6	1.42	<5
CP-122B	4/1/97	<1	16.8	<1	<1	<1	<1	<1	12.5	<1	<5
CP-205A	4/1/97	<1	<1	<1	<1	<1	<1	<1	6.83	<1	<5
CP-205B	4/1/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
W-10	4/2/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5

TPH in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*68334-30-5*	*86290-81-5*	*N/A*
MTCA Method A (ug/l)		*1000*	*1000*	*1000*
Well Number	*Sample Date*	*TPH as Diesel (mg/l)*	*TPH as Gasoline (mg/l)*	*TPH (4.18) (mg/l)*
CP-103A	7/14/96	<0.25	0.290	<1
CP-103B	7/14/96	<0.25	<0.1	<1
CP-104A	7/12/96	<0.25	<0.3	<1
CP-104B	7/12/96	<0.25	<0.1	<1
CP-106A	7/11/96	<0.25	<0.3	<1
CP-106B	7/11/96	<0.25	<0.3	<1
CP-107	7/12/96	<0.25	0.400	<1
CP-108A	7/14/96	<0.25	0.150	<1
CP-108B	7/14/96	<0.25	<0.1	<1
CP-109	7/10/96	0.760	<0.1	2.9
CP-110	7/12/96	<0.25	<0.1	<1
CP-111	7/12/96	<0.25	0.140	<1
CP-112	7/14/96	<0.25	<0.3	<1
CP-113	7/16/96	<0.25	0.570	<1
CP-114	7/10/96	<0.25	<0.3	<1
CP-115A	7/11/96	<0.25	<0.3	<1
CP-115B	7/11/96	<0.25	<0.3	<1
CP-116	7/11/96	0.890	0.700	11
CP-117	7/11/96	<0.25	<0.1	5.0
CP-118	7/10/96	1.03	<0.1	2.4
CP-119	7/10/96	1.26	1.91	2.9
CP-121	7/16/96	<0.25	<0.3	<1
CP-122B	7/10/96	<0.25	<0.3	<1
CP-205A	7/16/96	<0.25	<0.3	<1
CP-205B	7/16/96	<0.25	<0.3	<1
W-10	7/16/96	0.280	1.43	<1

PCBs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*12674-11-2*	*11104-28-2*	*11141-16-5*	*53469-21-9*	*12672-29-6*	*11097-69-1*	*11096-82-5*
MTCA Method B (ug/l)		*0.01*	*0.01*	*0.01*	*0.01*	*0.01*	*0.01*	*0.01*
Well Num	*Sample Date*	*Aroclor 1016 (ug/l)*	*Aroclor 1221 (ug/l)*	*Aroclor 1232 (ug/l)*	*Aroclor 1242 (ug/l)*	*Aroclor 1248 (ug/l)*	*Aroclor 1254 (ug/l)*	*Aroclor 1260 (ug/l)*
CP-103A	1/14/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-103B	1/14/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.48
CP-104A	1/16/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-104B	1/16/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-106A	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-106B	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-107	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-108A	1/14/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-108B	1/14/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-109	1/15/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-110	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-111	1/14/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-112	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-113	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-114	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-115A	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-115B	1/17/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-116	1/16/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.30
CP-117	1/16/97	<0.05	<0.05	<0.05	<0.05	<0.05	0.19	<0.05
CP-118	1/15/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-119	1/15/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-121	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-122B	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-205A	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
CP-205B	1/20/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
W-10	1/16/97	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05

Total Metals in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*7439-92-1*	*7782-49-2*	*7440-66-6*
MTCA Method B (ug/l)		*thod A = 0.0*	*0.08*	*4.8*
Well Number	*Sample Date*	*Lead (mg/l)*	*Selenium (mg/l)*	*Zinc (mg/l)*
CP-103A	1/14/97	<0.003	<0.005	<0.02
CP-103B	1/14/97	0.0321	<0.005	0.454
CP-104A	1/16/97	0.006	<0.005	<0.02
CP-104B	1/16/97	<0.003	<0.005	<0.02
CP-106A	1/20/97	<0.003	<0.005	<0.02
CP-106B	1/20/97	<0.003	<0.005	<0.02
CP-107	1/17/97	<0.003	<0.005	<0.02
CP-108A	1/14/97	0.0044	<0.005	0.0802
CP-108B	1/14/97	<0.003	<0.005	<0.02
CP-109	1/15/97	<0.003	<0.005	<0.02
CP-110	1/17/97	<0.003	<0.005	<0.02
CP-111	1/14/97	<0.003	<0.005	<0.02
CP-112	1/17/97	<0.003	<0.005	<0.02
CP-113	1/17/97	<0.003	<0.005	<0.02
CP-114	1/20/97	<0.003	<0.005	<0.02
CP-115A	1/17/97	<0.003	<0.005	<0.02
CP-115B	1/17/97	<0.003	<0.005	<0.02
CP-116	1/16/97	0.0129	<0.005	<0.02
CP-117	1/16/97	0.0155	<0.005	<0.02
CP-118	1/15/97	<0.003	<0.005	<0.02
CP-119	1/15/97	<0.003	<0.005	<0.02
CP-121	1/20/97	<0.003	<0.005	<0.02
CP-122B	1/20/97	<0.003	<0.005	<0.02
CP-205A	1/20/97	<0.003	<0.005	<0.02
CP-205B	1/20/97	<0.003	<0.005	<0.02
W-10	1/16/97	<0.003	<0.005	<0.02

Total Metals in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*7440-22-4*	*7440-38-2*	*7440-39-3*	*7440-41-7*	*7440-43-9*	*7440-47-3*	*7440-50-8*	*7439-97-6*	*7440-02-0*
MTCA Method B (ug/l)		*0.08*	*0.00005*	*1.12*	*0.00002*	*0.008*	*0.08*	*0.592*	*0.0048*	*0.32*
Well Number	*Sample Date*	*Silver (mg/l)*	*Arsenic (mg/l)*	*Barium (mg/l)*	*Beryllium (mg/l)*	*Cadmium (mg/l)*	*Chromium (mg/l)*	*Copper (mg/l)*	*Mercury (mg/l)*	*Nickel (mg/l)*
CP-103A	1/14/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-103B	1/14/97	<0.01	<0.01	<0.2	<0.005	<0.005	0.0226	<0.025	<0.0002	<0.04
CP-104A	1/16/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-104B	1/16/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-106A	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-106B	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-107	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-108A	1/14/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-108B	1/14/97	<0.01	<0.01	<0.2	<0.005	<0.005	0.0112	<0.025	<0.0002	<0.04
CP-109	1/15/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-110	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-111	1/14/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-112	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-113	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-114	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-115A	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-115B	1/17/97	<0.01	<0.01	<0.2	<0.005	<0.005	0.0196	<0.025	<0.0002	<0.04
CP-116	1/16/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-117	1/16/97	<0.01	0.0108	<0.2	<0.005	<0.005	0.0356	<0.025	<0.0002	0.217
CP-118	1/15/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-119	1/15/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-121	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
CP-122B	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	0.0568	<0.025	<0.0002	<0.04
CP-205A	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	0.0102	<0.025	<0.0002	<0.04
CP-205B	1/20/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04
W-10	1/16/97	<0.01	<0.01	<0.2	<0.005	<0.005	<0.01	<0.025	<0.0002	<0.04

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*108-95-2*	*129-00-0*
MTCA Method B (ug/l)		*9600*	*480*
Well Number	*Sample Date*	*Phenol (ug/l)*	*Pyrene (ug/l)*
CP-103A	1/14/97	<1	<1
CP-103B	1/14/97	<1	<1
CP-104A	1/16/97	<1	<1
CP-104B	1/16/97	<1	<1
CP-106A	1/20/97	<1	<1
CP-106B	1/20/97	<1	<1
CP-107	1/17/97	<1	<1
CP-108A	1/14/97	<1	<1
CP-108B	1/14/97	<1	<1
CP-109	1/15/97	<1	<1
CP-110	1/17/97	<1	<1
CP-111	1/14/97	<1	<1
CP-112	1/17/97	<1	<1
CP-113	1/17/97	<1	<1
CP-114	1/20/97	<1	<1
CP-115A	1/17/97	<1	<1
CP-115B	1/17/97	<1	<1
CP-116	1/16/97	<1	4.7
CP-117	1/16/97	67	<1
CP-118	1/15/97	<1	<1
CP-119	1/15/97	<1	<1
CP-121	1/20/97	<1	<1
CP-122B	1/20/97	<1	<1
CP-205A	1/20/97	<1	<1
CP-205B	1/20/97	<1	<1
W-10	1/16/97	<1	<1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*193-39-5*	*78-59-1*	*621-64-7*	*86-30-6*	*91-20-3*	*98-95-3*	*87-86-5*	*85-01-8*
MTCA Method B (ug/l)		*0.012*	*92.1*	*0.0125*	*17.9*	*32*	*8*	*0.729*	*PQL = 10*
Well Number	*Sample Date*	*Indeno (1,2,3-cd) pyrene (ug/l)*	*Isophorone (ug/l)*	*N-Nitroso-di-n-propyl amine (ug/l)*	*N-Nitroso-diphenyl-amine (ug/l)*	*Naphthalene (ug/l)*	*Nitro-benzene (ug/l)*	*Pentachloro-phenol (ug/l)*	*Phenanthrene (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-103B	1/14/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-104A	1/16/97	<1	<1	<1	<1	2.3	<1	<5	4.0
CP-104B	1/16/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-106A	1/20/97	<1	<1	<1	<1	3.9	<1	<5	<1
CP-106B	1/20/97	<1	<1	<1	<1	5.0	<1	<5	<1
CP-107	1/17/97	<1	<1	<1	<1	1.3	<1	<5	1.9
CP-108A	1/14/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-108B	1/14/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-109	1/15/97	<1	<1	<1	<1	3.2	<1	<5	5.4
CP-110	1/17/97	<1	<1	<1	<1	1.0	<1	<5	<1
CP-111	1/14/97	<1	<1	<1	<1	<1	<1	<5	1.2
CP-112	1/17/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-113	1/17/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-114	1/20/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-115A	1/17/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-115B	1/17/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-116	1/16/97	<1	<1	<1	<1	29	<1	<5	13
CP-117	1/16/97	<1	<1	<1	<1	<1	<1	<5	3.9
CP-118	1/15/97	<1	<1	<1	<1	78	<1	<5	<1
CP-119	1/15/97	<1	<1	<1	<1	<1	1.2	<5	7.0
CP-121	1/20/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-122B	1/20/97	<1	<1	<1	<1	<1	<1	<5	<1
CP-205A	1/20/97	<1	<1	13	<1	<1	<1	<5	<1
CP-205B	1/20/97	<1	<1	<1	<1	<1	<1	<5	<1
W-10	1/16/97	<1	<1	<1	<1	6.5	<1	<5	3.1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*84-66-2*	*131-11-3*	*206-44-0*	*86-73-7*	*118-74-1*	*87-68-3*	*77-47-4*	*67-72-1*
MTCA Method B (ug/l)		*12800*	*16000*	*640*	*640*	*0.0547*	*0.561*	*112*	*6.25*
Well Number	*Sample Date*	*Diethyl-phthalate (ug/l)*	*Dimethyl-phthalate (ug/l)*	*Fluoranthene (ug/l)*	*Fluorene (ug/l)*	*Hexachloro-benzene (ug/l)*	*Hexachloro-butadiene (ug/l)*	*Hexachloro-cyclopenta-pentadiene (ug/l)*	*Hexachloro-ethane (ug/l)*
CP-103A	1/14/97	<1	<1	<1	3.7	<1	<1	<1	<1
CP-103B	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-104A	1/16/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-104B	1/16/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-106A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-106B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-107	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-108A	1/14/97	<1	<1	<1	1.1	<1	<1	<1	<1
CP-108B	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-109	1/15/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-110	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-111	1/14/97	<1	<1	<1	5.4	<1	<1	<1	<1
CP-112	1/17/97	<1	<1	<1	1.2	<1	<1	<1	<1
CP-113	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-114	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-115A	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-115B	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-116	1/16/97	<1	<1	3.8	<1	<1	<1	<1	<1
CP-117	1/16/97	<1	<1	<1	33	<1	<1	<1	<1
CP-118	1/15/97	<1	<1	<1	11	<1	<1	<1	<1
CP-119	1/15/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-121	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-122B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-205A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
CP-205B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1
W-10	1/16/97	<1	<1	<1	<1	<1	<1	<1	<1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*117-81-7*	*85-68-7*	*218-01-9*	*84-74-2*	*84-74-2*	*117-84-0*	*53-70-3*	*132-64-9*
MTCA Method B (ug/l)		*6.25*	*3200*	*0.012*	*1600*	*1600*	*320*	*0.012*	*PQL = 10*
Well Number	*Sample Date*	*bis(2-ethylhexyl) phthalate (ug/l)*	*Butyl benzyl phthalate (ug/l)*	*Chrysene (ug/l)*	*Di-n-butyl-phthalate (ug/l)*	*Di-n-butyl-phthalate (ug/l)*	*Di-n-octyl phthalate (ug/l)*	*Dibenz(a,h) anthracene (ug/l)*	*Dibenzofuran (ug/l)*
CP-103A	1/14/97	<2	<1	<1	110	110	<1	<1	<5
CP-103B	1/14/97	<2	<1	<1	46	46	<1	<1	<5
CP-104A	1/16/97	180	<1	<1	18	18	<1	<1	<5
CP-104B	1/16/97	<2	<1	<1	7.2	7.2	<1	<1	<5
CP-106A	1/20/97	2.0	<1	<1	7.8	7.8	<1	<1	<5
CP-106B	1/20/97	22	<1	<1	75	75	<1	<1	<5
CP-107	1/17/97	9.5	<1	<1	94	94	<1	<1	<5
CP-108A	1/14/97	<2	<1	<1	130	130	<1	<1	<5
CP-108B	1/14/97	<2	<1	<1	130	130	<1	<1	<5
CP-109	1/15/97	19	<1	<1	130	130	<1	<1	<5
CP-110	1/17/97	4.4	<1	<1	7.8	7.8	<1	<1	<5
CP-111	1/14/97	<2	<1	<1	110	110	<1	<1	<5
CP-112	1/17/97	<2	<1	<1	8.6	8.6	<1	<1	<5
CP-113	1/17/97	13	<1	<1	7.8	7.8	<1	<1	<5
CP-114	1/20/97	4.1	<1	<1	5.4	5.4	<1	<1	<5
CP-115A	1/17/97	<2	<1	<1	6.2	6.2	<1	<1	<5
CP-115B	1/17/97	<2	<1	<1	6.6	6.6	<1	<1	<5
CP-116	1/16/97	11	<1	2.3	13	13	<1	<1	<5
CP-117	1/16/97	<2	<1	<1	11	11	<1	<1	<5
CP-118	1/15/97	12	<1	<1	120	120	<1	<1	<5
CP-119	1/15/97	5.1	<1	<1	140	140	<1	<1	<5
CP-121	1/20/97	170	<1	<1	9.9	9.9	<1	<1	<5
CP-122B	1/20/97	280	<1	<1	98	98	<1	<1	<5
CP-205A	1/20/97	<2	<1	<1	61	61	<1	<1	<5
CP-205B	1/20/97	4.0	<1	<1	81	81	<1	<1	<5
W-10	1/16/97	2.1	<1	<1	9.9	9.9	<1	<1	<5

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*205-99-2*	*191-24-2*	*207-08-9*	*65-85-0*	*100-51-6*	*111-91-1*	*111-44-4*	*39638-32-9*
MTCA Method B (ug/l)		*0.012*	*PQL = 10*	*0.012*	*64000*	*PQL = 20*	*PQL = 10*	*0.0398*	*320*
Well Number	*Sample Date*	*Benzo(b) fluoranthene (ug/l)*	*Benzo(g,h,i) perylene (ug/l)*	*Benzo(k) fluor-anthene (ug/l)*	*Benzoic acid (ug/l)*	*Benzyl alcohol (ug/l)*	*Bis(2-chloro-ethoxy) methane (ug/l)*	*Bis(2-chloro-ethyl)ether (ug/l)*	*Bis(2-chloroiso-propyl)ether (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-103B	1/14/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-104A	1/16/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-104B	1/16/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-106A	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-106B	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-107	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-108A	1/14/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-108B	1/14/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-109	1/15/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-110	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-111	1/14/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-112	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-113	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-114	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-115A	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-115B	1/17/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-116	1/16/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-117	1/16/97	<1	<1	<1	<5	<2	46	<1	<1
CP-118	1/15/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-119	1/15/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-121	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-122B	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-205A	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
CP-205B	1/20/97	<1	<1	<1	<5	<2	<1	<1	<1
W-10	1/16/97	<1	<1	<1	<5	<2	<1	<1	<1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*100-02-7*	*83-32-9*	*208-96-8*	*62-53-3*	*120-12-7*	*103-33-3*	*92-87-5*	*56-55-3*	*50-32-8*
MTCA Method B (ug/l)		*PQL = 20*	*960*	*PQL = 10*	*15.4*	*4800*	*0.795*	*0.00038*	*0.012*	*0.012*
Well Number	*Sample Date*	*4-Nitro-phenol (ug/l)*	*Acenaph-thene (ug/l)*	*Acenaph-thylene (ug/l)*	*Aniline (ug/l)*	*Anthracene (ug/l)*	*Azobenzene (ug/l)*	*Benzidine (ug/l)*	*Benzo(a) anthracene (ug/l)*	*Benzo(a) pyrene (ug/l)*
CP-103A	1/14/97	<1	1.6	<1	<5	<1	<1	<1	<2	<1
CP-103B	1/14/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-104A	1/16/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-104B	1/16/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-106A	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-106B	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-107	1/17/97	<1	3.9	<1	<5	<1	<1	<1	<2	<1
CP-108A	1/14/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-108B	1/14/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-109	1/15/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-110	1/17/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-111	1/14/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-112	1/17/97	<1	7.0	<1	<5	<1	<1	<1	<2	<1
CP-113	1/17/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-114	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-115A	1/17/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-115B	1/17/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-116	1/16/97	<1	6.9	<1	<5	<1	<1	<1	<2	<1
CP-117	1/16/97	<1	24	<1	<5	<1	<1	<1	<2	<1
CP-118	1/15/97	<1	7.9	<1	<5	13	<1	<1	<2	<1
CP-119	1/15/97	<1	2.8	<1	<5	<1	<1	<1	<2	<1
CP-121	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-122B	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-205A	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
CP-205B	1/20/97	<1	<1	<1	<5	<1	<1	<1	<2	<1
W-10	1/16/97	<1	2.3	<1	<5	<1	<1	<1	<2	<1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*91-94-1*	*99-09-2*	*534-52-1*	*101-55-3*	*59-50-7*	*106-47-8*	*7005-72-3*	*106-44-5*	*100-01-6*
MTCA Method B (ug/l)		*0.194*	*PQL = 50*	*PQL = 50*	*PQL = 10*	*PQL = 20*	*64*	*PQL = 10*	*80*	*PQL = 20*
Well Number	*Sample Date*	*3,3'-chloro-benzidine (ug/l)*	*3-Nitro-aniline (ug/l)*	*4,6-Dinitro-2-methyl-phenol (ug/l)*	*4-Bromo-phenyl-phenyl ether (ug/l)*	*4-Chloro-3-methyl phenol (ug/l)*	*4-Chloro-aniline (ug/l)*	*4-Chloro-phenyl phenyl ether (ug/l)*	*4-Methyl-phenol (ug/l)*	*4-Nitro-aniline (ug/l)*
CP-103A	1/14/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-103B	1/14/97	<1	<5	<5	<1	<2	<2	<1	54	<5
CP-104A	1/16/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-104B	1/16/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-106A	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-106B	1/20/97	<1	<5	<5	<1	<2	<2	<1	6.8	<5
CP-107	1/17/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-108A	1/14/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-108B	1/14/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-109	1/15/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-110	1/17/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-111	1/14/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-112	1/17/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-113	1/17/97	<1	<5	<5	<1	4.9	<2	<1	<1	<5
CP-114	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-115A	1/17/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-115B	1/17/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-116	1/16/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-117	1/16/97	<1	<5	<5	<1	18	<2	<1	<1	<5
CP-118	1/15/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-119	1/15/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-121	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-122B	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-205A	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
CP-205B	1/20/97	<1	<5	<5	<1	<2	<2	<1	<1	<5
W-10	1/16/97	<1	<5	<5	<1	<2	<2	<1	<1	<5

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*121-14-2*	*606-20-2*	*91-58-7*	*95-57-8*	*91-57-6*	*95-48-7*	*88-74-4*	*88-75-5*
MTCA Method B (ug/l)		*32*	*16*	*1280*	*80*	*PQL = 10*	*800*	*PQL = 50*	*PQL = 10*
Well Number	*Sample Date*	*2,4-Dinitro-toluene (ug/l)*	*2,6-Dinitro-toluene (ug/l)*	*2-Chloro-napthalene (ug/l)*	*2-Chloro-phenol (ug/l)*	*2-Methyl-naphthalene (ug/l)*	*2-Methyl phenol (ug/l)*	*2-Nitroaniline (ug/l)*	*2-Nitro-phenol (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<1	73	<1	<2	<1
CP-103B	1/14/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-104A	1/16/97	<1	<1	<1	<1	1.5	<1	<2	<1
CP-104B	1/16/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-106A	1/20/97	<1	<1	<1	<1	1.4	<1	<2	<1
CP-106B	1/20/97	<1	<1	<1	<1	2.0	<1	<2	<1
CP-107	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-108A	1/14/97	<1	<1	<1	<1	22	<1	<2	<1
CP-108B	1/14/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-109	1/15/97	<1	<1	<1	<1	150	7.8	<2	<1
CP-110	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-111	1/14/97	<1	<1	<1	<1	20	<1	<2	<1
CP-112	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-113	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-114	1/20/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-115A	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-115B	1/17/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-116	1/16/97	<1	<1	<1	<1	27	<1	<2	<1
CP-117	1/16/97	<1	<1	<1	<1	27	<1	<2	<1
CP-118	1/15/97	<1	<1	<1	<1	440	<1	<2	<1
CP-119	1/15/97	<1	<1	<1	<1	<1	11	<2	2.6
CP-121	1/20/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-122B	1/20/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-205A	1/20/97	<1	<1	<1	<1	<1	<1	<2	<1
CP-205B	1/20/97	<1	<1	<1	<1	<1	<1	<2	<1
W-10	1/16/97	<1	<1	<1	<1	36	<1	<2	<1

SVOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*120-82-1*	*95-50-1*	*541-73-1*	*106-46-7*	*95-95-4*	*88-06-2*	*120-83-2*	*105-67-9*	*51-28-5*
MTCA Method B (ug/l)		*80*	*720*	*PQL = 10*	*1.82*	*1600*	*7.95*	*48*	*320*	*32*
Well Number	*Sample Date*	*1,2,4-Trichloro-benzene (ug/l)*	*1,2-Dichloro benzene (ug/l)*	*1,3-Dichloro benzene (ug/l)*	*1,4-Dichloro benzene (ug/l)*	*2,4,5-Trichloro-phenol (ug/l)*	*2,4,6-Trichloro-phenol (ug/l)*	*2,4-Dichloro-phenol (ug/l)*	*2,4-Dimethyl-phenol (ug/l)*	*2,4-Dinitro-phenol (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-103B	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-104A	1/16/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-104B	1/16/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-106A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-106B	1/20/97	<1	<1	<1	<1	<1	<1	<1	1.7	<5
CP-107	1/17/97	<1	1.7	<1	<1	<1	<1	<1	<1	<5
CP-108A	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-108B	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-109	1/15/97	<1	<1	<1	<1	<1	<1	<1	9.8	<5
CP-110	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-111	1/14/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-112	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-113	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-114	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-115A	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-115B	1/17/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-116	1/16/97	<1	12	<1	<1	<1	<1	<1	5.3	<5
CP-117	1/16/97	<1	2.7	<1	<1	<1	<1	<1	130	<5
CP-118	1/15/97	<1	<1	<1	<1	<1	<1	<1	2.4	<5
CP-119	1/15/97	<1	<1	<1	<1	<1	<1	<1	100	<5
CP-121	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-122B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-205A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
CP-205B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<5
W-10	1/16/97	<1	<1	<1	<1	<1	<1	<1	2	<5

VOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*79-34-5*	*541-73-1*	*106-46-7*	*95-50-1*	*95-20-3*
MTCA Method B (ug/l)		*0.219*	*PQL = 10*	*1.82*	*7.2*	*32*
Well Number	*Sample Date*	*1,1,2,2-tetrachloro-ethane (ug/l)*	*1,3-Dichloro-benzene (ug/l)*	*1,4-Dichloro-benzene (ug/l)*	*1,2-Dichloro-benzene (ug/l)*	*Naphthalene (ug/l)*
CP-103A	1/14/97	<3	<1	<1	<1	<5
CP-103B	1/14/97	<3	<1	<1	<1	<5
CP-104A	1/16/97	<3	<1	<1	<1	<5
CP-104B	1/16/97	<3	<1	<1	<1	<5
CP-106A	1/20/97	<3	<1	<1	<1	<5
CP-106B	1/20/97	<3	<1	<1	<1	<5
CP-107	1/17/97	<3	1.3	1.9	<1	<5
CP-108A	1/14/97	<3	<1	<1	<1	<5
CP-108B	1/14/97	<3	<1	<1	<1	<5
CP-109	1/15/97	<3	<1	<1	<1	<5
CP-110	1/17/97	<3	<1	<1	<1	<5
CP-111	1/14/97	<3	<1	<1	<1	<5
CP-112	1/17/97	<3	<1	<1	<1	<5
CP-113	1/17/97	<3	<1	<1	<1	<5
CP-114	1/20/97	<3	<1	<1	<1	<5
CP-115A	1/17/97	<3	<1	<1	<1	<5
CP-115B	1/17/97	<3	<1	<1	<1	<5
CP-116	1/16/97	<3	<1	<1	12	31
CP-117	1/16/97	<3	<1	<1	3.7	81
CP-118	1/15/97	<3	<1	<1	<1	120
CP-119	1/15/97	<3	<1	<1	1.8	120
CP-121	1/20/97	<3	<1	<1	<1	<5
CP-122B	1/20/97	<3	<1	<1	<1	<5
CP-205A	1/20/97	<3	<1	<1	<1	<5
CP-205B	1/20/97	<3	<1	<1	<1	<5
W-10	1/16/97	<3	<1	<1	<1	8.3

VOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*127-18-4*	*591-78-6*	*124-48-1*	*108-90-7*	*100-41-4*	*1330-20-7*	*95-47-6*	*100-42-5*	*75-25-2*
MTCA Method B (ug/l)		*0.858*	*PQL = 50*	*0.521*	*160*	*800*	*16000*	*16000*	*1.46*	*5.54*
Well Number	*Sample Date*	*PCE (ug/l)*	*2-Hexanone (ug/l)*	*Dibromo-chloro methane (ug/l)*	*Chloro-benzene (ug/l)*	*Ethyl-benzene (ug/l)*	*m,p-Xylenes (ug/l)*	*o-Xylene (ug/l)*	*Styrene (ug/l)*	*Bromoform (ug/l)*
CP-103A	1/14/97	<1	<5	<1	<1	<1	1.2	1.5	<1	<1
CP-103B	1/14/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-104A	1/16/97	<1	<5	<1	<1	<1	3.6	2.9	<1	<1
CP-104B	1/16/97	<1	<5	<1	<1	33	34	18	<1	<1
CP-106A	1/20/97	<1	<5	<1	<1	12	12	3.6	<1	<1
CP-106B	1/20/97	<1	<5	<1	<1	18	7.4	2.3	<1	<1
CP-107	1/17/97	<1	<5	<1	<1	<1	3.3	2.0	<1	<1
CP-108A	1/14/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-108B	1/14/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-109	1/15/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-110	1/17/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-111	1/14/97	<1	<5	<1	<1	<1	1.0	1.5	<1	<1
CP-112	1/17/97	<1	<5	<1	<1	<1	4.2	2.8	<1	<1
CP-113	1/17/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-114	1/20/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-115A	1/17/97	<1	<5	<1	<1	1.0	3.5	2.2	<1	<1
CP-115B	1/17/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-116	1/16/97	<1	<5	<1	<1	13	15	34	<1	<1
CP-117	1/16/97	5.9	<5	<1	<1	10500	11400	6050	<1	<1
CP-118	1/15/97	<1	<5	<1	<1	44	6.3	13	<1	<1
CP-119	1/15/97	<1	<5	<1	<1	23	36	47	<1	<1
CP-121	1/20/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-122B	1/20/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-205A	1/20/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
CP-205B	1/20/97	<1	<5	<1	<1	<1	<1	<1	<1	<1
W-10	1/16/97	<1	<5	<1	<1	52	52	28	<1	<1

VOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*71-43-2*	*79-01-6*	*78-87-5*	*75-27-4*	*10061-01-5*	*108-10-1*	*108-88-3*	*10061-02-6*	*79-00-5*
MTCA Method B (ug/l)		*1.51*	*3.98*	*0.643*	*0.706*	*PQL = 5*	*400*	*1600*	*PQL = 5*	*0.768*
Well Number	*Sample Date*	*Benzene (ug/l)*	*TCE (ug/l)*	*1,2-Dichloro propane (ug/l)*	*Bromo-dichloro methane (ug/l)*	*cis-1,3-Dichloro-propene (ug/l)*	*4-Methyl-2-pentanone (ug/l)*	*Toluene (ug/l)*	*Trans-1,3-Dichloro-propene (ug/l)*	*1,1,2-trichloro-ethane (ug/l)*
CP-103A	1/14/97	13	<2	<1	<1	<1	<5	2.6	<1	<1
CP-103B	1/14/97	<1	<2	<1	<1	<1	<5	5.1	<1	<1
CP-104A	1/16/97	3.3	2.2	<1	<1	<1	<5	5.4	<1	<1
CP-104B	1/16/97	<1	<2	<1	<1	<1	<5	21	<1	<1
CP-106A	1/20/97	1.7	<2	<1	<1	<1	<5	3.4	<1	<1
CP-106B	1/20/97	1.4	<2	<1	<1	<1	<5	3.8	<1	<1
CP-107	1/17/97	2.7	<2	<1	<1	<1	<5	3.8	<1	<1
CP-108A	1/14/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-108B	1/14/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-109	1/15/97	21	<2	<1	<1	<1	<5	9	<1	<1
CP-110	1/17/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-111	1/14/97	3.6	<2	<1	<1	<1	<5	<2	<1	<1
CP-112	1/17/97	<1	<2	<1	<1	<1	<5	6.5	<1	<1
CP-113	1/17/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-114	1/20/97	<1	<2	<1	<1	<1	<5	2.4	<1	<1
CP-115A	1/17/97	<1	<2	<1	<1	<1	<5	2.2	<1	<1
CP-115B	1/17/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-116	1/16/97	7.1	<2	<1	<1	<1	<5	9.9	<1	<1
CP-117	1/16/97	27	6.2	<1	<1	<1	<5	10000	<1	<1
CP-118	1/15/97	35	<2	<1	<1	<1	<5	2.8	<1	9.5
CP-119	1/15/97	44	2.3	<1	<1	<1	<5	90	<1	<1
CP-121	1/20/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-122B	1/20/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-205A	1/20/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
CP-205B	1/20/97	<1	<2	<1	<1	<1	<5	<2	<1	<1
W-10	1/16/97	7.0	<2	<1	<1	<1	<5	38	<1	<1

VOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*156-60-5*	*75-34-3*	*108-05-4*	*156-59-2*	*78-93-3*	*67-66-3*	*71-55-6*	*56-23-5*	*107-06-2*
MTCA Method B (ug/l)		*160*	*800*	*8000*	*80*	*4800*	*7.17*	*7200*	*0.337*	*0.481*
Well Number	*Sample Date*	*trans-1,2-DCE (ug/l)*	*1,1-DCA (ug/l)*	*Vinyl acetate (ug/l)*	*cis-1,2-DCE (ug/l)*	*2-Butanone (ug/l)*	*Chloroform (ug/l)*	*1,1,1-TCA (ug/l)*	*Carbon tetra-chloride (ug/l)*	*1,2-DCA (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-103B	1/14/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-104A	1/16/97	<1	2.1	<1	1.1	<5	<1	<1	<1	<1
CP-104B	1/16/97	<1	3.9	<1	<1	<5	<1	<1	<1	<1
CP-106A	1/20/97	1.1	1.5	<1	2.1	<5	<1	2.3	<1	<1
CP-106B	1/20/97	<1	<1	<1	1.9	<5	<1	<1	<1	<1
CP-107	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-108A	1/14/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-108B	1/14/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-109	1/15/97	<1	1.4	<1	<1	<5	<1	<1	<1	<1
CP-110	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-111	1/14/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-112	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-113	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-114	1/20/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-115A	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-115B	1/17/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-116	1/16/97	<1	2.2	<1	<1	<5	<1	<1	<1	<1
CP-117	1/16/97	<1	35	<1	61	<5	<1	6.6	<1	2.2
CP-118	1/15/97	<1	4.2	<1	<1	<5	<1	<1	<1	<1
CP-119	1/15/97	<1	27	<1	2.7	<5	<1	1.7	<1	<1
CP-121	1/20/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-122B	1/20/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-205A	1/20/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
CP-205B	1/20/97	<1	<1	<1	<1	<5	<1	<1	<1	<1
W-10	1/16/97	<1	<1	<1	<1	<5	<1	<1	<1	<1

VOCs in Groundwater
1st Quarter 1997
Pier 91 Facility

CAS Number		*75-71-8*	*74-87-3*	*75-01-4*	*74-83-9*	*75-00-3*	*75-69-4*	*75-35-4*	*67-64-1*	*75-15-0*	*75-09-2*
MTCA Method B (ug/l)		*1600*	*3.37*	*0.023*	*11.2*	*PQL = 10*	*2400*	*0.0729*	*800*	*800*	*5.83*
Well Number	*Sample Date*	*Dichloro-difluoro-methane (ug/l)*	*Chloro-methane (ug/l)*	*Vinyl chloride (ug/l)*	*Bromo-methane (ug/l)*	*Chloro-ethane (ug/l)*	*Trichloro-fluoro-methane (ug/l)*	*1,1-DCE (ug/l)*	*Acetone (ug/l)*	*Carbon disulfide (ug/l)*	*Methylene chloride (ug/l)*
CP-103A	1/14/97	<1	<1	<1	<1	22	<1	<1	<5	<1	<5
CP-103B	1/14/97	<1	<1	<1	<1	<1	<1	<1	6.9	<1	<5
CP-104A	1/16/97	1.5	<1	<1	<1	<1	<1	2.1	<5	<1	11
CP-104B	1/16/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	5.9
CP-106A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-106B	1/20/97	<1	<1	1.0	<1	<1	<1	<1	<5	<1	<5
CP-107	1/17/97	2.1	<1	<1	<1	12	<1	<1	<5	1.5	<5
CP-108A	1/14/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-108B	1/14/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-109	1/15/97	<1	<1	<1	<1	39	<1	<1	<5	2.4	<5
CP-110	1/17/97	<1	<1	<1	<1	<1	<1	<1	10	<1	<5
CP-111	1/14/97	<1	<1	<1	<1	13	<1	<1	<5	<1	<5
CP-112	1/17/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-113	1/17/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-114	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-115A	1/17/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-115B	1/17/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-116	1/16/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	6.1
CP-117	1/16/97	<1	<1	<1	<1	<1	<1	<1	32	1.7	7.7
CP-118	1/15/97	<1	<1	<1	<1	15	<1	<1	7.4	1.8	<5
CP-119	1/15/97	<1	<1	<1	<1	59	<1	<1	11	4.3	<5
CP-121	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-122B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-205A	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
CP-205B	1/20/97	<1	<1	<1	<1	<1	<1	<1	<5	<1	<5
W-10	1/16/97	<1	<1	<1	<1	<1	<1	<1	31	<1	<5