Note: Original [illegible] in the emergency (MOP0000[illegible]010[illegible]) permit file

34

RECORD OF COMMUNICATION

☑ PHONE CALL ☐ DISCUSSION ☐ FIELD TRIP ☐ CONFERENCE

☐ OTHER (SPECIFY) 8 (417) 862-0751

(Record of item checked above) Springfield, Mo

TO: Jim Dow, Litton Industries, Inc

FROM: DA Degner

DATE: 1 April 82

TIME: 10:50 a

SUBJECT: Submittal of Analytical Data on WW effluent from lagoon (Pond A). MOD 007152903

SUMMARY OF COMMUNICATION

Jim indicated that he had submitted it about two days ago. (So we probably have it here or it should be here tomorrow.) He indicated that it included EP Toxicity data, but not CN- analyses. I requested that he send that to us promptly so we have the type of information we need to make the best decision possible.

He indicated that they would be revising their closure plan to reflect the greatly accelerated schedule requested by MDNR. I told him we were aware of the state's action & that we had a letter coming his way soon on their current closure plan. He was glad to hear that the state was working closely with us.

CONCLUSIONS, ACTION TAKEN OR REQUIRED

I also told him that we would be sending them a revised emergency permit that parallels the state's revised directive. He indicated that if we had a question to just give him a call.

R00337295
RCRA RECORDS CENTER

INFORMATION COPIES TO: Lynn Harrington, R. L. Morby, Karen Flournoy

EPA Form 1300-6 (7-72) REPLACES EPA HQ FORM 5300-3 WHICH MAY BE USED UNTIL SUPPLY IS EXHAUSTED.