From: Frank DeVita
To: Dudek, Heidi M (DEC) (heidi.dudek@dec.ny.gov); Similo, Ashley
Cc: Burke, Gerard (DEC) (gerard.burke@dec.ny.gov); Badalamenti, Salvatore; Myralee S. Machol (mmachol@glencovecda.org); Ellis Koch
Subject: 3398: FW: SPLP Results & Work Plan Amendment
Date: Wednesday, April 15, 2015 10:46:04 AM
Attachments: image002.png
image003.png
image004.png
removed.txt
SPLP Work Plan Ammendment.pdf

Ashley/Heide –

As a follow-up to last week's conversations, enclosed please find the an SPLP Work Plan Amendment prepared by the Development Team in support of continued SPLP efforts at both the Former Li Tungsten Site and the Former Captains Cove Site. Please note that this amendment is intended to provide the following information for your review:

- Results of total lead/arsenic results for soil samples (Total 136) recently collected from both sites;
- Proposed sample selection for performance of subsequent SPLP analysis; and
- Detailed description of linear regression analysis protocol/approach.

At this time, the City requests overall regulatory consensus as to the proposed SPLP procedures/protocols contained within the attached work plan amendment prior to implementation. Should you have any questions or require anything further please do not hesitate to contact me at (516) 364-9890 Ext. 3064 or on my cell at (516) 852-7228. Thanks again!

D&B ENGINEERS
AND
ARCHITECTS, P.C.

Frank DeVita
Senior Associate
330 Crossways Park Drive
Woodbury, NY 11797
P: 516-364-9890 ext. 3064
F: 516-364-9045
FDeVita@db-eng.com
www.dvirkaandbartilucci.com

Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Derek Ersbak [mailto:dereke@pwgrosser.com]
Sent: Tuesday, April 14, 2015 8:00 AM
To: Frank DeVita
Cc: Graham, Thomas; James Rhodes; Paul Boyce; Nemichand, Shashank; Ellis Koch; Evangelista, Tony
Subject: RE: SPLP Results & Work Plan Ammendment

Frank,

Please use this version. I had an older version of the Lower Parcel C map in the last attachment.

Derek Ersbak | Project Manager **| P.W. Grosser Consulting**
630 Johnson Ave, Suite 7
Bohemia, NY 11716
w. 631.589.6353
f. 631.589.8705

From: Evangelista, Tony [mailto:tevangelista@posillicoinc.com]
Sent: Tuesday, April 14, 2015 7:59 AM
To: Derek Ersbak; Ellis Koch
Cc: Graham, Thomas; James Rhodes; Paul Boyce; Nemichand, Shashank
Subject: RE: SPLP Results & Work Plan Ammendment

Derek, the lower c map in the report is the same one I got a few days ago, is that the latest map? Also, I don't see sample LT-C-096 on the maps which is slated for SPLP.

Ellis, I don't see many new tests in the "red areas", what's the plan? Do we think we have enough test results to satisfy the agencies at this point? Will we need more testing to do spot clean ups after SPLP / SMOC levels are determined?

Thx
Tony

From: Derek Ersbak [mailto:dereke@pwgrosser.com]
Sent: Monday, April 13, 2015 4:53 PM
To: Ellis Koch
Cc: Graham, Thomas; Evangelista, Tony; James Rhodes; Paul Boyce; Nemichand, Shashank
Subject: SPLP Results & Work Plan Ammendment

Ellis,

As we discussed today, please find attached the results for the Total Arsenic and Lead testing as well as the write up on modifications to the work plan and our suggestions for which samples to further analyze for SPLP. Please review and let us know if you have any comments. If you would like to have the lab start analysis on these samples prior to submitting to the agencies, please let me know and I will instruct the lab to start on these.

Derek

Derek Ersbak | Project Manager

P.W. Grosser Consulting

630 Johnson Ave, Suite 7
Bohemia, NY 11716
w. 631.589.6353
f. 631.589.8705

The information contained in this e-mail, including any attachments, is intended solely for the use of the individual to which it is addressed and may contain information that is privileged and confidential. Any review, use, distribution or disclosure by others is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete the email message along with any attachments. Thank you.

Please consider the environment - think before you print!

This message contains information which may be confidential and privileged. Unless you are the intended recipient you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail and delete the message.