To: Maddaloni, Mark[Maddaloni.Mark@epa.gov]
From: Grossman, Lenny
Sent: Wed 6/19/2013 6:13:05 PM
Subject: FW: Response to AES comments on EPA's assessment of Agremax
1994 Dye&Pigment Proposal-Listing Policy.pdf
ColFallsAlumFormatted.DOC

From: Helms, Greg
Sent: Thursday, May 09, 2013 4:10 PM
To: Grossman, Lenny
Subject: RE: Response to AES comments on EPA's assessment of Agremax

Lenny-

Thanks for sending the comments on the draft response. **Ex. 5 - Deliberative**

Ex. 5 - Deliberative

Thanks.

Gregory Helms
U.S. EPA
Acting Chief, Waste Characterization Branch
Office of Solid Waste and Emergency Response
phone: 703-308-8845
fax: 703-308-0514

helms.greg@epa.gov

Address for regular/USPS mail:
1200 Pennsylvania Ave. NW
Mail Code 5304P
Washington, DC 20460

Address for overnight/hand delivery mail:
Two Potomac Yard
2733 S. Crystal Dr.
5th Floor; N-5611
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:
www.epa.gov/epawaste/inforesources/pubs/orientat/

From: Grossman, Lenny
Sent: Wednesday, May 01, 2013 2:49 PM
To: Helms, Greg
Cc: Meyer, George; Simon, Paul; Sawyer, William; Nurkin, Gary
Subject: Response to AES comments on EPA's assessment of Agremax

Greg,

As indicated, attached are comments from Paul Simon. Please note that these, as well as the comments from Mark Maddaloni that I previously sent, are confidential.

Best regards,

Len