EPA Region 5 Records Ctr.
390879

SF/HRS
031162C007-Cook Co

9 2 3 2 2 0 0 0 8 5 5

CERCLA
Environmental Priorities Initiative Preliminary Assessment Report

Illinois Environmental Protection Agency
P.O. Box 19276,
Springfield, Il 62794-9276

Confidential Material May be Enclosed

TABLE OF CONTENTS

Section	Page
Executive Summary	3
Site Map	9
Visual Site Inspection Form	10
Preliminary Assessment Form	24
Supporting Documentation	31

9 2 3 2 2 0 0 0 0 5 6

EXECUTIVE SUMMARY

Location

Petrochem Services, Incorporated can be found on Canal Bank Road N.E., Lemont, Cook County, Illinois which is between the Des Plains River and the Chicago Sanitary and Ship Canal. Petrochem maintains a 35 year lease with the Metropolitan Sanitary District of Greater Chicago. The 17 acre facility is located in the N1/2 of Section 21, Township 37 N., Range 11 E. of the 3rd P.M.

Current Operations

Petrochem Services, Incorporated is a service contracting company specializing in oil and chemical industry cleaning, maintenance and emergency spill response. This facility receives hazardous and non-hazardous wastes from off site and blends and treats these wastes to produce hazardous waste fuel, off-specification used oil and on-specification used oil (little to no on-spec used oil is generated). Sources of waste generated off site include cleaning tanker trucks and cleaning off site stationary tanks. This facility also operates an on site barge cleaning operation. They receive hazardous and non-hazardous wastes from the Illinois Environmental Protection Agency (IEPA Emergency Response Unit), the Illinois State Police Department of Criminal Investigations, Tox-Away (a government-sponsored Indianapolis, Indiana project to handle the shipment and disposal of hazardous household wastes) and generators, for temporary storage, which eventually go off site for incineration.

Permitting Status/History

Petrochem qualified for Interim Status by reporting that the construction of the facility began in May of 1980. IEPA Air Permit # 82110046 was issued July 6, 1984 while Operating Permit # 1983-5-OP was issued on August 24, 1984. In October of 1984, the first load was processed by the new facility. On April 2, 1985, ILWD purchased 50% of Petrochem stock which changed representation on the board of directors. As a result, on July 22, 1985, Petrochem started accepting solvents on a commercial basis and not just for emergencies as stated in the Operating Permit. Supplemental Permit # 1986-116-SP was issued July 17, 1986 only to be revised on August 28, 1987 and again of March 10, 1988. Currently, Heritage Environmental, Incorporated has sole ownership of

the facility and in April of 1989, Petrochem's name will be changed to reflect this.

SWMU Identification

Petrochem's facility consists of five Solid Waste Management Units (SWMU's). One SWMU was destroyed by fire and another is to be built sometime in the near future.

Tank Storage and Treatment Area

A major portion of wastes is processed in a 173.33 feet by 71.33 feet area that is capable of acid/chemical treatment, heat treatment, filtration, blending, agitation, flocculation, air flotation, dehydration, centrifuge, water treatment, carbon treatment, solidification, distillation, neutralization, fixation, emulsification, separation, and burning hazardous waste fuels and used oil fuel in the industrial boiler. The area is concrete diked to contain 110% of the total capacity of the 23 tanks involved in this SWMU.

Thirteen of the 23 tanks are used to treat oil/hydrocarbon mixes. These vessels recycle the oil-water mixture or the hydrocarbon-water mixture first by separation of the aqueous phases. This is accomplished by any of a number of the process listed above which will finally render the used oil into industrial fuel and the hazardous hydrocarbons into hazardous waste fuels. The aqueous phases are separated and disposed of as non hazardous or listed hazardous waste. The solids are dewatered and shipped to a landfill as hazardous or non hazardous.

Six tanks are designated for independent storage and or treatment. The vessels are used to store waste and perform basic treatment, such as, blending, decanting of aqueous phase, and filtration. Two of these tanks have side entry mixers to allow blending of various hazardous waste into hazardous waste fuel for licensed hazardous waste fuel burners. The other four tanks are used to store waste or recycled products. The waste may be hazardous or non hazardous and is either hazardous waste fuel blend stock or is accumulated for truckload shipments to recyclers or disposal sites.

The four other tanks inside the diked area include a lime slurry storage tank, two boiler fuel tanks and a recirculation tank. Two process water storage tanks are located just outside the diked area. The volumes of all of the tanks can be seen in the Visual Site Inspection Report.

The hazardous (restricted) wastes are generated at the rate of 45,000 gallons per month. This is shipped off site approximately 3 times per week to Continental Cement

9 2 3 2 2 0 0 3 5 9

(Hanibal, Missouri) or Systech (Greencastle, Indiana) for use as fuel in cement kilns.

Drum/Container Storage Area

Another SWMU is the drum/container storage area adjacent to the tank dike. The drums are stored for off site treatment/disposal or on site treatment by the preceding SWMU. The drum/container storage area is also diked so that 110% of the capacity of 600 drums would be contained. The unloading dock is designed so that any spills could be contained and collected by a sump built into the asphalt drive at the base of the dock.

Containerized Storage in Van Trailers

The area with containerized storage in van trailers is also considered a SWMU and is approximately 50 feet by 70 feet. This area can accommodate 10 trailers containing about 80 drums per trailer and is situated on an asphalt pad with a 2 to 3 inch berm.

Shredder Unit

A shredder unit operation that started in March of 1988 was destroyed by fire on September 1, 1988. The cause of the fire is unknown and Petrochem's insurance company is currently investigating. The SWMU consisted of a 160 drum storage with five 550 gallon process liquid waste storage tanks to facilitate the Shred-pax AZ-15 unit. Aerosol and non aerosol consumer products were processed by this unit.

Roll-Off Boxes

Two roll-off boxes are used to discard debris from the other SWMU's. The 15 and 20 cubic yard roll-off boxes are used to store recyclible metals or other trash.

Drum Crusher Unit

The drum crusher unit is used to reduce the volume of old drums that would go to a recycler. This unit is located near the roll-off boxes.

Hazardous Materials Present

Petrochem is permitted to accept a wide variety of wastes. An analysis of each waste stream accepted from each generator is to be maintained on file. The types of waste for recovery include: non-halogenated aliphatics; non-halogenated aromatics; alcohols; ketones; halogenated aliphatics; esters; corrosive waste; non-hazardous used, waste, off-spec and surplus oil; hazardous used, waste, off-spec and surplus oils; and listed hazardous petroleum refinery wastes. The

9 2 3 2 2 0 0 0 3 6 0

types of waste for blending into supplemental fuels include: non-hazardous used, waste, off-spec and surplus oils; hazardous used, waste, off-spec and surplus oils; non-halogenated solvents and liquids; and washes and sludges from the formulation of ink. Wastes for bulking and or blending consist of the following: non-halogenated solvents and liquids; and halogenated solvents and liquids. The wastes treated include: corrosive waste for neutralization and off-specification or scrap commercial products which were shredded. Wastes for crushing include, "RCRA Empty" contains. A complete list of wastes can be found in the attached supplemental permit.

Compliance History

The facility has had no major compliance problems. In the last inspection on September 30, 1988, the only deficiency noted was that containers of restricted hazardous waste were not marked to identify the date they entered storage.

Visual Site Inspection

At 1:00 pm on January 9, 1989, a visual site inspection was conducted by Tim Murphy and Rob Watson of IEPA. Petrochem was represented by Michael J. Crafton, plant manager and Paul Zajec, plant foreman. The weather conditions were clear and breezy with a temperature of 24 degrees Fahrenheit.

We first walked through the vehicle maintenance shop and on to the laboratory. The shop, as well as the laboratory appeared to be clean and organized. No analysis were being conducted at the time of our visit. From the laboratory we exited the building and stood in the truck transfer area. Although this area is to be a containment area should a spill occur, we noticed the area was fairly level. We proceeded to walk around the tank process storage and treatment unit and discussed some of the processes. No cracks were noted in the 5 foot dike that surrounded the tanks. We continued on and inspected the drum/containerized storage area and the containerized storage in van trailer area. Southwest of the van trailer storage area, we saw where the shredder unit had been destroyed by fire. The debris from the fire had been cleaned up and removed or stored in the north corner of the property.

Drainage for the balance of the property is to the canal either by direct gradient or by a small ditch on the western portion of the property. The ditch could be blocked off in the event of a mishap. The capacity of the ditch is several thousand gallons.

Next, we looked at an area south of the main processing SWMU and northeast of the burned shredder unit where a new treatment system is to be built. Rob Watson who is reviewing

9 2 3 2 2 0 0 0 5 6 1

the permit for the fixation unit, wanted to look at the location. The inspection ended at 3:00 pm after a question and answer session in the offices.

Site Releases/Sampling

No samples have ever been taken of Petrochem's facility and a file review has come up with no complaints. There has been three reported minor releases, one release to the Canal and two air releases. On February 19, 1985, 150-200 gallons of 28% caustic was lost to the Sanitary and Ship Canal when a barge hose ruptured. A 95% clean-up was reported. In July of 1988, a reaction in a trailer sent approximately 5 pounds of lithium aluminum hydrate into the air. The other air release occurred in the September 1, 1988 shredder unit fire.

Targets

In a four mile radius of Petrochem, there are 19 public water wells. The nearest well is one mile south of the site in the village of Lemont. The well is one of three wells that supply the 5640 citizens of Lemont. The well is open from 128 feet to 241 feet in the fractured dolomite aquifer continuous with the aquifer underlying Petrochem. The other two wells are about a mile and a half away and are open in the deeper sandstone aquifer as are many of the other wells in the surrounding area.

Nearby surface waters in the area consist of the Sanitary and Ship Canal that bounds the southwest and southeast side of the property and the Des Plaines River. According to a recent Flood Insurance Rate Map of Cook County Illinois, Petrochem is located in an area of minimal flooding. A 100 year food plain exists on the other side of the Des Plaines River. No public surface water intakes are located downstream.

Air releases are documented and have been discussed in the preceding section. Other than the two reported incidences, no ongoing air pollution episodes were noticed. The area within a half mile of the site is almost entirely industrialized.

The direct contact route is held in check by and 8 foot fence around the site with the exception of the canal and barge slip areas were a 5 foot shear would be encountered.

9232200062



USGS Topographic Series: Romeoville, IL and Sag Bridge, IL
(53A revised 1980, 54B photorevised 1978)

Scale: 1 inch equals 1/4 mile



9 2 3 2 2 0 0 0 3 5 4

APPENDIX

TABLE OF CONTENTS

Appendix		Page
A	Illinois Location Map	A-1
B	Site 4-Mile Radius and Surface Water Map	B-1
C	IEPA Site Photographs	C-1

9232200057

L0311620007

EPA

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT
PART 1 - SITE INFORMATION AND ASSESSMENT

I. IDENTIFICATION
01 STATE: ILD | 02 SITE NUMBER: 085349264

II. SITE NAME AND LOCATION

01 SITE NAME (Legal, common, or descriptive name of site): Petrochem Services, Inc.

02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER: Canal Bank Road N.E. (P.O. Box 337)

03 CITY: Lemont | 04 STATE: IL | 05 ZIP CODE: 60439 | 06 COUNTY: Cook | 07 COUNTY CODE: 031

08 COORDINATES LATITUDE: 41 42 00.5 | LONGITUDE: 088 59 10.0

Sag Bridge, IL N4137.5 - W87525/35 548

10 DIRECTIONS TO SITE (Starting from nearest public road):
From Interstate 55, take Lemont Road South 2.5 miles to Canal Bank Road N.E. (gravel road) Site is located ± .5 mile east of Lemont Road (Stephen St.) between the Chicago Sanitary and Ship Canal and the Des Plaines River

III. RESPONSIBLE PARTIES

01 OWNER (if known): Heritage Environmental Services, Inc.

02 STREET (Business, mailing, residential): 7901 West Morris Street

03 CITY: Indianapolis | 04 STATE: IN | 05 ZIP CODE: 46231 | 06 TELEPHONE NUMBER: (317) 243-0811

07 OPERATOR (if known and different from owner):

08 STREET (Business, mailing, residential):

09 CITY: | 10 STATE: | 11 ZIP CODE: | 12 TELEPHONE NUMBER: ( )

13 TYPE OF OWNERSHIP (Check one)
■ A. PRIVATE ☐ B. FEDERAL: (Agency name) ☐ C. STATE ☐ D. COUNTY ☐ E. MUNICIPAL
☐ F. OTHER: (Specify) ☐ G. UNKNOWN

14 OWNER/OPERATOR NOTIFICATION ON FILE (Check all that apply)
■ A. RCRA 3001 DATE RECEIVED: 9/8/83 (Month Day Year) ☐ B. UNCONTROLLED WASTE SITE (CERCLA 103 c) DATE RECEIVED: / / (Month Day Year) ☐ C. NONE

IV. CHARACTERIZATION OF POTENTIAL HAZARD

01 ON SITE INSPECTION
■ YES DATE 10/27/88 (Month Day Year)
☐ NO
9/30/88 3/28/86 6/28/88

BY (Check all that apply)
☐ A. EPA ☐ B. EPA CONTRACTOR ■ C. STATE ☐ D. OTHER CONTRACTOR
☐ E. LOCAL HEALTH OFFICIAL ☐ F. OTHER: (Specify)
CONTRACTOR NAME(S):

02 SITE STATUS (Check one)
■ A. ACTIVE ☐ B. INACTIVE ☐ C. UNKNOWN

03 YEARS OF OPERATION
1977 (Beginning Year) | Present (Ending Year) ☐ UNKNOWN

04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED
This RCRA regulated facility accepts a wide variety of used oils, sludges, solvents, etc. for treatment

05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION
None noted or observed

V. PRIORITY ASSESSMENT

01 PRIORITY FOR INSPECTION (Check one. If high or medium is checked, complete Part 2 - Waste Information and Part 3 - Description of Hazardous Conditions and Incidents)
☐ A. HIGH (Inspection required promptly) ☐ B. MEDIUM (Inspection required) ☐ C. LOW (Inspect on time available basis) ■ D. NONE (No further action needed, complete current disposition form)

VI. INFORMATION AVAILABLE FROM

01 CONTACT: Michael J. Crafton | 02 OF (Agency/Organization): Heritage Environmental Services, Inc. | 03 TELEPHONE NUMBER: (317) 243-0811

04 PERSON RESPONSIBLE FOR ASSESSMENT: Timothy J. Murphy | 05 AGENCY: IEPA | 06 ORGANIZATION: RPMS | 07 TELEPHONE NUMBER: (217) 785-5737 | 08 DATE: 1/9/89 (Month Day Year)

EPA FORM 2070-12 (7-81)

9232200079

EPA

POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 2 - WASTE INFORMATION

I. IDENTIFICATION

01 STATE	02 SITE NUMBER
ILD	085349264

II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS

01 PHYSICAL STATES (Check all that apply)

(A) SOLID (B) POWDER, FINES (C) SLUDGE (D) SLURRY (E) LIQUID (F) GAS (G) OTHER

02 WASTE QUANTITY AT SITE (Measures of waste quantities must be in compatible units. Leave blank if unknown)

TONS

CUBIC YARDS

NO OF DRUMS

03 WASTE CHARACTERISTICS (Check all that apply)

(A) TOXIC (B) CORROSIVE (C) RADIOACTIVE (D) PERSISTENT (E) SOLUBLE (F) INFECTIOUS (G) FLAMMABLE (H) IGNITABLE (I) HIGHLY VOLATILE (J) EXPLOSIVE (K) REACTIVE (L) INCOMPATIBLE (M) NOT APPLICABLE

III. WASTE TYPE

CATEGORY	SUBSTANCE NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS
SLU	SLUDGE	UNKNOWN		
OLW	OILY WASTE	UNKNOWN		
SOL	SOLVENTS	UNKNOWN		
PSD	PESTICIDES			
OCC	OTHER ORGANIC CHEMICALS	UNKNOWN		
IOC	INORGANIC CHEMICALS			
ACD	ACIDS	UNKNOWN		
BAS	BASES	UNKNOWN		
MES	HEAVY METALS			

IV. HAZARDOUS SUBSTANCES (See Appendix for most frequently cited CAS Numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
OLW	engine lube oils				
OLW	transmission fluids				
OLW	hydraulic oils		1 storage		
OLW	insulating fluids and coolant oils		2 treatment		
OLW	metal working fluids		3 blending into fuels		
OLW	turbine oils		4 recycling		
OLW	gear oils		5 blending for off-site incineration		
OLW	greases				
OLW	distillate and residual fuel oils		6 shredding for volume reduction		
OLW	tallows				
OLW	vegetable oils				
OLW	paraffins				
OLW	mineral oils				
OLW	petroleum refining intermediates				
OLW	asphalt				
OLW	sulfonate oil				

V. FEEDSTOCKS (See Appendix for CAS Numbers)

CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		
FDS			FDS		
FDS			FDS		

VI. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

Illinois Environmental Protection Agency File L031162 0007

EPA FORM 2070-12 (7-81)

IV. HAZARDOUS SUBSTANCES

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
OLW	oil/water separator wastes				
OLW	bilge oil wastes				
OLW	oily wash waters from cleaning				
OLW	spill clean-up residues				
OLW	pipeline interfaces and transmizers				
SOL	mineral spirits				
SOL	naptha s				
SOL	paraffin solvents				
SOL	plasticizers				
SOL	styrene				
SOL	jet fuel				
SOL	gasoline				
SOL	heptane				
SOL	cyclohexane	110827			
SOL	hexane				
SOL	kerosene				
SOL	lacquer thinner				
SOL	stoddard's solvent		1 storage		
SOL	turpentine		2 treatment		
SOL	isoprene	78795	3 blending into fuels		
SOL	pentane		4 recycling		
SOL	hexene's		5 blending for off-site incineration		
SOL	isopentane				
SOL	methyl cyclohexane		6 shredding for volume reduction		
SOL	isoctane				
SOL	tetrachloroethylene	127184			
SOL	trichloroethylene	79016			
SOL	methylene chloride	75092			
SOL	1,1,1,-trichloroethane	71556			
SOL	carbon tetrachloride	56235			
SOL	chlorinated fluorocarbons				
SOL	chlorobenzene	108907			
SOL	1,1,2-trichloro-1,2,2-trifluoroethane	76131			
SOL	orthodichlorobenzene				
SOL	trichlorofluoromethane	75694			
SOL	dichlorobenzene	25321226			
SOL	xylene				
SOL	benzene	71432			
SOL	toluene				
SOL	cumene	98828			
SOL	cresols	1319773			
SOL	cresylic acid	1319773			
SOL	nitrobenzene				
SOL	ethyl benzene	100414			
SOL	ethyl acetate	141786			
SOL	vinyl acetate				
SOL	dioctyl phthalate				
SOL	diethyl phthalate	84662			

IV. HAZARDOUS SUBSTANCES

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
SOL	methyl acetate				
SOL	isobutyl acetate				
SOL	isopropyl acetate				
SOL	isoamyl acetate	123922			
SOL	amyl acetate	628637			
SOL	ethyl methyl acrylate				
SOL	ethyl acrylate	140885			
SOL	ethanol				
SOL	ethylene glycol				
SOL	butanol	71363			
SOL	isobutyl alcohol	78831			
SOL	methanol				
SOL	isoamyl alcohol				
SOL	tert amyl alcohol				
SOL	cyclohexanol				
SOL	diacetone alcohol				
SOL	2-ethyl-1-butanol				
SOL	2-ethyl-1-hexanol		1 Storage		
SOL	ethyl butanol		2 treatment		
SOL	isopropyl alcohol		3 blending into fuels		
SOL	2-methyl-2-butanol		4 recycling		
SOL	propanol		5 blending for off-		
SOL	2-methyl-1-propanol	78831	site incineration		
SOL	n-octanol		6 shredding for volume		
SOL	acetone	67641	reduction		
SOL	methyl ethyl ketone	78933			
SOL	methyl isobutyl ketone	108101			
SOL	diacetone alcohols				
SOL	acetophenone	98862			
SOL	diisobutyl ketones				
SLU	DAF float - K048				
SLU	slop oil emulsion solids - K049				
SLU	heat exchange bundle cleaning sludge - K050				
SLU	API separator (leaded) - K051				
SLU	tank bottoms (leaded) - K052				
SLU	ink formulation waste - K086				
BAS	sodium hydroxide	1310732			
BAS	potassium hydroxide				
BAS	wastewaters and bottoms containing NaOH and KOH				
ACD	sulfuric acid				
ACD	phosphoric acid				
ACD	wastewaters and bottoms containing sulfuric and phosphoric acid				
OCC	soaps and detergents				
BAS	alkaline cleaners				
OCC	air fresheners				

IV. HAZARDOUS SUBSTANCES (Also listed by most frequently cited CAS Numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
OCC	health and beauty aids				
OCC	petroleum products		shedder system only		
OCC	food products				
OCC	paints and related products				
OCC	adhesives				
OCC	cement				
OCC	insulation				
SOL	creosote				
SOL	1-3 butylene glycol				
SOL	propylene glycol		Storage		
SOL	chloroform	67683	recycling		
SOL	perchloroethylene		off-site incineration		
SOL	1,1,2-trichloroethane				
SOL	dimethyl phthalate	131113			
SOL	di-n-butyl phthalate	84742			

9 2 3 2 2 0 0 0 8 8 3

EPA

POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION
01 STATE: LD
02 SITE NUMBER: 08534 9264

II. HAZARDOUS CONDITIONS AND INCIDENTS

01 ☐ A. GROUNDWATER CONTAMINATION — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ B. SURFACE WATER CONTAMINATION — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ C. CONTAMINATION OF AIR — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ D. FIRE/EXPLOSIVE CONDITIONS — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ E. DIRECT CONTACT — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ F. CONTAMINATION OF SOIL — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 AREA POTENTIALLY AFFECTED: ____ (acres)
04 NARRATIVE DESCRIPTION
No soil exists on site, facility sits directly on top of a fractured dolomite and sandstone deposit

01 ☐ G. DRINKING WATER CONTAMINATION — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ H. WORKER EXPOSURE/INJURY — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 WORKERS POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

01 ☐ I. POPULATION EXPOSURE/INJURY — 02 ☐ OBSERVED (DATE: ____) — POTENTIAL — ALLEGED
03 POPULATION POTENTIALLY AFFECTED: ____
04 NARRATIVE DESCRIPTION
None noted or observed

EPA FORM 2070-13 (7-81)

9232200038 4

POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION
01 STATE: ILD 02 SITE NUMBER: 085349264

II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)

01 ☐ J. DAMAGE TO FLORA — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION

None noted or observed

01 ☐ K. DAMAGE TO FAUNA — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION (Include name(s) of species)

None noted or observed

01 ☐ L. CONTAMINATION OF FOOD CHAIN — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION

None noted or observed

01 ☐ M. UNSTABLE CONTAINMENT OF WASTES (Spills/runoff/standing liquids/flaking drums) — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION

None noted or observed

01 ☐ N. DAMAGE TO OFFSITE PROPERTY — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION

None noted or observed

01 ☐ O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION

None noted or observed

01 ☐ P. ILLEGAL/UNAUTHORIZED DUMPING — 02 ☐ OBSERVED (DATE: _____) ☐ POTENTIAL ☐ ALLEGED
04 NARRATIVE DESCRIPTION

None noted or observed

06 DESCRIPTION (OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS

None noted or observed

III. TOTAL POPULATION POTENTIALLY AFFECTED: 0

IV. COMMENTS

Visual site inspection was conducted 1-9-89 with Rob Watson of IEPA permit section. Michael Crafton, plant manager for Heritage Environmental Services, Inc. (owner of Petrochem) was interviewed along with Paul Zajac, plant foreman. RCRA part B of the permit was discussed as was other plant activities.

V. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

IEPA Division of Land Pollution Control file L031162 0007

EPA FORM 2070-12 (7-81)

VISUAL SITE INSPECTION REPORT

9 2 3 2 2 0 0 0 3 6 5

FACILITY VISUAL SITE INSPECTION FORM

Facility Name: Petrochem Services, Inc. EPA I.D. Number: ILD085349264

Location Address: Canal Bank Rd. N.E. ~~TDD Number:~~

Lemont, IL 60439 (Cook County) ~~HSTS Number:~~

Facility Contact/Title: Michael J. Crafton, Plant Manager

Phone Number: (312) 739-1150

Date of Inspection: January 9, 1989 Time of Inspection: 13 00

Weather: clear, breezy, 24° F

Person(s) Interviewed	Organization	Title
Michael J. Crafton	Heritage Environmental Services, Inc.	Plant Manager
Paul Zajec	Petrochem Services, Inc.	Plant Foreman

Inspector(s)	Organization	Title
Timothy J. Murphy	IEPA Remedial Project Management Section	Environmental Specialist
Rob Watson	IEPA Permit Section	Environmental Engineer

Facility Description: Petrochem Services, Inc. is a service contracting company specializing in oil and chemical industry cleaning, maintenance and emergency spill response. The facility engages in various storage and treatment technologies of hazardous and non hazardous waste which result in the production of recycled materials, fuels, hazardous waste fuels, off spec oil and enhanced disposal streams. Petrochem also serves as a generator, transporter, marketer and burner of hazardous waste fuels. The facility consists of corporate offices, a 70' x 100' vehicle maintenance shop, a laboratory, a 130' truck transfer and containment area, a 173.33' x 71.33' 23 tank storage and treatment area, 2 28,481 gallon process water storage tanks, a 30.67' x 71.33' 600 drum storage area, 1

9232200606

A. Specific objectives: 15 cubic yard and 20 cubic yard storage roll-off boxes, a 10 year trailer storage area, a plate and frame filter press unit, 2 heat exchangers, a boiler, a drum crusher, and all corresponding sumps, pumps, piping controls, filters, and appurtenances. Petrochem also had a Shed-pax AZ-15 shredder with conveyors, fire suppression, exhaust and liquid collection system which had a 160 drum storage area and 5 550 gallon process liquid waste storage tanks. This system burned up Sept. 1, 1988.

9 2 3 2 2 0 0 0 3 6 7

SOLID WASTE MANAGEMENT UNIT EVALUATION

SWMU No.: 1 Type: Tank Storage and Treatment Area

Unit Description: The 23 storage tanks or vessels used at the facility are constructed of materials compatible with materials held in storage. The vessels are located inside of a concrete dike designed to contain 110% of the total capacity of all vessels. Processes include acid/chemical treatment, heat exchanger, filtration, blending, agitation, flocculation, air floatation, dehydration, centrifuge, water treatment, carbon treatment, solidification, distillation, neutralization, fixation, emulsification, separation, and burn hazardous waste fuels and used oil fuel in the industrial boiler. A list of the tanks is on the following page.

Date of Start Up: 8-24-84

Date of Closure: active

Method of Closure:

Waste Description: A wide variety of wastes are processed at this SWMU, these included the following listed on the supplemental permit attached in the supporting documentation (002 page 47)

9 2 3 2 2 0 0 0 3 6 8

Tank Designation	Volume Per Tank (Gals.)	Usage
ST-1	7,686	Waste/Product Storage and Fuel Blending
ST-2	10,380	Waste/Product Storage and Fuel Blending
ST-3	11,177	Waste/Product Storage and Fuel Blending
ST-4	10,981	Waste/Product Storage and Fuel Blending
ST-5	7,686	Waste/Product Storage and Fuel Blending
ST-6	7,686	Waste/Product Storage and Fuel Blending
OS-1	62,375	Waste/Product Oil Storage
OS-2	62,375	Waste/Product Oil Storage and Fuel Blending
HT-1	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-2	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-3	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-4	19,828	Heat/Treatment and Waste/Product Oil Storage
CB-1	21,401	Oily Waste Treatment/Holding Tank
CB-2	21,401	Oily Waste Treatment/Holding Tank
CB-3	21,401	Separated Water Treatment Tank
CB-4	21,401	Sludge/Water Holding Tank
VR-1	5,875	Waste Storage
VR-2	5,287	Waste Storage
VR-3	5,287	Waste Storage
LS-1	10,528	Lime Slurry Storage Tank
BFS-1	17,000	Boiler Fuel Storage Tank
BFS-2	1,500	Boiler Fuel Storage Tank
RT-1	5,875	Recirculation Tank

9 2 3 2 2 0 0 0 0 6 9

SOLID WASTE MANAGEMENT UNIT EVALUATION

SWMU No.: 2 Type: 600 Drum Storage Area

Unit Description: The drum area is also diked with concrete and is attached to the Tank Storage and Treatment Area.

Date of Start Up: 8-24-84

Date of Closure: active

Method of Closure:

Waste Description: All types of waste are stored subject to compatability. See the attached supplemental permit (page 47)

9232200070

SOLID WASTE MANAGEMENT UNIT EVALUATION

SWMU No.: 3 Type: Containerized Storage In Van Trailers

Unit Description: This unit is southwest of the 600 drum storage area and consists of an asphalt pad with a 2 inch berm that will hold 10 trailers with approximately 80 drums per trailer. The area is about 50' x 90'.

Date of Start Up: March 10, 1988

Date of Closure: active

Method of Closure:

Waste Description: Same as SWMU 1 and 2.

92322000871

SOLID WASTE MANAGEMENT UNIT EVALUATION

SWMU No.: 4 Type: Shedder Unit

Unit Description: Shed-pak AZ-15 with 160 drum storage and 5 550 gallon process liquid waste storage tanks

Date of Start Up: March 1988

Date of Closure: Sept. 1, 1988

Method of Closure: Burned up. Insurance company is investigating. At this time, cause of fire is still unknown.

Waste Description: Consumer products (aerosol cans, etc.)

9232200872

SOLID WASTE MANAGEMENT UNIT EVALUATION

SHMU No.: 5 Type: Roll-off boxes

Unit Description: One 15 cubic yard and on 20 cubic yard (see pictures)

Date of Start Up: unknown

Date of Closure: active

Method of Closure:

Waste Description: 15 cubic yard holds metals while 20 cubic yard holds misculanious debris

9 2 3 2 2 0 0 0 3 7 3

SOLID WASTE MANAGEMENT UNIT EVALUATION

SMU No.: 6 Type: drum crusher

Unit Description: (see picture)

Date of Start Up: UNKNOWN

Date of Closure: active

Method of Closure:

Waste Description: drums that will go to metal recycler

9 2 3 2 2 0 0 8 3 7 4

Release Controls: A 1.5' dike exist around the 23 Tank Storage and Treatment area as well as the 600 Drum Storage area which enable these areas to hold 110% of thier total volumes. Certain tanks and vessels in the Tank Storage and Treatment area are equiped with relief valves that pass vapors through a carbon absorber control device prior to release. The central drainage ditch that enters the canal can be blocked to intercept a spill.

History of Release: On 2-19-85, 150-200 gallons of 28% caustic was lost to the Sanitary and Ship Canal when a barge hose ruptured. They reported 95% clean-up. In July of 1988, a reaction in a trailer sent approximately 5 pounds of lithium aluminum hydrate into the air. On September 1, 1988, the Shedder Unit fire created another air release.

Observed/Potential Releases

Soils: No soils exist on site. The site sits directly on top of Niagaran dolomite. No observed releases were noted.

Groundwater: Although the Niagaran dolomite has fractures, the diked areas would not permit such a release.

92322000375

All [illegible] visual or olfactory releases were noted.

Subsurface Gas: None noted

Surface Water: None Noted

Exposure Potential

Direct Contact: The exposure potential via direct contact is minimized by a 8 foot fence around the site other than the Canal and barge slip areas where a 5 foot shear would be encountered.

Groundwater Route: One mile south of the site Lemont public well is open to the Niagaran dolomite (uncased from 128'-241') continuous with the aquifer underlying Petrochem

dwellings within 4 miles of the site, there are greater than 10,000 people

Sensitive Environments: None noted

Suggested Further Act: RCRA inspections should continue

92322000877

Evaluation Summary [illegible]

45,000 gallons of hazardous waste fuel (D001, F003, F005) per month. Since the facility started accepting waste in 1984, only three minor releases have occurred. Overall, the facility is operating within RCRA regulations. Routes of contamination have been held in check by dikes, berms and air filtration canisters on certain vessels. Under CERCLA, the facility does not warrent a Screening Site Inspection

TJM:jab/sp87k

Appendix A

9 2 3 2 2 0 0 0 3 3 6

Petrochem Services, Inc
Lemont, IL



SITE LOCATION

9 2 3 2 2 0 0 0 8 8 7

Appendix B

9 2 3 2 2 0 0 0 8 8 8

9 2 3 2 2 0 0 0 3 3 9

Supporting Documentation

Number	Document	Page
001	Operating Permit # 1983-5-OP	33
002	Supplemental Permit # 1986-116-SP	47
003	Summary of 9-30-88 Inspection	65
004	Parts of IEPA DLPC File L0311620007	66
005	Flood Plain Insurance Map	68

9 2 3 2 2 0 0 0 2 9 0

PETROCHEM

Petrochem Services, Inc. P.O. Box 337 Lemont, Illinois 60439 (312) 739-1150

February 25, 1988

Illinois EPA
Division of Land Pollution Control
2200 Churchill Road
P.O. Box 19275
Springfield, IL 62794-9276

Attention: Mark Scholenberger

Reference: Revised Part A for Petrochem Services, Inc.

Dear Mark Scholenberger:

Enclosed please find a revised RCRA Part A Application for Petrochem Services, Inc. This revision is made in response to USEPA recommendations that this Part A Application be utilized in accordance with the procedures outlined in 40 CFR Part 270.72 (b) and (c).

It is further understood that no additional public notification is required for Petrochem Services, Inc. to change the volumes associated with tank storage capacities.

If you should have any questions or need additional information please feel free to call.

Sincerely,

Mark Schiefelbein
Technical Services

MS:lw

Enclosure

cc: USEPA Region V, w/Enclosure

RECEIVED
MAR 1 1988
IEPA-DLPC

9232200591

CONTINUED FROM THE FRONT

VII. SIC CODES (4-digit, in order of priority)

A. FIRST	B. SECOND
7 4469 (specify)	7 (specify)
C. THIRD	**D. FOURTH**
7 (specify)	7 (specify)

VIII. OPERATOR INFORMATION

A. NAME: PETROCHEM SERVICES, INC.

B. Is the name listed in Item VIII-A also the owner? ☒ YES ☐ NO

C. STATUS OF OPERATOR (Enter the appropriate letter into the answer box; if "Other", specify.)
F = FEDERAL, S = STATE, P = PRIVATE, M = PUBLIC (other than federal or state), O = OTHER (specify): P (specify)

D. PHONE (area code & no.): A 312 739 1150

E. STREET OR P.O. BOX: P.O. BOX 337

F. CITY OR TOWN: LEMONT **G. STATE**: IL **H. ZIP CODE**: 60439

IX. INDIAN LAND — Is the facility located on Indian lands? ☐ YES ☒ NO

X. EXISTING ENVIRONMENTAL PERMITS

A. NPDES (Discharges to Surface Water): 9 N N/A	D. PSD (Air Emissions from Proposed Sources): 9 P
B. UIC (Underground Injection of Fluids): 9 U N/A	E. OTHER (specify): 9 031806AAY (specify) ILLINOIS AIR PERMIT
C. RCRA (Hazardous Wastes): 9 R ILD085349264	E. OTHER (specify): 9 0311620007 (specify) ILLINOIS LAND PERMIT

XI. MAP

Attach to this application a topographic map of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers and other surface water bodies in the map area. See instructions for precise requirements.

XII. NATURE OF BUSINESS (provide a brief description)

Petrochem Services, Inc. is a service contracting company specializing in oil and chemical industry cleaning, maintenance and emergency spill response. The Facility engages in various storage & treatment technologies of hazardous & non hazardous waste which results in the production of recycled materials, fuels, hazardous waste fuels, off spec oil and enhanced disposal streams. Petrochem also servies as a Generator, Transporter, Marketer and burner of hazardous waste fuels.

XIII. CERTIFICATION (see instructions)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attachments and that, based on my inquiry of those persons immediately responsible for obtaining the information contained in the application, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

A. NAME & OFFICIAL TITLE (type or print)	B. SIGNATURE	C. DATE SIGNED
George A. Smith	George A. Smith V. Pres	2/24/88

COMMENTS FOR OFFICIAL USE ONLY

Please print or type in the unshaded areas only
(fill-in areas are spaced for elite type, i.e., 12 characters/inch).

Form Approved OMB No. 158-S00004

FORM 3 RCRA

EPA

U.S. ENVIRONMENTAL PROTECTION AGENCY

HAZARDOUS WASTE PERMIT APPLICATION

Consolidated Permits Program

(This information is required under Section 3005 of RCRA.)

I. EPA I.D. NUMBER

F I L D 0 8 5 3 4 9 2 6 4 11

FOR OFFICIAL USE ONLY

APPLICATION APPROVED	DATE RECEIVED (yr., mo., & day)	COMMENTS

II. FIRST OR REVISED APPLICATION

Place an "X" in the appropriate box in A or B below *(mark one box only)* to indicate whether this is the first application you are submitting for your facility or a revised application. If this is your first application and you already know your facility's EPA I.D. Number, or if this is a revised application, enter your facility's EPA I.D. Number in Item I above.

A. FIRST APPLICATION *(place an "X" below and provide the appropriate date)*

☒ 1. EXISTING FACILITY *(See instructions for definition of "existing" facility. Complete item below.)*

FOR EXISTING FACILITIES, PROVIDE THE DATE *(yr., mo., & day)* OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED *(see the boxes to the left)*

yr.	mo.	day
0 8	0 1	2 0

☐ 2. NEW FACILITY *(Complete item below.)*

FOR NEW FACILITIES, PROVIDE THE DATE *(yr., mo., & day)* OPERATION BEGAN OR IS EXPECTED TO BEGIN

yr.	mo.	day

B. REVISED APPLICATION *(place an "X" below and complete Item I above)*

☐ 1. FACILITY HAS INTERIM STATUS

☐ 2. FACILITY HAS A RCRA PERMIT

III. PROCESSES – CODES AND DESIGN CAPACITIES

A. PROCESS CODE – Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process *(including its design capacity)* in the space provided on the form *(Item III-C)*.

B. PROCESS DESIGN CAPACITY – For each code entered in column A enter the capacity of the process.

1. AMOUNT – Enter the amount.
2. UNIT OF MEASURE – For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
Storage:		
CONTAINER *(barrel, drum, etc.)*	S01	GALLONS OR LITERS
TANK	S02	GALLONS OR LITERS
WASTE PILE	S03	CUBIC YARDS OR CUBIC METERS
SURFACE IMPOUNDMENT	S04	GALLONS OR LITERS
Disposal:		
INJECTION WELL	D79	GALLONS OR LITERS
LANDFILL	D80	ACRE-FEET *(the volume that would cover one acre to a depth of one foot)* OR HECTARE-METER
LAND APPLICATION	D81	ACRES OR HECTARES
OCEAN DISPOSAL	D82	GALLONS PER DAY OR LITERS PER DAY
SURFACE IMPOUNDMENT	D83	GALLONS OR LITERS

PROCESS	PROCESS CODE	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
Treatment:		
TANK	T01	GALLONS PER DAY OR LITERS PER DAY
SURFACE IMPOUNDMENT	T02	GALLONS PER DAY OR LITERS PER DAY
INCINERATOR	T03	TONS PER HOUR OR METRIC TONS PER HOUR; GALLONS PER HOUR OR LITERS PER HOUR
OTHER *(Use for physical, chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the space provided: Item III-C.)*	T04	GALLONS PER DAY OR LITERS PER DAY

RECEIVED

MAR 1 1988

IEPA-DLPC

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE	UNIT OF MEASURE CODE
GALLONS	G	LITERS PER DAY	V	ACRE-FEET	A
LITERS	L	TONS PER HOUR	S	HECTARE-METER	F
CUBIC YARDS	Y	METRIC TONS PER HOUR	W	ACRES	B
CUBIC METERS	C	GALLONS PER HOUR	E	HECTARES	H
GALLONS PER DAY	U	LITERS PER HOUR	H		

EXAMPLE FOR COMPLETING ITEM III *(shown in line numbers X-1 and X-2 below)*: A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

C DUP 1

LINE NUMBER	A. PROCESS CODE (from list above)	B. PROCESS DESIGN CAPACITY 1. AMOUNT (specify)	B. PROCESS DESIGN CAPACITY 2. UNIT OF MEASURE (enter code)	FOR OFFICIAL USE ONLY	LINE NUMBER	A. PROCESS CODE (from list above)	B. PROCESS DESIGN CAPACITY 1. AMOUNT	B. PROCESS DESIGN CAPACITY 2. UNIT OF MEASURE (enter code)	FOR OFFICIAL USE ONLY
X-1	S 0 2	600	G		5				
X-2	T 0 3	20	E		6				
1	S 0 1	85,800	G		7				
2	S 0 2	435,734 ~~354,861~~	G		8				
3	T 0 1	45,000	H		9				
4	T 0 4	50,000	H		10				

EPA Form 3510-3 (6-80)

NOTE: Please read the instructions before completing this form. Use a typewriter or print in ink. Do not write in the shaded areas.

EPA I.D. NUMBER (enter from page 1)	FOR OFFICIAL USE ONLY	
W I D 0 0 4 5 3 1 2 6 4	W DUP	2 DUP

DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)				D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	F002	2500	T	S01	S02	T01	T04	
2	F002	2500	T	S01	S02	T01	T04	
3	F003	2500	T	S01	S02	T01	T04	
4	D001							Included with above
5	F005	2500	T	S01	S02	T01	T04	
6	D001							Included with above
7	K048	400	T	S01	S02	T01	T04	
8	D008							Included with above
9	K049	1000	T	S01	S02	T01	T04	
10	D008							Included with above
11	D001							Included with above
12	D003							Included with above
13	K050	100	T	S01	S02	T01	T04	
14	D008							Included with above
15	K051	1000	T	S01	S02	T01	T04	
16	D008							Included with above
17	D001							Included with above
18	K052	400	T	S01	S02	T01	T04	
19	D008							Included with above
20	D001							Included with above
21	U002	87	T	S01	S02	T01	T04	
22	D001							Included with above
23	U031	35	T	S01	S02	T01	T04	
24	D001							Included with above
25	U019	35	T	S01	S02	T01	T04	
26	D001							Included with above

*A Form 3510-3 (6-80)

CONTINUE ON REVERSE

(enter "A", "B", "C", etc. behind the "3" to identify post-numbered pages)

NOTE: Photocopy this form before homogenizing if you have more than 26 wastes to list.

EPA I.D. NUMBER (enter from page 1): W I N D 3 3 0 0 0 8 9 5 1

FOR OFFICIAL USE ONLY: W DUP DUP

DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)				D. PROCESSES 2. PROCESS DESCRIPTION (If a code is not entered in D(1))
1	U080	177	T	S01	S02	T01	T04	
2	U154	70	T	S01	S02	T01	T04	
3	D001							Included with above
4	U220	350	T	S01	S02	T01	T04	
5	D001							Included with above
6	U239	350	T	S01	S02	T01	T04	
7	D001							Included with above
8	U052	200	T	S01	S02	T01	T04	
9	U226	300	T	S01	S02	T01	T04	
10	U159	350	T	S01	S02	T01	T04	
11	D001							Included with above
12	U061	175	T	S01	S02	T01	T04	
13	D001							Included with above
14	U210	300	T	S01	S02	T01	T04	
15	U107	90	T	S01	S02	T01	T04	
16	U088	90	T	S01	S02	T01	T04	
17	D001	2500	T	S01	S02	T01	T04	
18	D002	2500	T	S01	S02	T01	T04	
19	D003	250	T	S01	S02	T01	T04	
20	D007	800	T	S01	S02	T01	T04	
21	D008	2000	T	S01	S02	T01	T04	
22	D006	400	T	S01	S02	T01	T04	
23	D005	400	T	S01	S02	T01	T04	
24	D004	400	T	S01	S02	T01	T04	
25	K006	1000	T	S01	S02	T01	T04	
26	U051	90	T	S01	S02	T01	T04	

EPA Form 3510-3 (6-80)

CONTINUE ON REVERSE

9 2 3 2 2 0 0 0 3 9 5

EPA I.D. NUMBER (enter from page 1)		FOR OFFICIAL USE ONLY	
[illegible]		DUP	DUP

DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)				2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	U044	90	T	S01	S02	T01	T04	
2	U227	90	T	S01	S02	T01	T04	
3	U118	90	T	S01	S02	T01	T04	
4	U102	90	T	S01	S02	T01	T04	
5	U096	90	T	S01	S02	T01	T04	
6	U113	90	T	S01	S02	T01	T04	
7	F004	2500	T	S01	S02	T01	T04	
8	F006	90	T	S01	S02	T01	T04	
9	F019	90	T	S01	S02	T01	T04	
10	F007	90	T	S01	S02	T01	T04	
11	F008	90	T	S01	S02	T01	T04	
12	F009	90	T	S01	S02	T01	T04	
13	F010	90	T	S01	S02	T01	T04	
14	F012	90	T	S01	S02	T01	T04	
15	K002	90	T	S01	S02	T01	T04	
16	K003	90	T	S01	S02	T01	T04	
17	K004	90	T	S01	S02	T01	T04	
18	K005	90	T	S01	S02	T01	T04	
19	K006	90	T	S01	S02	T01	T04	
20	K007	90	T	S01	S02	T01	T04	
21	K008	90	T	S01	S02	T01	T04	
22	K022	90	T	S01	S02	T01	T04	
23	K023	90	T	S01	S02	T01	T04	
24	K024	90	T	S01	S02	T01	T04	
25	K093	90	T	S01	S02	T01	T04	
26	K094	90	T	S01	S02	T01	T04	

9232200039 5

EPA Form 3510-3 (8-80)

CONTINUE ON REVERSE

NOTE: Please read the back before completing. Form approved OMB No. 158-S80004

EPA I.D. NUMBER (enter from page 1)	FOR OFFICIAL USE ONLY
W 1 0 0 0 5 2 0 0 0 1 1	W DUP 12 DUP

IV. DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARDOUS WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)				2. PROCESS DESCRIPTION (if a code is not entered in D.1.)
1	K025	90	T	S01	S02	T01	T04	
2	K029	90	T	S01	S02	T01	T04	
3	K095	90	T	S01	S02	T01	T04	
4	K096	90	T	S01	S02	T01	T04	
5	K083	90	T	S01	S02	T01	T04	
6	K104	90	T	S01	S02	T01	T04	
7	K032	90	T	S01	S02	T01	T04	
8	K035	90	T	S01	S02	T01	T04	
9	K041	90	T	S01	S02	T01	T04	
10	K099	90	T	S01	S02	T01	T04	
11	K062	90	T	S01	S02	T01	T04	
12	K087	90	T	S01	S02	T01	T04	
13	P005	90	T	S01	S02	T01	T04	
14	P010	90	T	S01	S02	T01	T04	
15	P013	90	T	S01	S02	T01	T04	
16	P028	90	T	S01	S02	T01	T04	
17	P021	90	T	S01	S02	T01	T04	
18	P022	90	T	S01	S02	T01	T04	
19	P029	90	T	S01	S02	T01	T04	
20	P030	90	T	S01	S02	T01	T04	
21	P031	90	T	S01	S02	T01	T04	
22	P039	90	T	S01	S02	T01	T04	
23	P040	90	T	S01	S02	T01	T04	
24	P071	90	T	S01	S02	T01	T04	
25	P063	90	T	S01	S02	T01	T04	
26	P064	90	T	S01	S02	T01	T04	

EPA Form 3510-3 (6-80)

CONTINUE ON REVERSE

9232200097

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

Form Approved OMB No. 158-S80004

EPA I.D. NUMBER (enter from page 1)	FOR OFFICIAL USE ONLY
W I L D 0 8 5 3 4 9 2 6 4 1	W DUP 2 DUP

IV. DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)	D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	P074	90	T	S01 S02 T01 T04	
2	P089	90	T	S01 S02 T01 T04	
3	P094	90	T	S01 S02 T01 T04	
4	P043	90	T	S01 S02 T01 T04	
5	P040	90	T	S01 S02 T01 T04	
6	P097	90	T	S01 S02 T01 T04	
7	P098	90	T	S01 S02 T01 T04	
8	P075	90	T	S01 S02 T01 T04	
9	P111	90	T	S01 S02 T01 T04	
10	P104	90	T	S01 S02 T01 T04	
11	P106	90	T	S01 S02 T01 T04	
12	P108	90	T	S01 S02 T01 T04	
13	P110	90	T	S01 S02 T01 T04	
14	P123	90	T	S01 S02 T01 T04	
15	P120	90	T	S01 S02 T01 T04	
16	P121	90	T	S01 S02 T01 T04	
17	U007	90	T	S01 S02 T01 T04	
18	U008	90	T	S01 S02 T01 T04	
19	U009	90	T	S01 S02 T01 T04	
20	U012	90	T	S01 S02 T01 T04	
21	U070	90	T	S01 S02 T01 T04	
22	U071	90	T	S01 S02 T01 T04	
23	U072	90	T	S01 S02 T01 T04	
24	U159	90	T	S01 S02 T01 T04	
25	U211	90	T	S01 S02 T01 T04	
26	U037	90	T	S01 S02 T01 T04	

9232200038 93

EPA Form 3510-3 (6-80)

CONTINUE ON REVERSE

Continued from page 2

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

Form Approved OMB No. 158-S80004

EPA I.D. NUMBER (enter from page 1)	FOR OFFICIAL USE ONLY
W I L D 0 8 5 3 4 0 2 6 4 1	W DUP 12 DUP

IV. DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)	D. PROCESSES 2. PROCESS DESCRIPTION (If a code is not entered in D(1))
1	U048	90	T	S01 S02 T01 T04	
2	U055	90	T	S01 S02 T01 T04	
3	U240	90	T	S01 S02 T01 T04	
4	U078	90	T	S01 S02 T01 T04	
5	U079	90	T	S01 S02 T01 T04	
6	U081	90	T	S01 S02 T01 T04	
7	U082	90	T	S01 S02 T01 T04	
8	U087	90	T	S01 S02 T01 T04	
9	U092	90	T	S01 S02 T01 T04	
10	U001	90	T	S01 S02 T01 T04	
11	U112	90	T	S01 S02 T01 T04	
12	U117	90	T	S01 S02 T01 T04	
13	U122	90	T	S01 S02 T01 T04	
14	U123	90	T	S01 S02 T01 T04	
15	U213	90	T	S01 S02 T01 T04	
16	U125	90	T	S01 S02 T01 T04	
17	U127	90	T	S01 S02 T01 T04	
18	U128	90	T	S01 S02 T01 T04	
19	U133	90	T	S01 S02 T01 T04	
20	U134	90	T	S01 S02 T01 T04	
21	U140	90	T	S01 S02 T01 T04	
22	U144	90	T	S01 S02 T01 T04	
23	U129	90	T	S01 S02 T01 T04	
24	U147	90	T	S01 S02 T01 T04	
25	U151	90	T	S01 S02 T01 T04	
26	U154	90	T	S01 S02 T01 T04	

9232200089 9

EPA Form 3510-3 (11-80)

CONTINUE ON REVERSE

Continued from page 2.

NOTE Photocopy this page before completing if you have more than 26 waste to list.

Form Approved OMB No 158-S80004

EPA I.D. NUMBER (enter from page 1)	FOR OFFICIAL USE ONLY
W L D 0 8 5 2 4 0 2 6 4 1	W DUP 2 DUP

IV. DESCRIPTION OF HAZARDOUS WASTES (continued)

LINE NO.	A. EPA HAZARD. WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (enter code)	D. PROCESSES 1. PROCESS CODES (enter)	D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	U247	90	T	S01 S02 T01 T04	
2	U226	90	T	S01 S02 T01 T04	
3	U161	90	T	S01 S02 T01 T04	
4	U162	90	T	S01 S02 T01 T04	
5	U165	90	T	S01 S02 T01 T04	
6	U163	90	T	S01 S02 T01 T04	
7	U188	90	T	S01 S02 T01 T04	
8	U190	90	T	S01 S02 T01 T04	
9	U196	90	T	S01 S02 T01 T04	
10	U204	90	T	S01 S02 T01 T04	
11	F027	90	T	S01 S02 T01 T04	
12	U208	90	T	S01 S02 T01 T04	
13	U209	90	T	S01 S02 T01 T04	
14	U213	90	T	S01 S02 T01 T04	
15	U223	90	T	S01 S02 T01 T04	
16	U228	90	T	S01 S02 T01 T04	
17	U249	90	T	S01 S02 T01 T04	
18					
19					
20					
21					
22					
23					
24					
25					
26					

9 2 5 2 2 0 0 9 0 8

PART A LOG: A179 SITE NO. : 0311620007

NAME : PETROCHEM USEPA ILD : ILD085349264

CITY : LEMONT COUNTY : COOK

TYPE (LN,NW,PC SG,SD,FE,GT) : REVIEWER : MAS

DATE REC'D : 88/01/21 DATE MAILED: 88/02/14 APP/DEN/FE: APP
CR/PARTA: NOTIFY FOR:

PROCESS1:	AMOUNT 1:	UNIT 1:	ADD/DEL 1:
PROCESS2:	AMOUNT 2:	UNIT 2:	ADD/DEL 2:
PROCESS3:	AMOUNT 3:	UNIT 3:	ADD/DEL 3:
PROCESS4:	AMOUNT 4:	UNIT 4:	ADD/DEL 4:
PROCESS5:	AMOUNT 5:	UNIT 5:	ADD/DEL 5:
PROCESS6:	AMOUNT 6:	UNIT 6:	ADD/DEL 6:

COMMENTS :

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

217/782-6762

Refer to: 0311620007 -- Cook
Petrochem Services
Permit File
Log 1987-263

March 10, 1988

Petrochem Services, Inc.
Attn: George A. Smith
P.O. Box 337
Lemont, IL 60439

Gentlemen:

This letter is to inform you that the Agency has revised your Operating Permit 1983-5-OP to include the following modifications:

A. To allow fuel blending in Tanks ST-2, ST-3 and ST-5.

B. To permit wastes with a vapor greater than 1.5 psia or with a flash point less than 100F to be stored or treated in Tanks OS-2, ST-1, ST-4 and ST-6.

C. To increase the type of waste streams which can be accepted.

D. To expand the drum crushing operation to cover empty drums received from off site.

E. To allow containerized storage in van trailers.

F. To allow additional consumer products to be accepted for the shredder unit.

G. The clarification of site operations as outlined in your letter of February 18, 1988.

Additional modification requests to your operating permit were not granted because you have failed to provide proof that granting this permit would not result in violations of the Ill. Environmental Protection Act. Section 39(a) of the Illinois Environmental Protection Act (Ill. Rev. Stat., 1979, Ch. 111 1/2, par. 1039(a)) requires the Agency to provide the applicant with specific reasons for the denial of permit. The following reason(s) are given:

A. In regards to dropping the list of solvents suitable for fuel blending or off-site incineration it was not the intent of the Agency to replace the supplemental waste stream system with the generic permit nor to allow the permittee to decide what wastes are suitable for fuel blending or off-site incineration without first consulting the Agency through the above mechanisms. Additionally, it was not felt that all wastes approved to be received were suitable for fuel blending due to their low BTU valve, high flash point or classification as nonflammable. If these materials are to be reconsidered by the Agency at a later [illegible]

9 2 3 2 2 0 0 0 9 0 3

1. justification why the material is better handled through fuel blending than off-site incineration.

2. what percentage of chlorine is in the fuel

3. a copy of the contract which allows chlorine at these levels in the fuel

4. how long are these type of wastes stored before they are blended

5. do the burner of these wastes have an air permit which allows this composition of fuel to be burned.

Additionally your revised closure plan dated February 26, 1985 and your revised part A dated February 25, 1988 have been reviewed and approved.

Should you wish to reapply or have any questions regarding this application, please contact Mark A. Schollenberger at 217/782-9799.

Very truly yours,

Lawrence W. Eastep, P.E., Manager
Permit Section
Division of Land Pollution Control

LWE:MS:mab/0207j/sp

Enclosures

cc: Northern Region
Division File
DAPC - Jim Cobb
Compliance Monitoring
Jeanetter Virgillo - RUI, Inc.

9232200904

Document 002

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

217/782-6762

Refer to: 0311620007 -- Cook County
Petrochem Services, Inc.
ILD085349264
Permit No. 1983-5-OP
Log No. 1987-263 (1987-15, 1986-164 1986-39)

July 17, 1987
Revised April 15, 1987
Revised March 10, 1988

Petrochem Services, Inc.
Attention: George E. Smith
P.O. Box 337
Lemont, IL 60439

Gentlemen:

Permit is hereby granted to the above facility to operate a waste site consisting of 17 acres in the N 1/2 of Section 21, Township 37 N. Range 11E, 3rd P.M. (as more fully described in the original application) to store, treat and/or reclaim waste, surplus or off-specification materials.

Final plans, specifications, application and supporting documents as submitted and approved shall constitute part of this permit and are identified on the records of the Illinois Environmental Protection Agency by the permit number(s) and log number(s) designated in the heading above.

This permit is issued subject to the standard conditions attached hereto and incorporated herein by reference and further subject to the following special conditions:

1. This permit allows Petrochem to operate the following units:

a.

Tank Designation	Volume Per Tank (Gals.)	Usage
ST-1	7,686	Waste/Product Storage and Fuel Blending
ST-2	10,380	Waste/Product Storage and Fuel Blending
ST-3	11,177	Waste/Product Storage and Fuel Blending
ST-4	10,981	Waste/Product Storage and Fuel Blending

ST-5	7,686	Waste/Product Storage and Fuel Blending
ST-6	7,686	Waste/Product Storage and Fuel Bending
OS-1	62,375	Waste/Product Oil Storage
OS-2	62,375	Waste/Product Oil Storage and Fuel Bending
HT-1	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-2	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-3	19,828	Heat/Treatment and Waste/Product Oil Storage
HT-4	19,828	Heat/Treatment and Waste/Product Oil Storage
CB-1	21,401	Oily Waste Treatment/Holding Tank
CB-2	21,401	Oily Waste Treatment/Holding Tank
CB-3	21,401	Separated Water Treatment Tank
CB-4	21,401	Sludge/Water Holding Tank
VR-1	5,875	Waste Storage
VR-2	5,287	Waste Storage
VR-3	5,287	Waste Storage
WS-1	28,481	Water Storage Tanks
WS-2	28,481	Water Storage Tanks
LS-1	10,528	Lime Slurry Storage Tank
PT-1	550	Process Liquid Waste Storage from Shedding Unit ONLY
PT-2	550	Process Liquid Waste Storage from Shedding Unit ONLY

PT-3	550	Process Liquid Waste Storage from Shedding Unit ONLY
PT-4	550	Process Liquid Waste Storage from Shedding Unit ONLY
PT-5	550	Process Liquid Waste Storage from Shedding Unit ONLY

b. Container Storage Areas

Unit Designation	Volume	Usage
Drum Storage Area 1	600 drums	Waste Drum Storage
Drum Storage Area 2	160 drums/ 55 gal drum	Waste Drum Storage for the Shredding System ONLY
Storage roll-off boxes	(1) 15 C.Y. (1) 20 C.Y.	Solid Waste Storage for landfill disposal
Containerized Storage in van trailers	(10) 80 drums/ 55 gal drum	Waste Drum Storage

c. Processing Units

1. Plate and frame filter press unit
2. Boiler with Fuel Storage Tanks
3. Heat Exchangers (2)
4. Shed-pax AZ-15 shredder with conveyors, fire suppression, exhaust and liquid collection systems
5. All corresponding sumps, pumps, piping controls, filters, loading and unloading areas and appurtenances.

2. Waste, surplus and off-specification materials for storage, treatment, recycling, blending into fuels, blending for off-site incineration or shredding for volume reduction shall be limited to the following:

a. Oils

1. engine lube oils
2. transmission fluids
3. hydraulic oils

4. insulating fluids and coolant oils
5. metal working fluids (cutting, grinding, machine, rolling, stamping and quenching oils)
6. turbine oils
7. gear oils
8. greases
9. distillate and residual fuel oils
10. tallows
11. vegetable oils
12. paraffins
13. mineral oils
14. petroleum refining intermediates (cycle, decant and slop oils)
15. asphalt
16. sulfonate oil
17. oil/water separator wastes
18. bilge oil wastes
19. oily washwaters and bottoms of the above from barge and tank cleaning operations
20. spill clean-up residues of the above
21. pipeline interfaces and transmixes of the above

b. Solvents*

Non-halogenated Aliphatics:	Halogentated Aliphatics:
1. mineral spirits	1. tetrachloroethylene
2. napthas	2. trichloroethylene
3. paraffin solvents	3. methylene chloride
4. plasticizers	4. 1,1,1-trichloroethane
5. styrene	5. carbon tetrachloride
6. jet fuel	6. chlorinated fluorocarbons
7. gasoline	7. chlorobenzene
8. heptane	8. 1,1,2-trichloro-1,2,2-trifluoroethane
9. cyclohexane	9. orthodichlorobenzene
10. hexane	10. trichlorofluoromethane
11. kerosene	11. dichlorobenzene
12. lacquer thinner	
13. stoddard's solvent	
14. turpentine	
15. isoprene	
16. pentane	
17. hexene's	
18. isopentane	
19. methyl cyclohexane	
20. isoctane	

Non-halogenated Aromatics	Esters
1. xylene	1. ethyl acetate
2. benzene	2. vinyl acetate
3. toluene	3. dioctyl phthalate

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

4. cumene
5. cresols
6. cresylic acid
7. nitrobenzene
8. ethyl benzene

4. diethyl phthalate
5. methyl acetate
6. isobutyl acetate
7. isopropyl acetate
8. isoamyl acetate
9. amyl acetate
10. ethyl methyl acrylate
11. ethyl acrylate

Alcohols:

1. ethanol
2. ethylene glycol
3. butanol
4. isobutyl alcohol
5. methanol
6. isoamyl alcohol
7. tert amyl alcohol
8. cyclohexanol
9. diacetone alcohol
10. 2-ethyl-1-butanol
11. 2-ethyl-1-hexanol
12. ethyl butanol
13. isopropyl alcohol
14. 2-methyl 2-butanol
15. propanol
16. 2-methyl-1-propanol
17. n-octanol

Ketones:

1. acetone
2. MEK
3. MIBK
4. diacetone alcohols
5. acetophenone
6. diisobutyl ketones

*This includes still bottoms from recovery, tank bottoms, washwaters and spill clean-up residues of the above.

c. Hazardous waste from specific sources

1. DAF float - K048
2. slop oil emulsion solids - K049
3. heat exchange bundle cleaning sludge - K050
4. API separator (leaded) - K051
5. tank bottoms (leaded) - K052
6. ink formulation waste - K086

d. Corrosive Waste

1. sodium hyrdoxide
2. potassium hydroxide
3. wastewaters and bottoms containing NaCH and KOH from tank or barge cleaning operations
4. sulfuric acid
5. phosphoric acid
6. wastewaters and bottoms from sulfuric and phosphoric acid storage tank cleaning operations

9232200009

e. Aerosol and non-aerosol products for the shedder system only:

1. soaps and detergents
2. alkaline cleaners
3. air fresheners
4. health and beauty aids
5. petroleum products
6. food products
7. paints and related products
8. construction products, i.e.: adhesives, cements, insulation

f. Additional solvents available only for storage, recycling, and off-site incineration.

1. creosote
2. 1-3 butylene glycol
3. propylene glycol
4. chloroform
5. perchloroethylene
6. 1,1,2-trichloroethane
7. dimethyl phthalate
8. di-n-butyl phthalate

3. This permit also allows for the temporary storage of wastes in containers (of those not identified above) resulting from emergency response spill clean-up for purposes of sampling, analysis and staging for off-site treatment, disposal, incineration or recovery.

4. Treatment, as permitted herein, is limited to:

a. Oil/hydrocarbon treatment system consisting of physical and chemical separation processes (clarification, coagulation, floculation, flotation, decanting, sedimentation, filtration, chemical treatment, and heating) to remove and separate water and solids from the hdyrocarbon phase of wastes, which shall also include the following pre-treatment processes:

1. Reactive waste neutralization for sulfides (maximum allowable concentration at 1000 ppm) in oils and oil/hydrocarbon mixtures using sodium hypochlorite as an oxidizing agent.

2. Reduction of hexavalent chrome contaminated cooling oils (maximum allowable concentration at 1000 ppm) utilizing sodium hydrosulfite.

3. Acid pre-treatment of oil and oil/water emulsions.

b. Acid/base neutralization.

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

c. Blending oils/hydrocarbon mixtures into supplementary fuels or for purposes of off-site incineration.

d. Solids conditioning with lime (of wastes generated from other on-site processes).

e. Solids dewatering (of waste generated from other on-site processes) using a plate and frame filter press.

5. Any wastes or materials with a vapor pressure greater than 1.5 psia or with a flash point less than 100F shall be stored or treated in the vapor controlled storage/treatment system consisting of tanks labeled OS-2, ST-1 ST-2, ST-3, ST-4, ST-5, ST-6, HT-4, CB-2, CB-3 and CB-4.

6. Reactive sulfide neturalization and ehxavalent chrome reduction shall be conducted only in the tank designated as VR-1.

7. This facility cannot accept any wastes containing polychlorinated biphenols (PCBs) at a concentration greater than 10 ppm.

8. Each waste stream received for storage or treatment shall be analyzed and processed in accordance with the procedures described in the application to assure that:

a. The waste stream is properly classified, and

b. None of the followign wastes are accepted for treatment:

1. Reactive wastes (other than sulfide reactive oil mixtures with a sulfide content of 1000 ppm).

2. Poisonous wastes as defined by 49 CFR, Part 173, Subpart H, Section 173. 326 and Section 173.343.

3. Any waste containing material regulated by the Federal Insecticide, Fungicide and Rodenticide Act, as amended.

9. This 3 Carbon Absorber Control devices on ST-1, St-4, St-6 shall be inspected weekly for deterioration and/or leakage.

10. This facility shall be operated in accordance with this Agency's Division of Air Pollution Control Permits.

11. All loading/unloading of special wastes shall be accomplished over spill containment devices.

12. Drums of special waste shall be stacked a maximum of two high on pallets.

9 2 3 2 2 0 0 0 9 1 1

13. All wastes received for fuel blending into the used oil program shall be analyzed for total halogen. To date, the only USEPA approved teste method for total halogens is ASTM method D808-81 (i.e. oxygen bomb followed by titrimetric halogen determination). Petrochem shall use the following rebuttal method for determining halogentated solvents in wastes received for blending into fuel to be marketed as used oil:

    Used oil or wastes containing more than 1,000 ppm of total halogehs is presumed to be hazardous waste unless adequately rebutted by the generators. It is important to note that simply showing that the amount of chlorinated solvents in the oil is less than 1,000 ppm by GC/MS analysis (ie. SW-846 method 8240) is not an adequate rebuttal to the presumption. For example, if the oil has a total halogen concentration of 3,000 ppm (by ASTM method 808), and the GC/MS analysis indicates 800 ppm of trichloroethylene, the presumption has not been adequately rebutted. The generator must still (1) identify the source(s) of all of the 3000 ppm chlorine and (2) prove that the 800 ppm of trichloroethylene is not the result of mixing the oil with a listed hazardous waste. At a minimum, the rebuttal shall include (1) the concnetrations of halogenated solvents as determined by GC/MS Test Methods (i.e. SW-846 method 8240), (2) if available, material safety data sheets for the waste. The MSDS's must include % chlorine in each waste and the source (i.e., chlorinated paraffins) (3) process descriptions of the operations generating the waste. The description should identify the operations (including those which use solvents) raw materials, and products which may introduce chlorine into the process and (4) the generator certification form. A copy of the rebuttals shall be submitted with the renewal application for generic permits.

14. QC Test 6 that was submitted to the Agency on January 22, 1987 shall replace the QC Test 6 for Group I Waste Quality Control Test 6 previously submitted and approved.

15. Special waste received at the site for stroage and treatment/recovery shall be transported to the facility utilizing the Agency's supplemental waste stream permit or generic permit system and manifest system.

16. Special wastes generated at the site for disposal, storage, incineration or further treatment elsewhere shall be transported to the receiving facility utilizing the Agency's supplemental waste stream permit system and manifest system.

17. This permit is subject to review and modification by the Agency, as deemed necessary to fulfill the intent and purpose of the Environmental Protection Act, and all applicable environmental rules and regulations.

18. This permit is issued with the expressed understanding that no process discharge to waters of the State or to a sanitary sewer will occur from these facilities. If such discharge occurs, additional or alternate facilities shall be provided. The construction of such additional or

19. Any modification to the facility shall be the subject of an application for supplemental permit for site modification submitted to this Agency.

20. Permittee shall notify the Agency of any changes from the information submitted to the Agency in its application for a development and operating permit for this site. Permittee shall notify the Agency of any changes in the names or addresses of both beneficial and legal changes in the names or addresses of both beneficial and legal titleholders to the herein-permitted site. Such notification shall be made in writing within fifteen (15) days of such change and shall include the name or names of any parties in interest and the address of their place or abode; or, if a corporation, the name and address of its registered agent.

21. Drums received from off site for crushing which contained hazardous waste must be empty as defined in Section 721.107 of Subtitle C. when received.

Very truly yours,

Lawrence W. Eastep, P.E., Manager
Permit Section
Division of Land Pollution Control

LWE:MS:mab/2073/sp

Enclosures

cc: Northern Region
Compliance Monitoring
Division File
Jeanette Virgillio, RUI, Inc.
DAPC - Jim Cobb

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

217/782-6752

Refer to: 0311620007 -- Cook
Petrochem Services
Permit File
Log No's 1987-240, 1987-241

March 10, 1988

Petrochem Services, Inc.
Attn: George A. Smith
P.O. Box 337
Lemont, IL 60439

Gentlemen:

This letter is to inform you that the Agency has revised your Generic Permit 1986-116-SP to include the following waste stream modifications:

A. to replace waste stream components total water and total solids with the componenet bottom sediment and water for generic permits 000105 through 000118, 000172, 090010 and 090011.

B. to increase the limit for the componenet, total halogerated solvent to 10% for generic permits 000112 and 000113.

C. to increase the limits for the components, arsenic, cadmium, lead and chromium to 1% for generic permits 000105, 000106, 000108, 000110, 000111, 000114, 000115, 000116, 000117, 000172 and 090011.

D. to add D001, D002, D003, D004 and D006 to USEPA Hax #'s for generic permits, 000106, 000111, 000114, 000115 and 000117.

E. to add U057, U112, U107, U088, U031, U140, U159, U161, K086, D001, D002, D003, D004, D006, D007, and D008 to USEPA Hax #'s for generic permit 000108.

F. to add D001, D002, D003, D004, D006, D007, D008 and F004 to USEPA Hax #'s for generic permit 000116.

G. to add D002, D003, D004, D006, D007 and D008 to USEPA Hax #'s and remove the component chloride and increase to component total halogentated solvents to 10% for generic permit 000172.

H. to add U057, U112, U107, U088, U031, U140, U159, U161, D001, D003, D004, D006, D007 and D008 to USEPA Haz #'s for generic permit 090011.

I. to increase the solids component to 100% and water component to 95% and correct the treatment method for generic permits 000119 and 000120.

J. to add silver as a component of generic permit 000174 and delete the componenet total halogenated solvent

14439

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

K. to add additional specific waste types for recovery.

L. to grant a generic permit for RCRA empty drums.

Additional modification requests to your permit were not granted because you have failed to provide proof that granting this permit would not result in violations of the Illinois Environmental Protection Act (Ill. Rev. Stat., 1979, Ch. 111 1/2, par. 1039(a)) requires the Agency to provide the applicant with specific reasons for the denial of permit. The following reason(s) are given:

A. In regards to creating a generic permit titled "used oil" and one title "waste, off-spec and surplus oil" as opposed to the one permit currently issued, the Agency does not see the need for this in running the generic permit program.

Should you wish to reapply or have any questions regarding this application, please contact Mark A. Schollenberger at 217/782-9799.

Very truly yours,

Lawrence W. Eastep, P.E., Manager
Permit Section
Division of Land Pollution Control

LWE:MS:mab/2071/sp

Enclosures

cc: Northern Region
Division File
DAPC - Jim Cobb
Compliance Monitoring
Jeanett Virgillio

9 2 3 2 2 0 0 0 9 1 5

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

217/782-6762

Refer to: 0311620007 -- Cook County
Petrochem Services, Inc.
ILD085349264
Permit No. 1983-5-OP (Revised 7/17/86)
Supplemental Permit No. 1986-116-SP
Log No's 1987-240 & 1987-241 (1987-154, 1987-016, 1986-116)
Expiration Date: July 17, 1989

July 17, 1986
Revised August 28, 1987
Revised March 10, 1988

Petrochem Services, Inc.
Attn: George A. Smith
Post Office Box 337
Lemont, Illinois 60439

Gentlemen:

Supplemental Permit Number 1986-116-SP is hereby issued to the above facility, to accept for storage and/or pretreatment for purposes of recovery, recycling, blending into supplemental fuels or blending for off-site incineration and aerosol/non-aerosol product shredding the following wastes, surplus or off-specification materials from any IEPA registered generator on a generic basis:

A. For Recovery *

1. Non-halogenated aliphatics including mineral spirits, naphthas, paraffin solvents, plasticizers, styrene, jet fuel, gasoline, heptane, cyclohexane (U057), hexane, kerosene, lacquer thinner, paint thinner, stoddard solvents, turpentine, isoprene, pentane, hexene, isooctane, isopentane and methyl cyclohexane (see attached Waste Stream Permit Nos. 000112 and 000117);

2. Non-halogenated aromatics including xylene (F003, U239), benzene (U019), toluene (F003, U220) cumene (U055), cresol (F004, cresylic acid (F004) creosote (U051), ethylbenzene (F003) and nitrobenzene (F004) (see attached Waste Stream Permit No. 000116);

3. Alcohols including ethanol, ethylene glycol, butanol (U031), isobutyl alcohol (U140) isoamyl alcohol, tert-amyl alcohol, cylcohexanol, diacetone alcohol, 2 ethyl-1-butanol, 2-ethyl-1-hexanol, ethyl butanol, ispropyl alcohol 1,3 butylene glycol, 2-methyl-2-butanol, propanol, 2-methyl-1-propanol, propylene glycol, n-octanol and methanol (U154) (see Waste Stream Permit No. 000113 and 000115);

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

4. Ketones including acetone (F003, U002), MEK (F003, U159) cyclohexane, isphorene, acetophenone, diacetone alcohols, diisobutyl ketones and MIBK (F003, U161) (see attached Waste Stream Permit No. 000114);

5. Halogentated aliphatics (F001, F002) including tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, chlorobenzne, 1,1,2-trichloro-1,2,2-trifluoroethane, orthodichlorobenzene chloroform (U044), perchloroethylene, dichlorobenzene, 112 trichloroethane (U227) and trichlorofluoromethane (see attached Generic Waste Stream Permit No. 000118);

6. Esters including ethyl acetate (F003), vinyl acetate (D001), dioctyl phthalate (U107) methyl acetate, isobutyl acetate, isopropylacetate, isoamyl acetate, amyl acetate, ethyl methacrylate (U118), dimethyl phthalate (U102), di-n-butyl phthalate (U069), ethyl acrylate (U113) and diethyl phthalate (U088). (See Waste Stream Permit 000172).

7. Corrosive waste (D002). (See attached Waste Stream Permit NO. 000119).

8. Non-hazardous used, waste, off-spec and surplus oils. (See attached Waste Stream Permit 000110).

9. Hazardous used, waste, off-spec and surplus oils (K048, K049, K050, K051, K052, D005, D006, D007, DC08, D009, D010, D011). (See attached Waste Stream Permit 000111).

The oils* permitted for acceptance under Generic Permits 0001110 and 000111 arelimited to the following:

engine lube oils
transmission fluids
hydraulic oils
insulating fluids and coolant oils
turbine oils
gear oils
greases
distillate and residual fuel oils
tallows
vegetable oils
parrafins
asphalts
sulfonate oils
oil/water separator wastes
bildge oil wastes
Petroleum refining intermediates: (cycle, decant and slop oils)
metal working fluids: (cutting, grinding, maching, rolling, stamping and quenching)
mineral oils

9232200917

listed hazardous petroleum refinery wastes:

1. DAF float -- K048
2. slop oil emulsion solids -- K049
3. heat exchange bundle cleaning sludge -- K050
4. API separator sludge -- K051
5. tank bottoms (leaded -- K052)

* - This includes still bottoms, tank bottoms, barge bottoms, washwaters and spill clean-up residues.

B. <u>For Blending into Supplemental Fuels</u>

1. Non-hazardous used, waste, off-spec and surplus oils. (See attached Waste Stream Permit 000105).

2. Hazardous used, waste, off-spec and surplus oils (K048 thru K052, D005, D006, D007, D008, D009, D010, D011). (See attached Waste Stream Permit 000106).

The oils* permitted for acceptance under Generic Permits 000105 and 000106 are limited to the following:

engine lube oils
transmission fluids
hydraulic oils
insulating fluids and coolant oils
turbine oils
gear oils
greases
distillate and residual fuel oils
tallows
vegetable oils
parrafins
mineral oils

asphalts
sulfonate oils
oil/water separator wastes
bildge oil wastes
Petroleum refining intermediates: (cycle, decant and slop oils)
metal working fluids: (cutting, grinding, maching, rolling, stamping and quenching)
Listed hazardous petroleum refinery wastes:
1) DAF float -- K048
2) slop oil emulsion solids -- K049
3) heat exhange bundle cleaning sludge -- K050
4) API separator sludge -- K051
5) tank bottoms (leaded) -- K052

3. Non-halogenated solvents and liquids ** including the following: (see attached Waste Stream Permits 000107 and 000108).

mineral spirits	napthas	paraffin solvents
plasticizers	styrene	jet fuel
gasoline	heptane	hexane
cresols	nitrobenzene	cresylic acid
vinyl acetate	ethyl acetate	diethyl phthalate
cyclohexane	dioctyl phthalate	benzene
cumene	xylene	ethylene glycol
toluene	ethanol	methanol
butanol	isobutyl alcohol	MIBK
acetone	MEK	Kerosene
lacquer thinner	paint thinner	stoddard's solvent
turpentine	isoprene	pentane
hexene	isooctane	isopentane
methylcyclohexane	ethylbenzene	isoamyl alcohol
tert-amyl alcohol	cyclohexanol	diacetone alcohol
2 ethyl-1-butanol	2 ethyl-1-hexanol	ethyl butanol
isopropyl alcohol	2 methyl 2-butanol	propanol
2 methyl 1-propanol	N-octanol	cyclohexane
isophorene	acetophenone	diisobutyl ketones
methyl acetate	isobutyl acetate	isopropylacetate
isoamyl acetate	amyl acetate	ethyl methacrylate
		ethyl acrylate

Washes and sludges from the formulation of ink (K086)

4. Halogenated solvents and liquids ** including the following: (see attached Waste Stream Permit 00109.)

tetrachloroethylene	trichloroethylene
1,1,1 trichloroethane	methylene chloride
carbon tetrachloride	chlorobenzene
1,12-trichloro-1,2,2 trifluoroethane	orthodichlorobenze
trichlorofluoromethane	dichlorobenzene

** -- This includes still bottoms, tank bottoms, washwaters and spill clean-up residues.

C. <u>Bulking/blending for off-site incineration</u>

1. Non-halogenated solvents and liquids reference in ITem A1 through A4 and A6 above. (See attached Waste Stream Permit 090011.)

2. Halogenated solvents and liquids reference in Item A-5 above. (See Waste Stream Permit 090010.)

D. For Treatment

1. Corrosive waste for neutralization (D002) including sulfuric acid, phosphoric acid, sodium hydroxide and potassium hydroxide. (See attached Waste Stream Permit 000120.)

2. Off-specification or scrap commercial products (D001) for shredding which shall be limited to the following:

a. Soaps and Detergents
b. Household Cleaners
c. Health and Beauty Aids
d. Food Products
e. Paints and related Products
f. Air Fresheners
g. Shop Products (lube & penetrating oils, other petroleum base products)
h. Construction Products (adhesives, cements, sealants)

(See attached Waste Stream Permit 000173).

3. Non-hazardous off-specification or scrap commercial products for shredding which shall be limited to the following:

a. Soaps and Detergents
b. Household Cleaners
c. Health and Beauty Aids
d. Food Products
e. Paints and related Products (thinners and removers)
f. Pallets
g. Automotive equipment
h. Air Fresheners
i. Shop Products (lube & penetrating oils, other petroleum base products)
j. Construction Products (adhesives, cements, sealants)
k. Electronic Equipment and Components
l. Small household appliances
m. Construction building materials and hardware
n. Toys
o. Confidential documents and records
p. Other manfuacturer and retail appliances and components

(See attached Waste Stream Permit 000174).

E. For Crushing

"RCRA Empty" containers (see attached Waste Stream Permit 000208).

Final plans, specifications, application and supporting documents as submitted and approved shall constitute part of this permit and are identified on the records of the Environmental Protection Agency, Division of Land Pollution Control by the permit number(s) and log number(s) designated in the heading above.

9 2 3 2 2 0 0 0 1 9 2 0

The permit is issued subject to the standard conditions attached hereto and incorporated herein by reference, and further subject to the following special conditions:

1. An analysis of each waste stream accepted from each generator shall be maintained on file at this site for review by this Agency.

2. Special wastes received at this facility for storage, treatment and/or recovery shall be transported to the site under a properly completed manifest.

3. The specifications for each supplemental fuel blended on-site, including off-specification used oil fuels and hazardous waste fuels, shall be submitted to the Agency within thirty (30) days after the effective date of this permit. Should the type(s) of fuel blended on-site deviate from the initial submissions, Petrochem shall submit a report to the Agency, identifying the specificaitions for each supplemental fuel blended, prior to shipment off-site.

4. Oils contaminated with PCB's (greater than 50 ppm) or Dioxins are not permitted under this generic permit.

5. The name and address of any new marketer and/or burner of these blended fuels (includes specification oils, off-specificaiton oils and hazardous waste fuels), along with documentation of certifications that each marketer and/or burner of hazardous wasete fuels or off-specification used oil fuels has so notified USEP and has received a Federal I.D. number, shall be submitted to the Agency prior to shipment off-site to that facility.

6. All waste stored at this site for further treatment elsewhere shall be transported to the receiving facility utilizing the Agency's supplemental permit system and manifest system.

7. Special wastes generated at the site for disposal, incineration or further treatment elsewhere shall be transported to the receiving facility utilizing the Agency's supplemental permit system and manifest system.

8. This facility shall report to the Agency, on quarterly basis, the total quantity from each generator of each of the generic wastes shown in the attachment to this permit that was received for processing. (See New Attached Report Form). In addition, Petrochem shall submit an inventory log for all materials and waste shipped off-site (see enclosed Inventory Report). This information shall be submitted along with the Quarterly Generic Report. The above reports should be sent to:

Compliance Monitoring Section
Division of Land Pollution Control
Illinois Environmental Protection Agency
2200 Churchill Rd

9 2 3 2 2 0 0 0 9 2 1

Illinois Environmental Protection Agency · 2200 Churchill Road, Springfield, IL 62706

This schedule for submission of these waste receipt reports shall be within 30 days of the end of each quarter (i.e., reports ude by 30th day of January, April, July and October).

Except as modified above, this site shall be operated in accordance with the terms and conditions of Permit No. 1983-5-OP.

Very truly yours,

Lawrence W. Eastep, P.E., Manager
Permit Section
Division of Land Pollution Control

LWE:MS:mab/0207j/sp

Attachments.

cc: Northern Region
Division File
Compliance Monitoring
DAPC -- Jim Cobb
Jeanette Virgilio, RUI, Inc.

9232200922

Document 003

SUMMARY

0311620007
09/30/88

Petrochem Services, Inc. is a service contracting company specializing in oil and chemical industry cleaning, maintenance and emergency spill response. This facility receives hazardous and non-hazardous wastes from off site and blends and treats these wastes to produce hazardous waste fuel, off-specification used oil and on-specification used oil. (Little to no on-spec used oil is generated.) Sources of waste generated off site include cleaning tanker trucks and cleaning off site stationary tanks. This facility also operates an on site barge cleaning operation. They receive hazardous and non-hazardous wastes from IEPA (ERU)/DCI activities (spills, abandoned drums, etc.), Tox-Away (a government-sponsored Indianapolis, IN. project to handle the shipment and disposal of hazardous household wastes) and generators, for temporary storage, which are eventually going off site for incineration.

HAZARDOUS WASTES GENERATED (RESTRICTED)

Hazardous Waste Fuel - D001, F003, F005
- Generated by blending and treating hazardous and non-hazardous waste
- Rate of generation: 45,000 gallons per month
- Shipped off site approximately 3 times per week to Continental Cement (Hanibal, MO.) or Systech (Greencastle, IN.) for use as fuel in cement kilns
- Stored in tanks

APPARENT DEFICIENCY NOTED:

Containers of restricted hazardous waste are not marked to identify the date they entered storage.

9 2 3 2 2 0 0 0 9 2 3

Document 004

completed and begin implementing said amendments no later than six months after such changes occur.

Petrochem will review its SPCC at least once every three years and will amend its SPCC Plan to reflect improvements in recognized spill prevention and control technologies which will be implemented to significantly reduce the likelihood of a spill or release.

All amendments to the SPCC plan will reviewed and certified by an independent Registered Professional Engineer.

Subpart 112.7-Guidelines for the preparation and implementation of a Spill Prevention Control and Countermeasure Plan.

Petrochem Services, Inc. has designed , constructed, maintains and operates its facility in a manner to minimize the possibility of a fire, explosion or any unplanned sudden or non-sudden release of oil, hazardous materials or waste, or the constituents of such materials or waste to the air, soil or surface water which could threaten human health or the environment. See Attachement B, for a list of materials which may be handled at Petrochem's facility.

(a). Petrochem's Lemont facility has only had one reportable incident at its facility since its inception in 1983. That incident was the loss of approximately 100 pounds of liquid caustic to the canal in 1985, due to a hose failure near the coupler fitting. The spill was immediately contained and cleaned-up by Petrochem and properly reported to the National Response Center and Illinois Environmental Protection Agency. No significant damage to the environment or risk to human health occurred as a result of this spill Petrochem now over specifies its hoses and couplings for wayside work. All unused couplings are capped.

(b). Petrochem's tank farm storage area and drum storage area are entirely surrounded by concrete retaining walls to create areas equivalent to 110% of the total rated capacity of the storage vessels. This prevents loss of materials to the canal or soil. The greatest potential for loss of materials lies at the transfer points of materials from vehicles or vessels into the tank farm.

The unloading dock for the drum storage area is designed such that drums once placed on the dock will drain into the storage area within the retaining walls. Should they begin to leak inside of a delivery truck, or spill or rupture before crossing the threshold of the dock, spilled material would be contained in a 200 gallon spill containment/collection sump built into the asphalt drive at the base of the dock.

LEMONT/COOK / Caustic spill / Barge Hose Ruptured / 28% caustic / 150 gal / ERG
P.O. Box 337
Petrolium
2/19/85

Classification of incident Minor

9 2 3 2 2 0 0 0 9 2 5

COUNTY BOUNDARY



Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620 or (800) 424-8872.

Call this # to receive entire map.

APPROXIMATE SCALE

1000 0 1000 FEET

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

COOK COUNTY, ILLINOIS
(UNINCORPORATED AREAS)

PANEL 165 OF 245

(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER
170054 0165 B

EFFECTIVE DATE:
APRIL 15, 1981

federal emergency management agency
federal insurance administration

100-Year Flood Boundary

Zone Designations* With Date of Identification e.g., 12/2/74

100-Year Flood Boundary

500-Year Flood Boundary

ZONE B

Base Flood Elevation Line With Elevation in Feet**

813

Base Flood Elevation in Feet Where Uniform Within Zone**

(EL 807)

Elevation Reference Mark

RM7 x

River Mile

• M1.5

**Referenced to the National Geodetic Vertical Datum of 1929

*EXPLANATION OF ZONE DESIGNATIONS

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
AO	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard area (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION:
MAY 27, 1977

FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:
APRIL 15, 1981

FLOOD INSURANCE RATE MAP REVISIONS:




N

Appendix C

9 2 3 2 2 0 0 0 9 3 1



Photograph locations

PHOTOGRAPHS

3-2-3-2-2-0-0-0-9-3-3

DATE: 9 JAN 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petrochem Services, Inc

Canal Bank Rd N.E. Lemont

Comments: Picture taken toward the west of waste process storage and treatment area Rob Watson of IEPA on left Mike Crafton of Heritage Environmental Services on right

1

DATE: 9 JAN 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd. NE Lemont, Cook Co. IL

Comments: Picture taken toward the northwest of truck transfer containment area

2

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petroleum Services, Inc

Canal Bank Rd NE, Lemont

Comments: Picture taken toward the northeast of process waste storage tanks

3

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd NE Lemont, Cook Co., IL

Comments: Picture taken toward the North of waste process storage and treatment area

4

9 2 3 2 2 0 0 0 9 3 5

IL 222-1002 (Rev. 7/88)

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petrochem Services, Inc.

Canal Bank Rd NE, Lemont

Comments: Picture taken toward the north northeast with a process water storage tank in foreground and waste process storage and treatment area in background

5



DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd. NE

Lemont, Cook Co., IL

Comments: Picture taken toward the east northeast with a process water storage tank in foreground and waste process storage and treatment area in background

6



9 2 3 2 2 0 0 0 9 3 6

IL 532-0003
C/MO 24 (Rev. 7/88)

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petrochem Services Inc.

Canal Bank Rd NE Lemont

Comments: Picture taken toward the northwest along diked wall of waste process storage and treatment area, trailer storage area on left

7

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd NE

Lemont, Cook Co., IL

Comments: Picture taken toward the northeast of drainage ditch, trailer storage area on the right



8

9232200937

DATE: 9 Jan 89

TIME: 1:00pm

Photograph by:

Tim Murphy

Location:

Petrochem Services Inc

Canal Bank Rd N.E., Lemont

Comments: Picture taken toward the southwest of drainage ditch going toward sanitary and ship canal



9

DATE: 9 Jan 89

TIME: 1:00pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd N.E

Lemont, Cook Co., IL

Comments: Picture taken toward the south southeast of burned shedder unit



10

9 2 3 2 2 0 0 0 9 3 8

IL 332-0002
L/NPO 24 (Rev. 7/88)

DATE: 9 Jan 89

TIME: 1:00pm

Photograph by:

Tim Murphy

Location:

Petrochem Services Inc

Canal Bank Rd. N.E, Lemont

Comments: Picture taken toward the southeast of South-west part of facility, part of burned shedder unit on left



11

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd. N.E

Lemont, Cook Co., IL

Comments: Picture taken toward the northwest of South west part of facility where fixation unit is to be built, burned shedder unit in background



12

9 2 3 2 2 0 0 0 9 3 9

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petrochem Services Inc.

Canal Bank Rd NE, Lemont

Comments: Picture taken toward the south southwest accross sanitary and ship canal noting fractures in limestone formation

13

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd NE

Lemont, Cook Co., IL

Comments: Picture taken toward the east northeast of drum crushing unit

14

9232200940

DATE: 9 Jan 89

TIME: 1:00 pm

Photograph by:

Tim Murphy

Location:

Petrochem Services Inc

Canal Bank Rd NE., Lemont

Comments: Picture taken toward the North Northeast of the drum storage area



15

DATE: 9 Jan 89

TIME: 1:00pm

Photograph by:

Tim Murphy

Location: Canal Bank Rd. N.E.

Lemont, Cook Co., IL

Comments: Picture taken toward the Northeast of the drum Storage area



16

92320009 41

REFER TO:

WITHHELD LIST/ENVELOPE -- DOCUMENT NO. 20

9232200942

WITHHELD DOCUMENT

FROM FILE CATEGORY: SF-HRS

DATED: 2-15-89

IL 537-1079
LFO 274 3/88