To: Grossman, Lenny[Grossman.Lenny@epa.gov]
From: Maddaloni, Mark
Sent: Mon 5/20/2013 6:11:14 PM
Subject: RE: Agremax

No problem

From: Grossman, Lenny
Sent: Tuesday, May 14, 2013 2:34 PM
To: Maddaloni, Mark
Subject: FW: Agremax

Hi Mark ,

Would you mind reviewing this ? I'd like the opportunity to discuss it with you in a week or two.

Thanks,

LG

From: Helms, Greg
Sent: Monday, May 13, 2013 4:57 PM
To: Grossman, Lenny
Subject: Agremax

Lenny-

Ex. 5 - Deliberative

Gregory Helms
U.S. EPA
Acting Chief, Waste Characterization Branch
Office of Solid Waste and Emergency Response
phone: 703-308-8845

fax: 703-308-0514
helms.greg@epa.gov

Address for regular/USPS mail:
1200 Pennsylvania Ave. NW
Mail Code 5304P
Washington, DC 20460

Address for overnight/hand delivery mail:
Two Potomac Yard
2733 S. Crystal Dr.
5th Floor; N-5611
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:
www.epa.gov/epawaste/inforesources/pubs/orientat/