1==========

DATE: 08/26/05 AFS COMPLIANCE SOURCE DATA REPORT PGM: AFP627

NUWEST PAGE: 3

SENSITIVE DATA INCLUDED

0==========

PLANT: 00003 - **NU-WEST (AGRIUM)**
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

==========

PLANT NAME: NU-WEST (AGRIUM)
ADDRESS : 3010 CONDA RD
CITY,STATE: SODA SPRINGS,ID 83276
DUN & BRADSTREET: 175550227
EPA ID NUMBER : 110000468351
STANDARD INDUSTRIAL CLASSIFICATIONS:
0 2874 - PHOSPHATIC FERTILIZERS
-
-
NAICS: -

LAST PLANT UPDATE : 05/08/01
REGIONAL PLANNING :
LOCAL CONTROL REGN: P
INSPECTOR :
MONITORING INFORMATION:
SOURCE: AMBIENT:
MAILING ADDRESS:
NAME : NU-WEST (AGRIUM)
ADDRESS : 3010 CONDA RD
CITY,STATE: SODA SPRINGS,ID 83276

0----------

----------STATE---------- ----------EPA----------
COMPLIANCE : 1 - IN VIOLATION - NO SCHEDUL : -
CLASSIFICATION: A :

-

OPERATING STATUS: O - OPERATING
STATE REGISTRATION: 0420-0003
PLANT DESCRIPTION: PHOSPHATE FERTILIZER PROD
PLANT FEE INFORMATION:

GOVT FAC.: 0 - ALL OTHER FACILITIES NOT
CAPACITY: 0
COMPLIANCE CONTACT : MONTY JOHNSON , (208) 547-4381

PRIORITY : -
CEMSS INFO (Y/N):

PLANT CMS DATA: CMS SOURCE CATEGORY: A
CMS MIN FREQ INDICATOR: 2
FISCAL YEAR OF FCE A: ON-SITE VISIT INDICATOR A:
FISCAL YEAR OF FCE B: ON-SITE VISIT INDICATOR B:
FISCAL YEAR OF FCE C: ON-SITE VISIT INDICATOR C:
FISCAL YEAR OF FCE D: ON-SITE VISIT INDICATOR D:
FISCAL YEAR OF FCE E: ON-SITE VISIT INDICATOR E:
PLANT FCE COMMENTS:
LATEST STATE FCE ACTION TYPE: FS DATE: 20020521
LATEST EPA FCE ACTION TYPE: DATE:

0==========

PLANT COMMENT:

0INDIRECT COMMENT COMMENT
SOURCE # NO.
-------- ------- ----------

1==========

DATE: 08/26/05 AFS COMPLIANCE SOURCE DATA REPORT PGM: AFP627

NUWEST PAGE: 4

SENSITIVE DATA INCLUDED

0==========

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

Attachment 2.

```
==========================================================================================================
0INDIRECT  COMMENT  COMMENT
 SOURCE #    NO.
 --------  -------  ------------------------------------------------------------
           001 C    HISTORICAL INFO:  FORMERLY AGRICULTURE PRODUCTS
                    BEKER INDUSTRIES 8/5/87.  BEKER PERMANENTLY SHUT DOWN 8/26/
                    86; CONDA PARTNERSHIP SULFURIC PLANT CLOSED IN 5/86.  (1/2
                    OWNER) PERMANENTLY SHUT DOWN ABOUT 8/15/86.
           002 C    11/6/95-AGRIUM ACQUISITION CORP MERGED W/NU-WEST INDUSTRIES
                    (PARENT COMPANY IS AGRIUM U.S. INC).  NAME CHANGED FROM
                    NUWEST TO AGRIUM.
0==========================================================================================================
0AIR PROGRAM CODES:
 M - MACT (SECT  O - OPERATING
      INSPECTIONS:                                                  ---------STATE------------   --------EPA--------------
        EVEN YEAR :     STRATEGY:    FREQUENCY:        COMPLIANCE    : 3 - IN COMPLIANCE - INSPECTIO :   -
        ODD  YEAR :     STRATEGY:    FREQUENCY:        CLASSIFICATION: A                             :
0SECTION 63 SUBPARTS:
      CODE     SUBPARTS DESCRIPTION
      ----     ------------------------------------------------------------
       AA      TSDF & DISPOSAL FACILITIES & HAZ. WASTE GENERATORS
       BB      PHOSPHATE FERTILIZERS
0     REPEAT VIOLATION FLAG/DATE:
      TURNOVER COMPLIANCE FLAG:    0                  RDE1:    RDE2:    RDE3:    RDE4:        RDE5:        RDE6:
      REPORTING TO REGION:    -                       RDE7:    RDE9:            RDE10:       RDE11:       RDE12:    RDE15:
      STAFF: POC - POCATELLO_RO                       STATE IMPLEMENTATION PLAN:   -
0COMPLIANCE HISTORY:
      MONTHLY:
         STATE:(YY/MM)
          1: 3 05/08     2: 3 05/07     3: 3 05/06     4: 3 05/05     5: 3 05/04     6: 3 05/03     7: 3 05/02     8: 3 05/01
          9: 3 04/12    10: 3 04/11    11: 3 04/10    12: 3 04/09    13: 3 04/08    14: 3 04/07    15: 3 04/06    16: 3 04/05
         17: 3 04/04    18: 3 04/03    19: 3 04/02    20: 3 04/01    21: 3 03/12    22: 3 03/11    23: 3 03/10    24: 3 03/09
         EPA:(YY/MM)
          1:   05/08     2:   05/07     3:   05/06     4:   05/05     5:   05/04     6:   05/03     7:   05/02     8:   05/01
          9:   04/12    10:   04/11    11:   04/10    12:   04/09    13:   04/08    14:   04/07    15:   04/06    16:   04/05
1==========================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                 PAGE:     5
                                                       SENSITIVE DATA INCLUDED
0==========================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 ==========================================================================================================
         17:   04/04    18:   04/03    19:   04/02    20:   04/01    21:   03/12    22:   03/11    23:   03/10    24:   03/09
      QUARTERLY:
         STATE:(YY/QQ)
          1: 3 05/03     2: 3 05/02     3: 3 05/01     4: 3 04/04     5: 3 04/03     6: 3 04/02     7: 3 04/01     8: 3 03/04
         EPA:(YY/QQ)
          1:   05/03     2:   05/02     3:   05/01     4:   04/04     5:   04/03     6:   04/02     7:   04/01     8:   03/04
0AIR PROGRAM POLLUTANTS:
0     FL    - FLUORIDE (TSP)                                        ---------STATE------------   --------EPA--------------
                                                       COMPLIANCE    : 3 - IN COMPLIANCE - INSPECTIO :   -
            LOADING:   -                               CLASSIFICATION: A                             :
            RDE14  :                                   ATTAIN/NONATTN:   -                           :   -
```

```
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0AIR PROGRAM CODES:
 V - TITLE V PE  O - OPERATING
     INSPECTIONS:                                                  ---------STATE-------------   --------EPA---------------
       EVEN YEAR :     STRATEGY:    FREQUENCY:        COMPLIANCE    : 1 - IN VIOLATION - NO SCHEDUL :   -
       ODD  YEAR :     STRATEGY:    FREQUENCY:        CLASSIFICATION: A                             :
     REPEAT VIOLATION FLAG/DATE:
     TURNOVER COMPLIANCE FLAG:    0                    RDE1:    RDE2:    RDE3:    RDE4:        RDE5:        RDE6:
     REPORTING TO REGION:    -                         RDE7:    RDE9:            RDE10:       RDE11:       RDE12:    RDE15:
     STAFF: POC - POCATELLO_RO                         STATE IMPLEMENTATION PLAN:   -
0COMPLIANCE HISTORY:
     MONTHLY:
        STATE:(YY/MM)
         1: 1 05/08     2: 1 05/07     3: 1 05/06     4: 1 05/05     5: 1 05/04     6: 1 05/03     7: 1 05/02     8: 1 05/01
         9: 1 04/12    10: 1 04/11    11: 1 04/10    12: 1 04/09    13: 1 04/08    14: 1 04/07    15: 1 04/06    16: 1 04/05
        17: 1 04/04    18: 1 04/03    19: 1 04/02    20: 1 04/01    21: 1 03/12    22: 1 03/11    23: 3 03/10    24: 3 03/09
        EPA:(YY/MM)
         1:   05/08     2:   05/07     3:   05/06     4:   05/05     5:   05/04     6:   05/03     7:   05/02     8:   05/01
         9:   04/12    10:   04/11    11:   04/10    12:   04/09    13:   04/08    14:   04/07    15:   04/06    16:   04/05
        17:   04/04    18:   04/03    19:   04/02    20:   04/01    21:   03/12    22:   03/11    23:   03/10    24:   03/09
     QUARTERLY:
        STATE:(YY/QQ)
         1: 1 05/03     2: 1 05/02     3: 1 05/01     4: 1 04/04     5: 1 04/03     6: 1 04/02     7: 1 04/01     8: 3 03/04
        EPA:(YY/QQ)
         1:   05/03     2:   05/02     3:   05/01     4:   04/04     5:   04/03     6:   04/02     7:   04/01     8:   03/04
1=====================================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                   PGM: AFP627
                                                          NUWEST                                                      PAGE:     6
                                                   SENSITIVE DATA INCLUDED
0=====================================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================================
0AIR PROGRAM POLLUTANTS:
0     SO2    - SULFUR DIOXIDE                                      ---------STATE-------------   --------EPA---------------
                                                       COMPLIANCE    : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                                CLASSIFICATION: A                             :
          RDE14   :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     NO2    - NITROGEN DIOXIDE                                    ---------STATE-------------   --------EPA---------------
                                                       COMPLIANCE    : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                                CLASSIFICATION: A                             :
          RDE14   :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     CO     - CARBON MONOXIDE                                     ---------STATE-------------   --------EPA---------------
                                                       COMPLIANCE    : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                                CLASSIFICATION: A                             :
          RDE14   :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PM10   - PM10 TOTAL 0-10UM                                   ---------STATE-------------   --------EPA---------------
```

```
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION: A                              :
          RDE14   :                               ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PT    - SUSPENDED PARTICULATE (TS                          ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION: A                              :
          RDE14   :                               ATTAIN/NONATTN: U - UNCLASSIFIED              : A - ATTAINMENT AREA FOR A GIV
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     FACIL -                                                  ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                 PAGE:     7
                                                SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
          LOADING:    -                           CLASSIFICATION:                                :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     THAP  - TOTAL HAZARDOUS AIR POLLU                        ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION: A                              :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     HSO4P - SULFURIC ACID (TSP)                              ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION:                                :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     FL    - FLUORIDE (TSP)                                   ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION:                                :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     H2S   - HYDROGEN SULFIDE                                 ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:    -                           CLASSIFICATION:                                :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     ADMIN -                                                  ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 1 - IN VIOLATION - NO SCHEDUL :   -
          LOADING:    -                           CLASSIFICATION:                                :
          RDE14   :                               ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
```

STATE REGULATION NUMBER:
0PERMIT: 029-00003 PERMIT CATEGORY: V PERMIT STATUS: I

0==========

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

==========

PERMIT EVENTS:

0

EVENT NO.	EVENT TYPE	EVENT DESCRIPTION	DATE SCHEDULED	DATE ACHIEVED
002	DP	*PA PREPARES DRAFT PERMIT		20020318
003	IF	*PERMIT AUTHORITY ISSUES FINAL PERMIT		20021028
004	IX	PERMIT EXPIRES		20061028

0AIR PROGRAM CODES:
0 - SIP O - OPERATING

INSPECTIONS:
EVEN YEAR : 96 STRATEGY: C FREQUENCY: 02
ODD YEAR : 97 STRATEGY: C FREQUENCY: 01
REPEAT VIOLATION FLAG/DATE: 0284/9207
TURNOVER COMPLIANCE FLAG: 2
REPORTING TO REGION: -
STAFF: POC - POCATELLO_RO

---------STATE---------- --------EPA----------
COMPLIANCE : 3 - IN COMPLIANCE - INSPECTIO : -
CLASSIFICATION: A :

RDE1: RDE2: RDE3: RDE4: RDE5: RDE6:
RDE7: RDE9: RDE10: RDE11: RDE12: RDE15: 0
STATE IMPLEMENTATION PLAN: -

0COMPLIANCE HISTORY:
MONTHLY:
STATE:(YY/MM)

1: 3 05/08	2: 3 05/07	3: 3 05/06	4: 3 05/05	5: 3 05/04	6: 3 05/03	7: 3 05/02	8: 3 05/01
9: 3 04/12	10: 3 04/11	11: 3 04/10	12: 3 04/09	13: 3 04/08	14: 3 04/07	15: 3 04/06	16: 3 04/05
17: 3 04/04	18: 3 04/03	19: 3 04/02	20: 3 04/01	21: 3 03/12	22: 3 03/11	23: 3 03/10	24: 3 03/09

EPA:(YY/MM)

1: 05/08	2: 05/07	3: 05/06	4: 05/05	5: 05/04	6: 05/03	7: 05/02	8: 05/01
9: 04/12	10: 04/11	11: 04/10	12: 04/09	13: 04/08	14: 04/07	15: 04/06	16: 04/05
17: 04/04	18: 04/03	19: 04/02	20: 04/01	21: 03/12	22: 03/11	23: 03/10	24: 03/09

QUARTERLY:
STATE:(YY/QQ)

1: 3 05/03	2: 3 05/02	3: 3 05/01	4: 3 04/04	5: 3 04/03	6: 3 04/02	7: 3 04/01	8: 3 03/04

EPA:(YY/QQ)

1: 05/03	2: 05/02	3: 05/01	4: 04/04	5: 04/03	6: 04/02	7: 04/01	8: 03/04

0AIR PROGRAM POLLUTANTS:
0 FL - FLUORIDE (TSP)

LOADING: -

---------STATE---------- --------EPA----------
COMPLIANCE : 3 - IN COMPLIANCE - INSPECTIO : -
CLASSIFICATION: :

0==========

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

==========

```
          RDE14  :                                  ATTAIN/NONATTN:   -                          :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PT    - SUSPENDED PARTICULATE (TS                                  ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN: U - UNCLASSIFIED               : A - ATTAINMENT AREA FOR A GIV
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     SO2   - SULFUR DIOXIDE                                           ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     THAP  - TOTAL HAZARDOUS AIR POLLU                                  ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     NO2   - NITROGEN DIOXIDE                                         ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     CO    - CARBON MONOXIDE                                          ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PM10  - PM10 TOTAL 0-10UM                                        ---------STATE-------------   --------EPA---------------
1=====================================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                    PGM: AFP627
                                                          NUWEST                                                      PAGE:    10
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================================
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: A                              :
          RDE14  :                                  ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     VOC   - VOLATILE ORG COMPNDS                                     ---------STATE-------------   --------EPA---------------
                                                    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                              CLASSIFICATION: B                              :
          RDE14  :                                  ATTAIN/NONATTN: U - UNCLASSIFIED               : A - ATTAINMENT AREA FOR A GIV
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     HSO4P - SULFURIC ACID (TSP)                                      ---------STATE-------------   --------EPA---------------
```

```
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                            CLASSIFICATION:                                :
          RDE14  :                                ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     H2S   - HYDROGEN SULFIDE                                      ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                            CLASSIFICATION:                                :
          RDE14  :                                ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     NH3   - AMMONIA                                               ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 8 - NO APPLICABLE STATE REGUL :   -
          LOADING:   -                            CLASSIFICATION:                                :
          RDE14  :                                ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0AIR PROGRAM CODES:
 6 - PSD          O - OPERATING
     INSPECTIONS:                                                   ---------STATE-------------   --------EPA---------------
       EVEN YEAR :     STRATEGY:    FREQUENCY:   COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
       ODD  YEAR :     STRATEGY:    FREQUENCY:   CLASSIFICATION: A                              :
     REPEAT VIOLATION FLAG/DATE:
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                PAGE:    11
                                                SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
     TURNOVER COMPLIANCE FLAG:    0                  RDE1:    RDE2:    RDE3:    RDE4:        RDE5:        RDE6:
     REPORTING TO REGION:    -                       RDE7:    RDE9:             RDE10:       RDE11:       RDE12:    RDE15:
     STAFF: POC - POCATELLO_RO                       STATE IMPLEMENTATION PLAN:   -
0COMPLIANCE HISTORY:
     MONTHLY:
        STATE:(YY/MM)
         1: 3 05/08     2: 3 05/07     3: 3 05/06     4: 3 05/05     5: 3 05/04     6: 3 05/03     7: 3 05/02     8: 3 05/01
         9: 3 04/12    10: 3 04/11    11: 3 04/10    12: 3 04/09    13: 3 04/08    14: 3 04/07    15: 3 04/06    16: 3 04/05
        17: 3 04/04    18: 3 04/03    19: 3 04/02    20: 3 04/01    21: 3 03/12    22: 3 03/11    23: 3 03/10    24: 3 03/09
        EPA:(YY/MM)
         1:   05/08     2:   05/07     3:   05/06     4:   05/05     5:   05/04     6:   05/03     7:   05/02     8:   05/01
         9:   04/12    10:   04/11    11:   04/10    12:   04/09    13:   04/08    14:   04/07    15:   04/06    16:   04/05
        17:   04/04    18:   04/03    19:   04/02    20:   04/01    21:   03/12    22:   03/11    23:   03/10    24:   03/09
     QUARTERLY:
        STATE:(YY/QQ)
         1: 3 05/03     2: 3 05/02     3: 3 05/01     4: 3 04/04     5: 3 04/03     6: 3 04/02     7: 3 04/01     8: 3 03/04
        EPA:(YY/QQ)
         1:   05/03     2:   05/02     3:   05/01     4:   04/04     5:   04/03     6:   04/02     7:   04/01     8:   03/04
0AIR PROGRAM POLLUTANTS:
0     SO2   - SULFUR DIOXIDE                                        ---------STATE-------------   --------EPA---------------
                                                  COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                            CLASSIFICATION: A                              :
          RDE14  :                                ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
```

```
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     NO2   - NITROGEN DIOXIDE                                  ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION: A                              :
          RDE14  :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     CO    - CARBON MONOXIDE                                   ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION: A                              :
          RDE14  :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                PAGE:    12
                                                  SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PM10  - PM10 TOTAL 0-10UM                                 ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION: A                              :
          RDE14  :                                    ATTAIN/NONATTN: A - ATTAINMENT AREA FOR A GIV :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     PT    - SUSPENDED PARTICULATE (TS                         ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION: A                              :
          RDE14  :                                    ATTAIN/NONATTN: U - UNCLASSIFIED               : A - ATTAINMENT AREA FOR A GIV
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     HSO4P - SULFURIC ACID (TSP)                               ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION:                                :
          RDE14  :                                    ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0     FL    - FLUORIDE (TSP)                                    ---------STATE-------------   --------EPA---------------
                                                      COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
          LOADING:   -                                CLASSIFICATION:                                :
          RDE14  :                                    ATTAIN/NONATTN:   -                            :   -
          TOXICITY LEVEL:
          STATE REGULATION NUMBER:
0AIR PROGRAM CODES:
 9 - NSPS        O - OPERATING
     INSPECTIONS:                                             ---------STATE-------------   --------EPA---------------
       EVEN YEAR :  92 STRATEGY:  S FREQUENCY:  01    COMPLIANCE     : 3 - IN COMPLIANCE - INSPECTIO :   -
       ODD  YEAR :  91 STRATEGY:  S FREQUENCY:  01    CLASSIFICATION: A                              :
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                PAGE:    13
```

SENSITIVE DATA INCLUDED

0==========

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

==========

0SECTION 60 SUBPARTS:

CODE	SUBPARTS DESCRIPTION
DB	INDUS-COMMERC-INSTITUTL STEAM GENERATOR
H	SULFURIC ACID PLANTS

0 REPEAT VIOLATION FLAG/DATE: 0485/
TURNOVER COMPLIANCE FLAG: 0
REPORTING TO REGION: -
STAFF: POC - POCATELLO_RO

RDE1: RDE2: RDE3: RDE4: RDE5: RDE6:
RDE7: RDE9: RDE10: RDE11: RDE12: RDE15: 0
STATE IMPLEMENTATION PLAN: -

0COMPLIANCE HISTORY:

MONTHLY:

STATE:(YY/MM)

1: 3 05/08	2: 3 05/07	3: 3 05/06	4: 3 05/05	5: 3 05/04	6: 3 05/03	7: 3 05/02	8: 3 05/01
9: 3 04/12	10: 3 04/11	11: 3 04/10	12: 3 04/09	13: 3 04/08	14: 3 04/07	15: 3 04/06	16: 3 04/05
17: 3 04/04	18: 3 04/03	19: 3 04/02	20: 3 04/01	21: 3 03/12	22: 3 03/11	23: 3 03/10	24: 3 03/09

EPA:(YY/MM)

1: 05/08	2: 05/07	3: 05/06	4: 05/05	5: 05/04	6: 05/03	7: 05/02	8: 05/01
9: 04/12	10: 04/11	11: 04/10	12: 04/09	13: 04/08	14: 04/07	15: 04/06	16: 04/05
17: 04/04	18: 04/03	19: 04/02	20: 04/01	21: 03/12	22: 03/11	23: 03/10	24: 03/09

QUARTERLY:

STATE:(YY/QQ)

1: 3 05/03	2: 3 05/02	3: 3 05/01	4: 3 04/04	5: 3 04/03	6: 3 04/02	7: 3 04/01	8: 3 03/04

EPA:(YY/QQ)

1: 05/03	2: 05/02	3: 05/01	4: 04/04	5: 04/03	6: 04/02	7: 04/01	8: 03/04

0AIR PROGRAM POLLUTANTS:

0 SO2 - SULFUR DIOXIDE

LOADING: -
RDE14 :
TOXICITY LEVEL:
STATE REGULATION NUMBER:

	---------STATE----------	--------EPA--------
COMPLIANCE	: 3 - IN COMPLIANCE - INSPECTIO	: -
CLASSIFICATION	: A	:
ATTAIN/NONATTN	: A - ATTAINMENT AREA FOR A GIV	: -

0 HSO4P - SULFURIC ACID (TSP)

LOADING: -

	---------STATE----------	--------EPA--------
COMPLIANCE	: 3 - IN COMPLIANCE - INSPECTIO	: -
CLASSIFICATION	:	:

1

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

```
          001    OCT 1999 MONTHLY RPT-AMBIENT SO2 MONITOR & PM10 MONITORS
0 156       09     07 QTR REPORT DUE  99/12/30 99/12/20          19 IN COMPLIANCE 000000000  M
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    NOV 1999 MONTHLY RPT-AMBIENT SO2 MONITOR & PM10 MONITORS
0 157       09     07 QTR REPORT DUE  00/01/30 00/01/10          19 IN COMPLIANCE 000000000  M
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    DEC 1999 MONTHLY RPT-AMBIENT SO2 MONITOR & PM10 MONITORS
0 158       09     07 QTR REPORT DUE  00/02/28 00/02/23          01 ACTION ACHIEV 000000000  M
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JAN 2000 MONTHLY RPT-AMBIENT SO2 MONITOR & PM10 MONITORS &
                 MONTHLY EMIS RPT FOR E SULFURIC PLANT
0 159        0     M4 CM TEST RESULTS 00/03/01 00/03/01          19 IN COMPLIANCE 000000000  A
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 ANNUAL CEMS RATA-E SULFURIC ACID PLANT.  RPT REC'D
                 4/13/00

 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- -------------------------
  160       09     18 SOURCE TST CON  00/03/01 00/03/01          19 IN COMPLIANCE 000000000  A
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 ACID MIST/SO2 PERF TEST FOR E SULFURIC ACID PLANT
          002    PER 5/3/00 DEQ-POC LETTER-TEST IN COMPLIANCE.
                 MAX ALLOWABLE PROCESS RATE-1,521 T/DAY
0 161        0     M4 CM TEST RESULTS 00/04/03 00/04/03          19 IN COMPLIANCE 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    BOILER B-5 PREDICTIVE EMISSIONS MONITORING SYSTEM (PEMS) &
                 RELATIVE ACCURACY TEST AUDIT (RATA) CONDUCTED ON THE PEMS.
                 CONDUCTED 2/14-18/00.
          002    PER 5/19/00 DEQ-POC LETTER-TEST REPORT MEETS REQ'TS OF 40
                 CFR 60 49B(C) & SECTION 4.3.2 OF PERMIT.
0 162       09     I1 ID PTC ISSUED   00/02/29 00/02/29       POC  08 ISSUED        000000000              PERMIT #P-000300
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    AMENDMENT (E SULFURIC ACID PLANT).  SUPERSEDES PTC ISSUED
                 1/5/96 & PTC AMENDMENT ISSUED 4/26/96
          002    PERMIT HANDOFF-3/28/00
0
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
```

```
                1/1/00 - 1/14/00)
0 181       0     M3 EER SUBMISSION  00/01/31 00/01/31          01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPTS (FOR PERIOD
                 1/14/00 - 1/31/00)
0 182       0     M3 EER SUBMISSION  00/02/14 00/02/14          01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 2/4/00 - 2/13/00)
0 183       0     M3 EER SUBMISSION  00/02/23 00/02/23          01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 2/14/00 - 2/22/00)
0 184       0     07 QTR REPORT DUE  00/02/29 00/02/29          01 ACTION ACHIEV 000000000  S
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:    47
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    SEMI-ANNUAL EXCESS EMIS RPT FOR B-5 BOILER (EXCESS EMIS OF
                 NOX 9/17-19/99)
0 185       0     M3 EER SUBMISSION  00/03/01 00/03/01          01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 2/23/00 - 2/29/00)
0 186       0     M3 EER SUBMISSION  00/03/15 00/03/15          01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 3/1/00 - 3/15/00)
0 187       0     M4 CM TEST RESULTS 00/05/23 00/05/23          19 IN COMPLIANCE 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CYLINDER GAS AUDIT RPT FOR E SULFURIC ACID PLANT CEMS RATA
                 PERFORMED 5/23/00.
                 PER 6/23/00 DEQ MEMO-IN COMPLIANCE
0 188       0     07 QTR REPORT DUE  00/03/30 00/03/22          01 ACTION ACHIEV 000000000  M
```

```
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                                NUWEST                                                PAGE:    48
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                    GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                  AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                   OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    FEB 2000 MONTHLY RPT-AMBIENT SO2 MONITOR, PM10 MONITORS, &
                  MONTHLY EMISSIONS RPT FOR E SULFURIC PLANT
0 189        0      07 QTR REPORT DUE  00/04/30 00/05/03            01 ACTION ACHIEV 000000000  M
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    MARCH 2000 MONTHLY RPT-AMBIENT SO2 MONITOR, PM10 MONITORS, &
                  MONTHLY EMISSIONS RPT FOR E SULFURIC PLANT
0 190        0      07 QTR REPORT DUE  00/05/30 00/05/10            01 ACTION ACHIEV 000000000  M
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    APRIL 2000 MONTHLY RPT-AMBIENT SO2 MONITOR, PM10 MONITORS, &
                  MONTHLY EMISSIONS RPT FOR E SULFURIC PLANT
0 191        0      07 QTR REPORT DUE  00/06/30 00/06/13            01 ACTION ACHIEV 000000000  M
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    MAY 2000 MONTHLY RPT-AMBIENT SO2 MONITOR, PM10 MONITORS, &
                  MONTHLY EMISSIONS RPT FOR E SULFURIC PLANT
0 192       09      I1 ID PTC ISSUED   00/04/27 00/04/27       POC  08 ISSUED        000000000                PERMIT #P-000309
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                                NUWEST                                                PAGE:    49
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                    GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                  AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                   OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    AMENDMENT-E SULFURIC ACID PLANT (SUPERSEDES PERMIT ISSUED
                  2/29/00)
0 193       09      66 ID PERM/RPT REQ 00/07/30 00/07/17            42 RECEIVED      000000000  Q            RV
```

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2ND QTR 2000 QTRLY RPT-E SULFURIC ACID PLANT
0 194      09      17 ST COMP INSPEC  00/09/30 00/08/07       POC  19 IN COMPLIANCE 000000000              P-NO   /C000811/SO-000810
0 196       0      18 SOURCE TST CON  00/04/29 00/04/29            19 IN COMPLIANCE 000000000  A
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 ANNUAL PERF TEST FOR PM/FL FOR PHOSPHORIC ACID PLANT
          002    PER 8/15/00 DEQ-PRO LETTER-IN COMPLIANCE
0 197       0      18 SOURCE TST CON  00/04/27 00/04/27            18 OUT OF COMPLI 000000000  A
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 ANNUAL PERF TEST FOR PM/FL FOR DAP PLANT
          002    PER 8/15/00 DEQ-PRO LETTER-PM EMISSIONS ARE IN COMPLIANCE,
                 FL EMIS DID NOT DEMONSTRATE COMPLIANCE
0 198       0      87 STTE WARN LETT  00/08/15 00/08/15            08 ISSUED        000000000  WL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                 PAGE:    50
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    FL EMISSIONS FROM DAP PLANT (4/27/00 PERF TEST) DID NOT
                 DEMONSTRATE COMPLIANCE WITH PERMITTED FL EMIS LIMIT.
0 200       0      18 SOURCE TST CON  00/04/28 00/04/28            19 IN COMPLIANCE 000000000  A
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 PM/FL PERF TEST FOR #4 CALCINER
          002    PER 8/4/00 DEQ-PRO LETTER-IN COMPLIANCE
0 201       0      18 SOURCE TST CON  00/09/01 00/09/01            19 IN COMPLIANCE 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2000 PERF RETEST FOR DAP PLANT FOR TOTAL FL (AFTER 4/27/00
                 PERF TEST FAILED) CONDUCTED 8/28/00 - 9/1/00
                 PER 8/8/00 DEQ-PRO LETTER-PROTOCOL APPROVED
          002    PER 9/15/00 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.
0 202       0      M3 EER SUBMISSION  00/04/03 00/04/03            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 3/16/00 - 3/31/00)
0 203       0      M3 EER SUBMISSION  00/04/21 00/04/21            01 ACTION ACHIEV 000000000
```

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                    NUWEST                                                  PAGE:    51
                                              SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE    ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 4/2/00 - 4/20/00)
0 204       0      M3 EER SUBMISSION  00/05/02 00/05/02            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 4/21/00 - 5/2/00)
0 205       0      M3 EER SUBMISSION  00/05/17 00/05/17            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 5/3/00 - 5/17/00)
0 206       0      M3 EER SUBMISSION  00/05/31 00/05/31            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 5/18/00 - 5/31/00)
0 207       0      M3 EER SUBMISSION  00/06/14 00/06/14            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                    NUWEST                                                  PAGE:    52
                                              SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE    ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 6/1/00 - 6/14/00)
0 208       0      M3 EER SUBMISSION  00/07/03 00/07/03            01 ACTION ACHIEV 000000000
```

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 6/17/00 - 6/30/00)
0 209       0      M3 EER SUBMISSION  00/07/17 00/07/17            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 7/1/00 - 7/15/00)
0 210       0      M3 EER SUBMISSION  00/07/31 00/07/31            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EXCESS EMIS 15-DAY FOLLOWUP SUMMARY RPT (FOR PERIOD
                 7/17/00 - 7/31/00)
0 211       0      M4 CM TEST RESULTS 00/08/22 00/08/22            19 IN COMPLIANCE 000000000  Q
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                                PAGE:    53
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CYLINDER GAS AUDIT RPT FOR E SULFURIC ACID PLANT CEMS CYLIN-
                 DER GAS AUDIT.  RPT REC'D 9/12/00
          002    PER 9/15/00 DEQ-TSO MEMO-RPT DEMONSTRATES COMPLIANCE
0 212       0      16 EPA INSPECTION    /  /   00/06/13       E10  99 PENDING       000000000
0 213       0      66 ID PERM/RPT REQ 00/07/17 00/07/17            42 RECEIVED      000000000  Q            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2ND QTR 2000 QTRLY RPT
0 214       0      66 ID PERM/RPT REQ 00/07/30 00/07/11            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JUNE 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
0 215       0      66 ID PERM/RPT REQ 00/08/07 00/08/07            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JULY 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
0 216       0      66 ID PERM/RPT REQ 00/09/08 00/09/08            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
```

0 PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		AUG 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2 MONITOR/PM10 MONITORS									
0 217	0	66	ID PERM/RPT REQ	00/10/16	00/10/16		42	RECEIVED	000000000	M		RV
0	COMMENT NO.		COMMENT									
	001		SEPT 2000 MONTHLY EMIS RPT, AMBIENT SO2 MONITOR, PM10 MONITOR-E SULFURIC PLANT									
0 219	0	66	ID PERM/RPT REQ	00/10/30	00/10/23		42	RECEIVED	000000000	Q		RV
0	COMMENT NO.		COMMENT									
	001		3RD QTR 2000 QTRLY AIR MONITORING RPT-E SULFURIC PLANT									
0 220	09M	I1	ID PTC ISSUED	00/07/12	00/07/12	POC	08	ISSUED	000000000			PERMIT #P-990142
0	COMMENT NO.		COMMENT									
	001		MODIFICATION-SUSTAINING & EXPANSION PROJECTS									
	002		PERMIT HANDOFF-11/14/01									
0 222	0	43	ID-PROD STARTUP	01/08/09	01/08/09		01	ACTION ACHIEV	000000000			
0	COMMENT NO.		COMMENT									
	001		PER 8/16/01 CO. LETTER-INITIAL STARTUP OF NEWLY CONSTRUCTED PURIFIED PHOS ACID PLANT WAS 8/9/01									

0 PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
223	0	43	ID-PROD STARTUP	01/08/02	01/08/02		01	ACTION ACHIEV	000000000			
0	COMMENT NO.		COMMENT									
	001		PER 8/16/01 CO. LETTER-INITIAL STARTUP OF NEWLY RECONSTRUCT-ED PHOS ACID PLANT PLANT WAS 8/2/01									
0 224	0M	18	SOURCE TST CON	01/03/02	/ /				000000000			

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    40 CFR 60, APPENDIX A, METHOD 13A TESTS ON WET PROCESS PHOS-
                 PHORIC ACID PROCESS LINE SCRUBBER & SUPERPHOSPHORIC ACID
                 PROCESS LINE SCRUBBER TO BE CONDUCTED 2/26-3/2/01
          002    PER 11/16/00 DEQ-PRO LETTER-PROTOCOL APPROVED W/STIPULATIONS
0 225       0      43 ID-PROD STARTUP 01/11/12 01/11/12            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    SUPER PHOSPHORIC ACID (SPA) OXIDATION PROCESS (PER 11/20/01
                 CO. LETTER)
0 227       0      46 ID-GENR CORRESP 01/01/19 01/01/19            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CO. LETTER ADVISING THAT PHOS ACID PLANT STACK TEST IS POST-
                 PONED DUE TO SAFETY CONCERNS.  ALSO, COMPLETED SAMPLING
                 PORTION OF S.T. ON SUPER PHOS ACID PROCESS SCRUBBER STACK
0 228       0      66 ID PERM/RPT REQ 00/11/09 00/11/09            42 RECEIVED      000000000  M            RV
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                              PAGE:    56
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    OCT 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
          002    REVISED MONTHLY RPT ON PM10 RPT SUBMITTED 12/4/00
0 229       0      66 ID PERM/RPT REQ 00/12/13 00/12/13            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    NOV 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
0 230       0      66 ID PERM/RPT REQ 01/01/03 01/01/03            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    DEC 2000 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
0 231       0      66 ID PERM/RPT REQ 01/02/02 01/02/02            42 RECEIVED      000000000  Q            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    4TH QTR 2000 QTRLY AIR MONITORING RPT
0 232       09V    17 ST COMP INSPEC  01/09/30 01/08/07       POC  19 IN COMPLIANCE 000000000  C            P010807/C010904/R010904
0 233       0      66 ID PERM/RPT REQ 01/02/20 01/02/20            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
```

0 PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

```
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JAN 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                 MONITOR/PM10 MONITORS
0 234     09M    18 SOURCE TST CON  01/01/16 01/01/16       POC  19 IN COMPLIANCE 000000000  A            RV010226
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2001 FLUORIDE INITIAL PERF TEST FOR THE SUPER PHOS ACID
                 PLANT PROCESS SCRUBBER CONDUCTED 1/15-16/01 (REQ'T IN PTC
                 ISSUED 7/12/00)
          002    PER 2/26/01 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                 IS 28.69 T/HR
0 240      0      63 ID EE NOTIFICAT 00/08/01 00/08/01            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 11:10 AM ON 8/1/00 (GRANULATION PLANT)
0 241      0      63 ID EE NOTIFICAT 00/08/02 00/08/02            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 9:20 PM ON 8/1/00 (GRANULATION PLANT)
                 UPSET/STARTUP 10:40 AM ON 8/2/00 (GRANULATION PLANT)
0 242      0      63 ID EE NOTIFICAT 00/08/03 00/08/03            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
```


0 PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

```
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/REDUCED RATE 9:30 AM ON 8/3/00 (#4 CALCINER)
0 243      0      63 ID EE NOTIFICAT 00/08/04 00/08/04            42 RECEIVED      000000000
0       COMMENT  COMMENT
```

```
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 8:45 PM ON 8/3/00 (GRANULATION PLANT)
0 244       0      63 ID EE NOTIFICAT 00/08/06 00/08/06            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 5:05 PM ON 8/6/00 (GRANULATION PLANT)
0 245       0      63 ID EE NOTIFICAT 00/08/08 00/08/08            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 2:55 PM ON 8/8/00 (#4 CALCINER)
0 246       0      63 ID EE NOTIFICAT 00/08/09 00/08/09            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 11:20 AM ON 8/9/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 3:10 PM ON 8/9/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 4:55 PM ON 8/9/00 (GRANULATION PLANT)
                 UPSET/STARTUP 7:35 PM ON 8/9/00 (GRANULATION PLANT)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:    59
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  250       0      63 ID EE NOTIFICAT 00/08/15 00/08/15            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 4:10 AM ON 8/15/00 (GRANULATION PLANT)
0 251       0      M3 EER SUBMISSION  00/08/15 00/08/15            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 8/1/00 - 8/15/00
0 252       0      63 ID EE NOTIFICAT 00/08/16 00/08/16            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:45 AM ON 8/16/00 (GRANULATION PLANT)
                 UPSET/STARTUP 8:25 PM ON 8/16/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 6:30 AM ON 8/17/00 (#4 CALCINER)
0 253       0      63 ID EE NOTIFICAT 00/08/17 00/08/17            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:00 AM ON 8/17/00 (GRANULATION PLANT)
                 UPSET/STARTUP 4:30 PM ON 8/17/00 (#4 CALCINER)
0 254       0      63 ID EE NOTIFICAT 00/08/18 00/08/18            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
```

0

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		UPSET/STARTUP 10:00 AM ON 8/18/00 (GRANULATION PLANT) UPSET/SHUTDOWN 11:40 AM ON 8/18/00 (E SULFURIC PLANT) UPSET/STARTUP 5:55 PM ON 8/18/00 (E SULFURIC ACID PLANT)										
0 255	0	63	ID EE NOTIFICAT	00/08/23	00/08/23		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/SHUTDOWN 5:05 PM ON 8/23/00 (GRANULATION PLANT) UPSET/STARTUP 12:10 PM ON 8/23/00 (GRANULATION PLANT)									
0 256	0	63	ID EE NOTIFICAT	00/08/24	00/08/24		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/SCRUBBER DOWN 8:00 AM ON 8/24/00 (PHOS ACID PLANT) UPSET/SCRUBBER BACK ON 9:30 AM ON 8/24/00 (PHOS ACID PLANT)									
0 257	0	63	ID EE NOTIFICAT	00/08/25	00/08/25		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/SHUTDOWN 11:50 PM ON 8/24/00 (GRANULATION PLANT) UPSET/STARTUP 3:30 AM ON 8/25/00 (GRANULATION PLANT)									
0 258	0	63	ID EE NOTIFICAT	00/08/28	00/08/28		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									

0

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		UPSET/SHUTDOWN 6:45 PM ON 8/28/00 (GRANULATION PLANT)									
0 259	0	63	ID EE NOTIFICAT	00/08/29	00/08/29		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									

```
          001    UPSET/STARTUP 4:30 AM ON 8/29/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 7:00 PM ON 8/29/00 (GRANULATION PLANT)
0 260       0      63 ID EE NOTIFICAT 00/08/30 00/08/30            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    UPSET/STARTUP 4:00 AM ON 8/30/00 (GRANULATION PLANT)
0 261       0      63 ID EE NOTIFICAT 00/08/31 00/08/31            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:20 PM ON 8/30/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 2:20 PM ON 8/31/00 (B-5 BOILER)
                 UPSET/STARTUP 5:45 PM ON 8/31/00 (B-5 BOILER)
0 262       0      63 ID EE NOTIFICAT 00/09/01 00/09/01            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    UPSET/STARTUP 8:40 PM ON 8/31/00 (GRANULATION PLANT)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:    62
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ----------------------
  263       0      M3 EER SUBMISSION  00/08/23 00/08/23            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR BREAKDOWN/REPAIRS TO SCRUBBER LINE
                 8/7/00 9:35 AM (PHOS ACID PLANT)
0 264       0      M3 EER SUBMISSION  00/08/29 00/08/29            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    SEMI-ANNUAL EXCESS EMIS RPT FOR B-5 BOILER (1/1/00-6/30/00)
0 265       0      M3 EER SUBMISSION  00/09/01 00/09/01            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 8/16/00 - 8/31/00
0 266       0      63 ID EE NOTIFICAT 00/09/01 00/09/01            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:30 PM ON 9/1/00 (GRANULATION PLANT)
                 UPSET/STARTUP 6:55 PM ON 9/1/00 (GRANULATION PLANT)
0 267       0      63 ID EE NOTIFICAT 00/09/03 00/09/03            42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 6:00 AM ON 9/2/00 (GRANULATION PLANT)
                 UPSET/STARTUP 4:20 PM ON 9/3/00 (GRANULATION PLANT)
1=====================================================================================================================
```

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
268	0	63	ID EE NOTIFICAT	00/09/07	00/09/07		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 6:30 AM ON 9/7/00 (GRANULATION PLANT) MAINTENANCE SHUTDOWN 5:05 AM ON 9/7/00 (#4 CALCINER) UPSET/STARTUP 5:40 PM ON 9/7/00 (#4 CALCINER) UPSET/STARTUP 6:20 PM ON 9/7/00 (GRANULATION PLANT)										
269	0	63	ID EE NOTIFICAT	00/09/09	00/09/09		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 9:00 PM ON 9/8/00 (GRANULATION PLANT) UPSET/STARTUP 2:55 AM ON 9/9/00 (GRANULATION PLANT)										
270	0	63	ID EE NOTIFICAT	00/09/10	00/09/10		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 11:45 AM ON 9/10/00 (GRANULATION PLANT)										
271	0	63	ID EE NOTIFICAT	00/09/11	00/09/11		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										
	001	UPSET/STARTUP 10:20 AM ON 9/11/00 (GRANULATION PLANT)										
272	0	63	ID EE NOTIFICAT	00/09/12	00/09/12		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 5:00 AM ON 9/12/00 (GRANULATION PLANT) UPSET/STARTUP 2:00 AM ON 9/12/00 (GRANULATION PLANT)										
273	0	63	ID EE NOTIFICAT	00/09/13	00/09/13		42	RECEIVED	000000000			
	COMMENT NO.	COMMENT										

```
          001    UPSET/SHUTDOWN 5:05 AM ON 9/13/00 (GRANULATION PLANT)
                 UPSET/STARTUP 10:00 AM ON 9/13/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 1:20 PM ON 9/13/00 (GRANULATION PLANT)
                 UPSET/STARTUP 3:35 PM ON 9/13/00 (GRANULATION PLANT)
0 274       0      63 ID EE NOTIFICAT 00/09/15 00/09/15            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:00 AM ON 9/15/00 (GRANULATION PLANT)
                 UPSET/STARTUP 12:00 PM ON 9/15/00 (GRANULATION PLANT)
0 275       0      M3 EER SUBMISSION  00/09/18 00/09/18            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 9/1/00 - 9/15/00
0 276       0      63 ID EE NOTIFICAT 00/09/18 00/09/18            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:    65
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ----------------------
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    BREAKDOWN/FRENCH BLOWER 2:00 PM ON 9/18/00 (EAST SULFURIC)
                 UPSET/SHUTDOWN 3:05 PM ON 9/18/00 (GRANULATION PLANT)
                 UPSET/STARTUP 3:45 PM ON 9/18/00 (EAST SULFURIC PLANT)
                 UPSET/STARTUP 6:00 PM ON 9/18/00 (GRANULATION PLANT)
0 277       0      63 ID EE NOTIFICAT 00/09/20 00/09/20            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 7:50 PM ON 9/19/00 (GRANULATION PLANT)
                 UPSET/STARTUP 10:05 AM ON 9/20/00 (GRANULATION PLANT)
0 278       0      63 ID EE NOTIFICAT 00/09/27 00/09/27            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    BREAKDOWN 5:40 PM ON 9/27/00 (GRANULATION PLANT)
                 UPSET/STARTUP 7:25 PM ON 9/27/00 (GRANULATION PLANT)
0 279       0      63 ID EE NOTIFICAT 00/09/28 00/09/28            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:55 AM ON 9/28/00 (GRANULATION PLANT)
0 280       0      63 ID EE NOTIFICAT 00/09/29 00/09/29            42 RECEIVED      000000000
0        COMMENT  COMMENT
          NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
```

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		UPSET/STARTUP 2:00 AM ON 9/29/00 (GRANULATION PLANT)									
			UPSET/SHUTDOWN 1:50 PM ON 9/29/00 (GRANULATION PLANT)									
			UPSET/STARTUP 3:05 PM ON 9/29/00 (GRANULATION PLANT)									
0 281	0		M3 EER SUBMISSION	00/10/03	00/10/03		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		15 DAY FOLLOWUP RPT FOR PERIOD 9/16/00 - 9/30/00									
0 282	0		63 ID EE NOTIFICAT	00/10/01	00/10/01		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/BREAKDOWN 5:45 AM ON 10/1/00 (GRANULATION PLANT)									
			UPSET/STARTUP 12:00 PM ON 10/1/00 (GRANULATION PLANT)									
0 283	0		63 ID EE NOTIFICAT	00/10/03	00/10/03		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/SHUTDOWN 9:00 AM ON 10/2/00 (PHOSPHORIC ACID PLANT)									
0 284	0		63 ID EE NOTIFICAT	00/10/02	00/10/02		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/SHUTDOWN 10:30 AM ON 10/2/00 (GRANULATION PLANT)									
			UPSET/SHUTDOWN 1:00 PM ON 10/2/00 (B-5 BOILER)									
			UPSET/STARTUP 1:15 AM ON 10/2/00 (GRANULATION PLANT)									

1==========

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
285	0		63 ID EE NOTIFICAT	00/10/04	00/10/04		42	RECEIVED	000000000			
0	COMMENT NO.		COMMENT									
	001		UPSET/STARTUP 6:00 AM ON 10/4/00 (B-5 BOILER)									
			UPSET/SHUTDOWN 8:00 AM ON 10/4/00 (EAST SULFURIC PLANT)									
0 286	0		63 ID EE NOTIFICAT	00/10/05	00/10/05		42	RECEIVED	000000000			
0	COMMENT		COMMENT									

```
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:10 AM ON 10/5/00 (GRANULATION PLANT)
                 UPSET/STARTUP 11:45 AM ON 10/5/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 10:55 PM ON 10/5/00 (GRANULATION PLANT)
0 287       0      63 ID EE NOTIFICAT 00/10/06 00/10/06            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 2:25 AM ON 10/6/00 (GRANULATION PLANT)
                 MAINTENANCE/SHUTDOWN 9:00 PM ON 10/6/00 (#4 CALCINER)
0 288       0      63 ID EE NOTIFICAT 00/10/07 00/10/07            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 9:55 AM ON 10/7/00 (GRANULATION PLANT)
                 UPSET/STARTUP 2:30 PM ON 10/7/00 (GRANULATION PLANT)
0 289       0      63 ID EE NOTIFICAT 00/10/08 00/10/08            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                  PAGE:    68
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:45 ON 10/8/00 (GRANULATION PLANT)
0 290       0      63 ID EE NOTIFICAT 00/10/09 00/10/09            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 3:35 PM ON 10/9/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 10:30 PM ON 10/9/00 (GRANULATION PLANT)
0 291       0      M3 EER SUBMISSION  00/10/27 00/10/27            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 10/1/00 - 10/9/00
0 292       0      63 ID EE NOTIFICAT 00/10/30 00/10/30            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    RUN FAN 6:00 PM ON 10/30/00 (NORTH CALCINER)
0 293       0      63 ID EE NOTIFICAT 00/11/17 00/11/17            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 12:30 PM ON 11/15/00 (B-5 BOILER)
                 UPSET/STARTUP 12:45 PM ON 11/15/00 (B-5 BOILER)
1=====================================================================================================================
```

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
294	0	63	ID EE NOTIFICAT	00/11/30	00/11/30		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	RUN FAN, BLOWER, BURNER 10:00 AM ON 11/30/00 (NORTH CALCINER)										
0 295	0	63	ID EE NOTIFICAT	00/12/01	00/12/01		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	RUN FAN & BLOWER 2:00 PM ON 12/1/00 (NORTH CALCINER)										
0 296	0	63	ID EE NOTIFICAT	00/12/05	00/12/05		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 10:00 AM ON 12/5/00 (B-5 BOILER)										
		UPSET/STARTUP 2:25 PM ON 12/5/00 (B-5 BOILER)										
0 297	0	M3	EER SUBMISSION	00/12/08	00/12/08		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	15 DAY FOLLOWUP RPT FOR PERIOD 10/9/00 - 12/5/00										
0 298	0	63	ID EE NOTIFICAT	00/12/09	00/12/09		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/STARTUP 4:00 PM ON 12/9/00 (EAST SULFURIC PLANT)										
		UPSET/SHUTDOWN 5:25 PM ON 12/9/00 (EAST SULFURIC PLANT)										
		UPSET/STARTUP 7:40 PM ON 12/9/00 (EAST SULFURIC PLANT)										
		UPSET/STARTUP 8:00 PM ON 12/9/00 (PHOS ACID PLANT)										

1==========

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
299	0	63	ID EE NOTIFICAT	00/12/10	00/12/10		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	SCRUBBER FAN TRIPPED 3:00 PM ON 12/10/00 (PHOS ACID PLANT)										
		SCRUBBER FAN ONLINE 5:00 PM ON 12/10/00 (PHOS ACID PLANT)										
0 300	0	63	ID EE NOTIFICAT	00/12/11	00/12/11		42	RECEIVED	000000000			

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 2:00 AM ON 12/11/00 (EAST SULFURIC PLANT)
0 301       0      63 ID EE NOTIFICAT 00/12/12 00/12/12            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 8:50 PM ON 12/11/00 (EAST SULFURIC PLANT)
0 302       0      M3 EER SUBMISSION  00/12/12 00/12/12            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/BREAKDOWN (E SULFURIC PLANT) ON 12/11/00.  FOLLOWUP
                 INCLUDED DAILY EMIS RPT
0 303       0      63 ID EE NOTIFICAT 00/12/19 00/12/19            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 5:30 PM ON 12/12/00 (NORTH CALCINER)
                 STARTUP/BLOWER ONLINE 5:45 AM ON 12/13/00 (NORTH CALCINER)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                              PAGE:    71
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  304       0      63 ID EE NOTIFICAT 00/12/13 00/12/13            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    BREAKDOWN/BLOWER TRIPPED 2:00 AM ON 12/13/00 (NORTH CAL-
                 CINER)
0 306       0      63 ID EE NOTIFICAT 00/12/14 00/12/14            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 4:35 PM ON 12/14/00 (GRANULATION PLANT)
0 308       0      63 ID EE NOTIFICAT 00/12/16 00/12/16            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:20 PM ON 12/16/00 (NORTH CALCINER)
0 309       0      63 ID EE NOTIFICAT 00/12/17 00/12/17            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 9:40 AM ON 12/17/00 (GRANULATION PLANT)
0 310       0      63 ID EE NOTIFICAT 00/12/18 00/12/18            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    STARTUP 5:20 AM ON 12/18/00 (GRANULATION PLANT)
                 UPSET/STARTUP 9:30 AM ON 12/18/00 (GRANULATION PLANT)
```

0
PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. INDIR. AIR DATE DATE ACT.
NO. NO. PROGRM TYPE/DESCRIPTION SCHEDULD ACHIEVED CAT. STAFF RESULTS PENALTY RD8 PLLT/CASN RDE 16

311 0 63 ID EE NOTIFICAT 00/12/21 00/12/21 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.
001 UPSET/SHUTDOWN 6:35 AM ON 12/18/00 (GRANULATION PLANT)
0 313 0 M3 EER SUBMISSION 00/12/21 00/12/21 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.
001 15 DAY FOLLOWUP RPT FOR PERIOD 12/9/00 - 12/18/00
0 314 0 63 ID EE NOTIFICAT 00/12/20 00/12/20 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.
001 UPSET/SHUTDOWN 1:30 PM ON 12/20/00 (GRANULATION PLANT)
0 315 0 63 ID EE NOTIFICAT 00/12/21 00/12/21 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.
001 UPSET/SHUTDOWN 1:45 PM ON 12/21/00 (#4 CALCINER)
UPSET/STARTUP 3:30 PM ON 12/21/00 (#4 CALCINER)
UPSET/STARTUP 10:00 PM ON 12/21/00 (GRANULATION PLANT)
UPSET/SHUTDOWN 4:00 AM ON 12/22/00 (GRANULATION PLANT)
0 316 0 63 ID EE NOTIFICAT 00/12/22 00/12/22 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.

0
PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. INDIR. AIR DATE DATE ACT.
NO. NO. PROGRM TYPE/DESCRIPTION SCHEDULD ACHIEVED CAT. STAFF RESULTS PENALTY RD8 PLLT/CASN RDE 16

0 COMMENT COMMENT
NO.
001 UPSET/STARTUP 2:40 PM ON 12/22/00 (GRANULATION PLANT)
0 317 0 63 ID EE NOTIFICAT 00/12/26 00/12/26 42 RECEIVED 000000000
0 COMMENT COMMENT
NO.
001 UPSET/SHUTDOWN 3:00 AM ON 12/26/00 (GRANULATION PLANT)

```
                UPSET/STARTUP 10:45 PM ON 12/26/00 (GRANULATION PLANT)
0 318       0     63 ID EE NOTIFICAT 00/12/27 00/12/27          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 8:50 AM ON 12/27/00 (GRANULATION PLANT)
                 UPSET/STARTUP 9:40 AM ON 12/27/00 (GRANULATION PLANT)
0 319       0     63 ID EE NOTIFICAT 00/12/29 00/12/29          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:10 AM ON 12/29/00 (GRANULATION PLANT)
                 UPSET/STARTUP 10:15 AM ON 12/29/00 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 1:30 PM ON 12/29/00 (GRANULATION PLANT)
                 UPSET/STARTUP 3:50 PM ON 12/29/00 (GRANULATION PLANT)
0 320       0     63 ID EE NOTIFICAT 00/12/30 00/12/30          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                          PAGE:    74
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ----------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 8:30 PM ON 12/30/00 (GRANULATION PLANT)
0 321       0     M3 EER SUBMISSION  01/01/03 01/01/03          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 12/20/00 - 12/30/00
0 322       0     63 ID EE NOTIFICAT 01/01/02 01/01/02          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 1:10 AM ON 1/2/01 (GRANULATION PLANT)
0 323       0     63 ID EE NOTIFICAT 01/01/04 01/01/04          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 9:00 AM ON 1/3/01 (NORTH CALCINER)
                 UPSET/SHUTDOWN 6:30 PM ON 1/3/01 (NORTH CALCINER)
                 UPSET/SHUTDOWN 10:55 AM ON 1/4/01 (GRANULATION PLANT)
0 324       0     63 ID EE NOTIFICAT 01/01/05 01/01/05          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 1:35 PM ON 1/5/01 (GRANULATION PLANT)
1=====================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                          PAGE:    75
```

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
325	0	63	ID EE NOTIFICAT	01/01/06	01/01/06		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 5:50 AM ON 1/6/01 (GRANULATION PLANT) UPSET/BREAKDOWN 8:18 AM ON 1/6/01 (PHOS ACID PLANT SCRUBBER) UPSET/BACK ONLINE 11:30 AM ON 1/6/01 (PHOS ACID PLANT SCRUB-BER)										
	002	UPSET/STARTUP 6:00 PM ON 1/6/01 (GRANULATION PLANT)										
0 326	0	63	ID EE NOTIFICAT	01/01/08	01/01/08		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 6:00 AM ON 1/8/01 (GRANULATION PLANT) UPSET/STARTUP 2:45 PM ON 1/8/01 (EAST SULFURIC PLANT) UPSET/STARTUP 5:30 PM ON 1/8/01 (PHOS ACID PLANT-NEW SCRUBBER)										
0 327	0	63	ID EE NOTIFICAT	01/01/05	01/01/05		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	SCHEDULED SHUTDOWN 8:30 AM ON 1/8/01 (EAST SULFURIC PLANT) SCHEDULED SHUTDOWN 8:30 AM ON 1/8/01 (PHOS ACID PLANT)										
0 329	0	63	ID EE NOTIFICAT	01/01/09	01/01/09		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/STARTUP 10:30 PM ON 1/9/01 (GRANULATION PLANT)										

1==========

0==========

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

==========

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
330	0	63	ID EE NOTIFICAT	01/01/11	01/01/11		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 7:15 AM ON 1/11/01 (GRANULATION PLANT UPSET/STARTUP 10:00 AM ON 1/11/01 (GRANULATION PLANT)										
0 331	0	63	ID EE NOTIFICAT	01/01/13	01/01/13		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 6:30 PM ON 1/13/01 (GRANULATION PLANT)										

```
0 332       0      63 ID EE NOTIFICAT 01/01/14 01/01/14            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSEST/STARTUP 9:55 PM ON 1/14/01 (GRANULATION PLANT)
0 333       0      M3 EER SUBMISSION  01/01/15 01/01/15            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 1/2/01 - 1/14/01
0 334       0      63 ID EE NOTIFICAT 01/01/16 01/01/16            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    LOST H2O TO SCRUBBERS 8:00 AM ON 1/16/01 (PHOS ACID PLANT)
                 SCRUBBERS BACK ON 11:00 AM ON 1/16/01 (PHOS ACID PLANT)
                 UPSET/SHUTDOWN 11:00 AM ON 1/16/01 (GRANULATION PLANT)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                              NUWEST                                        PAGE:    77
                                                      SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  335       0      63 ID EE NOTIFICAT 01/01/17 01/01/17            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 11:00 AM ON 1/17/01 (GRANULATION PLANT)
0 336       0      63 ID EE NOTIFICAT 01/01/18 01/01/18            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:40 PM ON 1/18/01 (GRANULATION PLANT)
0 337       0      63 ID EE NOTIFICAT 01/01/19 01/01/19            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 2:20 AM ON 1/19/01 (GRANULATION PLANT)
0 338       0      63 ID EE NOTIFICAT 01/01/25 01/01/25            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 11:00 AM ON 1/25/01 (GRANULATION PLANT)
0 339       0      63 ID EE NOTIFICAT 01/01/27 01/01/27            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 5:00 PM ON 1/17/01 (GRANULATION PLANT)
0 340       0      63 ID EE NOTIFICAT 01/01/29 01/01/29            42 RECEIVED      000000000
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                              NUWEST                                        PAGE:    78
                                                      SENSITIVE DATA INCLUDED
0=====================================================================================================================
```

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

```
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF      RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    UPSET/STARTUP 4:25 PM ON 1/28/01 (GRANULATION PLANT)
                  SCRUBBER DOWN 9:00 PM ON 1/28/01 (SPA PROCESS)
                  UPSET/SHUTDOWN 5:25 AM ON 1/29/01 (GRANULATION PLANT)
                  LOST H29 TO SCRUBBERS 10:40 AM ON 1/29/01 (PHOS ACID PLANT
           002    & SPA)
0 341        0      63 ID EE NOTIFICAT 01/01/31 01/01/31          42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    UPSET/SHUTDOWN 6:15 AM ON 1/31/01 (GRANULATION PLANT)
                  UPSET/STARTUP 11:35 AM ON 1/31/01 (GRANULATION PLANT)
0 342        0      M3 EER SUBMISSION  01/02/01 01/02/01          42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    15 DAY FOLLOWUP RPT FOR PERIOD 1/14/01 - 1/31/01
0 343        0      63 ID EE NOTIFICAT 01/02/03 01/02/03          42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    UPSET/SHUTDOWN 1:15 AM ON 2/3/01 (GRANULATION PLANT)
                  UPSET/STARTUP 11:40 AM ON 2/3/01 (GRANULATION PLANT)
0 344        0      63 ID EE NOTIFICAT 01/02/05 01/02/05          42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
```


PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING


```
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF      RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    UPSET/SHUTDOWN 11:35 AM ON 2/5/01 (GRANULATION PLANT)
                  UPSET/STARTUP 8:40 PM ON 2/5/01 (GRANULATION PLANT)
0 345        0      63 ID EE NOTIFICAT 01/02/06 01/02/06          42 RECEIVED      000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    UPSET/SHUTDOWN 5:00 AM ON 2/6/01 (GRANULATION PLANT)
0 346        0      63 ID EE NOTIFICAT 01/02/07 01/02/07          42 RECEIVED      000000000
0        COMMENT  COMMENT
```

```
          NO.
        -------  ------------------------------------------------------------
          001    BREAKDOWN 1:58 AM ON 2/7/01 (#4 CALCINER)
                 UPSET/SHUTDOWN 12:00 PM ON 2/7/01 (#4 CALCINER).  BACK ON AT
                 1:40.
0 347       0      63 ID EE NOTIFICAT 01/02/09 01/02/09            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:45 AM ON 2/9/01 (GRANULATION PLANT)
                 UPSET/STARTUP 1:40 PM ON 2/9/01 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 3:15 PM ON 2/9/01 (EAST SULFURIC PLANT)
                 UPSET/STARTUP 3:45 PM ON 2/9/01 (EAST SULFURIC PLANT)
          002    UPSET/SHUTDOWN 3:15 PM ON 2/9/01 (EAST SULFURIC PLANT)
                 UPSET/STARTUP 3:45 PM ON 2/9/01 (EAST SULFURIC PLANT)
0 349       0      63 ID EE NOTIFICAT 01/02/10 01/02/10            42 RECEIVED      000000000
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                              NUWEST                                        PAGE:    80
                                                      SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- -----------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:15 PM ON 2/10/01 (GRANULATION PLANT)
0 350       0      63 ID EE NOTIFICAT 01/02/11 01/02/11            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 10:45 PM ON 2/11/01 (GRANULATION PLANT)
0 351       0      63 ID EE NOTIFICAT 01/02/15 01/02/15            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    SHUTDOWN, LOW ON ACID 5:00 AM ON 2/15/01
                 UPSET/STARTUP 11:55 AM ON 2/15/01 (GRANULATION PLANT)
0 352       0      M3 EER SUBMISSION  01/02/16 01/02/16            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 2/1/01 - 2/15/01
0 355       0      66 ID PERM/RPT REQ 01/04/06 01/04/06            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    MARCH 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
                 PM10 MONITORS
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                              NUWEST                                        PAGE:    81
                                                      SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
```

STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
356	0	63	ID EE NOTIFICAT	01/02/18	01/02/18		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 2:40 AM ON 2/18/01 (GRANULATION PLANT) UPSET/STARTUP 9:00 AM ON 2/18/01 (GRANULATION PLANT)										
0 357	0	63	ID EE NOTIFICAT	01/02/19	01/02/19		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 5:10 AM ON 2/19/01 (GRANULATION PLANT) UPSET/STARTUP 8:15 AM ON 2/19/01 (GRANULATION PLANT)										
0 358	0	63	ID EE NOTIFICAT	01/02/21	01/02/21		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/LOST POWER 2:35 AM ON 2/21/01 (SPA PLANT SCRUBBER) UPSET/BACK ONLINE 4:30 AM ON 2/21/01 (SPA PLANT SCRUBBER)										
0 359	0	63	ID EE NOTIFICAT	01/02/22	01/02/22		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 3:45 AM ON 2/22/01 (GRANULATION PLANT) UPSET 11:00 AM ON 2/22/01 (PHOS ACID PLANT) UPSET/STARTUP 1:45 PM ON 2/22/01 (GRANULATION PLANT)										
0 360	0	63	ID EE NOTIFICAT	01/02/23	01/02/23		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 7:30 AM ON 2/23/01 (EAST SULFURIC PLANT) UPSET/STARTUP 2:00 PM ON 2/23/01 (EAST SULFURIC PLANT)										
0 361	0	63	ID EE NOTIFICAT	01/02/24	01/02/24		42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001	UPSET/SHUTDOWN 4:00 AM ON 2/24/01 (GRANULATION PLANT) UPSET/STARTUP 4:45 PM ON 2/24/01 (GRANULATION PLANT)										
0 362	0	63	ID EE NOTIFICAT	01/02/25	01/02/25		42	RECEIVED	000000000			
0	COMMENT	COMMENT										

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

```
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 11:30 AM ON 2/25/01 (GRANULATION PLANT)
                 UPSET/STARTUP 1:35 PM ON 2/25/01 (GRANULATION PLANT)
0 363       0      63 ID EE NOTIFICAT 01/02/26 01/02/26          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:50 AM ON 2/26/01 (GRANULATION PLANT)
                 UPSET 6:45 AM ON 2/26/01 (#4 CALCINER)
                 UPSET/SHUTDOWN 6:50 AM ON 2/26/01 (B-5 BOILER)
0 364       0      63 ID EE NOTIFICAT 01/02/27 01/02/27          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:    83
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 11:45 PM ON 2/26/01 (GRANULATION PLANT)
                 UPSET/STARTUP 1:20 AM ON 2/27/01 (B-5 BOILER)
                 UPSET/SHUTDOWN 5:00 AM ON 2/27/01 (GRANULATION PLANT)
                 UPSET/STARTUP 3:25 PM ON 2/27/01 (GRANULATION PLANT)
0 365       0      63 ID EE NOTIFICAT 01/02/28 01/02/28          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    BREAKDOWN 6:30 PM ON 2/28/01 (PHOS ACID PLANT-BAGHOUSE)
0 366       0      63 ID EE NOTIFICAT 01/03/01 01/03/01          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    BREAKDOWN/BACK ON 10:00 PM ON 2/28/01 (PHOS ACID PLANT-
                 BAGHOUSE)
0 367       0      M3 EER SUBMISSION  01/03/01 01/03/01          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOW-UP RPT FOR PERIOD 2/16/01 - 2/28/01
0 369       0      63 ID EE NOTIFICAT 01/03/01 01/03/01          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:    84
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
```

STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.	COMMENT										
	001		BREAKDOWN/SILO FAN 1:05 AM ON 3/1/01 (PHOS ACID PLANT)									
			UPSET/SHUTDOWN 3:50 PM ON 3/1/01 (GRANULATION PLANT)									
			UPSET/STARTUP 6:15 PM ON 3/1/01 (GRANULATION PLANT)									
			UPSET/SHUTDOWN 1:40 PM ON 3/3/01 (GRANULATION PLANT)									
	002		UPSET/STARTUP 9:10 PM ON 3/3/01 (GRANULATION PLANT)									
0 370	0		63 ID EE NOTIFICAT 01/03/06	01/03/06			42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001		UPSET/SHUTDOWN 5:30 PM ON 3/6/01 (PHOS ACID PLANT)									
			UPSET/STARTUP 7:40 PM ON 3/6/01 (PHOS ACID PLANT)									
0 371	0		63 ID EE NOTIFICAT 01/03/07	01/03/07			42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001		UPSET/POWER OUTAGE 1:58 AM ON 3/7/01 (#4 CALCINER).									
			CALCINER BACK ONLINE AT 12:00									
			UPSET/SHUTDOWN 5:00 AM ON 3/7/01 (GRANULATION PLANT)									
	002		UPSET/SHUTDOWN 8:15 AM ON 3/7/01 (PHOS ACID PLANT)									
			PHOS ACID PLANT BACK ONLINE AT 13:15									
	003		UPSET/SHUTDOWN 8:15 AM ON 3/7/01 (SPA PROCESS LINE)									
			SPA PROCESS LINE BACK ONLINE AT 13:15									
			UPSET/POWER OUTAGE 11:25 AM ON 3/7/01 (B-5 BOILER)									
			UPSET/POWER OUTAGE 11:25 AM ON 3/7/01 (EAST SULFURIC PLANT)									
	004		UPSET/STARTUP 11:55 AM ON 3/7/01 (B-5 BOILER)									
			UPSET/STARTUP 12:20 PM ON 3/7/01 (EAST SULFURIC PLANT)									
			UPSET/STARTUP 3:10 PM ON 3/7/01 (GRANULATION PLANT)									
			UPSET/FAN OFFLINE 9:30 PM ON 3/7/01 (PHOS ACID PLANT)									

1

0

PLANT: 00003 - NU-WEST (AGRIUM) GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
STATE: ID/16 CITY: - SODA SPRINGS AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
COUNTY: 029 - CARIBOU AQCR: 061 OPERATING STATUS : O - OPERATING

0ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.	COMMENT										
	005		UPSET/FAN BACK ONLINE 9:35 AM ON 3/7/01 (PHOS ACID PLANT)									
0 372	0		63 ID EE NOTIFICAT 01/03/08	01/03/08			42	RECEIVED	000000000			
0	COMMENT NO.	COMMENT										
	001		UPSET/SHUTDOWN 3:50 AM ON 3/8/01 (GRANULATION PLANT)									
			UPSET/FAN OFFLINE 7:15 AM ON 3/8/01 (PHOS ACID PLANT)									
			UPSET/FAN BACK ONLINE 7:15 AM-BACK ON 7:25 AM ON 3/8/01									

```
                (PHOS ACID PLANT)
          002   UPSET/STARTUP 8:25 AM ON 3/8/01 (GRANULATION PLANT)
                UPSET/SHUTDOWN 4:05 PM ON 3/8/01 (GRANULATION PLANT)
0 373       0     63 ID EE NOTIFICAT 01/03/10 01/03/10          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/STARTUP 8:25 PM ON 3/9/01 (GRANULATION PLANT)
0 374       0     63 ID EE NOTIFICAT 01/03/11 01/03/11          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/SHUTDOWN 1:00 AM ON 3/11/01 (GRANULATION PLANT)
                UPSET/STARTUP 3:00 AM ON 3/11/01 (GRANULATION PLANT)
0 375       0     63 ID EE NOTIFICAT 01/03/12 01/03/12          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1==================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                PAGE:    86
                                                SENSITIVE DATA INCLUDED
0==================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 ==================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/SHUTDOWN 7:20 PM ON 3/12/01 (GRANULATION PLANT)
0 376       0     63 ID EE NOTIFICAT 01/03/13 01/03/13          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/STARTUP 11:40 AM ON 3/13/01 (GRANULATION PLANT)
0 377       0     63 ID EE NOTIFICAT 01/03/14 01/03/14          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/SHUTDOWN 5:00 AM ON 3/14/01 (GRANULATION PLANT)
                UPSET/STARTUP 11:45 AM ON 3/14/01 (GRANULATION PLANT)
0 378       0     M3 EER SUBMISSION  01/03/19 01/03/19          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   15 DAY FOLLOWUP RPT FOR PERIOD 3/1/01 - 3/15/01
0 380       0     63 ID EE NOTIFICAT 01/03/19 01/03/19          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001   UPSET/LOST FEED BELT 1:55 AM ON 3/19/01 (#4 CALCINER)
                BREAKDOWN/SCRUBBER FAN 7:30 AM ON 3/19/01 (SPA PLANT)
                UPSET/BACK ON 10:45 AM ON 3/19/01 (#4 CALCINER)
                UPSET/SHUTDOWN 11:15 AM ON 3/19/01 (GRANULATION PLANT)
1==================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
```

```
0==========================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS   : O - OPERATING
 ==========================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  381       0      63 ID EE NOTIFICAT 01/03/20 01/03/20            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 3:00 AM ON 3/20/01 (GRANULATION PLANT)
0 382       0      63 ID EE NOTIFICAT 01/03/21 01/03/21            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:00 AM ON 3/21/01 (GRANULATION PLANT)
                 UPSET/STARTUP 4:20 PM ON 3/21/01 (GRANULATION PLANT)
0 383       0      63 ID EE NOTIFICAT 01/03/22 01/03/22            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 9:15 AM ON 3/22/01 (GRANULATION PLANT)
                 UPSET/STARTUP 12:25 PM ON 3/22/01 (GRANULATION PLANT)
0 384       0      63 ID EE NOTIFICAT 01/03/23 01/03/23            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:15 PM ON 3/23/01 (GRANULATION PLANT)
                 UPSET/STARTUP 7:40 PM ON 3/23/01 (GRANULATION PLANT)
0 385       0      63 ID EE NOTIFICAT 01/03/24 01/03/24            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1==========================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                      NUWEST                                        PAGE:    88
                                                SENSITIVE DATA INCLUDED
0==========================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS   : O - OPERATING
 ==========================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/LOST SEAL H2O 3:25 AM ON 3/23/01 (PHOS ACID PLANT)
                 UPSET/SEAL H2O RESTORED 7:30 AM ON 3/24/01 (PHOS ACID PLANT)
                 UPSET/SHUTDOWN 3:40 PM ON 3/24/01 (GRANULATION PLANT)
0 386       0      63 ID EE NOTIFICAT 01/03/25 01/03/25            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 10:40 AM ON 3/25/01 (GRANULATION PLANT)
```

```
0 387       0      63 ID EE NOTIFICAT 01/03/26 01/03/26            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 3:30 AM ON 3/26/01 (GRANULATION PLANT)
0 388       0      63 ID EE NOTIFICAT 01/03/27 01/03/27            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 3:15 AM ON 3/27/01 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 10:15 AM ON 3/27/01 (B-5 BOILER)
                 UPSET/STARTUP 10:45 AM ON 3/27/01 (B-5 BOILER)
0 389       0      63 ID EE NOTIFICAT 01/03/28 01/03/28            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                                PAGE:    89
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:00 AM ON 3/28/01 (GRANULATION PLANT)
                 UPSET/STARTUP 12:00 PM ON 3/28/01 (GRANULATION PLANT)
0 390       0      63 ID EE NOTIFICAT 01/03/29 01/03/29            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 7:50 AM ON 3/29/01 (GRANULATION PLANT)
                 UPSET/STARTUP 8:30 PM ON 3/29/01 (GRANULATION PLANT)
0 391       0      M3 EER SUBMISSION  01/04/11 01/04/11            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 3/16/01 - 3/31/01
0 393       0      63 ID EE NOTIFICAT 01/04/02 01/04/02            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 12:20 AM ON 4/1/01 (GRANULATION PLANT)
                 UPSET/STARTUP 3:25 AM ON 4/1/01 (GRANULATION PLANT)
0 394       0      63 ID EE NOTIFICAT 01/04/03 01/04/03            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/REPLACE FAN MOTOR 10:40 AM ON 4/3/01 (SPA PLANT)
                 UPSET/SHUTDOWN 5:15 PM ON 4/3/01 (GRANULATION PLANT)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                                PAGE:    90
                                                       SENSITIVE DATA INCLUDED
```

```
0==================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 ==================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  395       0      63 ID EE NOTIFICAT 01/04/04 01/04/04            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 12:30 AM ON 4/4/01 (GRANULATION PLANT)
                 UPSET/CLEANING PADS 8:00 AM ON 4/4/01 (PHOS ACID PLANT)
0 396       0      63 ID EE NOTIFICAT 01/04/05 01/04/05            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:00 AM ON 4/5/01 (GRANULATION PLANT)
                 UPSET/LOW DP 6:30 AM ON 4/5/01 (PHOS ACID PLANT)
                 UPSET/STARTUP 8:25 PM ON 4/5/01 (GRANULATION PLANT)
0 397       0      63 ID EE NOTIFICAT 01/04/06 01/04/06            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/LOW DP 8:00 AM ON 4/6/01 (PHOS ACID PLANT)
0 398       0      63 ID EE NOTIFICAT 01/04/07 01/04/07            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 3:05 AM ON 4/7/01 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 10:30 AM ON 4/7/01 (#4 CALCINER)
                 UPSET/STARTUP 3:35 PM ON 4/7/01 (GRANULATION PLANT)
                 UPSET/STARTUP 6:20 PM ON 4/7/01 (#4 CALCINER)
0 399       0      63 ID EE NOTIFICAT 01/04/11 01/04/11            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1==================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                          PAGE:    91
                                                     SENSITIVE DATA INCLUDED
0==================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 ==================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:50 AM ON 4/11/01 (GRANULATION PLANT)
                 UPSET/STARTUP 2:15 PM ON 4/11/01 (GRANULATION PLANT)
0 400       0      63 ID EE NOTIFICAT 01/04/12 01/04/12            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 2:50 AM ON 4/12/01 (GRANULATION PLANT)
```

```
                UPSET/STARTUP 10:55 AM ON 4/12/01 (GRANULATION PLANT)
                UPSET/SHUTDOWN 4:05 PM ON 4/12/01 (GRANULATION PLANT)
                UPSET/STARTUP 10:10 PM ON 4/12/01 (GRANULATION PLANT)
0 401       0     M3 EER SUBMISSION  01/04/19 01/04/19          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 4/1/01 - 4/15/01
0 402       0     66 ID PERM/RPT REQ 01/04/19 01/04/19          19 IN COMPLIANCE 000000000  Q            RV010604
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    1ST QTR 2001 QTRLY AIR MONITORING RPT
0 403       0     66 ID PERM/RPT REQ 01/05/03 01/05/03      POC 19 IN COMPLIANCE 000000000  M            RV010515
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                PAGE:    92
                                                   SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    APRIL 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
                 PM10 MONITORS
0 405       0     63 ID EE NOTIFICAT 01/04/17 01/04/17          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 5:00 AM ON 4/16/01 (GRANULATION PLANT)
0 406       0     63 ID EE NOTIFICAT 01/04/19 01/04/19          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PLANTWIDE POWER OUTAGE 8:00 AM ON 4/20/01
                 UPSET/STARTUP 1:50 PM ON 4/17/01 (GRANULATION PLANT)
0 407       0     63 ID EE NOTIFICAT 01/04/20 01/04/20          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    MAINTENANCE 4:00 AM ON 4/20/01 (#4 CALCINER)
                 UPSET/POWER OUTAGE 7:50 AM ON 4/20/01 (SPA PLANT)
                 UPSET/POWER OUTAGE 7:50 AM ON 4/20/01 (PHOS ACID PLANT)
                 UPSET/STARTUP 3:15 PM ON 4/20/01 (B-5 BOILER)
          002    UPSET/STARTUP 6:00 PM ON 4/20/01 (EAST SULFURIC PLANT)
                 UPSET/STARTUP 8:30 PM ON 4/27/01 (#4 CALCINER)
0 408       0     63 ID EE NOTIFICAT 01/04/21 01/04/21          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
```

```
0==========================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS   : O - OPERATING
 ==========================================================================================================
0ACT. INDIR.  AIR                    DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/STARTUP 8:45 PM ON 4/20/01 (GRANULATION PLANT)
                 UPSET/SHUTDOWN 12:15 PM ON 4/21/01 (GRANULATION PLANT)
                 UPSET/STARTUP 4:30 PM ON 4/21/01 (GRANULATION PLANT)
0 409       0      63 ID EE NOTIFICAT 01/04/23 01/04/23          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 10:50 PM ON 4/22/01 (GRANULATION PLANT)
                 UPSET/STARTUP 1:10 AM ON 4/23/01 (GRANULATION PLANT)
0 410       0      63 ID EE NOTIFICAT 01/04/24 01/04/24          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    BREAKDOWN 6:30 PM ON 4/23/01 (SO2 CEMS RECORDER)
                 UPSET/SHUTDOWN 4:40 AM ON 4/24/01 (GRANULATION PLANT)
                 UPSET/STARTUP 3:20 PM ON 4/24/01 (GRANULATION PLANT)
0 411       0      63 ID EE NOTIFICAT 01/04/25 01/04/25          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 4:50 AM ON 4/25/01 (GRANULATION PLANT)
                 UPSET/STARTUP 8:10 AM ON 4/25/01 (GRANULATION PLANT)
0 412       0      63 ID EE NOTIFICAT 01/04/26 01/04/26          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1==========================================================================================================
```



```
0==========================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                          GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                        AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                         OPERATING STATUS   : O - OPERATING
 ==========================================================================================================
0ACT. INDIR.  AIR                    DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 9:20 PM ON 4/26/01 (GRANULATION PLANT)
0 413       0      63 ID EE NOTIFICAT 01/04/27 01/04/27          42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
```

```
          001    UPSET/STARTUP 2:55 AM ON 4/27/01 (GRANULATION PLANT)
0 414       0      63 ID EE NOTIFICAT 01/04/29 01/04/29            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    MALFUNCTION 10:30 AM ON 4/29/01 (PHOS ACID PLANT SCRUBBER)
0 415       0      63 ID EE NOTIFICAT 01/04/30 01/04/30            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    UPSET/SHUTDOWN 12:00 PM ON 4/30/01 (GRANULATION PLANT)
0 416       0      M3 EER SUBMISSION  01/05/01 01/05/01            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    15 DAY FOLLOWUP RPT FOR PERIOD 4/16/01 - 4/30/01
0 417       0      43 ID-PROD STARTUP 01/05/20 01/05/20            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                PAGE:    95
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PER 5/30/01 CO. LETTER-CLEAVER BROOKS NAT GAS BOILER WAS
                 COMMISSIONED OPERATIONAL ON 5/20/01
0 418       0      46 ID-GENR CORRESP 01/05/31 01/05/31            42 RECEIVED      000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    RE: PHOS ACID PLANT SCRUBBER STATUS & STACK TEST NOTIFICA-
                 TION (NEW SCRUBBER INSTALLED AT PHOS ACID PLANT, INITIAL
                 PERF TEST USING FL 13A CONDUCTED 2/27-3/1/01 DID NOT DEMON-
                 STRATE COMPLIANCE.  A RETROFIT ADDITION WILL BE INSTALLED,
          002    CO. PLANS TO RETEST SCRUBBER 6/18-20/01)
0 419       0      66 ID PERM/RPT REQ 01/06/13 01/06/13            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    MAY 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/PM10
                 MONITORS
0 420       0      66 ID PERM/RPT REQ 01/07/10 01/07/10       POC  19 IN COMPLIANCE 000000000  M            RV010713
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JUNE 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
                 PM10 MONITORS
0 422       0      66 ID PERM/RPT REQ 01/08/15 01/08/15            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
```

6/10/02 MACT compliance date

```
        NO.
       -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                 PAGE:    96
                                                 SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE    ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    JULY 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2
                  PM10 MONITORS
0 423        0      43 ID-PROD STARTUP 01/08/09 01/08/09          01 ACTION ACHIEV 000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    PER 9/18/01 CO. LETTER-INITIAL STARTUP OF NEWLY RECONFIGURED
                  GRANULATION PLANT WAS 8/9/01
0 426        0      79 ID CEMS REPORT  01/07/10 01/07/10       POC  19 IN COMPLIANCE 000000000                RV010814
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    CYLINDER GAS AUDIT FOR E SULFURIC ACID PLANT CEMS PERFORMED
                  6/18 & 6/29/01
0 427        0      66 ID PERM/RPT REQ 01/07/13 01/07/13       POC  19 IN COMPLIANCE 000000000 Q              RV011026
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    2ND QTR 2001 QTRLY AIR MONITORING RPT
0 428        0      79 ID CEMS REPORT  01/10/03 01/10/03       POC  19 IN COMPLIANCE 000000000 Q              RV011029
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    CYLINDER GAS AUDIT FOR E SULFURIC ACID PLANT CEMS PERFORMED
                  9/20/01
1=====================================================================================================================
 DATE: 08/26/05                          AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                      NUWEST                                                 PAGE:    97
                                                 SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE    ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS     PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  429        0      66 ID PERM/RPT REQ 01/10/15 01/10/15       POC  19 IN COMPLIANCE 000000000 Q              RV011029
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    3RD QTR 2001 QTRLY AIR MONITORING RPT
0 430        0      66 ID PERM/RPT REQ 01/11/19 01/11/19          42 RECEIVED      000000000 M              RV
```

```
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    OCT 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/PM10
                 MONITORS
0 431       0      43 ID-PROD STARTUP 01/05/20 01/05/20            01 ACTION ACHIEV 000000000
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PER 5/30/01 CO. LETTER-CLEAVER BROOKS BOILER WAS COMMISSION-
                 ED OPERATIONAL (AT LESS THAN FULL CAPACITY).  INITIAL PERF
                 TEST WILL BE CONDUCTED.
0 432       0      66 ID PERM/RPT REQ 01/12/11 01/12/11            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    NOV 2001 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/PM10
                 MONITORS
0 433       0      66 ID PERM/RPT REQ 02/01/17 02/01/17            42 RECEIVED      000000000  M            RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                 PAGE:    98
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    DEC 2001 MONTHLY RPT-E SULFURIC PLANT, AMBIENT SO2 MONITOR,
                 & PM10 MONITORS ONSITE
0 434       0      79 ID CEMS REPORT  01/11/15 01/11/15       TSP  19 IN COMPLIANCE 000000000  A            RV020201
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    ANNUAL 2001 SULFUR DIOXIDE CEMS RATA-E SULFURIC ACID PLANT
                 CONDUCTED 11/15/01
          002    PER 2/1/02 DEQ-PRO LETTER-CEMS RATA DEMONSTRATES COMPLIANCE
0 435       0      27 COMPANY ST      01/11/15 01/11/15       POC  19 IN COMPLIANCE 000000000               RV020201
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2001 ACID MIST/SO2 PERF TEST FOR E SULFURIC ACID PLANT
          002    PER 2/1/02 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                 IS 1,452 T/DAY
0 436       0      TR S/L REV STACK T 02/02/01 02/02/01            PP STACK TEST PA 000000000     HSO4P
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2001 ACID MIST/SO2 PERF TEST FOR E SULFURIC ACID PLANT
          002    PER 2/1/02 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                 IS 1,452 T/DAY
```

```
0 437       0      67 ID-REFER TO SO  02/01/28 02/01/28       POC  48 TERMINATED    000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                                NUWEST                                                PAGE:    99
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ----------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    EER FOR E SULFURIC ACID PLANT STARTUP ON 1/23/02
           002    TERMINATED PER 3/11/02 DEQ-SPO MEMO TO DEQ-PRO
0 438       0M      18 SOURCE TST CON  01/06/20 01/06/20       POC  19 IN COMPLIANCE 000000000                RV010813
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    2001 FL PERF TEST FOR PHOS ACID PLANT PROCESS SCRUBBER CON-
                  DUCTED 6/18-20/01 REQ'D BY 7/12/00 PTC
           002    PER 8/13/01 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                  IS 44.63 T/HR, PRESSURE DROP FOR SCRUBBER MUST BE MAINTAINED
                  W/IN 9.1"-13.66", FLOW RATES FOR SCRUBBER MUST BE MAINTAINED
                  W/IN 109.4-164.1 GPM & 637.02 GPM & 955.5 GPM RESPECTIVELY
0 439       0M      TR S/L REV STACK T 01/08/13 01/08/13            PP STACK TEST PA 000000000                FL
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    2001 FL PERF TEST FOR PHOS ACID PLANT PROCESS SCRUBBER CON-
                  DUCTED 6/18-20/01 REQ'D BY 7/12/00 PTC
           002    PER 8/13/01 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                  IS 44.63 T/HR, PRESSURE DROP FOR SCRUBBER MUST BE MAINTAINED
                  W/IN 9.1"-13.66", FLOW RATES FOR SCRUBBER MUST BE MAINTAINED
                  W/IN 109.4-164.1 GPM & 637.02 GPM & 955.5 GPM RESPECTIVELY
0 440       0      68 ID PERM EXEMPT  02/01/11 02/01/11            08 ISSUED        000000000
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                                NUWEST                                                PAGE:   100
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ----------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
```

```
          001    EXEMPTION FOR TEMPORARY OPERATION OF A 70,000 LB/HR IN DECK
                 TRAILER MOUNTED STEAM SYSTEM AS PART OF CLEAVER BROOKS
                 BOILER REBUILD (SHALL SHUT DOWN & NO LONGER BE OPERATED BY
                 2/20/02)
0 441       0M     27 COMPANY ST      02/03/14 02/03/14       POC  19 IN COMPLIANCE 000000000              RV020508
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    2002 FL PERF TEST FOR SUPERPHOSPHORIC ACID PROCESS SCRUBBER
                 CONDUCTED 3/13-14/02
          002    PER 5/8/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.  MAX
                 ALLOWABLE EQUIVALENT P2O5 FEED RATE - 33.65 T/HR.  PRESSURE
                 DROP:  6.2-9.4 INCHES.  FLOW:  442.3-663.5 GPM
0 442       0M     TR S/L REV STACK T 02/05/08 02/05/08       POC  PP STACK TEST PA 000000000     FL
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    2002 FL PERF TEST FOR SUPERPHOSPHORIC ACID PROCESS SCRUBBER
                 CONDUCTED 3/13-14/02
          002    PER 5/8/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.  MAX
                 ALLOWABLE EQUIVALENT P2O5 FEED RATE - 33.65 T/HR.  PRESSURE
                 DROP:  6.2-9.4 INCHES.  FLOW:  442.3-663.5 GPM.
0 443       0      66 ID PERM/RPT REQ 02/02/28 02/02/28            42 RECEIVED      000000000  M            RV
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                          NUWEST                                                    PAGE:   101
                                                   SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    JAN 2002 MONTH RPT-E SULFURIC ACID PLANT, AMBIENT SO2/PM10
                 MONITORS
0 444       0      66 ID PERM/RPT REQ 02/03/08 02/03/08            42 RECEIVED      000000000  M            RV
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    FEB 2002 MONTH RPT-E SULFURIC ACID PLANT, AMBIENT SO2/PM10
                 MONITORS
0 445       0      66 ID PERM/RPT REQ 02/02/05 02/02/05            42 RECEIVED      000000000  Q            RV
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    4TH QTR 2001 QTRLY AIR MONITORING RPT
0 446       0      66 ID PERM/RPT REQ 02/04/22 02/04/22            42 RECEIVED      000000000  M            RV
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    MARCH 2002 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
                 PM10 MONITORS
```

```
0 447       0MV69  FS S&L FCE-ONSITE  02/09/30 02/05/21       TSB  19 IN COMPLIANCE 000000000  C          P020521/C020627/R020521
0 448       0      66 ID PERM/RPT REQ 02/05/22 02/05/22            42 RECEIVED      000000000  M          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                  PAGE:   102
                                                   SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    APRIL 2002 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
                 PM10 MONITORS
0 449       09     66 ID PERM/RPT REQ 02/05/31 02/05/31            42 RECEIVED      000000000  S          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    B-5 NEBRASKA BOILER SEMIANNUAL EXCESS EMISSIONS RPT FOR
                 SECOND HALF OF 2001
0 450       09     66 ID PERM/RPT REQ 02/05/14 02/05/14            42 RECEIVED      000000000  Q          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    1ST QTR 2002 AIR MONITORING RPT
0 451       0      TR S/L REV STACK T 02/02/01 02/02/01            PP STACK TEST PA 000000000     SO2
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2001 ACID MIST/SO2 PERF TEST FOR E SULFURIC ACID PLANT
          002    PER 2/1/02 DEQ-PRO LETTER-MAX ALLOWABLE PROCESS WEIGHT RATE
                 IS 1,452 T/DAY
0 453       0      66 ID PERM/RPT REQ 02/07/18 02/07/18            42 RECEIVED                M          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                  PAGE:   103
                                                   SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    JUNE 2002 MONTHLY RPT-E SULFURIC ACID PLANT, AMBIENT SO2/
```

```
                PM10 MONITORS
0 454       0     66 ID PERM/RPT REQ 02/07/18 02/07/18          42 RECEIVED                Q          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2ND QTR 2002 AIR MONITORING RPT
0 455       0     66 ID PERM/RPT REQ 02/08/09 02/08/09          42 RECEIVED                S          RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    B-5 NEBRASKA BOILER SEMIANNUAL EXCESS EMIS RPT FOR FIRST
                 HALF OF 2002
0 457       0     68 ID PERM EXEMPT  02/08/08 02/08/08          08 ISSUED
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CATEGORY II EXEMPTION (INSTALLATION OF 2 PORTABLE BOILERS,
                 RATED AT 300 HP)
0 458       0M    46 ID-GENR CORRESP 02/08/06 02/08/06          42 RECEIVED
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CERTIFICATION OF DOCUMENTS/NOTIFICATION OF COMPLIANCE STATUS
                 (MACT-NESHAP FOR HAPS FROM PHOS ACID MANUF PLANTS & PHOS-
                 PHATE FERTILIZER PROD PLANTS)(WITH RESPECT TO EVAPORATIVE
                 COOLING TOWERS)
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                          NUWEST                                                  PAGE:   104
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  459       0M     27 COMPANY ST      02/05/08 02/05/08       POC  19 IN COMPLIANCE            A           RV020911
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2002 FL PERF TEST FOR WET PHOSPHORIC ACID PLANT (PHOS ACID)
                 CONDUCTED 5/8/02
          002    PER 9/11/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMLIANCE. MAX
                 ALLOWABLE PROCESS WEIGHT RATE-64.36 T/HR.  PRESSURE DROP FOR
                 SCRUBBER W/IN RANGE OF 5.78"-8.68", FLOW RATE FOR SCRUBBER
                 W/IN RANGE OF 982 GPM TO 1472 GPM.
0 460       0M     TR S/L REV STACK T 02/09/11 02/09/11       POC  PP STACK TEST PA              FL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2002 FL PERF TEST FOR WET PHOSPHORIC ACID PLANT (PHOS ACID)
                 CONDUCTED 5/8/02
          002    PER 9/11/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMLIANCE. MAX
                 ALLOWABLE PROCESS WEIGHT RATE-64.36 T/HR.  PRESSURE DROP FOR
                 SCRUBBER W/IN RANGE OF 5.78"-8.68", FLOW RATE FOR SCRUBBER
                 W/IN RANGE OF 982 GPM TO 1472 GPM.
0 461       0      27 COMPANY ST      02/05/08 02/05/08       POC  19 IN COMPLIANCE            A           RV020911
0       COMMENT  COMMENT
```

```
          NO.
        -------  ------------------------------------------------------------
          001    2002 NOX PERF TEST FOR SUPER PHOSPHORIC ACID OXIDATION
                 PROCESS CONDUCTED 5/8/02
          002    PER 9/11/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE. MAX
                 ALLOWABLE P2O5 FEED RATE-29.62 T/HR
0 462       0      TR S/L REV STACK T 02/09/11 02/09/11       POC  PP STACK TEST PA                NO2
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:   105
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE      DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2002 NOX PERF TEST FOR SUPER PHOSPHORIC ACID OXIDATION
                 PROCESS CONDUCTED 5/8/02
          002    PER 9/11/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE. MAX
                 ALLOWABLE P2O5 FEED RATE-29.62 T/HR
0 463       0M     27 COMPANY ST      02/06/07 02/06/07       POC  19 IN COMPLIANCE            A            RV020912
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2002 FLUORIDE PERF TEST FOR PHOSPHATE FERTILIZER PLANT CON-
                 DUCTED 6/6-7/02
          002    PER 9/12/02 DEQ-PRO LETTER-USED RESULTS OF 6/7/02 TEST BE-
                 CAUSE IT WAS RUN AT HIGHER EMIS RATE.  MAX ALLOWABLE P2O5
                 FEED RATE-50.44 T/HR, PRESSURE DROP FOR DRYER SCRUBBER W/IN
                 RANGE OF 15.4" TO 23.0", FLOW RATE FOR DRYER SCRUBBER W/IN
          003    RANGE OF 560 GPM TO 840 GPM, PRESSURE DROP FOR GRANULATION
                 SCRUBBER W/IN RANGE OF 15.5" TO 23.3", FLOW RATE FOR GRANU-
                 LATION SCRUBBER W/IN RANGE OF 257 GPM TO 385 GPM
0 464       0M     TR S/L REV STACK T 02/09/12 02/09/12       POC  PP STACK TEST PA                FL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    2002 FLUORIDE PERF TEST FOR PHOSPHATE FERTILIZER PLANT CON-
                 DUCTED 6/6-7/02
          002    PER 9/12/02 DEQ-PRO LETTER-USED RESULTS OF 6/7/02 TEST BE-
                 CAUSE IT WAS RUN AT HIGHER EMIS RATE.  MAX ALLOWABLE P2O5
                 FEED RATE-50.44 T/HR, PRESSURE DROP FOR DRYER SCRUBBER W/IN
                 RANGE OF 15.4" TO 23.0", FLOW RATE FOR DRYER SCRUBBER W/IN
          003    RANGE OF 560 GPM TO 840 GPM, PRESSURE DROP FOR GRANULATION
                 SCRUBBER W/IN RANGE OF 15.5" TO 23.3", FLOW RATE FOR GRANU-
                 LATION SCRUBBER W/IN RANGE OF 257 GPM TO 385 GPM
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:   106
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
```

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

```
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  465       0      79 ID CEMS REPORT  02/09/23 02/09/23       POC  19 IN COMPLIANCE                         RV021031
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CYLINDER GAS AUDIT RPT FOR E SULFURIC ACID PLANT CEMS CON-
                 DUCTED 9/23/02
          002    10/31/02 REVIEW BY DEQ-PRO DETERMINED-IN COMPLIANCE
0 467       0M     27 COMPANY ST      02/06/03   /  /
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    FL MACT PERF TEST ON GRANULATION PLANT SCHEDULED FOR THE
                 WEEK OF 6/3/02
0 468       0M     TR S/L REV STACK T 02/06/03   /  /                                   FL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    FL MACT PERF TEST ON GRANULATION PLANT SCHEDULED FOR THE
                 WEEK OF 6/3/02
0 469       069MV  I2 ID PER OP ISS   02/10/28 02/10/28           08 ISSUED                T1          PERMIT #9503-036-1
0 470       069MV  I4 ID PERMT DUE    06/10/28   /  /                                     T1          PERMIT #T1-040308
0 471       0      74 ID PERM HANDOFF 02/12/09 02/12/09           01 ACTION ACHIEV         T1          T1 PTO ISSUED 10/28/02
0 472       V      C1 TV DUE/RCVD-EPA 03/11/27 03/12/01
0 473       0      79 ID CEMS REPORT  02/11/14 02/11/14       POC  19 IN COMPLIANCE                         RV021218
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
```


PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING


```
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    RATA FOR SO2 CEMS FOR E SULFURIC ACID PLANT CONDUCTED
                 11/14/02
          002    PER 12/18/02 DEQ-PRO LETTER-IN COMPLIANCE WITH 40 CFR 60
                 APPENDIX A, PS, RA & PTO REQ'TS
0 474       0      79 ID CEMS REPORT  02/12/10 02/12/10       POC  42 RECEIVED                           RV
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    CYLINDER GAS AUDIT RPT FOR E SULFURIC ACID PLANT CEMS CON-
                 DUCTED 12/10/02
0 475       0      27 COMPANY ST      02/11/14 02/11/14       POC  18 OUT OF COMPLI                      RV021218
```

```
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ACID MIST (HSO4) & SO2 PERF TEST FOR E SULFURIC ACID PLANT
                  CONDUCTED 11/14/02 (PER 10/28/02 T1 PTO)
           002    PER 12/18/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.
                  MAX ALLOWABLE PROCESS WEIGHT RATE BASED ON THIS PERF TEST
                  PERIOD - 1,522 T/DAY
0 476       0      TR S/L REV STACK T 02/12/18 02/12/18          PP STACK TEST PA              HSO4P
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ACID MIST (HSO4) & SO2 PERF TEST FOR E SULFURIC ACID PLANT
                  CONDUCTED 11/14/02 (PER 10/28/02 T1 PTO)
           002    PER 12/18/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.
                  MAX ALLOWABLE PROCESS WEIGHT RATE BASED ON THIS PERF TEST
                  PERIOD - 1,522 T/DAY
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:   108
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  477       0      TR S/L REV STACK T 02/12/18 02/12/18          PP STACK TEST PA              SO2
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ACID MIST (HSO4) & SO2 PERF TEST FOR E SULFURIC ACID PLANT
                  CONDUCTED 11/14/02 (PER 10/28/02 T1 PTO)
           002    PER 12/18/02 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE.
                  MAX ALLOWABLE PROCESS WEIGHT RATE BASED ON THIS PERF TEST
                  PERIOD - 1,522 T/DAY
0 478       09     27 COMPANY ST      02/09/03 02/09/03      POC  19 IN COMPLIANCE                      RV030110
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    2002 CLEAVER BROOKS BOILER INITIAL PERF TEST CONDUCTED
                  7/18/02 - 9/3/02
           002    PER 1/10/03 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE
0 479       09     TR S/L REV STACK T 03/01/10 03/01/10          PP STACK TEST PA              NO2
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    2002 CLEAVER BROOKS BOILER INITIAL PERF TEST CONDUCTED
                  7/18/02 - 9/3/02
           002    PER 1/10/03 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE
0 480       0      66 ID PERM/RPT REQ 03/01/22 03/01/22          42 RECEIVED                S
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    B-5 NEBRASKA BOILER SEMI-ANNUAL EXCESS EMIS RPT FOR 2ND HALF
                  OF 2002
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
```

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
481	0	66	ID PERM/RPT REQ	03/02/10	03/02/10	POC	19	IN COMPLIANCE		Q		RV030205

COMMENT NO. / COMMENT

001 4TH QTR 2002 - E SULFURIC ACID PLANT QTRLY AIR QUALITY MONITORING RPT
002 PER 2/5/03 DEQ-PRO REVIEW-IN COMPLIANCE

482	0	66	ID PERM/RPT REQ	03/01/22	03/01/22		42	RECEIVED		M		

COMMENT NO. / COMMENT

001 DEC 2002 MONTHLY RPT-RESULTS FROM 2 AMBIENT PM10 & 1 AMBIENT SO2 MONITORS

483	0	66	ID PERM/RPT REQ	03/01/29	03/01/29		42	RECEIVED		S		

COMMENT NO. / COMMENT

001 SEMI-ANNUAL GASEOUS & OPACITY EXCESS EMIS & CONTINUOUS MONITORING SYSTEM PERF (6/10/02 - 12/31/02)

484	0	66	ID PERM/RPT REQ	03/03/07	03/03/07		42	RECEIVED		M		

COMMENT NO. / COMMENT

001 JAN 2003 MONTHLY RPT-RESULTS FROM 2 AMBIENT PM10 & 1 AMBIENT SO2 MONITOR

485	0	79	ID CEMS REPORT	03/03/18	03/03/18	POC	19	IN COMPLIANCE				RV030418

COMMENT NO. / COMMENT

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

COMMENT NO. / COMMENT

001 CYLINDER GAS AUDIT RPT FOR E SULFURIC ACID PLANT CEMS CONDUCTED 3/18/03

486	0	66	ID PERM/RPT REQ	03/04/14	03/04/14	POC	19	IN COMPLIANCE				RV030422

COMMENT NO. / COMMENT

```
          001    FEB 2003 MONTHLY RPT-RESULTS FROM 2 AMBIENT PM10 & 1 AMBIENT
                 SO2 MONITOR
0 487       0      66 ID PERM/RPT REQ 03/04/14 03/04/14       POC  19 IN COMPLIANCE                        RV030422
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    MARCH 2003 MONTHLY RPT-RESULTS FROM 2 AMBIENT PM10 MONITORS
                 & 1 AMBIENT SO2 MONITOR
0 488       0      66 ID PERM/RPT REQ 03/04/17 03/04/17       POC  99 PENDING                  Q            RV030428
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    1ST QTR 2003-E SULFURIC ACID PLANT QTRLY AIR MONITORING RPT.
          002    PER 4/28/03 REVIEW-NOTED ISSUES WITH SO2/O2 QA/QC
0 489       0      66 ID PERM/RPT REQ 03/05/29 03/05/29            42 RECEIVED                 M            RV
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                              PAGE:   111
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    APRIL 2003 MONTHLY RPT-RESULTS FROM 2 AMBIENT PM10 & 1
                 AMBIENT SO2 MONITORS
0 490       V      C1 TV DUE/RCVD-EPA 04/11/27   /  /
0 491       0V     29 T-V MONITOR RPT 03/07/24 03/07/24            18 OUT OF COMPLI            Y
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    SEMI-ANNUAL MONITORING RPT FOR PERIOD 10/28/02 - 4/28/03.
                 REVIEWED 7/24/03, REC'D 5/28/03
0 492       0V     I2 ID PER OP ISS   03/09/23 03/09/23            08 ISSUED                   T1           PERMIT #T1-030319
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    ADMINISTRATIVE AMENDMENT
0 493       0MV9   PS S&L PCE-ONSITE  03/09/30 03/05/06       TSP  18 OUT OF COMPLI
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
          001    CONDUCTED 5/5-8/03
          002    PERMIT VIOL (RECORDKEEPING, LATE IN SUBMITALS, EQUIPMENT NOT
                 LISTED IN PERMIT)
0 494       0V     DA TV DUE/RECV-PA  03/11/28 03/11/28            42 RECEIVED
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
```

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		ANNUAL COMPLIANCE CERTIFICATION FOR PERIOD 10/28/02-10/28/03									
0 495		0V	SR CRT REV BY AUTH	04/01/08	04/01/08			MC TV-IN COMPLIA		Y		
0	COMMENT NO.		COMMENT									
	001		ANNUAL COMPLIANCE CERTIFICATION FOR PERIOD 10/28/02-10/28/03 REVISED REPORT RECEIVED 1/6/04									
0 496		0V	27 COMPANY ST	03/11/13	03/11/13			01 ACTION ACHIEV				
0	COMMENT NO.		COMMENT									
	001		ANNUAL SULFUR DIOXIDE AND SULFURIC ACID MIST PERF TESTS CONDUCTED 11/13/03 ON THE E SULFURIC ACID PLANT (& RATA)									
	002		PER 3/4/04 DEQ-PRO LETTER-VES WERE NOT RECORDED DURING TEST DUE TO INCLEMENT WEATHER. REQUESTING FUTURE TESTING TO PERFORM VE READINGS CONCURRENTLY WITH PERF TEST									
0 497		0V	TR S/L REV STACK T	04/03/04	04/03/04			PP STACK TEST PA			HSO4P	
0	COMMENT NO.		COMMENT									
	001		ANNUAL SULFUR DIOXIDE AND SULFURIC ACID MIST PERF TESTS CONDUCTED 11/13/03 ON THE E SULFURIC ACID PLANT (& RATA)									
	002		PER 3/4/04 DEQ-PRO LETTER-VES WERE NOT RECORDED DURING TEST DUE TO INCLEMENT WEATHER. REQUESTING FUTURE TESTING TO PERFORM VE READINGS CONCURRENTLY WITH PERF TEST									

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
498		0V	TR S/L REV STACK T	04/03/04	04/03/04			PP STACK TEST PA			SO2	
0	COMMENT NO.		COMMENT									
	001		ANNUAL SULFUR DIOXIDE AND SULFURIC ACID MIST PERF TESTS CONDUCTED 11/13/03 ON THE E SULFURIC ACID PLANT (& RATA)									
	002		PER 3/4/04 DEQ-PRO LETTER-VES WERE NOT RECORDED DURING TEST DUE TO INCLEMENT WEATHER. REQUESTING FUTURE TESTING TO PERFORM VE READINGS CONCURRENTLY WITH PERF TEST									
0 499		0V	27 COMPANY ST	04/03/31	04/03/31			42 RECEIVED				

```
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ANNUAL FLUORIDE TESTING AT THE WET SCRUBBER STACKS OF THE
                  GRANULATION PLANT STACK, THE SUPERPHOSPORIC ACID PLANT, &
                  THE PHOSPHATE FERTILIZER PRODUCTION PLANT CONDUCTED 3/29-31/
                  04
           002    PER 7/15/04 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE WITH
                  APPROPRIATE FL EMISSION RATE LIMIT
0 500        0V     TR S/L REV STACK T 04/07/15 04/07/15            PP STACK TEST PA                FL
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ANNUAL FLUORIDE TESTING AT THE GRANULATION PLANT STACK
                  CONDUCTED 3/29/04
           002    PER 7/15/04 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE WITH
                  APPROPRIATE FL EMISSION RATE LIMIT
0 501        0V     TR S/L REV STACK T 04/07/15 04/07/15            PP STACK TEST PA                FL
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                PGM: AFP627
                                                              NUWEST                                              PAGE:   114
                                                        SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ANNUAL FLUORIDE TESTING AT THE PHOSPHORIC ACID PLANT
                  CONDUCTED 3/30/04
           002    PER 7/15/04 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE WITH
                  APPROPRIATE FL EMISSION RATE LIMIT
0 502        0V     TR S/L REV STACK T 04/07/15 04/07/15            PP STACK TEST PA                FL
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    ANNUAL FLUORIDE TESTING AT THE SUPERPHOSPHORIC ACID PLANT
                  CONDUCTED 3/31/04
           002    PER 7/15/04 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE WITH
                  APPROPRIATE FL EMISSION RATE LIMIT
0 503        V      32 T-V OFF-PMT MOD   /  /   04/07/22
0 504        0VM    27 COMPANY ST      04/08/12 04/08/12            42 RECEIVED
0        COMMENT  COMMENT
           NO.
         -------  ------------------------------------------------------------
           001    FL PERF TEST FOR EXHAUST STACK OF THE CONDITIONING VENT
                  SCRUBBER ON THE WET PROCESS PHOS ACID PROCESS LINE CONDUCTED
                  8/12/04
           002    PER 11/12/04 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 505        0VM    TR S/L REV STACK T 04/11/12 04/11/12            PP STACK TEST PA                FL
0        COMMENT  COMMENT
           NO.
```

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	001		FL PERF TEST FOR EXHAUST STACK OF THE CONDITIONING VENT SCRUBBER ON THE WET PROCESS PHOS ACID PROCESS LINE CONDUCTED 8/12/04									
	002		PER 11/12/04 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE									
0 506		0VM	27 COMPANY ST	03/03/24	03/03/24			42 RECEIVED				
0	COMMENT NO.		COMMENT									
	001		METHODS 1-4,5,13B TESTING ON PHOSPHATE FERTILIZER PRODUCTION PLANT, E SULFURIC ACID PLANT, SUPERPHOS ACID PRODUCTION PROCESS LINE, WET PROCESS PHOS ACID PROCESS LINE, PPA FL VENT SCRUBBER, PPA SULFIDING VENT SCRUBBER, FILTER AID SILO									
	002		BAGHOUSE, THERMAL FLUID HEATERS 1 & 2 CONDUCTED 3/18-24/03									
0 507		0VM	TR S/L REV STACK T	03/06/16	03/06/16			FF STACK TEST FA			FL	
0	COMMENT NO.		COMMENT									
	001		FL PERF TEST ON SUPERPHOSPHORIC ACID PROCESS LINE CONDUCTED 3/19/03									
	002		PER 6/16/03 DEQ-PRO LETTER-TEST WAS IN NON-COMPLIANCE FOR FL									
0 508		0VM	TR S/L REV STACK T	03/06/16	03/06/16			PP STACK TEST PA			FL	
0	COMMENT NO.		COMMENT									
	001		FL RETEST ON SUPERPHOSPHORIC ACID PROCESS LINE CONDUCTED 5/1-2/03									

non compliance

retest

PLANT: 00003 - NU-WEST (AGRIUM)
STATE: ID/16 CITY: - SODA SPRINGS
COUNTY: 029 - CARIBOU AQCR: 061

GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
AIR-PROGRAM CODE(S): M V 0 6 9 AFS PLANT ID: 00003
OPERATING STATUS : O - OPERATING

ACT. NO.	INDIR. NO.	AIR PROGRM	TYPE/DESCRIPTION	DATE SCHEDULD	DATE ACHIEVED	ACT. CAT.	STAFF	RESULTS	PENALTY	RD8	PLLT/CASN	RDE 16
0	COMMENT NO.		COMMENT									
	002		PER 6/16/03 DEQ-PRO LETTER-RETEST DEMONSTRATED COMPLIANCE									
0 509		0VM	TR S/L REV STACK T	03/06/16	03/06/16			PP STACK TEST PA			FL	
0	COMMENT		COMMENT									

IC

```
          NO.
        -------  ------------------------------------------------------------
          001     FL PERF TEST ON PHOSPHATE FERTILIZER PRODUCTION PLANT (GRAN
                  PLANT) CONDUCTED 3/22/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
0 510       0VM    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                FL
0       COMMENT   COMMENT
          NO.
        -------  ------------------------------------------------------------
          001     FL PERF TEST ON WET PROCESS PHOSPHORIC ACID PLANT CONDUCTED
                  3/21/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
0 511       0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0       COMMENT   COMMENT
          NO.
        -------  ------------------------------------------------------------
          001     PM PERF TEST ON PHOSPHATE FERTILIZER PRODUCTION PLANT (GRAN
                  PLANT) CONDUCTED 3/22/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
1==================================================================================================================
 DATE: 08/26/05                                AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                          PAGE:   117
                                                   SENSITIVE DATA INCLUDED
0==================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 ==================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  512        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0       COMMENT   COMMENT
          NO.
        -------  ------------------------------------------------------------
          001     PM PERF TEST ON E SULFURIC ACID PLANT CONDUCTED 3/18/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
0 513       0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0       COMMENT   COMMENT
          NO.
        -------  ------------------------------------------------------------
          001     PM PERF TEST ON SUPERPHOSPHORIC ACID PRODUCTION PROCESS LINE
                  CONDUCTED 3/19/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
0 514       0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0       COMMENT   COMMENT
          NO.
        -------  ------------------------------------------------------------
          001     PM PERF TEST ON WET PROCESS PHOSPHORIC ACID PROCESS LINE
                  CONDUCTED 3/21/03
          002     PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                  EMISSION RATE
0 515       0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0       COMMENT   COMMENT
          NO.
```

```
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON PPA FLUORIDE VENT SCRUBBER CONDUCTED 3/23/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:   118
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  516        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0        COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON PPA SULFIDING VENT SCRUBBER CONDUCTED
                 3/23/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
0 518        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0        COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON FILTER AID SILO BH #1 CONDUCTED 3/24/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
0 519        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0        COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON FILTER AID SILO BH #2 CONDUCTED 3/24/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
0 520        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0        COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON THERMAL FLUID HEATER #1 CONDUCTED 3/19/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                          NUWEST                                            PAGE:   119
                                                     SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                          DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
  521        0MV    TR S/L REV STACK T 03/06/16 03/06/16            PP STACK TEST PA                PT
0        COMMENT  COMMENT
          NO.
```

```
        -------  ------------------------------------------------------------
          001    PM PERF TEST ON THERMAL FLUID HEATER #2 CONDUCTED 3/19/03
          002    PER 6/16/03 DEQ-PRO LETTER-TEST RESULTS WITHIN ALLOWABLE
                 EMISSION RATE
0 522       09     I1 ID PTC ISSUED   04/12/10 04/12/10          08 ISSUED                          PERMIT #P-040307
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    EAST SULFURIC ACID PLANT - TO REMOVE REDUNDANT OPERATING &
                 MONITORING RESTRICTIONS (CEMS DATA AND DAILY PRODUCTION
                 LIMITATIONS ARE SUFFICIENT)
0 523       0V9    PX S&L PCE/OFFSITE 04/03/11 04/03/11          42 RECEIVED                        QTRLY CGA
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PER 3/11/04 DEQ-PRO LETTER-QTRLY CGA E SULFURIC ACID PLANT
                 SO2 CEMS & O2 CEMS CONDUCTED 8/28/03 DEMONSTRATED COMPLIANCE
0 524       0      74 ID PERM HANDOFF 05/01/11 05/01/11          01 ACTION ACHIEV                   PERMIT #P-040307
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    PERMIT #P-040307 ISSUED 12/10/04
0 525       0V     I2 ID PER OP ISS   05/04/08 05/04/08          08 ISSUED                T1        PERMIT #T1-040308
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                          PGM: AFP627
                                                              NUWEST                                        PAGE:   120
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                              AIR-PROGRAM CODE(S): M V 0 6 9       AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                               OPERATING STATUS   : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- ------------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    MODIFICATION TO T1-030319 ISSUED 9/23/03
0 526       0VM    27 COMPANY ST      05/03/30 05/03/30          42 RECEIVED
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 13B ANNUAL FL TEST ON WET PROCESS PHOSPHORIC ACID
                 PROCESS SCRUBBERS (PHOS ACID PLANT SCRUBBER UNIT A-PA-1 &
                 THE CONDITIONING VENT SCRUBBER UNIT A-PP-3)
          002    PER 5/11/05 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE
0 527       0VM    TR S/L REV STACK T 05/05/11 05/05/11          PP STACK TEST PA              FL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 13B ANNUAL FL TEST ON WET PROCESS PHOSPHORIC ACID
                 PROCESS SCRUBBERS (PHOS ACID PLANT SCRUBBER UNIT A-PA-1)
          002    PER 5/11/05 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE
0 528       0VM    TR S/L REV STACK T 05/05/11 05/05/11          PP STACK TEST PA              FL
0       COMMENT  COMMENT
          NO.
```

```
        -------  ------------------------------------------------------------
          001    METHOD 13B ANNUAL FL TEST ON WET PROCESS PHOSPHORIC ACID
                 PROCESS SCRUBBERS (CONDITIONING VENT SCRUBBER UNIT A-PP-3)
          002    PER 5/11/05 DEQ-PRO LETTER-TESTS DEMONSTRATE COMPLIANCE
0 529       0VM    27 COMPANY ST      05/03/31 05/03/31            42 RECEIVED
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:   121
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- -----------------------
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 13B ANNUAL FL PERF TEST ON THE SUPERPHOSPHORIC ACID
                 PROCESS SCRUBBER (UNIT A-PB-1) CONDUCTED 3/31/05
          002    PER 5/11/05 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 530       0VM    TR S/L REV STACK T 05/05/11 05/05/11            PP STACK TEST PA                FL
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 13B ANNUAL FL PERF TEST ON THE SUPERPHOSPHORIC ACID
                 PROCESS SCRUBBER (UNIT A-PB-1) CONDUCTED 3/31/05
          002    PER 5/11/05 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 531       0V     27 COMPANY ST      04/11/04 04/11/04            42 RECEIVED
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 8 PERF TEST FOR THE E SULFURIC ACID PLANT CONDUCTED
                 11/3-4/04
          002    PER 6/9/05 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 532       0V     TR S/L REV STACK T 05/06/09 05/06/09            PP STACK TEST PA                SO2
0       COMMENT  COMMENT
          NO.
        -------  ------------------------------------------------------------
          001    METHOD 8 PERF TEST FOR THE E SULFURIC ACID PLANT CONDUCTED
                 11/3-4/04
          002    PER 6/9/05 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 533       0V     TR S/L REV STACK T 05/06/09 05/06/09            PP STACK TEST PA                HSO4P
1=====================================================================================================================
 DATE: 08/26/05                                  AFS COMPLIANCE SOURCE DATA REPORT                                  PGM: AFP627
                                                              NUWEST                                                PAGE:   122
                                                       SENSITIVE DATA INCLUDED
0=====================================================================================================================
 PLANT: 00003 - NU-WEST (AGRIUM)                                  GOV'T FACILITY CODE: 0 - ALL OTHER FACILITIES NOT OWNED OR OPER.
 STATE: ID/16 CITY: - SODA SPRINGS                                AIR-PROGRAM CODE(S): M V 0 6 9        AFS PLANT ID: 00003
 COUNTY: 029 - CARIBOU  AQCR: 061                                 OPERATING STATUS    : O - OPERATING
 =====================================================================================================================
0ACT. INDIR.  AIR                        DATE     DATE   ACT.
 NO.   NO.  PROGRM  TYPE/DESCRIPTION  SCHEDULD ACHIEVED CAT. STAFF        RESULTS    PENALTY  RD8 PLLT/CASN RDE 16
 ---- ----- ------ ------------------ -------- -------- ---- ----- ---------------- --------- --- --------- -----------------------
```

```
0        COMMENT   COMMENT
           NO.
         -------   ------------------------------------------------------------
           001     METHOD 8 PERF TEST FOR THE E SULFURIC ACID PLANT CONDUCTED
                   11/3-4/04
           002     PER 6/9/05 DEQ-PRO LETTER-TEST DEMONSTRATES COMPLIANCE
0 534        0V9     PX S&L PCE/OFFSITE 05/06/09 05/06/09          19 IN COMPLIANCE          SO2        RATA REVIEW
0        COMMENT   COMMENT
           NO.
         -------   ------------------------------------------------------------
           001     RATA OF THE E SULFURIC ACID PLANT SO2 CEM
           002     PER 6/9/05 DEQ-PRO LETTER-SO2 CEM IS OPERATING IN ACCORDANCE
                   WITH 40 CFR 60 APPENDIX F
0 535        0       I1 ID PTC ISSUED   05/07/22 05/07/22          08 ISSUED                          PERMIT #P-050312
0        COMMENT   COMMENT
           NO.
         -------   ------------------------------------------------------------
           001     FOR CONSTRUCTION OF NEW WEST PHOSPHOGYPSUM STACK
```