APPENDIX E

PCB ANALYTICAL RESULTS

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB D	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86617

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB01 DOOR CAULK 009 1ST FLOOR

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1221	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1232	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1242	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1248	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1254	5900	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1260	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1262	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1268	ND	790	ug/Kg	10/13/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	138		%	10/13/11		MH	30 - 150 %
% TCMX	114		%	10/13/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB D	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86618

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB02 DOOR CAULK 153 AT 102

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1221	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1232	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1242	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1248	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1254	4800	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1260	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1262	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1268	ND	790	ug/Kg	10/13/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	108		%	10/13/11		MH	30 - 150 %
% TCMX	114		%	10/13/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB D	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86619

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB03 DOOR CAULK 127

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1221	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1232	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1242	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1248	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1254	5200	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1260	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1262	ND	790	ug/Kg	10/13/11		MH	3540C/8082
PCB-1268	ND	790	ug/Kg	10/13/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	120		%	10/13/11		MH	30 - 150 %
% TCMX	107		%	10/13/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

3

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB S	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86620

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB04 SOFT WHITE CAULK AT BRICK LINTEL ROOF

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1221	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1232	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1242	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1248	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1254	25000	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1260	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1262	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
PCB-1268	ND	4000	ug/Kg	10/17/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/17/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/17/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

4

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB D	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86621

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB05 DOOR CAULK ROOF

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1221	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1232	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1242	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1248	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1254	30000	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1260	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1262	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
PCB-1268	ND	4100	ug/Kg	10/17/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/17/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/17/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB R	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86622

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB06 RESIDUAL ORIG WINDOW CAULK A FACADE

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1221	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1232	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1242	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1248	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1254	87000	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1260	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1262	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1268	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/13/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/13/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB R	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86623

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB07 RESIDUAL ORIG WINDOW CAULK A FACADE

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1221	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1232	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1242	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1248	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1254	49000	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1260	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1262	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
PCB-1268	ND	8100	ug/Kg	10/13/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/13/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/13/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86624

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB08 WHITE CAULK AT AC SLEEVE

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1221	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1232	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1242	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1248	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1254	1700000	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1260	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1262	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1268	ND	410000	ug/Kg	10/14/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/14/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/14/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

October 18, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	CL	10/11/11	0:00
Location Code:	EAGLEENV | CL PCB	Received by:	LDA	10/12/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10				

Laboratory Data

SDG ID: GBA86617
Phoenix ID: BA86625

Project ID: LIBERATION PROGRAMS 4 ELMCREST TERR

Client ID: 10-11-CL PCB09 WHITE CAULK AT AC SLEEVE

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	10/12/11			E160.3
Caulk Extraction for PCB	Completed			10/12/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1221	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1232	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1242	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1248	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1254	1000000	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1260	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1262	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
PCB-1268	ND	380000	ug/Kg	10/14/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	10/14/11		MH	30 - 150 %
% TCMX	Diluted Out		%	10/14/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

October 18, 2011

QA/QC Data

SDG I.D.: GBA86617

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 186590, QC Sample No: BA86213 (BA86617, BA86618)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	98	105	6.9				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	91	92	1.1				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	83	81	84	3.6				30 - 150	30
% TCMX (Surrogate Rec)	88	77	85	9.9				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

QA/QC Batch 186669, QC Sample No: BA86687 (BA86619, BA86620, BA86621, BA86622, BA86623, BA86624, BA86625)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	107	98	8.8	81	86	6.0	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	90	107	17.3	108	121	11.4	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	78	63	77	20.0	59	61	3.3	30 - 150	30
% TCMX (Surrogate Rec)	87	80	92	14.0	79	83	4.9	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller

Phyllis Shiller, Laboratory Director
October 18, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental
Address: 531 N Main ST
Bristol, CT 06010

Project: 11-154.10, Liberation Programs, 4 Elmcrest Terr.
Report to: Chris Liberti
Invoice to: Eagle

Project P.O:
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: CS ZA Date: 10-11-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: Soxhlet PCBs

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Soxhlet PCBs	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
10-11-11 PCB 01	Door caulk: 009 1st floor	S	10-11-11	PM	X										
02	Door caulk: 153 & 102	S			X										
03	Door caulk: 127	S			X										
04	Soft white caulk at brick/lintel - roof	S			X										
05	Door caulk - roof	S			X										
06	Residual Orig. window caulk - A facade	S			X										
07	Residual Orig. window caulk - A facade	S			X										
08	white caulk @ AC sleeve	S			X										
09	white caulk @ AC sleeve	S			X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	10/12/11	13:[illegible]
	[signature]	10/12/11	14:12

Comments, Special Requirements or Regulations:
Reporting limit <1 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

State where samples were collected: CT

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other

* SURCHARGE APPLIES

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98725

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-01 WHITE DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	1900	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	820	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	820	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	114		%	11/10/11		MH	30 - 150 %
% TCMX	101		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB T	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98726

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-02 TAN DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	3000	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	810	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	810	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	113		%	11/10/11		MH	30 - 150 %
% TCMX	100		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB T	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98727

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-03 TAN DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	36000	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	7800	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/10/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB T	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98728

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-04 TAN DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	3100	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	770	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	770	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	112		%	11/10/11		MH	30 - 150 %
% TCMX	102		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB G	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98729

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-05 GREY DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	21000	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	7700	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98725
Phoenix ID: BA98730

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/4 BS-PCB-06 WHITE EXT DOOR CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/09/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	3000	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	830	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	78		%	11/11/11		KCA	30 - 150 %
% TCMX	99		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98725

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188539, QC Sample No: BA98708 (BA98725, BA98726, BA98727)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	106	106	0.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	106	107	0.9				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	87	92	92	0.0				30 - 150	30
% TCMX (Surrogate Rec)	83	79	80	1.3				30 - 150	30
Comment:									
A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.									
QA/QC Batch 188540, QC Sample No: BA99085 (BA98728, BA98729)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	102	101	1.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	98	97	1.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	88	74	71	4.1				30 - 150	30
% TCMX (Surrogate Rec)	87	78	79	1.3				30 - 150	30
Comment:									
A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.									
QA/QC Batch 188608, QC Sample No: BA99697 (BA98730)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	96	101	5.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	91	95	4.3				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	62	60	62	3.3				30 - 150	30

QA/QC Data

SDG I.D.: GBA98725

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
% TCMX (Surrogate Rec)	92	78	80	2.5				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 2

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc.
Address: 531 North Main Street, Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk, CT
Report to: Chris Liberti
Invoice to: Brandy Leblanc

Project P.O: 11-154.10A
Phone #: (860) 589-8257
Fax #: (860) 585-7034

Client Sample - Information - Identification

Sampler's Signature: Ben Silva Date: 11/4/11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhlet Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98725	11/4-BS-PCB-01	S	11/4	AM	X										
	White door caulk														
98726	11/4-BS-PCB-02				X										
	Tan door caulk														
98727	11/4-BS-PCB-03				X										
	Tan door caulk														
98728	11/4-BS-PCB-04				X										
	Tan door Caulk														
98729	11/4-BS-PCB-05			PM	X										
	Grey door caulk														
98730	11/4-BS-PCB-06				X										
	White Ext. door Caulk														

Relinquished by:	Accepted by:	Date:	Time:
Ben Silva		11/4/11	PM
	[signature]	11/8/11	14:12

Comments, Special Requirements or Regulations:
Reporting limit must be less than 1 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

20

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	BS	11/04/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:13
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.104				

Laboratory Data

SDG ID: GBA98731
Phoenix ID: BA98731

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11/4 BS-PCB 07 WIN LINTEL CAULK

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/08/11			E160.3
Caulk Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	33000	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	4000	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	101		%	11/11/11		KCA	30 - 150 %
% TCMX	75		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98731

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188540, QC Sample No: BA99085 (BA98731)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	102	101	1.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	98	97	1.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	88	74	71	4.1				30 - 150	30
% TCMX (Surrogate Rec)	87	78	79	1.3				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp Le wwh Pg 2 of 2

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc.
Address: 531 North Main Street
Bristol, CT 06010

Project: 4 Elmcrest Terr., Norwalk, CT
Report to: Chris Liberti
Invoice to: Brandy Leblanc

Project P.O: 11-154.10A
Phone #: (860) 589-8257
Fax #: (860) 585-7034

Client Sample - Information - Identification

Sampler's Signature: Ben Silva Date: 11/4/11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 ~~Soxhlet~~ Soxhlet Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 ~~Soxhlet~~ Soxhlet Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98731	11/4-BS-PCB-07	S	11/4	PM	X										
	Win. Lintel caulk	↓	↓	↓											

Relinquished by:	Accepted by:	Date:	Time:
Ben Silva	[signature]	11/4/11	PM
		11/8/11	~~[illegible]~~
			14:13

Comments, Special Requirements or Regulations:
Reporting limit must be less than 1 ppm.

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

23

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98690

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-01

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1221	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1232	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1242	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1248	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1254	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1260	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1262	ND	460	ug/Kg	11/09/11		MH	3540C/8082
PCB-1268	ND	460	ug/Kg	11/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/09/11		MH	30 - 150 %
% TCMX	80		%	11/09/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK **Phoenix I.D.:** BA98690
Client ID: 11-04-J1-PCB-01

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98691

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-03

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1221	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1232	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1242	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1248	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1254	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1260	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1262	ND	690	ug/Kg	11/09/11		MH	3540C/8082
PCB-1268	ND	690	ug/Kg	11/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/09/11		MH	30 - 150 %
% TCMX	88		%	11/09/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-03

Phoenix I.D.: BA98691

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98692

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-05

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1221	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1232	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1242	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1248	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1254	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1260	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1262	ND	500	ug/Kg	11/09/11		MH	3540C/8082
PCB-1268	ND	500	ug/Kg	11/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/09/11		MH	30 - 150 %
% TCMX	79		%	11/09/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-05

Phoenix I.D.: BA98692

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98693

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	550	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	550	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	113		%	11/10/11		MH	30 - 150 %
% TCMX	89		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-07

Phoenix I.D.: BA98693

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98694

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-09

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	710	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	710	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	90		%	11/10/11		MH	30 - 150 %
% TCMX	91		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-09

Phoenix I.D.: BA98694

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98695

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-13

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	910	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	490	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	490	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	11/10/11		MH	30 - 150 %
% TCMX	82		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-13

Phoenix I.D.: BA98695

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98696

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-15

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	510	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	510	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/10/11		MH	30 - 150 %
% TCMX	80		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-15

Phoenix I.D.: BA98696

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98697

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-19

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	1000	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	740	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	128		%	11/10/11		MH	30 - 150 %
% TCMX	91		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-19

Phoenix I.D.: BA98697

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98698

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB-21

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	760	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	>150		%	11/10/11		MH	30 - 150 %
% TCMX	97		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK Phoenix I.D.: BA98698
Client ID: 11-04-J1-PCB-21

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 10, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/04/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:07
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98690
Phoenix ID: BA98699

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-22

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	1500	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	650	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	650	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	127		%	11/10/11		MH	30 - 150 %
% TCMX	96		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK
Client ID: 11-04-J1-PCB-22

Phoenix I.D.: BA98699

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 10, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 10, 2011

QA/QC Data

SDG I.D.: GBA98690

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188537, QC Sample No: BA98547 (BA98690, BA98691, BA98692, BA98693, BA98694, BA98695, BA98696, BA98697, BA98698, BA98699)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	109	122	11.3				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	102	99	3.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	66	75	78	3.9				30 - 150	30
% TCMX (Surrogate Rec)	85	66	74	11.4				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 10, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 North Main Street
Bristol CT 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberti
Invoice to: Brandy La Blanc

Project P.O: 11-154.10A
Phone #: 860-589-8251
Fax #: 860-585-2734

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-04-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 9082 Soxhlet Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 1250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98090	11-04-JT-PCBI-01	S	11-04-11	AM	✓										
98091	11-04-JT-PCBI-03	S	11-04-11	AM	✓										
98092	11-04-JT-PCBI-05	S	11-04-11	AM	✓										
98093	11-04-JT-PCBI-07	S	11-04-11	AM	✓										
98094	11-04-JT-PCBI-09	S	11-04-11	AM	✓										
98095	11-04-JT-PCBI-13	S	11-04-11	PM	✓										
98096	11-04-JT-PCBI-15	S	11-04-11	PM	✓										
98097	11-04-JT-PCBI-19	S	11-04-11	PM	✓										
98098	11-04-JT-PCBI-21	S	11-04-11	PM	✓										
98099	11-04-JT-PCBI-22	S	11-04-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-08-11	13:00
		11/8/11	14:07

Comments, Special Requirements or Regulations:

R.L. < 1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

45

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/04/11	0:00
Location Code:	EAGLEENV | J PCB ND	Received by:	SW	11/15/11	14:30
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01409
Phoenix ID: BB01409

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB 2-20 2ND COURSE CMU

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/16/11		LB	E160.3
Extraction for PCB	Completed			11/15/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1221	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1232	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1242	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1248	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1254	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1260	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1262	ND	490	ug/Kg	11/16/11		MH	3540C/8082
PCB-1268	ND	490	ug/Kg	11/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	121		%	11/16/11		MH	30 - 150 %
% TCMX	104		%	11/16/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

46

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/04/11	0:00
Location Code:	EAGLEENV | J PCB M	Received by:	SW	11/15/11	14:30
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01409
Phoenix ID: BB01410

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-04-J1-PCB M-24 2ND COURSE MORTAR

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/16/11		LB	E160.3
Extraction for PCB	Completed			11/15/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1221	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1232	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1242	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1248	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1254	480	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1260	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1262	ND	410	ug/Kg	11/16/11		MH	3540C/8082
PCB-1268	ND	410	ug/Kg	11/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	123		%	11/16/11		MH	30 - 150 %
% TCMX	108		%	11/16/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 18, 2011

QA/QC Data

SDG I.D.: GBB01409

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188951, QC Sample No: BB01032 (BB01409, BB01410)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	96	5.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	100	108	7.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	85	82	88	7.1				30 - 150	30
% TCMX (Surrogate Rec)	83	74	83	11.5				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 18, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc
Address: 531 N Main St
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberti
Invoice to: Brandy LeBlanc

Project P.O: 11-154-10A
Phone #: 860-589-8251
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-4-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082-Soxhlet	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 1250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
01409	11-04-JT-PCB 2-20 (2nd Course CMU)	S	11-4-11	PM	✓										
01410	11-04-JT-PCBM-24 (2nd Course Mortar)	S	11-4-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11/15/11	13:20
		11/15/11	14:30

Comments, Special Requirements or Regulations:

PCM R.L. <1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

State where samples were collected: CT

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

49

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98705

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-01

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	620	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	620	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	80		%	11/10/11		MH	30 - 150 %
% TCMX	88		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-01

Phoenix I.D.: BA98705

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98706

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-03

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	740	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	740	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	81		%	11/10/11		MH	30 - 150 %
% TCMX	88		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-03

Phoenix I.D.: BA98706

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98707

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-05

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	530	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	530	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/10/11		MH	30 - 150 %
% TCMX	91		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-05

Phoenix I.D.: BA98707

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98708

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	610	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	610	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	82		%	11/10/11		MH	30 - 150 %
% TCMX	88		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-07

Phoenix I.D.: BA98708

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98709

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-09

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	450	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	400	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	80		%	11/11/11		KCA	30 - 150 %
% TCMX	80		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-09

Phoenix I.D.: BA98709

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98710

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-11

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	1500	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	590	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	84		%	11/11/11		KCA	30 - 150 %
% TCMX	80		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-11

Phoenix I.D.: BA98710

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98711

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-13

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	690	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	690	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	79		%	11/10/11		MH	30 - 150 %
% TCMX	87		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-13

Phoenix I.D.: BA98711

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98712

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-17

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	410	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	72		%	11/10/11		MH	30 - 150 %
% TCMX	78		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-17

Phoenix I.D.: BA98712

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98713

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-21

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	*	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	*	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	630	ug/Kg	11/11/11		KCA	3540C/8082
Total PCBs	5700	630	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	95		%	11/11/11		KCA	30 - 150 %
% TCMX	82		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK **Phoenix I.D.:** BA98713
Client ID: 11-07 J1-PCB1-21

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

* For PCBs, as per section 11.9.3, when multiple Aroclor's of PCBs are present and the aroclor is no longer recognizable, quantitation may be performed by comparing the total area of the PCB pattern to that of the aroclor it mostly resembles. The PCB pattern did not resemble any of the standards, but most closely resembles a mixture of the Aroclors 1254 and 1260.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98714

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-23

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	4400	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	540	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	540	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	85		%	11/10/11		MH	30 - 150 %
% TCMX	97		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-23

Phoenix I.D.: BA98714

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98715

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-25

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	12000	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	1900	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-25

Phoenix I.D.: BA98715

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98716

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-28

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	2900	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	410	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	410	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	11/10/11		MH	30 - 150 %
% TCMX	98		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-28

Phoenix I.D.: BA98716

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98717

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-30

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	4500	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	630	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	630	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	91		%	11/10/11		MH	30 - 150 %
% TCMX	92		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-30

Phoenix I.D.: BA98717

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98718

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-31

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	3800	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	420	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	420	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	88		%	11/10/11		MH	30 - 150 %
% TCMX	97		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-31

Phoenix I.D.: BA98718

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/08/11	14:10
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98705
Phoenix ID: BA98719

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11-07 J1-PCB1-32

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	1400	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	84		%	11/10/11		MH	30 - 150 %
% TCMX	98		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11-07 J1-PCB1-32

Phoenix I.D.: BA98719

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98705

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188537, QC Sample No: BA98547 (BA98705, BA98706, BA98707)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	109	122	11.3				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	102	99	3.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	66	75	78	3.9				30 - 150	30
% TCMX (Surrogate Rec)	85	66	74	11.4				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

QA/QC Batch 188539, QC Sample No: BA98708 (BA98708, BA98709, BA98710, BA98711, BA98712, BA98713, BA98714, BA98715, BA98716, BA98717, BA98718, BA98719)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	106	106	0.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	106	107	0.9				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	87	92	92	0.0				30 - 150	30
% TCMX (Surrogate Rec)	83	79	80	1.3				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc
Address: 531 N Main St
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberty
Invoice to: Brandy LaBlanc

Project P.O: 11-154.10A
Phone #: 860-589-8251
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-07-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhler Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhler Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98705	11-07-~~PCB~~ JI-PCBI-01	S	11-07-11	AM	✓										
98706	11-07-JI-PCBI-03	S	11-07-11	AM	✓										
98707	11-07-JI-PCBI-05	S	11-07-11	AM	✓										
98708	11-07-JI-PCBI-07	S	11-07-11	AM	✓										
98709	11-07-JI-PCBI-09	S	11-07-11	AM	✓										
98710	11-07-JI-PCBI-11	S	11-07-11	AM	✓										
98711	11-07-JI-PCBI-13	S	11-07-11	AM	✓										
98712	11-07-JI-PCBI-17	S	11-07-11	PM	✓										
98713	11-07-JI-PCBI-21	S	11-07-11	PM	✓										
98714	11-07-JI-PCBI-23	S	11-07-11	PM	✓										
98715	11-07-JI-PCBI-25	S	11-07-11	PM	✓										
98716	11-07-JI-PCBI-28	S	11-07-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-08-11	13:00
		11/8/11	14:10

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

B1

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp Cl Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 N Main Street
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberty
Invoice to: Brandy LaBlanc

Project P.O: 11-154.10A
Phone #: 860-589-8251
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-~~08~~ 07-11 JT

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhler Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhler Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98717	11-07-JT-PCBM-30	S	11-07-11	PM	✓										
98718	11-07-JT-PCBI-31	S	11-07-11	PM	✓										
98719	11-07-JT-PCBM-32	S	11-07-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-08-11	13"
		11/8/11	14:11

Comments, Special Requirements or Regulations:

R.L. < ~~1.0~~ 1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:09
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98700
Phoenix ID: BA98700

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/7 BS PCB1-01

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	450	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	450	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	450	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	84		%	11/10/11		MH	30 - 150 %
% TCMX	95		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11/7 BS PCB1-01

Phoenix I.D.: BA98700

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

BJ

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:09
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98700
Phoenix ID: BA98701

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/7 BS PCB1-04

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	10000	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	3400	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11/7 BS PCB1-04

Phoenix I.D.: BA98701

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:09
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98700
Phoenix ID: BA98702

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/7 BS PCB1-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	660	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	660	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	82		%	11/10/11		MH	30 - 150 %
% TCMX	88		%	11/10/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11/7 BS PCB1-07

Phoenix I.D.: BA98702

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:09
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98700
Phoenix ID: BA98703

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/7 BS PCB1-10

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	610	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	94		%	11/11/11		KCA	30 - 150 %
% TCMX	84		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK
Client ID: 11/7 BS PCB1-10

Phoenix I.D.: BA98703

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	LB	11/08/11	14:09
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98700
Phoenix ID: BA98704

Project ID: 4 ELMCREST TERRACE, NORWALK

Client ID: 11/7 BS PCB1-13

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	520	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	11/11/11		KCA	30 - 150 %
% TCMX	82		%	11/11/11		KCA	30 - 150 %

Project ID: 4 ELMCREST TERRACE, NORWALK **Phoenix I.D.:** BA98704
Client ID: 11/7 BS PCB1-13

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

100% SOLID ASSUMED

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98700

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188537, QC Sample No: BA98547 (BA98700, BA98701, BA98702, BA98703, BA98704)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	109	122	11.3				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	102	99	3.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	66	75	78	3.9				30 - 150	30
% TCMX (Surrogate Rec)	85	66	74	11.4				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 OWU Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 N Main St
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberty
Invoice to: Brandy LaBlanc

Project P.O: 11-154.10A
Phone #: 860-589-8251
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: Ben [signature] Date: 11/8/11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhler Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhler Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98700	11/7-BS-PCB1-01	S	11-07-11	PM	✓										
98701	11/7-BS-PCB1-04	S	11-07-11	PM	✓										
98702	11/7-BS-PCB1-07	S	11-07-11	PM	✓										
98703	11/7-BS-PCB1-10	S	11-07-11	PM	✓										
98704	11/7-BS-PCB1-13	S	11-07-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
Ben [signature]	[signature]	11/8/11	AM
		11/8/11	14:09

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

94

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS PCB	Received by:	SW	11/14/11	14:55
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11.154.10A				

Laboratory Data

SDG ID: GBB01028
Phoenix ID: BB01028

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11-7-BS-PCB2-5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	410	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	410	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	106		%	11/15/11		MH	30 - 150 %
% TCMX	99		%	11/15/11		MH	30 - 150 %

Project ID: 4 ELMCREST TERRACE NORWALK CT
Client ID: 11-7-BS-PCB2-5

Phoenix I.D.: BB01028

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 18, 2011

QA/QC Data

SDG I.D.: GBB01028

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188951, QC Sample No: BB01032 (BB01028)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	96	5.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	100	108	7.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	85	82	88	7.1				30 - 150	30
% TCMX (Surrogate Rec)	83	74	83	11.5				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 18, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 N Main St
Bristol CT 06010

Project: 4 Elmcrest Terrace, Norwalk, CT
Report to: Chris Liberti
Invoice to: Brandy La Blanc

Project P.O: 11-154.10A
Phone #: 860-582-8257
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: [signature] for B.S. Date: 11-7-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soil

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container (4) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
01028	11-7-BS-PCB2-5'	S	11-7-11	AM	✓			1						

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-14-11	1300
		11/14/11	1455

Comments, Special Requirements or Regulations:

PCB RL < 1.0 ppm

enter 2 Acunits

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

98

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/14/11	14:58
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01023
Phoenix ID: BB01023

Project ID: 4 ELMCREST TERRACE NORWALK, CT

Client ID: 11-7-J1-PCB2-16

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/15/11		LB	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	430	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	96		%	11/15/11		MH	30 - 150 %
% TCMX	94		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/14/11	14:58
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01023
Phoenix ID: BB01024

Project ID: 4 ELMCREST TERRACE NORWALK, CT

Client ID: 11-7-J1-PCB2-22

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/15/11		LB	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	430	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	430	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	100		%	11/15/11		MH	30 - 150 %
% TCMX	97		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

100

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/14/11	14:58
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01023
Phoenix ID: BB01025

Project ID: 4 ELMCREST TERRACE NORWALK, CT

Client ID: 11-7-J1-PCB2-24

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/15/11		LB	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	3700	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	98		%	11/15/11		MH	30 - 150 %
% TCMX	96		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/14/11	14:58
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01023
Phoenix ID: BB01026

Project ID: 4 ELMCREST TERRACE NORWALK, CT

Client ID: 11-7-J1-PCB2-26

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/15/11		LB	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	1600	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	230	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	230	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	107		%	11/15/11		MH	30 - 150 %
% TCMX	90		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/11	0:00
Location Code:	EAGLEENV | J PCB	Received by:	LB	11/14/11	14:58
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBB01023
Phoenix ID: BB01027

Project ID: 4 ELMCREST TERRACE NORWALK, CT

Client ID: 11-7-J1-PCB2-29

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	11/15/11		LB	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	650	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	480	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	480	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	110		%	11/15/11		MH	30 - 150 %
% TCMX	94		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 18, 2011

QA/QC Data

SDG I.D.: GBB01023

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188951, QC Sample No: BB01032 (BB01023, BB01024, BB01025, BB01026, BB01027)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	96	5.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	100	108	7.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	85	82	88	7.1				30 - 150	30
% TCMX (Surrogate Rec)	83	74	83	11.5				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 18, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 North Main St
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk, CT
Report to: Chris Liberti
Invoice to: Brandy La Blanc

Project P.O: 11-154.10A
Phone #: 860-598-9257
Fax #: 860-585-7034

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-14-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhlet

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
01023	11-7-J1-PCB2-16	S	11-7-11	AM	✓										
01024	11-7-J1-PCB2-22	S	11-7-11	PM	✓										
01025	11-7-J1-PCB2-24	S	11-7-11	PM	✓										
01026	11-7-J1-PCB2-26	S	11-7-11	PM	✓										
01027	11-7-J1-PCB2-29	S	11-7-11	PM	✓										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-14-11	13:15
		11/14/11	14:58

Comments, Special Requirements or Regulations:

PCB RL < 1.0 ppm

Exter @ windows

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

105

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO IN	Received by:	SW	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98720
Phoenix ID: BA98720

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11/7-BS-SO-1 8 IN A FACADE RIGHT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	82		%	11/08/11		JL	E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	6400	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	2000	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO IN	Received by:	SW	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98720
Phoenix ID: BA98721

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11/7-BS-SO-4 8 IN A FACADE LEFT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	81		%	11/08/11		JL	E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	18000	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	4100	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO IN	Received by:	SW	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98720
Phoenix ID: BA98722

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11/7-BS-SO-7 8 IN B FACADE

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	85		%	11/08/11		JL	E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	2600	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	380	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	380	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	105		%	11/10/11		MH	30 - 150 %
% TCMX	99		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO IN	Received by:	SW	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98720
Phoenix ID: BA98723

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11/7-BS-SO-10 8 IN C FACADE LEFT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	78		%	11/08/11		JL	E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1221	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1232	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1242	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1248	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1254	15000	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1260	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1262	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
PCB-1268	ND	2100	ug/Kg	11/11/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/11/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

January 13, 2012

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV	Received by:	SW	11/08/11	14:12
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98720
Phoenix ID: BA98724

Project ID: 4 ELMCREST TERRACE NORWALK CT

Client ID: 11/7-BS-SO-13 8 IN C FACADE RIGHT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	76		%	11/08/11		JL	E160.3
Extraction for PCB	Completed			11/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1221	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1232	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1242	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1248	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1254	42000	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1260	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1262	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
PCB-1268	ND	4300	ug/Kg	11/10/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/10/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/10/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
January 13, 2012

Ver 2

110

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98720

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188539, QC Sample No: BA98708 (BA98720, BA98721, BA98722, BA98723, BA98724)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	106	106	0.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	106	107	0.9				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	87	92	92	0.0				30 - 150	30
% TCMX (Surrogate Rec)	83	79	80	1.3				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 14, 2011

CHAIN OF CUSTODY RECORD

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc.
Address: 531 North Main Street
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk, CT
Report to: Chris Liberti
Invoice to: Brandy Leblanc

Project P.O: 11-154.10A
Phone #: (860) 589-8254
Fax #: (860) 585-7034

Client Sample - Information - Identification

Sampler's Signature: Ben [signature] Date: 11/7/11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: EPA 8082 Soxhlet Extraction

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98720	11/7-BS-SO-1	S	11/7/11	AM	X										
	8", A facade right		↓	↓											
98721	11/7-BS-SO-4	S	11/7/11	AM	X										
	8", A facade left		↓	↓											
98722	11/7-BS-SO-7	S	11/7/11	AM	X										
	8", B facade		↓	↓											
98723	11/7-BS-SO-10	S	11/7/11	AM	X										
	8", C facade left		↓	↓											
98724	11/7-BS-SO-13	S	11/7/11	AM	X										
	8", C facad right		↓	↓											

Relinquished by:	Accepted by:	Date:	Time:
Ben [signature]	[signature]	11/7/11	PM
	[signature]	11/8/11	14:12

Comments, Special Requirements or Regulations:
Reporting limit must be less than 1 ppm.

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

112

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO A	Received by:	SW	11/14/11	14:59
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB01029
Phoenix ID: BB01029

Project ID: 4 ELMCREST NORWALK

Client ID: 11-7-BS-SO-2 16 INCH A FAC RT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	72		%	11/14/11		JL	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1221	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1232	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1242	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1248	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1254	8400	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1260	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1262	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
PCB-1268	ND	1600	ug/Kg	11/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/16/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/16/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO A	Received by:	SW	11/14/11	14:59
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB01029
Phoenix ID: BB01030

Project ID: 4 ELMCREST NORWALK

Client ID: 11-7-BS-SO-5 16 INCH A FAC LEFT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	77		%	11/14/11		JL	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	18000	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	1500	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/15/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO B	Received by:	SW	11/14/11	14:59
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB01029
Phoenix ID: BB01031

Project ID: 4 ELMCREST NORWALK
Client ID: 11-7-BS-SO-8 16 INCH B FAC

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	84		%	11/14/11		JL	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1221	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1232	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1242	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1248	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1254	2400	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1260	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1262	ND	280	ug/Kg	11/15/11		MH	3540C/8082
PCB-1268	ND	280	ug/Kg	11/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	108		%	11/15/11		MH	30 - 150 %
% TCMX	98		%	11/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO C	Received by:	SW	11/14/11	14:59
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB01029
Phoenix ID: BB01032

Project ID: 4 ELMCREST NORWALK

Client ID: 11-7-BS-SO-11 16 INCH C FAC LEFT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	83		%	11/14/11		JL	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1221	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1232	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1242	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1248	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1254	14000	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1260	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1262	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
PCB-1268	ND	2700	ug/Kg	11/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/16/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/16/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX
Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 17, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO C	Received by:	SW	11/14/11	14:59
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB01029
Phoenix ID: BB01033

Project ID: 4 ELMCREST NORWALK

Client ID: 11-7-BS-SO-14 16 INCH C FAC RT

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	77		%	11/14/11		JL	E160.3
Extraction for PCB	Completed			11/14/11		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1221	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1232	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1242	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1248	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1254	94000	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1260	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1262	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
PCB-1268	ND	15000	ug/Kg	11/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/16/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/16/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 18, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 18, 2011

QA/QC Data

SDG I.D.: GBB01029

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188951, QC Sample No: BB01032 (BB01029, BB01030, BB01031, BB01032, BB01033)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	96	5.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	100	108	7.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	85	82	88	7.1				30 - 150	30
% TCMX (Surrogate Rec)	83	74	83	11.5				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 18, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Down Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Enviro
Address: 531 N. Main St
Bristol CT

Project: 4 Elmcrest, Norwalk
Report to: C. Liberti
Invoice to: Eagle

Project P.O:
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature _____ Date: _____

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container (4) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
01029	11-7-BS-50-2	S	11-7-11	PM	X			1							
	16" A fac Rt														
01030	11-7-BS-50-5	S			X			1							
	16" A fac Left														
01031	11-7-BS-50-8	S			X			1							
	16" B fac														
01032	11-7-BS-50 11	S			X			1							
	16" C fac left														
01033	11-7-BS-50-14	S			X			1							
	16" C fac right														

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-14-11	13:00
		11/14/11	14:59

Comments, Special Requirements or Regulations:

RL of <1.0ppm

Soil 16"

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: Ct

119

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 29, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO	Received by:	LB	11/22/11	14:11
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-15A.10A				

Laboratory Data

SDG ID: GBB03780
Phoenix ID: BB03780

Project ID: 4 ELMCREST TERRAC NORWALK

Client ID: 11-7-BS-SO-3

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/22/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1254	3600	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	11/23/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	105		%	11/23/11		MH	30 - 150 %
% TCMX	107		%	11/23/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 29, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 29, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO	Received by:	LB	11/22/11	14:11
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-15A.10A				

Laboratory Data

SDG ID: GBB03780
Phoenix ID: BB03781

Project ID: 4 ELMCREST TERRAC NORWALK

Client ID: 11-7-BS-SO-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/22/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1221	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1232	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1242	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1248	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1254	16000	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1260	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1262	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
PCB-1268	ND	3200	ug/Kg	11/28/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/28/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/28/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 29, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 29, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO	Received by:	LB	11/22/11	14:11
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-15A.10A				

Laboratory Data

SDG ID: GBB03780
Phoenix ID: BB03782

Project ID: 4 ELMCREST TERRAC NORWALK

Client ID: 11-7-BS-SO-9

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/22/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1254	540	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	11/23/11		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	11/23/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	116		%	11/23/11		MH	30 - 150 %
% TCMX	108		%	11/23/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 29, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 29, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO	Received by:	LB	11/22/11	14:11
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-15A.10A				

Laboratory Data

SDG ID: GBB03780
Phoenix ID: BB03783

Project ID: 4 ELMCREST TERRAC NORWALK

Client ID: 11-7-BS-SO-12

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/22/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1221	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1232	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1242	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1248	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1254	7400	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1260	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1262	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
PCB-1268	ND	1600	ug/Kg	11/28/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/28/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/28/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 29, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 29, 2011

FOR: Attn: Chris Liberti
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | BS SO	Received by:	LB	11/22/11	14:11
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-15A.10A				

Laboratory Data

SDG ID: GBB03780
Phoenix ID: BB03784

Project ID: 4 ELMCREST TERRAC NORWALK

Client ID: 11-7-BS-SO-15

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			11/22/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1221	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1232	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1242	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1248	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1254	38000	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1260	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1262	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
PCB-1268	ND	3300	ug/Kg	11/28/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	11/28/11		MH	30 - 150 %
% TCMX	Diluted Out		%	11/28/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 29, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 29, 2011

QA/QC Data

SDG I.D.: GBB03780

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 189487, QC Sample No: BB03984 (BB03780, BB03781, BB03782, BB03783, BB03784)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	111	89	22.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	107	97	9.8				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	78	73	74	1.4				30 - 150	30
% TCMX (Surrogate Rec)	89	76	78	2.6				30 - 150	30

Comment:

* The MS/MSD could not be reported due to matrix interference in the unspiked sample. LCS\LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 29, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 N Main St
Bristol, CT 06010

Project: 4 Elmcrest Terrace Norwalk
Report to: Chris Liberti
Invoice to: Brandy LaBlanc

Project P.O: 11-154.10A
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] for B.S. Date: 11-7-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet
03780	11-7-BS-SO-3	S	11-7-11	AM	✓
03781	11-7-BS-SO-6	S	11-7-11	AM	✓
03782	11-7-BS-SO-9	S	11-7-11	AM	✓
03783	11-7-BS-SO-12	S	11-7-11	AM	✓
03784	11-7-BS-SO-15	S	11-7-11	AM	✓

Soil VOA Vials [ ] methanol [ ] H2O
GL Soil container ( ) oz
GL Soil container ( ) oz
40 ml VOA Vial [ ] As is [ ] HCl
GL Amber 1000ml [ ] As is [ ] H2SO4
PL As is [ ] 250ml [ ] 500ml [ ] 1000ml
PL H2SO4 [ ] 250ml [ ] 500ml
PL HNO3 250ml
PL NaOH 250ml
Bacteria Bottle

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11/22/11	13:10
	[signature]	11/22/11	14:11

Comments, Special Requirements or Regulations:
Composite Soil Samples 24" from foundation wall-exterior

PCB RL < 1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

126

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 12, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	SW	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08848
Phoenix ID: BB08848

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO 22 AREA #2 SOIL AT 6 IN

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	81		%	12/08/11		JL	E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1221	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1232	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1242	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1248	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1254	3400	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1260	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1262	ND	400	ug/Kg	12/09/11		MH	3540C/8082
PCB-1268	ND	400	ug/Kg	12/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	97		%	12/09/11		MH	30 - 150 %
% TCMX	97		%	12/09/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
December 13, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 12, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	SW	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08848
Phoenix ID: BB08849

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO 32 AREA #5 6 IN DEPTH

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	84		%	12/08/11		JL	E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1221	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1232	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1242	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1248	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1254	2400	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1260	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1262	ND	390	ug/Kg	12/09/11		MH	3540C/8082
PCB-1268	ND	390	ug/Kg	12/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	101		%	12/09/11		MH	30 - 150 %
% TCMX	97		%	12/09/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 13, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

December 13, 2011

QA/QC Data

SDG I.D.: GBB08848

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 190252, QC Sample No: BB08630 (BB08848, BB08849)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	88	89	1.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	98	96	2.1				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	87	76	76	0.0				30 - 150	30
% TCMX (Surrogate Rec)	89	75	75	0.0				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
December 13, 2011

CHAIN OF CUSTODY RECORD

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 15°C w/c Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc
Address: 531 N. Main ST
Bristol, CT 06010

Project: 4 Elmcrest, Liberation Program, 11.154.10A
Report to: Eagle
Invoice to: Eagle

Project P.O:
Phone #: 860-389-8257
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 12-6-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: Soxhlet 8082

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Soxhlet 8082	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
08848	12-6-CL-SO 22 (Area #2 soil @ 6" depth)	S	12-6-11	AM	X										
08849	12-6-CL-SO-32 (Area #5, soil @ 6" depth)	S	12-6-11	AM	X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	12-8-11	AM
	Brittany Harbee	12/8/11	14:38

Comments, Special Requirements or Regulations:
Reporting limit of <1 ppm required

depth samples

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

130

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 13, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO	Received by:	SW	12/08/11	14:39
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08850
Phoenix ID: BB08850

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO-16

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1221	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1232	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1242	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1248	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1254	2400	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1260	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1262	ND	330	ug/Kg	12/09/11		MH	3540C/8082
PCB-1268	ND	330	ug/Kg	12/09/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	101		%	12/09/11		MH	30 - 150 %
% TCMX	97		%	12/09/11		MH	30 - 150 %

Project ID: 4 ELMCREST
Client ID: 12-6-CL-SO-16

Phoenix I.D.: BB08850

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 13, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO	Received by:	SW	12/08/11	14:39
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08850
Phoenix ID: BB08851

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO-18

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1221	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1232	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1242	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1248	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1254	10000	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1260	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1262	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1268	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/12/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/12/11		MH	30 - 150 %

Project ID: 4 ELMCREST
Client ID: 12-6-CL-SO-18

Phoenix I.D.: BB08851

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

December 13, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO	Received by:	SW	12/08/11	14:39
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08850
Phoenix ID: BB08852

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO-26

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1221	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1232	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1242	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1248	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1254	7800	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1260	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1262	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
PCB-1268	ND	1700	ug/Kg	12/12/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/12/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/12/11		MH	30 - 150 %

Project ID: 4 ELMCREST
Client ID: 12-6-CL-SO-26

Phoenix I.D.: BB08852

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 13, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO	Received by:	SW	12/08/11	14:39
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08850
Phoenix ID: BB08853

Project ID: 4 ELMCREST

Client ID: 12-6-CL-SO-30

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/08/11		BB/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1221	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1232	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1242	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1248	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1254	14000	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1260	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1262	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
PCB-1268	ND	1600	ug/Kg	12/12/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/12/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/12/11		MH	30 - 150 %

Project ID: 4 ELMCREST
Client ID: 12-6-CL-SO-30

Phoenix I.D.: BB08853

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 14, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

December 14, 2011

QA/QC Data

SDG I.D.: GBB08850

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 190252, QC Sample No: BB08630 (BB08850, BB08851, BB08852, BB08853)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	88	89	1.1	88	81	8.3	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	98	96	2.1	98	90	8.5	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	87	76	76	0.0	120	112	6.9	30 - 150	30
% TCMX (Surrogate Rec)	89	75	75	0.0	89	86	3.4	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
December 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 15°C w/c Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental Inc.
Address: 531 N. Main St
Bristol, CT 06010

Project: 4 Elmcrest, Liberation Program 11-154.10A
Report to: Eagle
Invoice to: Eagle

Project P.O:
Phone #: 860 589 8257
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 12-6-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: Soxhlet 8082

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Soxhlet 8082	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
08850	12-6-CL-SO-16 (Area #1, soil @32")	S	12-6-11	Am	X										
08851	12-6-CL SO-18 (Area #2, soil @32")	S	12-6-11	Am	X										
08852	12-6-CL SO-26 (Area #4, soil @32")	S	12-6-11	Pm	X										
08853	12-6-CL-SO-30 (Area #5, soil @32")	S	12-6-11	Pm	X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	12-8-11	Am
	Brittany Harbee	12/8/11	14:39

Comments, Special Requirements or Regulations:
Reporting Limit <1 ppm required

soils @ 32" from building perimiter

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

140

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 16, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	LB	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08844
Phoenix ID: BB08844

Project ID: 4 ELMCREST - LIBERATION PROGRAM

Client ID: 12-6 CL-SO-17 AREA #1 SOIL @ 48 INCHES

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	79		%	12/13/11		JL	E160.3
Extraction for PCB	Completed			12/13/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1221	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1232	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1242	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1248	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1254	1600	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1260	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1262	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1268	ND	420	ug/Kg	12/14/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	92		%	12/14/11		MH	30 - 150 %
% TCMX	107		%	12/14/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 19, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 16, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	LB	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08844
Phoenix ID: BB08845

Project ID: 4 ELMCREST - LIBERATION PROGRAM

Client ID: 12-6 CL-SO-19 AREA #2 SOIL @ 48 INCHES

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	76		%	12/13/11		JL	E160.3
Extraction for PCB	Completed			12/13/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1221	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1232	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1242	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1248	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1254	4000	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1260	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1262	ND	430	ug/Kg	12/14/11		MH	3540C/8082
PCB-1268	ND	430	ug/Kg	12/14/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	86		%	12/14/11		MH	30 - 150 %
% TCMX	99		%	12/14/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 19, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 16, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	LB	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08844
Phoenix ID: BB08846

Project ID: 4 ELMCREST - LIBERATION PROGRAM

Client ID: 12-6 CL-SO-27 AREA #4 SOIL @ 48 INCHES

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	76		%	12/13/11		JL	E160.3
Extraction for PCB	Completed			12/13/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	13000	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	2200	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/15/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/15/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 19, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 16, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/06/11	0:00
Location Code:	EAGLEENV | CL SO AR	Received by:	LB	12/08/11	14:38
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB08844
Phoenix ID: BB08847

Project ID: 4 ELMCREST - LIBERATION PROGRAM

Client ID: 12-6 CL-SO-31 AREA #5 SOIL @ 48 INCHES

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	77		%	12/13/11		JL	E160.3
Extraction for PCB	Completed			12/13/11		BQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1221	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1232	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1242	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1248	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1254	4500	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1260	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1262	ND	420	ug/Kg	12/14/11		MH	3540C/8082
PCB-1268	ND	420	ug/Kg	12/14/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	85		%	12/14/11		MH	30 - 150 %
% TCMX	103		%	12/14/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 19, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

December 19, 2011

QA/QC Data

SDG I.D.: GBB08844

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 190598, QC Sample No: BB08847 (BB08844, BB08845, BB08846, BB08847)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	103	2.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	113	110	2.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	83	84	86	2.4				30 - 150	30
% TCMX (Surrogate Rec)	85	78	81	3.8				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller

Phyllis Shiller, Laboratory Director
December 19, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 15°C w/c Pg 1 of 1

Data Delivery:
- [ ] Fax #:
- [ ] Email:

Customer: Eagle Environmental Inc
Address: 531 N. Main St
Bristol, CT 06010

Project: 4 Elmcrest, Liberation Program; 11-151.10A
Report to: Eagle
Invoice to: Eagle

Project P.O:
Phone #: 860 589 5257
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 12-8-11

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	L Sieve/Lab Grid
08844	12-6-CL-SO-17 (Area #1, soil @ 48")	S	12-6-11	AM	X
08845	12-6-CL-SO-19 (Area #2, soil @ 48")	S	12-6-11	AM	X
08846	12-6-CL-SO-27 (Area #4, soil @ 48")	S	12-6-11	PM	X
08847	12-6-CL-SO-31 (Area #5, soil @ 48")	S	12-6-11	PM	X

Soil VOA Vials [ ] methanol [ ] H2O; GL Soil container ( ) oz; GL Soil container ( ) oz; 40 ml VOA Vial [ ] As is [ ] HCl; GL Amber 1000ml [ ] As is [ ] H2SO4; PL As is [ ] 250ml [ ] 500ml [ ] 1000ml; PL H2SO4 [ ] 250ml [ ] 500ml; PL HNO3 250ml; PL NaOH 250ml; Bacteria Bottle

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	12-8-11	AM
	Brittany Lerbec	12/8/11	14:38

Comments, Special Requirements or Regulations:
Reporting Limit of <1 ppm required.
Please hold samples until authorized to Analyze by Eagle [pending 32" soil sample analyse]

Turnaround:
- [ ] 1 Day*
- [ ] 2 Days*
- [x] 3 Days*
- [ ] Standard
- [ ] Other

* SURCHARGE APPLIES

RI
- [ ] Direct Exposure (Residential)
- [ ] GW
- [ ] Other

CT
- [ ] RCP Cert
- [ ] GW Protection
- [ ] SW Protection
- [ ] GA Mobility
- [ ] GB Mobility
- [ ] Residential DEC
- [ ] I/C DEC
- [ ] Other

MA
- [ ] MCP Certification
- [ ] GW-1
- [ ] GW-2
- [ ] GW-3
- [ ] S-1
- [ ] S-2
- [ ] S-3
- [ ] MWRA eSMART
- [ ] Other

State where samples were collected: CT

Data Format
- [ ] Excel
- [ ] PDF
- [ ] GIS/Key
- [ ] EQuIS
- [ ] Other

Data Package
- [ ] Tier II Checklist
- [ ] Full Data Package*
- [ ] Phoenix Std Report
- [ ] Other

* SURCHARGE APPLIES

146

Linda - Phoenixlabs

From: Jackie LaMattina [jlamattina@eagleenviro.com]
Sent: Tuesday, December 13, 2011 2:13 PM
To: linda@phoenixlabs.com
Cc: 'Chris Liberti'
Subject: Phoenix # GBB08844 Authorization to Analyze

Good Afternoon Linda,

As per our conversation, please release GBB08844 (Sample #'s 08844-47) to be analyzed. This is for our job # 11-150.10A for 4 Elmcrest Terrace in Norwalk, CT.

Please be aware these samples are on a 3-day TAT. Please email me the results at your earliest convenience.

Thank you and have a wonderful day!

Jackie LaMattina
Administrative Assistant

Eagle Enviromental, Inc.
531 North Main Street
Bristol, CT 06010
Phone: **860-589-8257 x 201**
Fax: **860-585-7034**
jlamattina@eagleenviro.com

Please visit our website @:
www.eagleenviro.com

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac
NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL CH	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10984

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-01

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	600	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	600	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	81		%	12/15/11		MH	30 - 150 %
% TCMX	55		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-CH-01

Phoenix I.D.: BB10984

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL CH	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10985

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-02

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	690	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	690	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	90		%	12/15/11		MH	30 - 150 %
% TCMX	89		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-CH-02

Phoenix I.D.: BB10985

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL CH	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10986

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-03

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	630	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	630	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	92		%	12/15/11		MH	30 - 150 %
% TCMX	90		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-CH-03

Phoenix I.D.: BB10986

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL CH	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10987

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	440	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	440	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	81		%	12/15/11		MH	30 - 150 %
% TCMX	56		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-CH-07

Phoenix I.D.: BB10987

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL CH	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10988

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-09

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	650	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	87		%	12/15/11		MH	30 - 150 %
% TCMX	103		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-CH-09

Phoenix I.D.: BB10988

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL DCC	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10989

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-DCC-1-04

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	610	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	95		%	12/15/11		MH	30 - 150 %
% TCMX	97		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-DCC-1-04

Phoenix I.D.: BB10989

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL DCC	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10990

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-DCC-1-05

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	680	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	680	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	102		%	12/15/11		MH	30 - 150 %
% TCMX	100		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-DCC-1-05

Phoenix I.D.: BB10990

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL DCC	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10991

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-DCC-1-06

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	540	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	540	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	92		%	12/15/11		MH	30 - 150 %
% TCMX	101		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-DCC-1-06

Phoenix I.D.: BB10991

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL DCC	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10992

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-DCC-1-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	880	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	610	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	610	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	127		%	12/15/11		MH	30 - 150 %
% TCMX	108		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-DCC-1-08

Phoenix I.D.: BB10992

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL SILL	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10993

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-SILL-10

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	1100000	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	330000	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/15/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-SILL-10

Phoenix I.D.: BB10993

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL SILL	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10994

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-SILL-15

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1221	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1232	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1242	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1248	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1254	22000	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1260	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1262	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
PCB-1268	ND	3500	ug/Kg	12/16/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/16/11		MH	30 - 150 %
% TCMX	Diluted Out		%	12/16/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-SILL-15

Phoenix I.D.: BB10994

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

December 20, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 19, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL SILL	Received by:	SW	12/14/11	14:32
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB10984
Phoenix ID: BB10995

Project ID: 4 ELM CREST TERRACE NORWALK

Client ID: 12-13-CL-SILL-17

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%				E160.3
Extraction for PCB	Completed			12/14/11		QQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1221	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1232	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1242	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1248	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1254	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1260	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1262	ND	760	ug/Kg	12/15/11		MH	3540C/8082
PCB-1268	ND	760	ug/Kg	12/15/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	107		%	12/15/11		MH	30 - 150 %
% TCMX	114		%	12/15/11		MH	30 - 150 %

Project ID: 4 ELM CREST TERRACE NORWALK
Client ID: 12-13-CL-SILL-17

Phoenix I.D.: BB10995

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

%SOLIDS ASSUMED 100%

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 20, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

December 20, 2011

QA/QC Data

SDG I.D.: GBB10984

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 190598, QC Sample No: BB08847 (BB10984, BB10985, BB10986, BB10987, BB10988, BB10989, BB10990)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	101	103	2.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	113	110	2.7				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	83	84	86	2.4				30 - 150	30
% TCMX (Surrogate Rec)	85	78	81	3.8				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 190692, QC Sample No: BB10920 (BB10991, BB10992, BB10993, BB10994, BB10995)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	79	81	2.5				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	94	89	5.5				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	107	81	76	6.4				30 - 150	30
% TCMX (Surrogate Rec)	82	72	73	1.4				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller

Phyllis Shiller, Laboratory Director
December 20, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 1.8°C Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc
Address: 531 N. Main St.
Bristol, CT

Project: 4 Elm Crest Terrace, Newville - 11-154.10A
Project P.O:
Report to: Chris Liberti
Phone #: (860) 589-8257
Invoice to: Eagle
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date 12/13/11

Matrix Code:
DW=drinking water WW=wastewater S=soil/solid O=other
GW=groundwater SL=sludge A=air

Analysis Request

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082	Soil VOA [ ] Methanol [ ] S. Bisulfate [ ] H20	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 1500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
10984	12-13-CL-CH-01	S	12/8/11	AM	X										
10985	12-13-CL-CH-02	S			X										
10986	12-13-CL-CH-03	S			X										
10987	12-13-CL-CH-07	S			X										
10988	12-13-CL-CH-09	S			X										
10989	12-13-CL-DCC-1-04	S			X										
10990	12-13-CL-DCC-1-05	S			X										
10991	12-13-CL-DCC-1-06	S			X										
10992	12-13-CL-DCC-1-08	S			X										
10993	12-13-CL-SELL-10	S		PM	X										
10994	12-13-CL-SELL-15	S		PM	X										
10995	12-13-CL-SELL-17	S		PM	X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	12/14/11	1330
	Brittany Harbe	12/14/11	14:32

Comments, Special Requirements or Regulations:

PCB Reporting limit must be less than 1 ppm.

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

CT/RI
☐ RCP Cert.
☐ GW Protect.
☐ GA Mobility
☐ GB Mobility
☐ SW Protect.
☐ Res. Vol.
☐ Ind. Vol.
☐ Res. Criteria
☐ Other

MA
☐ MCP Cert.
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ ASP-A
☐ NJ Reduced Deliv. *
☐ NJ Hazsite EDD
☐ Phoenix Std Report
☐ Other

State where samples were collected: CT

173

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 27, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL MSILL	Received by:	LB	12/21/11	14:41
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB13602
Phoenix ID: BB13602

Project ID: 4 ELMCREST TERRACE, NORWALK 11-154.10A

Client ID: 12-13-CL-MSILL-11

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	12/22/11		LB	E160.3
Extraction for PCB	Completed			12/21/11		LQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1221	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1232	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1242	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1248	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1254	17000	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1260	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1262	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
PCB-1268	ND	1600	ug/Kg	12/27/11		KCA	3540C/8082
QA/QC Surrogates							
% DCBP	Diluted Out		%	12/27/11		KCA	30 - 150 %
% TCMX	Diluted Out		%	12/27/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
December 27, 2011

Ver 1

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

December 27, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:		12/13/11	0:00
Location Code:	EAGLEENV | CL MSILL	Received by:	LB	12/21/11	14:41
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB13602
Phoenix ID: BB13603

Project ID: 4 ELMCREST TERRACE, NORWALK 11-154.10A

Client ID: 12-13-CL-MSILL-16

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	12/22/11		LB	E160.3
Extraction for PCB	Completed			12/21/11		LQ/K	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1221	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1232	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1242	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1248	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1254	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1260	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1262	ND	410	ug/Kg	12/22/11		MH	3540C/8082
PCB-1268	ND	410	ug/Kg	12/22/11		MH	3540C/8082
QA/QC Surrogates							
% DCBP	98		%	12/22/11		MH	30 - 150 %
% TCMX	54		%	12/22/11		MH	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
December 27, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

December 27, 2011

QA/QC Data

SDG I.D.: GBB13602

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 191085, QC Sample No: BB13013 (BB13602, BB13603)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	95	99	4.1	112	109	2.7	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	107	111	3.7	130	124	4.7	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	81	86	87	1.2	108	110	1.8	30 - 150	30
% TCMX (Surrogate Rec)	80	71	72	1.4	87	90	3.4	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
December 27, 2011

PHOENIX
Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6°C Pg of

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc
Address: 531 North Main St.
Bristol, CT 06010

Project: 4 Elmcrest Terrace, Norwalk - 11-154.10A
Project P.O:
Report to: Chris Liberti
Phone #: 860-589-8257
Invoice to: Eagle
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date 12-13-11

Matrix Code:
DW=drinking water WW=wastewater S=soil/solid O=other
GW=groundwater SL=sludge A=air

Analysis Request

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 - Soxhlet	Soil VOA [ ] Methanol [ ] S. Bisulfate [ ] H20	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
136002	12-13-CL-MSILL-11 Mortar under sill C-facade @ Rm 122	S	12/13/11	PM	X										
136003	12-13-CL-MSILL-16 Mortar under sill Roof @ Rm 157	↓	↓	↓	X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]		12/21/11	13:30
	Brittany Harbee	12/21/11	14:41

Comments, Special Requirements or Regulations:

PCB Reporting Limit must be < 1 ppm.

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

CT/RI
☐ RCP Cert.
☐ GW Protect.
☐ GA Mobility
☐ GB Mobility
☐ SW Protect.
☐ Res. Vol.
☐ Ind. Vol.
☐ Res. Criteria
☐ Other

MA
☐ MCP Cert.
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ ASP-A
☐ NJ Reduced Deliv. *
☐ NJ Hazsite EDD
☐ Phoenix Std Report
☐ Other

State where samples were collected: CT

177

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78249

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCB3-01

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	05/01/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	510	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	510	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	106		%	04/30/12		MH	30 - 150 %
% TCMX	95		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCB3-01

Phoenix I.D.: BB78249

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78250

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCBM3-02

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	108		%	04/30/12		MH	30 - 150 %
% TCMX	96		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCBM3-02

Phoenix I.D.: BB78250

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78251

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCB3-03

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	740	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	710	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	710	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	90		%	04/30/12		MH	30 - 150 %
% TCMX	94		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCB3-03

Phoenix I.D.: BB78251

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78252

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCBM3-04

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	820	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	580	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	580	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	104		%	04/30/12		MH	30 - 150 %
% TCMX	96		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCBM3-04

Phoenix I.D.: BB78252

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78253

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCB3-05

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	470	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	470	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	111		%	04/30/12		MH	30 - 150 %
% TCMX	92		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCB3-05

Phoenix I.D.: BB78253

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78254

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-PCBM3-06

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	119		%	04/30/12		MH	30 - 150 %
% TCMX	89		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-PCBM3-06

Phoenix I.D.: BB78254

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78255

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-USB2-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	550	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	550	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	99		%	04/30/12		MH	30 - 150 %
% TCMX	100		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-USB2-07

Phoenix I.D.: BB78255

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78256

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-USB2-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		BB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	420	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	420	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	108		%	04/30/12		MH	30 - 150 %
% TCMX	101		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-USB2-08

Phoenix I.D.: BB78256

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 04, 2012

FOR: Attn: Brandy LeBlanc
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		04/26/12	0:00
Location Code:	EAGLEENV	Received by:	SW	04/27/12	15:11
Rush Request:	72 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBB78249
Phoenix ID: BB78257

Project ID: 11-154-10A LIBERATIONS

Client ID: 4-26-JI-USB2-09

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	100	1	%	04/30/12		LB	E160.3
Extraction for PCB	Completed			04/27/12		MB/D	SW3540C
PCB (Soxhlet)							
PCB-1016	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1221	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1232	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1242	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1248	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1254	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1260	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1262	ND	850	ug/Kg	04/30/12		MH	3540C/8082
PCB-1268	ND	850	ug/Kg	04/30/12		MH	3540C/8082
QA/QC Surrogates							
% DCBP	102		%	04/30/12		MH	30 - 150 %
% TCMX	82		%	04/30/12		MH	30 - 150 %

Project ID: 11-154-10A LIBERATIONS
Client ID: 4-26-JI-USB2-09

Phoenix I.D.: BB78257

Parameter	Result	RL	Units	Date	Time	By	Reference

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
May 04, 2012
Reviewed and Released by: Sarah Bell, Project Manager

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 04, 2012

QA/QC Data

SDG I.D.: GBB78249

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 199445, QC Sample No: BB74046 (BB78249, BB78250, BB78251, BB78252, BB78253, BB78254, BB78255, BB78256)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	94	93	1.1				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	99	99	0.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	137	87	85	2.3				30 - 150	30
% TCMX (Surrogate Rec)	83	77	75	2.6				30 - 150	30

Comment:

* The batch MS and MSD recoveries could not be calculated due to the presence of PCB in the unspiked sample. LCS/LCSD recoveries were within QA/QC limits.

QA/QC Batch 199446, QC Sample No: BB77035 (BB78257)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	72	78	8.0				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	87	91	4.5				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	94	81	84	3.6				30 - 150	30
% TCMX (Surrogate Rec)	78	63	68	7.6				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
May 04, 2012

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

Temp 17°C Pg 1 of 2

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Data Delivery:
- [ ] Fax #:
- [ ] Email:

Customer: Eagle Environmental Inc
Address: 531 N Main St
Bristol CT

Project: 11-154.10A Liberations
Report to: Brandy Le Blanc
Invoice to:

Project P.O:
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 4-26-12

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: SW 846-8082/354CC

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW 846-8082/354CC	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container (4) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
78249	4-26-J1-PCB3-01	S	4-26-12	AM	✓		✓								
78250	4-26-J1-PCBM3-02	S	4-26-12	AM	✓		✓								
78251	4-26-J1-PCB3-03	S	4-26-12	AM	✓		✓								
78252	4-26-J1-PCBM3-04	S	4-26-12	AM	✓		✓								
78253	4-26-J1-PCB3-05	S	4-26-12	AM	✓		✓								
78254	4-26-J1-PCBM3-06	S	4-26-12	AM	✓		✓								
	~~4-26-J1-PCB~~														
78255	4-26-J1-USB2-07	S	4-26-12	AM	✓		✓								
78256	4-26-J1-USB2-08	S	4-26-12	AM	✓		✓								
78257	4-26-J1-USB2-09	S	4-26-12	AM	✓		✓								

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	4-27-12	15:11

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
- [ ] 1 Day*
- [ ] 2 Days*
- [x] 3 Days*
- [ ] Standard
- [ ] Other

* SURCHARGE APPLIES

RI
- [ ] Direct Exposure (Residential)
- [ ] GW
- [ ] Other

CT
- [ ] RCP Cert
- [ ] GW Protection
- [ ] SW Protection
- [ ] GA Mobility
- [ ] GB Mobility
- [ ] Residential DEC
- [ ] I/C DEC
- [ ] Other

MA
- [ ] MCP Certification
- [ ] GW-1
- [ ] GW-2
- [ ] GW-3
- [ ] S-1
- [ ] S-2
- [ ] S-3
- [ ] MWRA eSMART
- [ ] Other

State where samples were collected: CT

Data Format
- [ ] Excel
- [ ] PDF
- [ ] GIS/Key
- [ ] EQuIS
- [ ] Other

Data Package
- [ ] Tier II Checklist
- [ ] Full Data Package*
- [ ] Phoenix Std Report
- [ ] Other

* SURCHARGE APPLIES

197

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

Analysis Report

November 11, 2011

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
531 North Main Street
Bristol, CT 06010

Sample Information		Custody Information		Date	Time
Matrix:	OIL	Collected by:		11/07/11	0:00
Location Code:	EAGLEENV | JT PCBE	Received by:	SW	11/08/11	14:13
Rush Request:	RUSH##	Analyzed by:	see "By" below		
P.O.#:	11-154.10A				

Laboratory Data

SDG ID: GBA98732
Phoenix ID: BA98732

Project ID: 4 ELMCREST TERRACE NORWALK

Client ID: 11-07-JT-PCBE-33. ELEVATOR OIL

Parameter	Result	RL	Units	Date	Time	By	Reference
Waste Dilution PCB	Completed			11/08/11		M/M	SW8082
Polychlorinated Biphenyls							
PCB-1016	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1221	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1232	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1242	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1248	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1254	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1260	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1262	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
PCB-1268	ND	2.0	mg/kg	11/11/11		KCA	SW 8082
QA/QC Surrogates							
% DCBP	110		%	11/11/11		KCA	30 - 150 %
% TCMX	101		%	11/11/11		KCA	30 - 150 %

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

ACCREDITED IN ACCORDANCE WITH nelac NY # 11301

QA/QC Report

November 14, 2011

QA/QC Data

SDG I.D.: GBA98732

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD	% Rec Limits	% RPD Limits
QA/QC Batch 188467, QC Sample No: BA98378 (BA98732)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	74	66	11.4				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	83	78	6.2				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
%DCBP (Surrogate Rec)	73	70	62	12.1				30 - 150	30
%TCMX (Surrogate Rec)	82	82	75	8.9				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria

Phyllis Shiller, Laboratory Director
November 14, 2011

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Temp 6 Pg 1 of 1

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental, Inc.
Address: 531 North Main Street
Bristol, CT, 06010

Project: 4 Elmcrest Terrace, Norwalk
Report to: Chris Liberti
Invoice to: Brandy Leblanc

Project P.O: 11-154.10A
Phone #: (860) 589-8257
Fax #: (860) 585-7034

Sampler's Signature: Ben [illegible] Date: 11/8/11

Client Sample - Information - Identification

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	EPA 8082 Soxhlet Extraction	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
98732	11-07-JT-PCBE-	O	11/7	PM	X										
	33. Elevator hydraulic	↓	↓	↓											
	Oil														

Relinquished by:	Accepted by:	Date:	Time:
Ben [illegible]	[illegible]	11/8/11	AM
		11/8/11	14:13

Comments, Special Requirements or Regulations:
Reporting limit must be less than 1 ppm.

Turnaround:
☐ 1 Day*
☐ 2 Days*
☒ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT