Analytical Data Package

Prepared by:

Pace Analytical Services

Pace Project No.: 40157832

Table Of Contents

Project Overview

Final Report with COC/SCUR . . . 1

SDG Narrative . . . 20

Organic

GC-ECD PCBs

Surrogate Recovery Summary (Form 2) . . . 21

Laboratory Control Spike/Laboratory Control Spike Duplicate Summary (Form 3) . . . 22

Matrix Spike/Matrix Spike Duplicate Summary (Form 3) . . . 23

Duplicate Summary (Form 3) . . . 24

Method Blank Association Summary (Form 4) . . . 25

Analytical Results with Raw Data (Form 1) . . . 26

Initial Calibration Summary (Form 6) . . . 71

Raw Data for Initial Calibration Standards . . . 78

Continuing Calibration Summary (Form 7) . . . 218

Raw Data for Continuing Calibration Standards . . . 227

Raw Data QC . . . 275

Preparation Logs Raw Data . . . 308

Instrument Run Log . . . 310

Standards Traceability . . . 319

Certificate of Analysis . . . 391

InOrganic

Gravimetric

Analytical Results (Form 1-IN) . . . 419

Blanks (Form 3-IN) . . . 424

Duplicates (Form 6-IN) . . . 425

Preparation Logs Raw Data . . . 426

Biota Prep Logs

Biota Prep Log . . . 428

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

May 07, 2018

Jim Ryan
Anchor QEA
290 Elwood Davis Road
Suite 340
Liverpool, NY 13088

RE: Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Dear Jim Ryan:
Enclosed are the analytical results for sample(s) received by the laboratory on October 03, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tod Noltemeyer

Tod Noltemeyer
tod.noltemeyer@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: David Blye, Environmental Standards Inc.
Mark Meyers, Anchor QEA, LLC
Meg Michell, Environmental Standards Inc.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

CERTIFICATIONS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150
Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE SUMMARY

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40157832001	**AT1-170616-01-YP-05**	Tissue	06/16/17 14:39	10/03/17 10:20
40157832002	**AT1-170616-01-YP-04**	Tissue	06/16/17 14:37	10/03/17 10:20
40157832003	**AT1-170616-01-YP-03**	Tissue	06/16/17 14:35	10/03/17 10:20
40157832004	**AT1-170616-01-YP-02**	Tissue	06/16/17 12:54	10/03/17 10:20
40157832005	**AT1-170616-01-YP-01**	Tissue	06/16/17 11:02	10/03/17 10:20

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

SAMPLE ANALYTE COUNT

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40157832001	**AT1-170616-01-YP-05**	EPA 8082A Mod	BLM	10
		Pace Gender Typing	CWN	1
		Pace Lipid	AMC	1
40157832002	**AT1-170616-01-YP-04**	EPA 8082A Mod	BLM	10
		Pace Gender Typing	CWN	1
		Pace Lipid	AMC	1
40157832003	**AT1-170616-01-YP-03**	EPA 8082A Mod	BLM	10
		Pace Gender Typing	CWN	1
		Pace Lipid	AMC	1
40157832004	**AT1-170616-01-YP-02**	EPA 8082A Mod	BLM	10
		Pace Gender Typing	CWN	1
		Pace Lipid	AMC	1
40157832005	**AT1-170616-01-YP-01**	EPA 8082A Mod	BLM	10
		Pace Gender Typing	CWN	1
		Pace Lipid	AMC	1

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

PROJECT NARRATIVE

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Method: **EPA 8082A Mod**
Description: 8082A Modified GCT PCB
Client: General Electric
Date: May 07, 2018

General Information:
5 samples were analyzed for EPA 8082A Mod. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:
The samples were prepared in accordance with EPA 3541 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:
All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

PROJECT NARRATIVE

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Method: **Pace Gender Typing**
Description: Fish Gender Typing
Client: General Electric
Date: May 07, 2018

General Information:
5 samples were analyzed for Pace Gender Typing. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

PROJECT NARRATIVE

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Method: **Pace Lipid**
Description: Lipid
Client: General Electric
Date: May 07, 2018

General Information:
5 samples were analyzed for Pace Lipid. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:
The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):
All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:
All criteria were within method requirements with any exceptions noted below.

Internal Standards:
All internal standards were within QC limits with any exceptions noted below.

Surrogates:
All surrogates were within QC limits with any exceptions noted below.

Method Blank:
All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:
All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:
All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:
All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Sample: AT1-170616-01-YP-05 **Lab ID: 40157832001** Collected: 06/16/17 14:39 Received: 10/03/17 10:20 Matrix: Tissue

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A Modified GCT PCB	Analytical Method: EPA 8082A Mod Preparation Method: EPA 3541								
PCB-1016 (Aroclor 1016)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	12674-11-2	
PCB-1221 (Aroclor 1221)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	11104-28-2	
PCB-1232 (Aroclor 1232)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	11141-16-5	
PCB-1242 (Aroclor 1242)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	53469-21-9	
PCB-1248 (Aroclor 1248)	**234**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	12672-29-6	
PCB-1254 (Aroclor 1254)	**183**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	11097-69-1	
PCB-1260 (Aroclor 1260)	**148**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	11096-82-5	
PCB, Total	**565**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:19	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	90	%	60-140		2	04/09/18 07:13	04/11/18 03:19	877-09-8	
Decachlorobiphenyl (S)	101	%	60-140		2	04/09/18 07:13	04/11/18 03:19	2051-24-3	
Fish Gender Typing	Analytical Method: Pace Gender Typing								
Gender	**Male**				1		04/02/18 14:39		
Lipid	Analytical Method: Pace Lipid								
Lipid	**0.77**	%	0.030	0.030	1		04/10/18 06:28		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Sample: AT1-170616-01-YP-04 **Lab ID: 40157832002** Collected: 06/16/17 14:37 Received: 10/03/17 10:20 Matrix: Tissue

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A Modified GCT PCB	Analytical Method: EPA 8082A Mod Preparation Method: EPA 3541								
PCB-1016 (Aroclor 1016)	**<11.4**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	12674-11-2	
PCB-1221 (Aroclor 1221)	**<11.4**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	11104-28-2	
PCB-1232 (Aroclor 1232)	**<11.4**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	11141-16-5	
PCB-1242 (Aroclor 1242)	**<11.4**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	53469-21-9	
PCB-1248 (Aroclor 1248)	**76.9**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	12672-29-6	
PCB-1254 (Aroclor 1254)	**68.1**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	11097-69-1	
PCB-1260 (Aroclor 1260)	**62.9**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	11096-82-5	
PCB, Total	**208**	ug/kg	50.0	11.4	1	04/09/18 07:13	04/11/18 03:35	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	80	%	60-140		1	04/09/18 07:13	04/11/18 03:35	877-09-8	
Decachlorobiphenyl (S)	96	%	60-140		1	04/09/18 07:13	04/11/18 03:35	2051-24-3	
Fish Gender Typing	Analytical Method: Pace Gender Typing								
Gender	**U**				1		04/02/18 14:40		
Lipid	Analytical Method: Pace Lipid								
Lipid	**0.34**	%	0.030	0.030	1		04/10/18 06:28		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Sample: AT1-170616-01-YP-03 **Lab ID: 40157832003** Collected: 06/16/17 14:35 Received: 10/03/17 10:20 Matrix: Tissue

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A Modified GCT PCB	Analytical Method: EPA 8082A Mod Preparation Method: EPA 3541								
PCB-1016 (Aroclor 1016)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	12674-11-2	
PCB-1221 (Aroclor 1221)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	11104-28-2	
PCB-1232 (Aroclor 1232)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	11141-16-5	
PCB-1242 (Aroclor 1242)	**<22.8**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	53469-21-9	
PCB-1248 (Aroclor 1248)	**195**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	12672-29-6	
PCB-1254 (Aroclor 1254)	**132**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	11097-69-1	
PCB-1260 (Aroclor 1260)	**105**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	11096-82-5	
PCB, Total	**431**	ug/kg	100	22.8	2	04/09/18 07:13	04/11/18 03:50	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	86	%	60-140		2	04/09/18 07:13	04/11/18 03:50	877-09-8	
Decachlorobiphenyl (S)	97	%	60-140		2	04/09/18 07:13	04/11/18 03:50	2051-24-3	
Fish Gender Typing	Analytical Method: Pace Gender Typing								
Gender	**Male**				1		04/02/18 14:40		
Lipid	Analytical Method: Pace Lipid								
Lipid	**0.71**	%	0.030	0.030	1		04/10/18 06:28		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Sample: AT1-170616-01-YP-02 **Lab ID: 40157832004** Collected: 06/16/17 12:54 Received: 10/03/17 10:20 Matrix: Tissue

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A Modified GCT PCB	Analytical Method: EPA 8082A Mod Preparation Method: EPA 3541								
PCB-1016 (Aroclor 1016)	**<11.4**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	12674-11-2	
PCB-1221 (Aroclor 1221)	**<11.4**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	11104-28-2	
PCB-1232 (Aroclor 1232)	**<11.4**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	11141-16-5	
PCB-1242 (Aroclor 1242)	**<11.4**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	53469-21-9	
PCB-1248 (Aroclor 1248)	**156**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	12672-29-6	
PCB-1254 (Aroclor 1254)	**165**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	11097-69-1	
PCB-1260 (Aroclor 1260)	**157**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	11096-82-5	
PCB, Total	**478**	ug/kg	49.9	11.4	1	04/09/18 07:13	04/11/18 04:38	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	89	%	60-140		1	04/09/18 07:13	04/11/18 04:38	877-09-8	
Decachlorobiphenyl (S)	99	%	60-140		1	04/09/18 07:13	04/11/18 04:38	2051-24-3	
Fish Gender Typing	Analytical Method: Pace Gender Typing								
Gender	**U**				1		04/02/18 14:40		
Lipid	Analytical Method: Pace Lipid								
Lipid	**0.29**	%	0.030	0.030	1		04/10/18 06:28		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

ANALYTICAL RESULTS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Sample: AT1-170616-01-YP-01 **Lab ID: 40157832005** Collected: 06/16/17 11:02 Received: 10/03/17 10:20 Matrix: Tissue

Results reported on a "wet-weight" basis

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082A Modified GCT PCB	Analytical Method: EPA 8082A Mod Preparation Method: EPA 3541								
PCB-1016 (Aroclor 1016)	**<11.4**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	12674-11-2	
PCB-1221 (Aroclor 1221)	**<11.4**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	11104-28-2	
PCB-1232 (Aroclor 1232)	**<11.4**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	11141-16-5	
PCB-1242 (Aroclor 1242)	**<11.4**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	53469-21-9	
PCB-1248 (Aroclor 1248)	**151**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	12672-29-6	
PCB-1254 (Aroclor 1254)	**132**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	11097-69-1	
PCB-1260 (Aroclor 1260)	**52.9**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	11096-82-5	
PCB, Total	**336**	ug/kg	49.8	11.4	1	04/09/18 07:13	04/11/18 04:54	1336-36-3	
Surrogates									
Tetrachloro-m-xylene (S)	95	%	60-140		1	04/09/18 07:13	04/11/18 04:54	877-09-8	
Decachlorobiphenyl (S)	97	%	60-140		1	04/09/18 07:13	04/11/18 04:54	2051-24-3	
Fish Gender Typing	Analytical Method: Pace Gender Typing								
Gender	**Male**				1		04/02/18 14:40		
Lipid	Analytical Method: Pace Lipid								
Lipid	**0.49**	%	0.030	0.030	1		04/10/18 06:28		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

QC Batch: 285467 | Analysis Method: EPA 8082A Mod
QC Batch Method: EPA 3541 | Analysis Description: 8082 GCS PCB
Associated Lab Samples: 40157832001, 40157832002, 40157832003, 40157832004, 40157832005

METHOD BLANK: 1670714 | Matrix: Tissue
Associated Lab Samples: 40157832001, 40157832002, 40157832003, 40157832004, 40157832005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1221 (Aroclor 1221)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1232 (Aroclor 1232)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1242 (Aroclor 1242)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1248 (Aroclor 1248)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1254 (Aroclor 1254)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
PCB-1260 (Aroclor 1260)	ug/kg	<11.4	50.0	11.4	04/10/18 21:46	
Decachlorobiphenyl (S)	%	93	60-140		04/10/18 21:46	
Tetrachloro-m-xylene (S)	%	76	60-140		04/10/18 21:46	

LABORATORY CONTROL SAMPLE: 1670715

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg		<11.4			
PCB-1221 (Aroclor 1221)	ug/kg		<11.4			
PCB-1232 (Aroclor 1232)	ug/kg		<11.4			
PCB-1242 (Aroclor 1242)	ug/kg	250	220	88	70-130	
PCB-1248 (Aroclor 1248)	ug/kg		<11.4			
PCB-1254 (Aroclor 1254)	ug/kg		<11.4			
PCB-1260 (Aroclor 1260)	ug/kg		<11.4			
Decachlorobiphenyl (S)	%			90	60-140	
Tetrachloro-m-xylene (S)	%			76	60-140	

MATRIX SPIKE SAMPLE: 1670716

Parameter	Units	40157832003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<22.8		<22.8			
PCB-1221 (Aroclor 1221)	ug/kg	<22.8		<22.8			
PCB-1232 (Aroclor 1232)	ug/kg	<22.8		<22.8			
PCB-1242 (Aroclor 1242)	ug/kg	<22.8	250	312	125	70-130	
PCB-1248 (Aroclor 1248)	ug/kg	195		327			
PCB-1254 (Aroclor 1254)	ug/kg	132		139			
PCB-1260 (Aroclor 1260)	ug/kg	105		87.7J			
Decachlorobiphenyl (S)	%				101	60-140	
Tetrachloro-m-xylene (S)	%				91	60-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

SAMPLE DUPLICATE: 1670717

Parameter	Units	40157832003 Result	Dup Result	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	<22.8	<22.8		40	
PCB-1221 (Aroclor 1221)	ug/kg	<22.8	<22.8		40	
PCB-1232 (Aroclor 1232)	ug/kg	<22.8	<22.8		40	
PCB-1242 (Aroclor 1242)	ug/kg	<22.8	<22.8		40	
PCB-1248 (Aroclor 1248)	ug/kg	195	252	25	40	
PCB-1254 (Aroclor 1254)	ug/kg	132	170	25	40	
PCB-1260 (Aroclor 1260)	ug/kg	105	133	24	40	
Decachlorobiphenyl (S)	%	97	103	6		
Tetrachloro-m-xylene (S)	%	86	95	10		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

QC Batch: 285570 | Analysis Method: Pace Lipid
QC Batch Method: Pace Lipid | Analysis Description: LIPID
Associated Lab Samples: 40157832001, 40157832002, 40157832003, 40157832004, 40157832005

METHOD BLANK: 1671073 | Matrix: Tissue
Associated Lab Samples: 40157832001, 40157832002, 40157832003, 40157832004, 40157832005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Lipid	%	<0.030	0.030	0.030	04/10/18 06:28	

MATRIX SPIKE SAMPLE: 1682835

Parameter	Units	40157832003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lipid	%	0.71		0.66			

SAMPLE DUPLICATE: 1671076

Parameter	Units	40157832003 Result	Dup Result	RPD	Max RPD	Qualifiers
Lipid	%	0.71	0.86	19	40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALIFIERS

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
1241 Bellevue Street - Suite 9
Green Bay, WI 54302
(920)469-2436

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: HUDSON RIVER REMEDIAL ACTION M
Pace Project No.: 40157832

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40157832001	**AT1-170616-01-YP-05**	EPA 3541	285467	EPA 8082A Mod	285591
40157832002	**AT1-170616-01-YP-04**	EPA 3541	285467	EPA 8082A Mod	285591
40157832003	**AT1-170616-01-YP-03**	EPA 3541	285467	EPA 8082A Mod	285591
40157832004	**AT1-170616-01-YP-02**	EPA 3541	285467	EPA 8082A Mod	285591
40157832005	**AT1-170616-01-YP-01**	EPA 3541	285467	EPA 8082A Mod	285591
40157832001	**AT1-170616-01-YP-05**	Pace Gender Typing	284928		
40157832002	**AT1-170616-01-YP-04**	Pace Gender Typing	284928		
40157832003	**AT1-170616-01-YP-03**	Pace Gender Typing	284928		
40157832004	**AT1-170616-01-YP-02**	Pace Gender Typing	284928		
40157832005	**AT1-170616-01-YP-01**	Pace Gender Typing	284928		
40157832001	**AT1-170616-01-YP-05**	Pace Lipid	285570		
40157832002	**AT1-170616-01-YP-04**	Pace Lipid	285570		
40157832003	**AT1-170616-01-YP-03**	Pace Lipid	285570		
40157832004	**AT1-170616-01-YP-02**	Pace Lipid	285570		
40157832005	**AT1-170616-01-YP-01**	Pace Lipid	285570		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40157832

55m

ANCHOR QEA

305 West Grand Avenue Montvale, NJ 07645 Ph: 201-930-9890

ENVIRONMENTAL SAMPLE CHAIN OF CUSTODY

COC ID: COC170616-T11-03
Sample Custodian: MCS
Lab: Pace - Green Bay

Client: General Electric Company

Project: Hudson River Remedial Action Monitoring Program

COC Sample Number	Sampling Event ID	Field Sample ID	Sample Date	Sample Time	MS/LD	# CONTAINERS	Media*	Prep**	Composite	EPA Split	Total PCBs NE013_09	Total PCBs SW846 8082A	Percent Lipid (S-GB-O-068)	Fillet Weight (S-GB-L-009)	
001	AT1-170616-01	AT1-170616-01-YP-05	6/16/2017	14:39	☐	1	F	FLRC	☐	☐	☐	☑	☑	☑	1-ziplock A
002	AT1-170616-01	AT1-170616-01-YP-04	6/16/2017	14:37	☐	1	F	FLRC	☐	☐	☐	☑	☑	☑	
003	AT1-170616-01	AT1-170616-01-YP-03	6/16/2017	14:35	☑	1	F	FLRC	☐	☐	☐	☑	☑	☑	
004	AT1-170616-01	AT1-170616-01-YP-02	6/16/2017	12:54	☐	1	F	FLRC	☐	☐	☐	☑	☑	☑	
005	AT1-170616-01	AT1-170616-01-YP-01	6/16/2017	11:02	☐	1	F	FLRC	☐	☐	☐	☑	☑	☑	

Comments:

Relinquished by:	Received by:	Relinquished by:	Received by:	Relinquished by:	Received by:
Signature	Signature	Signature VIA FED EX	Signature	Signature	Signature
Print Name R. Constant	Print Name R. Bilotto	Print Name R. Bilotto	Print Name	Print Name Susan White	Print Name
Company	Company PACE T:3.8, 4.0	Company PACE	Company FedEx	Company Pace	Company
Date/Time 6/16/17 13:20	Date/Time 6/16/17 15:20	Date/Time 10/3/17 16:00	Date/Time 10/3/17 1020	Date/Time 10/3/17 1020	Date/Time

Date Printed: 6/16/2017 * F= FISH **F=Fillet, WH=Whole Body, O=Offal **COC TYPE:** *TPCB-LIPD-PEST-MERCURY* **Page 1 of 1**

Pace Analytical™

Sample Condition Upon Receipt

Pace Analytical Services, LLC. - Green Bay WI
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project # **WO#: 40157832**

40157832

Client Name: General Electric

Courier: ☑ Fed Ex ☐ UPS ☐ Client ☐ Pace Other: _____

Tracking #: 4099 9470 4700

Custody Seal on Cooler/Box Present: ☑ yes ☐ no Seals intact: ☑ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☑ None ☐ Other _____

Thermometer Used SR68 **Type of Ice:** (Wet) Blue Dry None ☑ Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2.1,0.0 /Corr: 2.1,0.0 **Biological Tissue is Frozen:** ☑ yes ☐ no

Temp Blank Present: ☐ yes ☑ no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Person examining contents:
Date: 10-3-17
Initials: SKW

		Comments:
Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☐Yes ☑No ☐N/A	4.
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	5.
- VOA Samples frozen upon receipt	☐Yes ☐No	Date/Time:
Short Hold Time Analysis (<72hr):	☐Yes ☑No ☐N/A	6.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	7.
Sufficient Volume:	☑Yes ☐No ☐N/A	8.
Correct Containers Used:	☑Yes ☐No ☐N/A	9.
-Pace Containers Used:	☐Yes ☑No ☐N/A	
-Pace IR Containers Used:	☐Yes ☐No ☑N/A	
Containers Intact:	☑Yes ☐No ☐N/A	10.
Filtered volume received for Dissolved tests	☐Yes ☐No ☑N/A	11.
Sample Labels match COC:	☑Yes ☐No ☐N/A	12.
-Includes date/time/ID/Analysis Matrix: B		
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	☐Yes ☐No ☑N/A	13. ☐ HNO3 ☐ H2SO4 ☐ NaOH ☐ NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	☐Yes ☐No ☑N/A	
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	☐Yes ☑No	Initial when completed / Lab Std #ID of preservative / Date/Time:
Headspace in VOA Vials (>6mm):	☐Yes ☐No ☑N/A	14.
Trip Blank Present:	☐Yes ☐No ☑N/A	15.
Trip Blank Custody Seals Present	☐Yes ☐No ☑N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

Tracking # 4099 9470 4696
4099 9470 4685
4099 9470 4711

10-3-17 SKW

Project Manager Review: AL for TN **Date:** 10-3-17

F-GB-C-031-Rev.04 (12Dec2016) SCUR.xls
Pace Analytical Services LLC. - Green Bay WI

CASE NARRATIVE - PCB ANALYSIS

Lab Report Number (SDG): 40157832
Client: GENERAL ELECTRIC COMPANY
Project Name: HUDSON RIVER REMEDIAL ACTION MONITORING PROGRAM
Project Number: N/A

1. RECEIPT

Samples were received on ice at or below 2°C. Following homogenization, tissue samples were kept frozen at less than -10°C until time of preparation for analysis.

2. HOLDING TIMES

A. **Sample Preparation:** All method and QAPP specified holding times were met.
B. **Sample Analysis:** All method and QAPP specified holding times were met.

3. METHOD

Preparation: SW-846 3541
Analysis: SW-846 8082A Modified

4. PREPARATION

Sample preparation proceeded normally. All samples went through florisil and acid clean-up procedures prior to analysis.

5. ANALYSIS

A. **Calibration:**
1. **Initial verification:** All method acceptance criteria were met.
2. **Continuing verification:** All method acceptance criteria were met.

B. **Blanks:**
1. **Method:** All acceptance criteria were met for the associated method blank.

C. **Surrogates:** All QAPP specified acceptance criteria were met.

D. **Spikes:**
1. **Lab Control Spike (LCS):** The control spike was fortified with Aroclor 1242 and met the QAPP specified accuracy criteria.
2. **Matrix Spike (MS):** Sample AT1-170616-01-YP-03 was designated as the parent sample for the MS for this SDG and one portion of the sample was fortified with Aroclor 1242. The MS required a 1:2 dilution to bring a non-fortified Aroclor within instrument calibration range. The QAPP specified accuracy criteria were met.

E. **Samples:** Sample analyses proceeded normally. ZB-1ms is the quantitation column.

F. **Sample Duplicate:** Sample AT1-170616-01-YP-03 was designated as the duplicate for this SDG. The QAPP specified precision criteria were met. A batch duplicate was also analyzed with this SDG. Duplicate results are not evaluated below the reporting limit.

G. **Dilutions:** Samples AT1-170616-01-YP-05 and AT1-170616-01-YP-03 were analyzed at a dilution to bring the level of Aroclors within the calibration range of the instrument.

H. **Reanalysis:** None required for this SDG.

I. **Comments:** Due to rounding differences in the software programs used, the values found on the quantitation reports may not match the values found on the sample Form 1s.

I certify that this data package is in compliance with the terms and conditions agreed to by **Pace Analytical Services, LLC**, and by the client, both technically and for completeness, except for the conditions detailed above. The Laboratory Manager or his designee, as verified by the following signature, has authorized release of the data contained in this completed data package:

Signed: Leigh A Begalske Date: 05/16/18

Name: Leigh A. Begalske Position: Quality Assurance Auditor

PCB - FORM II SVOA-1
TISSUE SEMI-VOLATILE SURROGATE RECOVERY

Lab Name: Pace Analytical - Green Bay SDG No.: 40157832 Contract: HUDSON RIVER REMEDIAL

Instrument ID: 40GCSJ

LAB SAMPLE ID	SAMPLE NAME	DCBP	TCMX
1670714	1670714BLANK	93	76
1670715	1670715LCS	90	76
1670716	1670716MS	101	91
1670717	1670717DUP	103	95
40157832001	AT1-170616-01-YP-05	101	90
40157832002	AT1-170616-01-YP-04	96	80
40157832003	AT1-170616-01-YP-03	97	86
40157832004	AT1-170616-01-YP-02	99	89
40157832005	AT1-170616-01-YP-01	97	95

	QC LIMITS
(DCBP) = Decachlorobiphenyl (S)	(60-140)
(TCMX) = Tetrachloro-m-xylene (S)	(60-140)

* Values outside of QC Limits

PCB - FORM III SVOA-1

TISSUE LABORATORY CONTROL SAMPLE RECOVERY

Lab Name: Pace Analytical - Green Bay

Date Extracted: 04/09/2018

Instrument: 40GCSJ

Lab File ID: 041018.B\041018037.D

Lab Sample ID: 1670715LCS

Date Analyzed (1): 04/10/2018

LCS Lot No: 192096

SDG No.: 40157832

COMPOUND	AMOUNT ADDED (ug/kg)	LCS CONCENTRATION (ug/kg)	LCS %REC	QC LIMITS REC.
PCB-1242 (Aroclor 1242)	250	220	88	70-130

Spike Recovery: 0 out of 1 outside limits.

PCB - FORM III SVOA-1

TISSUE SEMI-VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Pace Analytical - Green Bay

Date Extracted: 04/09/2018

Instrument: 40GCSJ

Parent Sample ID: AT1-170616-01-YP-03

Matrix Spike - Sample No: 1670716MS

Date Analyzed (1): 04/11/2018

Lab File ID: 041018.B\041018060.D

SDG No.: 40157832

COMPOUND	SPIKE ADDED (ug/kg)	SAMPLE CONCENTRATION (ug/kg)	MS CONCENTRATION (ug/kg)	MS %REC	QC LIMITS REC.
PCB-1242 (Aroclor 1242)	250	<22.8	312	125	70-130

Spike Recovery: 0 out of 1 outside limits.

PCB - FORM III SVOA-1

TISSUE SEMI-VOLATILE SAMPLE/DUPLICATE RECOVERY

Lab Name: Pace Analytical - Green Bay

Date Extracted: 04/09/2018

Instrument 40GCSJ

Lab Sample ID: AT1-170616-01-YP-03

Duplicate Sample No: 40157832003DUP

Date Analyzed: 04/11/2018

Lab File ID: 041018.B\041018061.D

SDG No.: 40157832

COMPOUND	SAMPLE CONCENTRATION (ug/kg)	DUPLICATE CONCENTRATION (ug/kg)	RPD	RPD LIMITS
PCB-1016 (Aroclor 1016)	<22.8	<22.8		0-40
PCB-1221 (Aroclor 1221)	<22.8	<22.8		0-40
PCB-1232 (Aroclor 1232)	<22.8	<22.8		0-40
PCB-1242 (Aroclor 1242)	<22.8	<22.8		0-40
PCB-1248 (Aroclor 1248)	195	252	25	0-40
PCB-1254 (Aroclor 1254)	132	170	25	0-40
PCB-1260 (Aroclor 1260)	105	133	24	0-40

RPD: 0 out of 3 outside limits.

SAMPLE NO.

1670714BLANK

PCB - FORM IV SVOA-1
SEMI-VOLATILE METHOD BLANK SUMMARY

Lab Name: Pace Analytical - Green Bay SDG No.: 40157832 Contract: HUDSON RIVER REMEDIAL

Instrument ID: 40GCSJ Matrix: Tissue Lab Sample ID: 1670714

Lab File ID: 041018.B\041018036.D Date Analyzed: 04/10/2018 Time:21:46

SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	ANALYZED
1670715LCS	1670715	041018.B\041018037.D	04/10/2018 22:02
AT1-170616-01-YP-05	40157832001	041018.B\041018057.D	04/11/2018 03:19
AT1-170616-01-YP-04	40157832002	041018.B\041018058.D	04/11/2018 03:35
AT1-170616-01-YP-03	40157832003	041018.B\041018059.D	04/11/2018 03:50
1670716MS	1670716	041018.B\041018060.D	04/11/2018 04:06
1670717DUP	1670717	041018.B\041018061.D	04/11/2018 04:22
AT1-170616-01-YP-02	40157832004	041018.B\041018062.D	04/11/2018 04:38
AT1-170616-01-YP-01	40157832005	041018.B\041018063.D	04/11/2018 04:54

SAMPLE NO.

AT1-170616-01-YP-05

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay
Contract: HUDSON RIVER REMEDIAL ACTION M
Date Received: 10/03/2017 10:20
Matrix: Tissue SDG No.: 40157832
Date Extracted: 04/09/2018 07:13
Lab Sample ID: 40157832001
Date Analyzed: 04/11/2018 03:19
Lab File ID: 041018.B\041018057.D
Initial wt/vol: 9.9883 g Final wt/vol: 5 mL Dilution: 2
Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<22.8	U
11104-28-2	PCB-1221 (Aroclor 1221)	<22.8	U
11141-16-5	PCB-1232 (Aroclor 1232)	<22.8	U
53469-21-9	PCB-1242 (Aroclor 1242)	<22.8	U
12672-29-6	PCB-1248 (Aroclor 1248)	234	
11097-69-1	PCB-1254 (Aroclor 1254)	183	
11096-82-5	PCB-1260 (Aroclor 1260)	148	
1336-36-3	PCB, Total	565	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018057.D
Lab Smp Id: 40157832001 Client Smp ID: AT1-170616-01-YP-05
Inj Date : 11-APR-2018 03:19
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832001 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 57
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.988	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
2.172	14707	11717	0.797	0.03		
2.409	103190	83499	0.809	0.21		
2.485	5560268	5174153	0.931	12.04	$ 2 Tetrachloro-m-xylene	
2.787	19797	16160	0.816	0.04		
2.849	30571	23232	0.760	0.06		
2.972	44844	26786	0.597	0.09		
3.020	27040	26660	0.986	0.05		
3.054	99888	87862	0.880	0.20		
3.319	58206	55206	0.948	0.12		
3.344	61036	53800	0.881	0.12		
3.433	135379	122958	0.908	0.28		
3.519	183835	169400	0.921	0.38		
3.645	23557	18867	0.801	0.04		
3.731	136401	131894	0.967	0.28		
3.756	47824	44959	0.940	0.09		
3.814	306342	351233	1.147	0.63		
3.826	395419	382632	0.968	0.82		
3.937	115423	93909	0.814	0.24		
3.993	123485	107579	0.871	0.25		
4.060	74536	60330	0.809	0.15		
4.135	13596	10919	0.803	0.02		
4.214	1098304	1019770	0.928	2.28		
4.260	954660	928598	0.973	1.98	6 Aroclor 1248	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.292	1327118	1157297	0.872	2.76	
4.349	22976	16118	0.702	0.04	
4.417	414175	381538	0.921	0.86	
4.452	318507	289494	0.909	0.66	
4.545	770143	719947	0.935	1.60	6 Aroclor 1248
4.589	78841	70700	0.897	0.16	
4.618	89530	77037	0.860	0.18	
4.680	72504	65094	0.898	0.15	
4.735	101302	86190	0.851	0.21	
4.768	153881	145352	0.945	0.32	
4.813	429289	403846	0.941	0.89	6 Aroclor 1248
4.847	329627	305178	0.926	0.68	
4.893	1389556	791126	0.569	2.89	6 Aroclor 1248
4.956	331635	288303	0.869	0.69	
5.037	313969	267742	0.853	0.65	6 Aroclor 1248
5.100	840695	716532	0.852	1.75	
5.160	1225149	1066385	0.870	2.55	7 Aroclor 1254
5.212	1152638	998945	0.867	2.40	
5.283	147253	137991	0.937	0.30	
5.310	312301	269965	0.864	0.65	
5.362	328398	299323	0.911	0.68	
5.406	643473	593148	0.922	1.33	7 Aroclor 1254
5.450	1685434	1433786	0.851	3.50	
5.509	1581517	1397019	0.883	3.29	7 Aroclor 1254
5.576	124512	114185	0.917	0.25	
5.603	128634	106863	0.831	0.26	
5.674	522019	495732	0.950	1.08	
5.709	346035	283368	0.819	0.72	
5.741	356166	269698	0.757	0.74	
5.787	1760738	1396222	0.793	3.66	
5.820	173460	149590	0.862	0.36	
5.882	240790	153423	0.637	0.50	
5.931	160378	139271	0.868	0.33	
5.993	575262	535615	0.931	1.19	
6.026	700294	598839	0.855	1.45	7 Aroclor 1254
6.055	2008321	1718297	0.856	4.18	
6.169	486020	304928	0.627	1.01	
6.226	123444	142692	1.156	0.25	
6.241	250980	196996	0.785	0.52	
6.300	2443924	1984292	0.812	5.08	8 Aroclor 1260
6.332	233004	220062	0.944	0.48	
6.373	86304	70117	0.812	0.17	
6.432	289056	239109	0.827	0.60	
6.508	1033280	940542	0.910	2.15	
6.534	418804	396647	0.947	0.87	
6.559	360882	324623	0.900	0.75	
6.605	30073	25132	0.836	0.06	
6.660	67525	57811	0.856	0.14	
6.718	358760	314999	0.878	0.74	
6.757	394416	344130	0.873	0.82	
6.801	321881	284545	0.884	0.67	
6.838	194059	158929	0.819	0.40	
6.913	52258	51342	0.982	0.10	
6.942	392572	365360	0.931	0.81	
7.003	1113124	1004747	0.903	2.31	8 Aroclor 1260
7.034	102930	78376	0.761	0.21	
7.118	30277	24409	0.806	0.06	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.250	451610	405880	0.899	0.94	8 Aroclor 1260
7.281	138711	115639	0.834	0.28	
7.389	439348	378581	0.862	0.91	
7.441	444735	386544	0.869	0.92	8 Aroclor 1260
7.492	37391	20778	0.556	0.07	
7.550	25021	20651	0.825	0.05	
7.621	16090	10888	0.677	0.03	
7.689	96765	92301	0.954	0.20	
7.727	159575	142433	0.893	0.33	
7.764	24267	19892	0.820	0.05	
7.810	165798	116875	0.705	0.34	
7.860	19648	17733	0.903	0.04	
7.898	281813	247161	0.877	0.58	8 Aroclor 1260
7.959	42826	25399	0.593	0.08	
8.047	36880	32767	0.888	0.07	
8.274	330648	281420	0.851	0.68	
8.374	16116	13116	0.814	0.03	
8.446	11887	10570	0.889	0.02	
8.570	5526196	4811051	0.871	11.50	$ 12 Decachlorobiphenyl
8.725	70813	51729	0.731	0.14	
8.940	12458	8935	0.717	0.02	
9.055	13889	11153	0.803	0.02	
9.168	73571	57093	0.776	0.15	
9.960	21585	15712	0.728	0.04	
	48026039	41765371		100.000	

Total unknown % area = 50

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018057.D
Lab Smp Id: 40157832001 Client Smp ID: AT1-170616-01-YP-05
Inj Date : 11-APR-2018 03:19
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832001 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 57
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.988	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221						CAS #: 11104-28-2		
Operator disabled compound identification.								
$ 2 Tetrachloro-m-xylene						CAS #: 877-09-8		
2.484	2.484	0.000	5560268	0.04510	45			
3 Aroclor 1242						CAS #: 53469-21-9		
Operator disabled compound identification.								
4 Aroclor 1232						CAS #: 1114-16-5		
Operator disabled compound identification.								

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	954659	0.40746	410	0.00- 20.00	100.00(M)	BA
4.544	4.546	-0.002	770143	0.18556	180	0.00- 20.00	80.67	BA
4.812	4.812	0.000	429289	0.21146	210	0.00- 20.00	44.97	BA
4.893	4.879	0.014	1389555	0.27585	280	0.00- 20.00	145.56	BA
5.036	5.038	-0.002	313969	0.08749	88	0.00- 20.00	32.89	BA
Average of Peak Concentrations =					230			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	1225148	0.23402	230	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	643472	0.14961	150	0.00- 20.00	52.52	BA
5.508	5.510	-0.002	1581517	0.20364	200	0.00- 20.00	129.09	BA
6.025	6.027	-0.002	700294	0.14381	140	0.00- 20.00	57.16	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
Average of Peak Concentrations =					180			
8 Aroclor 1260					CAS #: 11096-82-5			
6.299	6.300	-0.001	2443924	0.27576	280	0.00- 20.00	100.00(M)	BA
7.002	7.006	-0.004	1113124	0.11115	110	0.00- 20.00	45.55	BA
7.249	7.251	-0.002	451609	0.09448	94	0.00- 20.00	18.48	BA
7.440	7.443	-0.003	444735	0.15256	150	0.00- 20.00	18.20	BA
7.898	7.901	-0.003	281812	0.10680	110	0.00- 20.00	11.53	BA
Average of Peak Concentrations =					150			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5526196	0.05044	50			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018057.D
Date : 11-APR-2018 03:19
Client ID: AT1-170616-01-YP-05
Sample Info: 40157832001 x2,
Volume Injected (uL): 1.0
Column phase: ZB-1ms

Instrument: 40GCSJ.i
Operator: BLM
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018057.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 03:19 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 40157832001





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	58206	0	
Aroclor 1016	58206	0	
Aroclor 1016	58206	0	
Aroclor 1016	58206	0	
Aroclor 1016	58206	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	30570	0	
Aroclor 1232	30570	0	
Aroclor 1232	30570	0	
Aroclor 1232	30570	0	

Aroclor 1232	30570	0	
Aroclor 1242	58206	0	
Aroclor 1242	58206	0	
Aroclor 1242	58206	0	
Aroclor 1242	58206	0	
Aroclor 1242	58206	0	
Aroclor 1248	949033	954659	BA
Aroclor 1248	949033	954659	BA
Aroclor 1248	949033	954659	BA
Aroclor 1248	949033	954659	BA
Aroclor 1248	949033	954659	BA
Aroclor 1254	1207201	1225148	BA
Aroclor 1254	1207201	1225148	BA
Aroclor 1254	1207201	1225148	BA
Aroclor 1254	1207201	1225148	BA
Aroclor 1254	1207201	1225148	BA
Aroclor 1260	2423088	2443924	BA
Aroclor 1260	2423088	2443924	BA
Aroclor 1260	2423088	2443924	BA
Aroclor 1260	2423088	2443924	BA
Aroclor 1260	2423088	2443924	BA
Tetrachloro-m-xylene	5560268	5560268	
Decachlorobiphenyl	5526196	5526196	

==========

SAMPLE NO.

AT1-170616-01-YP-04

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay
Contract: HUDSON RIVER REMEDIAL ACTION M
Date Received: 10/03/2017 10:20
Matrix: Tissue SDG No.: 40157832
Date Extracted: 04/09/2018 07:13
Lab Sample ID: 40157832002
Date Analyzed: 04/11/2018 03:35
Lab File ID: 041018.B\041018058.D
Initial wt/vol: 9.9987 g Final wt/vol: 5 mL Dilution: 1
Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<11.4	U
11104-28-2	PCB-1221 (Aroclor 1221)	<11.4	U
11141-16-5	PCB-1232 (Aroclor 1232)	<11.4	U
53469-21-9	PCB-1242 (Aroclor 1242)	<11.4	U
12672-29-6	PCB-1248 (Aroclor 1248)	76.9	
11097-69-1	PCB-1254 (Aroclor 1254)	68.1	
11096-82-5	PCB-1260 (Aroclor 1260)	62.9	
1336-36-3	PCB, Total	208	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018058.D
Lab Smp Id: 40157832002 Client Smp ID: AT1-170616-01-YP-04
Inj Date : 11-APR-2018 03:35
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832002,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 58
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.999	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	10545	10164	0.964	0.02		
1.428	14605	8512	0.583	0.03		
1.536	12098	8609	0.712	0.02		
2.007	9612	6005	0.625	0.02		
2.197	55221	28429	0.515	0.11		
2.412	61603	49967	0.811	0.12		
2.485	9821210	9065485	0.923	20.48	$ 2 Tetrachloro-m-xylene	
2.787	30221	22995	0.761	0.06		
2.850	33941	24404	0.719	0.07		
2.975	25357	16830	0.664	0.05		
3.022	20937	18924	0.904	0.04		
3.055	54402	52091	0.958	0.11		
3.317	36853	33958	0.921	0.07	5 Aroclor 1016	BA
3.343	49078	44098	0.899	0.10		
3.434	95087	76341	0.803	0.19		
3.520	87033	77120	0.886	0.18	5 Aroclor 1016	BA
3.643	16535	12020	0.727	0.03		
3.731	80180	77802	0.970	0.16		
3.755	27328	28756	1.052	0.05		
3.814	275590	156884	0.569	0.57	5 Aroclor 1016	BA
3.940	63317	44361	0.701	0.13	5 Aroclor 1016	BA
3.992	74625	65369	0.876	0.15	5 Aroclor 1016	BA
4.056	47911	38270	0.799	0.09		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.135	15094	12660	0.839	0.03	
4.215	728711	634731	0.871	1.51	
4.261	597299	568992	0.953	1.24	6 Aroclor 1248
4.291	608692	520100	0.854	1.26	
4.345	20282	13842	0.682	0.04	
4.417	239367	225231	0.941	0.49	
4.452	205533	181839	0.885	0.42	
4.545	475297	421881	0.888	0.99	6 Aroclor 1248
4.588	61925	53585	0.865	0.12	
4.617	76435	64022	0.838	0.15	
4.682	57907	51453	0.889	0.12	
4.735	68574	56329	0.821	0.14	
4.767	162980	152044	0.933	0.33	
4.812	310583	293250	0.944	0.64	6 Aroclor 1248
4.846	217553	200674	0.922	0.45	
4.894	958887	594358	0.620	2.00	6 Aroclor 1248
4.956	261328	223965	0.857	0.54	
5.037	202988	170482	0.840	0.42	6 Aroclor 1248
5.100	637532	561400	0.881	1.32	
5.160	976968	852928	0.873	2.03	7 Aroclor 1254
5.211	686749	613809	0.894	1.43	
5.284	94990	88365	0.930	0.19	
5.309	226387	194230	0.858	0.47	
5.362	290384	237381	0.817	0.60	
5.405	475750	431677	0.907	0.99	7 Aroclor 1254
5.450	992298	921428	0.929	2.06	
5.476	100144	97371	0.972	0.20	
5.509	1152535	1037245	0.900	2.40	7 Aroclor 1254
5.576	81710	74559	0.912	0.17	
5.602	98215	81704	0.832	0.20	
5.674	469416	436996	0.931	0.97	
5.709	281636	231044	0.820	0.58	
5.742	272844	221894	0.813	0.56	
5.788	1467930	1126715	0.768	3.06	
5.838	86423	75406	0.873	0.18	
5.883	182397	130660	0.716	0.38	
5.929	154766	133305	0.861	0.32	
5.992	513825	500638	0.974	1.07	
6.026	483167	426559	0.883	1.00	7 Aroclor 1254
6.055	1609949	1411237	0.877	3.35	
6.167	378189	224892	0.595	0.78	
6.227	86939	118661	1.365	0.18	
6.240	221291	159321	0.720	0.46	
6.299	1869825	1554691	0.831	3.90	8 Aroclor 1260
6.332	171813	159140	0.926	0.35	
6.373	75509	58782	0.778	0.15	
6.431	272329	231304	0.849	0.56	
6.509	966707	859360	0.889	2.01	
6.535	273877	266888	0.974	0.57	
6.559	279586	245810	0.879	0.58	
6.605	38206	38440	1.006	0.07	
6.661	50732	47188	0.930	0.10	
6.717	249762	227168	0.910	0.52	
6.757	324649	272699	0.840	0.67	
6.801	250377	224370	0.896	0.52	
6.838	171251	135504	0.791	0.35	
6.913	42413	43659	1.029	0.08	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
6.941	305924	285201	0.932	0.63	
7.003	925156	858807	0.928	1.92	8 Aroclor 1260
7.034	87489	71930	0.822	0.18	
7.121	28279	17933	0.634	0.05	
7.250	406220	357879	0.881	0.84	8 Aroclor 1260
7.280	125030	101310	0.810	0.26	
7.333	16181	13757	0.850	0.03	
7.389	416466	345449	0.829	0.86	
7.442	412307	368515	0.894	0.86	8 Aroclor 1260
7.492	31071	15612	0.502	0.06	
7.549	11206	11529	1.029	0.02	
7.690	95569	85246	0.892	0.19	
7.726	151057	133952	0.887	0.31	
7.764	21938	19951	0.909	0.04	
7.810	136447	91136	0.668	0.28	
7.863	19243	16505	0.858	0.04	
7.898	260539	229572	0.881	0.54	8 Aroclor 1260
7.958	39086	25238	0.646	0.08	
8.049	32429	25783	0.795	0.06	
8.274	335915	304340	0.906	0.70	
8.378	17053	13197	0.774	0.03	
8.444	13335	6921	0.519	0.02	
8.570	10492527	9227203	0.879	22.44	$ 12 Decachlorobiphenyl
8.693	11813	11556	0.978	0.02	
8.702	11062	15513	1.402	0.02	
8.724	58344	41125	0.705	0.12	
8.784	10536	6653	0.631	0.02	
8.940	10089	8288	0.821	0.02	
9.054	18307	10968	0.599	0.03	
9.168	62149	52354	0.842	0.12	
9.468	17582	14833	0.844	0.03	
9.958	29647	18476	0.623	0.06	
	47942193	41967992		100.000	

Total unknown % area = 36

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018058.D
Lab Smp Id: 40157832002 Client Smp ID: AT1-170616-01-YP-04
Inj Date : 11-APR-2018 03:35
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832002,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 58
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.999	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
Operator disabled compound identification.								
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	9821210	0.07966	40			
3 Aroclor 1242					CAS #: 53469-21-9			
Operator disabled compound identification.								
4 Aroclor 1232					CAS #: 1114-16-5			
Operator disabled compound identification.								

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Qualifier signal(s) failed ratio test.								BA
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	597299	0.25493	130	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	475297	0.11452	57	0.00- 20.00	79.57	BA
4.812	4.812	0.000	310583	0.15299	76	0.00- 20.00	52.00	BA
4.893	4.879	0.014	958887	0.19035	95	0.00- 20.00	160.54	BA
5.036	5.038	-0.002	202988	0.05657	28	0.00- 20.00	33.98	BA
Average of Peak Concentrations =					77			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	976967	0.18661	93	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	475750	0.11061	55	0.00- 20.00	48.70	BA
5.509	5.510	-0.001	1152535	0.14841	74	0.00- 20.00	117.97	BA
6.026	6.027	-0.001	483167	0.09922	50	0.00- 20.00	49.46	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
Average of Peak Concentrations =					68			
8 Aroclor 1260					CAS #: 11096-82-5			
6.298	6.300	-0.002	1869825	0.21099	100	0.00- 20.00	100.00(M)	BA
7.003	7.006	-0.003	925155	0.09238	46	0.00- 20.00	49.48	BA
7.250	7.251	-0.001	406219	0.08499	42	0.00- 20.00	21.72	BA
7.442	7.443	-0.001	412306	0.14144	71	0.00- 20.00	22.05	BA
7.898	7.901	-0.003	260539	0.09874	49	0.00- 20.00	13.93	BA
Average of Peak Concentrations =					63			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.569	8.571	-0.002	10492527	0.09577	48			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018058.D

Date : 11-APR-2018 03:35

Client ID: AT1-170616-01-YP-04

Instrument: 40GCSJ.i

Sample Info: 40157832002,

Volume Injected (uL): 1.0

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018058.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 03:35 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 40157832002





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	0	0	BA
Aroclor 1016	0	0	BA
Aroclor 1016	0	0	BA
Aroclor 1016	0	0	BA
Aroclor 1016	0	0	BA
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	33941	0	
Aroclor 1232	33941	0	
Aroclor 1232	33941	0	
Aroclor 1232	33941	0	

Aroclor 1232	33941	0	
Aroclor 1242	36853	0	
Aroclor 1242	36853	0	
Aroclor 1242	36853	0	
Aroclor 1242	36853	0	
Aroclor 1242	36853	0	
Aroclor 1248	591917	597299	BA
Aroclor 1248	591917	597299	BA
Aroclor 1248	591917	597299	BA
Aroclor 1248	591917	597299	BA
Aroclor 1248	591917	597299	BA
Aroclor 1254	953578	976967	BA
Aroclor 1254	953578	976967	BA
Aroclor 1254	953578	976967	BA
Aroclor 1254	953578	976967	BA
Aroclor 1254	953578	976967	BA
Aroclor 1260	1861791	1869825	BA
Aroclor 1260	1861791	1869825	BA
Aroclor 1260	1861791	1869825	BA
Aroclor 1260	1861791	1869825	BA
Aroclor 1260	1861791	1869825	BA
Tetrachloro-m-xylene	9821210	9821210	
Decachlorobiphenyl	10492527	10492527	

==========

SAMPLE NO.

AT1-170616-01-YP-03

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay
Contract: HUDSON RIVER REMEDIAL ACTION M
Date Received: 10/03/2017 10:20
Matrix: Tissue SDG No.: 40157832
Date Extracted: 04/09/2018 07:13
Lab Sample ID: 40157832003
Date Analyzed: 04/11/2018 03:50
Lab File ID: 041018.B\041018059.D
Initial wt/vol: 9.9981 g Final wt/vol: 5 mL Dilution: 2
Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<22.8	U
11104-28-2	PCB-1221 (Aroclor 1221)	<22.8	U
11141-16-5	PCB-1232 (Aroclor 1232)	<22.8	U
53469-21-9	PCB-1242 (Aroclor 1242)	<22.8	U
12672-29-6	PCB-1248 (Aroclor 1248)	195	
11097-69-1	PCB-1254 (Aroclor 1254)	132	
11096-82-5	PCB-1260 (Aroclor 1260)	105	
1336-36-3	PCB, Total	431	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018059.D
Lab Smp Id: 40157832003 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 03:50
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832003 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 59
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.998	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
2.168	10899	10395	0.954	0.02		
2.410	94657	74504	0.787	0.24		
2.485	5299408	4960173	0.936	13.81	$ 2 Tetrachloro-m-xylene	
2.788	19519	17797	0.912	0.05		
2.854	33855	23613	0.697	0.08		
2.976	39709	24534	0.618	0.10		
3.019	24144	25015	1.036	0.06		
3.055	81342	74726	0.919	0.21		
3.318	62767	58503	0.932	0.16		
3.345	67239	64825	0.964	0.17		
3.432	130974	113639	0.868	0.34		
3.518	182199	174991	0.960	0.47		
3.647	21351	19497	0.913	0.05		
3.731	189914	143825	0.757	0.49		
3.812	312919	359151	1.148	0.81		
3.825	388788	364927	0.939	1.01		
3.938	116794	92084	0.788	0.30		
3.993	124780	114578	0.918	0.32		
4.058	69811	59650	0.854	0.18		
4.135	12997	12131	0.933	0.03		
4.214	956394	887235	0.928	2.49		
4.261	844353	808105	0.957	2.20	6 Aroclor 1248	BA
4.291	1055659	914148	0.866	2.75		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.350	21619	15420	0.713	0.05	
4.416	349952	326571	0.933	0.91	
4.452	274469	255775	0.932	0.71	
4.545	665275	616397	0.927	1.73	6 Aroclor 1248
4.586	68178	61530	0.902	0.17	
4.617	83649	72821	0.871	0.21	
4.679	63938	60329	0.944	0.16	
4.735	86587	68868	0.795	0.22	
4.767	118996	111773	0.939	0.31	
4.812	326344	309254	0.948	0.85	6 Aroclor 1248
4.847	306672	289755	0.945	0.79	
4.893	1098704	644419	0.587	2.86	6 Aroclor 1248
4.956	272684	245782	0.901	0.71	
5.036	270202	236788	0.876	0.70	6 Aroclor 1248
5.099	640155	560230	0.875	1.66	
5.160	882757	780091	0.884	2.30	7 Aroclor 1254
5.211	813453	702301	0.863	2.12	
5.283	103659	102085	0.985	0.27	
5.309	231911	199940	0.862	0.60	
5.362	240308	212293	0.883	0.62	
5.406	464065	422703	0.911	1.20	7 Aroclor 1254
5.450	1033856	944569	0.914	2.69	
5.477	93342	97144	1.041	0.24	
5.509	1153794	1029584	0.892	3.00	7 Aroclor 1254
5.577	88733	78909	0.889	0.23	
5.604	105406	86396	0.820	0.27	
5.674	380322	343878	0.904	0.99	
5.709	264045	212891	0.806	0.68	
5.741	244673	184116	0.752	0.63	
5.786	1252578	1003196	0.801	3.26	
5.819	137674	114708	0.833	0.35	
5.883	175286	114054	0.651	0.45	
5.931	119091	99628	0.837	0.31	
5.993	385663	356224	0.924	1.00	
6.025	493614	415704	0.842	1.28	7 Aroclor 1254
6.055	1336590	1169523	0.875	3.48	
6.168	344901	202282	0.586	0.89	
6.226	77265	99011	1.281	0.20	
6.241	187434	134320	0.717	0.48	
6.299	1652821	1324072	0.801	4.30	8 Aroclor 1260
6.332	151292	144608	0.956	0.39	
6.373	62368	50062	0.803	0.16	
6.430	217036	169928	0.783	0.56	
6.485	24871	26662	1.072	0.06	
6.508	692452	622345	0.899	1.80	
6.535	286914	261576	0.912	0.74	
6.560	245679	208650	0.849	0.64	
6.604	18332	18739	1.022	0.04	
6.659	49252	41584	0.844	0.12	
6.717	259424	216747	0.835	0.67	
6.756	274070	233912	0.853	0.71	
6.801	216511	197602	0.913	0.56	
6.838	134490	116916	0.869	0.35	
6.911	41334	39675	0.960	0.10	
6.942	262379	242069	0.923	0.68	
7.004	731634	696938	0.953	1.90	8 Aroclor 1260
7.034	48666	53029	1.090	0.12	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.120	33023	23123	0.700	0.08	
7.250	309899	274792	0.887	0.80	8 Aroclor 1260
7.279	108173	82846	0.766	0.28	
7.334	19292	16798	0.871	0.05	
7.389	336749	285950	0.849	0.87	
7.441	341022	295052	0.865	0.88	8 Aroclor 1260
7.492	28911	17437	0.603	0.07	
7.522	9004	10597	1.177	0.02	
7.548	17434	15002	0.861	0.04	
7.689	73654	72113	0.979	0.19	
7.727	138733	112283	0.809	0.36	
7.811	125274	80993	0.647	0.32	
7.862	17206	14189	0.825	0.04	
7.898	215318	185442	0.861	0.56	8 Aroclor 1260
7.963	37332	20150	0.540	0.09	
8.049	37151	28191	0.759	0.09	
8.274	271377	240824	0.887	0.70	
8.374	15197	13953	0.918	0.03	
8.570	5313124	4622473	0.870	14.36	$ 12 Decachlorobiphenyl
8.697	11601	9992	0.861	0.03	
8.724	38172	34368	0.900	0.09	
9.058	15405	9524	0.618	0.04	
9.168	57522	50307	0.875	0.14	
9.964	22967	14530	0.633	0.05	
	38361382	33575351		100.000	

Total unknown % area = 47

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018059.D
Lab Smp Id: 40157832003 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 03:50
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832003 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 59
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.998	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

1 Aroclor 1221 CAS #: 11104-28-2

Operator disabled compound identification.

$ 2 Tetrachloro-m-xylene CAS #: 877-09-8

2.484	2.484	0.000	5299408	0.04298		43		

---

3 Aroclor 1242 CAS #: 53469-21-9

Operator disabled compound identification.

---

4 Aroclor 1232 CAS #: 1114-16-5

Operator disabled compound identification.

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	844352	0.36038	360	0.00- 20.00	100.00(M)	BA
4.544	4.546	-0.002	665274	0.16030	160	0.00- 20.00	78.79	BA
4.812	4.812	0.000	326344	0.16075	160	0.00- 20.00	38.65	BA
4.893	4.879	0.014	1098703	0.21811	220	0.00- 20.00	130.12	BA
5.036	5.038	-0.002	270202	0.07530	75	0.00- 20.00	32.00	BA
Average of Peak Concentrations =					200			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	882756	0.16862	170	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	464065	0.10790	110	0.00- 20.00	52.57	BA
5.508	5.510	-0.002	1153794	0.14857	150	0.00- 20.00	130.70	BA
6.025	6.027	-0.002	493613	0.10136	100	0.00- 20.00	55.92	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
Average of Peak Concentrations =					130			
8 Aroclor 1260					CAS #: 11096-82-5			
6.299	6.300	-0.001	1652821	0.18650	190	0.00- 20.00	100.00(M)	CO
7.003	7.006	-0.003	731634	0.07306	73	0.00- 20.00	44.27	CO
7.250	7.251	-0.001	309899	0.06484	65	0.00- 20.00	18.75	CO
7.441	7.443	-0.002	341022	0.11698	120	0.00- 20.00	20.63	CO
7.898	7.901	-0.003	215317	0.08160	82	0.00- 20.00	13.03	CO
Average of Peak Concentrations =					100			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5313124	0.04850	48			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018059.D
Date : 11-APR-2018 03:50
Client ID: AT1-170616-01-YP-03
Sample Info: 40157832003 x2,
Volume Injected (uL): 1.0
Column phase: ZB-1ms

Instrument: 40GCSJ.i
Operator: BLM
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018059.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 03:50 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 40157832003





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	62767	0	
Aroclor 1016	62767	0	
Aroclor 1016	62767	0	
Aroclor 1016	62767	0	
Aroclor 1016	62767	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	33854	0	
Aroclor 1232	33854	0	
Aroclor 1232	33854	0	
Aroclor 1232	33854	0	

Aroclor 1232	33854	0	
Aroclor 1242	62767	0	
Aroclor 1242	62767	0	
Aroclor 1242	62767	0	
Aroclor 1242	62767	0	
Aroclor 1242	62767	0	
Aroclor 1248	839300	844352	BA
Aroclor 1248	839300	844352	BA
Aroclor 1248	839300	844352	BA
Aroclor 1248	839300	844352	BA
Aroclor 1248	839300	844352	BA
Aroclor 1254	866325	882756	BA
Aroclor 1254	866325	882756	BA
Aroclor 1254	866325	882756	BA
Aroclor 1254	866325	882756	BA
Aroclor 1254	866325	882756	BA
Aroclor 1260	1634582	1652821	CO
Aroclor 1260	1634582	1652821	CO
Aroclor 1260	1634582	1652821	CO
Aroclor 1260	1634582	1652821	CO
Aroclor 1260	1634582	1652821	CO
Tetrachloro-m-xylene	5299408	5299408	
Decachlorobiphenyl	5313124	5313124	

==========

SAMPLE NO.

AT1-170616-01-YP-02

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay
Contract: HUDSON RIVER REMEDIAL ACTION M
Date Received: 10/03/2017 10:20
Matrix: Tissue SDG No.: 40157832
Date Extracted: 04/09/2018 07:13
Lab Sample ID: 40157832004
Date Analyzed: 04/11/2018 04:38
Lab File ID: 041018.B\041018062.D
Initial wt/vol: 10.0274 Final wt/vol: 5 mL Dilution: 1
Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<11.4	U
11104-28-2	PCB-1221 (Aroclor 1221)	<11.4	U
11141-16-5	PCB-1232 (Aroclor 1232)	<11.4	U
53469-21-9	PCB-1242 (Aroclor 1242)	<11.4	U
12672-29-6	PCB-1248 (Aroclor 1248)	156	
11097-69-1	PCB-1254 (Aroclor 1254)	165	
11096-82-5	PCB-1260 (Aroclor 1260)	157	
1336-36-3	PCB, Total	478	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018062.D
Lab Smp Id: 40157832004 Client Smp ID: AT1-170616-01-YP-02
Inj Date : 11-APR-2018 04:38
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832004,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 62
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.027	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.186	12118	9388	0.775	0.01		
1.536	11084	9157	0.826	0.01		
2.013	10136	6439	0.635	0.01		
2.201	55859	32988	0.591	0.06		
2.409	40633	34079	0.839	0.04		
2.485	11008637	10441392	0.948	13.80	$ 2 Tetrachloro-m-xylene	
2.787	26056	21890	0.840	0.03		
2.852	29634	18806	0.635	0.03		
2.975	24433	16638	0.681	0.02		
3.020	21668	20485	0.945	0.02		
3.056	38615	33305	0.862	0.04		
3.317	35459	33055	0.932	0.04		
3.345	49468	43590	0.881	0.05		
3.399	10160	9596	0.944	0.01		
3.433	54926	49729	0.905	0.06		
3.518	82101	77382	0.943	0.09		
3.643	9727	10431	1.072	0.01		
3.731	81365	71593	0.880	0.09		
3.826	363491	215717	0.593	0.43		
3.939	58428	38534	0.660	0.07		
3.993	92890	84394	0.909	0.11		
4.056	53429	43420	0.813	0.06		
4.137	18522	14085	0.760	0.02		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.214	1134503	1009079	0.889	1.36	
4.260	1219989	1151792	0.944	1.46	6 Aroclor 1248
4.291	1342316	1143176	0.852	1.61	
4.417	426627	395467	0.927	0.51	
4.451	376422	336607	0.894	0.45	
4.545	928094	847561	0.913	1.11	6 Aroclor 1248
4.589	112911	101574	0.900	0.13	
4.617	114388	100646	0.880	0.13	
4.680	120243	105752	0.879	0.14	
4.736	145397	125913	0.866	0.17	
4.767	263905	250003	0.947	0.31	
4.812	649372	626029	0.964	0.78	6 Aroclor 1248
4.847	415232	393149	0.947	0.50	
4.893	1970477	1070934	0.543	2.37	6 Aroclor 1248
4.956	562605	499047	0.887	0.67	
5.036	372962	331729	0.889	0.44	6 Aroclor 1248
5.100	1252877	1119904	0.894	1.50	
5.161	2335399	2049302	0.877	2.81	7 Aroclor 1254
5.211	1736919	1539334	0.886	2.09	
5.283	223369	207427	0.929	0.26	
5.310	430876	369766	0.858	0.51	
5.362	702621	632207	0.900	0.84	
5.405	1294058	1128046	0.872	1.55	7 Aroclor 1254
5.449	2047690	1808074	0.883	2.46	
5.477	198250	195147	0.984	0.23	
5.509	2453289	2169667	0.884	2.95	7 Aroclor 1254
5.576	156035	148108	0.949	0.18	
5.603	296561	256750	0.866	0.35	
5.674	915456	848750	0.927	1.10	
5.709	513921	380893	0.741	0.61	
5.741	606141	464311	0.766	0.73	
5.789	3396826	2688938	0.792	4.09	
5.838	93502	84187	0.900	0.11	
5.885	343839	251376	0.731	0.41	
5.930	305322	265289	0.869	0.36	
5.993	1069576	992955	0.928	1.28	
6.024	1282129	1146452	0.894	1.54	7 Aroclor 1254
6.055	3781259	3269551	0.865	4.55	
6.167	976683	683377	0.700	1.17	
6.227	293847	312201	1.062	0.35	
6.242	463074	369864	0.799	0.55	
6.299	4787025	3959750	0.827	5.76	8 Aroclor 1260
6.333	541885	511226	0.943	0.65	
6.373	198554	164383	0.828	0.23	
6.431	529821	440220	0.831	0.63	
6.509	2032131	1777099	0.875	2.44	
6.535	894718	845455	0.945	1.07	
6.560	740862	673624	0.909	0.89	
6.604	142917	127924	0.895	0.17	
6.661	153573	138802	0.904	0.18	
6.716	584653	529974	0.906	0.70	
6.756	763358	654236	0.857	0.91	
6.800	696416	625688	0.898	0.83	
6.837	353570	284195	0.804	0.42	
6.911	93512	93532	1.000	0.11	
6.942	821883	781239	0.951	0.98	
7.004	2495235	2180299	0.874	3.00	8 Aroclor 1260

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.035	274980	190116	0.691	0.33	
7.120	34009	30531	0.898	0.04	
7.250	1104458	1009903	0.914	1.33	8 Aroclor 1260
7.280	317057	272378	0.859	0.38	
7.330	13506	11600	0.859	0.01	
7.388	965350	794378	0.823	1.16	
7.441	933136	843109	0.904	1.12	8 Aroclor 1260
7.490	46301	30638	0.662	0.05	
7.551	35146	36660	1.043	0.04	
7.626	19142	11093	0.580	0.02	
7.691	243217	215585	0.886	0.29	
7.727	382123	340113	0.890	0.46	
7.764	53042	48679	0.918	0.06	
7.811	334650	249587	0.746	0.40	
7.862	33621	32631	0.971	0.04	
7.900	623707	533118	0.855	0.75	8 Aroclor 1260
7.957	101398	66827	0.659	0.12	
8.048	39575	34903	0.882	0.04	
8.274	880435	802731	0.912	1.06	
8.379	25665	16142	0.629	0.03	
8.447	15295	13759	0.900	0.01	
8.569	10869238	9244718	0.851	13.09	$ 12 Decachlorobiphenyl
8.699	32369	32736	1.011	0.03	
8.725	103105	92134	0.894	0.12	
8.839	13473	9723	0.722	0.01	
9.054	17882	12866	0.719	0.02	
9.168	120928	106330	0.879	0.14	
9.736	26260	20052	0.764	0.03	
9.958	18229	12899	0.708	0.02	
	83021210	72110012		100.000	

Total unknown % area = 46

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018062.D
Lab Smp Id: 40157832004 Client Smp ID: AT1-170616-01-YP-02
Inj Date : 11-APR-2018 04:38
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832004,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 62
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.027	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

1 Aroclor 1221 CAS #: 11104-28-2

Operator disabled compound identification.

$ 2 Tetrachloro-m-xylene CAS #: 877-09-8

2.484	2.484	0.000	11008636	0.08929	44			

---

3 Aroclor 1242 CAS #: 53469-21-9

Operator disabled compound identification.

---

4 Aroclor 1232 CAS #: 1114-16-5

Operator disabled compound identification.

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.259	4.261	-0.002	1219988	0.52070	260	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	928093	0.22362	110	0.00- 20.00	76.07	BA
4.811	4.812	-0.001	649371	0.31987	160	0.00- 20.00	53.23	BA
4.892	4.879	0.013	1970476	0.39117	200	0.00- 20.00	161.52	BA
5.036	5.038	-0.002	372961	0.10393	52	0.00- 20.00	30.57	BA
Average of Peak Concentrations =					160			
7 Aroclor 1254					CAS #: 11097-69-1			
5.161	5.162	-0.001	2335399	0.44609	220	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	1294057	0.30087	150	0.00- 20.00	55.41	BA
5.508	5.510	-0.002	2453288	0.31590	160	0.00- 20.00	105.05	BA
6.024	6.027	-0.003	1282129	0.26329	130	0.00- 20.00	54.90	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
Average of Peak Concentrations =					160			
8 Aroclor 1260					CAS #: 11096-82-5			
6.298	6.300	-0.002	4787024	0.54015	270	0.00- 20.00	100.00(M)	BA
7.003	7.006	-0.003	2495235	0.24917	120	0.00- 20.00	52.12	BA
7.250	7.251	-0.001	1104458	0.23107	120	0.00- 20.00	23.07	BA
7.440	7.443	-0.003	933136	0.32010	160	0.00- 20.00	19.49	BA
7.899	7.901	-0.002	623707	0.23637	120	0.00- 20.00	13.03	BA
Average of Peak Concentrations =					160			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.569	8.571	-0.002	10869238	0.09921	49			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018062.D
Date : 11-APR-2018 04:38
Client ID: AT1-170616-01-YP-02
Sample Info: 40157832004,
Volume Injected (uL): 1.0
Column phase: ZB-1ms

Instrument: 40GCSJ.i
Operator: BLM
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018062.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 04:38 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 40157832004





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	35458	0	
Aroclor 1016	35458	0	
Aroclor 1016	35458	0	
Aroclor 1016	35458	0	
Aroclor 1016	35458	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	29633	0	
Aroclor 1232	29633	0	
Aroclor 1232	29633	0	
Aroclor 1232	29633	0	

Aroclor 1232	29633	0	
Aroclor 1242	35458	0	
Aroclor 1242	35458	0	
Aroclor 1242	35458	0	
Aroclor 1242	35458	0	
Aroclor 1242	35458	0	
Aroclor 1248	1208991	1219988	BA
Aroclor 1248	1208991	1219988	BA
Aroclor 1248	1208991	1219988	BA
Aroclor 1248	1208991	1219988	BA
Aroclor 1248	1208991	1219988	BA
Aroclor 1254	2309144	2335399	BA
Aroclor 1254	2309144	2335399	BA
Aroclor 1254	2309144	2335399	BA
Aroclor 1254	2309144	2335399	BA
Aroclor 1254	2309144	2335399	BA
Aroclor 1260	4748178	4787024	BA
Aroclor 1260	4748178	4787024	BA
Aroclor 1260	4748178	4787024	BA
Aroclor 1260	4748178	4787024	BA
Aroclor 1260	4748178	4787024	BA
Tetrachloro-m-xylene	11008636	11008636	
Decachlorobiphenyl	10869238	10869238	

==========

SAMPLE NO.

AT1-170616-01-YP-01

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay

Contract: HUDSON RIVER REMEDIAL ACTION M

Date Received: 10/03/2017 10:20

Matrix: Tissue SDG No.: 40157832

Date Extracted: 04/09/2018 07:13

Lab Sample ID: 40157832005

Date Analyzed: 04/11/2018 04:54

Lab File ID: 041018.B\041018063.D

Initial wt/vol: 10.0372 Final wt/vol: 5 mL Dilution: 1

Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<11.4	U
11104-28-2	PCB-1221 (Aroclor 1221)	<11.4	U
11141-16-5	PCB-1232 (Aroclor 1232)	<11.4	U
53469-21-9	PCB-1242 (Aroclor 1242)	<11.4	U
12672-29-6	PCB-1248 (Aroclor 1248)	151	
11097-69-1	PCB-1254 (Aroclor 1254)	132	
11096-82-5	PCB-1260 (Aroclor 1260)	52.9	
1336-36-3	PCB, Total	336	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018063.D
Lab Smp Id: 40157832005 Client Smp ID: AT1-170616-01-YP-01
Inj Date : 11-APR-2018 04:54
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832005,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 63
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.037	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.032	14985	10007	0.668	0.02		
1.430	9633	7961	0.826	0.01		
1.533	10859	8897	0.819	0.01		
2.124	9243	7247	0.784	0.01		
2.201	37165	23275	0.626	0.05		
2.295	18685	15934	0.853	0.02		
2.317	15930	13664	0.858	0.02		
2.410	91288	73445	0.805	0.14		
2.485	11668572	11046260	0.947	18.78	$ 2 Tetrachloro-m-xylene	
2.789	28151	24044	0.854	0.04		
2.851	37171	27040	0.727	0.05		
2.975	51001	34264	0.672	0.07		
3.020	34570	35724	1.033	0.05		
3.053	83141	74372	0.895	0.13		
3.317	66043	60026	0.909	0.10		
3.344	77151	74677	0.968	0.12		
3.401	12075	12339	1.022	0.01		
3.433	144711	139470	0.964	0.22		
3.520	209305	196808	0.940	0.32		
3.645	24005	21372	0.890	0.03		
3.693	14980	14262	0.952	0.02		
3.732	184437	137459	0.745	0.28		
3.814	287652	371547	1.292	0.45		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
3.826	466721	419585	0.899	0.73	
3.937	114342	90118	0.788	0.17	
3.993	160944	147516	0.917	0.25	
4.058	92427	80620	0.872	0.14	
4.132	20647	15524	0.752	0.03	
4.214	1229361	1115612	0.907	1.92	
4.260	1232232	1169619	0.949	1.93	6 Aroclor 1248
4.291	1351169	1138935	0.843	2.11	
4.347	27145	18886	0.696	0.04	
4.417	482799	457543	0.948	0.75	
4.452	382592	346248	0.905	0.59	
4.545	920536	848757	0.922	1.44	6 Aroclor 1248
4.589	107270	96431	0.899	0.16	
4.616	130134	106966	0.822	0.20	
4.682	102138	90108	0.882	0.15	
4.736	128244	103820	0.810	0.20	
4.767	290984	281904	0.969	0.45	
4.812	621432	594921	0.957	0.97	6 Aroclor 1248
4.847	441025	416586	0.945	0.69	
4.893	1723690	913921	0.530	2.70	6 Aroclor 1248
4.956	441912	397161	0.899	0.69	
5.036	442621	405346	0.916	0.69	6 Aroclor 1248
5.100	971668	834601	0.859	1.52	
5.160	1550403	1335315	0.861	2.42	7 Aroclor 1254
5.211	1237925	1104838	0.892	1.93	
5.282	163944	155495	0.948	0.25	
5.309	359736	300591	0.836	0.56	
5.362	429207	384864	0.897	0.67	
5.406	903117	804601	0.891	1.41	7 Aroclor 1254
5.449	1341869	1193683	0.890	2.10	
5.478	141842	144922	1.022	0.22	
5.508	1728428	1514270	0.876	2.70	7 Aroclor 1254
5.576	116518	107042	0.919	0.18	
5.603	221297	190442	0.861	0.34	
5.674	574720	547595	0.953	0.90	
5.710	370163	289579	0.782	0.57	
5.742	421944	320655	0.760	0.66	
5.789	2227982	1720005	0.772	3.49	
5.837	129364	115195	0.890	0.20	
5.885	272605	185296	0.680	0.42	
5.931	207681	175367	0.844	0.32	
5.993	626704	587504	0.937	0.98	
6.024	917020	813108	0.887	1.43	7 Aroclor 1254
6.055	2081896	1752665	0.842	3.26	
6.168	524990	339060	0.646	0.82	
6.226	172507	181954	1.055	0.27	
6.240	263865	214901	0.814	0.41	
6.299	2640466	2145568	0.813	4.13	7 Aroclor 1254
6.332	287652	259203	0.901	0.45	
6.372	114879	92896	0.809	0.17	
6.431	313019	258091	0.825	0.49	
6.489	36212	36184	0.999	0.05	
6.509	983471	928454	0.944	1.54	
6.534	475538	442864	0.931	0.74	
6.559	322542	282170	0.875	0.50	
6.604	69788	61841	0.886	0.10	
6.660	69553	63744	0.916	0.10	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
6.718	306773	280237	0.913	0.48	
6.757	430568	347562	0.807	0.67	
6.800	339806	300868	0.885	0.53	
6.837	174311	141603	0.812	0.27	
6.911	38824	40033	1.031	0.06	
6.940	596736	557639	0.934	0.93	
7.004	1021564	931567	0.912	1.60	8 Aroclor 1260
7.035	88485	77203	0.872	0.13	
7.123	26460	20890	0.789	0.04	
7.250	455509	408410	0.897	0.71	8 Aroclor 1260
7.280	162673	131484	0.808	0.25	
7.340	23657	17717	0.749	0.03	
7.389	375261	322145	0.858	0.58	
7.441	393886	342534	0.870	0.61	8 Aroclor 1260
7.493	34051	21516	0.632	0.05	
7.549	19864	17871	0.900	0.03	
7.580	13245	11761	0.888	0.02	
7.690	87118	82720	0.950	0.13	
7.727	149176	129548	0.868	0.23	
7.758	28909	23018	0.796	0.04	
7.812	207667	155577	0.749	0.32	
7.859	23689	20838	0.880	0.03	
7.900	243778	206069	0.845	0.38	8 Aroclor 1260
7.958	44959	27163	0.604	0.07	
8.047	104364	95219	0.912	0.16	
8.273	323498	295741	0.914	0.50	
8.378	14281	14687	1.028	0.02	
8.570	10653297	9789856	0.919	16.68	$ 12 Decachlorobiphenyl
8.725	55779	49664	0.890	0.08	
9.051	24196	17178	0.710	0.03	
9.169	51046	43802	0.858	0.07	
9.733	13546	8393	0.620	0.02	
	63838615	56501297		100.000	

Total unknown % area = 41

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018063.D
Lab Smp Id: 40157832005 Client Smp ID: AT1-170616-01-YP-01
Inj Date : 11-APR-2018 04:54
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 40157832005,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 63
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.037	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

1 Aroclor 1221 CAS #: 11104-28-2

Operator disabled compound identification.

$ 2 Tetrachloro-m-xylene CAS #: 877-09-8

2.484	2.484	0.000	11668572	0.09464	47			

---

3 Aroclor 1242 CAS #: 53469-21-9

Operator disabled compound identification.

---

4 Aroclor 1232 CAS #: 1114-16-5

Operator disabled compound identification.

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	1232232	0.52593	260	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	920535	0.22180	110	0.00- 20.00	74.70	BA
4.812	4.812	0.000	621432	0.30611	150	0.00- 20.00	50.43	BA
4.892	4.879	0.013	1723689	0.34218	170	0.00- 20.00	139.88	BA
5.035	5.038	-0.003	442621	0.12334	61	0.00- 20.00	35.92	BA
Average of Peak Concentrations =					150			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	1550402	0.29615	150	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	903116	0.20998	100	0.00- 20.00	58.25	BA
5.508	5.510	-0.002	1728427	0.22256	110	0.00- 20.00	111.48	BA
6.024	6.027	-0.003	917020	0.18831	94	0.00- 20.00	59.15	BA
6.299	6.299	0.000	2640465	0.40578	200	0.00- 20.00	170.31	BA
Average of Peak Concentrations =					130			
8 Aroclor 1260					CAS #: 11096-82-5			
6.300	6.300	0.000	0	0.00	0.00	0.00- 20.00	0.00(M)	BA
7.003	7.006	-0.003	1021563	0.10201	51	0.00- 20.00	38.69	BA
7.249	7.251	-0.002	455509	0.09530	47	0.00- 20.00	17.25	BA
7.440	7.443	-0.003	393885	0.13512	67	0.00- 20.00	14.92	BA
7.899	7.901	-0.002	243777	0.09238	46	0.00- 20.00	9.23	BA
Average of Peak Concentrations =					53			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.569	8.571	-0.002	10653296	0.09724	48			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018063.D
Date : 11-APR-2018 04:54
Client ID: AT1-170616-01-YP-01
Sample Info: 40157832005,
Volume Injected (uL): 1.0
Column phase: ZB-1ms

Instrument: 40GCSJ.i
Operator: BLM
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018063.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 04:54 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 40157832005





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	66043	0	
Aroclor 1016	66043	0	
Aroclor 1016	66043	0	
Aroclor 1016	66043	0	
Aroclor 1016	66043	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	37170	0	
Aroclor 1232	37170	0	
Aroclor 1232	37170	0	
Aroclor 1232	37170	0	

Aroclor 1232	37170	0	
Aroclor 1242	66043	0	
Aroclor 1242	66043	0	
Aroclor 1242	66043	0	
Aroclor 1242	66043	0	
Aroclor 1242	66043	0	
Aroclor 1248	1224003	1232232	BA
Aroclor 1248	1224003	1232232	BA
Aroclor 1248	1224003	1232232	BA
Aroclor 1248	1224003	1232232	BA
Aroclor 1248	1224003	1232232	BA
Aroclor 1254	1530472	1550402	BA
Aroclor 1254	1530472	1550402	BA
Aroclor 1254	1530472	1550402	BA
Aroclor 1254	1530472	1550402	BA
Aroclor 1254	1530472	1550402	BA
Aroclor 1260	2626351	0	BA
Aroclor 1260	2626351	0	BA
Aroclor 1260	2626351	0	BA
Aroclor 1260	2626351	0	BA
Aroclor 1260	2626351	0	BA
Tetrachloro-m-xylene	11668572	11668572	
Decachlorobiphenyl	10653296	10653296	

==========

PCB - FORM VI SVOA-1

PCB INITIAL CALIBRATION (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CURVE TYPE	CAL1	CAL2	CAL3	CAL4	CAL5
Aroclor 1016	1	Averaged	3346700.00	3270300.00	3026998.00	2916970.00	2843185.00
Aroclor 1016	2	Averaged	3361310.00	3225075.00	3064774.00	2953430.00	2890423.00
Aroclor 1016	3	Averaged	9619090.00	9294970.00	8629258.00	8432580.00	8333033.00
Aroclor 1016	4	Averaged	4072990.00	3972810.00	3750126.00	3581221.25	3523970.00
Aroclor 1016	5	Averaged	2912980.00	2694260.00	2551278.00	2433447.50	2424781.00
Aroclor 1221	1	Averaged	1168840.00	1110755.00	980478.000	981937.500	964273.000
Aroclor 1221	2	Averaged	612180.000	587450.000	526622.000	511427.500	501535.000
Aroclor 1221	3	Averaged	1505110.00	1446635.00	1316246.00	1333917.50	1314775.00
Aroclor 1221	4	Averaged	1181440.00	1150255.00	1038526.00	1067413.75	1091213.00
Aroclor 1221	5	Averaged	3492190.00	3470535.00	3167038.00	3088411.25	3058814.00
Aroclor 1242	1	Averaged	2772560.00	2688000.00	2505132.00	2371062.50	2329239.00
Aroclor 1242	2	Averaged	2739500.00	2600755.00	2506348.00	2392166.25	2361398.00
Aroclor 1242	3	Averaged	7695890.00	7473100.00	6971326.00	6735328.75	6706645.00
Aroclor 1242	4	Averaged	3287540.00	3169245.00	3017986.00	2875101.25	2857801.00
Aroclor 1242	5	Averaged	2247420.00	2077595.00	2062930.00	1928282.50	1922507.00
Aroclor 1248	1	Averaged	2522640.00	2478140.00	2346396.00	2184111.25	2183582.00
Aroclor 1248	2	Averaged	4441400.00	4466680.00	4104774.00	3847133.75	3891542.00
Aroclor 1248	3	Averaged	2175950.00	2100970.00	2034380.00	1911980.00	1927121.00
Aroclor 1248	4	Averaged	5384910.00	5302865.00	5054976.00	4695606.25	4748871.00
Aroclor 1248	5	Averaged	3757360.00	3770200.00	3588002.00	3386248.75	3440920.00
Aroclor 1254	1	Averaged	5783370.00	5652575.00	5120584.00	4858101.25	4761607.00
Aroclor 1254	2	Averaged	4616750.00	4581855.00	4225042.00	4064631.25	4016994.00
Aroclor 1254	3	Averaged	8435240.00	8286960.00	7623568.00	7277021.25	7207530.00
Aroclor 1254	4	Averaged	5140880.00	5151350.00	4826428.00	4638268.75	4591491.00
Aroclor 1254	5	Averaged	7015020.00	6981970.00	6368818.00	6122333.75	6047377.00
Aroclor 1260	1	Averaged	9569990.00	9323545.00	8657528.00	8388552.50	8372147.00
Aroclor 1260	2	Averaged	10746610.0	10429350.0	9816406.00	9526972.50	9552528.00
Aroclor 1260	3	Averaged	5052370.00	4986225.00	4721308.00	4577403.75	4561709.00
Aroclor 1260	4	Averaged	3131020.00	3037915.00	2887698.00	2771190.00	2747730.00

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

PCB - FORM VI SVOA-2

PCB INITIAL CALIBRATION (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CURVE TYPE	CAL1	CAL2	CAL3	CAL4	CAL5
Aroclor 1260	5	Averaged	2853590.00	2718235.00	2625044.00	2511683.75	2485127.00
Decachlorobiphenyl (S)		Averaged	125223400.	114228350.	106255020.	101602250.	100490933.
Tetrachloro-m-xylene		Averaged	126550100.	124974300.	121144740.	121809550.	121996840.

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

PCB - FORM VI SVOA-3

PCB INITIAL CALIBRATION (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CURVE TYPE	%RSD	R2	A1	A2	A3
Aroclor 1016	1	Averaged	7.12			3080830.60	
Aroclor 1016	2	Averaged	6.26			3099002.40	
Aroclor 1016	3	Averaged	6.38			8861786.20	
Aroclor 1016	4	Averaged	6.32			3780223.45	
Aroclor 1016	5	Averaged	7.86			2603349.30	
Aroclor 1221	1	Averaged	8.88			1041256.70	
Aroclor 1221	2	Averaged	8.95			547842.90	
Aroclor 1221	3	Averaged	6.31			1383336.70	
Aroclor 1221	4	Averaged	5.33			1105769.55	
Aroclor 1221	5	Averaged	6.45			3255397.65	
Aroclor 1242	1	Averaged	7.64			2533198.70	
Aroclor 1242	2	Averaged	6.15			2520033.45	
Aroclor 1242	3	Averaged	6.27			7116457.95	
Aroclor 1242	4	Averaged	6.12			3041534.65	
Aroclor 1242	5	Averaged	6.50			2047746.90	
Aroclor 1248	1	Averaged	6.78			2342973.85	
Aroclor 1248	2	Averaged	7.08			4150305.95	
Aroclor 1248	3	Averaged	5.55			2030080.20	
Aroclor 1248	4	Averaged	6.21			5037445.65	
Aroclor 1248	5	Averaged	4.91			3588546.15	
Aroclor 1254	1	Averaged	8.82			5235247.45	
Aroclor 1254	2	Averaged	6.58			4301054.45	
Aroclor 1254	3	Averaged	7.31			7766063.85	
Aroclor 1254	4	Averaged	5.48			4869683.55	
Aroclor 1254	5	Averaged	7.13			6507103.75	
Aroclor 1260	1	Averaged	6.23			8862352.50	
Aroclor 1260	2	Averaged	5.46			10014373.30	
Aroclor 1260	3	Averaged	4.78			4779803.15	
Aroclor 1260	4	Averaged	5.71			2915110.60	

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

05/16/2018 8:30

PCB - FORM VI SVOA-4

PCB INITIAL CALIBRATION (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CURVE TYPE	%RSD	R2	A1	A2	A3
Aroclor 1260	5	Averaged	5.76			2638735.95	
Decachlorobiphenyl (S)		Averaged	9.39			109559990.6	
Tetrachloro-m-xylene		Averaged	1.89			123295106.0	

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

PCB - FORM VI SVOA-1

PCB INITIAL CALIBRATION RETENTION TIME (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CAL1	CAL2	CAL3	CAL4	CAL5	RT	RT WINDOW	
								FROM	TO
Aroclor 1016	1	3.318	3.317	3.317	3.317	3.318	3.318	3.284	3.352
Aroclor 1016	2	3.513	3.513	3.512	3.512	3.512	3.512	3.478	3.546
Aroclor 1016	3	3.826	3.826	3.826	3.826	3.826	3.826	3.792	3.86
Aroclor 1016	4	3.928	3.929	3.928	3.929	3.928	3.929	3.895	3.963
Aroclor 1016	5	3.995	3.994	3.994	3.995	3.994	3.994	3.96	4.028
Aroclor 1221	1	1.803	1.804	1.804	1.804	1.806	1.804	1.77	1.838
Aroclor 1221	2	2.406	2.407	2.407	2.407	2.407	2.407	2.373	2.441
Aroclor 1221	3	2.687	2.688	2.688	2.688	2.688	2.688	2.654	2.722
Aroclor 1221	4	2.789	2.789	2.79	2.789	2.789	2.789	2.755	2.823
Aroclor 1221	5	2.851	2.851	2.851	2.851	2.851	2.851	2.817	2.885
Aroclor 1242	1	3.318	3.318	3.317	3.318	3.318	3.318	3.284	3.352
Aroclor 1242	2	3.513	3.513	3.513	3.513	3.513	3.513	3.479	3.547
Aroclor 1242	3	3.826	3.826	3.827	3.827	3.827	3.827	3.793	3.861
Aroclor 1242	4	3.928	3.929	3.929	3.93	3.929	3.929	3.895	3.963
Aroclor 1242	5	3.995	3.994	3.995	3.995	3.994	3.995	3.961	4.029
Aroclor 1248	1	4.261	4.261	4.261	4.261	4.261	4.261	4.227	4.295
Aroclor 1248	2	4.546	4.545	4.545	4.545	4.545	4.546	4.512	4.58
Aroclor 1248	3	4.814	4.813	4.813	4.813	4.813	4.812	4.778	4.846
Aroclor 1248	4	4.879	4.878	4.879	4.878	4.879	4.879	4.845	4.913
Aroclor 1248	5	5.037	5.036	5.037	5.038	5.037	5.038	5.004	5.072
Aroclor 1254	1	5.163	5.162	5.163	5.162	5.163	5.162	5.128	5.196
Aroclor 1254	2	5.408	5.407	5.407	5.407	5.407	5.408	5.374	5.442
Aroclor 1254	3	5.51	5.51	5.51	5.509	5.51	5.51	5.476	5.544
Aroclor 1254	4	6.026	6.026	6.026	6.027	6.027	6.027	5.993	6.061
Aroclor 1254	5	6.299	6.299	6.299	6.299	6.299	6.299	6.265	6.333
Aroclor 1260	1	6.3	6.3	6.299	6.3	6.299	6.3	6.266	6.334
Aroclor 1260	2	7.006	7.006	7.005	7.005	7.005	7.006	6.972	7.04
Aroclor 1260	3	7.252	7.252	7.251	7.252	7.251	7.251	7.217	7.285

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

PCB - FORM VI SVOA-2

PCB INITIAL CALIBRATION RETENTION TIME (MULTIPOINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 03/06/2018 Calibration Time(s): 12:07 19:39

LAB FILE ID

CAL1A =	030618.B\030618058.D	CAL1B =	030618.B\030618022.D	CAL1C =	030618.B\030618046.D
CAL1D =	030618.B\030618034.D	CAL1F =	030618.B\030618010.D	CAL2A =	030618.B\030618060.D
CAL2B =	030618.B\030618024.D	CAL2C =	030618.B\030618048.D	CAL2D =	030618.B\030618036.D
CAL2F =	030618.B\030618012.D	CAL3A =	030618.B\030618062.D	CAL3B =	030618.B\030618026.D
CAL3C =	030618.B\030618050.D	CAL3D =	030618.B\030618038.D	CAL3F =	030618.B\030618014.D
CAL4A =	030618.B\030618064.D	CAL4B =	030618.B\030618028.D	CAL4C =	030618.B\030618052.D
CAL4D =	030618.B\030618040.D	CAL4F =	030618.B\030618016.D	CAL5A =	030618.B\030618066.D
CAL5B =	030618.B\030618030.D	CAL5C =	030618.B\030618054.D	CAL5D =	030618.B\030618042.D
CAL5F =	030618.B\030618018.D				

COMPOUND	PEAK	CAL1	CAL2	CAL3	CAL4	CAL5	RT	RT WINDOW	
								FROM	TO
Aroclor 1260	4	7.444	7.443	7.443	7.443	7.443	7.443	7.409	7.477
Aroclor 1260	5	7.902	7.9	7.901	7.901	7.9	7.901	7.867	7.935
Decachlorobiphenyl (S)		8.572	8.572	8.571	8.571	8.571	8.571	8.537	8.605
Tetrachloro-m-xylene		2.485	2.484	2.484	2.484	2.485	2.484	2.45	2.518

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

PCB - FORM VI SVOA-1

PCB INITIAL CALIBRATION DATA (SINGLE POINT)

Lab Name: Pace Analytical - Green Bay Instrument ID: 40GCSJ GC Column: Col 1 SDG No.: 40157832

Calibration Date(s): 03/06/2018 Calibration Time(s): 11:50

LAB FILE ID

CAL3S = 030618.B\030618008.D

COMPOUND	AMOUNT	PEAK	RT	RT WINDOW		RESPONSE FACTOR
				FROM	TO	
Aroclor 1232	.5	1	2.851	2.817	2.885	2500024.00
Aroclor 1232	.5	2	3.513	3.479	3.547	1339782.00
Aroclor 1232	.5	3	3.827	3.793	3.861	3749726.00
Aroclor 1232	.5	4	3.929	3.895	3.963	1606492.00
Aroclor 1232	.5	5	3.995	3.961	4.029	1091876.00

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618008.D
Lab Smp Id: 1232-CAL3S Client Smp ID: 1232-CAL3S
Inj Date : 06-MAR-2018 11:50
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1232-cal3s, 185539:1
Misc Info : 17498,NSAR1232
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 12:39 Cal File: 030618014.D
Als bottle: 5 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1232.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	64094	46184	0.721	0.24		
1.429	37762	31672	0.839	0.14		
1.535	16372	12525	0.765	0.06		
1.688	12215	10878	0.891	0.04		
1.804	291016	252430	0.867	1.10		
2.011	33236	24341	0.732	0.12		
2.198	82778	71506	0.864	0.31		
2.407	191146	142081	0.743	0.72		
2.485	5780151	5532286	0.957	22.35		
2.688	419741	347465	0.828	1.59		
2.789	391882	367897	0.939	1.48		
2.851	1250012	1144522	0.916	4.74	4 Aroclor 1232	BA
3.028	21736	20469	0.942	0.08		
3.055	85135	77802	0.914	0.32		
3.280	70307	52213	0.743	0.26		
3.319	723460	656407	0.907	2.74		
3.344	391395	363151	0.928	1.48		
3.434	120283	103424	0.860	0.45		
3.514	669892	480513	0.717	2.54	4 Aroclor 1232	BA
3.611	20898	19814	0.948	0.07		
3.698	27644	23229	0.840	0.10		
3.733	173570	179973	1.037	0.65		
3.757	122922	116095	0.944	0.46		
3.827	1874863	1087503	0.580	7.12	4 Aroclor 1232	BA
3.929	803247	685069	0.853	3.05	4 Aroclor 1232	BA
3.995	545938	536580	0.983	2.07	4 Aroclor 1232	BA
4.059	141928	130174	0.917	0.53		
4.137	62125	51170	0.824	0.23		
4.216	393609	374181	0.951	1.49		
4.261	373167	361789	0.970	1.41		
4.294	162815	169097	1.039	0.61		
4.310	204739	187151	0.914	0.77		
4.371	21919	15566	0.710	0.08		
4.418	536617	502916	0.937	2.03		
4.452	418871	298669	0.713	1.59		
4.546	683890	623608	0.912	2.59		
4.618	163410	151749	0.929	0.62		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.681	14650	12034	0.821	0.05	
4.730	43779	30964	0.707	0.16	
4.769	38954	36822	0.945	0.14	
4.814	304752	292334	0.959	1.15	
4.848	526734	522616	0.992	2.00	
4.880	691689	534310	0.772	2.62	
4.958	81081	59242	0.731	0.30	
5.038	573825	543275	0.947	2.17	
5.099	111947	85321	0.762	0.42	
5.163	131671	111235	0.845	0.50	
5.213	95848	80980	0.845	0.36	
5.307	24699	21694	0.878	0.09	
5.363	86500	72230	0.835	0.32	
5.408	138303	112479	0.813	0.52	
5.447	83276	72672	0.873	0.31	
5.492	30778	35064	1.139	0.11	
5.511	193150	166298	0.861	0.73	
5.605	68006	59493	0.875	0.25	
5.676	16334	15605	0.955	0.06	
5.708	52967	20705	0.391	0.20	
5.793	143283	113467	0.792	0.54	
5.888	27037	15011	0.555	0.10	
6.026	118842	104296	0.878	0.45	
6.056	34574	29464	0.852	0.13	
6.171	24413	14466	0.593	0.09	
6.302	43529	35888	0.824	0.16	
6.447	25328	16811	0.664	0.09	
6.511	16971	13602	0.801	0.06	
7.005	21863	21930	1.003	0.08	
7.129	17051	15791	0.926	0.06	
7.254	11045	10898	0.987	0.04	
7.728	22228	20096	0.904	0.08	
7.779	25468	15517	0.609	0.09	
8.277	43793	37397	0.854	0.16	
8.379	30735	21976	0.715	0.11	
8.573	4915144	4232662	0.861	18.67	
8.944	38971	23332	0.599	0.14	
9.470	37385	22307	0.597	0.14	
9.964	32743	21879	0.668	0.12	
	26324135	22924262		100.000	

Total unknown % area = 80

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618008.D
Lab Smp Id: 1232-CAL3S Client Smp ID: 1232-CAL3S
Inj Date : 06-MAR-2018 11:50
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1232-cal3s, 185539:1
Misc Info : 17498,NSAR1232
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 12:39 Cal File: 030618014.D
Als bottle: 5 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1232.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
4 Aroclor 1232					CAS #: 1114-16-5			
2.851	2.851	0.000	1250012	0.50000	0.50	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	669891	0.50000	0.50	0.00- 20.00	53.59	BA
3.827	3.827	0.000	1874863	0.50000	0.50	0.00- 20.00	149.99	BA
3.929	3.929	0.000	803246	0.50000	0.50	0.00- 20.00	64.26	BA
3.995	3.995	0.000	545938	0.50000	0.50	0.00- 20.00	43.67	BA
Average of Peak Amounts =					0.50000			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618008.D
Date : 06-MAR-2018 11:50
Client ID: 1232-CAL3S
Sample Info: 1232-CAL3S, 185539:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618008.D (ManInt: NSAR1232.sub Orig: NSAR1232.sub)
Injection Date: 06-MAR-2018 11:50 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1232-CAL3S





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1232	1234986	1250012	BA
Aroclor 1232	1234986	1250012	BA
Aroclor 1232	1234986	1250012	BA
Aroclor 1232	1234986	1250012	BA
Aroclor 1232	1234986	1250012	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618010.D
Lab Smp Id: 1221-CAL1F Client Smp ID: 1221-CAL1F
Inj Date : 06-MAR-2018 12:07
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal1f, 188138:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 13:44 Cal File: 030618022.D
Als bottle: 6 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.180	13612	11288	0.829	0.38		
1.804	116885	98810	0.845	3.31	1 Aroclor 1221	BA
2.197	36039	30499	0.846	1.02		
2.407	61218	44733	0.731	1.73	1 Aroclor 1221	BA
2.485	1172586	1134895	0.968	33.37		
2.688	150512	119908	0.797	4.27	1 Aroclor 1221	BA
2.790	118144	107550	0.910	3.35	1 Aroclor 1221	BA
2.852	349220	309600	0.887	9.90	1 Aroclor 1221	BA
3.279	28274	21896	0.774	0.80		
3.325	85123	48119	0.565	2.41		
3.380	10358	5756	0.556	0.29		
3.436	15926	10893	0.684	0.45		
3.513	38645	25267	0.654	1.09		
3.733	9954	10584	1.063	0.28		
3.817	38159	24082	0.631	1.08		
3.928	37088	28113	0.758	1.05		
3.996	22534	20384	0.905	0.63		
4.260	9635	9376	0.973	0.27		
4.546	10833	12359	1.141	0.30		
4.881	15313	10912	0.713	0.43		
5.040	11422	9410	0.824	0.32		
8.278	12362	11919	0.964	0.35		
8.380	10282	8381	0.815	0.29		
8.572	1127356	960701	0.852	31.98		
8.936	10000	8119	0.812	0.28		
9.466	13059	9537	0.730	0.37		
	3524537	3093091		100.000		

Total unknown % area = 77

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618010.D
Lab Smp Id: 1221-CAL1F Client Smp ID: 1221-CAL1F
Inj Date : 06-MAR-2018 12:07
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal1f, 188138:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 13:44 Cal File: 030618022.D
Als bottle: 6 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
1.803	1.804	-0.001	116884	0.10000	0.11	0.00- 20.00	100.00(M)	BA
2.406	2.407	-0.001	61218	0.10000	0.11	0.00- 20.00	52.38	BA
2.687	2.688	-0.001	150511	0.10000	0.11	0.00- 20.00	128.77	BA
2.789	2.789	0.000	118144	0.10000	0.11	0.00- 20.00	101.08	BA
2.851	2.851	0.000	349219	0.10000	0.11	0.00- 20.00	298.77	BA
Average of Peak Amounts =					0.11000			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618010.D
Date : 06-MAR-2018 12:07
Client ID: 1221-CAL1F
Sample Info: 1221-CAL1F, 188138:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618010.D (ManInt: NSAR1221.sub Orig: NSAR1221.sub)
Injection Date: 06-MAR-2018 12:07 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-CAL1F





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	111828	116884	BA
Aroclor 1221	111828	116884	BA
Aroclor 1221	111828	116884	BA
Aroclor 1221	111828	116884	BA
Aroclor 1221	111828	116884	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618012.D
Lab Smp Id: 1221-CAL2F Client Smp ID: 1221-CAL2F
Inj Date : 06-MAR-2018 12:23
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal2f, 188139:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 12:23 Cal File: 030618012.D
Als bottle: 7 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.185	21110	15992	0.758	0.29		
1.432	19890	14202	0.714	0.27		
1.804	222151	196763	0.886	3.10	1 Aroclor 1221	BA
2.006	14074	10640	0.756	0.19		
2.198	66696	59685	0.895	0.93		
2.408	117491	84755	0.721	1.64	1 Aroclor 1221	BA
2.485	2389575	2280739	0.954	33.51		
2.688	289327	237824	0.822	4.03	1 Aroclor 1221	BA
2.790	230052	213818	0.929	3.21	1 Aroclor 1221	BA
2.852	694108	629495	0.907	9.69	1 Aroclor 1221	BA
3.055	24441	15851	0.649	0.34		
3.283	52341	38105	0.728	0.73		
3.322	162359	92875	0.572	2.26		
3.433	17768	16060	0.904	0.24		
3.514	68265	44434	0.651	0.95		
3.610	18983	11562	0.609	0.26		
3.733	17041	17575	1.031	0.23		
3.755	20072	17438	0.869	0.28		
3.827	142441	84122	0.591	1.98		
3.930	69577	57831	0.831	0.97		
3.996	47705	40519	0.849	0.66		
4.216	23635	18011	0.762	0.33		
4.261	14899	13886	0.932	0.20		
4.418	12729	14384	1.130	0.17		
4.547	21625	20493	0.948	0.30		
4.618	11602	9168	0.790	0.16		
4.848	13653	14682	1.075	0.19		
4.880	20209	15214	0.753	0.28		
5.040	16835	15081	0.896	0.23		
7.133	16511	8656	0.524	0.23		
7.728	11846	11710	0.989	0.16		
8.278	23007	17531	0.762	0.32		
8.378	9408	9279	0.986	0.13		
8.573	2192346	1884280	0.859	30.61		
8.940	11831	13025	1.101	0.16		
9.473	27497	16611	0.604	0.38		
9.964	28645	19011	0.664	0.39		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
	7161743	6281307		100.000	

Total unknown % area = 78

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618012.D
Lab Smp Id: 1221-CAL2F Client Smp ID: 1221-CAL2F
Inj Date : 06-MAR-2018 12:23
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal2f, 188139:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 12:23 Cal File: 030618012.D
Als bottle: 7 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
1.804	1.804	0.000	222151	0.20000	0.21	0.00- 20.00	100.00(M)	BA
2.407	2.407	0.000	117490	0.20000	0.21	0.00- 20.00	52.89	BA
2.688	2.688	0.000	289327	0.20000	0.21	0.00- 20.00	130.24	BA
2.789	2.789	0.000	230051	0.20000	0.21	0.00- 20.00	103.56	BA
2.851	2.851	0.000	694107	0.20000	0.21	0.00- 20.00	312.45	BA
Average of Peak Amounts =					0.21000			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618012.D

Date : 06-MAR-2018 12:23

Client ID: 1221-CAL2F

Instrument: 40GCSJ.i

Sample Info: 1221-CAL2F, 188139:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618012.D (ManInt: NSAR1221.sub Orig: NSAR1221.sub)
Injection Date: 06-MAR-2018 12:23 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-CAL2F





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	219680	222151	BA
Aroclor 1221	219680	222151	BA
Aroclor 1221	219680	222151	BA
Aroclor 1221	219680	222151	BA
Aroclor 1221	219680	222151	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618014.D
Lab Smp Id: 1221-CAL3F Client Smp ID: 1221-CAL3F
Inj Date : 06-MAR-2018 12:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal3f, 185538:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 12:39 Cal File: 030618014.D
Als bottle: 8 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.184	46886	34819	0.743	0.27		
1.429	37682	34000	0.902	0.22		
1.540	18475	13916	0.753	0.11		
1.686	12215	9839	0.805	0.07		
1.805	490239	441873	0.901	2.92	1 Aroclor 1221	BA
2.010	34778	21164	0.609	0.20		
2.197	148893	131934	0.886	0.88		
2.408	263311	192077	0.729	1.56	1 Aroclor 1221	BA
2.485	5899001	5597678	0.949	35.41		
2.688	658124	555463	0.844	3.92	1 Aroclor 1221	BA
2.790	519264	501204	0.965	3.09	1 Aroclor 1221	BA
2.851	1583519	1422292	0.898	9.43	1 Aroclor 1221	BA
3.030	16777	16577	0.988	0.09		
3.055	39004	30894	0.792	0.23		
3.213	9910	8832	0.891	0.05		
3.281	111839	84209	0.753	0.66		
3.325	365423	215871	0.591	2.17		
3.437	35737	30648	0.858	0.21		
3.514	140459	101998	0.726	0.83		
3.608	20183	17591	0.872	0.12		
3.732	32639	35941	1.101	0.19		
3.757	24903	28786	1.156	0.14		
3.827	309924	194764	0.628	1.84		
3.930	154650	131637	0.851	0.92		
3.996	105091	94784	0.902	0.62		
4.058	20977	14811	0.706	0.12		
4.215	34584	31722	0.917	0.20		
4.262	26916	30192	1.122	0.16		
4.292	16244	12494	0.769	0.09		
4.374	10462	9206	0.880	0.06		
4.418	41223	41705	1.012	0.24		
4.452	49711	28399	0.571	0.29		
4.545	54290	46656	0.859	0.32		
4.616	14003	11847	0.846	0.08		
4.812	21709	20229	0.932	0.12		
4.848	35650	33592	0.942	0.21		
4.882	55103	37630	0.683	0.32		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.039	36880	30922	0.838	0.21	
5.164	10614	9077	0.855	0.06	
5.703	10136	9806	0.967	0.06	
5.794	11063	9888	0.894	0.06	
6.450	15885	11521	0.725	0.09	
7.126	18110	12799	0.707	0.10	
7.730	23581	20558	0.872	0.14	
7.777	18011	13331	0.740	0.10	
7.801	14860	14996	1.009	0.08	
8.276	48701	37600	0.772	0.29	
8.381	26483	18054	0.682	0.15	
8.573	5020450	4347562	0.866	29.92	
8.945	30595	17805	0.582	0.18	
9.086	11785	9130	0.775	0.07	
9.963	22483	17745	0.789	0.13	
	16779431	14848068		100.000	

Total unknown % area = 79

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618014.D
Lab Smp Id: 1221-CAL3F Client Smp ID: 1221-CAL3F
Inj Date : 06-MAR-2018 12:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal3f, 185538:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 12:39 Cal File: 030618014.D
Als bottle: 8 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
1.804	1.804	0.000	490239	0.50000	0.47	0.00- 20.00	100.00(M)	BA
2.407	2.407	0.000	263311	0.50000	0.48	0.00- 20.00	53.71	BA
2.688	2.688	0.000	658123	0.50000	0.48	0.00- 20.00	134.25	BA
2.790	2.789	0.001	519263	0.50000	0.47	0.00- 20.00	105.92	BA
2.851	2.851	0.000	1583519	0.50000	0.49	0.00- 20.00	323.01	BA
Average of Peak Amounts =					0.47800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618014.D
Date : 06-MAR-2018 12:39
Client ID: 1221-CAL3F
Sample Info: 1221-CAL3F, 185538:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618014.D (ManInt: NSAR1221.sub Orig: NSAR1221.sub)
Injection Date: 06-MAR-2018 12:39 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-CAL3F





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	483261	490239	BA
Aroclor 1221	483261	490239	BA
Aroclor 1221	483261	490239	BA
Aroclor 1221	483261	490239	BA
Aroclor 1221	483261	490239	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618016.D
Lab Smp Id: 1221-CAL4F Client Smp ID: 1221-CAL4F
Inj Date : 06-MAR-2018 12:55
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal4f, 188140:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 12:55 Cal File: 030618016.D
Als bottle: 9 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	15077	12970	0.860	0.04		
1.430	62013	58411	0.942	0.20		
1.540	29523	27434	0.929	0.09		
1.682	10134	8214	0.811	0.03		
1.804	785551	700381	0.892	2.59	1 Aroclor 1221	BA
2.162	17608	16089	0.914	0.05		
2.197	232212	214361	0.923	0.76		
2.408	409142	300406	0.734	1.35	1 Aroclor 1221	BA
2.485	11502194	11125302	0.967	38.28		
2.689	1067134	893347	0.837	3.52	1 Aroclor 1221	BA
2.789	853931	817692	0.958	2.82	1 Aroclor 1221	BA
2.851	2470730	2197877	0.890	8.16	1 Aroclor 1221	BA
3.053	58135	49830	0.857	0.19		
3.280	178171	134368	0.754	0.58		
3.325	581244	339314	0.584	1.92		
3.436	58621	50800	0.867	0.19		
3.513	227025	162531	0.716	0.75		
3.611	30500	29323	0.961	0.10		
3.696	15508	16983	1.095	0.05		
3.732	59581	61761	1.037	0.19		
3.757	63343	56081	0.885	0.20		
3.827	512825	311364	0.607	1.69		
3.929	244641	209892	0.858	0.80		
3.995	150703	143674	0.953	0.49		
4.059	21801	19537	0.896	0.07		
4.134	11088	10051	0.906	0.03		
4.215	55304	52296	0.946	0.18		
4.260	51932	50173	0.966	0.17		
4.291	25327	22345	0.882	0.08		
4.311	24902	25307	1.016	0.08		
4.418	49634	53105	1.070	0.16		
4.443	38631	29989	0.776	0.12		
4.547	83853	73357	0.875	0.27		
4.617	26087	19117	0.733	0.08		
4.814	30317	32424	1.069	0.10		
4.849	51073	52237	1.023	0.16		
4.880	70316	49193	0.700	0.23		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.038	59957	50669	0.845	0.19	
5.103	12689	10469	0.825	0.04	
5.163	17456	13811	0.791	0.05	
5.216	17786	12808	0.720	0.05	
5.360	16391	9844	0.601	0.05	
5.406	16004	13419	0.838	0.05	
5.445	10313	9432	0.915	0.03	
5.512	20459	14813	0.724	0.06	
5.793	13847	11803	0.852	0.04	
7.123	27333	14055	0.514	0.09	
7.694	9264	9447	1.020	0.03	
7.729	46203	36902	0.799	0.15	
7.800	22162	20669	0.933	0.07	
8.276	84580	73604	0.870	0.27	
8.381	14600	14602	1.000	0.04	
8.573	9619023	8259708	0.859	31.79	
8.941	10654	8547	0.802	0.03	
9.090	21504	11989	0.558	0.07	
9.466	18951	12488	0.659	0.06	
9.960	21699	14589	0.672	0.07	
	30256687	27051204		100.000	

Total unknown % area = 82

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618016.D
Lab Smp Id: 1221-CAL4F Client Smp ID: 1221-CAL4F
Inj Date : 06-MAR-2018 12:55
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal4f, 188140:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 12:55 Cal File: 030618016.D
Als bottle: 9 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
1.804	1.804	0.000	785550	0.80000	0.75	0.00- 20.00	100.00(M)	BA
2.407	2.407	0.000	409142	0.80000	0.75	0.00- 20.00	52.08	BA
2.688	2.688	0.000	1067134	0.80000	0.77	0.00- 20.00	135.85	BA
2.789	2.789	0.000	853931	0.80000	0.77	0.00- 20.00	108.70	BA
2.851	2.851	0.000	2470729	0.80000	0.76	0.00- 20.00	314.52	BA
Average of Peak Amounts =					0.76000			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618016.D
Date : 06-MAR-2018 12:55
Client ID: 1221-CAL4F
Sample Info: 1221-CAL4F, 188140:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618016.D (ManInt: NSAR1221.sub Orig: NSAR1221.sub)
Injection Date: 06-MAR-2018 12:55 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-CAL4F





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	780911	785550	BA
Aroclor 1221	780911	785550	BA
Aroclor 1221	780911	785550	BA
Aroclor 1221	780911	785550	BA
Aroclor 1221	780911	785550	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618018.D
Lab Smp Id: 1221-CAL5F Client Smp ID: 1221-CAL5F
Inj Date : 06-MAR-2018 13:11
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal5f, 188141:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 13:11 Cal File: 030618018.D
Als bottle: 10 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.429	91782	83949	0.915	0.21		
1.539	45153	34415	0.762	0.10		
1.806	964273	851004	0.883	2.23	1 Aroclor 1221	BA
2.014	11838	7838	0.662	0.02		
2.160	16492	15827	0.960	0.03		
2.198	286599	255763	0.892	0.66		
2.408	501535	366636	0.731	1.16	1 Aroclor 1221	BA
2.486	17378255	16694368	0.961	40.52		
2.688	1314776	1093955	0.832	3.04	1 Aroclor 1221	BA
2.790	1091213	1024965	0.939	2.52	1 Aroclor 1221	BA
2.851	3058815	2705599	0.885	7.08	1 Aroclor 1221	BA
3.053	74407	64323	0.864	0.17		
3.217	18486	13382	0.724	0.04		
3.281	228692	172494	0.754	0.52		
3.325	747509	424295	0.568	1.73		
3.436	77500	63495	0.819	0.17		
3.513	280490	203651	0.726	0.64		
3.612	49578	44845	0.905	0.11		
3.701	23500	20479	0.871	0.05		
3.734	76655	76322	0.996	0.17		
3.757	81462	74126	0.910	0.18		
3.827	635271	385105	0.606	1.47		
3.929	312825	252728	0.808	0.72		
3.995	186590	175263	0.939	0.43		
4.062	31750	23556	0.742	0.07		
4.138	17974	12098	0.673	0.04		
4.217	72031	63997	0.888	0.16		
4.261	66789	61014	0.914	0.15		
4.293	54107	32297	0.597	0.12		
4.418	84432	78861	0.934	0.19		
4.451	94426	56177	0.595	0.21		
4.546	109930	92350	0.840	0.25		
4.618	33492	25022	0.747	0.07		
4.815	42406	39475	0.931	0.09		
4.849	68687	65653	0.956	0.15		
4.881	95718	65369	0.683	0.22		
4.957	18933	12531	0.662	0.04		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.037	71300	62002	0.870	0.16	
5.101	11578	12947	1.118	0.02	
5.162	15068	13787	0.915	0.03	
5.208	16758	12735	0.760	0.03	
5.363	13212	11132	0.843	0.03	
5.408	17007	15696	0.923	0.03	
5.445	14075	10385	0.738	0.03	
5.512	25865	18240	0.705	0.05	
5.792	16968	13288	0.783	0.03	
6.028	13891	11907	0.857	0.03	
7.125	30918	19205	0.621	0.07	
7.692	13631	9457	0.694	0.03	
7.729	65348	56318	0.862	0.15	
7.802	42671	34037	0.798	0.09	
8.277	126824	104866	0.827	0.29	
8.379	18877	14713	0.779	0.04	
8.573	14268732	12292631	0.862	33.03	
8.940	12885	8913	0.692	0.02	
9.089	24129	17399	0.721	0.05	
9.468	12972	8897	0.686	0.03	
9.969	15122	10700	0.708	0.03	
	43192203	38492482		100.000	

Total unknown % area = 84

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618018.D
Lab Smp Id: 1221-CAL5F Client Smp ID: 1221-CAL5F
Inj Date : 06-MAR-2018 13:11
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-cal5f, 188141:1
Misc Info : 17498,NSAR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 13:11 Cal File: 030618018.D
Als bottle: 10 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
1.806	1.804	0.002	964273	1.00000	0.93	0.00- 20.00	100.00(M)	BA
2.407	2.407	0.000	501535	1.00000	0.92	0.00- 20.00	52.01	BA
2.688	2.688	0.000	1314775	1.00000	0.95	0.00- 20.00	136.35	BA
2.789	2.789	0.000	1091213	1.00000	0.99	0.00- 20.00	113.16	BA
2.851	2.851	0.000	3058814	1.00000	0.94	0.00- 20.00	317.21	BA
Average of Peak Amounts =					0.94600			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618018.D
Date : 06-MAR-2018 13:11
Client ID: 1221-CAL5F
Sample Info: 1221-CAL5F, 188141:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618018.D (ManInt: NSAR1221.sub Orig: NSAR1221.sub)
Injection Date: 06-MAR-2018 13:11 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-CAL5F





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	958762	964273	BA
Aroclor 1221	958762	964273	BA
Aroclor 1221	958762	964273	BA
Aroclor 1221	958762	964273	BA
Aroclor 1221	958762	964273	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618022.D
Lab Smp Id: 1242-CAL1B Client Smp ID: 1242-CAL1B
Inj Date : 06-MAR-2018 13:44
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal1b, 188132:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 13:44 Cal File: 030618022.D
Als bottle: 12 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	48353	40712	0.842	0.55		
1.685	15584	12605	0.809	0.18		
2.012	33033	24593	0.745	0.38		
2.403	26701	21656	0.811	0.30		
2.485	1268339	1220330	0.962	14.93		
2.688	45903	34473	0.751	0.53		
2.791	63166	56222	0.890	0.73		
2.851	204981	187245	0.913	2.37		
3.026	22317	19810	0.888	0.25		
3.055	37376	31867	0.853	0.43		
3.318	277256	257375	0.928	3.21	3 Aroclor 1242	BA
3.345	154841	150344	0.971	1.79		
3.435	49043	39609	0.808	0.56		
3.514	273951	193620	0.707	3.17	3 Aroclor 1242	BA
3.733	69544	68947	0.991	0.80		
3.757	45882	42206	0.920	0.53		
3.827	769590	449825	0.584	8.91	3 Aroclor 1242	BA
3.929	328754	270344	0.822	3.80	3 Aroclor 1242	BA
3.996	224743	217453	0.968	2.60	3 Aroclor 1242	BA
4.059	72772	62645	0.861	0.84		
4.135	32124	25139	0.783	0.37		
4.215	184258	174093	0.945	2.13		
4.262	175232	166947	0.953	2.02		
4.295	76283	77062	1.010	0.88		
4.310	94862	88633	0.934	1.09		
4.417	242650	230875	0.951	2.80		
4.453	185260	138108	0.745	2.14		
4.547	310173	288905	0.931	3.59		
4.617	78937	69004	0.874	0.91		
4.726	21360	16230	0.760	0.24		
4.770	22579	18643	0.826	0.26		
4.813	144508	140479	0.972	1.67		
4.848	244505	231221	0.946	2.83		
4.880	333816	245294	0.735	3.86		
4.958	38640	32017	0.829	0.44		
5.039	262014	232176	0.886	3.03		
5.099	55213	47400	0.858	0.63		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.164	71096	60506	0.851	0.82	
5.213	54601	49311	0.903	0.63	
5.310	15720	13003	0.827	0.18	
5.363	43486	39659	0.912	0.50	
5.407	75906	62166	0.819	0.87	
5.447	47603	40647	0.854	0.55	
5.511	110554	91386	0.827	1.28	
5.605	38987	31752	0.814	0.45	
5.702	21923	17168	0.783	0.25	
5.793	90266	69831	0.774	1.04	
5.888	18665	11476	0.615	0.21	
6.027	83046	57198	0.689	0.96	
6.301	23663	20357	0.860	0.27	
6.450	25108	16371	0.652	0.29	
7.135	16747	14415	0.861	0.19	
7.722	10233	8765	0.857	0.11	
7.774	20981	14974	0.714	0.24	
8.276	10004	11485	1.148	0.11	
8.381	26018	18613	0.715	0.30	
8.572	1221508	1021745	0.836	14.14	
8.943	31681	20256	0.639	0.36	
9.468	21143	16317	0.772	0.24	
9.964	23088	17512	0.758	0.26	
	8636569	7349020		100.000	

Total unknown % area = 78

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618022.D
Lab Smp Id: 1242-CAL1B Client Smp ID: 1242-CAL1B
Inj Date : 06-MAR-2018 13:44
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal1b, 188132:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 13:44 Cal File: 030618022.D
Als bottle: 12 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
3 Aroclor 1242					CAS #: 53469-21-9			
3.318	3.318	0.000	277256	0.10000	0.11	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	273950	0.10000	0.11	0.00- 20.00	98.81	BA
3.826	3.827	-0.001	769589	0.10000	0.11	0.00- 20.00	277.57	BA
3.928	3.929	-0.001	328754	0.10000	0.11	0.00- 20.00	118.57	BA
3.995	3.995	0.000	224742	0.10000	0.11	0.00- 20.00	81.06	BA
Average of Peak Amounts =					0.11000			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618022.D
Date : 06-MAR-2018 13:44
Client ID: 1242-CAL1B
Sample Info: 1242-CAL1B, 188132:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618022.D (ManInt: NSAR1242.sub Orig: NSAR1242.sub)
Injection Date: 06-MAR-2018 13:44 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CAL1B





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	273881	277256	BA
Aroclor 1242	273881	277256	BA
Aroclor 1242	273881	277256	BA
Aroclor 1242	273881	277256	BA
Aroclor 1242	273881	277256	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618024.D
Lab Smp Id: 1242-CAL2B Client Smp ID: 1242-CAL2B
Inj Date : 06-MAR-2018 14:00
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal2b, 185543:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 14:00 Cal File: 030618024.D
Als bottle: 13 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.184	14220	11208	0.788	0.08		
1.430	13376	14873	1.112	0.08		
1.537	12556	8533	0.680	0.07		
1.684	10310	8364	0.811	0.06		
1.803	9301	8955	0.963	0.05		
2.404	53409	39369	0.737	0.33		
2.484	2424898	2340795	0.965	15.45		
2.685	71092	59059	0.831	0.44		
2.789	112696	106870	0.948	0.70		
2.851	383763	360025	0.938	2.38		
3.054	60192	54572	0.907	0.37		
3.319	537600	506479	0.942	3.34	3 Aroclor 1242	BA
3.344	300840	286923	0.954	1.87		
3.434	87992	78217	0.889	0.54		
3.514	520152	378008	0.727	3.23	3 Aroclor 1242	BA
3.607	13378	11603	0.867	0.08		
3.696	19908	16213	0.814	0.12		
3.732	129346	131457	1.016	0.80		
3.756	89938	85088	0.946	0.56		
3.826	1494620	886299	0.593	9.30	3 Aroclor 1242	BA
3.929	633849	547272	0.863	3.94	3 Aroclor 1242	BA
3.994	415519	392907	0.946	2.58	3 Aroclor 1242	BA
4.059	126568	116783	0.923	0.78		
4.137	53777	45505	0.846	0.33		
4.216	349073	338096	0.969	2.17		
4.261	336841	321968	0.956	2.09		
4.293	139012	148834	1.071	0.86		
4.310	185086	169258	0.914	1.15		
4.372	13133	10098	0.769	0.08		
4.418	470013	436944	0.930	2.92		
4.452	357597	265664	0.743	2.22		
4.546	610105	562073	0.921	3.79		
4.618	143247	130258	0.909	0.89		
4.727	34627	28696	0.829	0.21		
4.768	38705	34109	0.881	0.24		
4.814	277192	264316	0.954	1.72		
4.849	476923	458153	0.961	2.97		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.879	613481	454847	0.741	3.82	
4.960	74104	57100	0.771	0.46	
5.038	507891	458844	0.903	3.16	
5.100	100349	88837	0.885	0.62	
5.164	134684	119177	0.885	0.83	
5.213	98854	90627	0.917	0.61	
5.283	12070	11231	0.930	0.07	
5.310	24719	19674	0.796	0.15	
5.363	85050	75533	0.888	0.52	
5.408	146635	119693	0.816	0.91	
5.447	90264	80310	0.890	0.56	
5.510	230506	174139	0.755	1.43	
5.605	75587	61685	0.816	0.47	
5.716	16948	14359	0.847	0.10	
5.741	23073	20242	0.877	0.14	
5.793	169665	128009	0.754	1.05	
5.887	31657	16739	0.529	0.19	
6.025	153536	114654	0.747	0.95	
6.171	21729	13262	0.610	0.13	
6.302	46462	36756	0.791	0.28	
6.534	18985	15865	0.836	0.11	
6.803	15791	11632	0.737	0.09	
7.725	15675	13882	0.886	0.09	
8.279	20164	17879	0.887	0.12	
8.380	27215	14895	0.547	0.16	
8.573	2205636	1873304	0.849	13.73	
8.944	29668	17498	0.590	0.18	
9.464	14497	11336	0.782	0.09	
9.964	31291	22255	0.711	0.19	
	16057042	13818108		100.000	

Total unknown % area = 78

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618024.D
Lab Smp Id: 1242-CAL2B Client Smp ID: 1242-CAL2B
Inj Date : 06-MAR-2018 14:00
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal2b, 185543:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 14:00 Cal File: 030618024.D
Als bottle: 13 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
3 Aroclor 1242					CAS #: 53469-21-9			
3.318	3.318	0.000	537600	0.20000	0.21	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	520151	0.20000	0.21	0.00- 20.00	96.75	BA
3.826	3.827	-0.001	1494620	0.20000	0.21	0.00- 20.00	278.02	BA
3.929	3.929	0.000	633849	0.20000	0.21	0.00- 20.00	117.90	BA
3.994	3.995	-0.001	415519	0.20000	0.20	0.00- 20.00	77.29	BA
Average of Peak Amounts =					0.20800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618024.D
Date : 06-MAR-2018 14:00
Client ID: 1242-CAL2B
Sample Info: 1242-CAL2B, 185543:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618024.D (ManInt: NSAR1242.sub Orig: NSAR1242.sub)
Injection Date: 06-MAR-2018 14:00 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CAL2B





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	529987	537600	BA
Aroclor 1242	529987	537600	BA
Aroclor 1242	529987	537600	BA
Aroclor 1242	529987	537600	BA
Aroclor 1242	529987	537600	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618026.D
Lab Smp Id: 1242-CAL3B Client Smp ID: 1242-CAL3B
Inj Date : 06-MAR-2018 14:16
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal3b, 185544:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 14:16 Cal File: 030618026.D
Als bottle: 14 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	62004	50847	0.820	0.16		
1.431	37460	32055	0.856	0.09		
1.541	14316	12367	0.864	0.03		
1.687	15486	12743	0.823	0.04		
1.807	18746	14208	0.758	0.04		
2.011	43433	33553	0.773	0.11		
2.406	117538	91845	0.781	0.30		
2.485	5892252	5641423	0.957	15.80		
2.688	168721	139553	0.827	0.44		
2.789	263881	249457	0.945	0.68		
2.851	912957	864348	0.947	2.38		
3.032	23465	23649	1.008	0.06		
3.054	147736	128585	0.870	0.38		
3.278	22664	16866	0.744	0.05		
3.318	1252566	1174122	0.937	3.27	3 Aroclor 1242	BA
3.344	702584	667750	0.950	1.83		
3.435	195742	182887	0.934	0.51		
3.514	1253174	902840	0.720	3.27	3 Aroclor 1242	BA
3.610	20808	19442	0.934	0.05		
3.698	36264	35190	0.970	0.09		
3.733	310548	311302	1.002	0.81		
3.756	210733	195877	0.930	0.55		
3.827	3485663	2059745	0.591	9.11	3 Aroclor 1242	BA
3.929	1508994	1248466	0.827	3.94	3 Aroclor 1242	BA
3.995	1031466	974966	0.945	2.69	3 Aroclor 1242	BA
4.059	297827	269246	0.904	0.77		
4.137	124808	105679	0.847	0.32		
4.215	835282	795778	0.953	2.18		
4.262	800812	762657	0.952	2.09		
4.294	335573	342292	1.020	0.87		
4.310	418203	390877	0.935	1.09		
4.366	27246	20902	0.767	0.07		
4.418	1095729	1053734	0.962	2.86		
4.452	872734	643030	0.737	2.28		
4.546	1429253	1334739	0.934	3.73		
4.617	329513	299311	0.908	0.86		
4.679	25919	20313	0.784	0.06		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.728	75071	61492	0.819	0.19	
4.770	78410	75801	0.967	0.20	
4.814	666858	654940	0.982	1.74	
4.848	1139990	1092076	0.958	2.97	
4.879	1497562	1126464	0.752	3.91	
4.959	169941	133168	0.784	0.44	
5.038	1220947	1147297	0.940	3.19	
5.099	262922	203724	0.775	0.68	
5.163	307382	272531	0.887	0.80	
5.212	234571	204654	0.872	0.61	
5.286	17325	18279	1.055	0.04	
5.312	55833	44258	0.793	0.14	
5.365	200636	172920	0.862	0.52	
5.408	328555	284252	0.865	0.85	
5.447	222890	182949	0.821	0.58	
5.510	538895	423244	0.785	1.40	
5.605	171765	141640	0.825	0.44	
5.717	55818	31435	0.563	0.14	
5.742	42015	41544	0.989	0.10	
5.793	399108	317536	0.796	1.04	
5.891	59724	37531	0.628	0.15	
5.988	12622	14402	1.141	0.03	
6.025	317230	272827	0.860	0.82	
6.056	62897	52017	0.827	0.16	
6.173	35886	23021	0.641	0.09	
6.228	35394	17536	0.495	0.09	
6.300	107967	90981	0.843	0.28	
6.338	25191	21116	0.838	0.06	
6.373	22038	15834	0.718	0.05	
6.444	13051	11257	0.863	0.03	
6.540	47204	32635	0.691	0.12	
6.803	23591	20139	0.854	0.06	
7.005	15270	10968	0.718	0.03	
7.133	35322	22100	0.626	0.09	
7.250	13054	10560	0.809	0.03	
7.727	20164	18616	0.923	0.05	
7.782	26691	22023	0.825	0.06	
7.800	17830	16488	0.925	0.04	
8.277	43520	38062	0.875	0.11	
8.377	40259	27272	0.677	0.10	
8.573	5121279	4417666	0.863	13.38	
8.941	41704	28161	0.675	0.10	
9.469	46040	28501	0.619	0.12	
9.966	42365	27909	0.659	0.11	
	38254887	33030470		100.000	

Total unknown % area = 78

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618026.D
Lab Smp Id: 1242-CAL3B Client Smp ID: 1242-CAL3B
Inj Date : 06-MAR-2018 14:16
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal3b, 185544:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 14:16 Cal File: 030618026.D
Als bottle: 14 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
3 Aroclor 1242					CAS #: 53469-21-9			
3.317	3.318	-0.001	1252566	0.50000	0.49	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	1253174	0.50000	0.50	0.00- 20.00	100.05	BA
3.827	3.827	0.000	3485663	0.50000	0.49	0.00- 20.00	278.28	BA
3.929	3.929	0.000	1508993	0.50000	0.50	0.00- 20.00	120.47	BA
3.995	3.995	0.000	1031465	0.50000	0.50	0.00- 20.00	82.35	BA
Average of Peak Amounts =					0.49600			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618026.D
Date : 06-MAR-2018 14:16
Client ID: 1242-CAL3B
Sample Info: 1242-CAL3B, 185544:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618026.D (ManInt: NSAR1242.sub Orig: NSAR1242.sub)
Injection Date: 06-MAR-2018 14:16 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CAL3B





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	1246512	1252566	BA
Aroclor 1242	1246512	1252566	BA
Aroclor 1242	1246512	1252566	BA
Aroclor 1242	1246512	1252566	BA
Aroclor 1242	1246512	1252566	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618028.D
Lab Smp Id: 1242-CAL4B Client Smp ID: 1242-CAL4B
Inj Date : 06-MAR-2018 14:32
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal4b, 185545:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 14:32 Cal File: 030618028.D
Als bottle: 15 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.185	10080	10187	1.011	0.01		
1.429	71364	59862	0.839	0.11		
1.538	29625	26596	0.898	0.04		
1.688	11915	10660	0.895	0.01		
1.804	23856	18863	0.791	0.03		
2.007	10897	7828	0.718	0.01		
2.404	181872	142910	0.786	0.29		
2.485	11627123	11366999	0.978	18.98		
2.688	264051	219269	0.830	0.42		
2.789	434211	416960	0.960	0.69		
2.851	1404465	1315051	0.936	2.24		
3.055	207612	200354	0.965	0.33		
3.277	30044	24512	0.816	0.04		
3.318	1896850	1767208	0.932	3.03	3 Aroclor 1242	BA
3.345	1097148	1042916	0.951	1.75		
3.435	308786	278730	0.903	0.49		
3.514	1913733	1396800	0.730	3.05	3 Aroclor 1242	BA
3.611	36879	32861	0.891	0.05		
3.650	32275	21129	0.655	0.05		
3.698	52994	51432	0.971	0.08		
3.732	483352	488922	1.012	0.77		
3.757	311671	302713	0.971	0.49		
3.827	5388263	3191450	0.592	8.61	3 Aroclor 1242	BA
3.930	2300081	1902191	0.827	3.67	3 Aroclor 1242	BA
3.995	1542626	1468087	0.952	2.46	3 Aroclor 1242	BA
4.058	448445	418306	0.933	0.71		
4.137	178413	160377	0.899	0.28		
4.216	1273682	1194446	0.938	2.03		
4.262	1227232	1169872	0.953	1.96		
4.294	525419	547237	1.042	0.83		
4.311	636195	609901	0.959	1.01		
4.372	36108	28635	0.793	0.05		
4.417	1692750	1588767	0.939	2.70		
4.453	1331839	978159	0.734	2.12		
4.546	2184137	1978129	0.906	3.49		
4.617	508881	469073	0.922	0.81		
4.680	35054	29148	0.832	0.05		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.726	105197	91550	0.870	0.16	
4.769	122661	117412	0.957	0.19	
4.814	1044933	1018344	0.975	1.66	
4.849	1747424	1640600	0.939	2.79	
4.879	2259358	1670288	0.739	3.61	
4.958	257618	206246	0.801	0.41	
5.037	1890389	1718139	0.909	3.02	
5.100	401551	318982	0.794	0.64	
5.163	472012	441234	0.935	0.75	
5.213	355660	314958	0.886	0.56	
5.286	29890	27564	0.922	0.04	
5.311	83705	68170	0.814	0.13	
5.364	301164	261411	0.868	0.48	
5.407	509309	451496	0.886	0.81	
5.445	334594	277269	0.829	0.53	
5.509	841921	651295	0.774	1.34	
5.605	255376	218910	0.857	0.40	
5.678	22556	17148	0.760	0.03	
5.717	46249	39239	0.848	0.07	
5.741	70982	58982	0.831	0.11	
5.793	601893	487520	0.810	0.96	
5.888	90739	56064	0.618	0.14	
5.996	18848	17967	0.953	0.03	
6.025	494570	434696	0.879	0.79	
6.055	94751	75807	0.800	0.15	
6.167	43225	29320	0.678	0.06	
6.227	36179	22391	0.619	0.05	
6.298	159553	135640	0.850	0.25	
6.334	38685	28936	0.748	0.06	
6.377	33304	20685	0.621	0.05	
6.537	60223	50647	0.841	0.09	
6.804	34153	30829	0.903	0.05	
7.006	17283	12447	0.720	0.02	
7.126	26579	14899	0.561	0.04	
7.251	12264	12902	1.052	0.01	
7.726	42507	35890	0.844	0.06	
7.802	24391	23419	0.960	0.03	
8.277	86483	69397	0.802	0.13	
8.377	21031	14261	0.678	0.03	
8.573	9665476	8353148	0.864	15.44	
8.947	18281	11560	0.632	0.02	
9.088	11569	10817	0.935	0.01	
9.469	15262	13186	0.864	0.02	
9.963	30595	19946	0.652	0.04	
	62580323	54528151		100.000	

Total unknown % area = 79

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618028.D
Lab Smp Id: 1242-CAL4B Client Smp ID: 1242-CAL4B
Inj Date : 06-MAR-2018 14:32
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal4b, 185545:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 14:32 Cal File: 030618028.D
Als bottle: 15 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
3 Aroclor 1242					CAS #: 53469-21-9			
3.318	3.318	0.000	1896850	0.80000	0.75	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	1913733	0.80000	0.76	0.00- 20.00	100.89	BA
3.827	3.827	0.000	5388263	0.80000	0.76	0.00- 20.00	284.06	BA
3.930	3.929	0.001	2300081	0.80000	0.76	0.00- 20.00	121.26	BA
3.995	3.995	0.000	1542626	0.80000	0.75	0.00- 20.00	81.33	BA
Average of Peak Amounts =					0.75600			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618028.D

Date : 06-MAR-2018 14:32

Client ID: 1242-CAL4B

Instrument: 40GCSJ.i

Sample Info: 1242-CAL4B, 185545:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618028.D (ManInt: NSAR1242.sub Orig: NSAR1242.sub)
Injection Date: 06-MAR-2018 14:32 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CAL4B





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	1890576	1896850	BA
Aroclor 1242	1890576	1896850	BA
Aroclor 1242	1890576	1896850	BA
Aroclor 1242	1890576	1896850	BA
Aroclor 1242	1890576	1896850	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618030.D
Lab Smp Id: 1242-CAL5B Client Smp ID: 1242-CAL5B
Inj Date : 06-MAR-2018 14:48
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal5b, 185546:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 14:48 Cal File: 030618030.D
Als bottle: 16 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	13142	9158	0.697	0.01		
1.429	100388	88167	0.878	0.12		
1.538	43436	37040	0.853	0.05		
1.802	27170	23817	0.877	0.03		
2.200	13193	7765	0.589	0.01		
2.404	223179	177740	0.796	0.26		
2.485	17637176	17309158	0.981	21.53		
2.687	332628	271512	0.816	0.39		
2.788	576258	556266	0.965	0.69		
2.850	1731132	1639872	0.947	2.07		
3.055	271375	257132	0.948	0.32		
3.199	9596	8183	0.853	0.01		
3.278	40145	29795	0.742	0.04		
3.318	2329240	2178022	0.935	2.79	3 Aroclor 1242	BA
3.344	1365925	1274431	0.933	1.63		
3.434	376796	349333	0.927	0.45		
3.514	2361399	1699901	0.720	2.82	3 Aroclor 1242	BA
3.611	53162	49737	0.936	0.06		
3.648	38548	26960	0.699	0.04		
3.697	65654	64327	0.980	0.07		
3.732	603958	618832	1.025	0.72		
3.756	391796	382124	0.975	0.46		
3.828	6706645	3996192	0.596	8.03	3 Aroclor 1242	BA
3.929	2857802	2355014	0.824	3.42	3 Aroclor 1242	BA
3.994	1922508	1833827	0.954	2.30	3 Aroclor 1242	BA
4.059	555199	530529	0.956	0.66		
4.136	222505	199818	0.898	0.26		
4.215	1575639	1501683	0.953	1.88		
4.261	1524934	1467406	0.962	1.82		
4.293	649073	667869	1.029	0.77		
4.311	810435	768258	0.948	0.97		
4.371	43433	37094	0.854	0.05		
4.417	2107983	1937856	0.919	2.52		
4.452	1647097	1208682	0.734	1.97		
4.546	2757523	2530813	0.918	3.30		
4.617	639793	601712	0.940	0.76		
4.681	44151	33585	0.761	0.05		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.728	132122	115497	0.874	0.15	
4.768	152881	144940	0.948	0.18	
4.814	1304656	1285158	0.985	1.56	
4.848	2176719	2065105	0.949	2.60	
4.878	2810648	2043331	0.727	3.36	
4.958	313624	254506	0.811	0.37	
5.038	2364110	2159153	0.913	2.83	
5.099	500540	389011	0.777	0.59	
5.163	588453	534323	0.908	0.70	
5.213	446583	410279	0.919	0.53	
5.283	33027	31901	0.966	0.03	
5.308	101588	84023	0.827	0.12	
5.363	379663	323299	0.852	0.45	
5.407	645531	557984	0.864	0.77	
5.447	411135	369925	0.900	0.49	
5.510	1059127	856260	0.808	1.26	
5.604	309697	267220	0.863	0.37	
5.676	26819	20072	0.748	0.03	
5.717	59263	49321	0.832	0.07	
5.742	85889	77700	0.905	0.10	
5.763	25900	36740	1.419	0.03	
5.792	730478	608087	0.832	0.87	
5.888	108449	69349	0.639	0.12	
5.993	23548	21446	0.911	0.02	
6.024	621770	555127	0.893	0.74	
6.056	116744	93958	0.805	0.13	
6.169	44881	36731	0.818	0.05	
6.227	46866	28002	0.597	0.05	
6.299	198407	171669	0.865	0.23	
6.334	48913	37408	0.765	0.05	
6.372	34798	26791	0.770	0.04	
6.535	86352	62639	0.725	0.10	
6.608	17596	12479	0.709	0.02	
6.719	9324	8755	0.939	0.01	
6.803	41284	37893	0.918	0.04	
7.004	14125	13843	0.980	0.01	
7.122	30632	19166	0.626	0.03	
7.251	21667	14526	0.670	0.02	
7.694	10065	10273	1.021	0.01	
7.729	57227	51664	0.903	0.06	
7.800	40976	33029	0.806	0.04	
8.276	125210	109793	0.877	0.14	
8.377	17875	15033	0.841	0.02	
8.572	14386052	12725920	0.885	17.23	
9.089	27631	16553	0.599	0.03	
9.466	10052	7309	0.727	0.01	
9.961	14595	11352	0.778	0.01	
	83483509	73604153		100.000	

Total unknown % area = 81

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618030.D
Lab Smp Id: 1242-CAL5B Client Smp ID: 1242-CAL5B
Inj Date : 06-MAR-2018 14:48
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-cal5b, 185546:1
Misc Info : 17498,NSAR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 14:48 Cal File: 030618030.D
Als bottle: 16 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
3 Aroclor 1242					CAS #: 53469-21-9			
3.318	3.318	0.000	2329239	1.00000	0.92	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	2361398	1.00000	0.94	0.00- 20.00	101.38	BA
3.827	3.827	0.000	6706645	1.00000	0.94	0.00- 20.00	287.93	BA
3.929	3.929	0.000	2857801	1.00000	0.94	0.00- 20.00	122.69	BA
3.994	3.995	-0.001	1922507	1.00000	0.94	0.00- 20.00	82.54	BA
Average of Peak Amounts =					0.93600			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618030.D

Date : 06-MAR-2018 14:48

Client ID: 1242-CAL5B

Instrument: 40GCSJ.i

Sample Info: 1242-CAL5B, 185546:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618030.D (ManInt: NSAR1242.sub Orig: NSAR1242.sub)
Injection Date: 06-MAR-2018 14:48 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CAL5B





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	2319478	2329239	BA
Aroclor 1242	2319478	2329239	BA
Aroclor 1242	2319478	2329239	BA
Aroclor 1242	2319478	2329239	BA
Aroclor 1242	2319478	2329239	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618034.D
Lab Smp Id: 1248-CAL1D Client Smp ID: 1248-CAL1D
Inj Date : 06-MAR-2018 15:21
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal1d, 188134:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 15:21 Cal File: 030618034.D
Als bottle: 18 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	14305	12931	0.904	0.15		
2.484	1247615	1209145	0.969	13.39		
2.788	24449	24176	0.989	0.25		
2.851	42332	37681	0.890	0.44		
3.054	17847	15627	0.876	0.18		
3.319	154829	149314	0.964	1.63		
3.345	69818	62303	0.892	0.73		
3.434	21759	16384	0.753	0.22		
3.514	129337	91632	0.708	1.36		
3.732	41192	29456	0.715	0.43		
3.815	249582	260696	1.045	2.62		
3.827	243092	265599	1.093	2.56		
3.930	196862	149009	0.757	2.07		
3.994	130100	120464	0.926	1.37		
4.060	81123	71377	0.880	0.85		
4.135	37994	31819	0.837	0.40		
4.215	323817	309946	0.957	3.41		
4.261	252265	240506	0.953	2.65	6 Aroclor 1248	BA
4.293	108819	107853	0.991	1.14		
4.310	114993	111028	0.966	1.21		
4.418	386700	369661	0.956	4.07		
4.452	202370	173038	0.855	2.13		
4.546	444141	405258	0.912	4.67	6 Aroclor 1248	BA
4.618	103930	97669	0.940	1.09		
4.723	15775	14602	0.926	0.16		
4.768	26846	24690	0.920	0.28		
4.814	217596	209298	0.962	2.29	6 Aroclor 1248	BA
4.848	417341	413186	0.990	4.39		
4.879	538491	358710	0.666	5.67	6 Aroclor 1248	BA
4.956	69249	57131	0.825	0.72		
5.038	375736	339065	0.902	3.95	6 Aroclor 1248	BA
5.100	148135	110594	0.747	1.56		
5.163	166243	148041	0.891	1.75		
5.212	121348	109604	0.903	1.27		
5.313	32609	23414	0.718	0.34		
5.363	107678	94673	0.879	1.13		
5.408	174507	147282	0.844	1.83		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.447	107960	95389	0.884	1.13	
5.510	292671	230307	0.787	3.08	
5.606	86504	77757	0.899	0.91	
5.677	14791	13016	0.880	0.15	
5.715	25257	18019	0.713	0.26	
5.741	25694	22207	0.864	0.27	
5.793	207991	150871	0.725	2.19	
5.891	26284	18285	0.696	0.27	
6.024	187756	132978	0.708	1.97	
6.173	26666	15778	0.592	0.28	
6.301	55473	43247	0.780	0.58	
6.372	11356	9835	0.866	0.11	
6.509	11520	12779	1.109	0.12	
6.535	21081	15879	0.753	0.22	
6.720	14478	10691	0.738	0.15	
6.801	13412	10673	0.796	0.14	
7.001	12573	13352	1.062	0.13	
7.250	10465	7692	0.735	0.11	
7.384	10819	8597	0.795	0.11	
7.445	14986	9827	0.656	0.15	
8.276	19065	13591	0.713	0.20	
8.376	10132	9028	0.891	0.10	
8.572	1203814	1072809	0.891	12.67	
8.944	15824	11638	0.735	0.16	
9.963	17710	12713	0.718	0.18	
	9495108	8449820		100.000	

Total unknown % area = 81

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618034.D
Lab Smp Id: 1248-CAL1D Client Smp ID: 1248-CAL1D
Inj Date : 06-MAR-2018 15:21
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal1d, 188134:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 15:21 Cal File: 030618034.D
Als bottle: 18 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	252264	0.10000	0.11	0.00- 20.00	100.00(M)	BA
4.546	4.546	0.000	444140	0.10000	0.11	0.00- 20.00	176.06	BA
4.814	4.812	0.002	217595	0.10000	0.11	0.00- 20.00	86.26	BA
4.879	4.879	0.000	538491	0.10000	0.11	0.00- 20.00	213.46	BA
5.037	5.038	-0.001	375736	0.10000	0.10	0.00- 20.00	148.95	BA
Average of Peak Amounts =					0.10800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618034.D
Date : 06-MAR-2018 15:21
Client ID: 1248-CAL1D
Sample Info: 1248-CAL1D, 188134:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618034.D (ManInt: NSAR1248.sub Orig: NSAR1248.sub)
Injection Date: 06-MAR-2018 15:21 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CAL1D





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	249611	252264	BA
Aroclor 1248	249611	252264	BA
Aroclor 1248	249611	252264	BA
Aroclor 1248	249611	252264	BA
Aroclor 1248	249611	252264	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618036.D
Lab Smp Id: 1248-CAL2D Client Smp ID: 1248-CAL2D
Inj Date : 06-MAR-2018 15:37
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal2d, 185548:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 15:37 Cal File: 030618036.D
Als bottle: 19 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	14828	12598	0.850	0.08		
1.430	17405	15532	0.892	0.09		
1.539	10978	9178	0.836	0.05		
2.484	2410492	2310272	0.958	13.49		
2.687	17007	12868	0.757	0.09		
2.788	48103	47022	0.978	0.26		
2.850	76500	74948	0.980	0.41		
3.054	25960	22998	0.886	0.14		
3.317	298832	283610	0.949	1.62		
3.344	124976	117615	0.941	0.68		
3.435	29128	26666	0.915	0.15		
3.515	253342	181031	0.715	1.37		
3.731	81061	56758	0.700	0.44		
3.815	462892	504630	1.090	2.51		
3.826	513591	533097	1.038	2.79		
3.930	374207	289234	0.773	2.03		
3.994	244564	239466	0.979	1.33		
4.058	144578	133216	0.921	0.78		
4.138	61375	54340	0.885	0.33		
4.215	629384	607757	0.966	3.42		
4.262	495628	473751	0.956	2.69	6 Aroclor 1248	BA
4.292	207266	214773	1.036	1.12		
4.310	218472	204865	0.938	1.18		
4.418	768532	734950	0.956	4.18		
4.453	378840	319389	0.843	2.06		
4.546	893337	815571	0.913	4.86	6 Aroclor 1248	BA
4.619	201356	185248	0.920	1.09		
4.680	15861	10971	0.692	0.08		
4.727	29910	23588	0.789	0.16		
4.768	49430	45109	0.913	0.26		
4.813	420194	408578	0.972	2.28	6 Aroclor 1248	BA
4.849	831772	785146	0.944	4.52		
4.879	1060573	728567	0.687	5.77	6 Aroclor 1248	BA
4.957	136900	106494	0.778	0.74		
5.037	754040	696546	0.924	4.10	6 Aroclor 1248	BA
5.100	272713	215866	0.792	1.48		
5.163	325949	288755	0.886	1.77		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.213	228553	210074	0.919	1.24	
5.284	17412	16457	0.945	0.09	
5.311	55636	44138	0.793	0.30	
5.365	206530	172716	0.836	1.12	
5.407	337971	295228	0.874	1.83	
5.446	206711	185231	0.896	1.12	
5.511	560479	467877	0.835	3.05	
5.606	165540	145657	0.880	0.90	
5.677	22681	19784	0.872	0.12	
5.717	37903	28891	0.762	0.20	
5.740	60086	37215	0.619	0.32	
5.793	371069	303747	0.819	2.02	
5.889	58211	32981	0.567	0.31	
5.992	13175	13785	1.046	0.07	
6.025	314967	267323	0.849	1.71	
6.057	68435	55542	0.812	0.37	
6.170	38384	24308	0.633	0.20	
6.299	99670	82914	0.832	0.54	
6.332	23115	17884	0.774	0.12	
6.374	20547	14764	0.719	0.11	
6.512	20781	18606	0.895	0.11	
6.536	45734	28211	0.617	0.24	
6.605	13055	7483	0.573	0.07	
6.719	20846	19042	0.913	0.11	
6.807	17328	17245	0.995	0.09	
7.005	39579	28763	0.727	0.21	
7.128	13661	9160	0.671	0.07	
7.254	16230	12319	0.759	0.08	
7.391	15959	13660	0.856	0.08	
7.448	19126	12843	0.671	0.10	
7.727	14015	12218	0.872	0.07	
7.904	9772	9677	0.990	0.05	
8.273	24829	20353	0.820	0.13	
8.382	9612	9180	0.955	0.05	
8.572	2222844	1814975	0.817	12.10	
8.942	19336	12310	0.637	0.10	
9.470	19278	15347	0.796	0.10	
9.966	19855	14911	0.751	0.10	
	18368893	16303822		100.000	

Total unknown % area = 80

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618036.D
Lab Smp Id: 1248-CAL2D Client Smp ID: 1248-CAL2D
Inj Date : 06-MAR-2018 15:37
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal2d, 185548:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 15:37 Cal File: 030618036.D
Als bottle: 19 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	495628	0.20000	0.21	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	893336	0.20000	0.22	0.00- 20.00	180.24	BA
4.813	4.812	0.001	420194	0.20000	0.21	0.00- 20.00	84.78	BA
4.878	4.879	-0.001	1060573	0.20000	0.21	0.00- 20.00	213.99	BA
5.036	5.038	-0.002	754040	0.20000	0.21	0.00- 20.00	152.14	BA
Average of Peak Amounts =					0.21200			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618036.D

Date : 06-MAR-2018 15:37

Client ID: 1248-CAL2D

Instrument: 40GCSJ.i

Sample Info: 1248-CAL2D, 185548:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618036.D (ManInt: NSAR1248.sub Orig: NSAR1248.sub)
Injection Date: 06-MAR-2018 15:37 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CAL2D





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	491137	495628	BA
Aroclor 1248	491137	495628	BA
Aroclor 1248	491137	495628	BA
Aroclor 1248	491137	495628	BA
Aroclor 1248	491137	495628	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618038.D
Lab Smp Id: 1248-CAL3D Client Smp ID: 1248-CAL3D
Inj Date : 06-MAR-2018 15:53
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal3d, 185549:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 15:53 Cal File: 030618038.D
Als bottle: 20 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	52291	42958	0.822	0.11		
1.429	43894	31713	0.722	0.09		
1.534	22011	15352	0.697	0.05		
1.684	14849	11921	0.803	0.03		
2.012	36627	27328	0.746	0.08		
2.407	26546	19456	0.733	0.06		
2.484	6017126	5772700	0.959	14.16		
2.690	32471	25048	0.771	0.07		
2.787	113251	108295	0.956	0.25		
2.852	188762	171319	0.908	0.42		
3.029	16871	18416	1.092	0.03		
3.055	67710	56713	0.838	0.15		
3.317	703226	686995	0.977	1.60		
3.344	286830	276759	0.965	0.65		
3.435	67890	58817	0.866	0.15		
3.516	596412	432178	0.725	1.35		
3.611	19167	18609	0.971	0.04		
3.647	15129	9511	0.629	0.03		
3.732	135042	128551	0.952	0.30		
3.756	64325	57019	0.886	0.14		
3.813	1062140	1201939	1.132	2.41		
3.826	1285788	1271741	0.989	2.92		
3.930	900477	692801	0.769	2.04		
3.994	605988	570061	0.941	1.37		
4.058	351201	319673	0.910	0.79		
4.137	149029	131722	0.884	0.33		
4.215	1475927	1383740	0.938	3.35		
4.261	1173198	1126600	0.960	2.66	6 Aroclor 1248	BA
4.293	494927	502286	1.015	1.12		
4.310	515717	488015	0.946	1.17		
4.417	1799324	1700045	0.945	4.09		
4.452	888654	777134	0.875	2.02		
4.546	2052388	1889189	0.920	4.66	6 Aroclor 1248	BA
4.588	34383	33944	0.987	0.07		
4.618	476094	438433	0.921	1.08		
4.681	29129	21872	0.751	0.06		
4.727	64061	51195	0.799	0.14		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.769	110931	104719	0.944	0.25	
4.813	1017191	989120	0.972	2.31	6 Aroclor 1248
4.848	1949790	1821792	0.934	4.43	
4.879	2527488	1652488	0.654	5.75	6 Aroclor 1248
4.957	303686	249082	0.820	0.69	
5.038	1794002	1655561	0.923	4.08	6 Aroclor 1248
5.100	643410	513336	0.798	1.46	
5.162	765077	698728	0.913	1.74	
5.213	547175	504652	0.922	1.24	
5.284	41401	37162	0.898	0.09	
5.308	120103	105343	0.877	0.27	
5.363	470348	418426	0.890	1.07	
5.407	811478	707819	0.872	1.84	
5.445	498126	442022	0.887	1.13	
5.510	1346051	1105489	0.821	3.06	
5.605	392604	337924	0.861	0.89	
5.674	48073	38822	0.808	0.10	
5.717	86755	62682	0.723	0.19	
5.740	101326	88143	0.870	0.23	
5.765	28818	38498	1.336	0.06	
5.792	911257	762608	0.837	2.07	
5.889	94463	79681	0.844	0.21	
5.913	50133	31292	0.624	0.11	
5.994	30626	28514	0.931	0.06	
6.025	762038	662252	0.869	1.73	
6.055	160892	129589	0.805	0.36	
6.171	81256	53475	0.658	0.18	
6.228	54811	30043	0.548	0.12	
6.300	235601	196601	0.834	0.53	
6.333	46391	39165	0.844	0.10	
6.376	41268	29678	0.719	0.09	
6.447	37982	15949	0.420	0.08	
6.509	37155	37405	1.007	0.08	
6.537	96382	65323	0.678	0.21	
6.604	13761	11378	0.827	0.03	
6.719	40218	33312	0.828	0.09	
6.759	20105	17496	0.870	0.04	
6.803	43393	37801	0.871	0.09	
6.843	24388	14465	0.593	0.05	
6.941	11214	8137	0.726	0.02	
7.004	73324	59305	0.809	0.16	
7.126	31431	17422	0.554	0.07	
7.250	27971	25551	0.913	0.06	
7.391	30533	26580	0.871	0.06	
7.444	27775	25655	0.924	0.06	
7.693	17906	15318	0.855	0.04	
7.728	28913	24590	0.850	0.06	
7.779	18403	15964	0.867	0.04	
7.802	17401	15137	0.870	0.03	
7.901	30922	23185	0.750	0.07	
8.276	52635	47411	0.901	0.11	
8.380	33122	21479	0.648	0.07	
8.571	5194473	4505821	0.867	11.81	
8.943	27069	16672	0.616	0.06	
9.470	33315	19626	0.589	0.07	
9.960	28297	18719	0.662	0.06	
	43949512	39304455		100.000	

Total unknown % area = 80

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618038.D
Lab Smp Id: 1248-CAL3D Client Smp ID: 1248-CAL3D
Inj Date : 06-MAR-2018 15:53
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal3d, 185549:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 15:53 Cal File: 030618038.D
Als bottle: 20 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	1173198	0.50000	0.50	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	2052387	0.50000	0.49	0.00- 20.00	174.94	BA
4.813	4.812	0.001	1017190	0.50000	0.50	0.00- 20.00	86.70	BA
4.879	4.879	0.000	2527488	0.50000	0.50	0.00- 20.00	215.44	BA
5.037	5.038	-0.001	1794001	0.50000	0.50	0.00- 20.00	152.92	BA
Average of Peak Amounts =					0.49800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618038.D

Date : 06-MAR-2018 15:53

Client ID: 1248-CAL3D

Instrument: 40GCSJ.i

Sample Info: 1248-CAL3D, 185549:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618038.D (ManInt: NSAR1248.sub Orig: NSAR1248.sub)
Injection Date: 06-MAR-2018 15:53 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CAL3D





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	1161123	1173198	BA
Aroclor 1248	1161123	1173198	BA
Aroclor 1248	1161123	1173198	BA
Aroclor 1248	1161123	1173198	BA
Aroclor 1248	1161123	1173198	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618040.D
Lab Smp Id: 1248-CAL4D Client Smp ID: 1248-CAL4D
Inj Date : 06-MAR-2018 16:09
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal4d, 185550:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 16:09 Cal File: 030618040.D
Als bottle: 21 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.184	23783	14012	0.589	0.03		
1.430	68772	56288	0.818	0.09		
1.538	27818	21841	0.785	0.03		
2.406	41368	29218	0.706	0.05		
2.485	11662105	11112795	0.953	17.14		
2.688	47215	38573	0.817	0.06		
2.788	203552	191980	0.943	0.29		
2.851	287413	258349	0.899	0.41		
3.055	100338	85256	0.850	0.14		
3.318	1056102	1019716	0.966	1.50		
3.345	441526	421992	0.956	0.63		
3.434	97081	90204	0.929	0.13		
3.515	910659	658598	0.723	1.30		
3.611	32844	31062	0.946	0.04		
3.651	12163	10814	0.889	0.01		
3.695	12227	11029	0.902	0.01		
3.732	195496	195587	1.000	0.27		
3.756	83420	81444	0.976	0.11		
3.814	1567662	1791160	1.143	2.24		
3.827	1917579	1885095	0.983	2.74		
3.931	1340766	1031743	0.770	1.91		
3.994	893318	859435	0.962	1.27		
4.059	507945	474678	0.935	0.72		
4.137	209816	195120	0.930	0.29		
4.216	2174966	1996009	0.918	3.10		
4.262	1747290	1634508	0.935	2.49	6 Aroclor 1248	BA
4.293	719186	757380	1.053	1.02		
4.311	795770	743692	0.935	1.13		
4.418	2683345	2471775	0.921	3.83		
4.453	1336671	1172433	0.877	1.91		
4.546	3077708	2813367	0.914	4.39	6 Aroclor 1248	BA
4.592	50782	48315	0.951	0.07		
4.618	721531	680792	0.944	1.03		
4.682	39778	31109	0.782	0.05		
4.727	90436	74601	0.825	0.12		
4.768	164069	159220	0.970	0.23		
4.814	1529584	1458936	0.954	2.18	6 Aroclor 1248	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.849	2912545	2807178	0.964	4.16	
4.879	3756486	2507650	0.668	5.36	6 Aroclor 1248
4.959	446081	367801	0.825	0.63	
5.038	2709000	2506705	0.925	3.87	6 Aroclor 1248
5.100	972027	775936	0.798	1.38	
5.163	1142709	1049261	0.918	1.63	
5.213	827376	755691	0.913	1.18	
5.285	59301	53069	0.895	0.08	
5.309	180372	153614	0.852	0.25	
5.364	725905	634309	0.874	1.03	
5.408	1217313	1074540	0.883	1.73	
5.447	755270	658840	0.872	1.07	
5.510	2000999	1684613	0.842	2.85	
5.605	577093	528233	0.915	0.82	
5.676	67052	59659	0.890	0.09	
5.718	120890	90293	0.747	0.17	
5.742	139371	130806	0.939	0.19	
5.763	48200	56761	1.178	0.06	
5.793	1366535	1115283	0.816	1.95	
5.888	190518	116597	0.612	0.27	
5.995	43830	40905	0.933	0.06	
6.025	1167064	1029378	0.882	1.66	
6.056	233192	189145	0.811	0.33	
6.171	117974	81314	0.689	0.16	
6.229	73058	40661	0.557	0.10	
6.299	353507	303097	0.857	0.50	
6.334	67864	56427	0.831	0.09	
6.373	56825	43449	0.765	0.08	
6.434	31012	16905	0.545	0.04	
6.512	66221	56258	0.850	0.09	
6.538	139332	94112	0.675	0.19	
6.604	20526	17194	0.838	0.02	
6.665	17050	12889	0.756	0.02	
6.720	59223	48657	0.822	0.08	
6.761	28886	25179	0.872	0.04	
6.804	64363	56227	0.874	0.09	
6.841	26723	19155	0.717	0.03	
7.005	107576	96122	0.894	0.15	
7.124	36317	20799	0.573	0.05	
7.253	47298	40406	0.854	0.06	
7.284	14796	11885	0.803	0.02	
7.392	50134	42799	0.854	0.07	
7.444	51593	44890	0.870	0.07	
7.690	21646	19744	0.912	0.03	
7.730	50158	42338	0.844	0.07	
7.804	37842	29484	0.779	0.05	
7.903	37446	35295	0.943	0.05	
8.276	107716	86008	0.798	0.15	
8.382	16440	13810	0.840	0.02	
8.573	9713869	8374648	0.862	13.88	
9.468	13816	9740	0.705	0.01	
9.968	11075	9075	0.819	0.01	
	69971497	62742960		100.000	

Total unknown % area = 82

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618040.D
Lab Smp Id: 1248-CAL4D Client Smp ID: 1248-CAL4D
Inj Date : 06-MAR-2018 16:09
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal4d, 185550:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 16:09 Cal File: 030618040.D
Als bottle: 21 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	1747289	0.80000	0.74	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	3077707	0.80000	0.74	0.00- 20.00	176.14	BA
4.813	4.812	0.001	1529584	0.80000	0.75	0.00- 20.00	87.54	BA
4.878	4.879	-0.001	3756485	0.80000	0.74	0.00- 20.00	214.99	BA
5.038	5.038	0.000	2708999	0.80000	0.75	0.00- 20.00	155.04	BA
Average of Peak Amounts =					0.74400			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618040.D

Date : 06-MAR-2018 16:09

Client ID: 1248-CAL4D

Instrument: 40GCSJ.i

Sample Info: 1248-CAL4D, 185550:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618040.D (ManInt: NSAR1248.sub Orig: NSAR1248.sub)
Injection Date: 06-MAR-2018 16:09 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CAL4D





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	1739344	1747289	BA
Aroclor 1248	1739344	1747289	BA
Aroclor 1248	1739344	1747289	BA
Aroclor 1248	1739344	1747289	BA
Aroclor 1248	1739344	1747289	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618042.D
Lab Smp Id: 1248-CAL5D Client Smp ID: 1248-CAL5D
Inj Date : 06-MAR-2018 16:25
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal5d, 185551:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 16:25 Cal File: 030618042.D
Als bottle: 22 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.184	15397	13334	0.866	0.01		
1.430	101369	87214	0.860	0.10		
1.537	43989	34591	0.786	0.04		
2.406	47903	33430	0.698	0.05		
2.485	17721229	17125552	0.966	19.37		
2.688	56165	47205	0.840	0.05		
2.788	288750	277495	0.961	0.30		
2.851	348759	325290	0.933	0.37		
3.054	123922	115841	0.935	0.13		
3.273	9293	8724	0.939	0.00		
3.318	1341983	1263092	0.941	1.43		
3.344	567538	536022	0.944	0.60		
3.434	126309	115528	0.915	0.13		
3.516	1155877	827361	0.716	1.23		
3.611	47908	47362	0.989	0.05		
3.647	10831	12550	1.159	0.01		
3.696	12947	14220	1.098	0.01		
3.732	246189	245791	0.998	0.26		
3.758	102423	103998	1.015	0.10		
3.814	1931729	2268598	1.174	2.06		
3.826	2479017	2389735	0.964	2.64		
3.931	1695811	1294913	0.764	1.80		
3.995	1133597	1088944	0.961	1.20		
4.059	642924	621662	0.967	0.68		
4.136	260443	245788	0.944	0.27		
4.216	2732694	2586455	0.946	2.91		
4.261	2183583	2056861	0.942	2.32	6 Aroclor 1248	BA
4.293	940491	949013	1.009	1.00		
4.310	984371	940127	0.955	1.05		
4.373	17082	14222	0.833	0.01		
4.418	3371096	3162549	0.938	3.59		
4.453	1703074	1454953	0.854	1.81		
4.546	3891543	3587538	0.922	4.15	6 Aroclor 1248	BA
4.591	55507	60505	1.090	0.05		
4.618	922889	867798	0.940	0.98		
4.679	46691	38089	0.816	0.04		
4.728	116729	92875	0.796	0.12		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.769	206094	200087	0.971	0.21	
4.814	1927122	1857150	0.964	2.05	6 Aroclor 1248
4.849	3694572	3560273	0.964	3.94	
4.880	4748871	3261898	0.687	5.06	6 Aroclor 1248
4.958	573809	487686	0.850	0.61	
5.038	3440920	3224544	0.937	3.67	6 Aroclor 1248
5.099	1231738	975474	0.792	1.31	
5.163	1442598	1311329	0.909	1.53	
5.213	1046539	961794	0.919	1.11	
5.285	77016	69190	0.898	0.08	
5.309	226198	194152	0.858	0.24	
5.364	920750	826849	0.898	0.98	
5.407	1532611	1323050	0.863	1.63	
5.446	983454	847993	0.862	1.04	
5.511	2532627	2102151	0.830	2.70	
5.605	736667	659983	0.896	0.78	
5.676	82056	71573	0.872	0.08	
5.717	150366	114784	0.763	0.16	
5.741	184149	167330	0.909	0.19	
5.762	57712	71463	1.238	0.06	
5.793	1735942	1359776	0.783	1.85	
5.890	231734	149127	0.644	0.24	
5.994	49770	49696	0.999	0.05	
6.025	1490983	1293880	0.868	1.59	
6.056	314721	242832	0.772	0.33	
6.169	146062	104225	0.714	0.15	
6.227	101525	50840	0.501	0.10	
6.299	449260	381467	0.849	0.47	
6.335	84948	72590	0.855	0.09	
6.375	71691	55450	0.773	0.07	
6.435	33526	20718	0.618	0.03	
6.510	77044	72111	0.936	0.08	
6.537	172087	123276	0.716	0.18	
6.609	25723	18897	0.735	0.02	
6.660	18434	15697	0.852	0.01	
6.721	70509	61602	0.874	0.07	
6.760	38763	32658	0.843	0.04	
6.802	83703	70972	0.848	0.08	
6.842	38188	23754	0.622	0.04	
6.914	13236	11502	0.869	0.01	
6.943	16695	13481	0.807	0.01	
7.006	152792	119576	0.783	0.16	
7.122	35477	27446	0.774	0.03	
7.252	56007	44086	0.787	0.05	
7.388	61340	50925	0.830	0.06	
7.446	59037	54928	0.930	0.06	
7.692	28579	27869	0.975	0.03	
7.730	76894	62730	0.816	0.08	
7.802	60957	40295	0.661	0.06	
7.901	57972	43159	0.744	0.06	
8.276	150141	122351	0.815	0.16	
8.379	21548	15836	0.735	0.02	
8.573	14394097	12289354	0.854	15.35	
8.946	18562	11531	0.621	0.01	
9.086	15319	13297	0.868	0.01	
9.963	9351	8698	0.930	0.00	
	93736539	84400610		100.000	

Total unknown % area = 83

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618042.D
Lab Smp Id: 1248-CAL5D Client Smp ID: 1248-CAL5D
Inj Date : 06-MAR-2018 16:25
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-cal5d, 185551:1
Misc Info : 17498,NSAR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 16:25 Cal File: 030618042.D
Als bottle: 22 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	2183582	1.00000	0.93	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	3891542	1.00000	0.94	0.00- 20.00	178.22	BA
4.813	4.812	0.001	1927121	1.00000	0.95	0.00- 20.00	88.26	BA
4.879	4.879	0.000	4748871	1.00000	0.94	0.00- 20.00	217.48	BA
5.037	5.038	-0.001	3440920	1.00000	0.96	0.00- 20.00	157.58	BA
Average of Peak Amounts =					0.94400			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618042.D

Date : 06-MAR-2018 16:25

Client ID: 1248-CAL5D

Instrument: 40GCSJ.i

Sample Info: 1248-CAL5D, 185551:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618042.D (ManInt: NSAR1248.sub Orig: NSAR1248.sub)
Injection Date: 06-MAR-2018 16:25 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CAL5D





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	2175285	2183582	BA
Aroclor 1248	2175285	2183582	BA
Aroclor 1248	2175285	2183582	BA
Aroclor 1248	2175285	2183582	BA
Aroclor 1248	2175285	2183582	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618046.D
Lab Smp Id: 1254-CAL1C Client Smp ID: 1254-CAL1C
Inj Date : 06-MAR-2018 16:57
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal1c, 188135:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 16:57 Cal File: 030618046.D
Als bottle: 24 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	48987	40093	0.818	0.41		
1.426	12583	10350	0.823	0.10		
1.686	14588	13145	0.901	0.12		
2.011	39185	27090	0.691	0.33		
2.484	1264026	1229666	0.973	11.03		
2.787	25737	23306	0.906	0.21		
3.028	26930	17363	0.645	0.22		
3.814	29490	14918	0.506	0.25		
4.000	27012	19985	0.740	0.22		
4.046	9554	8540	0.894	0.08		
4.215	267608	259554	0.970	2.27		
4.260	70496	69050	0.979	0.59		
4.293	14185	11720	0.826	0.12		
4.418	167997	155970	0.928	1.42		
4.452	20339	17534	0.862	0.17		
4.547	73516	70272	0.956	0.62		
4.615	15012	14316	0.954	0.12		
4.813	63092	62377	0.989	0.53		
4.848	232331	222423	0.957	1.97		
4.895	547413	435444	0.795	4.64		
4.958	89049	77209	0.867	0.75		
5.038	53508	47334	0.885	0.45		
5.101	310238	269708	0.869	2.63		
5.163	578338	533266	0.922	4.91	7 Aroclor 1254	BA
5.213	259231	232363	0.896	2.20		
5.286	13290	15715	1.182	0.11		
5.310	48017	42464	0.884	0.40		
5.363	222324	207379	0.933	1.88		
5.408	461676	411346	0.891	3.91	7 Aroclor 1254	BA
5.446	153810	143804	0.935	1.30		
5.478	60811	58639	0.964	0.51		
5.511	843524	762911	0.904	7.16	7 Aroclor 1254	BA
5.605	121504	105369	0.867	1.03		
5.676	76082	73395	0.965	0.64		
5.712	129494	82303	0.636	1.09		
5.740	72702	60950	0.838	0.61		
5.791	864719	646413	0.748	7.34		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.885	76602	58309	0.761	0.65	
5.925	46537	28076	0.603	0.39	
5.994	69953	65994	0.943	0.59	
6.027	514088	428155	0.833	4.36	7 Aroclor 1254
6.056	378012	325072	0.860	3.20	
6.169	154351	125775	0.815	1.31	
6.228	120109	63109	0.525	1.01	
6.300	701502	599827	0.855	5.95	7 Aroclor 1254
6.335	126230	111073	0.880	1.07	
6.375	74344	60647	0.816	0.63	
6.443	34233	19876	0.581	0.29	
6.512	29729	27649	0.930	0.25	
6.536	235571	178655	0.758	2.00	
6.607	36815	29017	0.788	0.31	
6.719	47979	41305	0.861	0.40	
6.759	31561	26431	0.837	0.26	
6.803	129897	110305	0.849	1.10	
6.844	33654	23973	0.712	0.28	
6.948	16896	13072	0.774	0.14	
7.005	90785	79102	0.871	0.77	
7.138	27852	16095	0.578	0.23	
7.253	92553	68397	0.739	0.78	
7.776	24601	16237	0.660	0.20	
7.900	9733	7403	0.761	0.08	
8.278	11455	11514	1.005	0.09	
8.380	27407	19837	0.724	0.23	
8.573	1220451	1043440	0.855	10.36	
8.945	34590	22887	0.662	0.29	
9.468	24800	20749	0.837	0.21	
9.962	27633	19326	0.699	0.23	
	11778321	10154991		100.000	

Total unknown % area = 74

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618046.D
Lab Smp Id: 1254-CAL1C Client Smp ID: 1254-CAL1C
Inj Date : 06-MAR-2018 16:57
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal1c, 188135:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 16:57 Cal File: 030618046.D
Als bottle: 24 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
7 Aroclor 1254					CAS #: 11097-69-1			
5.163	5.162	0.001	578337	0.10000	0.11	0.00- 20.00	100.00(M)	BA
5.408	5.408	0.000	461675	0.10000	0.11	0.00- 20.00	79.83	BA
5.510	5.510	0.000	843524	0.10000	0.11	0.00- 20.00	145.85	BA
6.026	6.027	-0.001	514088	0.10000	0.10	0.00- 20.00	88.89	BA
6.299	6.299	0.000	701502	0.10000	0.11	0.00- 20.00	121.30	BA
Average of Peak Amounts =					0.10800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618046.D

Date : 06-MAR-2018 16:57

Client ID: 1254-CAL1C

Instrument: 40GCSJ.i

Sample Info: 1254-CAL1C, 188135:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618046.D (ManInt: NSAR1254.sub Orig: NSAR1254.sub)
Injection Date: 06-MAR-2018 16:57 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CAL1C





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	575308	578337	BA
Aroclor 1254	575308	578337	BA
Aroclor 1254	575308	578337	BA
Aroclor 1254	575308	578337	BA
Aroclor 1254	575308	578337	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618048.D
Lab Smp Id: 1254-CAL2C Client Smp ID: 1254-CAL2C
Inj Date : 06-MAR-2018 17:13
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal2c, 185553:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 17:13 Cal File: 030618048.D
Als bottle: 25 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.180	14785	11446	0.774	0.06		
1.428	22932	16453	0.717	0.10		
2.008	13252	7547	0.570	0.05		
2.484	2443152	2335532	0.956	11.18		
2.785	38923	36879	0.947	0.17		
3.317	15688	15090	0.962	0.06		
3.816	33314	23152	0.695	0.14		
3.936	25391	18861	0.743	0.11		
3.991	19776	14851	0.751	0.08		
4.057	14294	10125	0.708	0.06		
4.215	518990	504810	0.973	2.30		
4.262	130759	134614	1.029	0.57		
4.417	318089	306882	0.965	1.40		
4.453	36792	31401	0.853	0.16		
4.546	146634	140842	0.961	0.64		
4.594	9667	9066	0.938	0.04		
4.619	30811	24715	0.802	0.13		
4.679	14300	9754	0.682	0.06		
4.812	124031	118773	0.958	0.54		
4.848	455414	441589	0.970	2.01		
4.894	1053205	858019	0.815	4.66		
4.957	173883	154163	0.887	0.77		
5.038	101462	94180	0.928	0.44		
5.100	607083	520373	0.857	2.69		
5.163	1130516	1047365	0.926	5.01	7 Aroclor 1254	BA
5.213	500908	455276	0.909	2.22		
5.257	17625	16702	0.948	0.07		
5.285	29337	27985	0.954	0.13		
5.309	96003	86176	0.898	0.42		
5.363	431219	406625	0.943	1.91		
5.407	916372	831698	0.908	4.06	7 Aroclor 1254	BA
5.447	306543	274508	0.895	1.35		
5.478	113703	114036	1.003	0.50		
5.510	1657392	1480187	0.893	7.34	7 Aroclor 1254	BA
5.579	19853	16482	0.830	0.08		
5.605	231410	203474	0.879	1.02		
5.675	151855	139702	0.920	0.67		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.713	234337	153331	0.654	1.03	
5.740	130944	119042	0.909	0.58	
5.790	1692901	1288520	0.761	7.50	
5.884	152797	115170	0.754	0.67	
5.927	77749	50774	0.653	0.34	
5.994	139616	133887	0.959	0.61	
6.026	1030270	853221	0.828	4.56	7 Aroclor 1254
6.056	727544	649744	0.893	3.22	
6.086	209395	142010	0.678	0.92	
6.169	306146	246695	0.806	1.35	
6.228	123149	122142	0.992	0.54	
6.241	143819	124934	0.869	0.63	
6.299	1396395	1154592	0.827	6.18	7 Aroclor 1254
6.334	246981	213346	0.864	1.09	
6.375	147488	117497	0.797	0.65	
6.438	46079	24168	0.524	0.20	
6.512	58184	55972	0.962	0.25	
6.537	454237	352793	0.777	2.01	
6.605	73055	56160	0.769	0.32	
6.660	18073	13693	0.758	0.08	
6.720	93177	76403	0.820	0.41	
6.760	56477	50956	0.902	0.25	
6.802	250222	217408	0.869	1.10	
6.845	76101	47284	0.621	0.33	
6.945	29987	22146	0.739	0.13	
7.005	187120	153304	0.819	0.82	
7.252	146914	128748	0.876	0.65	
7.283	43303	26667	0.616	0.19	
7.557	16777	10505	0.626	0.07	
7.903	15055	9793	0.650	0.06	
8.278	21586	17365	0.804	0.09	
8.572	2251771	1853841	0.823	9.97	
	22563007	19541444		100.000	

Total unknown % area = 73

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618048.D
Lab Smp Id: 1254-CAL2C Client Smp ID: 1254-CAL2C
Inj Date : 06-MAR-2018 17:13
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal2c, 185553:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 17:13 Cal File: 030618048.D
Als bottle: 25 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
7 Aroclor 1254					CAS #: 11097-69-1			
5.162	5.162	0.000	1130515	0.20000	0.22	0.00- 20.00	100.00(M)	BA
5.407	5.408	-0.001	916371	0.20000	0.21	0.00- 20.00	81.06	BA
5.510	5.510	0.000	1657392	0.20000	0.21	0.00- 20.00	146.61	BA
6.026	6.027	-0.001	1030270	0.20000	0.21	0.00- 20.00	91.13	BA
6.299	6.299	0.000	1396394	0.20000	0.21	0.00- 20.00	123.52	BA
Average of Peak Amounts =					0.21200			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618048.D

Date : 06-MAR-2018 17:13

Client ID: 1254-CAL2C

Instrument: 40GCSJ.i

Sample Info: 1254-CAL2C, 185553:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618048.D (ManInt: NSAR1254.sub Orig: NSAR1254.sub)
Injection Date: 06-MAR-2018 17:13 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CAL2C





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	1126550	1130515	BA
Aroclor 1254	1126550	1130515	BA
Aroclor 1254	1126550	1130515	BA
Aroclor 1254	1126550	1130515	BA
Aroclor 1254	1126550	1130515	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618050.D
Lab Smp Id: 1254-CAL3C Client Smp ID: 1254-CAL3C
Inj Date : 06-MAR-2018 17:30
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal3c, 185554:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 17:30 Cal File: 030618050.D
Als bottle: 26 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	51337	40044	0.780	0.09		
1.429	39957	34317	0.859	0.07		
1.537	17914	13995	0.781	0.03		
1.685	15629	15398	0.985	0.02		
2.011	29599	20853	0.705	0.05		
2.485	6057898	5851038	0.966	12.02		
2.686	9516	7676	0.807	0.01		
2.787	95008	87358	0.919	0.18		
2.851	23819	20877	0.877	0.04		
3.052	13713	14987	1.093	0.02		
3.316	31189	30919	0.991	0.05		
3.344	21096	17017	0.807	0.04		
3.515	29295	21880	0.747	0.05		
3.610	20788	17635	0.848	0.03		
3.728	13013	9960	0.765	0.02		
3.815	75390	52210	0.693	0.14		
3.933	62381	42408	0.680	0.11		
3.996	40445	30149	0.745	0.07		
4.057	24255	18114	0.747	0.04		
4.215	1217908	1150954	0.945	2.32		
4.262	330320	319433	0.967	0.63		
4.292	64830	48630	0.750	0.12		
4.418	748177	726093	0.970	1.42		
4.452	73920	66424	0.899	0.14		
4.545	335088	319422	0.953	0.63		
4.592	16526	15457	0.935	0.03		
4.619	59193	52479	0.887	0.11		
4.685	17734	16983	0.958	0.03		
4.770	20117	19880	0.988	0.03		
4.813	284745	275889	0.969	0.54		
4.849	1084246	1045959	0.965	2.06		
4.895	2405586	1902763	0.791	4.58		
4.957	390371	342893	0.878	0.74		
5.037	238296	218476	0.917	0.45		
5.100	1405616	1219340	0.867	2.68		
5.164	2560293	2304428	0.900	4.88	7 Aroclor 1254	BA
5.213	1173729	1059080	0.902	2.23		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.285	60363	60152	0.996	0.11	
5.309	214942	193512	0.900	0.41	
5.364	1020588	935288	0.916	1.94	
5.407	2112521	1886528	0.893	4.03	7 Aroclor 1254
5.447	733518	649777	0.886	1.39	
5.479	265192	257135	0.970	0.50	
5.511	3811784	3385999	0.888	7.27	7 Aroclor 1254
5.579	32531	33382	1.026	0.06	
5.605	530818	484241	0.912	1.01	
5.676	348702	323329	0.927	0.66	
5.714	533476	346229	0.649	1.01	
5.742	324759	270812	0.834	0.61	
5.791	3843360	2976827	0.775	7.33	
5.886	336244	269243	0.801	0.64	
5.927	179445	112871	0.629	0.34	
5.994	317667	298687	0.940	0.60	
6.026	2413214	1944030	0.806	4.60	7 Aroclor 1254
6.056	1748224	1477442	0.845	3.33	
6.170	686623	578812	0.843	1.31	
6.229	279467	280903	1.005	0.53	
6.242	317134	279276	0.881	0.60	
6.300	3184410	2766550	0.869	6.07	7 Aroclor 1254
6.334	582664	515473	0.885	1.11	
6.374	330007	275263	0.834	0.62	
6.438	89310	51831	0.580	0.17	
6.487	18679	18109	0.970	0.03	
6.511	122714	122347	0.997	0.23	
6.537	1081766	870038	0.804	2.06	
6.607	157551	128075	0.813	0.30	
6.662	30905	25338	0.820	0.05	
6.718	210754	178569	0.847	0.40	
6.761	129400	110612	0.855	0.24	
6.802	599534	539615	0.900	1.14	
6.844	171759	108076	0.629	0.32	
6.945	57172	47423	0.829	0.10	
7.006	434841	362564	0.834	0.82	
7.077	18727	15733	0.840	0.03	
7.130	24196	17055	0.705	0.04	
7.252	342578	310115	0.905	0.65	
7.282	72487	60104	0.829	0.13	
7.390	19578	16122	0.823	0.03	
7.445	35210	22193	0.630	0.06	
7.553	26390	18609	0.705	0.05	
7.694	16316	14388	0.882	0.03	
7.729	31518	23387	0.742	0.06	
7.778	19445	16730	0.860	0.03	
7.798	20263	16018	0.790	0.03	
7.904	22590	18864	0.835	0.04	
8.276	52953	39504	0.746	0.10	
8.382	28017	19746	0.705	0.05	
8.572	5213644	4428280	0.849	9.94	
8.943	21557	16555	0.768	0.04	
9.466	15645	11531	0.737	0.02	
9.966	18425	14389	0.781	0.03	
	52410519	45695099		100.000	

Total unknown % area = 73

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618050.D
Lab Smp Id: 1254-CAL3C Client Smp ID: 1254-CAL3C
Inj Date : 06-MAR-2018 17:30
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal3c, 185554:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 17:30 Cal File: 030618050.D
Als bottle: 26 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
7 Aroclor 1254					CAS #: 11097-69-1			
5.163	5.162	0.001	2560292	0.50000	0.49	0.00- 20.00	100.00(M)	BA
5.407	5.408	-0.001	2112521	0.50000	0.49	0.00- 20.00	82.51	BA
5.510	5.510	0.000	3811784	0.50000	0.49	0.00- 20.00	148.88	BA
6.026	6.027	-0.001	2413214	0.50000	0.50	0.00- 20.00	94.26	BA
6.299	6.299	0.000	3184409	0.50000	0.49	0.00- 20.00	124.38	BA
Average of Peak Amounts =					0.49200			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618050.D

Date : 06-MAR-2018 17:30

Client ID: 1254-CAL3C

Instrument: 40GCSJ.i

Sample Info: 1254-CAL3C, 185554:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618050.D (ManInt: NSAR1254.sub Orig: NSAR1254.sub)
Injection Date: 06-MAR-2018 17:30 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CAL3C





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	2551487	2560292	BA
Aroclor 1254	2551487	2560292	BA
Aroclor 1254	2551487	2560292	BA
Aroclor 1254	2551487	2560292	BA
Aroclor 1254	2551487	2560292	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618052.D
Lab Smp Id: 1254-CAL4C Client Smp ID: 1254-CAL4C
Inj Date : 06-MAR-2018 17:46
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal4c, 185555:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 17:46 Cal File: 030618052.D
Als bottle: 27 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	20338	17643	0.867	0.02		
1.428	65922	60336	0.915	0.07		
1.538	31776	24460	0.770	0.03		
2.485	11777090	11571932	0.983	14.42		
2.787	164077	161759	0.986	0.19		
2.852	35610	28522	0.801	0.04		
3.052	34848	31099	0.892	0.04		
3.318	49721	48315	0.972	0.05		
3.345	27672	27798	1.005	0.03		
3.434	12631	8647	0.685	0.01		
3.512	47159	33510	0.711	0.05		
3.609	31888	32717	1.026	0.03		
3.732	12093	11883	0.983	0.01		
3.757	10828	11345	1.048	0.01		
3.814	107287	73196	0.682	0.12		
3.934	94015	65238	0.694	0.11		
3.996	37751	35743	0.947	0.04		
4.059	25966	21513	0.829	0.03		
4.136	10670	12088	1.133	0.01		
4.215	1826293	1728963	0.947	2.16		
4.262	495863	484615	0.977	0.58		
4.293	82438	62200	0.755	0.09		
4.418	1148007	1108250	0.965	1.35		
4.454	124829	105675	0.847	0.14		
4.545	520797	506348	0.972	0.61		
4.592	22494	21617	0.961	0.02		
4.617	91512	86993	0.951	0.10		
4.682	29611	23905	0.807	0.03		
4.738	13639	11326	0.830	0.01		
4.768	31653	29681	0.938	0.03		
4.813	436264	431646	0.989	0.51		
4.848	1661944	1593892	0.959	1.96		
4.895	3639982	2884202	0.792	4.30		
4.958	608805	546410	0.898	0.72		
5.038	362095	340028	0.939	0.42		
5.100	2123049	1825949	0.860	2.51		
5.163	3886482	3507162	0.902	4.59	7 Aroclor 1254	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.213	1776836	1628217	0.916	2.10	
5.284	96560	90819	0.941	0.11	
5.309	325641	297506	0.914	0.38	
5.364	1556302	1425397	0.916	1.84	
5.407	3251705	3006981	0.925	3.84	7 Aroclor 1254
5.446	1124584	1040705	0.925	1.33	
5.479	401904	378797	0.943	0.47	
5.510	5821617	5399486	0.927	6.88	7 Aroclor 1254
5.575	58238	53397	0.917	0.06	
5.604	831473	749483	0.901	0.98	
5.676	530127	502418	0.948	0.62	
5.713	822568	545715	0.663	0.97	
5.742	512983	417833	0.815	0.60	
5.791	5870686	4701193	0.801	6.94	
5.885	522465	412152	0.789	0.61	
5.927	275865	173515	0.629	0.32	
5.994	487921	462752	0.948	0.57	
6.027	3710616	3100778	0.836	4.38	7 Aroclor 1254
6.057	2650507	2221374	0.838	3.13	
6.169	1066850	928060	0.870	1.26	
6.228	444612	436676	0.982	0.52	
6.243	480121	416542	0.868	0.56	
6.300	4897868	4117516	0.841	5.79	7 Aroclor 1254
6.334	897566	789045	0.879	1.06	
6.374	507098	430542	0.849	0.59	
6.441	124903	73312	0.587	0.14	
6.487	27937	25771	0.922	0.03	
6.510	183907	185808	1.010	0.21	
6.536	1677948	1278798	0.762	1.98	
6.605	242982	201019	0.827	0.28	
6.661	41322	38186	0.924	0.04	
6.719	331298	275607	0.832	0.39	
6.758	194741	175185	0.900	0.23	
6.802	936736	798625	0.853	1.10	
6.844	260030	171830	0.661	0.30	
6.907	13593	12018	0.884	0.01	
6.942	85729	72281	0.843	0.10	
7.006	675731	578164	0.856	0.79	
7.077	32184	26109	0.811	0.03	
7.122	28643	17643	0.616	0.03	
7.253	534471	485017	0.907	0.63	
7.282	121561	99258	0.817	0.14	
7.331	10539	7109	0.675	0.01	
7.390	27785	21939	0.790	0.03	
7.442	42859	32217	0.752	0.05	
7.555	39938	25488	0.638	0.04	
7.691	21961	21683	0.987	0.02	
7.727	55370	42642	0.770	0.06	
7.799	40475	27058	0.669	0.04	
7.900	38857	28824	0.742	0.04	
8.033	10655	8635	0.810	0.01	
8.277	84696	72245	0.853	0.10	
8.379	22615	16331	0.722	0.02	
8.571	9861374	8409353	0.853	11.66	
8.942	30130	19515	0.648	0.03	
9.085	14868	10676	0.718	0.01	
9.470	49128	26719	0.544	0.05	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
9.961	49432	33887	0.686	0.05	
	84540213	74622457		100.000	

Total unknown % area = 74

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618052.D
Lab Smp Id: 1254-CAL4C Client Smp ID: 1254-CAL4C
Inj Date : 06-MAR-2018 17:46
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal4c, 185555:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 17:46 Cal File: 030618052.D
Als bottle: 27 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
7 Aroclor 1254					CAS #: 11097-69-1			
5.162	5.162	0.000	3886481	0.80000	0.74	0.00- 20.00	100.00(M)	BA
5.407	5.408	-0.001	3251705	0.80000	0.76	0.00- 20.00	83.67	BA
5.509	5.510	-0.001	5821617	0.80000	0.75	0.00- 20.00	149.79	BA
6.027	6.027	0.000	3710615	0.80000	0.76	0.00- 20.00	95.47	BA
6.299	6.299	0.000	4897867	0.80000	0.75	0.00- 20.00	126.02	BA
Average of Peak Amounts =					0.75200			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618052.D

Date : 06-MAR-2018 17:46

Client ID: 1254-CAL4C

Instrument: 40GCSJ.i

Sample Info: 1254-CAL4C, 185555:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618052.D (ManInt: NSAR1254.sub Orig: NSAR1254.sub)
Injection Date: 06-MAR-2018 17:46 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CAL4C





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	3881378	3886481	BA
Aroclor 1254	3881378	3886481	BA
Aroclor 1254	3881378	3886481	BA
Aroclor 1254	3881378	3886481	BA
Aroclor 1254	3881378	3886481	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618054.D
Lab Smp Id: 1254-CAL5C Client Smp ID: 1254-CAL5C
Inj Date : 06-MAR-2018 18:02
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal5c, 185556:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 18:02 Cal File: 030618054.D
Als bottle: 28 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	15243	11962	0.785	0.01		
1.428	96747	89041	0.920	0.08		
1.540	40825	35144	0.861	0.03		
1.682	9327	8894	0.954	0.00		
2.008	10288	9685	0.941	0.00		
2.412	10350	7112	0.687	0.00		
2.485	17725886	17260144	0.974	16.66		
2.787	243100	236365	0.972	0.22		
2.851	36673	32993	0.900	0.03		
3.053	49195	43436	0.883	0.04		
3.319	55642	53004	0.953	0.05		
3.344	37001	30263	0.818	0.03		
3.514	61454	41534	0.676	0.05		
3.611	48883	46459	0.950	0.04		
3.734	9700	13664	1.409	0.00		
3.755	14530	9896	0.681	0.01		
3.814	160653	100699	0.627	0.14		
3.935	113785	77754	0.683	0.10		
3.993	48360	45579	0.942	0.04		
4.058	31144	26153	0.840	0.02		
4.136	14642	14082	0.962	0.01		
4.215	2246411	2105306	0.937	2.04		
4.262	624542	621927	0.996	0.56		
4.292	114086	82473	0.723	0.10		
4.418	1403386	1353229	0.964	1.27		
4.453	133440	127351	0.954	0.12		
4.546	635904	613877	0.965	0.57		
4.594	11699	17033	1.456	0.01		
4.617	92187	94751	1.028	0.08		
4.683	32935	28854	0.876	0.03		
4.735	16261	13245	0.815	0.01		
4.770	37428	36501	0.975	0.03		
4.814	542039	547513	1.010	0.49		
4.848	2045079	1950354	0.954	1.86		
4.896	4464777	3447952	0.772	4.07		
4.957	749670	674930	0.900	0.68		
5.037	447740	427307	0.954	0.40		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.100	2603383	2206600	0.848	2.37	
5.163	4761607	4381606	0.920	4.34	7 Aroclor 1254
5.212	2175024	1931040	0.888	1.98	
5.284	116466	109643	0.941	0.10	
5.309	404504	368472	0.911	0.36	
5.364	1900530	1737928	0.914	1.73	
5.407	4016995	3641293	0.906	3.66	7 Aroclor 1254
5.446	1380053	1254397	0.909	1.25	
5.477	506726	475165	0.938	0.46	
5.511	7207531	6391511	0.887	6.57	7 Aroclor 1254
5.577	67153	63150	0.940	0.06	
5.605	1023947	924404	0.903	0.93	
5.676	661316	643905	0.974	0.60	
5.714	1030048	680082	0.660	0.93	
5.740	635529	535004	0.842	0.57	
5.792	7230180	5601138	0.775	6.59	
5.886	645954	520462	0.806	0.58	
5.927	344827	212793	0.617	0.31	
5.995	613062	588236	0.960	0.55	
6.027	4591491	3986858	0.868	4.18	7 Aroclor 1254
6.056	3223664	2733295	0.848	2.93	
6.169	1328008	1109796	0.836	1.21	
6.228	1042954	573707	0.550	0.95	
6.300	6047377	5045174	0.834	5.51	7 Aroclor 1254
6.334	1117787	991343	0.887	1.01	
6.375	640740	547643	0.855	0.58	
6.437	148401	91961	0.620	0.13	
6.511	228443	228993	1.002	0.20	
6.537	2072914	1543722	0.745	1.89	
6.605	305742	240734	0.787	0.27	
6.662	54744	45287	0.827	0.04	
6.719	410032	340851	0.831	0.37	
6.759	242534	215295	0.888	0.22	
6.803	1169372	1018756	0.871	1.06	
6.844	311718	214607	0.688	0.28	
6.945	110710	91840	0.830	0.10	
7.006	832801	710785	0.853	0.75	
7.076	39055	35215	0.902	0.03	
7.124	42412	24716	0.583	0.03	
7.253	667072	625157	0.937	0.60	
7.283	149721	120610	0.806	0.13	
7.392	31016	25016	0.807	0.02	
7.444	53853	38361	0.712	0.04	
7.554	43717	29353	0.671	0.03	
7.693	32182	28611	0.889	0.02	
7.731	75133	56693	0.755	0.06	
7.801	54585	36993	0.678	0.04	
7.902	45857	33249	0.725	0.04	
8.278	123330	103442	0.839	0.11	
8.379	26036	20581	0.790	0.02	
8.572	14526385	12123277	0.835	13.24	
8.943	32605	19326	0.593	0.02	
9.087	19995	15238	0.762	0.01	
9.471	36056	22732	0.630	0.03	
9.962	37005	22458	0.607	0.03	
	109671291	95714970		100.000	

Total unknown % area = 76

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618054.D
Lab Smp Id: 1254-CAL5C Client Smp ID: 1254-CAL5C
Inj Date : 06-MAR-2018 18:02
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-cal5c, 185556:1
Misc Info : 17498,NSAR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 18:02 Cal File: 030618054.D
Als bottle: 28 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: NSAR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
7 Aroclor 1254					CAS #: 11097-69-1			
5.163	5.162	0.001	4761607	1.00000	0.91	0.00- 20.00	100.00(M)	BA
5.407	5.408	-0.001	4016994	1.00000	0.93	0.00- 20.00	84.36	BA
5.510	5.510	0.000	7207530	1.00000	0.93	0.00- 20.00	151.37	BA
6.027	6.027	0.000	4591491	1.00000	0.94	0.00- 20.00	96.43	BA
6.299	6.299	0.000	6047377	1.00000	0.93	0.00- 20.00	127.00	BA
Average of Peak Amounts =					0.92800			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618054.D
Date : 06-MAR-2018 18:02
Client ID: 1254-CAL5C
Sample Info: 1254-CAL5C, 185556:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618054.D (ManInt: NSAR1254.sub Orig: NSAR1254.sub)
Injection Date: 06-MAR-2018 18:02 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CAL5C





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	4578985	4761607	BA
Aroclor 1254	4578985	4761607	BA
Aroclor 1254	4578985	4761607	BA
Aroclor 1254	4578985	4761607	BA
Aroclor 1254	4578985	4761607	BA

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618058.D
Lab Smp Id: 1660-CAL1A Client Smp ID: 1660-CAL1A
Inj Date : 06-MAR-2018 18:34
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal1a, 188136:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 18:34 Cal File: 030618058.D
Als bottle: 30 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.184	75769	59956	0.791	0.39		
1.428	18267	12499	0.684	0.09		
1.686	19257	17034	0.885	0.10		
2.010	41793	33612	0.804	0.22		
2.405	34035	25626	0.753	0.17		
2.485	1265501	1240700	0.980	7.14	$ 2 Tetrachloro-m-xylene	
2.687	45905	38796	0.845	0.24		
2.791	69017	64076	0.928	0.36		
2.850	244595	230348	0.942	1.29		
3.030	26125	23948	0.917	0.13		
3.053	41274	35596	0.862	0.21		
3.319	334670	316544	0.946	1.76	5 Aroclor 1016	BA
3.345	198504	179987	0.907	1.04		
3.434	61488	51551	0.838	0.32		
3.514	336132	236249	0.703	1.77	5 Aroclor 1016	BA
3.732	87942	87307	0.993	0.46		
3.756	56569	52611	0.930	0.29		
3.827	961910	568396	0.591	5.07	5 Aroclor 1016	BA
3.929	407299	336226	0.826	2.14	5 Aroclor 1016	BA
3.995	291299	270962	0.930	1.53	5 Aroclor 1016	BA
4.057	91678	78986	0.862	0.48		
4.137	38165	30755	0.806	0.20		
4.215	245118	232129	0.947	1.29		
4.262	215370	204306	0.949	1.13		
4.294	97069	97854	1.008	0.51		
4.311	121075	108897	0.899	0.63		
4.418	296094	277838	0.938	1.56		
4.452	228098	168917	0.741	1.20		
4.546	376428	345686	0.918	1.98		
4.618	89285	79390	0.889	0.47		
4.725	18650	14732	0.790	0.09		
4.768	15175	13986	0.922	0.08		
4.814	70800	67479	0.953	0.37		
4.847	108064	102590	0.949	0.57		
4.895	365187	264463	0.724	1.92		
4.959	28108	18371	0.654	0.14		
5.037	24776	19872	0.802	0.13		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.100	75151	62358	0.830	0.39	
5.163	285696	262413	0.919	1.50	
5.214	17586	14232	0.809	0.09	
5.362	21031	19306	0.918	0.11	
5.407	87223	72021	0.826	0.46	
5.479	114689	109517	0.955	0.60	
5.511	195439	178257	0.912	1.03	
5.676	287789	270234	0.939	1.51	
5.710	226208	125913	0.557	1.19	
5.787	739489	648842	0.877	3.90	
5.884	50381	44276	0.879	0.26	
5.931	25620	20410	0.797	0.13	
5.994	121209	109219	0.901	0.63	
6.030	272564	261055	0.958	1.43	
6.056	810958	700847	0.864	4.27	
6.170	497456	309560	0.622	2.62	
6.257	116495	69428	0.596	0.61	
6.300	956999	807332	0.844	5.04	8 Aroclor 1260
6.335	137669	122786	0.892	0.72	
6.372	38735	30140	0.778	0.20	
6.433	122734	90057	0.734	0.64	
6.491	23519	28668	1.219	0.12	
6.511	474348	427351	0.901	2.50	
6.534	82021	92139	1.123	0.43	
6.562	294717	250391	0.850	1.55	
6.608	31351	24800	0.791	0.16	
6.660	93675	84477	0.902	0.49	
6.719	499348	457647	0.916	2.63	
6.760	283474	256610	0.905	1.49	
6.805	227703	192558	0.846	1.20	
6.837	47833	39344	0.823	0.25	
6.867	20777	22616	1.089	0.10	
6.913	37481	33795	0.902	0.19	
6.945	99494	87238	0.877	0.52	
7.006	1074661	952659	0.886	5.66	8 Aroclor 1260
7.034	85801	79294	0.924	0.45	
7.076	39830	29520	0.741	0.21	
7.124	76029	48693	0.640	0.40	
7.253	505238	443533	0.878	2.66	8 Aroclor 1260
7.283	161808	121906	0.753	0.85	
7.368	14051	20223	1.439	0.07	
7.390	249151	219715	0.882	1.31	
7.444	313103	259788	0.830	1.65	8 Aroclor 1260
7.555	28224	19645	0.696	0.14	
7.692	126890	112403	0.886	0.66	
7.727	24298	19768	0.814	0.12	
7.780	47376	23329	0.492	0.24	
7.902	285359	230087	0.806	1.50	8 Aroclor 1260
7.967	28076	18551	0.661	0.14	
8.275	73573	62778	0.853	0.38	
8.382	33580	24066	0.717	0.17	
8.573	1252235	1038307	0.829	6.60	$ 12 Decachlorobiphenyl
8.943	22477	18768	0.835	0.11	
9.467	21684	17832	0.822	0.11	
9.963	27944	21020	0.752	0.14	
	18954741	16115997		100.000	

Total unknown % area = 57

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618058.D
Lab Smp Id: 1660-CAL1A Client Smp ID: 1660-CAL1A
Inj Date : 06-MAR-2018 18:34
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal1a, 188136:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 18:34 Cal File: 030618058.D
Als bottle: 30 Calibration Sample, Level: 1
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	1265501	0.01000	0.010			
5 Aroclor 1016					CAS #: 12674-11-2			
3.318	3.318	0.000	334670	0.10000	0.11	0.00- 20.00	100.00(M)	BA
3.513	3.512	0.001	336131	0.10000	0.11	0.00- 20.00	100.44	BA
3.826	3.826	0.000	961909	0.10000	0.11	0.00- 20.00	287.42	BA
3.928	3.929	-0.001	407299	0.10000	0.11	0.00- 20.00	121.70	BA
3.995	3.994	0.001	291298	0.10000	0.11	0.00- 20.00	87.04	BA
Average of Peak Amounts =					0.11000			
8 Aroclor 1260					CAS #: 11096-82-5			
6.300	6.300	0.000	956999	0.10000	0.11	0.00- 20.00	100.00(M)	CO
7.006	7.006	0.000	1074661	0.10000	0.11	0.00- 20.00	112.29	CO
7.252	7.251	0.001	505237	0.10000	0.10	0.00- 20.00	52.79	CO
7.444	7.443	0.001	313102	0.10000	0.11	0.00- 20.00	32.72	CO
7.902	7.901	0.001	285359	0.10000	0.11	0.00- 20.00	29.82	CO
Average of Peak Amounts =					0.10800			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.572	8.571	0.001	1252234	0.01000	0.011			

QC Flag Legend

M - Compound response manually integrated.

QC Flag Legend

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618058.D
Date : 06-MAR-2018 18:34
Client ID: 1660-CAL1A
Sample Info: 1660-CAL1A, 188136:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618058.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 18:34 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-CAL1A





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	331398	334670	BA
Aroclor 1016	331398	334670	BA
Aroclor 1016	331398	334670	BA
Aroclor 1016	331398	334670	BA
Aroclor 1016	331398	334670	BA
Aroclor 1260	948946	956999	CO
Aroclor 1260	948946	956999	CO
Aroclor 1260	948946	956999	CO
Aroclor 1260	948946	956999	CO
Aroclor 1260	948946	956999	CO
Tetrachloro-m-xylene	1265501	1265501	
Decachlorobiphenyl	1252234	1252234	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618060.D
Lab Smp Id: 1660-CAL2A Client Smp ID: 1660-CAL2A
Inj Date : 06-MAR-2018 18:51
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal2a, 185558:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 18:51 Cal File: 030618060.D
Als bottle: 31 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.185	55176	41178	0.746	0.15		
1.429	21015	18585	0.884	0.05		
1.802	12282	8623	0.702	0.03		
2.011	32498	25901	0.797	0.09		
2.404	67139	48192	0.718	0.18		
2.484	2499487	2410686	0.964	7.40	$ 2 Tetrachloro-m-xylene	
2.687	94590	70872	0.749	0.26		
2.789	132356	122708	0.927	0.36		
2.851	469229	448920	0.957	1.30		
3.028	20462	19526	0.954	0.05		
3.054	77836	65563	0.842	0.21		
3.280	13769	10123	0.735	0.03		
3.318	654061	624883	0.955	1.81	5 Aroclor 1016	BA
3.345	373017	342479	0.918	1.03		
3.436	104520	94613	0.905	0.28		
3.513	645015	465357	0.721	1.78	5 Aroclor 1016	BA
3.614	11902	11206	0.942	0.03		
3.697	20307	21558	1.062	0.05		
3.732	166970	164519	0.985	0.46		
3.756	105123	106344	1.012	0.29		
3.827	1858995	1113513	0.599	5.15	5 Aroclor 1016	BA
3.929	794562	664351	0.836	2.20	5 Aroclor 1016	BA
3.995	538852	516167	0.958	1.49	5 Aroclor 1016	BA
4.059	153652	141937	0.924	0.42		
4.137	64387	55721	0.865	0.17		
4.215	463064	450944	0.974	1.28		
4.261	411934	395299	0.960	1.14		
4.293	176764	178584	1.010	0.48		
4.310	214978	205952	0.958	0.59		
4.368	18687	13075	0.700	0.05		
4.417	569211	550417	0.967	1.57		
4.452	428711	317474	0.741	1.18		
4.546	747149	680932	0.911	2.07		
4.617	172002	154821	0.900	0.47		
4.675	18051	11895	0.659	0.05		
4.728	31765	25328	0.797	0.08		
4.768	26719	24282	0.909	0.07		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.814	134761	128509	0.954	0.37	
4.849	207904	199310	0.959	0.57	
4.895	688062	504752	0.734	1.90	
4.955	49261	36191	0.735	0.13	
5.037	41204	35409	0.859	0.11	
5.101	147468	124667	0.845	0.40	
5.163	553608	515848	0.932	1.53	
5.211	28275	23336	0.825	0.07	
5.364	42478	33276	0.783	0.11	
5.406	154225	140226	0.909	0.42	
5.478	222337	212066	0.954	0.61	
5.510	375280	336790	0.897	1.03	
5.676	557330	520345	0.934	1.54	
5.710	420039	227627	0.542	1.16	
5.786	1434098	1216006	0.848	3.97	
5.881	99936	84741	0.848	0.27	
5.931	52909	37411	0.707	0.14	
5.994	236171	220443	0.933	0.65	
6.029	525050	521852	0.994	1.45	
6.055	1579576	1350262	0.855	4.37	
6.170	972431	621038	0.639	2.69	
6.256	228441	130747	0.572	0.63	
6.301	1864709	1458728	0.782	5.16	8 Aroclor 1260
6.335	262275	234816	0.895	0.72	
6.375	82478	55139	0.669	0.22	
6.433	206268	167261	0.811	0.57	
6.487	40545	49125	1.212	0.11	
6.510	932649	849322	0.911	2.58	
6.536	166259	180771	1.087	0.46	
6.561	564443	492928	0.873	1.56	
6.605	64137	48977	0.764	0.17	
6.661	181400	157714	0.869	0.50	
6.719	981159	893423	0.911	2.71	
6.759	544707	485293	0.891	1.50	
6.803	436009	386944	0.887	1.20	
6.839	89543	74514	0.832	0.24	
6.868	45779	37984	0.830	0.12	
6.913	64712	61547	0.951	0.17	
6.943	192241	174196	0.906	0.53	
7.006	2085870	1795515	0.861	5.78	8 Aroclor 1260
7.034	145420	142383	0.979	0.40	
7.075	69040	53643	0.777	0.19	
7.122	116391	79463	0.683	0.32	
7.252	997245	885990	0.888	2.76	8 Aroclor 1260
7.284	293602	234376	0.798	0.81	
7.390	506113	423868	0.837	1.40	
7.444	607583	530361	0.873	1.68	8 Aroclor 1260
7.553	47904	35161	0.734	0.13	
7.692	248075	211779	0.854	0.68	
7.729	41616	33711	0.810	0.11	
7.777	25315	19290	0.762	0.07	
7.800	38231	26898	0.704	0.10	
7.900	543647	451004	0.830	1.50	8 Aroclor 1260
7.966	45855	31122	0.679	0.12	
8.275	140866	122403	0.869	0.39	
8.382	29898	21612	0.723	0.08	
8.572	2284568	1922634	0.842	6.33	$ 12 Decachlorobiphenyl

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
8.945	25225	17796	0.705	0.06	
9.471	34351	19751	0.575	0.09	
9.964	23512	15629	0.665	0.06	
	36086723	30726451		100.000	

Total unknown % area = 57

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618060.D
Lab Smp Id: 1660-CAL2A Client Smp ID: 1660-CAL2A
Inj Date : 06-MAR-2018 18:51
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal2a, 185558:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 18:51 Cal File: 030618060.D
Als bottle: 31 Calibration Sample, Level: 2
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	2499486	0.02000	0.020			
5 Aroclor 1016					CAS #: 12674-11-2			
3.317	3.318	-0.001	654060	0.20000	0.21	0.00- 20.00	100.00(M)	BA
3.513	3.512	0.001	645015	0.20000	0.21	0.00- 20.00	98.62	BA
3.826	3.826	0.000	1858994	0.20000	0.21	0.00- 20.00	284.22	BA
3.929	3.929	0.000	794562	0.20000	0.21	0.00- 20.00	121.48	BA
3.994	3.994	0.000	538852	0.20000	0.21	0.00- 20.00	82.39	BA
Average of Peak Amounts =					0.21000			
8 Aroclor 1260					CAS #: 11096-82-5			
6.300	6.300	0.000	1864709	0.20000	0.21	0.00- 20.00	100.00(M)	CO
7.006	7.006	0.000	2085870	0.20000	0.21	0.00- 20.00	111.86	CO
7.252	7.251	0.001	997245	0.20000	0.21	0.00- 20.00	53.48	CO
7.443	7.443	0.000	607583	0.20000	0.21	0.00- 20.00	32.58	CO
7.900	7.901	-0.001	543647	0.20000	0.21	0.00- 20.00	29.15	CO
Average of Peak Amounts =					0.21000			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.572	8.571	0.001	2284567	0.02000	0.021			

QC Flag Legend

M - Compound response manually integrated.

QC Flag Legend

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618060.D

Date : 06-MAR-2018 18:51

Client ID: 1660-CAL2A

Instrument: 40GCSJ.i

Sample Info: 1660-CAL2A, 185558:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618060.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 18:51 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-CAL2A





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	649890	654060	BA
Aroclor 1016	649890	654060	BA
Aroclor 1016	649890	654060	BA
Aroclor 1016	649890	654060	BA
Aroclor 1016	649890	654060	BA
Aroclor 1260	1856530	1864709	CO
Aroclor 1260	1856530	1864709	CO
Aroclor 1260	1856530	1864709	CO
Aroclor 1260	1856530	1864709	CO
Aroclor 1260	1856530	1864709	CO
Tetrachloro-m-xylene	2499486	2499486	
Decachlorobiphenyl	2284567	2284567	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618062.D
Lab Smp Id: 1660-CAL3A Client Smp ID: 1660-CAL3A
Inj Date : 06-MAR-2018 19:07
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal3a, 185559:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 17:30 Cal File: 030618050.D
Als bottle: 32 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	73481	56448	0.768	0.08		
1.429	38001	32608	0.858	0.04		
1.537	20915	15456	0.739	0.02		
1.685	19161	19298	1.007	0.02		
1.803	18038	14682	0.814	0.02		
2.010	53413	35717	0.669	0.06		
2.404	140743	111047	0.789	0.16		
2.484	6057237	5892667	0.973	7.63	$ 2 Tetrachloro-m-xylene	
2.687	201241	167032	0.830	0.23		
2.789	304363	285330	0.937	0.35		
2.851	1109963	1029461	0.927	1.31		
3.031	24750	24475	0.989	0.02		
3.055	178487	159145	0.892	0.21		
3.278	26481	21063	0.795	0.03		
3.318	1513499	1414991	0.935	1.78	5 Aroclor 1016	BA
3.345	880540	822356	0.934	1.04		
3.434	247038	220109	0.891	0.29		
3.513	1532387	1090208	0.711	1.81	5 Aroclor 1016	BA
3.611	27202	25734	0.946	0.03		
3.647	29738	19736	0.664	0.03		
3.697	43175	42217	0.978	0.05		
3.732	381498	383355	1.005	0.45		
3.756	273430	243142	0.889	0.32		
3.826	4314630	2564491	0.594	5.10	5 Aroclor 1016	BA
3.929	1875063	1563785	0.834	2.21	5 Aroclor 1016	BA
3.994	1275640	1205112	0.945	1.50	5 Aroclor 1016	BA
4.059	356271	321194	0.902	0.42		
4.137	142724	126589	0.887	0.16		
4.215	1091767	1043921	0.956	1.29		
4.261	983477	936778	0.953	1.16		
4.293	419201	426725	1.018	0.49		
4.310	507212	485823	0.958	0.59		
4.372	34974	24662	0.705	0.04		
4.418	1378494	1285521	0.933	1.63		
4.452	991992	777670	0.784	1.17		
4.545	1720081	1585302	0.922	2.03		
4.591	26254	25937	0.988	0.03		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.618	390639	352630	0.903	0.46	
4.680	45442	27438	0.604	0.05	
4.728	65437	52451	0.802	0.07	
4.768	60652	53450	0.881	0.07	
4.813	315747	306151	0.970	0.37	
4.848	490062	474651	0.969	0.57	
4.895	1609352	1151281	0.715	1.90	
4.957	109800	84138	0.766	0.12	
5.038	90170	81334	0.902	0.10	
5.101	330531	287340	0.869	0.39	
5.162	1311328	1213988	0.926	1.55	
5.213	62406	49170	0.788	0.07	
5.308	18942	13697	0.723	0.02	
5.364	102693	89831	0.875	0.12	
5.407	358555	326663	0.911	0.42	
5.444	17182	16887	0.983	0.02	
5.478	520000	499018	0.960	0.61	
5.510	901921	830532	0.921	1.06	
5.574	21617	18709	0.865	0.02	
5.607	22890	17618	0.770	0.02	
5.675	1323137	1193469	0.902	1.56	
5.710	966061	548770	0.568	1.14	
5.786	3269149	2832194	0.866	3.86	
5.883	222136	199869	0.900	0.26	
5.929	105245	84776	0.806	0.12	
5.994	562299	517914	0.921	0.66	
6.030	1251900	1210482	0.967	1.48	
6.056	3581989	3121113	0.871	4.23	
6.170	2328780	1484198	0.637	2.75	
6.257	533348	316626	0.594	0.63	
6.300	4328765	3602666	0.832	5.11	8 Aroclor 1260
6.332	635873	554609	0.872	0.75	
6.374	166590	132594	0.796	0.19	
6.433	464363	404511	0.871	0.54	
6.487	99285	119042	1.199	0.11	
6.509	2148304	1882394	0.876	2.54	
6.535	394424	422591	1.071	0.46	
6.561	1341525	1196072	0.892	1.58	
6.604	141409	115102	0.814	0.16	
6.661	417039	383638	0.920	0.49	
6.718	2289697	1970989	0.861	2.70	
6.759	1295745	1116495	0.862	1.53	
6.804	1058424	934717	0.883	1.25	
6.838	199169	171583	0.861	0.23	
6.866	100126	89213	0.891	0.11	
6.912	156733	140038	0.893	0.18	
6.944	453234	417139	0.920	0.53	
7.005	4908203	4291027	0.874	5.80	8 Aroclor 1260
7.035	325498	318921	0.980	0.38	
7.075	167281	127630	0.763	0.19	
7.122	238259	189781	0.797	0.28	
7.252	2360655	2040658	0.864	2.79	8 Aroclor 1260
7.282	691639	556699	0.805	0.81	
7.390	1210833	979598	0.809	1.43	
7.444	1443850	1242584	0.861	1.70	8 Aroclor 1260
7.553	121232	82650	0.682	0.14	
7.691	577449	516541	0.895	0.68	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.728	106585	81318	0.763	0.12	
7.777	24225	28669	1.183	0.02	
7.800	83574	56954	0.681	0.09	
7.901	1312523	1129026	0.860	1.55	8 Aroclor 1260
7.965	102499	75394	0.736	0.12	
8.275	325997	297080	0.911	0.38	
8.377	45903	31430	0.685	0.05	
8.572	5312752	4519291	0.851	6.28	$ 12 Decachlorobiphenyl
8.739	26600	11588	0.436	0.03	
8.943	52533	33251	0.633	0.06	
8.993	10265	8473	0.825	0.01	
9.015	10050	7503	0.747	0.01	
9.470	52157	34850	0.668	0.06	
9.961	54045	36108	0.668	0.06	
	84557281	72306592		100.000	

Total unknown % area = 57

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618062.D
Lab Smp Id: 1660-CAL3A Client Smp ID: 1660-CAL3A
Inj Date : 06-MAR-2018 19:07
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal3a, 185559:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 17:30 Cal File: 030618050.D
Als bottle: 32 Calibration Sample, Level: 3
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	6057237	0.05000	0.049			
5 Aroclor 1016					CAS #: 12674-11-2			
3.317	3.318	-0.001	1513499	0.50000	0.49	0.00- 20.00	100.00(M)	BA
3.512	3.512	0.000	1532387	0.50000	0.49	0.00- 20.00	101.25	BA
3.826	3.826	0.000	4314629	0.50000	0.49	0.00- 20.00	285.08	BA
3.928	3.929	-0.001	1875063	0.50000	0.50	0.00- 20.00	123.89	BA
3.994	3.994	0.000	1275639	0.50000	0.49	0.00- 20.00	84.28	BA
Average of Peak Amounts =					0.49200			
8 Aroclor 1260					CAS #: 11096-82-5			
6.299	6.300	-0.001	4328764	0.50000	0.49	0.00- 20.00	100.00(M)	CO
7.005	7.006	-0.001	4908203	0.50000	0.49	0.00- 20.00	113.39	CO
7.251	7.251	0.000	2360654	0.50000	0.49	0.00- 20.00	54.53	CO
7.443	7.443	0.000	1443849	0.50000	0.50	0.00- 20.00	33.35	CO
7.901	7.901	0.000	1312522	0.50000	0.50	0.00- 20.00	30.32	CO
Average of Peak Amounts =					0.49400			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.571	8.571	0.000	5312751	0.05000	0.048			

QC Flag Legend

M - Compound response manually integrated.

QC Flag Legend

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618062.D
Date : 06-MAR-2018 19:07
Client ID: 1660-CAL3A
Sample Info: 1660-CAL3A, 185559:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618062.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 19:07 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-CAL3A





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	1506634	1513499	BA
Aroclor 1016	1506634	1513499	BA
Aroclor 1016	1506634	1513499	BA
Aroclor 1016	1506634	1513499	BA
Aroclor 1016	1506634	1513499	BA
Aroclor 1260	4317043	4328764	CO
Aroclor 1260	4317043	4328764	CO
Aroclor 1260	4317043	4328764	CO
Aroclor 1260	4317043	4328764	CO
Aroclor 1260	4317043	4328764	CO
Tetrachloro-m-xylene	6057237	6057237	
Decachlorobiphenyl	5312751	5312751	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618064.D
Lab Smp Id: 1660-CAL4A Client Smp ID: 1660-CAL4A
Inj Date : 06-MAR-2018 19:23
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal4a, 185560:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:23 Cal File: 030618064.D
Als bottle: 33 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.183	51048	39743	0.779	0.03		
1.428	67658	59771	0.883	0.05		
1.537	35520	27064	0.762	0.02		
1.684	11345	12242	1.079	0.00		
1.804	26637	21421	0.804	0.01		
2.010	30322	24464	0.807	0.02		
2.405	217693	168016	0.772	0.16		
2.485	12180956	11703129	0.961	9.57	$ 2 Tetrachloro-m-xylene	
2.686	324056	263363	0.813	0.24		
2.788	503381	488978	0.971	0.37		
2.851	1715701	1591093	0.927	1.27		
3.033	12533	16182	1.291	0.00		
3.055	262518	238547	0.909	0.19		
3.277	37151	29842	0.803	0.02		
3.318	2333577	2156053	0.924	1.73	5 Aroclor 1016	BA
3.344	1347877	1252078	0.929	1.00		
3.435	374972	344552	0.919	0.27		
3.513	2362745	1662196	0.704	1.75	5 Aroclor 1016	BA
3.610	37684	33923	0.900	0.02		
3.644	36588	23793	0.650	0.02		
3.697	64716	64546	0.997	0.04		
3.733	614707	615053	1.001	0.45		
3.757	393294	383146	0.974	0.29		
3.827	6746065	3969633	0.588	5.01	5 Aroclor 1016	BA
3.929	2864977	2413896	0.843	2.12	5 Aroclor 1016	BA
3.995	1946759	1862950	0.957	1.44	5 Aroclor 1016	BA
4.059	556550	510919	0.918	0.41		
4.136	217971	201589	0.925	0.16		
4.215	1671721	1557184	0.931	1.24		
4.262	1509426	1424890	0.944	1.12		
4.293	644274	673004	1.045	0.47		
4.310	801855	741139	0.924	0.59		
4.372	46455	38102	0.820	0.03		
4.418	2086121	1916658	0.919	1.55		
4.453	1561367	1168414	0.748	1.16		
4.546	2691796	2429747	0.903	2.00		
4.618	614879	582697	0.948	0.45		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.681	40268	29964	0.744	0.02	
4.726	97409	80777	0.829	0.07	
4.769	84631	79528	0.940	0.06	
4.813	496125	477191	0.962	0.36	
4.848	769915	758419	0.985	0.57	
4.895	2431191	1773420	0.729	1.80	
4.957	158097	128688	0.814	0.11	
5.037	141886	125690	0.886	0.10	
5.100	509908	441468	0.866	0.37	
5.163	1980314	1775935	0.897	1.47	
5.213	95707	77428	0.809	0.07	
5.309	25285	19192	0.759	0.01	
5.364	136686	126726	0.927	0.10	
5.407	557655	538024	0.965	0.41	
5.447	22003	24599	1.118	0.01	
5.478	803193	761709	0.948	0.59	
5.511	1404548	1270014	0.904	1.04	
5.606	31361	23033	0.734	0.02	
5.676	2014749	1859939	0.923	1.49	
5.711	1494302	813162	0.544	1.11	
5.786	4990155	4308283	0.863	3.70	
5.884	340816	299117	0.878	0.25	
5.929	164472	137221	0.834	0.12	
5.994	852561	813094	0.954	0.63	
6.031	1912065	1795299	0.939	1.42	
6.057	5492951	4849840	0.883	4.08	
6.169	3549907	2212097	0.623	2.63	
6.255	812378	476866	0.587	0.60	
6.300	6710843	5584923	0.832	4.98	8 Aroclor 1260
6.334	997961	870632	0.872	0.74	
6.374	242400	190548	0.786	0.18	
6.432	705567	608791	0.863	0.52	
6.487	129043	188452	1.460	0.09	
6.511	3293621	2899546	0.880	2.44	
6.536	647596	661803	1.022	0.48	
6.562	2057795	1823223	0.886	1.52	
6.605	225392	179290	0.795	0.16	
6.661	658391	628771	0.955	0.48	
6.719	3522957	3237666	0.919	2.61	
6.760	1974466	1743981	0.883	1.46	
6.804	1651358	1397674	0.846	1.22	
6.839	305859	257806	0.843	0.22	
6.868	154872	136206	0.879	0.11	
6.913	224919	208551	0.927	0.16	
6.944	715915	663774	0.927	0.53	
7.005	7621579	7030639	0.922	5.66	8 Aroclor 1260
7.036	534386	507176	0.949	0.39	
7.076	240666	196245	0.815	0.17	
7.122	345690	285294	0.825	0.25	
7.222	14224	14841	1.043	0.01	
7.252	3661924	3266511	0.892	2.72	8 Aroclor 1260
7.283	1069136	892362	0.835	0.79	
7.390	1852151	1502868	0.811	1.37	
7.443	2216952	1888648	0.852	1.64	8 Aroclor 1260
7.552	171302	132932	0.776	0.12	
7.692	911316	814697	0.894	0.67	
7.728	156368	125258	0.801	0.11	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.777	11035	17805	1.614	0.00	
7.802	122291	99621	0.815	0.09	
7.901	2009348	1700247	0.846	1.49	8 Aroclor 1260
7.965	142693	115147	0.807	0.10	
8.076	14691	9375	0.638	0.01	
8.277	552327	476813	0.863	0.41	
8.383	35077	22743	0.648	0.02	
8.572	10160226	8786744	0.865	7.55	$ 12 Decachlorobiphenyl
8.945	25819	16899	0.655	0.01	
9.091	15971	14108	0.883	0.01	
9.470	23386	15627	0.668	0.01	
9.964	26995	17470	0.647	0.02	
	134567937	116018447		100.000	

Total unknown % area = 54

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618064.D
Lab Smp Id: 1660-CAL4A Client Smp ID: 1660-CAL4A
Inj Date : 06-MAR-2018 19:23
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal4a, 185560:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:23 Cal File: 030618064.D
Als bottle: 33 Calibration Sample, Level: 4
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	12180955	0.10000	0.099			
5 Aroclor 1016					CAS #: 12674-11-2			
3.317	3.318	-0.001	2333576	0.80000	0.76	0.00- 20.00	100.00(M)	BA
3.512	3.512	0.000	2362744	0.80000	0.76	0.00- 20.00	101.25	BA
3.826	3.826	0.000	6746064	0.80000	0.76	0.00- 20.00	289.09	BA
3.929	3.929	0.000	2864977	0.80000	0.76	0.00- 20.00	122.77	BA
3.995	3.994	0.001	1946758	0.80000	0.75	0.00- 20.00	83.42	BA
Average of Peak Amounts =					0.75800			
8 Aroclor 1260					CAS #: 11096-82-5			
6.300	6.300	0.000	6710842	0.80000	0.76	0.00- 20.00	100.00(M)	BA
7.005	7.006	-0.001	7621578	0.80000	0.76	0.00- 20.00	113.57	BA
7.252	7.251	0.001	3661923	0.80000	0.77	0.00- 20.00	54.57	BA
7.443	7.443	0.000	2216952	0.80000	0.76	0.00- 20.00	33.04	BA
7.901	7.901	0.000	2009347	0.80000	0.76	0.00- 20.00	29.94	BA
Average of Peak Amounts =					0.76200			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.571	8.571	0.000	10160225	0.10000	0.093			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618064.D

Date : 06-MAR-2018 19:23

Client ID: 1660-CAL4A

Instrument: 40GCSJ.i

Sample Info: 1660-CAL4A, 185560:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618064.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 19:23 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-CAL4A





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	2324400	2333576	BA
Aroclor 1016	2324400	2333576	BA
Aroclor 1016	2324400	2333576	BA
Aroclor 1016	2324400	2333576	BA
Aroclor 1016	2324400	2333576	BA
Aroclor 1260	6681873	6710842	BA
Aroclor 1260	6681873	6710842	BA
Aroclor 1260	6681873	6710842	BA
Aroclor 1260	6681873	6710842	BA
Aroclor 1260	6681873	6710842	BA
Tetrachloro-m-xylene	12180955	12180955	
Decachlorobiphenyl	10160225	10160225	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618066.D
Lab Smp Id: 1660-CAL5A Client Smp ID: 1660-CAL5A
Inj Date : 06-MAR-2018 19:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal5a, 185561:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 34 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.187	97781	71878	0.735	0.05		
1.429	107893	87519	0.811	0.06		
1.538	44327	37507	0.846	0.02		
1.689	14954	14333	0.958	0.00		
1.805	29740	28315	0.952	0.01		
2.010	60528	44274	0.731	0.03		
2.195	10025	8478	0.846	0.00		
2.405	262681	207562	0.790	0.15		
2.485	18299527	17728359	0.969	11.17	$ 2 Tetrachloro-m-xylene	
2.688	390097	317641	0.814	0.22		
2.789	657209	632240	0.962	0.38		
2.851	2084131	1917446	0.920	1.20		
3.030	26436	29009	1.097	0.01		
3.056	320575	297217	0.927	0.18		
3.278	50946	36697	0.720	0.02		
3.318	2843186	2604947	0.916	1.64	5 Aroclor 1016	BA
3.345	1662911	1538320	0.925	0.96		
3.435	468814	430601	0.918	0.27		
3.513	2890424	2043297	0.707	1.67	5 Aroclor 1016	BA
3.609	62043	51821	0.835	0.03		
3.645	34136	30033	0.880	0.01		
3.697	81037	81549	1.006	0.04		
3.732	758995	759602	1.001	0.43		
3.756	489036	474710	0.971	0.28		
3.827	8333033	5039841	0.605	4.83	5 Aroclor 1016	BA
3.929	3523970	2978332	0.845	2.04	5 Aroclor 1016	BA
3.994	2424782	2289525	0.944	1.40	5 Aroclor 1016	BA
4.059	690218	639344	0.926	0.40		
4.137	268754	245577	0.914	0.15		
4.215	2047181	1927649	0.942	1.18		
4.262	1851518	1768522	0.955	1.07		
4.293	812332	825594	1.016	0.47		
4.310	980066	916238	0.935	0.56		
4.372	57766	44143	0.764	0.03		
4.418	2565892	2366938	0.922	1.48		
4.453	1929565	1448450	0.751	1.11		
4.546	3331677	3063380	0.919	1.93		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.617	763681	725726	0.950	0.44	
4.681	43434	35484	0.817	0.02	
4.728	114565	101125	0.883	0.06	
4.768	108255	99422	0.918	0.06	
4.814	619087	601641	0.972	0.35	
4.849	956824	929295	0.971	0.55	
4.895	3006449	2129145	0.708	1.74	
4.958	194324	157336	0.810	0.11	
5.038	174178	158253	0.909	0.10	
5.101	636910	553004	0.868	0.36	
5.163	2438926	2194509	0.900	1.41	
5.212	111384	92369	0.829	0.06	
5.308	27827	26460	0.951	0.01	
5.364	165309	157324	0.952	0.09	
5.408	704023	646364	0.918	0.40	
5.443	29112	28546	0.981	0.01	
5.479	1000519	928454	0.928	0.57	
5.510	1729074	1534039	0.887	1.00	
5.576	19550	16048	0.821	0.01	
5.604	34848	27975	0.803	0.02	
5.675	2490301	2308914	0.927	1.44	
5.711	1866212	995046	0.533	1.08	
5.787	6185492	5328228	0.861	3.58	
5.883	417579	397243	0.951	0.24	
5.930	202848	167345	0.825	0.11	
5.995	1064293	993125	0.933	0.61	
6.031	2357002	2281362	0.968	1.36	
6.056	6802716	5913555	0.869	3.94	
6.169	4398269	2916854	0.663	2.54	
6.256	1013848	595870	0.588	0.58	
6.299	8372147	6873251	0.821	4.85	8 Aroclor 1260
6.334	1228651	1117268	0.909	0.71	
6.374	310797	237866	0.765	0.18	
6.433	875594	776637	0.887	0.50	
6.486	186696	226162	1.211	0.10	
6.510	4055406	3619288	0.892	2.35	
6.536	804268	870936	1.083	0.46	
6.562	2530676	2228116	0.880	1.46	
6.606	275537	224114	0.813	0.15	
6.660	821602	744134	0.906	0.47	
6.718	4363168	3923038	0.899	2.52	
6.759	2436592	2160749	0.887	1.41	
6.804	2046255	1732909	0.847	1.18	
6.840	379385	321813	0.848	0.21	
6.866	193686	163537	0.844	0.11	
6.913	279672	253923	0.908	0.16	
6.943	893745	829547	0.928	0.51	
7.006	9552528	8232909	0.862	5.53	8 Aroclor 1260
7.036	634159	627991	0.990	0.36	
7.075	290251	237040	0.817	0.16	
7.122	440812	358276	0.813	0.25	
7.222	14569	17676	1.213	0.00	
7.252	4561710	4033993	0.884	2.64	8 Aroclor 1260
7.283	1317583	1086644	0.825	0.76	
7.390	2273253	1907971	0.839	1.31	
7.444	2747730	2350698	0.856	1.59	8 Aroclor 1260
7.554	205956	170355	0.827	0.11	

Data File: ...wintarget\data2\chem\40GCSJ.i\030618.b\030618066.D Page 3
Report Date: 22-Mar-2018 13:35

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.692	1143671	1008027	0.881	0.66	
7.728	196307	160265	0.816	0.11	
7.778	26925	26862	0.998	0.01	
7.801	147398	123041	0.835	0.08	
7.901	2485127	2093291	0.842	1.44	8 Aroclor 1260
7.966	182440	138184	0.757	0.10	
8.071	16818	11151	0.663	0.00	
8.276	710759	618559	0.870	0.41	
8.379	47324	33393	0.706	0.02	
8.572	15073641	13074115	0.867	8.73	$ 12 Decachlorobiphenyl
8.944	40002	27870	0.697	0.02	
9.088	20422	15432	0.756	0.01	
9.469	45604	27683	0.607	0.02	
9.964	44216	30829	0.697	0.02	
	172514109	148782492		100.000	

Total unknown % area = 52

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618066.D
Lab Smp Id: 1660-CAL5A Client Smp ID: 1660-CAL5A
Inj Date : 06-MAR-2018 19:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-cal5a, 185561:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 34 Calibration Sample, Level: 5
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	18299526	0.15000	0.15			
5 Aroclor 1016					CAS #: 12674-11-2			
3.318	3.318	0.000	2843185	1.00000	0.92	0.00- 20.00	100.00(M)	BA
3.512	3.512	0.000	2890423	1.00000	0.93	0.00- 20.00	101.66	BA
3.826	3.826	0.000	8333033	1.00000	0.94	0.00- 20.00	293.09	BA
3.928	3.929	-0.001	3523970	1.00000	0.93	0.00- 20.00	123.94	BA
3.994	3.994	0.000	2424781	1.00000	0.93	0.00- 20.00	85.28	BA
Average of Peak Amounts =					0.93000			
8 Aroclor 1260					CAS #: 11096-82-5			
6.299	6.300	-0.001	8372147	1.00000	0.94	0.00- 20.00	100.00(M)	BA
7.005	7.006	-0.001	9552528	1.00000	0.95	0.00- 20.00	114.10	BA
7.251	7.251	0.000	4561709	1.00000	0.95	0.00- 20.00	54.49	BA
7.443	7.443	0.000	2747730	1.00000	0.94	0.00- 20.00	32.82	BA
7.900	7.901	-0.001	2485127	1.00000	0.94	0.00- 20.00	29.68	BA
Average of Peak Amounts =					0.94400			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.571	8.571	0.000	15073640	0.15000	0.14			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618066.D
Date : 06-MAR-2018 19:39
Client ID: 1660-CAL5A
Sample Info: 1660-CAL5A, 185561:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618066.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 19:39 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-CAL5A





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	2831739	2843185	BA
Aroclor 1016	2831739	2843185	BA
Aroclor 1016	2831739	2843185	BA
Aroclor 1016	2831739	2843185	BA
Aroclor 1016	2831739	2843185	BA
Aroclor 1260	8339409	8372147	BA
Aroclor 1260	8339409	8372147	BA
Aroclor 1260	8339409	8372147	BA
Aroclor 1260	8339409	8372147	BA
Aroclor 1260	8339409	8372147	BA
Tetrachloro-m-xylene	18299526	18299526	
Decachlorobiphenyl	15073640	15073640	

PCB Low Level Calibration % Difference Check

Lab Name: Pace Analytical - Green Bay
Instrument ID: 40GCSJ
Calibration Date: 3/6/2018

Aroclor	True Value	Abundance Concentration	% Difference	Acceptance Criteria %	Pass/Fail
AR1221-CAL1	.1	0.109383	9.383	20	Pass
AR1242-CAL1	.1	0.108828	8.828	20	Pass
AR1248-CAL1	.1	0.106694	6.694	20	Pass
AR1254-CAL1	.1	0.10796	7.96	20	Pass
AR1016-CAL1	.1	0.109056	9.056	20	Pass
AR1260-CAL1	.1	0.10731	7.31	20	Pass

SAMPLE NO.

10757904ICV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 03/06/2018 Time: 20:11

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 030618.B\030618070.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1221	1	Averaged	1.804	1.77	1.838	1041256.70	1074308.00	3.1742
Aroclor 1221	2	Averaged	2.407	2.373	2.441	547842.900	558458.000	1.9376
Aroclor 1221	3	Averaged	2.688	2.654	2.722	1383336.70	1446642.00	4.5763
Aroclor 1221	4	Averaged	2.789	2.755	2.823	1105769.55	1114194.00	0.7619
Aroclor 1221	5	Averaged	2.851	2.817	2.885	3255397.65	3446964.00	5.8846
Decachlorobiphenyl (S)		Averaged	8.571	8.537	8.605	109559990.	106438520.	-2.8491
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	119469080.	-3.1031

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10757932ICV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 03/06/2018 Time: 20:27

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 030618.B\030618072.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1242	1	Averaged	3.317	3.284	3.352	2533198.70	2574948.00	1.6481
Aroclor 1242	2	Averaged	3.513	3.479	3.547	2520033.45	2587724.00	2.6861
Aroclor 1242	3	Averaged	3.825	3.793	3.861	7116457.95	7162442.00	0.6462
Aroclor 1242	4	Averaged	3.928	3.895	3.963	3041534.65	3109342.00	2.2294
Aroclor 1242	5	Averaged	3.993	3.961	4.029	2047746.90	2082504.00	1.6973
Decachlorobiphenyl (S)		Averaged	8.571	8.537	8.605	109559990.	100680260.	-8.1049
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	117472720.	-4.7223

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10757923ICV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 03/06/2018 Time: 20:44

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 030618.B\030618074.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1248	1	Averaged	4.261	4.227	4.295	2342973.85	2416006.00	3.1171
Aroclor 1248	2	Averaged	4.545	4.512	4.58	4150305.95	4272006.00	2.9323
Aroclor 1248	3	Averaged	4.813	4.778	4.846	2030080.20	2145142.00	5.6678
Aroclor 1248	4	Averaged	4.879	4.845	4.913	5037445.65	5257174.00	4.3619
Aroclor 1248	5	Averaged	5.037	5.004	5.072	3588546.15	3781714.00	5.3829
Decachlorobiphenyl (S)		Averaged	8.57	8.537	8.605	109559990.	103468660.	-5.5598
Tetrachloro-m-xylene		Averaged	2.485	2.45	2.518	123295106.	117995220.	-4.2985

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10757930ICV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 03/06/2018 Time: 21:00

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 030618.B\030618076.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1254	1	Averaged	5.162	5.128	5.196	5235247.45	4908596.00	-6.2395
Aroclor 1254	2	Averaged	5.406	5.374	5.442	4301054.45	4023996.00	-6.4416
Aroclor 1254	3	Averaged	5.51	5.476	5.544	7766063.85	7114120.00	-8.3948
Aroclor 1254	4	Averaged	6.026	5.993	6.061	4869683.55	4559312.00	-6.3735
Aroclor 1254	5	Averaged	6.299	6.265	6.333	6507103.75	6351522.00	-2.3910
Decachlorobiphenyl (S)		Averaged	8.571	8.537	8.605	109559990.	103892160.	-5.1733
Tetrachloro-m-xylene		Averaged	2.485	2.45	2.518	123295106.	119128800.	-3.3791

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10757911ICV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 03/06/2018 Time: 21:16
Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018
Lab File ID: 030618.B\030618078.D
Init. Calib. Time(s): 11:02 19:39
SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1016	1	Averaged	3.317	3.284	3.352	3080830.60	3151828.00	2.3045
Aroclor 1016	2	Averaged	3.512	3.478	3.546	3099002.40	3167044.00	2.1956
Aroclor 1016	3	Averaged	3.826	3.792	3.86	8861786.20	9017370.00	1.7557
Aroclor 1016	4	Averaged	3.928	3.895	3.963	3780223.45	3853260.00	1.9321
Aroclor 1016	5	Averaged	3.994	3.96	4.028	2603349.30	2572474.00	-1.1860
Aroclor 1260	1	Averaged	6.3	6.266	6.334	8862352.50	8433522.00	-4.8388
Aroclor 1260	2	Averaged	7.005	6.972	7.04	10014373.3	10338502.0	3.2366
Aroclor 1260	3	Averaged	7.251	7.217	7.285	4779803.15	4863954.00	1.7606
Aroclor 1260	4	Averaged	7.442	7.409	7.477	2915110.60	2985660.00	2.4201
Aroclor 1260	5	Averaged	7.901	7.867	7.935	2638735.95	2816390.00	6.7325
Decachlorobiphenyl (S)		Averaged	8.571	8.537	8.605	109559990.	104964120.	-4.1948
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	118641800.	-3.7741

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10883265CCV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 04/10/2018 Time: 19:39

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 041018.B\041018028.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1232	1	Averaged	2.85	2.817	2.885	2500024.00	2667442.00	6.6967
Aroclor 1232	2	Averaged	3.514	3.479	3.547	1339782.00	1383046.00	3.2292
Aroclor 1232	3	Averaged	3.825	3.793	3.861	3749726.00	3969136.00	5.8514
Aroclor 1232	4	Averaged	3.928	3.895	3.963	1606492.00	1704804.00	6.1197
Aroclor 1232	5	Averaged	3.993	3.961	4.029	1091876.00	1112998.00	1.9345
Decachlorobiphenyl (S)		Averaged	8.57	8.537	8.605	109559990.	105091020.	-4.0790
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	118805060.	-3.6417

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10883264CCV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 04/10/2018 Time: 22:49

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 041018.B\041018040.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1242	1	Averaged	3.316	3.284	3.352	2533198.70	2657754.00	4.9169
Aroclor 1242	2	Averaged	3.512	3.479	3.547	2520033.45	2626344.00	4.2186
Aroclor 1242	3	Averaged	3.825	3.793	3.861	7116457.95	7550162.00	6.0944
Aroclor 1242	4	Averaged	3.928	3.895	3.963	3041534.65	3225182.00	6.0380
Aroclor 1242	5	Averaged	3.993	3.961	4.029	2047746.90	2162356.00	5.5968
Decachlorobiphenyl (S)		Averaged	8.569	8.537	8.605	109559990.	110791280.	1.1238
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	124422140.	0.9141

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10893626CCV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 04/11/2018 Time: 01:59

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 041018.B\041018052.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1248	1	Averaged	4.26	4.227	4.295	2342973.85	2471400.00	5.4813
Aroclor 1248	2	Averaged	4.545	4.512	4.58	4150305.95	4330402.00	4.3393
Aroclor 1248	3	Averaged	4.812	4.778	4.846	2030080.20	2169900.00	6.8874
Aroclor 1248	4	Averaged	4.878	4.845	4.913	5037445.65	5359698.00	6.3971
Aroclor 1248	5	Averaged	5.036	5.004	5.072	3588546.15	3846072.00	7.1763
Decachlorobiphenyl (S)		Averaged	8.569	8.537	8.605	109559990.	113293120.	3.4074
Tetrachloro-m-xylene		Averaged	2.484	2.45	2.518	123295106.	124476080.	0.9578

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

SAMPLE NO.

10893627CCV

PCB - FORM VII SVOA-1
PCB CALIBRATION VERIFICATION SUMMARY

Lab Name: Pace Analytical - Green Bay
Calibration Date: 04/11/2018 Time: 05:10

Instrument ID: 40GCSJ GC Column: Col 1
Init. Calib. Date(s): 03/06/2018 03/06/2018

Lab File ID: 041018.B\041018064.D
Init. Calib. Time(s): 11:02 19:39

SDG No.: 40157832

COMPOUND	PEAK	CURVE	RT	RT WINDOW		$\overline{RRF}$ or Amount	RRF or Amount	%D
				FROM	TO			
Aroclor 1254	1	Averaged	5.161	5.128	5.196	5235247.45	5292888.00	1.1010
Aroclor 1254	2	Averaged	5.406	5.374	5.442	4301054.45	4413072.00	2.6044
Aroclor 1254	3	Averaged	5.509	5.476	5.544	7766063.85	7881908.00	1.4917
Aroclor 1254	4	Averaged	6.024	5.993	6.061	4869683.55	5137738.00	5.5046
Aroclor 1254	5	Averaged	6.297	6.265	6.333	6507103.75	6779146.00	4.1807
Decachlorobiphenyl (S)		Averaged	8.57	8.537	8.605	109559990.	112291200.	2.4929
Tetrachloro-m-xylene		Averaged	2.485	2.45	2.518	123295106.	120958320.	-1.8953

The values for compounds reported as total are based on a summation of the components within the laboratory information management system.

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618070.D
Lab Smp Id: 1221-ICV Client Smp ID: 1221-ICV
Inj Date : 06-MAR-2018 20:11
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-icv, 188142:1
Misc Info : 17498,AR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 36 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1221.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.430	40840	33323	0.816	0.23		
1.537	17254	12915	0.749	0.09		
1.688	12270	8463	0.690	0.07		
1.804	537154	469858	0.875	3.07	1 Aroclor 1221	BA
2.158	11282	10928	0.969	0.06		
2.198	158378	141258	0.892	0.90		
2.407	279229	204848	0.734	1.60	1 Aroclor 1221	BA
2.485	5973454	5698500	0.954	34.47	$ 2 Tetrachloro-m-xylene	BA
2.688	723322	608616	0.841	4.14	1 Aroclor 1221	BA
2.789	557097	532699	0.956	3.19	1 Aroclor 1221	BA
2.851	1723482	1520837	0.882	9.87	1 Aroclor 1221	BA
3.053	42842	31274	0.730	0.24		
3.281	125722	92702	0.737	0.72		
3.324	409120	233739	0.571	2.34		
3.433	41957	33921	0.808	0.24		
3.514	152248	110173	0.724	0.87		
3.609	20491	17352	0.847	0.11		
3.693	13172	11957	0.908	0.07		
3.731	39776	40682	1.023	0.22		
3.755	38316	38664	1.009	0.21		
3.827	333479	205587	0.616	1.91		
3.930	166253	139975	0.842	0.95		
3.994	101078	94563	0.936	0.57		
4.058	16842	14008	0.832	0.09		
4.214	43249	38654	0.894	0.24		
4.260	30501	31686	1.039	0.17		
4.291	19839	13076	0.659	0.11		
4.418	34788	38094	1.095	0.19		
4.447	27970	19186	0.686	0.16		
4.544	57594	51561	0.895	0.33		
4.616	16740	13977	0.835	0.09		
4.815	23044	20925	0.908	0.13		
4.847	36853	34664	0.941	0.21		
4.879	53269	36786	0.691	0.30		
5.037	34294	32438	0.946	0.19		
5.103	10234	8648	0.845	0.05		
5.408	11500	8513	0.740	0.06		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.512	18851	12253	0.650	0.10	
5.783	9303	7027	0.755	0.05	
6.347	10003	6690	0.669	0.05	
6.867	9564	7223	0.755	0.05	
7.729	30210	25344	0.839	0.17	
7.802	20371	17570	0.862	0.11	
8.278	45102	38714	0.858	0.25	
8.572	5321926	4509273	0.847	30.49	$ 12 Decachlorobiphenyl
8.942	13753	10341	0.752	0.07	
9.470	11610	10452	0.900	0.06	
9.960	25620	14968	0.584	0.14	
	17451246	15314905		100.000	

Total unknown % area = 13

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618070.D
Lab Smp Id: 1221-ICV Client Smp ID: 1221-ICV
Inj Date : 06-MAR-2018 20:11
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1221-icv, 188142:1
Misc Info : 17498,AR1221
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 36 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1221.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO		REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8				
2.484	2.484	0.000	5973454	0.05000	0.048			(M)	BA
1 Aroclor 1221					CAS #: 11104-28-2				
1.804	1.804	0.000	537154	0.50000	0.52	0.00- 20.00	100.00	(M)	BA
2.407	2.407	0.000	279229	0.50000	0.51	0.00- 20.00	51.98		BA
2.688	2.688	0.000	723321	0.50000	0.52	0.00- 20.00	134.66		BA
2.789	2.789	0.000	557097	0.50000	0.50	0.00- 20.00	103.71		BA
2.851	2.851	0.000	1723482	0.50000	0.53	0.00- 20.00	320.85		BA
Average of Peak Amounts =					0.51600				
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3				
8.571	8.571	0.000	5321926	0.05000	0.048				

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618070.D
Date : 06-MAR-2018 20:11
Client ID: 1221-ICV
Sample Info: 1221-ICV, 188142:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618070.D (ManInt: AR1221.sub Orig: AR1221.sub)
Injection Date: 06-MAR-2018 20:11 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1221-ICV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1221	531813	537154	BA
Aroclor 1221	531813	537154	BA
Aroclor 1221	531813	537154	BA
Aroclor 1221	531813	537154	BA
Aroclor 1221	531813	537154	BA
Tetrachloro-m-xylene	5952668	5973454	BA
Decachlorobiphenyl	5321926	5321926	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618072.D
Lab Smp Id: 1242-ICV Client Smp ID: 1242-ICV
Inj Date : 06-MAR-2018 20:27
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-icv, 185562:1
Misc Info : 17498,AR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 37 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	14288	12968	0.908	0.03		
1.428	37134	32784	0.883	0.09		
1.539	20685	13744	0.664	0.05		
1.806	19059	17804	0.934	0.05		
2.404	134346	103552	0.771	0.35		
2.485	5873636	5676099	0.966	16.03	$ 2 Tetrachloro-m-xylene	
2.686	193190	158466	0.820	0.51		
2.788	283870	272236	0.959	0.75		
2.850	999209	952371	0.953	2.66		
3.054	145787	130280	0.894	0.38		
3.279	24447	19522	0.799	0.06		
3.317	1287474	1200238	0.932	3.43	3 Aroclor 1242	BA
3.344	730459	693075	0.949	1.94		
3.435	207883	189325	0.911	0.55		
3.513	1293863	944289	0.730	3.44	3 Aroclor 1242	BA
3.612	22860	18377	0.804	0.06		
3.647	23439	16349	0.698	0.06		
3.696	36476	35506	0.973	0.09		
3.731	322838	319621	0.990	0.86		
3.756	213073	205263	0.963	0.56		
3.826	3581222	2097110	0.586	9.54	3 Aroclor 1242	BA
3.928	1554671	1293077	0.832	4.14	3 Aroclor 1242	BA
3.994	1041253	986439	0.947	2.77	3 Aroclor 1242	BA
4.058	279247	251769	0.902	0.74		
4.136	113510	101678	0.896	0.30		
4.215	824770	788034	0.955	2.19		
4.261	781405	765245	0.979	2.08		
4.292	312524	328346	1.051	0.83		
4.311	404517	367665	0.909	1.07		
4.372	27372	22538	0.823	0.07		
4.417	1118646	1040424	0.930	2.98		
4.452	854457	630460	0.738	2.27		
4.545	1421692	1283823	0.903	3.78		
4.618	334338	302865	0.906	0.89		
4.679	28007	18667	0.667	0.07		
4.728	68438	58015	0.848	0.18		
4.768	73081	69415	0.950	0.19		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.812	640662	618887	0.966	1.70	
4.848	1131783	1062264	0.939	3.01	
4.878	1453285	1083159	0.745	3.87	
4.957	156083	126825	0.813	0.41	
5.037	1224571	1114748	0.910	3.26	
5.099	245239	185939	0.758	0.65	
5.162	276625	246249	0.890	0.73	
5.212	201147	175293	0.871	0.53	
5.285	18730	16061	0.858	0.04	
5.312	50903	39235	0.771	0.13	
5.362	178111	159411	0.895	0.47	
5.407	296369	257265	0.868	0.78	
5.446	185486	163132	0.879	0.49	
5.509	494170	376849	0.763	1.31	
5.604	157705	129475	0.821	0.42	
5.670	15998	12262	0.766	0.04	
5.716	27499	21293	0.774	0.07	
5.741	38080	32982	0.866	0.10	
5.792	324066	249256	0.769	0.86	
5.891	46598	28590	0.614	0.12	
6.025	300272	225833	0.752	0.80	
6.173	22376	16996	0.760	0.05	
6.299	61219	54211	0.886	0.16	
6.335	9981	10468	1.049	0.02	
6.367	9764	8232	0.843	0.02	
6.801	13109	12142	0.926	0.03	
7.008	20895	16561	0.793	0.05	
7.124	16181	11660	0.721	0.04	
7.253	9479	8109	0.855	0.02	
7.392	10765	9021	0.838	0.02	
7.727	30633	26862	0.877	0.08	
7.802	22807	20254	0.888	0.06	
8.275	44979	37205	0.827	0.11	
8.381	12768	10411	0.815	0.03	
8.572	5034014	4309550	0.856	13.41	$ 12 Decachlorobiphenyl
9.466	9953	6796	0.683	0.02	
9.962	21579	14184	0.657	0.05	
	37517051	32315109		100.000	

Total unknown % area = 47

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618072.D
Lab Smp Id: 1242-ICV Client Smp ID: 1242-ICV
Inj Date : 06-MAR-2018 20:27
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-icv, 185562:1
Misc Info : 17498,AR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 37 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene						CAS #: 877-09-8		
2.484	2.484	0.000	5873636	0.05000	0.048			
3 Aroclor 1242						CAS #: 53469-21-9		
3.317	3.318	-0.001	1287474	0.50000	0.51	0.00- 20.00	100.00(M)	BA
3.513	3.513	0.000	1293862	0.50000	0.51	0.00- 20.00	100.50	BA
3.825	3.827	-0.002	3581221	0.50000	0.50	0.00- 20.00	278.16	BA
3.928	3.929	-0.001	1554671	0.50000	0.51	0.00- 20.00	120.75	BA
3.993	3.995	-0.002	1041252	0.50000	0.51	0.00- 20.00	80.88	BA
Average of Peak Amounts =					0.50800			
$ 12 Decachlorobiphenyl						CAS #: 2051-24-3		
8.571	8.571	0.000	5034013	0.05000	0.046			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618072.D
Date : 06-MAR-2018 20:27
Client ID: 1242-ICV
Sample Info: 1242-ICV, 185562:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618072.D (ManInt: AR1242.sub Orig: AR1242.sub)
Injection Date: 06-MAR-2018 20:27 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-ICV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	1280662	1287474	BA
Aroclor 1242	1280662	1287474	BA
Aroclor 1242	1280662	1287474	BA
Aroclor 1242	1280662	1287474	BA
Aroclor 1242	1280662	1287474	BA
Tetrachloro-m-xylene	5873636	5873636	
Decachlorobiphenyl	5034013	5034013	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618074.D
Lab Smp Id: 1248-ICV Client Smp ID: 1248-ICV
Inj Date : 06-MAR-2018 20:44
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-icv, 185563:1
Misc Info : 17498,AR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 38 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	17909	14420	0.805	0.04		
1.427	41300	30754	0.745	0.09		
1.534	17534	12165	0.694	0.04		
1.683	10383	10019	0.965	0.02		
2.405	14088	10428	0.740	0.03		
2.485	5899761	5544150	0.940	14.05	$ 2 Tetrachloro-m-xylene	
2.689	16668	12362	0.742	0.03		
2.788	95501	90846	0.951	0.22		
2.852	103096	93433	0.906	0.23		
3.055	53842	46986	0.873	0.12		
3.318	652092	633367	0.971	1.50		
3.344	255476	242530	0.949	0.58		
3.433	54381	45369	0.834	0.12		
3.515	528681	378059	0.715	1.22		
3.612	17192	16665	0.969	0.03		
3.733	139942	107922	0.771	0.32		
3.815	998138	1180553	1.183	2.30		
3.825	1248615	1194584	0.957	2.88		
3.931	835250	638277	0.764	1.92		
3.995	550006	533435	0.970	1.26		
4.059	343387	326192	0.950	0.79		
4.137	145276	132173	0.910	0.33		
4.215	1486323	1403883	0.945	3.43		
4.262	1208004	1159133	0.960	2.78	6 Aroclor 1248	BA
4.293	511269	526568	1.030	1.17		
4.311	543428	513963	0.946	1.25		
4.418	1823450	1718104	0.942	4.20		
4.452	908943	795006	0.875	2.09		
4.546	2136003	1914178	0.896	4.92	6 Aroclor 1248	BA
4.588	34235	33628	0.982	0.07		
4.618	485337	462281	0.952	1.12		
4.680	28053	23489	0.837	0.06		
4.728	63611	50641	0.796	0.14		
4.769	114596	110060	0.960	0.26		
4.813	1072572	1047618	0.977	2.47	6 Aroclor 1248	BA
4.848	2019974	1872521	0.927	4.66		
4.880	2628588	1729939	0.658	6.06	6 Aroclor 1248	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.958	300549	254865	0.848	0.69	
5.037	1890857	1718796	0.909	4.36	6 Aroclor 1248
5.099	658439	515140	0.782	1.51	
5.163	778429	704282	0.905	1.79	
5.212	561933	511880	0.911	1.29	
5.284	37417	36848	0.985	0.08	
5.309	124762	104101	0.834	0.28	
5.364	496549	440266	0.887	1.14	
5.408	826216	719936	0.871	1.90	
5.446	528194	462528	0.876	1.21	
5.510	1373479	1108021	0.807	3.16	
5.604	398982	348600	0.874	0.92	
5.675	36019	29954	0.832	0.08	
5.717	78189	59388	0.760	0.18	
5.739	98549	89525	0.908	0.22	
5.793	935796	748637	0.800	2.15	
5.889	98768	81563	0.826	0.22	
5.996	31650	25516	0.806	0.07	
6.024	912880	698617	0.765	2.10	
6.169	70680	48903	0.692	0.16	
6.228	45926	27843	0.606	0.10	
6.301	222697	182730	0.821	0.51	
6.335	46487	36946	0.795	0.10	
6.372	40036	31572	0.789	0.09	
6.512	15047	14089	0.936	0.03	
6.536	93754	63840	0.681	0.21	
6.607	16189	11424	0.706	0.03	
6.719	21159	16941	0.801	0.04	
6.759	10928	9914	0.907	0.02	
6.804	35912	32894	0.916	0.08	
7.005	37431	32956	0.880	0.08	
7.126	11973	10422	0.870	0.02	
7.253	25115	21545	0.858	0.05	
7.683	12978	7477	0.576	0.02	
7.730	34860	28466	0.817	0.08	
7.799	36493	21426	0.587	0.08	
7.900	14089	11492	0.816	0.03	
8.274	45874	41456	0.904	0.10	
8.380	17315	11279	0.651	0.03	
8.571	5173433	4424436	0.855	11.93	$ 12 Decachlorobiphenyl
8.940	12157	9669	0.795	0.02	
9.960	18949	14032	0.741	0.04	
	43330043	38425916		100.000	

Total unknown % area = 53

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618074.D
Lab Smp Id: 1248-ICV Client Smp ID: 1248-ICV
Inj Date : 06-MAR-2018 20:44
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-icv, 185563:1
Misc Info : 17498,AR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 38 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	5899761	0.05000	0.048			
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	1208003	0.50000	0.52	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	2136003	0.50000	0.51	0.00- 20.00	176.82	BA
4.813	4.812	0.001	1072571	0.50000	0.53	0.00- 20.00	88.79	BA
4.879	4.879	0.000	2628587	0.50000	0.52	0.00- 20.00	217.60	BA
5.037	5.038	-0.001	1890857	0.50000	0.53	0.00- 20.00	156.53	BA
Average of Peak Amounts =					0.52200			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5173433	0.05000	0.047			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618074.D
Date : 06-MAR-2018 20:44
Client ID: 1248-ICV
Sample Info: 1248-ICV, 185563:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618074.D (ManInt: AR1248.sub Orig: AR1248.sub)
Injection Date: 06-MAR-2018 20:44 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-ICV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	1202018	1208003	BA
Aroclor 1248	1202018	1208003	BA
Aroclor 1248	1202018	1208003	BA
Aroclor 1248	1202018	1208003	BA
Aroclor 1248	1202018	1208003	BA
Tetrachloro-m-xylene	5899761	5899761	
Decachlorobiphenyl	5173433	5173433	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618076.D
Lab Smp Id: 1254-ICV Client Smp ID: 1254-ICV
Inj Date : 06-MAR-2018 21:00
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-icv, 185564:1
Misc Info : 17498,AR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 39 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.181	11241	11145	0.991	0.02		
1.429	37023	29359	0.793	0.07		
1.536	18870	14547	0.771	0.03		
2.485	5956441	5624399	0.944	12.17	$ 2 Tetrachloro-m-xylene	
2.787	83932	83545	0.995	0.16		
2.847	23487	12751	0.543	0.04		
3.053	22053	16758	0.760	0.04		
3.320	24424	22137	0.906	0.04		
3.343	16533	14772	0.894	0.03		
3.511	21956	15136	0.689	0.04		
3.610	23047	18723	0.812	0.04		
3.813	73837	44648	0.605	0.14		
3.936	54806	35146	0.641	0.10		
3.991	21322	19067	0.894	0.04		
4.057	16084	14470	0.900	0.03		
4.216	1104737	1042404	0.944	2.18		
4.261	294439	287244	0.976	0.58		
4.293	55355	38898	0.703	0.10		
4.417	645490	619185	0.959	1.27		
4.453	65034	55154	0.848	0.12		
4.546	297966	280995	0.943	0.58		
4.590	13297	14947	1.124	0.02		
4.615	52626	43507	0.827	0.10		
4.682	14760	14823	1.004	0.02		
4.769	19864	18032	0.908	0.03		
4.813	255256	243907	0.956	0.50		
4.848	954635	917189	0.961	1.88		
4.895	2240553	1806193	0.806	4.42		
4.957	378746	331044	0.874	0.74		
5.039	197483	178932	0.906	0.39		
5.100	1331660	1130632	0.849	2.63		
5.163	2454299	2245562	0.915	4.84	7 Aroclor 1254	BA
5.212	1112261	987906	0.888	2.19		
5.285	62054	59649	0.961	0.12		
5.310	206656	186551	0.903	0.40		
5.363	957753	888665	0.928	1.89		
5.407	2011999	1826444	0.908	3.97	7 Aroclor 1254	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.445	683522	603976	0.884	1.35	
5.478	263671	258349	0.980	0.52	
5.510	3557061	3172502	0.892	7.02	7 Aroclor 1254
5.577	41056	36384	0.886	0.08	
5.605	496084	429134	0.865	0.98	
5.676	353874	332146	0.939	0.69	
5.711	557893	345779	0.620	1.10	
5.741	316074	271838	0.860	0.62	
5.790	3702485	2959912	0.799	7.31	
5.885	349557	271841	0.778	0.69	
5.928	191368	119957	0.627	0.37	
5.994	332278	306209	0.922	0.65	
6.027	2279656	1881319	0.825	4.50	7 Aroclor 1254
6.055	1742805	1415445	0.812	3.44	
6.169	710083	597581	0.842	1.40	
6.228	301903	298212	0.988	0.59	
6.242	317472	282700	0.890	0.62	
6.300	3175762	2557382	0.805	6.27	7 Aroclor 1254
6.335	613369	538823	0.878	1.21	
6.374	338945	280771	0.828	0.66	
6.441	98349	54990	0.559	0.19	
6.487	20933	19173	0.916	0.04	
6.510	122159	127890	1.047	0.24	
6.537	1093807	836036	0.764	2.16	
6.606	171691	137034	0.798	0.33	
6.662	39774	29158	0.733	0.07	
6.720	225492	189217	0.839	0.44	
6.760	134652	118490	0.880	0.26	
6.802	627925	538577	0.858	1.24	
6.843	186255	113960	0.612	0.36	
6.943	65536	50712	0.774	0.12	
7.006	455898	370505	0.813	0.90	
7.074	28987	20562	0.709	0.05	
7.121	17906	16606	0.927	0.03	
7.253	362457	317889	0.877	0.71	
7.281	86561	71028	0.821	0.17	
7.390	15134	15178	1.003	0.02	
7.445	25464	19955	0.784	0.05	
7.555	25575	19764	0.773	0.05	
7.692	17214	14547	0.845	0.03	
7.731	30335	26152	0.862	0.05	
7.802	25782	20334	0.789	0.05	
7.898	15405	15400	1.000	0.03	
8.277	51144	41782	0.817	0.10	
8.571	5194608	4290400	0.826	10.26	$ 12 Decachlorobiphenyl
9.963	10137	8532	0.842	0.02	
	50606079	43638597		100.000	

Total unknown % area = 51

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618076.D
Lab Smp Id: 1254-ICV Client Smp ID: 1254-ICV
Inj Date : 06-MAR-2018 21:00
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-icv, 185564:1
Misc Info : 17498,AR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 39 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	5956440	0.05000	0.048			
7 Aroclor 1254					CAS #: 11097-69-1			
5.162	5.162	0.000	2454298	0.50000	0.47	0.00- 20.00	100.00(M)	BA
5.406	5.408	-0.002	2011998	0.50000	0.47	0.00- 20.00	81.98	BA
5.510	5.510	0.000	3557060	0.50000	0.46	0.00- 20.00	144.93	BA
6.026	6.027	-0.001	2279656	0.50000	0.47	0.00- 20.00	92.88	BA
6.299	6.299	0.000	3175761	0.50000	0.49	0.00- 20.00	129.40	BA
Average of Peak Amounts =					0.47200			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.571	8.571	0.000	5194608	0.05000	0.047			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618076.D
Date : 06-MAR-2018 21:00
Client ID: 1254-ICV
Sample Info: 1254-ICV, 185564:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618076.D (ManInt: AR1254.sub Orig: AR1254.sub)
Injection Date: 06-MAR-2018 21:00 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-ICV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	2444116	2454298	BA
Aroclor 1254	2444116	2454298	BA
Aroclor 1254	2444116	2454298	BA
Aroclor 1254	2444116	2454298	BA
Aroclor 1254	2444116	2454298	BA
Tetrachloro-m-xylene	5956440	5956440	
Decachlorobiphenyl	5194608	5194608	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618078.D
Lab Smp Id: 1660-ICV Client Smp ID: 1660-ICV
Inj Date : 06-MAR-2018 21:16
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-icv, 185565:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 40 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	21221	17184	0.810	0.02		
1.431	40838	31713	0.777	0.04		
1.536	17776	15618	0.879	0.02		
1.804	13311	13960	1.049	0.01		
2.011	10268	7617	0.742	0.01		
2.405	140776	109473	0.778	0.16		
2.484	5932090	5726918	0.965	7.56	$ 2 Tetrachloro-m-xylene	
2.687	201068	164753	0.819	0.24		
2.788	295756	279701	0.946	0.35		
2.851	1113041	1029534	0.925	1.33		
3.055	169967	158668	0.934	0.20		
3.277	24278	19456	0.801	0.02		
3.317	1575915	1463198	0.928	1.88	5 Aroclor 1016	BA
3.344	915512	854579	0.933	1.09		
3.435	250094	229311	0.917	0.29		
3.513	1583523	1159648	0.732	1.89	5 Aroclor 1016	BA
3.610	21286	19905	0.935	0.02		
3.645	25464	17411	0.684	0.03		
3.696	44251	42008	0.949	0.05		
3.732	398780	398305	0.999	0.47		
3.756	256467	255771	0.997	0.30		
3.827	4508685	2620847	0.581	5.39	5 Aroclor 1016	BA
3.929	1926630	1599827	0.830	2.30	5 Aroclor 1016	BA
3.994	1286237	1237455	0.962	1.54	5 Aroclor 1016	BA
4.058	377180	342508	0.908	0.45		
4.136	150296	140468	0.935	0.17		
4.214	1102455	1039229	0.943	1.32		
4.261	1029907	980757	0.952	1.23		
4.293	425562	439845	1.034	0.50		
4.310	540061	519083	0.961	0.64		
4.370	26189	19343	0.739	0.03		
4.417	1387264	1301927	0.938	1.66		
4.453	895338	753232	0.841	1.07		
4.545	1576424	1430306	0.907	1.88		
4.591	17433	23996	1.376	0.02		
4.618	301465	279443	0.927	0.36		
4.680	19837	14137	0.713	0.02		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.728	37013	29354	0.793	0.04	
4.768	30417	27693	0.910	0.03	
4.814	156037	149062	0.955	0.18	
4.848	239300	233617	0.976	0.28	
4.895	1221737	985481	0.807	1.46	
4.958	58840	41257	0.701	0.07	
5.037	85057	75952	0.893	0.10	
5.100	246503	215312	0.873	0.29	
5.163	1183240	1075758	0.909	1.41	
5.212	41947	29637	0.707	0.05	
5.310	13373	10637	0.795	0.01	
5.363	57749	52832	0.915	0.06	
5.407	268815	254856	0.948	0.32	
5.446	13974	15175	1.086	0.01	
5.478	527498	492186	0.933	0.63	
5.510	745390	669137	0.898	0.89	
5.576	10212	10260	1.005	0.01	
5.603	17026	12475	0.733	0.02	
5.676	1384577	1280481	0.925	1.65	
5.710	943302	526346	0.558	1.12	
5.786	3233298	2804467	0.867	3.87	
5.882	208249	189092	0.908	0.24	
5.930	96479	76874	0.797	0.11	
5.993	545401	501421	0.919	0.65	
6.029	1181491	1139915	0.965	1.41	
6.055	3616031	3141367	0.869	4.33	
6.169	2379439	1526966	0.642	2.84	
6.256	501646	311664	0.621	0.60	
6.301	4216761	3413991	0.810	5.04	8 Aroclor 1260
6.334	589361	516529	0.876	0.70	
6.373	133856	105313	0.787	0.16	
6.433	474923	416467	0.877	0.56	
6.486	96367	124001	1.287	0.11	
6.510	2278472	2020249	0.887	2.72	
6.535	319186	362341	1.135	0.38	
6.561	1371229	1239953	0.904	1.64	
6.606	126514	100966	0.798	0.15	
6.661	435030	401966	0.924	0.52	
6.718	2436948	2139504	0.878	2.91	
6.760	1379678	1221074	0.885	1.65	
6.803	1012423	886702	0.876	1.21	
6.839	204549	179535	0.878	0.24	
6.867	101951	86190	0.845	0.12	
6.915	150840	138650	0.919	0.18	
6.944	471585	431542	0.915	0.56	
7.006	5169251	4474270	0.866	6.18	8 Aroclor 1260
7.035	349824	352477	1.008	0.41	
7.076	161438	129444	0.802	0.19	
7.122	226639	191125	0.843	0.27	
7.252	2431978	2174432	0.894	2.91	8 Aroclor 1260
7.282	689708	552481	0.801	0.82	
7.391	1295375	1038752	0.802	1.55	
7.443	1492830	1281759	0.859	1.78	8 Aroclor 1260
7.554	105447	79274	0.752	0.12	
7.692	611618	562958	0.920	0.73	
7.728	153573	121839	0.793	0.18	
7.801	84844	63857	0.753	0.10	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
7.902	1408195	1200861	0.853	1.68	8 Aroclor 1260
7.965	99066	72839	0.735	0.11	
8.277	469900	412226	0.877	0.56	
8.379	12566	10774	0.857	0.01	
8.571	5248206	4347540	0.828	6.28	$ 12 Decachlorobiphenyl
8.945	16720	11361	0.679	0.02	
9.471	16512	10298	0.624	0.01	
	83510046	71509948		100.000	

Total unknown % area = 56

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618078.D
Lab Smp Id: 1660-ICV Client Smp ID: 1660-ICV
Inj Date : 06-MAR-2018 21:16
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1660-icv, 185565:1
Misc Info : 17498,AR1660
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\030618.b\pcba030618.m
Meth Date : 22-Mar-2018 13:34 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 40 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1660.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	5932090	0.05000	0.048			
5 Aroclor 1016					CAS #: 12674-11-2			
3.317	3.318	-0.001	1575914	0.50000	0.51	0.00- 20.00	100.00(M)	BA
3.512	3.512	0.000	1583522	0.50000	0.51	0.00- 20.00	100.48	BA
3.826	3.826	0.000	4508685	0.50000	0.51	0.00- 20.00	286.10	BA
3.928	3.929	-0.001	1926630	0.50000	0.51	0.00- 20.00	122.25	BA
3.994	3.994	0.000	1286237	0.50000	0.49	0.00- 20.00	81.62	BA
Average of Peak Amounts =					0.50600			
8 Aroclor 1260					CAS #: 11096-82-5			
6.300	6.300	0.000	4216761	0.50000	0.48	0.00- 20.00	100.00(M)	CO
7.005	7.006	-0.001	5169251	0.50000	0.52	0.00- 20.00	122.59	CO
7.251	7.251	0.000	2431977	0.50000	0.51	0.00- 20.00	57.67	CO
7.442	7.443	-0.001	1492830	0.50000	0.51	0.00- 20.00	35.40	CO
7.901	7.901	0.000	1408195	0.50000	0.53	0.00- 20.00	33.40	CO
Average of Peak Amounts =					0.51000			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.571	8.571	0.000	5248206	0.05000	0.048			

QC Flag Legend

M - Compound response manually integrated.

QC Flag Legend

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b\030618078.D
Date : 06-MAR-2018 21:16
Client ID: 1660-ICV
Sample Info: 1660-ICV, 185565:1

Instrument: 40GCSJ.i
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\030618.b/030618078.D (ManInt: AR1660.sub Orig: AR1660.sub)
Injection Date: 06-MAR-2018 21:16 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1660-ICV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	1566175	1575914	BA
Aroclor 1016	1566175	1575914	BA
Aroclor 1016	1566175	1575914	BA
Aroclor 1016	1566175	1575914	BA
Aroclor 1016	1566175	1575914	BA
Aroclor 1260	4198281	4216761	CO
Aroclor 1260	4198281	4216761	CO
Aroclor 1260	4198281	4216761	CO
Aroclor 1260	4198281	4216761	CO
Aroclor 1260	4198281	4216761	CO
Tetrachloro-m-xylene	5932090	5932090	
Decachlorobiphenyl	5248206	5248206	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018028.D
Lab Smp Id: 1232-CCV Client Smp ID: 1232-CCV
Inj Date : 10-APR-2018 19:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1232-ccv, 185539:1
Misc Info : 17498,AR1232
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 13-Apr-2018 11:26 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 28 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1232.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	37854	26493	0.700	0.13		
1.428	36502	31369	0.859	0.13		
1.541	18337	13278	0.724	0.06		
1.682	14585	11900	0.816	0.05		
1.804	306633	259866	0.847	1.12		
2.007	24279	14296	0.589	0.08		
2.197	83832	74872	0.893	0.30		
2.407	198784	146730	0.738	0.72		
2.484	5940254	5589667	0.941	22.07	$ 2 Tetrachloro-m-xylene	
2.688	446112	361477	0.810	1.63		
2.788	407371	375077	0.921	1.48		
2.850	1333721	1167621	0.875	4.87	4 Aroclor 1232	BA
3.053	87858	76901	0.875	0.32		
3.280	75026	54386	0.725	0.27		
3.317	761993	674789	0.886	2.78		
3.342	422534	382353	0.905	1.54		
3.434	121439	106547	0.877	0.44		
3.514	691523	493485	0.714	2.52	4 Aroclor 1232	BA
3.608	23499	18858	0.803	0.08		
3.646	15741	10842	0.689	0.05		
3.696	23707	22739	0.959	0.08		
3.731	176775	174987	0.990	0.64		
3.756	137994	120152	0.871	0.50		
3.826	1984568	1140998	0.575	7.25	4 Aroclor 1232	BA
3.928	852402	700721	0.822	3.11	4 Aroclor 1232	BA
3.993	556499	513643	0.923	2.03	4 Aroclor 1232	BA
4.058	153800	133829	0.870	0.56		
4.135	61965	53029	0.856	0.22		
4.214	408726	373634	0.914	1.49		
4.261	394493	355104	0.900	1.44		
4.293	156288	170271	1.089	0.57		
4.309	226655	191517	0.845	0.82		
4.369	17679	13729	0.777	0.06		
4.416	554417	516318	0.931	2.02		
4.450	448510	316663	0.706	1.63		
4.545	714586	640980	0.897	2.61		
4.616	171993	155745	0.906	0.62		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.676	13876	11492	0.828	0.05	
4.725	36960	29918	0.809	0.13	
4.769	39886	35144	0.881	0.14	
4.812	317789	290571	0.914	1.16	
4.848	554706	512255	0.923	2.02	
4.879	724787	535072	0.738	2.64	
4.957	82875	59262	0.715	0.30	
5.037	601961	537527	0.893	2.19	
5.098	118660	86202	0.726	0.43	
5.161	132038	119862	0.908	0.48	
5.211	93368	80719	0.865	0.34	
5.309	23642	19398	0.820	0.08	
5.362	80789	68055	0.842	0.29	
5.406	143938	115387	0.802	0.52	
5.446	89862	73288	0.816	0.32	
5.510	236132	164868	0.698	0.86	
5.605	72392	58497	0.808	0.26	
5.672	13799	12724	0.922	0.05	
5.715	18964	13820	0.729	0.06	
5.739	18225	16297	0.894	0.06	
5.791	154195	111198	0.721	0.56	
5.887	16724	13719	0.820	0.06	
6.023	117836	96540	0.819	0.43	
6.054	38272	31575	0.825	0.13	
6.167	16981	12340	0.727	0.06	
6.297	39774	32275	0.811	0.14	
6.511	9991	10389	1.040	0.03	
6.718	16896	13291	0.787	0.06	
6.755	12127	8674	0.715	0.04	
7.004	33575	22775	0.678	0.12	
7.253	15548	10646	0.685	0.05	
7.727	26914	23680	0.880	0.09	
7.774	9803	8128	0.829	0.03	
7.801	21461	17600	0.820	0.07	
7.899	12382	7784	0.629	0.04	
8.275	54606	40784	0.747	0.19	
8.372	9723	8774	0.902	0.03	
8.571	5254551	4329601	0.824	19.20	$ 12 Decachlorobiphenyl
	27364942	23124997		100.000	

Total unknown % area = 39

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018028.D
Lab Smp Id: 1232-CCV Client Smp ID: 1232-CCV
Inj Date : 10-APR-2018 19:39
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1232-ccv, 185539:1
Misc Info : 17498,AR1232
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 13-Apr-2018 11:26 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 28 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1232.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene						CAS #: 877-09-8		
2.484	2.484	0.000	5940253	0.05000	0.048			
4 Aroclor 1232						CAS #: 1114-16-5		
2.850	2.851	-0.001	1333721	0.50000	0.53	0.00- 20.00	100.00(M)	BA
3.514	3.513	0.001	691523	0.50000	0.52	0.00- 20.00	51.85	BA
3.825	3.827	-0.002	1984568	0.50000	0.53	0.00- 20.00	148.80	BA
3.928	3.929	-0.001	852402	0.50000	0.53	0.00- 20.00	63.91	BA
3.993	3.995	-0.002	556499	0.50000	0.51	0.00- 20.00	41.73	BA
Average of Peak Amounts =					0.52400			
$ 12 Decachlorobiphenyl						CAS #: 2051-24-3		
8.570	8.571	-0.001	5254551	0.05000	0.048			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018028.D
Date : 10-APR-2018 19:39
Client ID: 1232-CCV
Sample Info: 1232-CCV, 185539:1

Instrument: 40GCSJ.i

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018028.D (ManInt: AR1232.sub Orig: AR1232.sub)
Injection Date: 10-APR-2018 19:39 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1232-CCV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1232	1325427	1333721	BA
Aroclor 1232	1325427	1333721	BA
Aroclor 1232	1325427	1333721	BA
Aroclor 1232	1325427	1333721	BA
Aroclor 1232	1325427	1333721	BA
Tetrachloro-m-xylene	5940253	5940253	
Decachlorobiphenyl	5254551	5254551	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018040.D
Lab Smp Id: 1242-CCV Client Smp ID: 1242-CCV
Inj Date : 10-APR-2018 22:49
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-ccv, 185544:1
Misc Info : 17498,AR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 13-Apr-2018 11:26 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 40 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1242.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.185	51261	37733	0.736	0.12		
1.429	33865	30721	0.907	0.08		
1.534	20060	14201	0.708	0.04		
1.686	17924	16199	0.904	0.04		
1.805	18404	15749	0.856	0.04		
2.008	23091	17788	0.770	0.05		
2.405	127348	94496	0.742	0.31		
2.484	6221108	5872455	0.944	15.82	$ 2 Tetrachloro-m-xylene	
2.686	184630	149952	0.812	0.45		
2.788	280448	259495	0.925	0.69		
2.850	980713	901281	0.919	2.42		
3.054	154293	131491	0.852	0.38		
3.278	22434	18974	0.846	0.05		
3.317	1328878	1218671	0.917	3.28	3 Aroclor 1242	BA
3.343	762840	705721	0.925	1.88		
3.434	208844	193024	0.924	0.51		
3.513	1313172	940223	0.716	3.25	3 Aroclor 1242	BA
3.611	19756	18392	0.931	0.04		
3.645	21340	14929	0.700	0.05		
3.695	36473	35467	0.972	0.09		
3.731	332669	327171	0.983	0.82		
3.755	219390	199217	0.908	0.54		
3.826	3775082	2226689	0.590	9.34	3 Aroclor 1242	BA
3.929	1612592	1333199	0.827	3.99	3 Aroclor 1242	BA
3.994	1081179	1007723	0.932	2.67	3 Aroclor 1242	BA
4.058	318244	283881	0.892	0.78		
4.136	124255	107850	0.868	0.30		
4.214	885257	844169	0.954	2.19		
4.260	858526	808492	0.942	2.12		
4.292	342230	365676	1.069	0.84		
4.309	458921	406505	0.886	1.13		
4.368	25952	19632	0.756	0.06		
4.416	1175134	1112270	0.947	2.90		
4.451	921222	670567	0.728	2.28		
4.545	1522511	1385991	0.910	3.76		
4.617	348793	318164	0.912	0.86		
4.679	24943	20599	0.826	0.06		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.725	73608	62265	0.846	0.18	
4.767	81594	77316	0.948	0.20	
4.812	710381	665416	0.937	1.75	
4.847	1215339	1155904	0.951	3.00	
4.878	1601381	1140546	0.712	3.96	
4.957	175608	137696	0.784	0.43	
5.037	1295359	1154461	0.891	3.20	
5.099	286013	217951	0.762	0.70	
5.161	324785	294143	0.906	0.80	
5.211	246332	215355	0.874	0.60	
5.286	20967	18593	0.887	0.05	
5.309	54810	45682	0.833	0.13	
5.362	209107	177511	0.849	0.51	
5.406	350674	289517	0.826	0.86	
5.446	227608	192669	0.846	0.56	
5.510	568043	437721	0.771	1.40	
5.604	168563	146777	0.871	0.41	
5.673	13868	11820	0.852	0.03	
5.715	38522	27447	0.713	0.09	
5.741	45186	39555	0.875	0.11	
5.792	409894	316635	0.772	1.01	
5.889	62303	36660	0.588	0.15	
6.023	374890	267139	0.713	0.92	
6.169	15439	15847	1.026	0.03	
6.297	108333	87694	0.809	0.26	
6.335	26265	20230	0.770	0.06	
6.372	18351	13567	0.739	0.04	
6.446	10701	10579	0.989	0.02	
6.537	40781	31760	0.779	0.10	
6.799	23283	19475	0.836	0.05	
6.843	16016	10126	0.632	0.03	
7.130	19841	11751	0.592	0.04	
7.727	31593	24991	0.791	0.07	
7.778	12216	11804	0.966	0.03	
7.797	23904	17953	0.751	0.05	
8.275	54580	42152	0.772	0.13	
8.379	19062	14196	0.745	0.04	
8.570	5539564	4616000	0.833	13.71	$ 12 Decachlorobiphenyl
8.941	15579	11922	0.765	0.03	
9.962	15333	10856	0.708	0.03	
	40399459	34224439		100.000	

Total unknown % area = 48

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018040.D
Lab Smp Id: 1242-CCV Client Smp ID: 1242-CCV
Inj Date : 10-APR-2018 22:49
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1242-ccv, 185544:1
Misc Info : 17498,AR1242
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 13-Apr-2018 11:26 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 40 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1242.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene						CAS #: 877-09-8		
2.484	2.484	0.000	6221107	0.05000	0.050			
3 Aroclor 1242						CAS #: 53469-21-9		
3.316	3.318	-0.002	1328877	0.50000	0.52	0.00- 20.00	100.00(M)	BA
3.512	3.513	-0.001	1313172	0.50000	0.52	0.00- 20.00	98.82	BA
3.825	3.827	-0.002	3775081	0.50000	0.53	0.00- 20.00	284.08	BA
3.928	3.929	-0.001	1612591	0.50000	0.53	0.00- 20.00	121.35	BA
3.993	3.995	-0.002	1081178	0.50000	0.53	0.00- 20.00	81.36	BA
Average of Peak Amounts =					0.52600			
$ 12 Decachlorobiphenyl						CAS #: 2051-24-3		
8.569	8.571	-0.002	5539564	0.05000	0.050			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018040.D

Date : 10-APR-2018 22:49

Client ID: 1242-CCV

Instrument: 40GCSJ.i

Sample Info: 1242-CCV, 185544:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018040.D (ManInt: AR1242.sub Orig: AR1242.sub)
Injection Date: 10-APR-2018 22:49 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1242-CCV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1242	1323262	1328877	BA
Aroclor 1242	1323262	1328877	BA
Aroclor 1242	1323262	1328877	BA
Aroclor 1242	1323262	1328877	BA
Aroclor 1242	1323262	1328877	BA
Tetrachloro-m-xylene	6221107	6221107	
Decachlorobiphenyl	5539564	5539564	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018052.D
Lab Smp Id: 1248-CCV Client Smp ID: 1248-CCV
Inj Date : 11-APR-2018 01:59
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-ccv, 185549:1
Misc Info : 17498,AR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 52 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1248.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.188	43394	26381	0.608	0.09		
1.430	40737	29455	0.723	0.08		
1.540	20080	14232	0.709	0.04		
1.689	17555	15549	0.886	0.03		
2.012	26308	15081	0.573	0.05		
2.404	28090	18628	0.663	0.06		
2.485	6223805	5677398	0.912	13.92	$ 2 Tetrachloro-m-xylene	
2.687	31654	24773	0.783	0.06		
2.787	115505	104057	0.901	0.24		
2.851	196430	174841	0.890	0.42		
3.053	69151	54243	0.784	0.14		
3.318	736712	687272	0.933	1.59		
3.344	311445	288291	0.926	0.67		
3.433	73867	61753	0.836	0.15		
3.515	622500	443580	0.713	1.34		
3.609	20756	18873	0.909	0.04		
3.731	137696	134620	0.978	0.29		
3.756	61926	57817	0.934	0.13		
3.814	1114207	1283527	1.152	2.40		
3.825	1383341	1322360	0.956	2.99		
3.929	936574	724421	0.773	2.02		
3.994	622056	588458	0.946	1.34		
4.059	357325	326191	0.913	0.77		
4.135	144706	135555	0.937	0.31		
4.215	1549067	1443378	0.932	3.35		
4.261	1235700	1179538	0.955	2.67	6 Aroclor 1248	BA
4.292	504038	516005	1.024	1.09		
4.309	554807	517325	0.932	1.19		
4.416	1893266	1713718	0.905	4.09		
4.452	933109	809187	0.867	2.01		
4.545	2165202	1961697	0.906	4.68	6 Aroclor 1248	BA
4.590	30976	32390	1.046	0.06		
4.617	495270	465915	0.941	1.07		
4.679	27808	20707	0.745	0.06		
4.726	60809	52674	0.866	0.13		
4.767	115348	107049	0.928	0.24		
4.813	1084950	1027655	0.947	2.34	6 Aroclor 1248	BA

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.847	2082047	1918327	0.921	4.50	
4.878	2679850	1738570	0.649	5.79	6 Aroclor 1248
4.957	316991	255356	0.806	0.68	
5.037	1923037	1741899	0.906	4.15	6 Aroclor 1248
5.099	670154	529395	0.790	1.44	
5.162	806034	728090	0.903	1.74	
5.211	585915	520949	0.889	1.26	
5.282	39361	37009	0.940	0.08	
5.309	125510	105675	0.842	0.27	
5.363	506921	434975	0.858	1.09	
5.406	863388	760642	0.881	1.86	
5.444	526585	467436	0.888	1.13	
5.509	1423875	1186897	0.834	3.07	
5.604	402149	354700	0.882	0.86	
5.676	50204	39238	0.782	0.10	
5.716	90746	66381	0.732	0.19	
5.740	97243	90540	0.931	0.21	
5.761	35177	40461	1.150	0.07	
5.791	969860	809411	0.835	2.09	
5.887	129333	80187	0.620	0.27	
5.994	28619	28038	0.980	0.06	
6.024	819955	714171	0.871	1.77	
6.053	169692	138194	0.814	0.36	
6.167	90586	58065	0.641	0.19	
6.228	55723	30427	0.546	0.12	
6.298	249689	205304	0.822	0.54	
6.333	49919	41254	0.826	0.10	
6.373	38119	30575	0.802	0.08	
6.433	27594	13755	0.498	0.05	
6.511	44032	40684	0.924	0.09	
6.536	97197	72009	0.741	0.21	
6.660	10614	10362	0.976	0.02	
6.717	40325	35817	0.888	0.08	
6.760	21141	18763	0.888	0.04	
6.802	43742	38072	0.870	0.09	
6.840	14171	12883	0.909	0.03	
7.003	81034	67462	0.833	0.17	
7.121	25902	15847	0.612	0.05	
7.249	31669	26343	0.832	0.06	
7.280	11251	10520	0.935	0.02	
7.389	35495	29953	0.844	0.07	
7.445	34372	31280	0.910	0.07	
7.692	16387	14371	0.877	0.03	
7.728	31121	24885	0.800	0.06	
7.800	34022	19228	0.565	0.07	
7.899	26867	24257	0.903	0.05	
8.276	65775	52934	0.805	0.14	
8.379	20468	13943	0.681	0.04	
8.570	5664657	4700058	0.830	12.25	$ 12 Decachlorobiphenyl
8.941	10242	9567	0.934	0.02	
9.464	19040	12222	0.642	0.04	
9.962	15944	10904	0.684	0.03	
	46235913	40532879		100.000	

Total unknown % area = 54

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018052.D
Lab Smp Id: 1248-CCV Client Smp ID: 1248-CCV
Inj Date : 11-APR-2018 01:59
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1248-ccv, 185549:1
Misc Info : 17498,AR1248
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 52 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1248.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	6223804	0.05000	0.050			
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	1235700	0.50000	0.53	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	2165201	0.50000	0.52	0.00- 20.00	175.22	BA
4.812	4.812	0.000	1084950	0.50000	0.53	0.00- 20.00	87.80	BA
4.878	4.879	-0.001	2679849	0.50000	0.53	0.00- 20.00	216.87	BA
5.036	5.038	-0.002	1923036	0.50000	0.54	0.00- 20.00	155.62	BA
Average of Peak Amounts =					0.53000			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.569	8.571	-0.002	5664656	0.05000	0.052			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018052.D
Date : 11-APR-2018 01:59
Client ID: 1248-CCV
Sample Info: 1248-CCV, 185549:1

Column phase: ZB-1ms

Instrument: 40GCSJ.i

Operator: BLM
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018052.D (ManInt: AR1248.sub Orig: AR1248.sub)
Injection Date: 11-APR-2018 01:59 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1248-CCV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1248	1227629	1235700	BA
Aroclor 1248	1227629	1235700	BA
Aroclor 1248	1227629	1235700	BA
Aroclor 1248	1227629	1235700	BA
Aroclor 1248	1227629	1235700	BA
Tetrachloro-m-xylene	6223804	6223804	
Decachlorobiphenyl	5664656	5664656	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018064.D
Lab Smp Id: 1254-CCV Client Smp ID: 1254-CCV
Inj Date : 11-APR-2018 05:10
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-ccv, 185554:1
Misc Info : 17498,AR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 64 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1254.sub
Target Version: RC10A Sample Matrix: None

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.431	37757	26025	0.689	0.06		
1.686	15757	13441	0.853	0.02		
2.486	6047917	5435148	0.899	11.52	$ 2 Tetrachloro-m-xylene	
2.788	85466	81836	0.958	0.15		
2.852	22233	19173	0.862	0.04		
3.054	23885	16973	0.711	0.04		
3.316	32516	29096	0.895	0.05		
3.342	13361	14530	1.087	0.02		
3.514	34738	22783	0.656	0.06		
3.611	18645	18148	0.973	0.03		
3.728	9222	11828	1.283	0.01		
3.780	16327	11695	0.716	0.02		
3.814	106408	60347	0.567	0.19		
3.933	66437	42788	0.644	0.12		
3.994	30195	24924	0.825	0.05		
4.057	35330	22688	0.642	0.06		
4.135	10129	8822	0.871	0.01		
4.214	1247626	1172087	0.939	2.28		
4.261	331311	324481	0.979	0.60		
4.292	65516	48350	0.738	0.12		
4.417	767225	720713	0.939	1.40		
4.452	76078	68798	0.904	0.13		
4.545	346322	325501	0.940	0.63		
4.590	13911	16091	1.157	0.02		
4.618	61852	57137	0.924	0.11		
4.681	23432	18264	0.779	0.04		
4.766	21381	18872	0.883	0.03		
4.813	293470	283446	0.966	0.53		
4.847	1148860	1095438	0.954	2.10		
4.894	2437382	1897822	0.779	4.46		
4.957	389647	354015	0.909	0.71		
5.036	245994	227597	0.925	0.45		
5.099	1437479	1226700	0.853	2.63		
5.162	2646444	2493839	0.942	4.84	7 Aroclor 1254	BA
5.212	1210381	1133943	0.937	2.21		
5.284	60047	59227	0.986	0.11		
5.308	219695	203248	0.925	0.40		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
5.362	1064756	976619	0.917	1.95	
5.407	2206537	1977829	0.896	4.04	7 Aroclor 1254
5.446	752241	679118	0.903	1.37	
5.476	272154	253617	0.932	0.49	
5.509	3940955	3596557	0.913	7.22	7 Aroclor 1254
5.577	39341	35582	0.904	0.07	
5.603	551394	502543	0.911	1.01	
5.674	354299	326038	0.920	0.64	
5.712	535240	359587	0.672	0.98	
5.740	351033	282669	0.805	0.64	
5.790	4063691	3147540	0.775	7.44	
5.885	344032	273941	0.796	0.63	
5.928	183656	114898	0.626	0.33	
5.993	339030	311466	0.919	0.62	
6.025	2568870	2133386	0.830	4.70	7 Aroclor 1254
6.055	1803783	1520365	0.843	3.30	
6.168	739313	632277	0.855	1.35	
6.226	291765	304261	1.043	0.53	
6.240	336608	293147	0.871	0.61	
6.298	3389574	2827531	0.834	6.21	7 Aroclor 1254
6.333	597412	544577	0.912	1.09	
6.372	346383	290537	0.839	0.63	
6.440	79758	50555	0.634	0.14	
6.481	21979	18204	0.828	0.04	
6.508	118885	130027	1.094	0.21	
6.535	1169286	922362	0.789	2.14	
6.604	169644	141062	0.832	0.31	
6.662	25921	22902	0.884	0.04	
6.718	232906	192298	0.826	0.42	
6.758	133434	118642	0.889	0.24	
6.801	653301	595247	0.911	1.19	
6.843	172398	118287	0.686	0.31	
6.908	20858	16839	0.807	0.03	
6.942	61314	53729	0.876	0.11	
7.003	460223	385575	0.838	0.84	
7.076	31979	26122	0.817	0.05	
7.250	384457	341975	0.890	0.70	
7.281	83990	70618	0.841	0.15	
7.391	28570	16864	0.590	0.05	
7.442	33951	24964	0.735	0.06	
7.555	32009	19530	0.610	0.05	
7.691	16989	14738	0.868	0.03	
7.729	44787	33561	0.749	0.08	
7.786	11157	10967	0.983	0.02	
7.800	25061	21381	0.853	0.04	
7.897	29499	21973	0.745	0.05	
8.027	10667	8443	0.792	0.01	
8.177	28333	13243	0.467	0.05	
8.275	51296	45872	0.894	0.09	
8.318	21059	14234	0.676	0.03	
8.377	13671	10157	0.743	0.02	
8.462	17362	12541	0.722	0.03	
8.570	5614561	4614505	0.822	10.28	$ 12 Decachlorobiphenyl
8.738	11678	9488	0.812	0.02	
8.866	14237	10607	0.745	0.02	
8.999	11721	8607	0.734	0.02	
9.959	20029	13218	0.660	0.03	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
	54579410	47119236		100.000	

Total unknown % area = 51

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018064.D
Lab Smp Id: 1254-CCV Client Smp ID: 1254-CCV
Inj Date : 11-APR-2018 05:10
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1254-ccv, 185554:1
Misc Info : 17498,AR1254
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 64 Continuing Calibration Sample
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: AR1254.sub
Target Version: RC10A Sample Matrix: None

RT	EXP RT	DLT RT	RESPONSE	AMOUNTS CAL-AMT (ug/ml)	AMOUNTS ON-COL (ug/ml)	TARGET RANGE	RATIO	REVIEW CODE
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.485	2.484	0.001	6047916	0.05000	0.049			
7 Aroclor 1254					CAS #: 11097-69-1			
5.161	5.162	-0.001	2646444	0.50000	0.50	0.00- 20.00	100.00(M)	BA
5.406	5.408	-0.002	2206536	0.50000	0.51	0.00- 20.00	83.38	BA
5.509	5.510	-0.001	3940954	0.50000	0.51	0.00- 20.00	148.92	BA
6.024	6.027	-0.003	2568869	0.50000	0.53	0.00- 20.00	97.07	BA
6.297	6.299	-0.002	3389573	0.50000	0.52	0.00- 20.00	128.08	BA
Average of Peak Amounts =					0.51400			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5614560	0.05000	0.051			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018064.D

Date : 11-APR-2018 05:10

Client ID: 1254-CCV

Instrument: 40GCSJ.i

Sample Info: 1254-CCV, 185554:1

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018064.D (ManInt: AR1254.sub Orig: AR1254.sub)
Injection Date: 11-APR-2018 05:10 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1254-CCV





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1254	2637546	2646444	BA
Aroclor 1254	2637546	2646444	BA
Aroclor 1254	2637546	2646444	BA
Aroclor 1254	2637546	2646444	BA
Aroclor 1254	2637546	2646444	BA
Tetrachloro-m-xylene	6047916	6047916	
Decachlorobiphenyl	5614560	5614560	

SAMPLE NO.

BLANK

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay

Contract: HUDSON RIVER REMEDIAL ACTION M

Date Received:

Matrix: Tissue SDG No.: 40157832

Date Extracted: 04/09/2018 07:13

Lab Sample ID: 1670714

Date Analyzed: 04/10/2018 21:46

Lab File ID: 041018.B\041018036.D

Initial wt/vol: 10 g Final wt/vol: 5 mL Dilution: 1

Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<11.4	U
11104-28-2	PCB-1221 (Aroclor 1221)	<11.4	U
11141-16-5	PCB-1232 (Aroclor 1232)	<11.4	U
53469-21-9	PCB-1242 (Aroclor 1242)	<11.4	U
12672-29-6	PCB-1248 (Aroclor 1248)	<11.4	U
11097-69-1	PCB-1254 (Aroclor 1254)	<11.4	U
11096-82-5	PCB-1260 (Aroclor 1260)	<11.4	U

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018036.D
Lab Smp Id: 1670714 Client Smp ID: MB
Inj Date : 10-APR-2018 21:46
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670714,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 36 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.000	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.540	9974	8191	0.821	0.04		
1.689	10881	10450	0.960	0.05		
2.485	9386710	8818354	0.939	46.66	$ 2 Tetrachloro-m-xylene	
2.787	19695	15768	0.801	0.09		
4.293	15375	11998	0.780	0.07		
4.415	10609	8345	0.787	0.05		
4.544	19864	15251	0.768	0.09		
4.809	13117	11378	0.867	0.06		
5.036	10902	9201	0.844	0.05		
5.096	12324	8498	0.690	0.06		
5.159	12685	11631	0.917	0.06	7 Aroclor 1254	
5.211	14211	11037	0.777	0.07		
5.405	11750	9878	0.841	0.05	7 Aroclor 1254	
5.509	21430	18662	0.871	0.10	7 Aroclor 1254	
5.788	23356	17282	0.740	0.11		
6.057	10277	8674	0.844	0.05	7 Aroclor 1254	
6.196	9760	9778	1.002	0.04		
6.299	19564	16159	0.826	0.09	7 Aroclor 1254	
7.123	14352	13548	0.944	0.07		
7.689	10211	9079	0.889	0.05		
7.727	48287	41945	0.869	0.24		
7.798	40458	30693	0.759	0.20		
8.051	11418	7225	0.633	0.05		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
8.275	96829	75355	0.778	0.48	
8.376	19286	12516	0.649	0.09	
8.569	10189829	8595077	0.843	50.79	$ 12 Decachlorobiphenyl
8.938	13433	10279	0.765	0.06	
9.464	16920	10230	0.605	0.08	
9.960	21619	14234	0.658	0.10	
	20115130	17840716		100.000	

Total unknown % area = 2.2

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018036.D
Lab Smp Id: 1670714 Client Smp ID: MB
Inj Date : 10-APR-2018 21:46
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670714,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 36 QC Sample: BLANK
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.000	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221						CAS #: 11104-28-2		
Peaks not detected for Quant. or Qual. signal(s).								
$ 2 Tetrachloro-m-xylene						CAS #: 877-09-8		
2.484	2.484	0.000	9386710	0.07613	38			
3 Aroclor 1242						CAS #: 53469-21-9		
Peaks not detected for Quant. or Qual. signal(s).								
4 Aroclor 1232						CAS #: 1114-16-5		
Peaks not detected for Quant. or Qual. signal(s).								

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

5 Aroclor 1016 CAS #: 12674-11-2

Peaks not detected for Quant. or Qual. signal(s).

---

6 Aroclor 1248 CAS #: 12672-29-6

Peaks not detected for Quant. or Qual. signal(s).

---

7 Aroclor 1254 CAS #: 11097-69-1

Qualifier signal(s) failed ratio test.

---

8 Aroclor 1260 CAS #: 11096-82-5

Peaks not detected for Quant. or Qual. signal(s).

$ 12 Decachlorobiphenyl CAS #: 2051-24-3

8.569	8.571	-0.002	10189828	0.09301	46			

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018036.D
Date : 10-APR-2018 21:46
Client ID: MB
Instrument: 40GCSJ.i
Sample Info: 1670714,
Volume Injected (uL): 1.0
Operator: BLM
Column phase: ZB-1ms
Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018036.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 10-APR-2018 21:46 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1670714

NO SIGNAL MANUAL INTEGRATIONS DONE FOR THIS DATA FILE

Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	0	0	
Aroclor 1016	0	0	
Aroclor 1016	0	0	
Aroclor 1016	0	0	
Aroclor 1016	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	0	0	
Aroclor 1232	0	0	
Aroclor 1232	0	0	
Aroclor 1232	0	0	
Aroclor 1232	0	0	
Aroclor 1242	0	0	
Aroclor 1242	0	0	
Aroclor 1242	0	0	
Aroclor 1242	0	0	
Aroclor 1242	0	0	
Aroclor 1248	0	0	
Aroclor 1248	0	0	
Aroclor 1248	0	0	
Aroclor 1248	0	0	
Aroclor 1248	0	0	
Aroclor 1254	0	0	
Aroclor 1254	0	0	
Aroclor 1254	0	0	
Aroclor 1254	0	0	
Aroclor 1254	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Tetrachloro-m-xylene	9386710	9386710	
Decachlorobiphenyl	10189828	10189828	

SAMPLE NO.

LCS

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay

Contract: HUDSON RIVER REMEDIAL ACTION M

Date Received:

Matrix: Tissue SDG No.: 40157832

Date Extracted: 04/09/2018 07:13

Lab Sample ID: 1670715

Date Analyzed: 04/10/2018 22:02

Lab File ID: 041018.B\041018037.D

Initial wt/vol: 10 g Final wt/vol: 5 mL Dilution: 1

Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<11.4	U
11104-28-2	PCB-1221 (Aroclor 1221)	<11.4	U
11141-16-5	PCB-1232 (Aroclor 1232)	<11.4	U
53469-21-9	PCB-1242 (Aroclor 1242)	220	
12672-29-6	PCB-1248 (Aroclor 1248)	<11.4	U
11097-69-1	PCB-1254 (Aroclor 1254)	<11.4	U
11096-82-5	PCB-1260 (Aroclor 1260)	<11.4	U

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018037.D
Lab Smp Id: 1670715 Client Smp ID: MBLCS
Inj Date : 10-APR-2018 22:02
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670715,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 37 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.000	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.187	11146	9052	0.812	0.02		
1.255	9906	6984	0.705	0.02		
1.807	16608	12646	0.761	0.03		
2.197	44263	23138	0.523	0.10		
2.405	110482	80577	0.729	0.25		
2.484	9324414	8781561	0.942	21.82	$ 2 Tetrachloro-m-xylene	
2.686	161559	127226	0.787	0.37		
2.789	198833	179835	0.904	0.46		
2.850	865207	782788	0.905	2.02		
3.055	110967	98904	0.891	0.25		
3.276	20220	17037	0.843	0.04		
3.317	1105478	1013036	0.916	2.58	3 Aroclor 1242	BA
3.343	638001	583208	0.914	1.49		
3.434	183912	157368	0.856	0.43		
3.513	1094863	787310	0.719	2.56	3 Aroclor 1242	BA
3.641	23868	14982	0.628	0.05		
3.697	34599	32024	0.926	0.08		
3.732	283812	280776	0.989	0.66		
3.755	194012	180051	0.928	0.45		
3.826	3183562	1803633	0.567	7.45	3 Aroclor 1242	BA
3.929	1358330	1101347	0.811	3.17	3 Aroclor 1242	BA
3.994	895587	826736	0.923	2.09	3 Aroclor 1242	BA
4.058	242258	220700	0.911	0.56		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.136	100975	89579	0.887	0.23	
4.215	737623	693622	0.940	1.72	
4.260	700429	652814	0.932	1.63	
4.292	277158	292837	1.057	0.64	
4.310	374363	320539	0.856	0.87	
4.369	28642	18805	0.657	0.06	
4.417	974606	916552	0.940	2.28	
4.451	754945	548825	0.727	1.76	
4.545	1257756	1117825	0.889	2.94	
4.618	291776	260315	0.892	0.68	
4.677	22716	17171	0.756	0.05	
4.727	65248	53410	0.819	0.15	
4.767	70370	65477	0.930	0.16	
4.812	567549	545566	0.961	1.32	
4.847	1011159	947790	0.937	2.36	
4.879	1293910	943365	0.729	3.02	
4.959	145297	108591	0.747	0.34	
5.037	1067927	942332	0.882	2.50	
5.099	222992	166158	0.745	0.52	
5.162	256510	223421	0.871	0.60	
5.212	188250	163372	0.868	0.44	
5.279	19108	16389	0.858	0.04	
5.306	42170	38323	0.909	0.09	
5.362	162457	136306	0.839	0.38	
5.405	269294	221232	0.822	0.63	
5.444	168149	142550	0.848	0.39	
5.508	449504	327588	0.729	1.05	
5.604	141281	110473	0.782	0.33	
5.676	19389	15491	0.799	0.04	
5.717	25750	20038	0.778	0.06	
5.741	34688	29967	0.864	0.08	
5.792	308549	222139	0.720	0.72	
5.887	35451	27169	0.766	0.08	
6.024	273380	194887	0.713	0.63	
6.168	24254	17566	0.724	0.05	
6.298	56956	49858	0.875	0.13	
6.506	10423	10387	0.997	0.02	
6.538	11688	13976	1.196	0.02	
6.717	15147	11323	0.748	0.03	
6.758	9244	7851	0.849	0.02	
6.804	15054	11683	0.776	0.03	
7.008	24217	16285	0.672	0.05	
7.118	14883	12456	0.837	0.03	
7.384	10307	8991	0.872	0.02	
7.687	12279	10170	0.828	0.02	
7.727	48047	42089	0.876	0.11	
7.801	35091	30379	0.866	0.08	
8.274	91356	75948	0.831	0.21	
8.569	9866724	8470556	0.858	23.44	$ 12 Decachlorobiphenyl
	42716927	36501355		100.000	

Total unknown % area = 37

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018037.D
Lab Smp Id: 1670715 Client Smp ID: MBLCS
Inj Date : 10-APR-2018 22:02
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670715,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 37 QC Sample: LCS
Dil Factor: 1.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	1.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	10.000	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
Operator disabled compound identification.								
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	9324414	0.07563	38			
3 Aroclor 1242					CAS #: 53469-21-9			
3.317	3.318	-0.001	1105478	0.43640	220	0.00- 20.00	100.00(M)	BA
3.512	3.513	-0.001	1094863	0.43446	220	0.00- 20.00	99.04	BA
3.825	3.827	-0.002	3183561	0.44735	220	0.00- 20.00	287.98	BA
3.929	3.929	0.000	1358329	0.44659	220	0.00- 20.00	122.87	BA
3.993	3.995	-0.002	895587	0.43735	220	0.00- 20.00	81.01	BA
Average of Peak Concentrations =					220			

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

4 Aroclor 1232 CAS #: 1114-16-5

Operator disabled compound identification.

---

5 Aroclor 1016 CAS #: 12674-11-2

Operator disabled compound identification.

---

6 Aroclor 1248 CAS #: 12672-29-6

Operator disabled compound identification.

---

7 Aroclor 1254 CAS #: 11097-69-1

Operator disabled compound identification.

---

8 Aroclor 1260 CAS #: 11096-82-5

Peaks not detected for Quant. or Qual. signal(s).

$ 12 Decachlorobiphenyl CAS #: 2051-24-3

8.568	8.571	-0.003	9866723	0.09006	45	

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018037.D

Date : 10-APR-2018 22:02

Client ID: MBLCS

Instrument: 40GCSJ.i

Sample Info: 1670715,

Volume Injected (uL): 1.0

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018037.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 10-APR-2018 22:02 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1670715





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	1099252	0	
Aroclor 1016	1099252	0	
Aroclor 1016	1099252	0	
Aroclor 1016	1099252	0	
Aroclor 1016	1099252	0	
Aroclor 1221	16607	0	
Aroclor 1221	16607	0	
Aroclor 1221	16607	0	
Aroclor 1221	16607	0	
Aroclor 1221	16607	0	
Aroclor 1232	857981	0	
Aroclor 1232	857981	0	
Aroclor 1232	857981	0	
Aroclor 1232	857981	0	

Aroclor 1232	857981	0	
Aroclor 1242	1099252	1105478	BA
Aroclor 1242	1099252	1105478	BA
Aroclor 1242	1099252	1105478	BA
Aroclor 1242	1099252	1105478	BA
Aroclor 1242	1099252	1105478	BA
Aroclor 1248	690472	0	
Aroclor 1248	690472	0	
Aroclor 1248	690472	0	
Aroclor 1248	690472	0	
Aroclor 1248	690472	0	
Aroclor 1254	247081	0	
Aroclor 1254	247081	0	
Aroclor 1254	247081	0	
Aroclor 1254	247081	0	
Aroclor 1254	247081	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Aroclor 1260	0	0	
Tetrachloro-m-xylene	9324414	9324414	
Decachlorobiphenyl	9866723	9866723	

==========

SAMPLE NO.

MS

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay

Contract: HUDSON RIVER REMEDIAL ACTION M

Date Received: 10/03/2017 10:20

Matrix: Tissue SDG No.: 40157832

Date Extracted: 04/09/2018 07:13

Lab Sample ID: 1670716

Date Analyzed: 04/11/2018 04:06

Lab File ID: 041018.B\041018060.D

Initial wt/vol: 9.9831 g Final wt/vol: 5 mL Dilution: 2

Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<22.8	U
11104-28-2	PCB-1221 (Aroclor 1221)	<22.8	U
11141-16-5	PCB-1232 (Aroclor 1232)	<22.8	U
53469-21-9	PCB-1242 (Aroclor 1242)	312	
12672-29-6	PCB-1248 (Aroclor 1248)	327	
11097-69-1	PCB-1254 (Aroclor 1254)	139	
11096-82-5	PCB-1260 (Aroclor 1260)	87.7	J

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018060.D
Lab Smp Id: 1670716 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 04:06
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670716 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 60 QC Sample: MS
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.983	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.537	9420	7340	0.779	0.01		
1.682	9416	7813	0.830	0.01		
1.801	14451	9592	0.664	0.03		
2.119	11058	6385	0.577	0.02		
2.171	18403	13966	0.759	0.03		
2.292	11580	11322	0.978	0.02		
2.408	136046	103531	0.761	0.28		
2.484	5609483	5287100	0.943	12.30	$ 2 Tetrachloro-m-xylene	
2.686	98230	80521	0.820	0.20		
2.790	127150	117522	0.924	0.26		
2.851	543250	495550	0.912	1.14		
2.975	15971	16728	1.047	0.03		
3.019	21567	21361	0.990	0.04		
3.055	133236	121790	0.914	0.27		
3.273	15950	11568	0.725	0.03		
3.318	726235	676798	0.932	1.52	3 Aroclor 1242	BA
3.343	424858	386068	0.909	0.89		
3.434	205526	184721	0.899	0.43		
3.515	804135	593041	0.737	1.68	3 Aroclor 1242	BA
3.643	29010	21821	0.752	0.06		
3.695	21420	20552	0.959	0.04		
3.732	286912	280235	0.977	0.60		
3.756	149670	147236	0.984	0.31		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
3.826	2470834	1396979	0.565	5.19	3 Aroclor 1242
3.928	908752	729101	0.802	1.90	3 Aroclor 1242
3.994	628561	598691	0.952	1.32	3 Aroclor 1242
4.058	197618	177530	0.898	0.41	
4.135	68152	59740	0.877	0.14	
4.215	1202281	1098490	0.914	2.52	
4.260	1083712	1056592	0.975	2.27	6 Aroclor 1248
4.292	1234143	936126	0.759	2.59	
4.417	868407	809170	0.932	1.82	
4.451	666281	531770	0.798	1.40	
4.546	1266200	1155744	0.913	2.66	6 Aroclor 1248
4.588	63565	59931	0.943	0.13	
4.617	248251	214733	0.865	0.52	
4.679	65210	55623	0.853	0.13	
4.736	103056	69068	0.670	0.21	
4.768	136769	129016	0.943	0.28	
4.812	601887	591568	0.983	1.26	6 Aroclor 1248
4.848	848262	803164	0.947	1.78	
4.879	1651378	958801	0.581	3.47	6 Aroclor 1248
4.957	307522	255200	0.830	0.64	
5.037	858301	804130	0.937	1.80	6 Aroclor 1248
5.100	649278	543035	0.836	1.36	
5.161	865326	777592	0.899	1.81	7 Aroclor 1254
5.213	770034	672100	0.873	1.61	
5.284	96047	89745	0.934	0.20	
5.309	211589	179271	0.847	0.44	
5.362	292651	254353	0.869	0.61	
5.406	532425	489258	0.919	1.11	7 Aroclor 1254
5.450	942209	846819	0.899	1.97	
5.480	96826	95250	0.984	0.20	
5.510	1187085	1032257	0.870	2.49	7 Aroclor 1254
5.577	81275	70900	0.872	0.17	
5.604	157960	134248	0.850	0.33	
5.674	323181	301333	0.932	0.67	
5.709	224741	180925	0.805	0.47	
5.742	231883	170632	0.736	0.48	
5.789	1193060	967258	0.811	2.50	
5.821	116313	98823	0.850	0.24	
5.885	169916	108799	0.640	0.35	
5.931	100249	86484	0.863	0.21	
5.992	332930	298353	0.896	0.69	
6.025	546129	473627	0.867	1.14	7 Aroclor 1254
6.055	1125132	971531	0.863	2.36	
6.167	293857	180852	0.615	0.61	
6.242	224912	117658	0.523	0.47	
6.299	1392962	1136958	0.816	2.92	8 Aroclor 1260
6.333	137827	122088	0.886	0.28	
6.373	62951	47814	0.760	0.13	
6.432	175902	138501	0.787	0.36	
6.509	585355	530151	0.906	1.23	
6.535	252195	226749	0.899	0.52	
6.560	204917	176821	0.863	0.43	
6.606	18650	17259	0.925	0.03	
6.659	39873	34420	0.863	0.08	
6.717	220229	192471	0.874	0.46	
6.757	231833	193397	0.834	0.48	
6.802	181632	164843	0.908	0.38	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
6.838	120409	97776	0.812	0.25	
6.912	43064	36633	0.851	0.09	
6.943	221508	209350	0.945	0.46	
7.004	610511	561380	0.920	1.28	8 Aroclor 1260
7.036	37530	44879	1.196	0.07	
7.118	29340	20435	0.696	0.06	
7.250	268470	231220	0.861	0.56	8 Aroclor 1260
7.281	84204	67430	0.801	0.17	
7.335	15906	11605	0.730	0.03	
7.388	264929	236114	0.891	0.55	
7.441	278846	242849	0.871	0.58	8 Aroclor 1260
7.493	22300	13233	0.593	0.04	
7.691	58581	56507	0.965	0.12	
7.727	114967	99493	0.865	0.24	
7.765	16343	14343	0.878	0.03	
7.813	101516	66707	0.657	0.21	
7.863	14283	11881	0.832	0.03	
7.899	178369	155777	0.873	0.37	8 Aroclor 1260
7.965	28955	16380	0.566	0.06	
8.050	27655	23696	0.857	0.05	
8.274	232059	205025	0.884	0.48	
8.375	10069	10181	1.011	0.02	
8.445	9247	7577	0.819	0.01	
8.570	5517521	4774814	0.865	11.59	$ 12 Decachlorobiphenyl
8.725	42925	30891	0.720	0.09	
9.167	48980	41068	0.838	0.10	
9.960	18677	13005	0.696	0.03	
	47588621	40536552		100.000	

Total unknown % area = 41

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018060.D
Lab Smp Id: 1670716 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 04:06
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670716 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 60 QC Sample: MS
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.983	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
1 Aroclor 1221					CAS #: 11104-28-2			
Operator disabled compound identification.								
$ 2 Tetrachloro-m-xylene					CAS #: 877-09-8			
2.484	2.484	0.000	5609483	0.04550	46			
3 Aroclor 1242					CAS #: 53469-21-9			
3.317	3.318	-0.001	726234	0.28669	290	0.00- 20.00	100.00(M)	BA
3.515	3.513	0.002	804134	0.31910	320	0.00- 20.00	110.73	BA
3.825	3.827	-0.002	2470833	0.34720	350	0.00- 20.00	340.23	BA
3.928	3.929	-0.001	908752	0.29878	300	0.00- 20.00	125.13	BA
3.993	3.995	-0.002	628561	0.30695	310	0.00- 20.00	86.55	BA
Average of Peak Concentrations =					310			

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
4 Aroclor 1232					CAS #: 1114-16-5			
Operator disabled compound identification.								
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.260	4.261	-0.001	1083712	0.46254	460	0.00- 20.00	100.00(M)	BA
4.545	4.546	-0.001	1266200	0.30509	300	0.00- 20.00	116.84	BA
4.811	4.812	-0.001	601887	0.29648	300	0.00- 20.00	55.54	BA
4.878	4.879	-0.001	1651377	0.32782	330	0.00- 20.00	152.38	BA
5.036	5.038	-0.002	858300	0.23918	240	0.00- 20.00	79.20	BA
		Average of Peak Concentrations =			330			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	865325	0.16529	160	0.00- 20.00	100.00(M)	BA
5.405	5.408	-0.003	532425	0.12379	120	0.00- 20.00	61.53	BA
5.509	5.510	-0.001	1187084	0.15286	150	0.00- 20.00	137.18	BA
6.024	6.027	-0.003	546128	0.11215	110	0.00- 20.00	63.11	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
		Average of Peak Concentrations =			140			
8 Aroclor 1260					CAS #: 11096-82-5			
6.298	6.300	-0.002	1392962	0.15718	160	0.00- 20.00	100.00(M)	CO
7.003	7.006	-0.003	610511	0.06096	61	0.00- 20.00	43.83	CO
7.250	7.251	-0.001	268469	0.05617	56	0.00- 20.00	19.27	CO
7.441	7.443	-0.002	278846	0.09566	96	0.00- 20.00	20.02	CO
7.898	7.901	-0.003	178368	0.06760	68	0.00- 20.00	12.80	CO
		Average of Peak Concentrations =			88			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5517521	0.05036	50			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.
CO: Indicates that the analyst had to split two co-eluting peaks apart that were not (or could not be) separated by the computer system.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018060.D

Date : 11-APR-2018 04:06

Client ID: AT1-170616-01-YP-03

Instrument: 40GCSJ.i

Sample Info: 1670716 x2,

Volume Injected (uL): 1.0

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018060.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 04:06 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1670716





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	721572	0	
Aroclor 1016	721572	0	
Aroclor 1016	721572	0	
Aroclor 1016	721572	0	
Aroclor 1016	721572	0	
Aroclor 1221	14451	0	
Aroclor 1221	14451	0	
Aroclor 1221	14451	0	
Aroclor 1221	14451	0	
Aroclor 1221	14451	0	
Aroclor 1232	543250	0	
Aroclor 1232	543250	0	
Aroclor 1232	543250	0	
Aroclor 1232	543250	0	

Aroclor 1232	543250	0	
Aroclor 1242	721572	726234	BA
Aroclor 1242	721572	726234	BA
Aroclor 1242	721572	726234	BA
Aroclor 1242	721572	726234	BA
Aroclor 1242	721572	726234	BA
Aroclor 1248	1039114	1083712	BA
Aroclor 1248	1039114	1083712	BA
Aroclor 1248	1039114	1083712	BA
Aroclor 1248	1039114	1083712	BA
Aroclor 1248	1039114	1083712	BA
Aroclor 1254	833748	865325	BA
Aroclor 1254	833748	865325	BA
Aroclor 1254	833748	865325	BA
Aroclor 1254	833748	865325	BA
Aroclor 1254	833748	865325	BA
Aroclor 1260	1382977	1392962	CO
Aroclor 1260	1382977	1392962	CO
Aroclor 1260	1382977	1392962	CO
Aroclor 1260	1382977	1392962	CO
Aroclor 1260	1382977	1392962	CO
Tetrachloro-m-xylene	5609483	5609483	
Decachlorobiphenyl	5517521	5517521	

==========

SAMPLE NO.

DUP

PCB - FORM I SVOA-1

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay

Contract: HUDSON RIVER REMEDIAL ACTION M

Date Received: 10/03/2017 10:20

Matrix: Tissue SDG No.: 40157832

Date Extracted: 04/09/2018 07:13

Lab Sample ID: 1670717

Date Analyzed: 04/11/2018 04:22

Lab File ID: 041018.B\041018061.D

Initial wt/vol: 9.9901 g Final wt/vol: 5 mL Dilution: 2

Instrument: 40GCSJ Percent Moisture:

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/kg	Q
12674-11-2	PCB-1016 (Aroclor 1016)	<22.8	U
11104-28-2	PCB-1221 (Aroclor 1221)	<22.8	U
11141-16-5	PCB-1232 (Aroclor 1232)	<22.8	U
53469-21-9	PCB-1242 (Aroclor 1242)	<22.8	U
12672-29-6	PCB-1248 (Aroclor 1248)	252	
11097-69-1	PCB-1254 (Aroclor 1254)	170	
11096-82-5	PCB-1260 (Aroclor 1260)	133	

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018061.D
Lab Smp Id: 1670717 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 04:22
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670717 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: AREA%
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 61 QC Sample: FIELDDUP
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.990	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS	REVIEW CODE
1.182	10296	8762	0.851	0.02		
1.430	9403	6900	0.734	0.01		
2.293	11106	11369	1.024	0.02		
2.315	12169	9880	0.812	0.02		
2.410	114364	90140	0.788	0.24		
2.486	5844889	5402606	0.924	13.02	$ 2 Tetrachloro-m-xylene	
2.791	23577	19263	0.817	0.05		
2.853	32893	26891	0.818	0.06		
2.975	56563	30869	0.546	0.12		
3.021	33399	32162	0.963	0.07		
3.055	109799	102129	0.930	0.23		
3.318	78850	76618	0.972	0.16		
3.345	93415	81128	0.868	0.19		
3.433	167404	147636	0.882	0.35		
3.519	240968	219454	0.911	0.51		
3.646	28873	22496	0.779	0.06		
3.732	187064	183700	0.982	0.39		
3.756	66383	63301	0.954	0.14		
3.814	427495	481521	1.126	0.90		
3.825	472473	467547	0.990	1.00		
3.938	147810	120090	0.812	0.31		
3.994	155404	143981	0.926	0.33		
4.058	86658	76749	0.886	0.18		

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
4.135	20920	12180	0.582	0.04	
4.215	1226248	1114005	0.908	2.60	
4.261	1088386	1034009	0.950	2.31	6 Aroclor 1248
4.292	1363918	1166364	0.855	2.90	
4.351	25002	17998	0.720	0.05	
4.416	451896	424069	0.938	0.96	
4.452	350685	325118	0.927	0.74	
4.545	861237	801766	0.931	1.83	6 Aroclor 1248
4.588	84521	78990	0.935	0.17	
4.617	105873	94231	0.890	0.22	
4.681	83544	73560	0.880	0.17	
4.737	104252	88232	0.846	0.22	
4.768	148228	140651	0.949	0.31	
4.813	417859	403473	0.966	0.88	6 Aroclor 1248
4.847	389996	369452	0.947	0.82	
4.894	1427219	838287	0.587	3.03	6 Aroclor 1248
4.957	349997	302419	0.864	0.74	
5.037	345175	293299	0.850	0.73	6 Aroclor 1248
5.100	824402	703638	0.854	1.75	
5.161	1136454	999325	0.879	2.41	7 Aroclor 1254
5.212	1022806	894872	0.875	2.17	
5.254	25883	24068	0.930	0.05	
5.283	131241	128651	0.980	0.27	
5.310	299760	250389	0.835	0.63	
5.362	301978	275214	0.911	0.64	
5.407	603487	549620	0.911	1.28	7 Aroclor 1254
5.450	1358341	1230719	0.906	2.88	
5.477	112654	120489	1.070	0.23	
5.509	1474852	1326089	0.899	3.13	7 Aroclor 1254
5.575	116883	102374	0.876	0.24	
5.603	128788	107824	0.837	0.27	
5.675	484805	454657	0.938	1.03	
5.710	333362	262459	0.787	0.70	
5.742	313129	243194	0.777	0.66	
5.788	1589247	1294559	0.815	3.38	
5.821	177540	150654	0.849	0.37	
5.885	223874	145535	0.650	0.47	
5.931	144306	129475	0.897	0.30	
5.960	12876	13960	1.084	0.02	
5.994	488940	458823	0.938	1.03	
6.025	641730	568296	0.886	1.36	7 Aroclor 1254
6.055	1696416	1491565	0.879	3.60	
6.169	429451	263913	0.615	0.91	
6.242	326313	171386	0.525	0.69	
6.300	2089604	1747655	0.836	4.44	8 Aroclor 1260
6.333	199231	181252	0.910	0.42	
6.372	74020	61654	0.833	0.15	
6.431	263031	210977	0.802	0.55	
6.486	29646	29748	1.003	0.06	
6.509	885359	812966	0.918	1.88	
6.535	363329	344050	0.947	0.77	
6.561	308515	261856	0.849	0.65	
6.605	26649	21895	0.822	0.05	
6.660	61019	54843	0.899	0.12	
6.716	322139	277867	0.863	0.68	
6.757	349983	300185	0.858	0.74	
6.801	275274	245059	0.890	0.58	

RT	AREA	HEIGHT	HT/AREA	% AREA	COMPOUNDS
6.839	180881	146102	0.808	0.38	
6.912	50320	50438	1.002	0.10	
6.942	341461	323563	0.948	0.72	
7.005	955926	880558	0.921	2.03	8 Aroclor 1260
7.035	74697	66001	0.884	0.15	
7.077	10912	13486	1.236	0.02	
7.120	32361	28630	0.885	0.06	
7.250	391901	354147	0.904	0.83	8 Aroclor 1260
7.281	126942	101464	0.799	0.26	
7.332	17879	14573	0.815	0.03	
7.388	429721	369682	0.860	0.91	
7.442	433110	376430	0.869	0.92	8 Aroclor 1260
7.490	38795	19933	0.514	0.08	
7.552	21040	18002	0.856	0.04	
7.691	94911	90041	0.949	0.20	
7.727	161451	146348	0.906	0.34	
7.763	23086	21630	0.937	0.04	
7.811	150060	101133	0.674	0.31	
7.862	17386	14164	0.815	0.03	
7.901	271723	238270	0.877	0.57	8 Aroclor 1260
7.960	43909	23336	0.531	0.09	
8.050	42268	34571	0.818	0.08	
8.275	337645	297763	0.882	0.71	
8.379	21314	15599	0.732	0.04	
8.447	15622	11060	0.708	0.03	
8.570	5620344	4778754	0.850	11.95	$ 12 Decachlorobiphenyl
8.726	67973	46543	0.685	0.14	
8.938	18821	10707	0.569	0.04	
9.169	69319	63046	0.910	0.14	
9.463	23964	14321	0.598	0.05	
9.731	11715	8114	0.693	0.02	
9.957	16208	13515	0.834	0.03	
	47017190	41006974		100.000	

Total unknown % area = 49

Pace Analytical Services, Inc.

SW846-8082

Data file : \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018061.D
Lab Smp Id: 1670717 Client Smp ID: AT1-170616-01-YP-03
Inj Date : 11-APR-2018 04:22
Operator : BLM Inst ID: 40GCSJ.i
Smp Info : 1670717 x2,
Misc Info : 17645,BIOTA
Comment :
Method : \\40wintarget\data2\chem\40GCSJ.i\041018.b\pcba030618.m
Meth Date : 17-Apr-2018 14:35 40GCSJ.i Quant Type: ESTD
Cal Date : 06-MAR-2018 19:39 Cal File: 030618066.D
Als bottle: 61 QC Sample: FIELDDUP
Dil Factor: 2.00000
Integrator: Falcon Compound Sublist: BIOTA.sub
Target Version: RC10A Sample Matrix: Biota

Concentration Formula: Amt * DF * Uf * Vt/(Vi * Ws * (100 - M)/100) * CpndV

Name	Value	Description
DF	2.000	Dilution Factor
Uf	1.000	Correction Factor
Vt	5000.000	Volume of final extract (uL)(1000 low, 2
Vi	1.000	Volume injected (uL)
Ws	9.990	Weight of sample extracted
M	0.00000	% Moisture
Cpnd Variable		Local Compound Variable

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE

1 Aroclor 1221 CAS #: 11104-28-2

Operator disabled compound identification.

$	2 Tetrachloro-m-xylene					CAS #: 877-09-8		
2.485	2.484	0.001	5844888	0.04741	47			

---

3 Aroclor 1242 CAS #: 53469-21-9

Operator disabled compound identification.

---

4 Aroclor 1232 CAS #: 1114-16-5

Operator disabled compound identification.

RT	EXP RT	DLT RT	RESPONSE	CONCENTRATIONS ON-COL (ug/ml)	FINAL (ug/Kg)	TARGET RANGE	RATIO	REVIEW CODE
5 Aroclor 1016					CAS #: 12674-11-2			
Operator disabled compound identification.								
6 Aroclor 1248					CAS #: 12672-29-6			
4.261	4.261	0.000	1088386	0.46453	460	0.00- 20.00	100.00(M)	BA
4.544	4.546	-0.002	861236	0.20751	210	0.00- 20.00	79.13	BA
4.812	4.812	0.000	417859	0.20583	210	0.00- 20.00	38.39	BA
4.893	4.879	0.014	1427219	0.28332	280	0.00- 20.00	131.13	BA
5.037	5.038	-0.001	345175	0.09619	96	0.00- 20.00	31.71	BA
Average of Peak Concentrations =					250			
7 Aroclor 1254					CAS #: 11097-69-1			
5.160	5.162	-0.002	1136453	0.21708	220	0.00- 20.00	100.00(M)	BA
5.406	5.408	-0.002	603487	0.14031	140	0.00- 20.00	53.10	BA
5.509	5.510	-0.001	1474851	0.18991	190	0.00- 20.00	129.78	BA
6.025	6.027	-0.002	641730	0.13178	130	0.00- 20.00	56.47	BA
6.299	6.299	0.000	0	0.00	0.00	0.00- 20.00	0.00	BA
Average of Peak Concentrations =					170			
8 Aroclor 1260					CAS #: 11096-82-5			
6.299	6.300	-0.001	2089603	0.23578	240	0.00- 20.00	100.00(M)	BA
7.004	7.006	-0.002	955925	0.09546	96	0.00- 20.00	45.75	BA
7.250	7.251	-0.001	391901	0.08199	82	0.00- 20.00	18.75	BA
7.442	7.443	-0.001	433110	0.14857	150	0.00- 20.00	20.73	BA
7.900	7.901	-0.001	271722	0.10297	100	0.00- 20.00	13.00	BA
Average of Peak Concentrations =					130			
$ 12 Decachlorobiphenyl					CAS #: 2051-24-3			
8.570	8.571	-0.001	5620344	0.05130	51			

QC Flag Legend

M - Compound response manually integrated.

Review Codes Legend

:
BA: Indicates that the baseline had to be adjusted correctly by the analyst.

Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b\041018061.D

Date : 11-APR-2018 04:22

Client ID: AT1-170616-01-YP-03

Instrument: 40GCSJ.i

Sample Info: 1670717 x2,

Volume Injected (uL): 1.0

Operator: BLM

Column phase: ZB-1ms

Column diameter: 0.18



Data File: \\40wintarget\data2\chem\40GCSJ.i\041018.b/041018061.D (ManInt: BIOTA.sub Orig: BIOTA.sub)
Injection Date: 11-APR-2018 04:22 Operator: BLM
Instrument: 40GCSJ.i
Lab Sample ID: 1670717





Manually Integrated Compounds

Compound	Area (before)	Area (after)	Code
Aroclor 1016	78850	0	
Aroclor 1016	78850	0	
Aroclor 1016	78850	0	
Aroclor 1016	78850	0	
Aroclor 1016	78850	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1221	0	0	
Aroclor 1232	32892	0	
Aroclor 1232	32892	0	
Aroclor 1232	32892	0	
Aroclor 1232	32892	0	

Aroclor 1232	32892	0	
Aroclor 1242	78850	0	
Aroclor 1242	78850	0	
Aroclor 1242	78850	0	
Aroclor 1242	78850	0	
Aroclor 1242	78850	0	
Aroclor 1248	1082208	1088386	BA
Aroclor 1248	1082208	1088386	BA
Aroclor 1248	1082208	1088386	BA
Aroclor 1248	1082208	1088386	BA
Aroclor 1248	1082208	1088386	BA
Aroclor 1254	1126641	1136453	BA
Aroclor 1254	1126641	1136453	BA
Aroclor 1254	1126641	1136453	BA
Aroclor 1254	1126641	1136453	BA
Aroclor 1254	1126641	1136453	BA
Aroclor 1260	2090485	2089603	BA
Aroclor 1260	2090485	2089603	BA
Aroclor 1260	2090485	2089603	BA
Aroclor 1260	2090485	2089603	BA
Aroclor 1260	2090485	2089603	BA
Tetrachloro-m-xylene	5844888	5844888	
Decachlorobiphenyl	5620344	5620344	

==========

Prep Log Report

Batch Information: OEXT 285467 PCB-B

Template Version: F-GB-O-113-Rev.05 (22Mar2018)

Prep Method	EPA 3541	Analysis Method	EPA 8082A Mod	Extracted By	AMC	Extracted Date/Time	04/09/2018 07:13:41:515
Spiked By	AMC	Spiked By Date/Time	04/09/2018 07:13:44:035	Witnessed By	ETB	Witnessed By Date/Time	04/09/2018 07:13:50:643
Instrument	40BALL	Conc. Temp #1	40	Conc. Temp #2	40	Methylene Chloride	None Added
Hexane/Acetone 1:1	193046	Hexane	192551	Sodium Sulfate	192814	Florisil	186910
3620B Date/Initials	04/10/18 AMC	H2SO4 - Conc.	179363	Acid 3665A Date/Initials	04/10/18 AMC	Tuna	None Added
Reviewed By	BLM	Reviewed By Date	04/17/2018 14:35	Batch Notes			

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Initial Weight (g)	Final Volume (mL)	Volume Delivered (mL)	Sample Notes	8081-SS (mL)	AR1242-SPK (mL)
8082A TNYP	BLANK	**1670714**	10	5	3		189973 (.25)	
8082A TNYP	LCS	**1670715**	10	5	3		189973 (.25)	192096 (.125)
8082A TNYP	PS	**40157487001**	10.0248	5	3		189973 (.25)	
8082A TNYP	PS	**40157487002**	9.9771	5	3		189973 (.25)	
8082A TNYP	PS	**40157487003**	9.9838	5	3		189973 (.25)	
8082A TNYP	PS	**40157487004**	10.0118	5	3		189973 (.25)	
8082A TNYP	PS	**40157487005**	10.0301	5	3		189973 (.25)	
8082A TNYP	PS	**40157487006**	9.9981	5	3		189973 (.25)	
8082A TNYP	PS	**40157487007**	10.0132	5	3		189973 (.25)	
8082A TNYP	PS	**40157487008**	9.9774	5	3		189973 (.25)	
8082A TNYP	PS	**40157487009**	10.0287	5	3		189973 (.25)	
8082A TNYP	PS	**40157487010**	10.0176	5	3		189973 (.25)	
8082A TNYP	PS	**40157492001**	10.0003	5	3		189973 (.25)	
8082A TNYP	PS	**40157492002**	10.0071	5	3		189973 (.25)	
8082A TNYP	PS	**40157492003**	10.0221	5	3		189973 (.25)	
8082A TNYP	PS	**40157492004**	9.9887	5	3		189973 (.25)	

Prep Log Report

QC Rule	Sample Type	Lab Sample ID	Initial Weight (g)	Final Volume (mL)	Volume Delivered (mL)	Sample Notes	8081-SS (mL)	AR1242-SPK (mL)
8082A TNYP	PS	**40157825011**	10.0369	5	3		189973 (.25)	
8082A TNYP	PS	**40157832001**	9.9883	5	3		189973 (.25)	
8082A TNYP	PS	**40157832002**	9.9987	5	3		189973 (.25)	
8082A TNYP	RQS	**40157832003**	9.9981	5	3		189973 (.25)	
8082A TNYP	MS	**1670716**	9.9831	5	3		189973 (.25)	192096 (.125)
8082A TNYP	DUP	**1670717**	9.9901	5	3		189973 (.25)	
8082A TNYP	PS	**40157832004**	10.0274	5	3		189973 (.25)	
8082A TNYP	PS	**40157832005**	10.0372	5	3		189973 (.25)	

Standard Notes:

189973: Pest/PCB Surrogate Spike 40GCSC. **192096: Ar1242 Spike @20ug/mL 40GCS9.**

PROJECT 40GCSI Screener 04/10/18

Notebook No. 4418

Continued from Page —

```
   Sequence Name: C:\msdchem\1\sequence\041018.s
         Comment:
        Operator:
       Data Path: C:\MSDCHEM\1\DATA\041018\
Instrument Control  Pre-Seq Cmd:
Data Analysis       Pre-Seq Cmd:

Instrument Control Post-Seq Cmd:
Data Analysis      Post-Seq Cmd:

    Method Sections To Run       Sequence Barcode Options
    (X) Full Method              (X) On Mismatch, Inject Anyway
    ( ) Reprocessing Only        ( ) On Mismatch, Don't Inject
                                 ( ) Barcode Disabled
   ---------------------------------------------------------------------
   Line                    Sample Name/Misc Info
 1) RearSamp        1  HEXANE
     Datafile          --------
     Method            SCREEN2014
 2) Sample          2  HEXANE
     Datafile          --------
     Method            SCREEN2014
 3) RearSamp        3  1670714MB
     Datafile          --------
     Method            SCREEN2014
 4) Sample          4  1670715LCS
     Datafile          --------
     Method            SCREEN2014
 5) RearSamp        5  40157487-001 x2
     Datafile          --------
     Method            SCREEN2014
 6) Sample          6  40157487-002 x2
     Datafile          --------
     Method            SCREEN2014
 7) RearSamp        7  40157487-003 x2
     Datafile          --------
     Method            SCREEN2014
 8) Sample          8  40157487-004 —
     Datafile          --------
     Method            SCREEN2014
 9) RearSamp        9  40157487-005 x2
     Datafile          --------
     Method            SCREEN2014
10) Sample         10  40157487-006 —
     Datafile          --------
     Method            SCREEN2014
11) RearSamp       11  40157487-007 x2
     Datafile          --------
     Method            SCREEN2014
12) Sample         12  40157487-008 x4
     Datafile          --------
     Method            SCREEN2014
13) RearSamp       13  40157487-009 x4
     Datafile          --------
     Method            SCREEN2014
14) Sample         14  40157487-010 x2
     Datafile          --------
     Method            SCREEN2014
15) RearSamp       15  40157492-001 x3
     Datafile          --------
     Method            SCREEN2014
16) Sample         16  40157492-002 x2
     Datafile          --------
     Method            SCREEN2014
17) RearSamp       17  40157492-003 —
     Datafile          --------
     Method            SCREEN2014
18) Sample         18  40157492-004 x2
     Datafile          --------
     Method            SCREEN2014
19) RearSamp       19  40157825-011 —
     Datafile          --------

   Last Modified: Tue Apr 10 09:55:31 2018                Page:  1
```

GE BIOTA

BLM 4/11/18

Continued on Page 47

Read and Understood By

Bryan Megill — Signed — 4/11/18 — Date

Fini O'Conn — Signed — 4/11/18 — Date

```
      Method                SCREEN2014
20)   Sample        20      40157832-001 x2
      Datafile              --------
      Method                SCREEN2014
21)   RearSamp      21      40157832-002 —
      Datafile              --------
      Method                SCREEN2014
22)   Sample        22      40157832-003 x2
      Datafile              --------
      Method                SCREEN2014
23)   RearSamp      23      1670716MS  x2
      Datafile              --------
      Method                SCREEN2014
24)   Sample        24      1670717DUP x2
      Datafile              --------
      Method                SCREEN2014
25)   RearSamp      25      40157832-004 —
      Datafile              --------
      Method                SCREEN2014
26)   Sample        26      40157832-005 —
      Datafile              --------
      Method                SCREEN2014
```

Last Modified: Tue Apr 10 09:55:31 2018 Page: 2

BLM 4/11/18

Continued on Page —

Read and Understood By

Beg Meyl 4/11/18 Signed Date

Jim O'Connor 4-11-18 Signed Date

PROJECT 40GCSJ/K 03/06/18

Notebook No. 4417

Continued from Page —

```
   Sequence Name: C:\msdchem\1\sequence\030618.s
         Comment:
        Operator: BLM
       Data Path: C:\MSDCHEM\1\DATA\030618\
Instrument Control  Pre-Seq Cmd:
Data Analysis       Pre-Seq Cmd:

Instrument Control Post-Seq Cmd:
Data Analysis      Post-Seq Cmd:

    Method Sections To Run       Sequence Barcode Options
    (X) Full Method              (X) On Mismatch, Inject Anyway
    ( ) Reprocessing Only        ( ) On Mismatch, Don't Inject
                                 ( ) Barcode Disabled
   ---------------------------------------------------------------------
   Line                    Sample Name/Misc Info
 1)  Unlinked
 2) RearSamp        1  prime
     Datafile          030618001
     Method            GEBIOTA2017
 3) Sample          2  prime
     Datafile          030618002
     Method            GEBIOTA2017
 4) RearSamp        3  HEXANE
     Datafile          030618003
     Method            GEBIOTA2017
 5) Sample          4  HEXANE
     Datafile          030618004
     Method            GEBIOTA2017
 6) RearSamp        5  1232-CAL3S,185539:1,17499,NSA
     Datafile          030618005
     Method            GEBIOTA2017
 7) Sample          4  HEXANE
     Datafile          030618006
     Method            GEBIOTA2017
 8) RearSamp        6  1221-CAL1F,188138:1,17499,NSA
     Datafile          030618007
     Method            GEBIOTA2017
 9) Sample          5  1232-CAL3S,185539:1,17498,NSA
     Datafile          030618008
     Method            GEBIOTA2017
10) RearSamp        7  1221-CAL2F,188139:1,17499,NSA
     Datafile          030618009
     Method            GEBIOTA2017
11) Sample          6  1221-CAL1F,188138:1,17498,NSA
     Datafile          030618010
     Method            GEBIOTA2017
12) RearSamp        8  1221-CAL3F,185538:1,17499,NSA
     Datafile          030618011
     Method            GEBIOTA2017
13) Sample          7  1221-CAL2F,188139:1,17498,NSA
     Datafile          030618012
     Method            GEBIOTA2017
14) RearSamp        9  1221-CAL4F,188140:1,17499,NSA
     Datafile          030618013
     Method            GEBIOTA2017
15) Sample          8  1221-CAL3F,185538:1,17498,NSA
     Datafile          030618014
     Method            GEBIOTA2017
16) RearSamp       10  1221-CAL5F,188141:1,17499,NSA
     Datafile          030618015
     Method            GEBIOTA2017
17) Sample          9  1221-CAL4F,188140:1,17498,NSA
     Datafile          030618016
     Method            GEBIOTA2017
18) RearSamp       11  HEXANE
     Datafile          030618017
     Method            GEBIOTA2017
19) Sample         10  1221-CAL5F,188141:1,17498,NSA
     Datafile          030618018
     Method            GEBIOTA2017
20) RearSamp       12  1242-CAL1B,188132:1,17499,NSA

   Last Modified: Tue Mar 06 10:58:59 2018                Page:  1
```

BLM 3/7/18

Continued on Page 5

Read and Understood By

Signed 3/7/18 Date

Signed 3/7/18 Date

```
      Datafile          030618019
      Method            GEBIOTA2017
21) Sample        11    HEXANE
      Datafile          030618020
      Method            GEBIOTA2017
22) RearSamp      13    1242-CAL2B,185543:1,17499,NSA
      Datafile          030618021
      Method            GEBIOTA2017
23) Sample        12    1242-CAL1B,188132:1,17498,NSA
      Datafile          030618022
      Method            GEBIOTA2017
24) RearSamp      14    1242-CAL3B,185544:1,17499,NSA
      Datafile          030618023
      Method            GEBIOTA2017
25) Sample        13    1242-CAL2B,185543:1,17498,NSA
      Datafile          030618024
      Method            GEBIOTA2017
26) RearSamp      15    1242-CAL4B,185545:1,17499,NSA
      Datafile          030618025
      Method            GEBIOTA2017
27) Sample        14    1242-CAL3B,185544:1,17498,NSA
      Datafile          030618026
      Method            GEBIOTA2017
28) RearSamp      16    1242-CAL5B,185546:1,17499,NSA
      Datafile          030618027
      Method            GEBIOTA2017
29) Sample        15    1242-CAL4B,185545:1,17498,NSA
      Datafile          030618028
      Method            GEBIOTA2017
30) RearSamp      17    HEXANE
      Datafile          030618029
      Method            GEBIOTA2017
31) Sample        16    1242-CAL5B,185546:1,17498,NSA
      Datafile          030618030
      Method            GEBIOTA2017
32) RearSamp      18    1248-CAL1D,188134:1,17499,NSA
      Datafile          030618031
      Method            GEBIOTA2017
33) Sample        17    HEXANE
      Datafile          030618032
      Method            GEBIOTA2017
34) RearSamp      19    1248-CAL2D,185548:1,17499,NSA
      Datafile          030618033
      Method            GEBIOTA2017
35) Sample        18    1248-CAL1D,188134:1,17498,NSA
      Datafile          030618034
      Method            GEBIOTA2017
36) RearSamp      20    1248-CAL3D,185549:1,17499,NSA
      Datafile          030618035
      Method            GEBIOTA2017
37) Sample        19    1248-CAL2D,185548:1,17498,NSA
      Datafile          030618036
      Method            GEBIOTA2017
38) RearSamp      21    1248-CAL4D,185550:1,17499,NSA
      Datafile          030618037
      Method            GEBIOTA2017
39) Sample        20    1248-CAL3D,185549:1,17498,NSA
      Datafile          030618038
      Method            GEBIOTA2017
40) RearSamp      22    1248-CAL5D,185551:1,17499,NSA
      Datafile          030618039
      Method            GEBIOTA2017
41) Sample        21    1248-CAL4D,185550:1,17498,NSA
      Datafile          030618040
      Method            GEBIOTA2017
42) RearSamp      23    HEXANE
      Datafile          030618041
      Method            GEBIOTA2017
43) Sample        22    1248-CAL5D,185551:1,17498,NSA
      Datafile          030618042
      Method            GEBIOTA2017

Last Modified: Tue Mar 06 10:58:59 2018          Page:  2
```

BLM 3/7/18

Continued on Page 6

Read and Understood By

Bryan Meyer — Signed — 3/7/18 Date

Signed — 3/5/18 Date

Sequence Name: C:\msdchem\1\sequence\030618.s

	Line Type	Vial	DataFile	Method	Sample Name
44)	RearSamp	24	1254-CAL1C,188135:1,17499,NSA		
	Datafile		030618043		
	Method			GEBIOTA2017	
45)	Sample	23	HEXANE		
	Datafile		030618044		
	Method			GEBIOTA2017	
46)	RearSamp	25	1254-CAL2C,185553:1,17499,NSA		
	Datafile		030618045		
	Method			GEBIOTA2017	
47)	Sample	24	1254-CAL1C,188135:1,17498,NSA		
	Datafile		030618046		
	Method			GEBIOTA2017	
48)	RearSamp	26	1254-CAL3C,185554:1,17499,NSA		
	Datafile		030618047		
	Method			GEBIOTA2017	
49)	Sample	25	1254-CAL2C,185553:1,17498,NSA		
	Datafile		030618048		
	Method			GEBIOTA2017	
50)	RearSamp	27	1254-CAL4C,185555:1,17499,NSA		
	Datafile		030618049		
	Method			GEBIOTA2017	
51)	Sample	26	1254-CAL3C,185554:1,17498,NSA		
	Datafile		030618050		
	Method			GEBIOTA2017	
52)	RearSamp	28	1254-CAL5C,185556:1,17499,NSA		
	Datafile		030618051		
	Method			GEBIOTA2017	
53)	Sample	27	1254-CAL4C,185555:1,17498,NSA		
	Datafile		030618052		
	Method			GEBIOTA2017	
54)	RearSamp	29	HEXANE		
	Datafile		030618053		
	Method			GEBIOTA2017	
55)	Sample	28	1254-CAL5C,185556:1,17498,NSA		
	Datafile		030618054		
	Method			GEBIOTA2017	
56)	RearSamp	30	1660-CAL1A,188136:1,17499,AR1		
	Datafile		030618055		
	Method			GEBIOTA2017	
57)	Sample	29	HEXANE		
	Datafile		030618056		
	Method			GEBIOTA2017	
58)	RearSamp	31	1660-CAL2A,185558:1,17499,AR1		
	Datafile		030618057		
	Method			GEBIOTA2017	
59)	Sample	30	1660-CAL1A,188136:1,17498,AR1		
	Datafile		030618058		
	Method			GEBIOTA2017	
60)	RearSamp	32	1660-CAL3A,185559:1,17499,AR1		
	Datafile		030618059		
	Method			GEBIOTA2017	
61)	Sample	31	1660-CAL2A,185558:1,17498,AR1		
	Datafile		030618060		
	Method			GEBIOTA2017	
62)	RearSamp	33	1660-CAL4A,185560:1,17499,AR1		
	Datafile		030618061		
	Method			GEBIOTA2017	
63)	Sample	32	1660-CAL3A,185559:1,17498,AR1		
	Datafile		030618062		
	Method			GEBIOTA2017	
64)	RearSamp	34	1660-CAL5A,185561:1,17499,AR1		
	Datafile		030618063		
	Method			GEBIOTA2017	
65)	Sample	33	1660-CAL4A,185560:1,17498,AR1		
	Datafile		030618064		
	Method			GEBIOTA2017	
66)	RearSamp	35	HEXANE		
	Datafile		030618065		

Last Modified: Tue Mar 06 10:58:59 2018

Page: 3

BLM 3/7/18

Continued on Page 7

Read and Understood By

Bryan Meyer — Signed — 3/7/18 Date

Signed — 3/7/18 Date

```
      Method                GEBIOTA2017
67) Sample          34  1660-CAL5A,185561:1,17498,AR1
      Datafile            030618066
      Method              GEBIOTA2017
68) RearSamp        36  1221-ICV,188142:1,17499,AR122
      Datafile            030618067
      Method              GEBIOTA2017
69) Sample          35  HEXANE
      Datafile            030618068
      Method              GEBIOTA2017
70) RearSamp        37  1242-ICV,185562:1,17499,AR124 OK
      Datafile            030618069
      Method              GEBIOTA2017
71) Sample          36  1221-ICV,188142:1,17498,AR122 OK
      Datafile            030618070
      Method              GEBIOTA2017
72) RearSamp        38  1248-ICV,185563:1,17499,AR124 OK
      Datafile            030618071
      Method              GEBIOTA2017
73) Sample          37  1242-ICV,185562:1,17498,AR124 OK
      Datafile            030618072
      Method              GEBIOTA2017
74) RearSamp        39  1254-ICV,185564:1,17499,AR125 OK
      Datafile            030618073
      Method              GEBIOTA2017
75) Sample          38  1248-ICV,185563:1,17498,AR124 OK
      Datafile            030618074
      Method              GEBIOTA2017
76) RearSamp        40  1660-ICV,185565:1,17499,AR166 OK
      Datafile            030618075
      Method              GEBIOTA2017
77) Sample          39  1254-ICV,185564:1,17498,AR125 OK
      Datafile            030618076
      Method              GEBIOTA2017
78) RearSamp        41  1221-CRDL,188138:1,17499,RL12 OK
      Datafile            030618077
      Method              GEBIOTA2017
79) Sample          40  1660-ICV,185565:1,17498,AR166 OK
      Datafile            030618078
      Method              GEBIOTA2017
80) RearSamp        42  1242-CRDL,188132:1,17499,RL12 OK
      Datafile            030618079
      Method              GEBIOTA2017
81) Sample          41  1221-CRDL,188138:1,17498,RL12 OK
      Datafile            030618080
      Method              GEBIOTA2017
82) RearSamp        43  1248-CRDL,188134:1,17499,RL12 OK
      Datafile            030618081
      Method              GEBIOTA2017
83) Sample          42  1242-CRDL,188132:1,17498,RL12 OK
      Datafile            030618082
      Method              GEBIOTA2017
84) RearSamp        44  1254-CRDL,188135:1,17499,RL12 OK
      Datafile            030618083
      Method              GEBIOTA2017
85) Sample          43  1248-CRDL,188134:1,17498,RL12 OK
      Datafile            030618084
      Method              GEBIOTA2017
86) RearSamp        45  1660-CRDL,188136:1,17499,RL16 OK
      Datafile            030618085
      Method              GEBIOTA2017
87) Sample          44  1254-CRDL,188135:1,17498,RL12 OK
      Datafile            030618086
      Method              GEBIOTA2017
88) RearSamp        46  HEXANE
      Datafile            030618087
      Method              GEBIOTA2017
89) Sample          45  1660-CRDL,188136:1,17498,RL16 OK
      Datafile            030618088
      Method              GEBIOTA2017

Last Modified: Tue Mar 06 10:58:59 2018          Page:  4
```

BLM 3/7/18

Continued on Page —

Read and Understood By

Beryl Meyl 3/7/18 Signed Date

Signed 3/7/18 Date

```
    Sequence Name: C:\msdchem\1\sequence\041018.s
          Comment:
         Operator: BLM
        Data Path: C:\MSDCHEM\1\DATA\041018\
Instrument Control  Pre-Seq Cmd:
Data Analysis       Pre-Seq Cmd:

Instrument Control Post-Seq Cmd:
Data Analysis      Post-Seq Cmd:

    Method Sections To Run       Sequence Barcode Options
    (X) Full Method              (X) On Mismatch, Inject Anyway
    ( ) Reprocessing Only        ( ) On Mismatch, Don't Inject
                                 ( ) Barcode Disabled
   ---------------------------------------------------------------------
   Line                    Sample Name/Misc Info
 1) Sample          1  prime
     Datafile          041018001
     Method            GEBIOTA2017
 2) Sample          2  HEXANE
     Datafile          041018002
     Method            GEBIOTA2017
 3) Sample          3  HEXANE
     Datafile          041018003
     Method            GEBIOTA2017
 4) Sample          4  1660-CCV,185559:1,17498,AR166 F
     Datafile          041018004
     Method            GEBIOTA2017
 5) Sample          5  1660-CCV,185559:1,17498,AR166 OK
     Datafile          041018005
     Method            GEBIOTA2017
 6) Sample          6  40157935001 x2,,17636,BIOTA
     Datafile          041018006
     Method            GEBIOTA2017
 7) Sample          7  40157935006 x2,,17636,BIOTA
     Datafile          041018007
     Method            GEBIOTA2017
 8) Sample          8  1669842,,17642,BIOTA
     Datafile          041018008
     Method            GEBIOTA2017
 9) Sample          9  1669843,,17642,BIOTA
     Datafile          041018009
     Method            GEBIOTA2017
10) Sample         10  40157703002,,17642,BIOTA
     Datafile          041018010
     Method            GEBIOTA2017
11) Sample         11  40157703003 x10,,17642,BIOTA
     Datafile          041018011
     Method            GEBIOTA2017
12) Sample         12  40157703004 x3,,17642,BIOTA
     Datafile          041018012
     Method            GEBIOTA2017
13) Sample         13  40157703006,,17642,BIOTA
     Datafile          041018013
     Method            GEBIOTA2017
14) Sample         14  40157703007,,17642,BIOTA
     Datafile          041018014
     Method            GEBIOTA2017
15) Sample         15  40157703008 x2,,17642,BIOTA
     Datafile          041018015
     Method            GEBIOTA2017
16) Sample         16  1221-CCV,185538:1,17498,AR122 OK
     Datafile          041018016
     Method            GEBIOTA2017
17) Sample         17  1221-CCV,185538:1,17498,AR122 OK
     Datafile          041018017
     Method            GEBIOTA2017
18) Sample         18  40157703009 x5,,17642,BIOTA
     Datafile          041018018
     Method            GEBIOTA2017
19) Sample         19  40157703010 x5,,17642,BIOTA
     Datafile          041018019

  Last Modified: Tue Apr 10 12:25:22 2018                Page:  1
```

BLM 4/11/18

Continued on Page 48

Read and Understood By

Signed: [signature] Date: 4/11/18

Signed: [signature] Date: 4-11-18

```
      Method                GEBIOTA2017
20)   Sample        20      40157703011 x2,,17642,BIOTA
      Datafile              041018020
      Method                GEBIOTA2017
21)   Sample        21      40157703012 x3,,17642,BIOTA RS
      Datafile              041018021
      Method                GEBIOTA2017
22)   Sample        22      40157703013 x3,,17642,BIOTA
      Datafile              041018022
      Method                GEBIOTA2017
23)   Sample        23      40157703014 x2,,17642,BIOTA
      Datafile              041018023
      Method                GEBIOTA2017
24)   Sample        24      40157703015 x15,,17642,BIOTA
      Datafile              041018024
      Method                GEBIOTA2017
25)   Sample        25      40157703016 x5,,17642,BIOTA
      Datafile              041018025
      Method                GEBIOTA2017
26)   Sample        26      40157703017,,17642,BIOTA
      Datafile              041018026
      Method                GEBIOTA2017
27)   Sample        27      40157703018 x10,,17642,BIOTA
      Datafile              041018027
      Method                GEBIOTA2017
28)   Sample        28      1232-CCV,185539:1,17498,AR123 OK
      Datafile              041018028
      Method                GEBIOTA2017
29)   Sample        29      1232-CCV,185539:1,17498,AR123 OK
      Datafile              041018029
      Method                GEBIOTA2017
30)   Sample        30      1669844 x10,,17642,BIOTA
      Datafile              041018030
      Method                GEBIOTA2017
31)   Sample        31      1669845 x10,,17642,BIOTA
      Datafile              041018031
      Method                GEBIOTA2017
32)   Sample        32      40157703019 x5,,17642,BIOTA
      Datafile              041018032
      Method                GEBIOTA2017
33)   Sample        33      40157830001 x2,,17642,BIOTA
      Datafile              041018033
      Method                GEBIOTA2017
34)   Sample        34      40157830002,,17642,BIOTA
      Datafile              041018034
      Method                GEBIOTA2017
35)   Sample        35      40157830004 x4,,17642,BIOTA
      Datafile              041018035
      Method                GEBIOTA2017
36)   Sample        36      1670714,,17645,BIOTA
      Datafile              041018036
      Method                GEBIOTA2017
37)   Sample        37      1670715,,17645,BIOTA
      Datafile              041018037
      Method                GEBIOTA2017
38)   Sample        38      40157487001 x2,,17645,BIOTA
      Datafile              041018038
      Method                GEBIOTA2017
39)   Sample        39      40157487002 x2,,17645,BIOTA
      Datafile              041018039
      Method                GEBIOTA2017
40)   Sample        40      1242-CCV,185544:1,17498,AR124 OK
      Datafile              041018040
      Method                GEBIOTA2017
41)   Sample        41      1242-CCV,185544:1,17498,AR124 OK
      Datafile              041018041
      Method                GEBIOTA2017
42)   Sample        42      40157487003 x2,,17645,BIOTA
      Datafile              041018042
      Method                GEBIOTA2017
43)   Sample        43      40157487004,,17645,BIOTA
      Datafile              041018043
```

Last Modified: Tue Apr 10 12:25:22 2018

Page: 2

BLM 4/11/18

Continued on Page 49

Read and Understood By

Bryan Meyer — Signed — 4/11/18 — Date

Jim O'Conn — Signed — 4-11-18 — Date

Sequence Name: C:\msdchem\1\sequence\041018.s

	Line Type	Vial	DataFile Method Sample Name
44)	Sample	44	40157487005 x2,,17645,BIOTA
	Datafile		041018044
	Method		GEBIOTA2017
45)	Sample	45	40157487006,,17645,BIOTA
	Datafile		041018045
	Method		GEBIOTA2017
46)	Sample	46	40157487007 x2,,17645,BIOTA
	Datafile		041018046
	Method		GEBIOTA2017
47)	Sample	47	40157487008 x4,,17645,BIOTA
	Datafile		041018047
	Method		GEBIOTA2017
48)	Sample	48	40157487009 x4,,17645,BIOTA
	Datafile		041018048
	Method		GEBIOTA2017
49)	Sample	49	40157487010 x2,,17645,BIOTA
	Datafile		041018049
	Method		GEBIOTA2017
50)	Sample	50	40157492001 x3,,17645,BIOTA
	Datafile		041018050
	Method		GEBIOTA2017
51)	Sample	51	40157492002 x2,,17645,BIOTA
	Datafile		041018051
	Method		GEBIOTA2017
52)	Sample	52	1248-CCV,185549:1,17498,AR124 ok
	Datafile		041018052
	Method		GEBIOTA2017
53)	Sample	53	1248-CCV,185549:1,17498,AR124 ok
	Datafile		041018053
	Method		GEBIOTA2017
54)	Sample	54	40157492003,,17645,BIOTA
	Datafile		041018054
	Method		GEBIOTA2017
55)	Sample	55	40157492004 x2,,17645,BIOTA
	Datafile		041018055
	Method		GEBIOTA2017
56)	Sample	56	40157825011,,17645,BIOTA
	Datafile		041018056
	Method		GEBIOTA2017
57)	Sample	57	40157832001 x2,,17645,BIOTA
	Datafile		041018057
	Method		GEBIOTA2017
58)	Sample	58	40157832002,,17645,BIOTA
	Datafile		041018058
	Method		GEBIOTA2017
59)	Sample	59	40157832003 x2,,17645,BIOTA
	Datafile		041018059
	Method		GEBIOTA2017
60)	Sample	60	1670716 x2,,17645,BIOTA
	Datafile		041018060
	Method		GEBIOTA2017
61)	Sample	61	1670717 x2,,17645,BIOTA
	Datafile		041018061
	Method		GEBIOTA2017
62)	Sample	62	40157832004,,17645,BIOTA
	Datafile		041018062
	Method		GEBIOTA2017
63)	Sample	63	40157832005,,17645,BIOTA
	Datafile		041018063
	Method		GEBIOTA2017
64)	Sample	64	1254-CCV,185554:1,17498,AR125 ok
	Datafile		041018064
	Method		GEBIOTA2017
65)	Sample	65	1254-CCV,185554:1,17498,AR125 ok
	Datafile		041018065
	Method		GEBIOTA2017

GCSV Batch 17642 HBN: 285493 Screened: 40GCSI 04/09/18

Last Modified: Tue Apr 10 12:25:22 2018 Page: 4

BLM 4/11/18

GCSV Batch 17645 HBN: 285591 Screened: 40GCSI 4/10/18

Continued on Page —

Read and Understood By

Signed 4/11/18 Date

Signed 4-11-18 Date

Standard Log Report

Standards Log Information for Standard #193046

WORKING STANDARD

Created By:	AMC	**Volume of Standard:**	4 L	**Lot ID:**	NA
Create Date:	04/03/2018	**Manufacturer:**	N/A	**Part ID:**	N/A
Expire Date:	03/21/2019	**Manufacturer Lot ID:**	N/A	**Standard ID:**	RGNT498

Notes:

Hexane/Acetone 1:1 By AMC

Compound Name and Concentration for Standard #193046

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL	Hexanes	ug/mL

Composed of Information for Standard #193046

Composed of Standard Seq	Volume	Units
192551	2000	mL
190941	2000	mL

Standard Log Report

Standards Log Information for Standard #192814

STOCK STANDARD

Created By:	MRN	**Volume of Standard:**	5 kg	**Lot ID:**	405550
Create Date:	04/02/2018	**Manufacturer:**	JT Baker	**Part ID:**	3375-09
Expire Date:	10/02/2018	**Manufacturer Lot ID:**	0000177456	**Standard ID:**	RGNT301

Notes:

Sodium Sulfate SVOA baked 4/2/18

Compound Name and Concentration for Standard #192814

Compound Name	Concentration	Compound Name	Concentration
Sodium Sulfate			

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #192551

STOCK STANDARD

Created By:	AMC	**Volume of Standard:**	215 L	**Lot ID:**	405817
Create Date:	03/28/2018	**Manufacturer:**	J.T. Baker	**Part ID:**	9262-8P
Expire Date:	03/22/2019	**Manufacturer Lot ID:**	0000191733	**Standard ID:**	RGNT150

Notes:

Hexane SVOA TANK Changed AMC 3/28/18

Compound Name and Concentration for Standard #192551

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL		

Standard Log Report

Standards Log Information for Standard #192096

WORKING STANDARD

Created By:	ASD	**Volume of Standard:**	200 mL	**Lot ID:**	GCSV
Create Date:	03/22/2018	**Manufacturer:**	N/A	**Part ID:**	N/A
Expire Date:	09/22/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	AR1242-SPK

Notes:

Ar1242 Spike @20ug/mL 40GCS9.i\032318spk.b\A323018 100% Recovery

Compound Name and Concentration for Standard #192096

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL	PCB-1242 (Aroclor 1242)	20 ug/mL

Composed of Information for Standard #192096

Composed of Standard Seq	Volume	Units
179368	196	mL
81343	1	mL
81342	1	mL
81341	1	mL
81340	1	mL

Standard Log Report

Standards Log Information for Standard #190941

STOCK STANDARD

Created By:	MRN	**Volume of Standard:**	4 L	**Lot ID:**	405758
Create Date:	03/08/2018	**Manufacturer:**	Burdick & Jackson	**Part ID:**	010-4
Expire Date:	03/21/2019	**Manufacturer Lot ID:**	DS923	**Standard ID:**	RGNT036

Notes:

Acetone - 4L container

Compound Name and Concentration for Standard #190941

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #189973

WORKING STANDARD

Created By:	ASD	**Volume of Standard:**	1000 mL	**Lot ID:**	GCSV
Create Date:	02/26/2018	**Manufacturer:**	N/A	**Part ID:**	N/A
Expire Date:	08/26/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	8081-SS

Notes:

Pest/PCB Surrogate Spike 40GCSC.i\022618SurrVal.b\A226037 TCMX-116.01% DCB-98.69%

Compound Name and Concentration for Standard #189973

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL	Decachlorobiphenyl (S)	2 ug/mL
Tetrachloro-m-xylene (S)	2 ug/mL		

Composed of Information for Standard #189973

Composed of Standard Seq	Volume	Units
179366	999	mL
172034	1	mL

Standard Log Report

Standards Log Information for Standard #188142

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-ICV

Notes:

1221 ICV Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #188142

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #188142

Composed of Standard Seq	Volume	Units
188137	500	uL
188129	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #188141

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-CAL5

Notes:

1221 Cal 5 Std @ 1.0 ug/mL

Compound Name and Concentration for Standard #188141

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.15 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	1 ug/mL	PCB-1221 (Aroclor 1221)-1	1 ug/mL
PCB-1221 (Aroclor 1221)-2	1 ug/mL	PCB-1221 (Aroclor 1221)-3	1 ug/mL
PCB-1221 (Aroclor 1221)-4	1 ug/mL	PCB-1232 (Aroclor 1232)-5	1 ug/mL
Tetrachloro-m-xylene (S)	.15 ug/mL		

Composed of Information for Standard #188141

Composed of Standard Seq	Volume	Units
188129	1500	uL
185526	1000	uL
184640	97.5	mL

Standard Log Report

Standards Log Information for Standard #188140

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-CAL4

Notes:

1221 Cal 4 Std @ 0.8 ug/mL

Compound Name and Concentration for Standard #188140

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.1 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	.8 ug/mL	PCB-1221 (Aroclor 1221)-1	.8 ug/mL
PCB-1221 (Aroclor 1221)-2	.8 ug/mL	PCB-1221 (Aroclor 1221)-3	.8 ug/mL
PCB-1221 (Aroclor 1221)-4	.8 ug/mL	PCB-1232 (Aroclor 1232)-5	.8 ug/mL
Tetrachloro-m-xylene (S)	.1 ug/mL		

Composed of Information for Standard #188140

Composed of Standard Seq	Volume	Units
188129	1000	uL
185526	800	uL
184640	98.2	mL

Standard Log Report

Standards Log Information for Standard #188139

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-CAL2

Notes:

1221 Cal 2 Std @ 0.2 ug/mL

Compound Name and Concentration for Standard #188139

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.02 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	.2 ug/mL	PCB-1221 (Aroclor 1221)-1	.2 ug/mL
PCB-1221 (Aroclor 1221)-2	.2 ug/mL	PCB-1221 (Aroclor 1221)-3	.2 ug/mL
PCB-1221 (Aroclor 1221)-4	.2 ug/mL	PCB-1232 (Aroclor 1232)-5	.2 ug/mL
Tetrachloro-m-xylene (S)	.02 ug/mL		

Composed of Information for Standard #188139

Composed of Standard Seq	Volume	Units
188129	200	uL
185526	200	uL
184640	99.6	mL

Standard Log Report

Standards Log Information for Standard #188138

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-CAL1

Notes:

NY 1221 Cal 1 Std @ 0.1 ug/mL

Compound Name and Concentration for Standard #188138

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.01 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	.1 ug/mL	PCB-1221 (Aroclor 1221)-1	.1 ug/mL
PCB-1221 (Aroclor 1221)-2	.1 ug/mL	PCB-1221 (Aroclor 1221)-3	.1 ug/mL
PCB-1221 (Aroclor 1221)-4	.1 ug/mL	PCB-1232 (Aroclor 1232)-5	.1 ug/mL
Tetrachloro-m-xylene (S)	.01 ug/mL		

Composed of Information for Standard #188138

Composed of Standard Seq	Volume	Units
188129	100	uL
185526	100	uL
184640	99.8	mL

Standard Log Report

Standards Log Information for Standard #188137

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-STK

Notes:

1221 ICV STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #188137

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1221 (Aroclor 1221)	100 ug/mL

Composed of Information for Standard #188137

Composed of Standard Seq	Volume	Units
184640	9	mL
179816	1000	uL

Standard Log Report

Standards Log Information for Standard #188136

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-CAL1

Notes:

NY 1660 Cal 1 Std @ 0.1 ug/mL

Compound Name and Concentration for Standard #188136

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.01 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	.1 ug/mL	PCB-1260 (Aroclor 1260)	.1 ug/mL
Tetrachloro-m-xylene (S)	.01 ug/mL		

Composed of Information for Standard #188136

Composed of Standard Seq	Volume	Units
188129	100	uL
185533	100	uL
184640	99.8	mL

Standard Log Report

Standards Log Information for Standard #188135

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-CAL1

Notes:

NY 1254 Cal 1 Std @ 0.1 ug/mL

Compound Name and Concentration for Standard #188135

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.01 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	.1 ug/mL	Tetrachloro-m-xylene (S)	.01 ug/mL

Composed of Information for Standard #188135

Composed of Standard Seq	Volume	Units
188129	100	uL
185530	100	uL
184640	99.8	mL

Standard Log Report

Standards Log Information for Standard #188134

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-CAL1

Notes:

NY 1248 Cal 1 Std @ 0.1 ug/mL

Compound Name and Concentration for Standard #188134

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.01 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	.1 ug/mL	Tetrachloro-m-xylene (S)	.01 ug/mL

Composed of Information for Standard #188134

Composed of Standard Seq	Volume	Units
188129	100	uL
185529	100	uL
184640	99.8	mL

Standard Log Report

Standards Log Information for Standard #188132

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	07/30/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-CAL1

Notes:

NY 1242 Cal 1 Std @ 0.1 ug/mL

Compound Name and Concentration for Standard #188132

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.01 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	.1 ug/mL	PCB-1242 (Aroclor 1242)	.1 ug/mL
PCB-1242 (Aroclor 1242)-6	.1 ug/mL	PCB-1242 (Aroclor 1242)-7	.1 ug/mL
PCB-1242 (Aroclor 1242)-8	.1 ug/mL	PCB-1242 (Aroclor 1242)-9	.1 ug/mL
Tetrachloro-m-xylene (S)	.01 ug/mL		

Composed of Information for Standard #188132

Composed of Standard Seq	Volume	Units
188129	100	uL
185528	100	uL
184640	99.8	mL

Standard Log Report

Standards Log Information for Standard #188129

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	20 mL	**Lot ID:**	GCSV
Create Date:	01/30/2018	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	PEST-SUR

Notes:

Pest/PCB Surr Std @ 10 ug/mL

Compound Name and Concentration for Standard #188129

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	10 ug/mL	Hexanes	ug/mL
Tetrachloro-m-xylene (S)	10 ug/mL		

Composed of Information for Standard #188129

Composed of Standard Seq	Volume	Units
185958	1	mL
184640	19	mL

Standard Log Report

Standards Log Information for Standard #186910

STOCK STANDARD

Created By:	AMC	**Volume of Standard:**	3 kg	**Lot ID:**	405706
Create Date:	01/12/2018	**Manufacturer:**	Fisher Scientific	**Part ID:**	F100-3
Expire Date:	01/11/2020	**Manufacturer Lot ID:**	174228	**Standard ID:**	RGNT142

Notes:

Florisil, 60-100 Mesh by AMC

Compound Name and Concentration for Standard #186910

Compound Name	Concentration	Compound Name	Concentration
Florisil			

Standard Log Report

Standards Log Information for Standard #185958

INDIVIDUAL STANDARD

Created By:	BLM	**Volume of Standard:**	1 mL	**Lot ID:**	405693
Create Date:	01/02/2018	**Manufacturer:**	Restek	**Part ID:**	32000
Expire Date:	11/30/2023	**Manufacturer Lot ID:**	A0130424	**Standard ID:**	PEST-SUR

Notes:

Pest/PCB Surr @ 200 ug/mL

Compound Name and Concentration for Standard #185958

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	200 ug/mL	Tetrachloro-m-xylene (S)	200 ug/mL

Standard Log Report

Standards Log Information for Standard #185565

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-ICV

Notes:

1660 ICV Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185565

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	.5 ug/mL	PCB-1260 (Aroclor 1260)	.5 ug/mL
Tetrachloro-m-xylene (S)	.05 ug/mL		

Composed of Information for Standard #185565

Composed of Standard Seq	Volume	Units
185537	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185564

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-ICV

Notes:

1254 ICV Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185564

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185564

Composed of Standard Seq	Volume	Units
185536	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185563

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-ICV

Notes:

1248 ICV Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185563

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185563

Composed of Standard Seq	Volume	Units
185535	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185562

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-ICV

Notes:

1242 ICV Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185562

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185562

Composed of Standard Seq	Volume	Units
185534	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185561

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-CAL5

Notes:

1660 Cal 5 Std @ 1.0 ug/mL

Compound Name and Concentration for Standard #185561

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.15 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	1 ug/mL	PCB-1260 (Aroclor 1260)	1 ug/mL
Tetrachloro-m-xylene (S)	.15 ug/mL		

Composed of Information for Standard #185561

Composed of Standard Seq	Volume	Units
185533	1	mL
185524	1500	uL
184640	97.5	mL

Standard Log Report

Standards Log Information for Standard #185560

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-CAL4

Notes:

1660 Cal 4 Std @ 0.8 ug/mL

Compound Name and Concentration for Standard #185560

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.1 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	.8 ug/mL	PCB-1260 (Aroclor 1260)	.8 ug/mL
Tetrachloro-m-xylene (S)	.1 ug/mL		

Composed of Information for Standard #185560

Composed of Standard Seq	Volume	Units
185533	800	uL
185524	1	mL
184640	98.2	mL

Standard Log Report

Standards Log Information for Standard #185559

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	200 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-CAL3

Notes:

1660 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185559

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	.5 ug/mL	PCB-1260 (Aroclor 1260)	.5 ug/mL
Tetrachloro-m-xylene (S)	.05 ug/mL		

Composed of Information for Standard #185559

Composed of Standard Seq	Volume	Units
185533	1	mL
185524	1	mL
184640	198	mL

Standard Log Report

Standards Log Information for Standard #185558

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-CAL2

Notes:

1660 Cal 2 Std @ 0.2 ug/mL

Compound Name and Concentration for Standard #185558

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.02 ug/mL	Hexanes	ug/mL
PCB-1016 (Aroclor 1016)	.2 ug/mL	PCB-1260 (Aroclor 1260)	.2 ug/mL
Tetrachloro-m-xylene (S)	.02 ug/mL		

Composed of Information for Standard #185558

Composed of Standard Seq	Volume	Units
185533	200	uL
185524	200	uL
184640	99.6	mL

Standard Log Report

Standards Log Information for Standard #185556

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-CAL5

Notes:

1254 Cal 5 Std @ 1.0 ug/mL

Compound Name and Concentration for Standard #185556

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.15 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	1 ug/mL	Tetrachloro-m-xylene (S)	.15 ug/mL

Composed of Information for Standard #185556

Composed of Standard Seq	Volume	Units
185530	1000	uL
185524	1500	uL
184640	97.5	mL

Standard Log Report

Standards Log Information for Standard #185555

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-CAL4

Notes:

1254 Cal 4 Std @ 0.8 ug/mL

Compound Name and Concentration for Standard #185555

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.1 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	.8 ug/mL	Tetrachloro-m-xylene (S)	.1 ug/mL

Composed of Information for Standard #185555

Composed of Standard Seq	Volume	Units
185530	800	uL
185524	1000	uL
184640	98.2	mL

Standard Log Report

Standards Log Information for Standard #185554

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	200 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-CAL3

Notes:

1254 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185554

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185554

Composed of Standard Seq	Volume	Units
185530	1000	uL
185524	1000	uL
184640	198	mL

Standard Log Report

Standards Log Information for Standard #185553

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-CAL2

Notes:

1254 Cal 2 Std @ 0.2 ug/mL

Compound Name and Concentration for Standard #185553

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.02 ug/mL	Hexanes	ug/mL
PCB-1254 (Aroclor 1254)	.2 ug/mL	Tetrachloro-m-xylene (S)	.02 ug/mL

Composed of Information for Standard #185553

Composed of Standard Seq	Volume	Units
185530	200	uL
185524	200	uL
184640	99.6	mL

Standard Log Report

Standards Log Information for Standard #185551

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-CAL5

Notes:

1248 Cal 5 Std @ 1.0 ug/mL

Compound Name and Concentration for Standard #185551

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.15 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	1 ug/mL	Tetrachloro-m-xylene (S)	.15 ug/mL

Composed of Information for Standard #185551

Composed of Standard Seq	Volume	Units
185529	1	mL
185524	1500	uL
184640	97.5	mL

Standard Log Report

Standards Log Information for Standard #185550

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-CAL4

Notes:

1248 Cal 4 Std @ 0.8 ug/mL

Compound Name and Concentration for Standard #185550

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.1 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	.8 ug/mL	Tetrachloro-m-xylene (S)	.1 ug/mL

Composed of Information for Standard #185550

Composed of Standard Seq	Volume	Units
185529	800	uL
185524	1	mL
184640	98.2	mL

Standard Log Report

Standards Log Information for Standard #185549

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-CAL3

Notes:

1248 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185549

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185549

Composed of Standard Seq	Volume	Units
185529	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185548

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-CAL2

Notes:

1248 Cal 2 Std @ 0.2 ug/mL

Compound Name and Concentration for Standard #185548

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.02 ug/mL	Hexanes	ug/mL
PCB-1248 (Aroclor 1248)	.2 ug/mL	Tetrachloro-m-xylene (S)	.02 ug/mL

Composed of Information for Standard #185548

Composed of Standard Seq	Volume	Units
185529	200	uL
185524	200	uL
184640	99.6	mL

Standard Log Report

Standards Log Information for Standard #185546

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-CAL5

Notes:

1242 Cal 5 Std @ 1.0 ug/mL

Compound Name and Concentration for Standard #185546

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.15 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	1 ug/mL	PCB-1242 (Aroclor 1242)	1 ug/mL
PCB-1242 (Aroclor 1242)-6	1 ug/mL	PCB-1242 (Aroclor 1242)-7	1 ug/mL
PCB-1242 (Aroclor 1242)-8	1 ug/mL	PCB-1242 (Aroclor 1242)-9	1 ug/mL
Tetrachloro-m-xylene (S)	.15 ug/mL		

Composed of Information for Standard #185546

Composed of Standard Seq	Volume	Units
185528	1000	uL
185524	1500	uL
184640	97.5	mL

Standard Log Report

Standards Log Information for Standard #185545

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-CAL4

Notes:

1242 Cal 4 Std @ 0.8 ug/mL

Compound Name and Concentration for Standard #185545

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.1 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	.8 ug/mL	PCB-1242 (Aroclor 1242)	.8 ug/mL
PCB-1242 (Aroclor 1242)-6	.8 ug/mL	PCB-1242 (Aroclor 1242)-7	.8 ug/mL
PCB-1242 (Aroclor 1242)-8	.8 ug/mL	PCB-1242 (Aroclor 1242)-9	.8 ug/mL
Tetrachloro-m-xylene (S)	.1 ug/mL		

Composed of Information for Standard #185545

Composed of Standard Seq	Volume	Units
185528	800	uL
185524	1000	uL
184640	98.2	mL

Standard Log Report

Standards Log Information for Standard #185544

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	200 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-CAL3

Notes:

1242 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185544

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	.5 ug/mL	PCB-1242 (Aroclor 1242)	.5 ug/mL
PCB-1242 (Aroclor 1242)-6	.5 ug/mL	PCB-1242 (Aroclor 1242)-7	.5 ug/mL
PCB-1242 (Aroclor 1242)-8	.5 ug/mL	PCB-1242 (Aroclor 1242)-9	.5 ug/mL
Tetrachloro-m-xylene (S)	.05 ug/mL		

Composed of Information for Standard #185544

Composed of Standard Seq	Volume	Units
185528	1000	uL
185524	1000	uL
184640	198	mL

Standard Log Report

Standards Log Information for Standard #185543

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-CAL2

Notes:

1242 Cal 2 Std @ 0.2 ug/mL

Compound Name and Concentration for Standard #185543

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.02 ug/mL	Hexanes	ug/mL
PCB-1242 (Aroclor 1242)	.2 ug/mL	PCB-1242 (Aroclor 1242)	.2 ug/mL
PCB-1242 (Aroclor 1242)-6	.2 ug/mL	PCB-1242 (Aroclor 1242)-7	.2 ug/mL
PCB-1242 (Aroclor 1242)-8	.2 ug/mL	PCB-1242 (Aroclor 1242)-9	.2 ug/mL
Tetrachloro-m-xylene (S)	.02 ug/mL		

Composed of Information for Standard #185543

Composed of Standard Seq	Volume	Units
185528	200	uL
185524	200	uL
184640	99.6	mL

Standard Log Report

Standards Log Information for Standard #185539

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1232-CAL3

Notes:

1232 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185539

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1232 (Aroclor 1232)	.5 ug/mL	Tetrachloro-m-xylene (S)	.05 ug/mL

Composed of Information for Standard #185539

Composed of Standard Seq	Volume	Units
185527	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185538

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	100 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	06/27/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-CAL3

Notes:

1221 Cal 3 Std @ 0.5 ug/mL

Compound Name and Concentration for Standard #185538

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	.05 ug/mL	Hexanes	ug/mL
PCB-1221 (Aroclor 1221)	.5 ug/mL	PCB-1221 (Aroclor 1221)-1	.5 ug/mL
PCB-1221 (Aroclor 1221)-2	.5 ug/mL	PCB-1221 (Aroclor 1221)-3	.5 ug/mL
PCB-1221 (Aroclor 1221)-4	.5 ug/mL	PCB-1232 (Aroclor 1232)-5	.5 ug/mL
Tetrachloro-m-xylene (S)	.05 ug/mL		

Composed of Information for Standard #185538

Composed of Standard Seq	Volume	Units
185526	500	uL
185524	500	uL
184640	99	mL

Standard Log Report

Standards Log Information for Standard #185537

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	08/09/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-STK

Notes:

1660 ICV STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185537

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1016 (Aroclor 1016)	100 ug/mL
PCB-1260 (Aroclor 1260)	100 ug/mL		

Composed of Information for Standard #185537

Composed of Standard Seq	Volume	Units
184640	9	mL
175600	1	mL

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #185536

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-STK

Notes:

1254 ICV STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185536

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1254 (Aroclor 1254)	100 ug/mL

Composed of Information for Standard #185536

Composed of Standard Seq	Volume	Units
184640	9	mL
173678	1000	uL

Standard Log Report

Standards Log Information for Standard #185535

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-STK

Notes:

1248 ICV STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185535

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1248 (Aroclor 1248)	100 ug/mL

Composed of Information for Standard #185535

Composed of Standard Seq	Volume	Units
184640	9	mL
173676	1000	uL

Standard Log Report

Standards Log Information for Standard #185534

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	O2Si	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-STK

Notes:

1242 ICV STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185534

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1242 (Aroclor 1242)	100 ug/mL

Composed of Information for Standard #185534

Composed of Standard Seq	Volume	Units
184640	9	mL
173674	1000	uL

Standard Log Report

Standards Log Information for Standard #185533

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1660-STK

Notes:

1660 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185533

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1016 (Aroclor 1016)	100 ug/mL
PCB-1260 (Aroclor 1260)	100 ug/mL		

Composed of Information for Standard #185533

Composed of Standard Seq	Volume	Units
184640	9	mL
173188	1	mL

Standard Log Report

Standards Log Information for Standard #185530

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1254-STK

Notes:

1254 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185530

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1254 (Aroclor 1254)	100 ug/mL

Composed of Information for Standard #185530

Composed of Standard Seq	Volume	Units
184640	9	mL
173182	1000	uL

Standard Log Report

Standards Log Information for Standard #185529

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1248-STK

Notes:

1248 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185529

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1248 (Aroclor 1248)	100 ug/mL

Composed of Information for Standard #185529

Composed of Standard Seq	Volume	Units
184640	9	mL
173180	1000	uL

Standard Log Report

Standards Log Information for Standard #185528

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185528

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1242 (Aroclor 1242)	100 ug/mL
PCB-1242 (Aroclor 1242)	100 ug/mL	PCB-1242 (Aroclor 1242)-6	100 ug/mL
PCB-1242 (Aroclor 1242)-7	100 ug/mL	PCB-1242 (Aroclor 1242)-8	100 ug/mL
PCB-1242 (Aroclor 1242)-9	100 ug/mL		

Composed of Information for Standard #185528

Composed of Standard Seq	Volume	Units
184640	9	mL
173178	1000	uL

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #185527

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1232-STK

Notes:

1232 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185527

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1232 (Aroclor 1232)	100 ug/mL

Composed of Information for Standard #185527

Composed of Standard Seq	Volume	Units
184640	9	mL
173176	1000	uL

Standard Log Report

Standards Log Information for Standard #185526

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	10 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	1221-STK

Notes:

1221 STK Std @ 100 ug/mL

Compound Name and Concentration for Standard #185526

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL	PCB-1221 (Aroclor 1221)	100 ug/mL
PCB-1221 (Aroclor 1221)-1	100 ug/mL	PCB-1221 (Aroclor 1221)-2	100 ug/mL
PCB-1221 (Aroclor 1221)-3	100 ug/mL	PCB-1221 (Aroclor 1221)-4	100 ug/mL
PCB-1232 (Aroclor 1232)-5	100 ug/mL		

Composed of Information for Standard #185526

Composed of Standard Seq	Volume	Units
184640	9	mL
173174	1000	uL

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #185524

WORKING STANDARD

Created By:	BDS	**Volume of Standard:**	20 mL	**Lot ID:**	GCSV
Create Date:	12/27/2017	**Manufacturer:**	Restek	**Part ID:**	N/A
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	N/A	**Standard ID:**	PEST-SUR

Notes:

Pest/PCB Surr Std @ 10 ug/mL

Compound Name and Concentration for Standard #185524

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	10 ug/mL	Hexanes	ug/mL
Tetrachloro-m-xylene (S)	10 ug/mL		

Composed of Information for Standard #185524

Composed of Standard Seq	Volume	Units
184640	19	mL
178398	1	mL

Standard Log Report

Standards Log Information for Standard #184640

STOCK STANDARD

Created By:	AMC	**Volume of Standard:**	215 L	**Lot ID:**	405661
Create Date:	12/12/2017	**Manufacturer:**	J.T. Baker	**Part ID:**	9262-8P
Expire Date:	12/15/2018	**Manufacturer Lot ID:**	0000183983	**Standard ID:**	RGNT150

Notes:

Hexane SVOA TANK Changed AMC 12/12/17

Compound Name and Concentration for Standard #184640

Compound Name	Concentration	Compound Name	Concentration
Hexanes	ug/mL		

Standard Log Report

Standards Log Information for Standard #179816

INDIVIDUAL STANDARD

Created By:	MRN	**Volume of Standard:**	1 mL	**Lot ID:**	405540
Create Date:	10/09/2017	**Manufacturer:**	o2si	**Part ID:**	030273-11
Expire Date:	09/01/2021	**Manufacturer Lot ID:**	316120	**Standard ID:**	1221-STK

Notes:

1221 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #179816

Compound Name	Concentration	Compound Name	Concentration
PCB-1221 (Aroclor 1221)	1000 ug/mL		

Standard Log Report

Standards Log Information for Standard #179368

STOCK STANDARD

Created By:	MRN	**Volume of Standard:**	4 L	**Lot ID:**	405532
Create Date:	10/02/2017	**Manufacturer:**	Burdick & Jackson	**Part ID:**	010-4
Expire Date:	01/08/2019	**Manufacturer Lot ID:**	DS490	**Standard ID:**	RGNT036

Notes:

Acetone - 4L container

Compound Name and Concentration for Standard #179368

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #179366

STOCK STANDARD

Created By:	MRN	**Volume of Standard:**	4 L	**Lot ID:**	405532
Create Date:	10/02/2017	**Manufacturer:**	Burdick & Jackson	**Part ID:**	010-4
Expire Date:	01/08/2019	**Manufacturer Lot ID:**	DS490	**Standard ID:**	RGNT036

Notes:

Acetone - 4L container

Compound Name and Concentration for Standard #179366

Compound Name	Concentration	Compound Name	Concentration
Acetone	ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #178398

INDIVIDUAL STANDARD

Created By:	DMH	**Volume of Standard:**	1 mL	**Lot ID:**	405520
Create Date:	09/18/2017	**Manufacturer:**	Restek	**Part ID:**	32000
Expire Date:	06/30/2023	**Manufacturer Lot ID:**	A0125833	**Standard ID:**	PEST-SUR

Notes:

Pest/PCB Surr @ 200 ug/mL

Compound Name and Concentration for Standard #178398

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	200 ug/mL	Tetrachloro-m-xylene (S)	200 ug/mL

Standard Log Report

Standards Log Information for Standard #175600

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405431
Create Date:	08/09/2017	**Manufacturer:**	O2SI	**Part ID:**	130011-03
Expire Date:	08/09/2018	**Manufacturer Lot ID:**	311587	**Standard ID:**	1660-STK

Notes:

1016/1260 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #175600

Compound Name	Concentration	Compound Name	Concentration
PCB-1016 (Aroclor 1016)	1000 ug/mL	PCB-1260 (Aroclor 1260)	1000 ug/mL

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173678

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405386
Create Date:	07/17/2017	**Manufacturer:**	O2Si	**Part ID:**	030277-06
Expire Date:	03/21/2020	**Manufacturer Lot ID:**	302980	**Standard ID:**	1254-STK

Notes:

1254 ICV STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173678

Compound Name	Concentration	Compound Name	Concentration
PCB-1254 (Aroclor 1254)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173676

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405385
Create Date:	07/17/2017	**Manufacturer:**	O2Si	**Part ID:**	030276-15
Expire Date:	01/14/2020	**Manufacturer Lot ID:**	296389	**Standard ID:**	1248-STK

Notes:

1248 ICV STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173676

Compound Name	Concentration	Compound Name	Concentration
PCB-1248 (Aroclor 1248)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173674

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405384
Create Date:	07/17/2017	**Manufacturer:**	O2Si	**Part ID:**	030275-03
Expire Date:	03/20/2027	**Manufacturer Lot ID:**	302979	**Standard ID:**	1242-STK

Notes:

1242 ICV STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173674

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173188

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405375
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32039
Expire Date:	04/30/2023	**Manufacturer Lot ID:**	A0124547	**Standard ID:**	1660-STK

Notes:

Ar1660 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173188

Compound Name	Concentration	Compound Name	Concentration
PCB-1016 (Aroclor 1016)	1000 ug/mL	PCB-1260 (Aroclor 1260)	1000 ug/mL

Standard Log Report

Standards Log Information for Standard #173182

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405372
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32011
Expire Date:	05/31/2023	**Manufacturer Lot ID:**	A0125350	**Standard ID:**	1254-STK

Notes:

1254 STK Std @ 1000 ug/mL L

Compound Name and Concentration for Standard #173182

Compound Name	Concentration	Compound Name	Concentration
PCB-1254 (Aroclor 1254)	1000 ug/mL		

Standard Log Report

Standards Log Information for Standard #173180

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405371
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32010
Expire Date:	12/31/2022	**Manufacturer Lot ID:**	A0121842	**Standard ID:**	1248-STK

Notes:

1248 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173180

Compound Name	Concentration	Compound Name	Concentration
PCB-1248 (Aroclor 1248)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173178

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405370
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32009
Expire Date:	04/30/2023	**Manufacturer Lot ID:**	A0124535	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173178

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL	PCB-1242 (Aroclor 1242)	1000 ug/mL
PCB-1242 (Aroclor 1242)-6	1000 ug/mL	PCB-1242 (Aroclor 1242)-7	1000 ug/mL
PCB-1242 (Aroclor 1242)-8	1000 ug/mL	PCB-1242 (Aroclor 1242)-9	1000 ug/mL

Standard Log Report

Standards Log Information for Standard #173176

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405369
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32008
Expire Date:	04/30/2023	**Manufacturer Lot ID:**	A0124534	**Standard ID:**	1232-STK

Notes:

1232 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173176

Compound Name	Concentration	Compound Name	Concentration
PCB-1232 (Aroclor 1232)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #173174

INDIVIDUAL STANDARD

Created By:	BDS	**Volume of Standard:**	1 mL	**Lot ID:**	405368
Create Date:	07/07/2017	**Manufacturer:**	Restek	**Part ID:**	32007
Expire Date:	06/30/2023	**Manufacturer Lot ID:**	A0126078	**Standard ID:**	1221-STK

Notes:

1221 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #173174

Compound Name	Concentration	Compound Name	Concentration
PCB-1221 (Aroclor 1221)	1000 ug/mL	PCB-1221 (Aroclor 1221)-1	1000 ug/mL
PCB-1221 (Aroclor 1221)-2	1000 ug/mL	PCB-1221 (Aroclor 1221)-3	1000 ug/mL
PCB-1221 (Aroclor 1221)-4	1000 ug/mL	PCB-1232 (Aroclor 1232)-5	1000 ug/mL

Standard Log Report

Standards Log Information for Standard #172034

INDIVIDUAL STANDARD

Created By:	MRN	**Volume of Standard:**	10 mL	**Lot ID:**	405341
Create Date:	06/23/2017	**Manufacturer:**	O2SI	**Part ID:**	130023-15
Expire Date:	11/06/2018	**Manufacturer Lot ID:**	311236	**Standard ID:**	PEST-SUR

Notes:

Pest/PCB Surr @ 2000 ug/mL - opened 11/6/17 MRN

Compound Name and Concentration for Standard #172034

Compound Name	Concentration	Compound Name	Concentration
Decachlorobiphenyl (S)	2000 ug/mL	Tetrachloro-m-xylene (S)	2000 ug/mL

Standard Log Report

Standards Log Information for Standard #81343

INDIVIDUAL STANDARD

Created By:	CAC	**Volume of Standard:**	1 mL	**Lot ID:**	403271
Create Date:	04/22/2014	**Manufacturer:**	O2SI	**Part ID:**	030275-07
Expire Date:	04/15/2024	**Manufacturer Lot ID:**	226760	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #81343

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #81342

INDIVIDUAL STANDARD

Created By:	CAC	**Volume of Standard:**	1 mL	**Lot ID:**	403271
Create Date:	04/22/2014	**Manufacturer:**	O2SI	**Part ID:**	030275-07
Expire Date:	04/15/2024	**Manufacturer Lot ID:**	226760	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #81342

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #81341

INDIVIDUAL STANDARD

Created By:	CAC	**Volume of Standard:**	1 mL	**Lot ID:**	403271
Create Date:	04/22/2014	**Manufacturer:**	O2SI	**Part ID:**	030275-07
Expire Date:	04/15/2024	**Manufacturer Lot ID:**	226760	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #81341

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

Standard Log Report

Standards Log Information for Standard #81340

INDIVIDUAL STANDARD

Created By:	CAC	**Volume of Standard:**	1 mL	**Lot ID:**	403271
Create Date:	04/22/2014	**Manufacturer:**	O2SI	**Part ID:**	030275-07
Expire Date:	04/15/2024	**Manufacturer Lot ID:**	226760	**Standard ID:**	1242-STK

Notes:

1242 STK Std @ 1000 ug/mL

Compound Name and Concentration for Standard #81340

Compound Name	Concentration	Compound Name	Concentration
PCB-1242 (Aroclor 1242)	1000 ug/mL		

The standards listed are from Pace's Green Bay Laboratory.

o2si smart solutions®

Quality System Audited & Registered
by NSF-ISR to ISO 9001:2008

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: 4/22/14 cre

Certificate of Analysis

Rev 0 **Page**

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
030275-03	226760	Ambient or Less	Hexane	15-Apr-2024	Aroclor 1242 Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1242	53469-21-9	100	275.3.3P	1003 +/- 10.66	mg/L

403271
REC.04/22/14 BY CA
Exp. __/__/__ By -
Open __/__/__ By

Certified By: Amanda Ross

Amanda Ross

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

405341
REC. 06/23/17 BY MRN
Exp. --/--/-- By --

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

o2si smart solutions®

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
130023-15	311236	≤ 6 °C	Tol.:Hex. 1:1	8-Jun-2019	Pesticide Surrogate Solution, 2,000 mg/L, 10 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
decachlorobiphenyl (BZ# 209)	2051-24-3	99.1	301.115.5P	2022 +/- 4.56	mg/L
2,4,5,6-tetrachloro-m-xylene	877-09-8	98.6	300.115.3P	1996 +/- 14.54	mg/L

Certified By: Kaylie Gillenkirk

Kaylie Gillenkirk

Manufacture Date 8-Jun-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32007 **Lot No.:** A0126078

Description : Aroclor® 1221 Standard

Aroclor® 1221 Standard 1,000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2023 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Aroclor 1221		1,008.4 µg/mL	+/- 5.9179	µg/mL	Gravimetric
	CAS # 11104-28-2	(Lot 2781200)		+/- 31.9602	µg/mL	Unstressed
	Purity ----%			+/- 41.7506	µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405368
REC. 07/06/17 BY BDS
Exp. --/--/-- BY --

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Tom Suckar - Mix Technician

Date Mixed: 22-Mar-2017 **Balance:** 1125113331

Jennifer Pollino - Operations Tech-ARM QC

Date Passed: 27-Mar-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32008 **Lot No.:** A0124534

Description : Aroclor® 1232 Standard

Aroclor® 1232 Standard 1,000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2023 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Aroclor 1232	1,000.0 µg/mL	+/- 5.9397	µg/mL	Gravimetric
	CAS # 11141-16-5 (Lot W-107-05)		+/- 31.7072	µg/mL	Unstressed
	Purity ----%		+/- 41.4130	µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405369
REC.07/06/17 BY BDS
Exp. __/__/__ By --
Open __/__/__ By --

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis - Mix Technician

Date Mixed: 27-Jan-2017 **Balance:** B442140311

Justine Albertson - Operations Tech.ARM QC

Date Passed: 31-Jan-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis

ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32009 **Lot No.:** A0124535

Description : Aroclor® 1242 Standard

Aroclor® 1242 Standard 1,000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2023 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Aroclor 1242		1,002.0 µg/mL	+/- 5.9516	µg/mL	Gravimetric
	CAS # 53469-21-9	(Lot 01141-A)		+/- 31.7706	µg/mL	Unstressed
	Purity ----%			+/- 41.4958	µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405370
REC.07/06/17 BY BDS
Exp. __/__/__ By __
Open __/__/__ By __

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis - Mix Technician

Date Mixed: 27-Jan-2017 **Balance:** B442140311

Justine Albertson - Operations Tech-ARM QC

Date Passed: 31-Jan-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32010 **Lot No.:** A0121842

Description : Aroclor® 1248 Standard

Aroclor® 1248 Standard 1,000µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : December 31, 2022 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)	
1	Aroclor 1248	996.8 µg/mL	+/- 5.8498 µg/mL	Gravimetric
	CAS # 12672-29-6 (Lot 07)		+/- 31.5925 µg/mL	Unstressed
	Purity ----%		+/- 41.2704 µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405371
REC.07/06/17 BY BDS
Exp. __/__/__ By __

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Dawn Brownson - Mix Technician

Date Mixed: 29-Sep-2016 **Balance:** 1128360905

Jennifer L. Pollino - QC Analyst

Date Passed: 03-Oct-2016

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis

ACCREDITED
ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32011 **Lot No.:** A0125350

Description : Aroclor® 1254 Standard

Aroclor® 1254 Standard 1,000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : May 31, 2023 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Aroclor 1254		1,005.6 µg/mL	+/- 5.9014	µg/mL	Gravimetric
	CAS # 11097-69-1	(Lot 124-191-B)		+/- 31.8715	µg/mL	Unstressed
	Purity ----%			+/- 41.6347	µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405372
REC.07/06/17 BY BDS
Exp. __/__/__ By __

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Dawn Brownson - Mix Technician **Date Mixed:** 24-Feb-2017 **Balance:** 1128360905

Jennifer Pollino - Operations Tech-ARM QC **Date Passed:** 13-Mar-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

ACCREDITED
ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32039 **Lot No.:** A0124547

Description : Aroclor® 1016/1260 Mix

Aroclor® 1016/1260 Mix 1,000 µg/mL, Hexane, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2023 **Storage:** 25°C nominal

Handling: This product contains PCBs.

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	Aroclor 1016		1,002.0 µg/mL	+/- 5.8392	µg/mL	Gravimetric
	CAS # 12674-11-2	(Lot W-125-04)		+/- 31.7498	µg/mL	Unstressed
	Purity ----%			+/- 41.4799	µg/mL	Stressed
2	Aroclor 1260		1,002.2 µg/mL	+/- 5.8403	µg/mL	Gravimetric
	CAS # 11096-82-5	(Lot W-129-06)		+/- 31.7561	µg/mL	Unstressed
	Purity ----%			+/- 41.4881	µg/mL	Stressed

Solvent: Hexane
CAS # 110-54-3
Purity 99%

405375
REC. 07/06/17 BY BDS
Exp. --/--/-- By --
Open / / By

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Cathleen Soltis
Cathleen Soltis - Mix Technician

Date Mixed: 30-Jan-2017 **Balance:** B442140311

Jennifer L Pollino
Jennifer Pollino - Operations Tech-ARM QC

Date Passed: 01-Feb-2017

Manufactured under Restek's ISO 9001:2008 Registered Quality System Certificate #FM 80397

o2si smart solutions®

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
030275-03	302979	Ambient or Less	Hexane	20-Mar-2027	Aroclor 1242 Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1242	53469-21-9	100	275.3.5.2P	1010 +/- 7.38	mg/L

405384
REC.07/13/17 BY BDS
Exp. __/__/__ By --
Open / / By

Certified By: _____

Katrina Emelianoff

Manufacture Date 22-Mar-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

o2si smart solutions®

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
030276-15	296389	≤ Ambient	Hexane	14-Jan-2020	Aroclor 1248 Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1248	12672-29-6	100	276.3.1P	1008 +/- 4.47	mg/L

405385
REC. 07/13/17 BY BDS
Exp. --/--/-- By --

Certified By: _____
Katrina Emelianoff
Manufacture Date 9-Jan-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

o2si smart solutions®

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0 **Page 1 of 1**

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
030277-06	302980	≤ Ambient	Hexane	21-Mar-2020	Aroclor 1254 Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1254	11097-69-1	100	277.6.4P	1004 +/- 4.32	mg/L

405386
REC. 07/13/17 BY BDS
Exp. __/__/__ By __
Open __/__/__ By __

Certified By: _____

Katrina Emelianoff

Manufacture Date 22-Mar-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

o2si smart solutions®

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0 **Page 1 of 1**

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
130011-03	311587	≤ Ambient	Hexane	28-Jul-2020	Aroclor 1016 + 1260 Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1016	12674-11-2	100	272.5.1.6P	1006 +/- 3.01	mg/L
Aroclor 1260	11096-82-5	100	278.3.10P	1016 +/- 3.02	mg/L

405431
REC. 08/07/17 BY BDS
Exp. --/--/-- By --

Certified By: _____
Christina Elder

Manufacture Date 24-Jul-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetriclly.

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis

ACCREDITED
ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32000 **Lot No.:** A0125833

Description : Pesticide Surrogate Mix

Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2023 **Storage:** 10°C or colder

Handling: Contains PCBs - sonicate prior to use.

dmh 9-18-17

405520
REC.09/18/17 BY DMH
Exp. __/__/__ By --
Open __/__/__ By

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	2,4,5,6-Tetrachloro-m-xylene		201.5 µg/mL	+/- 1.1742	µg/mL	Gravimetric
	CAS # 877-09-8	(Lot 0052481)		+/- 6.3844	µg/mL	Unstressed
	Purity 98%			+/- 8.3410	µg/mL	Stressed
2	Decachlorobiphenyl (BZ# 209)		201.9 µg/mL	+/- 1.1766	µg/mL	Gravimetric
	CAS # 2051-24-3	(Lot ER071509-01)		+/- 6.3975	µg/mL	Unstressed
	Purity 99%			+/- 8.3581	µg/mL	Stressed

Solvent: Acetone
CAS # 67-64-1
Purity 99%

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Matt Fragassi - Mix Technician

Date Mixed: 15-Mar-2017 **Balance:** B345965662

Diane Shaffer - Operations Tech-ARM QC

Date Passed: 17-Mar-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

405532
REC. 09/29/17 BY MRN
Exp. --/--/-- By --

Honeywell

CERTIFICATE OF ANALYSIS

Honeywell Burdick & Jackson®
1953 South Harvey Street
Muskegon, MI 49442
Phone: (800) 368-0050
Fax: (231) 728-8226
www.lab-honeywell.com

Brand:	Research Chemicals - B&J
Product:	010
Lot No.:	DS490
Production Date:	10-Jul-2017
Best Before:	8-Jan-2019

Acetone, B&J Brand™, >99.9%

for HPLC, GC, pesticide residue analysis and spectrophotometry

Parameter	Specification Min.	Max.	Result	Units
Water by Karl Fischer Titration		0.50	0.31	%
UV Cutoff		330	328	nm
Refractive Index (20°C)	1.3583	1.3589	1.3586	
Residue		1	<0.5	mg/L
GC Analysis (excluding water)	99.9		99.97	%
Electron Capture GC		10	<10	ng/L
UV Absorbance @ 340 nm		0.060	0.0481	AU
UV Absorbance @ 350 nm		0.010	0.0014	AU
UV Absorbance @ 375 nm		0.005	<0.0001	AU
UV Absorbance @ 400 nm		0.005	<0.0001	AU

Honeywell
Quality Control Approval

Janna Dickinson

Muskegon 7/11/2017 LIMS Sample No.: AI07427

405540
REC. 10/09/17 BY MRI
Exp. --/--/-- By --
Open / / By

o2si smart solutions®

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

ACCREDITED

ISO 17025 Accredited Chemical Testing Lab
Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
030273-11	316120	≤ Ambient	Hexane	1-Sep-2021	Aroclor 1221 Solution, 1,000 mg/L, 1 ml

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration	
Aroclor 1221	11104-28-2	100	273.3.2P	1018 +/- 3.01	mg/L

Certified By: _____
Kara Catron

Manufacture Date 24-Jul-2017

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Sodium Sulfate, Anhydrous, Granular (12-60 Mesh)
ULTRA RESI-ANALYZED®, ACS Reagent
Tested for Hexane Extractable Impurities
Suitable for Use in Pesticide Residue Analysis

405550
REC. 10/16/17 BY MRN
Exp. --/--/-- By --
Gen. / / By

J.T.Baker® | avantor™

Material No.: 3375-09
Batch No.: 0000177456
Manufactured Date: 2017/05/23
Retest Date: 2022/05/22

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
ACS - Assay (Na_2SO_4)	>= 99.0 %	99.2
ACS - Insoluble Matter	<= 0.01 %	< 0.01
ACS - Loss on Ignition	<= 0.5 %	0.1
ACS - pH of 5% Solution at 25°C	5.2 - 9.2	6.0
ACS - Chloride (Cl)	<= 0.001 %	< 0.001
ACS - Phosphate (PO_4)	<= 0.001 %	< 0.001
ACS - Calcium (Ca)	<= 0.01 %	< 0.01
ACS - Iron (Fe)	<= 0.001 %	< 0.001
ACS - Magnesium (Mg)	<= 0.005 %	< 0.005
ACS - Potassium (K)	<= 0.01 %	< 0.01
ACS - Extraction-Concentration Suitability *	Passes Test	PT
ACS - Heavy Metals (as Pb)	<= 5 ppm	< 5
Nitrogen Compounds (as N)	<= 5 ppm	< 5

For Laboratory, Research or Manufacturing Use
* Result obtained on a sample dried at 400°C for one hour (ACS method)

Country of Origin: MX
Packaging Site: Paris Mfg Ctr & DC

ISO
Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008
Panoli, India 9001:2008

James T Ethier
Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor Performance Materials, LLC.
3477 Corporate Parkway. Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610

Hexanes (95% n-hexane)
ULTRA RESI-ANALYZED
For Organic Residue Analysis

405661
REC. 10/26/17 BY AMC
Exp. --/--/-- By --

J.T.Baker | avantor

Material No.: 9262-8P
Batch No.: 0000183983
Manufactured Date: 2017/09/15
Expiration Date: 2018/12/15

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	< 1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	<= 5	1
Assay (Total Saturated C_6 Isomers) (by GC, corrected for water)	>= 99.5 %	99.8
Assay (as n-Hexane) (by GC, corrected for water)	>= 95 %	98
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.5
Substances Darkened by H_2SO_4	Passes Test	PT
Water (by KF, coulometric)	<= 0.05 %	0.01

For Laboratory, Research or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: US
Packaging Site: Phillipsburg Mfg Ctr & DC

ISO
Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008
Panoli, India 9001:2008

James T Ethier
Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor Performance Materials, LLC.
3477 Corporate Parkway. Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610

RESTEK® CERTIFIED REFERENCE MATERIAL

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

Certificate of Analysis

ACCREDITED
ISO Guide 34 Accredited
Reference Material Producer
Certificate #3222.01

ilac-MRA

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 32000 **Lot No.:** A0130424

Description : Pesticide Surrogate Mix

Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2023 **Storage:** 10°C or colder

Handling: Contains PCBs - sonicate prior to use.

405693
REC.01/02/18 BY BLM
Exp: --/--/-- By --
Open / / By

CERTIFIED VALUES

Elution Order	Compound		Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)		
1	2,4,5,6-Tetrachloro-m-xylene		201.2 µg/mL	+/- 1.1725	µg/mL	Gravimetric
	CAS # 877-09-8	(Lot 0052481)		+/- 6.3751	µg/mL	Unstressed
	Purity 98%			+/- 8.3288	µg/mL	Stressed
2	Decachlorobiphenyl (BZ# 209)		201.5 µg/mL	+/- 1.1742	µg/mL	Gravimetric
	CAS # 2051-24-3	(Lot ER071509-01)		+/- 6.3848	µg/mL	Unstressed
	Purity 99%			+/- 8.3415	µg/mL	Stressed

Solvent: Acetone
CAS # 67-64-1
Purity 99%

Column:
30m x .25mm x .2um
Rtx-CLP II (cat.# 11323)

Carrier Gas:
helium-constant pressure 20 psi.

Temp. Program:
200°C to 300°C
@ 25°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
300°C

Det. Type:
ECD



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Tom Suckar - Mix Technician

Date Mixed: 31-Aug-2017 **Balance:** B345965662

Jennifer Pollino - Operations Tech-ARM QC

Date Passed: 07-Sep-2017

Manufactured under Restek's ISO 9001:2008
Registered Quality System
Certificate #FM 80397

o2si smart solutions®

2030 Savage Road
Charleston, South Carolina 29407
Phone: 866.272.0932
Fax: 866.509.5146
www.o2si.com

Quality System Audited & Registered by NSF-ISR to ISO 9001:2008

ISO 17025 Accredited Chemical Testing Lab Cert. No. 3031.01

Date Received: _____

Certificate of Analysis

Rev 1 **Page 1 of 1**

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
020986-02 -02-SS	297165	≤ -10 °C	P/T Methanol	16-Jan-2020	Dichlorofluoromethane (Freon 21) Gas Solution, Second Source, 2000 mg/L, 2 x 0.6 ml

Compound	CAS No.	Purity (%)	Neat Material Lot No.	Concentration
dichlorofluoromethane (Freon 21)	75-43-4	99	986.158.2.2.1S	2008 +/- 20.85 mg/L

405766
REC. 02/26/18 BY SMT
Exp. --/--/-- By --
Open / / By

4388-13

189977 – 189980

Certified By: Madeline Luby

Madeline Luby
Manufacture Date 16-Jan-2017

Follow all storage requirements, keep tightly closed when not in use, and use good laboratory practices when handling.
This Reference Material was manufactured, produced, and/or certified under a quality management system that is accredited to ISO 17034 and ISO/IEC 17025.

Second Source standards are prepared according to NELAC

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetriclly.
The stated uncertainty is the expanded uncertainty with a coverage factor of two to give a 95% confidence level.

Hexanes (95% n-hexane)
ULTRA RESI-ANALYZED
For Organic Residue Analysis

J.T.Baker | avantor

405817
REC.03/28/18 BY AMC
Exp. --/--/-- By --
Open --/--/-- By --

Material No.: 9262-8P
Batch No.: 0000191733
Manufactured Date: 2017/12/21
Expiration Date: 2019/03/22

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1
ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL)	<= 5	< 1
Assay (Total Saturated C_6 Isomers) (by GC, corrected for water)	>= 99.5 %	100.0
Assay (as n-Hexane) (by GC, corrected for water)	>= 95 %	99
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.3
Substances Darkened by H_2SO_4	Passes Test	PT
Water (by KF, coulometric)	<= 0.05 %	0.01

For Laboratory, Research or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: US
Packaging Site: Phillipsburg Mfg Ctr & DC

ISO
Phillipsburg, NJ 9001:2008, 14001:2004, FSSC 22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008
Panoli, India 9001:2008

James T Ethier
Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor Performance Materials, LLC.
3477 Corporate Parkway, Center Valley, PA 18034. U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610

SAMPLE NO.

AT1-170616-01-YP-05

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Lab Sample ID: 40157832001 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Lipid	0.77		%	1	04/10/2018 06:28

SAMPLE NO.

AT1-170616-01-YP-04

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Lab Sample ID: 40157832002 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Lipid	0.34		%	1	04/10/2018 06:28

SAMPLE NO.

AT1-170616-01-YP-03

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Lab Sample ID: 40157832003 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Lipid	0.71		%	1	04/10/2018 06:28

SAMPLE NO.

AT1-170616-01-YP-02

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Lab Sample ID: 40157832004 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Lipid	0.29		%	1	04/10/2018 06:28

SAMPLE NO.

AT1-170616-01-YP-01

FORM I INORGANIC-1

INORGANIC ANALYSIS DATA SHEET

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Lab Sample ID: 40157832005 Percent Moisture:

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Lipid	0.49		%	1	04/10/2018 06:28

FORM III INORGANIC-1
BLANKS

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract : HUDSON RIVER REMEDIAL ACTION M

Method Blank Matrix: Tissue Instrument ID: 40BALL

Method Blank Concentration Units: %

Analyte	Initial Calibration Blank		Continuing Calibration Blank						Method Blank	
		C		C		C		C	1671073	C
Lipid									<0.030	U

SAMPLE NO.

1671076DUP

FORM VI INORGANIC-1
DUPLICATES

Lab Name: Pace Analytical - Green Bay SDG No. : 40157832 Contract: HUDSON RIVER REMEDIAL

Matrix: Tissue Concentration Units: %

Percent Moisture: Basis: Wet

Analyte	Control Limit	Sample	Duplicate	RPD
Lipid	40	0.71	0.86	19

Prep Log Report

Batch Information: OEXT 285570 LIPIDS **Template Version: F-GB-O-145-Rev.01 (22Mar2018) LIPID**

Analysis Method	Pace Lipid	Analyzed By	AMC	Instrument	40BALL	Batch Notes	
Reviewed By	BLM	Reviewed By Date	05/02/2018 14:40				

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Select	Lipid % Posted	Run Date/Time	ID	Sample Weight (g)	Sample Volume (mL)	Aliquot (mL)	Dish Weight (g)	Dry Weight 1 (g)	Dry Wt Use 1	Sample Notes
LIPID	BLANK	**1671073**	Y	-0.005000	04/10/2018 06:28:37		10	5	1	0.9267	0.9266	M	1670714
LIPID	BLANK	**1671074**	Y	0.005000	04/10/2018 06:28:37		10	5	1	0.9295	0.9296	M	1670715
LIPID	PS	**40157487001**	Y	1.506	04/10/2018 06:28:37		10.0248	5	1	0.9267	0.9569	M	
LIPID	PS	**40157487002**	Y	1.498	04/10/2018 06:28:37		9.9771	5	1	0.93	0.9599	M	
LIPID	PS	**40157487003**	Y	1.177	04/10/2018 06:28:37		9.9838	5	1	0.9298	0.9533	M	
LIPID	PS	**40157487004**	Y	0.6143	04/10/2018 06:28:37		10.0118	5	1	0.9261	0.9384	M	
LIPID	PS	**40157487005**	Y	1.246	04/10/2018 06:28:37		10.0301	5	1	0.9281	0.9531	M	
LIPID	PS	**40157487006**	Y	1.240	04/10/2018 06:28:37		9.9981	5	1	0.9277	0.9525	M	
LIPID	PS	**40157487007**	Y	1.019	04/10/2018 06:28:37		10.0132	5	1	0.9268	0.9472	M	
LIPID	PS	**40157487008**	Y	1.323	04/10/2018 06:28:37		9.9774	5	1	0.9291	0.9555	M	
LIPID	PS	**40157487009**	Y	0.3939	04/10/2018 06:28:37		10.0287	5	1	0.9285	0.9364	M	
LIPID	PS	**40157487010**	Y	1.038	04/10/2018 06:28:37		10.0176	5	1	0.9254	0.9462	M	
LIPID	PS	**40157492001**	Y	2.125	04/10/2018 06:28:37		10.0003	5	1	0.9247	0.9672	M	
LIPID	PS	**40157492002**	Y	0.9593	04/10/2018 06:28:37		10.0071	5	1	0.9235	0.9427	M	
LIPID	PS	**40157492003**	Y	0.7483	04/10/2018 06:28:37		10.0221	5	1	0.9246	0.9396	M	
LIPID	PS	**40157492004**	Y	0.9311	04/10/2018 06:28:37		9.9887	5	1	0.9251	0.9437	M	
LIPID	PS	**40157825011**	Y	0.3338	04/10/2018 06:28:37		10.0369	5	1	0.9268	0.9335	M	
LIPID	PS	**40157832001**	Y	0.7709	04/10/2018 06:28:37		9.9883	5	1	0.9246	0.94	M	
LIPID	PS	**40157832002**	Y	0.3400	04/10/2018 06:28:37		9.9987	5	1	0.9207	0.9275	M	

Prep Log Report

40157832

QC Rule	Sample Type	Lab Sample ID	Select	Lipid % Posted	Run Date/Time	ID	Sample Weight (g)	Sample Volume (mL)	Aliquot (mL)	Dish Weight (g)	Dry Weight 1 (g)	Dry Wt Use 1	Sample Notes
LIPID	RQS	**40157832003**	Y	0.7101	04/10/2018 06:28:37		9.9981	5	1	0.9259	0.9401	M	
LIPID	DUP	**1671076**	Y	0.8609	04/10/2018 06:28:37		9.9901	5	1	0.9243	0.9415	M	1670717
LIPID	PS	**40157832004**	Y	0.2942	04/10/2018 06:28:37		10.0274	5	1	0.9266	0.9325	M	
LIPID	PS	**40157832005**	Y	0.4932	04/10/2018 06:28:37		10.0372	5	1	0.9268	0.9367	M	
LIPID	MS	**1682835**	Y	0.6611	04/10/2018 06:28:37		9.9831	5	1	.9262	0.9394	M	1670716

40157832

428 of 428

Client Name: GE
Project #: 40157832
Sample Type: Fish
Date/Time Removed to Thaw: 04-02-18
Date/Time Prepped: 04-02-18
Prepped by: CWN + JL + RM
Location Thawed: 40FRG21 / Room Temperature (circle one)

Pace Analytical

Biota Homogenization Log (NYDOH Method)

Logbook: 4413

Sample ID	A) Scales Removed B) Skin Removed (Note A or B Below)	Whole Body/Fillet (WB/F)	Picture of Fish/Weight Taken? (Y/N)	Total Fish Weight (g)	Internal Organs Intact (Y/N)	Gender (Optional) M/F/U[1]	Fillet Weight (g)	Left/Both Fillet[2]?	Picture of Fillet/Weight Taken? (Y/N)	Container Code[3]	Number of Containers Used	Picture of Jars/Weight Taken? (Y/N)	Weight of homogenized Sample (g)	Processing Type (C/G/R/RM)[4]	Sample Comments
1	A	F	Y	94.2	Y	M	39.7	Left / Both	Y	9AG	1	Y	38.8	C	
2	A	F	Y	70.4	Y	U	27.2	Left / Both	Y	9AG	1	Y	26.7	C	
3	A	F	Y	132.1	Y	M	57.1	Left / Both	Y	9AG	1	Y	54.6	C	
4	A	F	Y	85.4	Y	U	33.0	Left / Both	Y	9AG	1	Y	31.3	C	
5	A	F	Y	64.0	Y	M	26.7	Left / Both	Y	9AG	1	Y	25.7	C	
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
						CWN	~~04-02-18~~	Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							
								Left / Both							

(1) M = Male, F = Female, U = Undetermined

(2) If left fillet weight is under 40g, the right fillet in included in the sample weight.

(3) Note Container Type / Lot # using Codes Below:

Container Code	Container Size	Lot#
2CG	2 oz Clear Glass	
4AG	4 oz Amber Glass	
9AG	9 oz Amber Glass	F-7345-DSAB
32AG	32 oz Amber Glass	

(4) Processing Type Code Descriptions:

Code	Description of Code
C	Chopped
G	Grind
R	Robot coupe
RM	Robot coupe multiple batches

Reviewed By

Date 4/27/18