FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Structural • EHS • Municipal • IT

1920 Daimler Road • Rockford, IL 61112
E-mail: fga@fehr-graham.com

Ph: 815/394-4700 • Fax: 815/394-4702
Web: www.fehr-graham.com

April 5, 2010

RCAP RECEIVED
APR 07 2010

Mr. Robert E. Aston, PG
Corrective Action Officer
United States Environmental Protection Agency, Region 7
901 N. Fifth Street
Kansas City, Kansas 66101

RE: 2010 Annual Site Sampling Report
Sauer-Danfoss Facility – Ames, Iowa

Dear Mr. Aston:

The following letter report constitutes the 2010 Annual Site Sampling Report for the Sauer-Danfoss Company (Sauer-Danfoss) site in Ames, Iowa. Included is a summary of system operation, remedial system monitoring, and annual reporting.

SYSTEM OPERATION

Between January 1, 2009 and December 31, 2009, approximately 1,723,875 gallons were pumped from the collection sump and discharged to the City of Ames, Iowa sanitary sewer.

Operational Issues

Semiannual remedial system maintenance was conducted on June 4, 2009 and November 19, 2009 by Fehr-Graham & Associates (FGA) and Mechanical Comfort, Inc. personnel. During the June 4, 2009 maintenance, it was found that the computer controller's signal wire sustained water damage and required replacement to correctly read the sump water level. Mechanical Comfort, Inc. was instructed to make the proper repairs. Summaries of the semiannual maintenance activities are provided in Attachment 1.

512266
RCRA

Typical trench capture of 40 feet to 100 feet downgradient of the trench in the vicinity of piezometers PZ-1 and PZ-2, and monitoring well MW-19 has been historically observed, suggesting constituent migration beyond the trench is captured during normal system operation. Analysis of groundwater samples collected from monitoring well MW-33 during the October 2009 annual sampling event found tetrachloroethene (PCE) concentrations (3.18 ug/L) below the Maximum Contaminant Level (MCL) of 5 ug/L as compared to the October 2008 annual sampling event where PCE concentrations (19.9 ug/L) were above the MCL. This suggests some level of trench capture under normal system operation; whereas the sporadic system operations observed in 2008 may have resulted in compromised trench capture.

Trench capture in the area of monitoring well MW-12 has been less definitive, where the groundwater elevation has been measured below the high water level setpoint of the trench. Analysis of groundwater samples collected from monitoring well MW-12 have historically shown constituent concentrations below reporting limits, suggesting some level of capture in the vicinity. Groundwater samples could not be collected from monitoring well MW-12 during the October 2009 annual sampling event as the well was found dry.

REMEDIAL SYSTEM MONITORING

As required by Sauer-Danfoss facility's Non-Domestic Wastewater Discharge Permit (Permit No. 6593-7) issued by the City of Ames Water and Pollution Control Department (WPCD), samples were collected quarterly from the remedial system discharge and analyzed for select constituents listed in Table 1. Laboratory results are presented in Table 2. Note: copies of the lab results for each quarter were reissued at a later date to correctly report the requested constituents. Copies of the 2009 quarterly reports submitted to the City of Ames WPCD are included in Attachment 2.

ANNUAL SAMPLING

Groundwater Elevation

Groundwater elevations were measured in on-site monitoring wells during the October 2009 annual sampling event. Groundwater elevations are summarized in Table 3 and Figure 1. The water level in the sump was measured at 937.47 feet National Geodetic Vertical Datum (NGVD). Assuming the groundwater elevation in the collection trench was equal to that measured in the sump, resulting groundwater elevation contours show groundwater flow toward the collection trench throughout the site (see Figure 1).

Recycled Paper

The sump high water level setpoint is 941.21 feet NGVD. During the October 2009 annual sampling event, the groundwater elevation at monitoring well MW-19 was above the sump high water level setpoint, while the groundwater elevation at monitoring well MW-12 was lower than the high water level setpoint. Analyses of groundwater samples collected from monitoring well MW-12 has historically shown constituent concentrations below laboratory quantitation limits, suggesting impacted groundwater is being intercepted by the collection trench. However, analysis of groundwater samples collected during the October 2008 annual sampling event show PCE concentrations above the MCL. A comparison could not be made during the October 2009 sampling event as monitoring well MW-12 was dry. The groundwater elevation at monitoring well MW-18 was also found to be lower than the high water level setpoint. Monitoring well MW-18 was dry and could not be sampled during the October 2009 sampling event.

Groundwater Volatile Organic Compound (VOC) Constituents

Annual groundwater sampling was conducted on October 15, 2009, in accordance with the 1996 Sampling and Analysis Plan (SAP) (revised in October 2003, September 2004, and September 2006). Monitoring wells MW-12, MW-18, MW-19, MW-20, MW-R30, MW-31, and MW-33 were sampled to monitor the performance of the remedial system in providing hydraulic containment of the VOC plume. The sampling protocol for low-recovery wells detailed in the US Army Corps of Engineers *Revised Standard Operating Procedure for Low-flow Groundwater Purging and Sampling*, as incorporated into the SAP, was utilized for monitoring wells exhibiting low groundwater recovery; while the sampling protocol for low-flow sampling specified in the SAP was utilized for the remainder of the selected monitoring wells. The bladder pump intake was positioned at the midpoint of the well screen. Groundwater was directed from the pump discharge tubing into a flow-through cell to track water quality parameters of pH, specific conductance, turbidity, dissolved oxygen (DO), and temperature. Groundwater samples were collected following stabilization of all water quality parameters. Groundwater sampling and final water quality stabilization data is presented in Table 4. Following purging, the pump tubing was disconnected from the flow-through cell, and groundwater samples were collected. Of special note:

> MW-12: The water column in this well was found to be less than one (1) foot. Low-flow sampling could not be conducted at this well and no sample was collected.
>
> MW-18: The water column in this well was found to be less than one (1) foot. Low-flow sampling could not be conducted at this well and no sample was collected.

Groundwater samples were analyzed for the constituents listed in Table 1. Results are shown in Table 5, as well as in Figure 2. Laboratory analytical results are provided in Attachment 3. Table 5 compares 2009 analytical results with respective historical concentrations obtained during the following sampling events:

Recycled Paper

- September/October 1994 (Harding Lawson Associates, June 1995 Report)
- November 21, 1997 (Montgomery Watson, February 23, 1998, Annual Sampling Report)
- October 20, 1998 (Montgomery Watson, March 1, 1999, Annual Site Sampling Report)
- October 20, 1999 (Montgomery Watson, February 28, 2000, Annual Site Sampling Report)
- November 9, 2000 (Montgomery Watson, March 21, 2001, Annual Site Sampling Report)
- November 6, 2001 (MWH, April 8, 2002, Annual Site Sampling Report)
- October 22, 2002 (MWH, May 5, 2003, Annual Site Sampling Report)
- November 17-19, 2003 (MWH, September 27, 2004, Annual Site Sampling Report)
- November 8-19, 2004 (MWH, May 25, 2005, Annual Site Sampling Report)
- November 14-16, 2005 (MWH, June 28, 2006, Annual Site Sampling Report)
- November 13-17, 2006 (MWH, April 26, 2007, Annual Site Sampling Report)
- October 8-10, 2007 (MWH, July 31, 2008, Annual Site Sampling Report)
- October 27-31, 2008 (FGA, March 26, 2009, Annual Site Sampling Report)

A comparative summary of samples collected via low-flow sampling is provided below:

- Constituent concentrations in monitoring well MW-33 have remained below laboratory quantitation limits, with the exception of PCE in 2008 and 2009. The PCE concentration in 2008 (19.9 ug/L) was above the MCL of 5 ug/L. The PCE concentration in 2009 (3.18 ug/L) is below the MCL.

- Constituent concentrations in monitoring wells MW-12 and MW-31 have remained below laboratory quantitation limits, with the exception of PCE in 2008, which found levels above the MCL of 5 ug/L. The PCE concentration in 2009 at monitoring well MW-31 (5.72 ug/L) is above the MCL of 5 ug/L. No sample was collected from monitoring well MW-12 in 2009 due to low water level, thus no comparison could be made.

Recycled Paper

- Constituent concentrations in monitoring well MW-R30 are below laboratory quantitation limits, with the exception of PCE; 1,1,1-trichloroethane (1,1,1-TCA); and trichloroethene (TCE). The PCE and TCE concentrations (63.6 ug/L for PCE and 37.6 ug/L for TCE) are above the MCL of 5 ug/L for both chemicals. Up to the 2009 annual sampling event, monitoring well MW-R30 has historically shown constituent concentrations below laboratory quantitation limits.

- Constituent concentrations in monitoring well MW-19 were generally similar, if not slightly higher, than those observed in October 2008. The PCE concentration (38 ug/L) is above the MCL of 5 ug/L. Concentrations of 1,1-dichloroethane (1,1-DCA); cis-1,-2-dichloroethene (cis-1,2-DCE); 1,4-dioxin; and TCE were greater than those observed in October 2008, but concentrations remained below their respective MCL/Preliminary Remediation Goal (PRG).

- Constituent concentrations in monitoring well MW-20 were generally similar to those observed in October 2008. Concentrations of 1,1-dichloroethene (1,1-DCE); 1,4-dioxane; PCE; and TCE continued on a downward trend, but remain above their respective MCL/PRG. Concentrations of trans-1,2-dichloroethene (trans-1,2-DCE); 1,1,1-TCA; and 1,1,2-trichloroethane (1,1,2-TCA) were greater than those observed in October 2008, but all concentrations remained below their respective MCL/PRG.

Shallow groundwater isoconcentration contour maps and hydrogeologic profiles for VOCs historically and/or currently exceeding MCLs/PRGs (1,1-DCA; 1,2-DCA; 1,1-DCE; cis-1,2-DCE; 1,4-dioxane; methylene chloride; PCE; 1,1,1-TCA; 1,1,2-TCA; TCE; and vinyl chloride) are provided in Figures 3 through 25.

Graphs of historical 1,1-DCA; 1,1-DCE; cis-1,2-DCE; PCE; 1,1,1-TCA; 1,1,2-TCA; TCE; and vinyl chloride concentrations in monitoring wells MW-10, MW-11, MW-R13, MW-19, and MW-20 are provided in Figures 26 through 33. Generally decreasing concentrations continue for constituents in monitoring wells MW-19 and MW-20.

Recycled Paper

Data Validation

All samples were analyzed for both the constituents specified in the Construction Work Plan and 1,4-dioxane within the EPA Method SW-8260B maximum holding time of 14 days. Samples collected on October 15, 2009, were delivered to the laboratory on October 15, 2009 within two (2) hours of final collection and refrigerated upon receiving. Samples were received at the laboratory at a temperature of 7.5 degrees Celsius; samples were received on ice. It should be noted that the groundwater temperature was between approximately zero (0) and fourteen (14) degrees Celsius during the sampling. Analysis of all equipment blanks indicated constituent concentrations were below laboratory quantitation limits. The trip blank was inadvertently left out of the cooler and not analyzed.

A duplicate sample was collected from monitoring well MW-19 and submitted to the laboratory labeled as D01. The Relative Percent Differences (RPDs) between the MW-19 sample and its duplicate was within 20 percent for all constituents. Calculated RPDs are summarized in Table 6.

Surrogate compound recovery was within the acceptable range for all samples evaluated. Matrix spike (MS) / matrix spike duplicate (MSD) recovery was within the acceptable range for all but one (1) of the samples evaluated, where the TCE recovery for the MSD was 53 percent. The RPDs between MS and MSD samples were within the acceptable level with the exception of one (1) sample, where the RPD between the MS and MSD for 1,1-DCE was at 28 and above the laboratory control limit of 20.

Recycled Paper

NEXT STEPS

As required by Permit No. 6593-7, quarterly system sampling will continue, and samples will continue to be analyzed for the select constituents listed in Table 1. Groundwater monitoring wells MW-12 and MW-33 will be sampled in April 2010 based on a conference call with Sauer-Danfoss, the EPA, and FGA on January 26, 2010.

The thirteenth (13th) annual sampling event will be conducted during the fourth (4th) quarter of 2010. To maintain the homogeneity of past sampling events, low-flow sampling methods will continue to be employed at the site. Groundwater elevations will be measured in all monitoring wells during the scheduled sampling event. Samples will be collected from monitoring wells MW-10, MW-11, MW-12, MW-R13, MW-18, MW-19, MW-20, MW-R30, MW-31, MW-32, and MW-33, and analyzed for constituents listed in Table 1. The 2011 Annual Site Sampling Report will be prepared and submitted to the US EPA in or about March 2011. In an effort to reduce the remediation timeline, contaminant-source treatment may be considered.

If you have questions regarding this report, please do not hesitate to call Joel Zirkle at (815) 394-4700.

Best regards,

Erin Jarrett

Erin E. Jarrett
Environmental Specialist

Joel P. Zirkle

Joel P. Zirkle, P.G.
Branch Manager

EEJ/JPZ:cld

cc: Mr. Ken Foltz/Sauer-Danfoss, Inc.-Freeport, IL
Mr. Gary Erickson/Sauer-Danfoss Company-Ames, IA

I:\Documents\2010\10-233\2010 Annual Site Sampling Report\EJ10-233 2010 Annual Site Sampling Report.doc

Recycled paper

2010 Annual Site Sampling Report

Appendix Table of Contents

TABLES

Table 1 – Analyte List

Table 2 – Sampling Results of Remedial System Discharge

Table 3 – Groundwater Elevations

Table 4 – Groundwater Sampling Final Stabilization Data

Table 5 – Groundwater Analytical Results

Table 6 – Relative Percent Differences

FIGURES

Figure 1 – Shallow Groundwater Flow

Figure 2 – Groundwater Analytical Results above Quantitation Limit

Figure 3 – Shallow Groundwater 1,1-Dichloroethane (1,1-DCA) Concentrations

Figure 4 – Shallow Groundwater 1,2-Dichloroethane (1,2-DCA) Concentrations

Figure 5 – Shallow Groundwater 1,1-Dichloroethene 1,1-DCE) Concentrations

Figure 6 – Shallow Groundwater Cis-1,2-Dichloroethene (cis-1,2-DCE) Concentrations

Figure 7 – Shallow Groundwater 1,4-Dioxane Concentrations

Figure 8 – Shallow Groundwater Methylene Chloride Concentrations

Figure 9 – Shallow Groundwater Tetrachloroethene (PCE) Concentrations

Figure 10 – Shallow Groundwater 1,1,1-Trichloroethane (1,1,1-TCA) Concentrations

Figure 11 – Shallow Groundwater 1,1,2-Trochloroethane (1,1,2-TCA) Concentrations

Figure 12 – Shallow Groundwater Trichloroethene (TCE) Concentrations

Appendix Table of Contents (continued)

Figure 13 – Shallow Groundwater Vinyl Chloride Concentrations

Figure 14 – Cross Section Map (corresponds to Figures 15 - 25)

Figure 15 – Hydrogeologic Profile 1,1-Dichloroethane (1,1-DCA) Concentrations

Figure 16 – Hydrogeologic Profile 1,2-Dichloroethane (1,2-DCA) Concentrations

Figure 17 – Hydrogeologic Profile 1,1-Dichloroethene (1,1-DCE) Concentrations

Figure 18 – Hydrogeologic Profile Cis-1,2-Dichloroethene (cis-1,2-DCE) Concentrations

Figure 19 – Hydrogeologic Profile 1,4-Dioxane Concentrations

Figure 20 – Hydrogeologic Profile Methylene Chloride Concentrations

Figure 21 – Hydrogeologic Profile Tetrachloroethene (PCE) Concentrations

Figure 22 – Hydrogeologic Profile 1,1,1-Trichloroethane (1,1,1-TCA) Concentrations

Figure 23 – Hydrogeologic Profile 1,1,2-Trichloroethane (1,1,2-TCA) Concentrations

Figure 24 – Hydrogeologic Profile Trichloroethene (TCE) Concentrations

Figure 25 – Hydrogeologic Profile Vinyl Chloride Concentrations

Figure 26 – 1,1-DCA Concentrations

Figure 27 – 1,1-DCE Concentrations

Figure 28 – Cis-1,2-DCE Concentrations

Figure 29 – PCE Concentrations

Figure 30 – 1,1,1-TCA Concentrations

Figure 31 – 1,1,2-TCA Concentrations

Figure 32 – TCE Concentrations

Figure 33 – Vinyl Chloride Concentrations

Appendix Table of Contents (continued)

ATTACHMENTS

Attachment 1 – 2009 Semiannual Remedial System Maintenance Memorandums

Attachment 2 – 2009 Quarterly Monitoring Reports

Attachment 3 – Laboratory Report for 2009 Annual Sampling

TABLES

TABLE 1

ANALYTE LIST

Acetone*
1,1-Dichloroethane*
1,2-Dichloroethane
1,1-Dichloroethene*
cis-1,2-Dichloroethene*
trans-1,2-Dichloroethene
1,4 Dioxane**
Methylene Chloride
Tetrachloroethene*
1,1,1-Trichloroethane*
1,1,2-Trichloroethane
Trichloroethene*
Vinyl Chloride***
Total Xylenes*

*	Required by Sauer-Danfoss's Permit No. 6593-3.
**	Required for select monitoring wells.
***	Beginning second quarter 2002, as requested in the United States Environmental Protection Agency (US EPA) comments on the 2002 Annual Site Sampling Report.

TABLE 2

SAMPLING RESULTS OF REMEDIAL SYSTEM DISCHARGE

Date	Acetone (µg/L)	1,1-DCA (µg/L)	1,1-DCE (µg/L)	cis-1,2-DCE (µg/L)	PCE (µg/L)	1,1,1-TCA (µg/L)	TCE (µg/L)	Xylenes (µg/L)
Maximum[a]	44	370	170	490	1700	650	110	11
2/13/2009	280	8.6	17	67	390	59	21	5.5
5/28/2009	<5.0	4.3	7.9	26	280	33	13	<2.0
7/27/2009	<5.0	8.1	12	43	530	44	19	<2.0
10/16/2009	<5.0	10	12	60	410	48	21	<2.0

[a] Maximum expected concentrations as provided to the City of Ames Water and Pollution Control Department (WPCD) on July 31, 1996.

µg/L = Micrograms per liter.
1,1-DCA = 1,1-Dichloroethane.
1,1-DCE = 1,1-Dichloroethene.
cis-1 ,2-DCE = cis-1,2-Dichloroethene.
PCE = Tetrachloroethene.
1,1,2-TCA = 1,1 ,2-Trichloroethane.
TCE = Trichloroethene.
NA = Not applicable.

TABLE 3

GROUNDWATER ELEVATIONS

Well No.	Top of Casing NGVD Elevation (ft)	Total Depth NGVD Elevation (ft)	Top of Screen NGVD Elevation (ft)	Initial GW Elevation 2/4/1997 to 02-06-97 (ft)	GW Elevation 11/21/1997 (ft)	GW Elevation 10/20/1998 (ft)	GW Elevation 10/20/1999 (ft)	GW Elevation 11/9/2000 (ft)	GW Elevation 11/6/2001 (ft)	GW Elevation 10/22/2002 (ft)	GW Elevation 11/17/2003 (ft)	GW Elevation 11/9/2004 (ft)	GW Elevation 11/14/2005 (ft)	GW Elevation 11/13/2006 (ft)	GW Elevation 10/8/2007 (ft)	GW Elevation 10/27/2008 (ft)	GW Elevation 10/15/2009 (ft)
Shallow Wells																	
1	973.71	941.20	951.20	967.40	966.69	967.08	966.30	967.26	967.12	967.36	967.10	967.29	a	a	a	a	a
R2S	970.49	949.30	959.30	961.94	962.28	962.79	961.46	963.23	962.05	961.86	962.69	962.31	961.09	962.21	962.34	962.94	962.41
3	969.05	953.90	961.90	963.28	964.01	964.13	962.45	963.88	963.57	963.17	964.15	963.64	a	a	a	a	a
4	970.39	953.10	964.10	965.11	965.10	965.18	963.98	965.06	965.01	964.67	965.15	964.89	a	a	a	a	a
5	965.82	950.40	960.40	958.03	957.18	957.53	956.19	957.37	957.68	957.07	957.99	957.81	955.99	958.51	958.66	958.30	957.44
R6S	965.39	946.00	956.00	957.46	956.47	956.97	955.61	956.61	956.85	956.28	956.94	957.26	955.33	957.92	958.30	957.70	956.85
10	964.22	945.70	948.70	955.10	954.36	954.38	953.85	954.23	954.93	954.47	954.46	954.70	953.69	955.57	954.93	955.12	954.12
11	963.26	942.60	945.60	958.06	951.42	951.12	950.89	950.64	951.76	951.62	951.21	951.28	950.86	952.29	951.56	951.67	950.9
12	959.70	936.80	939.80	948.96	938.23	942.24	939.42	938.82	939.56	940.91	940.11	940.51	938.78	939.94	939.19	939.88	938.05
R13	965.67	941.70	951.70	956.85	956.04	955.89	954.17	955.46	957.14	956.40	956.31	956.37	954.58	957.79	957.22	957.68	955.94
R14	965.83	946.10	956.10	954.86	953.04	953.38	953.31	952.07	954.69	954.43	953.07	953.35	952.52	954.93	954.18	955.06	953.28
15	957.99	935.20	938.20	951.98	949.09	949.27	948.22	947.29	950.76	950.62	950.06	949.90	948.77	951.29	950.46	951.52	949.78
16	965.90	943.33	b	954.98	951.80	952.41	952.65	950.17	954.51	954.16	954.39	953.03	951.09	954.51	954.14	955.40	952.96
18	956.73	938.80	941.80	950.34	948.66	948.78	948.28	942.43	948.61	948.82	949.60	949.30	948.03	949.66	949.30	950.67	939.61
19	954.31	936.60	939.60	947.67	944.63	945.43	944.55	943.15	945.04	945.31	944.91	945.54	945.27	945.55	945.80	946.32	945.58
20	956.66	939.40	942.40	950.36	945.88	946.48	944.90	942.83	946.08	947.14	946.42	946.33	945.50	947.54	946.56	947.23	945.88
28	957.17	938.70	941.70	952.54	952.37	952.46	952.21	952.63	952.48	952.30	952.51	952.44	952.18	952.94	952.90	952.06	951.69
29	955.57	941.40	944.40	950.69	949.87	949.95	949.39	950.23	949.90	949.83	950.11	949.71	949.46	950.63	h	h	h
31	953.60	936.50	946.50	947.81	946.97	946.99	947.01	947.43	947.37	947.24	946.97	946.85	946.84	946.99	947.12	946.81	946.85
PZ-1	953.81	927.30	b	948.99	945.59	945.84	944.51	946.08	945.67	945.84	946.41	946.20	946.15	946.93	946.61	946.26	942.95
PZ-2	951.42	925.86	b	947.96	941.42	942.26	940.06	939.27	941.67	942.36	941.89	942.42	941.38	943.61	941.63	943.35	d
33	951.67	929.24	939.24	c	c	c	c	c	c	c	c	c	943.95	946.52	947.28	947.55	945.97

TABLE 3

GROUNDWATER ELEVATIONS

Well No.	Top of Casing NGVD Elevation (ft)	Total Depth NGVD Elevation (ft)	Top of Screen NGVD Elevation (ft)	Initial GW Elevation 2/4/1997 to 02-06-97 (ft)	GW Elevation 11/21/1997 (ft)	GW Elevation 10/20/1998 (ft)	GW Elevation 10/20/1999 (ft)	GW Elevation 11/9/2000 (ft)	GW Elevation 11/6/2001 (ft)	GW Elevation 10/22/2002 (ft)	GW Elevation 11/17/2003 (ft)	GW Elevation 11/9/2004 (ft)	GW Elevation 11/14/2005 (ft)	GW Elevation 11/13/2006 (ft)	GW Elevation 10/8/2007 (ft)	GW Elevation 10/27/2008 (ft)	GW Elevation 10/15/2009 (ft)
Deep Wells																	
R2D	970.41	928.30	933.30	960.53	961.84	961.73	961.03	961.55	961.47	961.50	961.89	961.62	960.72	961.69	961.56	962.21	961.77
R17	965.77	875.60	880.60	944.25	942.79	943.57	943.79	942.17	943.08	943.30	[d]	942.55	942.26	942.19	943.22	943.14	943.12
R30	958.21	902.40	907.40	950.15	947.05	947.73	947.35	947.52	947.71	948.03	947.80	947.78	947.60	948.40	948.04	947.63	945.46
32	954.16	897.70	907.70	944.09	942.90	943.08	940.04	943.25	943.23	943.31	943.38	943.19	943.18	943.62	943.49	943.37	941.51
Sump and Collection Trench	NA	NA	NA	NA	938.71[e]	941.23	940.49	939.14	940.73	942.06	939.44	939.05	939.13[f]	939.20[g]	939.4	938.92[i]	937.47

Notes:

[a] Monitoring well abandoned October 27, 2005.
[b] Unknown.
[c] Monitoring well installed October 27, 2005.
[d] Monitoring well inadvertently overlooked during sampling event.
[e] Estimated.
[f] Water level measured December 13, 2005.
[g] Water level measured November 17, 2006.
[h] Inaccessible; monitoring well collapsed.
[i] Water level measured October 28, 2008

NGVI = National Geodetic Vertical Datum.
GW = Groundwater.
NA = Not applicable/available.
ft = Feet.

TABLE 4

GROUNDWATER SAMPLING FINAL STABILIZATION DATA

Monitoring Well	Time Sampled	Depth to Water (ft)[a]	pH[b]	Specific Conductance[c] (mS/cm)	Temperature[d] (°C)	DO (mg/L)[e]	Turbidity (NTU)[f]
MW-12	DRY	21.65	----------	----------	----------	----------	----------
MW-18	DRY	17.12	----------	----------	----------	----------	----------
MW-19	16:00	8.73	8.80	0.74	12.00	0.39	270.00
MW-20	17:00	10.78	8.87	0.718	12.41	0.36	39.00
MW-31	11:30	6.75	8.95	3.010	13.66	0.34	249.00
MW-33	14:35	5.70	8.82	0.759	13.42	0.51	217.00
MW-R30	14:10	12.65	8.40	0.686	10.44	0.57	11.50

Notes:

[a] Before sampling
[b] Stabilization criteria: stabilized within +/- 0.1 pH units
[c] Stabilization criteria: stabilized within +/- 3%
[d] Stabilization criteria: stabilized within +/- 10%
[e] Stabilization criteria: stabilized within +/- 0.3 mg/L
[f] Stabilization criteria: stabilized within +/- 10 NTUs
ft = Feet.
mS/cm = Millisiemens per centimeter.
°C = Degrees Celsius.
DO = Dissolved oxygen.
NTU = Nepholometric Turbidity Unit.
NM = Not measured.

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2-DCE	trans-1,2-DCE	1,4-Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
MW-10	Sep-Oct 1994[c]	<25	9.6[d]	<5.0	54	110	<5.0	-	<5.0	1,800	410	<5.0	28	-	<5.0
	11/21/1997	<20	16.4	<1.0	35.7	135	1.6	-	<10	766	162	<1.0	54.5	-	<3.0
	10/20/1999	<20	11.3	<1.0	28.5	87.7	<1.0	-	<10	456	118	<1.0	40.4	-	<3.0
	11/6/2001	<20	10.5	<1.0	22	104	<1.0	-	<5.0	424	120	<1.0	53.2	-	<3.0
	10/22/2002	<20	11.6	<1.0	23.7	61.1	1.7	-	<5.0	497	174	<1.0	59.8	<1.0	<3.0
	11/10/2004	<20.0	14.7	<1.00	37.6	49.6	<1.00	12.4	<5.00	625	223	<1.00	42.9	<1.00	<3.00
	11/15/2006	<10.0	10	<1.00	25.3	53.3	1.07	11	<5.00	385	90.1	<1.00	32.3	<1.00	<3.00
	11-15-06[e]	<10.0	10.8	<1.00	23.9	49.7	1	14[f]	<5.00	372	89.7	<1.00	31.7	<1.00	<3.00
	10/30/2008 (LF)	<10.0	13.6	<1.00	35.6	32.6	<1.00	12	<5.00	405	188	<1.00	30.9	<1.00	<3.00
	10-30-08[e] (LF)	<10.0[r]	14	<1.00	35.7	35.1	<1.00	15	<5.00	421	194	<1.00	31.5	<1.00	<3.00
MW-11	Sep-Oct 1994[c]	<25	44	<5.0	130	730	7.1[d]	-	<5.0	2,500	810	8	91	-	<5.0
	11/21/1997	<200[g]	33.9	<10[g]	57.6	676	<10[g]	-	<100[g]	1,460	280	1.8	61.9	-	<30[g]
	10/20/1999	<20	20.2	<1.0	25.3	384	2	-	<10	610	121	<1.0	44.8	-	<3.0
	11/6/2001	<20	14.4	<1.0	18	227	1.7	-	<5.0	811	88.1	<1.0	46.8	-	<3.0
	11-06-01[e]	<20	15.1	<1.0	18.2	233	1.8	-	<5.0	585	87.8	<1.0	44.9	-	<3.0
	10/22/2002	<20	16.5	<1.0	15.6	176	1.4	-	<5.0	551	90.6	<1.0	43.6	<1.0	<3.0
	11/10/2004	<20	12.8	<1.00	15.4	88.9	1.92	10.4	<5.00	420	134	<1.00	34	<1.00	<3.00
	11/15/2006	<10.0	14.8	<1.00	23.3	75.7	1.78	12	<5.00	422	165	<1.00	32.6	<1.00	<3.00
	11-15-06[e]	<10.0	15.5	<1.00	26.3	79.6	1.73	[h]	<5.00	426	172	<1.00	35	<1.00	<3.00
	10/30/2008 (LF)	<50	6.45	<5.00	10.1	35.2	<5.00	5.2	<25.0[g]	355	90.6	<5.00	18.4	<5.00[g]	<15.0[g]
	10-30-08[e] (LF)	<10.0[r]	8.32	<1.00	14.1	37.5	<1.00	[h]	<5.00	391	131	<1.00	21.5	<1.00	<3.00
MW-12	Sep-Oct 1994[c]	<25	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0
	11/21/1997	<10	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1998	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1999	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/9/2000	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/6/2001	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
	11/18/2003	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/9/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/16/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/9/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/27/2008 (PD)	<10.0	<1.00	<1.00	<2.00	<1.00[q]	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/27/2008(RP)	-	-	-	-	-	-	<2.0	-	-	-	-	-	-	-
	10/27/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	12.9	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]	[u]

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2-DCE	trans-1,2-DCE	1,4-Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
MW-R13	Sep-Oct 1994[c]	<25	560	5.8	250	200	<5.0	-	9.1[d]	1,100	970	30	72	-	<5.0
	11/21/1997	<400[g]	1,980	<20[g]	1,120	81.2	<20[g]	-	<200[g]	1,200	3,140	159	<20	-	<60[g]
	10-20-99[j]	<400	2,530	<20	1,510	57.5	<20	-	<200	1,750	3,370	195	<20	-	<60
	11/6/2001	<20	2,020	6.5	1,510	78.8	1.6	-	39	3,040	3,220	238	24.3	-	<3.0
	10/22/2002	<20	3,680	10.3	1,430	71.2	<1.0	-	24.3	3,170	2,140	188	27.4	40.6	<3.0
	11/10/2004	<20.0	1,940	5.84	2,610	101	2.4	124	29.9	4,830	4,790	270	50.6	<1.00	<3.00
	11/14/2006	<231[g]	2,480	<8.00[g]	4,650	53	<7.50[g]	74.6	196[d]	8,080	6,660	310	40.5[d]	106	<8.50[g]
	10/30/2008 (PD)	<1000[g]	2,740	<100[g]	5,890	<100[g]	<100	-	<500[g]	8,580	7,970	337	<100[g]	<100[g]	<300[g]
	10-30-08[e] (PD)	<1000[g,j]	2,700	<100[g]	5,800	<100[g]	<100	-	<500[g]	8,020	8,060	346	<100[g]	<100[g]	<300[g]
	10/30/2008 (RP)	-	-	-	-	-	-	78	-	-	-	-	-	-	-
	10-30-08[e] (RP)	-	-	-	-	-	-	77	-	-	-	-	-	-	-
	10/31/2008 (LF)	<1000[g]	1,920	<100[g]	3,460	<100[g]	<100	110	<500[g]	5,480	4,720	221	<100[g]	<100[g]	<300[g]
MW-15	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	2.1	<1.0	<1.0	<1.0	<1.0	<3.0
MW-16	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
MW-18	Sep-Oct 1994[c]	<25[j]	<5.0[j]	<5.0[j]	<5.0[j]	<5.0[j]	<5.0[j]	-	<5.0[j]	<5.0	<5.0[j]	<5.0	<5.0	-	7.7
	11/21/1997	<10	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1998	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1999	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/9/2000	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/6/2001	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
	11/18/2003	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/9/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2006	<10.0[k]	<1.00[k]	<1.00[k]	<2.00[k]	<1.00[k]	<1.00[k]	<2.0[k]	22.0[k]	<1.00[k]	<1.00[k]	<1.00[k]	<1.00[k]	<1.00[k]	<3.00[k]
	10/9/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/29/2008(LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	u	u	u	u	u	u	u	u	u	u	u	u	u	u

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2- DCE	trans-1,2- DCE	1,4- Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
MW-19	Sep-Oct 1994[c]	<25	130	<5.0	140	150	<5.0	-	<5.0	1,600[d]	900	18	170	-	<5.0
	11/21/1997	<20	77.8	<1.0	13.9	78.1	3.5	-	<10	180	96	5.6	49.4	-	<3.0
	11-21-97[e]	<20	80.2	<1.0	20.3	79.3	4.1	-	<10	190	120	5.3	52.5	-	<3.0
	10/20/1998	<20	57.2	<1.0	24.5	88.3	2.2	-	<10	206	163	6.6	55.2	-	<3.0
	10/20/1999	<20	58.8	<1.0	43.4	106	2.1	-	<10	374	220	7.1	73.4	-	<3.0
	11/9/2000	<20	35.6	<1.0	10	17.9	<1.0	-	<5.0	213	30.6	<1.0	21.9	-	<3.0
	11/6/2001	<20	9.6	<1.0	7.9	13.2	<1.0	-	<5.0	187	45.4	1	14.8	-	<3.0
	10/22/2002	<20	5.1	<1.0	5	8.9	<1.0	-	<5.0	130	38.9	<1.0	11.2	<1.0	<3.0
	11/18/2003	<20.0	11.7	<1.00	21.9	19.7	<1.00	14.6	<5.00	235	101	1.28	24.3	<1.00	<3.00
	11/9/2004	<20.0	2.8	<1.00	5.77	4.72	<1.00	9.4	<5.00	129	26.3	<1.00	9.23	<1.00	<3.00
	11-09-04[e]	<20.0	2.7	<1.00	5.41	4.77	<1.00	9.8	<5.00	122	26.2	<1.00	9.75	<1.00	<3.00
	11/16/2005	<20.0	2.15	<1.00	3.45	3.19	<1.00	<6	<5.00	76.4	15.4	<1.00	4.76	<1.00	<3.00
	11-16-05[e]	<20.0	2.33	<1.00	3.69	3.24	<1.00	<6	<5.00	73.4	15.3	<1.00	4.76	<1.00	<3.00
	11/17/2006	<10.0	5.97	<1.00	9.85	7.41	<1.00	17	<5.00	124	32.7	<1.00	8.75	<1.00	<3.00
	10/10/2007	<10.0	<1.00	<1.00	6.31	1.98	<1.00	5	<5.00	64.5	2.66	<1.00	3.52	<1.00	<3.00
	10/10/2007	<10.0	<1.00	<1.00	6.49	1.75	<1.00	5.1	<5.00	67.2	2.46	<1.00	3.37	<1.00	<3.00
	10/29/2008(LF)	<10.0	1.12	<1.00	2.05	1.27	<1.00	<2.0	<5.00	40	7.66	<1.00	1.9	<1.00	<3.00
	10/15/2009	<10.0	1.6	<1.00	<2.00	3.41	<1.00	3.5	<5.00	38	6.83	<1.00	3.64	<1.00	<4.00
	10-15-09[e]	<10.0	1.56	<1.00	2.2	3.72	<1.00	3.1	<5.00	38.2	6.71	<1.00	4.06	<1.00	<4.00
MW-20	Sep-Oct 1994[c]	<25	70	<5.0	110	90	<5.0	-	<5.0	1,800	760	20	26	-	<5.0
	11/21/1997	<200[g]	130	<10[g]	70	230	<10[g]	-	<100[g]	1,020	316	14.4	38.2	-	<30[g]
	10/20/1998	<20	77.6	<1.0	61.2	221	4.6	-	<10	1,450	304	11.4	51.2	-	<3.0
	10-20-98[e]	<20	68.8	<1.0	73.4	219	3.2	-	<10	1,490	307	11.7	50.9	-	<3.0
	10/20/1999	<40	58.9	<2.0	47.5	148	<2.0	-	<20	957	192	7.8	34.7	-	<6.0
	10-20-99[e]	<20	68.3	<1.0	57.7	168	1.8	-	<10	1,200	233	8.1	42.2	-	<3.0
	11/9/2000	<20	74.1	<1.0	54.2	275	6.6	-	<5.0	915	222	7.1	48.6	-	<3.0
	11/6/2001	<20	49.2	<1.0	17.1	279	3.2	-	<5.0	848	102	6.5	35.8	-	<15
	10/22/2002	<20	43.3	<1.0	33	182	3.2	-	<5.0	1,330	168	6.3	46.8	<1.0	<3.0
	10-22-02[e]	<20	33	<1.0	47.7	182	2.3	-	<5.0	1,250	216	5.9	56.4	<1.0	<3.0
	11/19/2003	<20.0	57.4	<1.00	45.9	158	3.9	32.5	<5.00	1,080	143	4.85	39.8	<1.00	<3.00
	11-19-03[e]	<20.0	64.9	<1.00	57.3	176	4.03	43.8	<5.00	1,090	166	5.02	45.7	<1.00	<3.00
	11/10/2004	<20.0	47.9	<1.00	40.5	124	4.45	90.9	<5.00	590	121	3.84	31.7	<1.00	<3.00
	11/16/2005	<20.0	47.7	<1.00	50.6	140	3.4	<30	<5.00	967	163	3.57	42.5	<1.00	<3.00
	11/17/2006	<10.0	41.1	<1.00	36.2	107	6.39	83	<5.00	642	102	3.1	30.4	1.81	<3.00
	10/10/2007	<10.0	27.2	<1.00	62.8	90.4	5.39	66	<5.00	582	45.3	2.69	29.3	2.96	<3.00
	10/30/2008 (PD)	<50.0	15.8	<5.00	10.6	41.4	<5.00	-	<25[g]	88.8	25.9	<5.00	8.7	<5.00[g]	<15.0[g]
	10/30/08 (RP)	-	-	-	-	-	-	64	-	-	-	-	-	-	-
	10/30/08 (LF)	<50.0	27.6	<5.00	25.3	71.6	<5.00	54	<25[g]	535	65.8	<5.00	23.2	<5.00[g]	<15.0[g]
	10/15/2009	<10.0	26.5	<1.00	21	57.4	2.37	39	<5.00	408	67	1.65	21.7	<1.00	<4.00

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2- DCE	trans-1,2- DCE	1,4- Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
MW-29	10/22/2002	<20	<1.0	<1.0	<2.0	3.5	<1.0	-	<5.0	6.1	1.1	<1.0	4.3	<1.0	<3.0
MW-R30	10/22/2002	<20	<1.0	<1.0	<2.0	2.8	<1.0	-	<5.0	1.4	<1.0	<1.0	<1.0	<1.0	<3.0
	11/17/2003	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/9/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2005	<20.0	<1.00	<1.00	<2.00	1.47	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/14/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/9/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/29/2008 (PD)	<10.0[r]	<1.00	<1.00	<2.00	2.06	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/29/2008 (LF)	<10.0[r]	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	10.2	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	63.6	3.07	<1.00	37.6[t]	<1.00	<4.00
MW-31	Sep-Oct 1994[c]	<25	<5.0	<5.0	<5.0	8.3	<5.0	-	<5.0	36	25	<5.0	19	-	<5.0
	11/21/1997	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1998	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/20/1999	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/9/2000	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/6/2001	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
	11/17/2003	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/8/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/16/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/8/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/27/2008 (PD)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/27/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	11.3	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	<10.0	<1.00	<1.00	<2.00[r]	<1.00	<1.00	-	<5.00	5.72	<1.00	<1.00	<1.00	<1.00	<4.00
MW-32	Sep-Oct 1994[c]	<25	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	<5.0	<5.0	<5.0	-	<5.0
	11/21/1997	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	220	<1.0	<1.0	<1.0	-	<3.0
	10/20/1999	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/6/2001	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	1.9[m]	<1.0	<1.0	<1.0	-	<3.0
	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
	11/8/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/14/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/28/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2-DCE	trans-1,2-DCE	1,4-Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
MW-33	11/15/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<5.19	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/8/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/28/2008 (PD)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/28/2008 (RP)	-	-	-	-	-	-	<2.0	-	-	-	-	-	-	-
	10/28/2008(LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00[q]	<2.0	<5.00	19.9	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	3.18	<1.00	<1.00	<1.00	<1.00	<4.00
Trip Blank	11/21/1997	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	1.2[n]	<1.0	<1.0	<1.0	-	<3.0
	10/20/1998	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<10	<1.0	<1.0	<1.0	<1.0	-	<3.0
	11/6/2001	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	-	<3.0
	10/22/2002	<20	<1.0	<1.0	<2.0	<1.0	<1.0	-	<5.0	<1.0	<1.0	<1.0	<1.0	<1.0	<3.0
	11/8/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/10/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/16/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<5.19	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0[f]	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/8/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	[o]	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/10/2008[p]	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/27/2008	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00[q]	<2.0	10.7[s]	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/29/2008	<10.0[r]	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	9.81[s]	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00

TABLE 5

GROUNDWATER ANALYTICAL RESULTS (µg/L)

Monitoring Well	Date	Acetone	1,1- DCA	1,2- DCA	1,1- DCE	cis-1,2-DCE	trans-1,2-DCE	1,4-Dioxane	Methylene Chloride	PCE	1,1,1- TCA	1,1,2- TCA	TCE	Vinyl Chloride	Total Xylenes
MCL[a]		5,500[b]	810[b]	5	7	70	100	6.1[b]	5	5	200	5	5	2	10
Equipment Blank	11/18/2003	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/8/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/9/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/10/2004	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	**12.9**	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/16/2005	<20.0	<1.00	<1.00	<2.00	<1.00	<1.00	<6	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/13/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<5.19	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/14/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<5.19	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/15/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	11/17/2006	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/8/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	1.05	<1.00	<1.00	<1.00	<1.00	<3.00
	10/9/2007	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/10/2008[p] (PD)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	-	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/10/2008[p] (RP)	-	-	-	-	-	-	<2.0	-	-	-	-	-	-	-
	10/27/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/28/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/29/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/30/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/31/2008 (LF)	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<3.00
	10/15/2009	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00
	10/15/2009	<10.0	<1.00	<1.00	<2.00	<1.00	<1.00	<2.0	<5.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00

Notes:

a Bold data values are above MCL.
b Region 9 Preliminary Remediation Goal.
c Harding Lawson Associates.
d Estimated result.
e Duplicate.
f Analyte detected in associated method blank. Sample rerun, but past holding time.
g Detection limited by laboratory dilution ratio.
h Only one duplicate required for 1,4-dioxane samples.
i Reporting limit elevated due to matrix interferences.
j Estimated quantitation limit.
k Holding time exceedance.
l Analysis not required per November 2, 2005, e-mail correspondence from Spencer Dulaney of United States Environmental Protection Agency (USEPA) to James Aycock of USEPA.
m Possible carryover from previous sample at laboratory.
n Suspected to be carryover from sample analyzed immediately prior.
o Not analyzed.
p Collected during initial installation of PD and RP samplers
q Calibration verification recovery outside the method control limits.
r Laboratory control sample was outside acceptance criteria.
s Common lab contaminant.
t MS/MSD were outside control limits.
u Not enough water volume in well to sample.

µg/L = Micrograms per liter.
1,1-DCA = 1,1-Dichloroethane.
1,2-DCA = 1,2-Dichloroethane.
1,1-DCE = 1,1-Dichloroethene.
cis-1,2-DCE = cis-1,2-Dichloroethene.
trans-1,2-DCE = trans-1,2-Dichloroethene.
PCE = Tetrachloroethene.
1,1,1-TCA = 1,1,1-Trichloroethane.
1,1,2-TCA = 1,1,2-Trichloroethane.
TCE = Trichloroethene.
MCL = Maximum contaminant level.
LF = Low-flow sampling method
PD = Polyethylene diffusion bag sampler
RP = Rigid porous polyethylene sampler

TABLE 6

RELATIVE PRECENT DIFFERENCES
CONSTITUENT CONCENTRATIONS IN MW-19 AND RESPECTIVE DUPLICATE

Analyte	MW-19 (LF) (µg/L)	Duplicate (µg/L)	RPD (%)
Acetone	<10.0	<10.0	N/A
1,1-Dichloroethane	1.6	1.56	3
1,2-Dichloroethane	<1.00	<1.00	N/A
1,1-Dichloroethene*	2	2.2	-10
cis-1,2-Dichloroethene	3.41	3.72	-9
trans-1,2-Dichloroethene	<1.00	<1.00	N/A
1,4-Dioxane	3.5	3.1	12
Methylene Chloride	<5.00	<5.00	N/A
Tetrachloroethene	38	38.2	-1
1,1,1-Trichloroethane	6.83	6.71	2
1,1,2-Trichloroethane	<1.00	<1.00	N/A
Trichloroethene	3.64	4.06	-11
Vinyl Chloride	<1.00	<1.00	N/A
Total Xylenes	<4.00	<4.00	N/A

Notes:

*	Actual value for MW-19 is <2.00
RPD	= Relative percent difference.
(µg/L)	= Micrograms per liter.
NA	= Not applicable.
%	= Percent.
LF	= Low flow sampling method

FIGURES



FIGURE 1

SHALLOW GROUNDWATER FLOW
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (950.67) SHALLOW GROUNDWATER ELEVATION IN FEET NGVD
- SHALLOW GROUNDWATER ELEVATION CONTOUR
- INFERRED DIRECTION OF GROUNDWATER FLOW
- COLLECTION TRENCH (WATER ELEVATION 937.47 MEASURE ON 10/15/09)

G:\EGLPT\10\10-233\10-233 Base.dwg, 1

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



ug/L	MICROGRAMS PER LITER
BQL	ALL CONSTITUENTS BELOW QUANTITATION LIMIT
ACE	ACETONE
1,1-DCA	1,1-DICHLOROETHANE
1,1-DCE	1,1-DICHLOROETHENE
1,2-DCA	1,2-DICHLOROETHANE
c-1,2-DCE	CIS-1,2-DICHLOROETHENE
t-1,2-DCE	TRANS-1,2-DICHLOROETHENE
1,4-DO	1,4-DIOXANE
MC	METHYLENE CHLORIDE
NA	NOT ANALYZED
PCE	TETRACHLOROETHENE
1,1,1-TCA	1,1,1-TRICHLOROETHANE
1,1,2-TCA	1,1,2-TRICHLOROETHANE
TCE	TRICHLOROETHENE
VC	VINYL CHLORIDE
XYL	XYLENES

LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- PCE 19.9 VOLATILE ORGANIC COMPOUND CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) INDICATES RESULTS FROM DUPLICATE SAMPLE

FIGURE 2

GROUNDWATER ANALYTICAL RESULTS ABOVE QUANTITATION LIMIT OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 2

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,1-DICHLOROETHANE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 3

SHALLOW GROUNDWATER 1,1-DICHLOROETHANE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 3

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,2-DICHLOROETHANE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L

FIGURE 4

SHALLOW GROUNDWATER 1,2-DICHLOROETHANE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 4

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,1-DICHLOROETHENE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 5

SHALLOW GROUNDWATER 1,1-DICHLOROETHENE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 5

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) CIS-1,2-DICHLOROETHENE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 6

SHALLOW GROUNDWATER CIS-1,2-DICHLOROETHENE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

G:\EGLPT\10\10-233\10-233 Base.dwg, 6

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,4-DIOXANE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 7

SHALLOW GROUNDWATER 1,4-DIOXANE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 7

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) METHYLENE CHLORIDE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L

FIGURE 8

SHALLOW GROUNDWATER METHYLENE CHLORIDE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 8

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) TETRACHLOROETHENE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 9

SHALLOW GROUNDWATER TETRACHLOROETHENE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 9

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,1,1-TRICHLOROETHANE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 10

SHALLOW GROUNDWATER 1,1,1-TRICHLOROETHANE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 10

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) 1,1,2-TRICHLOROETHANE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 11

SHALLOW GROUNDWATER 1,1,2-TRICHLOROETHANE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 11

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) TRICHLOROETHENE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L
- (20) ISO-CONCENTRATION CONTOUR

FIGURE 12

SHALLOW GROUNDWATER TRICHLOROETHENE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 12

© 2010 FEHR-GRAHAM & ASSOCIATES





LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- (27.2) VINYL CHLORIDE CONCENTRATION DETECTED IN GROUNDWATER, SHOWN IN ug/L

FIGURE 13

SHALLOW GROUNDWATER VINYL CHLORIDE CONCENTRATIONS OCTOBER 15, 2009 SAUER-DANFOSS FACILITY AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 13

© 2010 FEHR-GRAHAM & ASSOCIATES



LEGEND

- SHALLOW MONITORING WELL
- DEEP MONITORING WELL

FIGURE 14

CROSS SECTION MAP
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 14

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A–A



CROSS SECTION B–B



CROSS SECTION C–C

FIGURE 15

HYDROGEOLOGIC PROFILE
1,1–DICHLOROETHANE CONCENTRATIONS
OCTOBER 15, 2009
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 15

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

© 2010 FEHR–GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 16

HYDROGEOLOGIC PROFILE
1,2-DICHLOROETHANE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 16

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 17

HYDROGEOLOGIC PROFILE
1,1-DICHLOROETHENE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 17

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 18

HYDROGEOLOGIC PROFILE
CIS-1,2-DICHLOROETHENE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 18

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 19

HYDROGEOLOGIC PROFILE
1,4-DIOXANE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 19

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A–A



CROSS SECTION B–B



CROSS SECTION C–C

FIGURE 20

HYDROGEOLOGIC PROFILE
METHYLENE CHLORIDE CONCENTRATIONS
OCTOBER 15, 2009
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 20

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

© 2010 FEHR–GRAHAM & ASSOCIATES



CROSS SECTION A–A



CROSS SECTION B–B



CROSS SECTION C–C

FIGURE 21

HYDROGEOLOGIC PROFILE
TETRACHLOROETHENE CONCENTRATIONS
OCTOBER 15, 2009
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 21

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR–GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 22

HYDROGEOLOGIC PROFILE
1,1,1-TRICHLOROETHANE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 22

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A–A



CROSS SECTION B–B



CROSS SECTION C–C

FIGURE 23

HYDROGEOLOGIC PROFILE
1,1,2–TRICHLOROETHANE CONCENTRATIONS
OCTOBER 15, 2009
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 23

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR–GRAHAM & ASSOCIATES



CROSS SECTION A-A



CROSS SECTION B-B



CROSS SECTION C-C

FIGURE 24

HYDROGEOLOGIC PROFILE
TRICHLOROETHENE CONCENTRATIONS
OCTOBER 15, 2009
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 24

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR-GRAHAM & ASSOCIATES



CROSS SECTION A–A



CROSS SECTION B–B



CROSS SECTION C–C

FIGURE 25

HYDROGEOLOGIC PROFILE
VINYL CHLORIDE CONCENTRATIONS
OCTOBER 15, 2009
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

LEGEND

* GEOLOGIC PROFILE UNKNOWN

<1.00 CONCENTRATION IN ug/L

LEGEND

SCALE: HORZ. 1" = 200'
VERT. 1" = 50'

G:\EGLPT\10\10-233\10-233 Base.dwg, 25

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

© 2010 FEHR-GRAHAM & ASSOCIATES



FIGURE 26

1,1–DCA CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184–003625

G:\EGLPT\10\10–233\10–233 Base.dwg, 26

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 27

1,1–DCE CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

G:\EGLPT\10\10-233\10-233 Base.dwg, 27

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 28

CIS-1,2-DCE CONCENTRATIONS
SAUER-DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

G:\EGLPT\10\10-233\10-233 Base.dwg, 28

© 2010 FEHR-GRAHAM & ASSOCIATES



FIGURE 29

PCE CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

G:\EGLPT\10\10-233\10-233 Base.dwg, 29

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 30

1,1,1–TCA CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

G:\EGLPT\10\10-233\10-233 Base.dwg, 30

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 31

1,1,2–TCA CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003625

G:\EGLPT\10\10-233\10-233 Base.dwg, 31

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 32

TCE CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

G:\EGLPT\10\10-233\10-233 Base.dwg, 32

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR–GRAHAM & ASSOCIATES



FIGURE 33

VINLY CHLORIDE CONCENTRATIONS
SAUER–DANFOSS FACILITY
AMES, IOWA

02/24/10

G:\EGLPT\10\10-233\10-233 Base.dwg, 33

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525

© 2010 FEHR–GRAHAM & ASSOCIATES

ATTACHMENTS

ATTACHMENT 1

2009 Semiannual Remedial System Maintenance Memorandums

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Civil • Surveying • EHS • Municipal • IT

MEMORANDUM

TO: **Tod Strudthoff**

FROM: **Ken Thompson**

SUBJECT: SEMIANNUAL REMEDIAL SYSTEM MAINTENANCE, 09-233

DATE: June 7, 2009

Semiannual groundwater remedial system maintenance was conducted on June 4, 2009, by FGA and Mechanical Comfort personnel. Maintenance activities are summarized below:

- Operation of the standpipe level sensor was confirmed in the manual operating mode by closing the valve on the standpipe and filling the standpipe with water. The pump was deactivated once the water level reached the level sensor.

- The transducer installation was measured at 19 feet, 3 inches (bottom of sensor to top of casing pipe, which is marked with a white plastic zip tie around the sensor cable), equal to the original installed depth of 19 feet, 3 inches.

- The sump water level was measured at 19.00 feet above the bottom of the transducer, using a water level probe. The corresponding reading displayed by the computer controller was 9.58 feet. Mechanical Comfort could not recalibrate the computer controller to correct the 9.42 foot difference between the measured water level and that displayed by the computer controller. Further investigation found that the 4-20 mili-amps signal was reading 13 mili-amps at the sump and 7 mili-amps at the control panel was drifting and would not stabilize. The dry electrical junction box near the sump was found to have water in it Mechanical Comfort feel that the signal wire has been damaged or has deteriorated over time and needs to be replaced.

- The sump was probed for sediment with a water level probe. The sump depth, as measured from the sump cover, was 22.30 feet, 2.00 feet less than the original measurement in January 1998 (24.30 feet). The bottom of the sump is currently 1.00 foot below the incoming interception trench drainage pipe (21.30 feet).

- The inside and outside air temperatures displayed by the computer controller were confirmed using a Fluke 87 RMS multimeter. The inside air temperature was measured at 65.0 degrees Fahrenheit, compared with a computer controller reading of 65.1 degrees Fahrenheit. The outside air temperature was measured at 64.0 degrees Fahrenheit, compared with a computer controller reading of 61.1 degrees Fahrenheit.

- The water temperature was measured at 50.9 degrees Fahrenheit with a thermometer, compared with a computer controller reading of 50.1 degrees Fahrenheit.

Mechanical Comfort was directed to further investigate the problem and make the proper repairs to the system based on this semiannual maintenance event. The next semiannual maintenance will be conducted during the 4th quarter of 2009.

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Civil • Surveying • EHS • Municipal • IT

MEMORANDUM

TO: **Gary Erickson**

FROM: **Ken Thompson**

SUBJECT: SEMIANNUAL REMEDIAL SYSTEM MAINTENANCE, 09-233

DATE: November 24, 2009

Semiannual groundwater remedial system maintenance was conducted on November 19, 2009, by FGA and Mechanical Comfort, Inc. personnel. Maintenance activities are summarized below:

- Operation of the standpipe level sensor was not tested during this site visit as the groundwater remedial system waste line had been re-routed and the water level sensor was not moved to the new location, this issue was discussed with plant personnel and management. FGA was assured that level sensor would be relocated as well.

- The transducer installation was measured at 19 feet, 6 inches (bottom of sensor to top of casing pipe, which is marked with a white plastic zip tie around the sensor cable), 3 inches greater than the original installed depth of 19 feet, 3 inches.

- The sump water level was measured at 6.0 feet above the bottom of the transducer, using a water level probe. The corresponding reading displayed by the computer controller was 6.3 feet. The computer controller was not recalibrated to correct the 3-inch difference between the measured water level and that displayed by the computer controller.

- The sump was probed for sediment with a water level probe. The sump depth, as measured from the sump cover, was 22.40 feet, 1.90 feet less than the original measurement in January 1998 (24.3 feet). The bottom of the sump is currently 0.75 feet below the incoming interception trench drainage pipe (21.3 feet).

- The inside and outside air temperatures displayed by the computer controller were confirmed using a Fluke 87 RMS multimeter. The inside air temperature was measured at 70.0 degrees Fahrenheit, compared with a computer controller reading of 79.0 degrees Fahrenheit. The outside air temperature was measured at 45.8 degrees Fahrenheit, compared with a computer controller reading of 42.8 degrees Fahrenheit. The controller was adjusted 3 degrees to match outside air temperature.

- The water temperature was measured at 53.0 degrees Fahrenheit with a thermometer, compared with a computer controller reading of 54.1 degrees Fahrenheit.

No adjustments or repairs other than the relocation of the standpipe level sensor are recommended based on this semiannual maintenance event. The next semiannual maintenance will be conducted during the first quarter of 2010.

I:\Documents\2009\09-233\Semiannual Maintenance Memos\2009\Memo-11-19-09 Semiannual Maintenance 4th Q.doc

ATTACHMENT 2

2009 Quarterly Monitoring Reports

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

April 7, 2009

FILE COPY

Mr. Tod Strudthoff
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 1st Quarter 2009

Dear Mr. Strudthoff:

Enclosed please find three copies of the above-referenced documents. Please review for completeness and accuracy, and if satisfactory sign and date where indicated. The original set, along with the enclosed cover letter, should be forwarded to the Water and Pollution Control Department for the City of Ames. For your convenience, certified mailing labels are enclosed. Retain one copy for your records and return the final copy to my attention.

If you have any questions regarding the enclosed documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 1st Qrtr Wastewater to City of Ames.doc
Enclosure

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

CERTIFIED MAIL NO. 7008 0150 0001 0180 7954
RETURN RECEIPT REQUESTED

FILE COPY

April 8, 2009

City of Ames, Iowa
Water and Pollution Control Department
300 East Fifth Street, Building 1
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 1st Quarter 2009
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010
Facility Permit No. 6593-7

Dear Sir/Madam:

Enclosed, please find the Non-Domestic Waste Pretreatment Program Quarterly Report for wastewater discharge from the above-referenced facility for the 1st quarter of 2009. Also enclosed are copies of the analytical reports from Keystone Labs and Test America for the analysis of wastewater and groundwater remediation respectively.

Should you have any questions regarding these documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 1st Qrtr Wastewater to City of Ames.doc
Enclosure

cc: Tod Strudthoff, Sauer-Danfoss (w/enc.)

Non-Domestic Waste Pretreatment Program
Quarterly Report
(Non-Significant, Non-Domestic Contributor)
1st Quarter 2009
Reporting Period: January 1, 2009 to March 31, 2009
Submit results on or before the 10th of the month following the end of the quarter

Facility: Sauer-Danfoss
Permit No: 6593-7
Facility Contact: Tod Strudthoff
Facility Phone No: 239-6242
Sampling Location: Front Parking Lot North Manhole (Wastewater)/On-Site Wastewater Treatment Sample Port (GW Remediation)
Sample Type: Grab & 24 Hour Composite
Sample Date: **2.13.09 (GW Remediation)/2.11.09 (Wastewater)**

Analyte	Permit Limit Mg/L	Sample Results Mg/L
Facility	Sauer Danfoss 2800 East 13th	
Flow	Gals/Day	30,510
pH	6-10 pH	8.8
TSS	1,500	395
Cyanide	0.55	0.02
Ammonia (NH3)	200	37.7
Total Kjeldahl Nitrogen (TKN)	250	68
Oil & Grease	300	46
CBOD 5	1,500	261
COD.	2,500	802
Molybdenum	0.19	0.083
GW remediation	**Max Expected Concentration g/L**	**Sample Results g/L**
Flow (remediation)	Gals/Qrtr	81,332
Acetone	44	0.00028
1,1-Dichloroethane	370	0.0000086
1,1-Dichloroethene	170	0.000017
cis- 1,2-Dichloroethane	490	<0.000001
Tetrachloroethene	1700	0.00039
1,1,1-Trichloroethane	650	0.000059
Trichloroethene	110	0.000021
Total Xylenes	11	0.0000055

Note: Please attach sample results from Laboratory

Process or Treatment Change: None

Additional Comments:
1. Beginning with 1st Quarter 2009, Fehr-Graham and Associates will direct groundwater remediation project for Sauer-Danfoss.
2. Note new facility Contact Person.
3. Monthly flow data for GW Remediation is attached.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person (s) who manage the system, or those persons directly responsible for gathering the information, the information is, the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signed Tod Strudthoff
Authorized Representative

Date Apr. 10, 2009

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-17124-1

SDG Number: 500-17124-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
1920 Daimler Road
Rockford, IL 61112

Attention: Ms. Erin Jarrett

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
2/19/2009 2:29 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
02/19/2009

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60466
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Job Narrative
500-J17124-1

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-17124-1	**25560-1Q2009**				
1,1-Dichloroethene		0.017	0.0010	mg/L	8260B
Acetone		0.28	0.10	mg/L	8260B
1,1-Dichloroethane		0.0086	0.0010	mg/L	8260B
1,1,1-Trichloroethane		0.059	0.0010	mg/L	8260B
Trichloroethene		0.021	0.0010	mg/L	8260B
Tetrachloroethene		0.39	0.020	mg/L	8260B
Xylenes, Total		0.0055	0.0020	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Method	Analyst	Analyst ID
SW846 8260B	Swaney, Garth E	GES

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-17124-1	25560-1Q2009	Water	02/13/2009 1300	02/14/2009 1000

SAMPLE RESULTS

Ms. Erin Jarrett
Fehr-Graham & Associates
1920 Daimler Road
Rockford, IL 61112

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Client Sample ID: 25560-1Q2009
Lab Sample ID: 500-17124-1

Date Sampled: 02/13/2009 1300
Date Received: 02/14/2009 1000
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	02/16/2009 1550		
Prep Method: 5030B		Date Prepared:	02/16/2009 1550		
1,1-Dichloroethene	0.017	mg/L	0.00022	0.0010	1.0
1,1-Dichloroethane	0.0086	mg/L	0.00018	0.0010	1.0
1,1,1-Trichloroethane	0.059	mg/L	0.00023	0.0010	1.0
1,2-Dichloroethane	<0.0010	mg/L	0.00022	0.0010	1.0
Trichloroethene	0.021	mg/L	0.00020	0.0010	1.0
Xylenes, Total	0.0055	mg/L	0.00033	0.0020	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125		
Toluene-d8 (Surr)	95	%	75 - 120		
4-Bromofluorobenzene (Surr)	103	%	75 - 120		
Dibromofluoromethane	100	%	75 - 120		
Method: 8260B Run Type: DL		Date Analyzed:	02/16/2009 1615		
Prep Method: 5030B		Date Prepared:	02/16/2009 1615		
Acetone	0.28	mg/L	0.024	0.10	20
Tetrachloroethene	0.39	mg/L	0.0028	0.020	20
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125		
Toluene-d8 (Surr)	94	%	75 - 120		
4-Bromofluorobenzene (Surr)	101	%	75 - 120		
Dibromofluoromethane	95	%	75 - 120		

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-58078					
LCS 500-58078/23	Lab Control Spike	T	Water	8260B	
MB 500-58078/22	Method Blank	T	Water	8260B	
500-17124-1	25560-1Q2009	T	Water	8260B	
500-17124-1DL	25560-1Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID.	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-17124-1	25560-1Q2009	109	95	103	100
500-17124-1 DL	25560-1Q2009 DL	107	94	101	95
MB 500-58078/22		103	94	102	93
LCS 500-58078/23		102	99	99	97

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Method Blank - Batch: 500-58078

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-58078/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/16/2009 1155
Date Prepared: 02/16/2009 1155

Analysis Batch: 500-58078
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18m0216.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1-Dichloroethene	<0.0010		0.00022	0.0010
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103	70 - 125
Toluene-d8 (Surr)	94	75 - 120
4-Bromofluorobenzene (Surr)	102	75 - 120
Dibromofluoromethane	93	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Control Spike - Batch: 500-58078

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-58078/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/16/2009 1220
Date Prepared: 02/16/2009 1220

Analysis Batch: 500-58078
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5975N
Lab File ID: 18s02136.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1-Dichloroethene	0.0250	0.0192	77	55 - 121	
Acetone	0.0250	0.0179	72	10 - 175	
1,1-Dichloroethane	0.0250	0.0207	83	69 - 120	
1,1,1-Trichloroethane	0.0250	0.0222	89	68 - 125	
1,2-Dichloroethane	0.0250	0.0230	92	71 - 120	
Trichloroethene	0.0250	0.0225	90	69 - 120	
Tetrachloroethene	0.0250	0.0240	96	65 - 120	
m&p-Xylene	0.0500	0.0456	91	78 - 120	
o-Xylene	0.0250	0.0228	91	79 - 120	
Xylenes, Total	0.0750	0.0684	91	78 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	70 - 125
Toluene-d8 (Surr)	99	75 - 120
4-Bromofluorobenzene (Surr)	99	75 - 120
Dibromofluoromethane	97	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Chain of Custody Record

500-17124

Project Number : 09-233 Sauer Danfoss

Turnaround Time (cirle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (cirle one) Mail / Fax / Email

Deliver Report To : (check one)

[ ] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4632 fax
aschlosser@fehr-graham.com e-mail

[X] 1920 Deimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
elarrell@fehr-graham.com e-mail

Internal Routing To : ERIN JARRETT

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Cooler Sealed Y or N
Comments:

Page 1 of 1

Retain Samples: Y / N

Sampled By: Dan Stoehr/Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	Number and type of containers: HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's Method 8260 See Attached Sheet For Reporting Requests					
25560 - 1Q2009	2/13/2009	1pm		X	3						Groundwater Effluent	X					

Relinquished By: Dennis Stoehr	Date: 2.13.09	Time: 2pm	Received By:	Date: 2/14/09	Time: 1000
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

500-17124

Fehr-Graham & Associates
Project: 09-233
Sample ID: 25560 – 1Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on 2-13-09
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
SDG Number: 500-17124-1

Login Number: 17124
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.7
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Fehr-Graham & Associates
Project: 09-233
Sample ID: 25560 – 1Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on 2-13-09
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

Sauer-Danfoss (Ames, IA)
Groundwater Remediation Flow Data

January 2009 Flow (Gals)		3,795
February 2009 Flow (Gals)		71,449
March 2009 Flow (Gals)		6,088
Total flow (gals) 1st Quarter:	**81,332**	
	904	**gpd**

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

ANALYTICAL REPORT

February 25, 2009

Work Order: 19B0451

Report To	Work Order Information
Gerald Edgar	Date Received: 02/11/2009 11:50AM
Sauer-Danfoss	Collector: Pryke
2800 E. 13th St.	Phone: (515) 239-6000
Ames, IA 50010	PO Number:

Project : Quarterly Waste Pretreatment

Project Number: Pretreatment

Analyte	Result	MRL	Batch	Method	Analyst	Analyzed	Qualifier
19B0451-01 Front Parking Lot North Manhole				Matrix:Water		Collected: 02/11/09 08:50	
CBOD (5 day)	261 mg/l	4	1B91123	SM 5210 B	JRP	02/11/09 13:00	
Cyanide, total	0.020 mg/l	0.007	1B91614	SM 4500CN-E	DRB	02/16/09 8:44	
Chemical Oxygen Demand	802 mg/l	100	1B92010	EPA 410.4	WAS	02/20/09 14:14	
Nitrogen, Ammonia	37.7 mg/l	1.0	1B91704	SM 4500-NH3 B,E	SAI	02/17/09 14:30	
Oil/Grease, animal/vegetable	42 mg/l	9	1B91808	EPA 1664	DRB	02/18/09 8:58	
Oil/Grease, petroleum	<9 mg/l	9	1B91808	EPA 1664	DRB	02/18/09 8:58	
Oil and Grease	46 mg/l	9	1B91808	EPA 1664	DRB	02/18/09 8:58	
pH	8.8 pH	0.5	1B91026	SM 4500 H+ B	TMR	02/11/09 16:14	I-03
Nitrogen, Kjeldahl, total	68 mg/l	10	1B91916	SM 4500-N ORG	SAI	02/20/09 16:24	
Solids, total suspended	395 mg/l	10	1B91805	USGS I-3765-85	LJG	02/18/09 8:40	
Molybdenum, total	0.083 mg/l	0.010	1B91210	EPA 200.7	RVV	02/16/09 17:36	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 18J0131 - 1J80152										
Cal Standard (18J0131-CAL1)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.00000						
Cal Standard (18J0131-CAL2)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.00500000						
Cal Standard (18J0131-CAL3)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.0200000						
Cal Standard (18J0131-CAL4)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.0400000						
Cal Standard (18J0131-CAL5)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.0800000						
Cal Standard (18J0131-CAL6)				Prepared: 10/01/08 Analyzed: 10/03/08						
Cyanide, total	0.00		mg/l	0.160000						
Batch 19B0622 - 1B90409										
Cal Standard (19B0622-CAL1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	2.70		mg/l	0.00000						
Cal Standard (19B0622-CAL2)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	8.82		mg/l	10.0000		88.2				
Cal Standard (19B0622-CAL3)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	18.1		mg/l	20.0000		90.7				

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

February 25, 2009

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B0622 - 1B90409										
Cal Standard (19B0622-CAL4)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	73.5		mg/l	75.0000		98.0				
Cal Standard (19B0622-CAL5)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	103		mg/l	100.000		103				
Cal Standard (19B0622-CAL6)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	149		mg/l	150.000		99.4				
Calibration Check (19B0622-CCV1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	75.1		mg/l	75.0000		100	80-120			
Batch 19B1606 - 1B91614										
Calibration Check (19B1606-CCV1)				Prepared & Analyzed: 02/16/09						
Cyanide, total	0.046		mg/l	0.0500000		93.0	90-110			
Calibration Check (19B1606-CCV2)				Prepared & Analyzed: 02/16/09						
Cyanide, total	0.046		mg/l	0.0500000		93.0	90-110			
Instrument Blank (19B1606-IBL1)				Prepared & Analyzed: 02/16/09						
Cyanide, total	ND	0.007	mg/l							
Instrument Blank (19B1606-IBL2)				Prepared & Analyzed: 02/16/09						
Cyanide, total	ND	0.007	mg/l							
Initial Cal Check (19B1606-ICV1)				Prepared & Analyzed: 02/16/09						
Cyanide, total	0.046		mg/l	0.0500000		92.6	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

February 25, 2009

Work Order: 19B0451

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B1606 - 1B91614										
Initial Cal Check (19B1606-ICV2)				Prepared & Analyzed: 02/16/09						
Cyanide, total	0.046		mg/l	0.0500000		92.6	90-110			
Batch 19B2008 - 1B92010										
Calibration Check (19B2008-CCV1)				Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	78.3		mg/l	75.0000		104	80-120			
Initial Cal Check (19B2008-ICV1)				Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	78.3		mg/l	75.0000		104	80-120			
Batch 1B91026 - Wet Chem Preparation										
Duplicate (1B91026-DUP1)		Source: 19B0357-01		Prepared: 02/10/09 Analyzed: 02/11/09						
pH	8.4	0.5	pH		8.4			0.00	10	I-03
Reference (1B91026-SRM1)				Prepared: 02/10/09 Analyzed: 02/11/09						
pH	7.0	0.5	pH	7.00000		100	98.5-101.5			I-03
Batch 1B91123 - General Prep Micro										
Blank (1B91123-BLK1)				Prepared & Analyzed: 02/11/09						
CBOD (5 day)	ND	4	mg/l							
Duplicate (1B91123-DUP1)		Source: 19B0481-02		Prepared & Analyzed: 02/11/09						
CBOD (5 day)	1800	4	mg/l		1990			10.3	28	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

February 25, 2009

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1B91123 - General Prep Micro										
Duplicate (1B91123-DUP2)		Source: 19B0482-01		Prepared & Analyzed: 02/11/09						
CBOD (5 day)	395	4	mg/l		417			5.42	28	
Reference (1B91123-SRM1)				Prepared & Analyzed: 02/11/09						
CBOD (5 day)	416	4	mg/l	416.900		99.8	84.6-115.4			
Batch 1B91614 - Wet Chem Preparation										
Blank (1B91614-BLK1)				Prepared & Analyzed: 02/16/09						
Cyanide, total	ND	0.007	mg/l							
LCS (1B91614-BS1)				Prepared & Analyzed: 02/16/09						
Cyanide, total	0.019	0.007	mg/l	0.0200000		96.7	63-138			
Matrix Spike (1B91614-MS1)		Source: 19B0150-01		Prepared & Analyzed: 02/16/09						
Cyanide, total	0.042	0.007	mg/l	0.0200000	0.021	103	60-140			
Matrix Spike Dup (1B91614-MSD1)		Source: 19B0150-01		Prepared & Analyzed: 02/16/09						
Cyanide, total	0.048	0.007	mg/l	0.0200000	0.021	130	60-140	12.0	24	
Batch 1B91704 - Wet Chem Preparation										
Blank (1B91704-BLK1)				Prepared & Analyzed: 02/17/09						
Nitrogen, Ammonia	ND	1.0	mg/l							
LCS (1B91704-BS1)				Prepared & Analyzed: 02/17/09						
Nitrogen, Ammonia	9.57	1.0	mg/l	10.0000		95.7	83-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

February 25, 2009

Work Order: 19B0451

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1B91704 - Wet Chem Preparation										
Duplicate (1B91704-DUP1)		Source: 19B0431-01		Prepared & Analyzed: 02/17/09						
Nitrogen, Ammonia	9.71	1.0	mg/l		9.85			1.43	10	
Matrix Spike (1B91704-MS1)		Source: 19B0412-02		Prepared & Analyzed: 02/17/09						
Nitrogen, Ammonia	15.6	1.0	mg/l	10.0000	5.91	97.1	73-116			
Batch 1B91805 - Wet Chem Preparation										
Blank (1B91805-BLK1)				Prepared & Analyzed: 02/18/09						
Solids, total suspended	ND	1	mg/l							
LCS (1B91805-BS1)				Prepared & Analyzed: 02/18/09						
Solids, total suspended	14.9	1	mg/l	15.0000		99.3	75-116			
Duplicate (1B91805-DUP1)		Source: 19B0597-01		Prepared & Analyzed: 02/18/09						
Solids, total suspended	219	10	mg/l		229			4.46	30	
Batch 1B91808 - Wet Chem Preparation										
Blank (1B91808-BLK1)				Prepared & Analyzed: 02/18/09						
Oil and Grease	ND	4	mg/l							
Oil/Grease, animal/vegetable	ND	4	"							
Oil/Grease, petroleum	ND	4	"							
LCS (1B91808-BS1)				Prepared & Analyzed: 02/18/09						
Oil and Grease	38	4	mg/l	40.0000		94.0	78-114			
Oil/Grease, animal/vegetable	18	4	"	20.0000		92.0	64-132			
Oil/Grease, petroleum	19	4	"	20.0000		96.0	64-132			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

February 25, 2009

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1B91808 - Wet Chem Preparation										
Matrix Spike (1B91808-MS1)		Source: 19B0477-01		Prepared & Analyzed: 02/18/09						
Oil and Grease	43	4	mg/l	39.8804	4	99.0	78-114			
Oil/Grease, animal/vegetable	24	4	"	19.9402	2	108	64-132			
Oil/Grease, petroleum	20	4	"	19.9402	1	90.5	64-132			
Matrix Spike Dup (1B91808-MSD1)		Source: 19B0477-01		Prepared & Analyzed: 02/18/09						
Oil and Grease	47	4	mg/l	39.9600	4	107	78-114	7.29	18	
Oil/Grease, animal/vegetable	26	4	"	19.9800	2	119	64-132	9.00	34	
Oil/Grease, petroleum	21	4	"	19.9800	1	95.5	64-132	5.17	34	
Batch 1B91916 - Wet Chem Preparation										
Blank (1B91916-BLK1)				Prepared: 02/19/09 Analyzed: 02/20/09						
Nitrogen, Kjeldahl, total	ND	10	mg/l							
LCS (1B91916-BS1)				Prepared: 02/19/09 Analyzed: 02/20/09						
Nitrogen, Kjeldahl, total	114	10	mg/l	120.000		94.7	90-110			
Matrix Spike (1B91916-MS1)		Source: 19B0468-01		Prepared: 02/19/09 Analyzed: 02/20/09						
Nitrogen, Kjeldahl, total	110	10	mg/l	120.000	ND	91.9	77-119			
Matrix Spike Dup (1B91916-MSD1)		Source: 19B0468-01		Prepared: 02/19/09 Analyzed: 02/20/09						
Nitrogen, Kjeldahl, total	114	10	mg/l	120.000	ND	94.7	77-119	3.02	10	
Batch 1B92010 - Wet Chem Preparation										
Blank (1B92010-BLK1)				Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	ND	10	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

February 25, 2009

Work Order: 19B0451

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1B92010 - Wet Chem Preparation										
LCS (1B92010-BS1)				Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	76.4	10	mg/l	75.0000		102	74-110			
Matrix Spike (1B92010-MS1)		Source: 19B0821-01		Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	117	10	mg/l	42.8571	84.4	77.0	60-140			
Matrix Spike Dup (1B92010-MSD1)		Source: 19B0821-01		Prepared & Analyzed: 02/20/09						
Chemical Oxygen Demand	118	10	mg/l	42.8571	84.4	78.8	60-140	0.625	26	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

February 25, 2009

Determination of Total Metals - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B1613 - 1B91324										
Calibration Blank (19B1613-CCB1)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.00310		mg/l	0.00000						
Calibration Blank (19B1613-CCB2)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.00300		mg/l	0.00000						
Calibration Blank (19B1613-CCB3)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.00280		mg/l	0.00000						
Calibration Check (19B1613-CCV1)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.974		mg/l	1.00000		97.4	90-110			
Calibration Check (19B1613-CCV2)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.967		mg/l	1.00000		96.7	90-110			
Calibration Check (19B1613-CCV3)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.987		mg/l	1.00000		98.7	90-110			
High Cal Check (19B1613-HCV2)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	19.1		mg/l	20.0000		95.4	90-110			
Initial Cal Blank (19B1613-ICB1)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.00370		mg/l	0.00000						
Initial Cal Check (19B1613-ICV1)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.983		mg/l	1.00000		98.3	90-110			
Secondary Cal Check (19B1613-SCV1)				Prepared & Analyzed: 02/16/09						
Molybdenum, total	0.495		mg/l	0.500000		99.0	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

Determination of Total Metals - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1B91210 - EPA 3010A Total ICP										
Blank (1B91210-BLK1)				Prepared: 02/12/09 Analyzed: 02/16/09						
Molybdenum, total	ND	0.010	mg/l							
LCS (1B91210-BS1)				Prepared: 02/12/09 Analyzed: 02/16/09						
Molybdenum, total	0.205	0.010	mg/l	0.200000		102	84-112			
Matrix Spike (1B91210-MS1)		Source: 19B0316-01		Prepared: 02/12/09 Analyzed: 02/16/09						
Molybdenum, total	1.24	0.010	mg/l	0.200000	0.996	121	73-116			QM-4X
Matrix Spike Dup (1B91210-MSD1)		Source: 19B0316-01		Prepared: 02/12/09 Analyzed: 02/16/09						
Molybdenum, total	1.22	0.010	mg/l	0.200000	0.996	111	73-116	1.63	13	
Post Spike (1B91210-PS1)		Source: 19B0316-01		Prepared: 02/12/09 Analyzed: 02/16/09						
Molybdenum, total	1.17		mg/l	0.196078	0.977	99.1	88-116			

ND = Non Detect; REC= Recovery; RPD= Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19B0451

Certified Analyses included in this Report

Method/Matrix	Analyte	Certifications
EPA 1664 In Water		
	Oil and Grease	IA-NT,KS-NT,NELAC
	Oil/Grease, animal/vegetable	IA-NT,KS-NT,NELAC
	Oil/Grease, petroleum	IA-NT,KS-NT,NELAC
EPA 200.7 In Water		
	Molybdenum, total	IA-NT
EPA 410.4 in Water		
	Chemical Oxygen Demand	IA-NT,KS-NT,NELAC
SM 4500 H+ B In Water		
	pH	IA-NT,KS-NT,NELAC
SM 4500CN-E In Water		
	Cyanide, total	IA-NT,KS-NT,NELAC
SM 4500-N ORG In Water		
	Nitrogen, Kjeldahl, total	IA-NT,KS-NT,NELAC
SM 4500-NH3 B,E In Water		
	Nitrogen, Ammonia	IA-NT,KS-NT,NELAC
SM 5210 B In Water		
	CBOD (5 day)	IA-NT
USGS I-3765-85 In Water		
	Solids, total suspended	IA-NT

Code	Description	Number	Expires
IA-NT	Iowa Department of Natural Resources	095	02/01/2010
KS-NT	Kansas Department of Health and Environment	E-10287	07/31/2009
NELAC	New Jersey Department of Environmental Protection	IA001	06/30/2009

Notes and Definitions

I-03 Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.

I-03 Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.

QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone
LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: **19B0451**

End of Report

Sue Thompson

Keystone Laboratories, Inc.

Sue Thompson
Project Manager I

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

February 25, 2009
Page 13 of 13

Work Order: 19B0451

CHAIN OF CUSTODY RECORD

Keystone LABORATORIES, INC.

U3-07B5

600 East 17th Street South
Newton, IA 50208
641-792-8451

Page 1 of 1
Printed: 2/2/2009 3:53:02PM
www.keystonelabs.com

SITE INFORMATION
Sampler: Pryke
Project: Quarterly Waste Pretreatment Pretreatment

REPORT TO
Gerald Edgar
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

INVOICE TO
Gerald Edgar
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

SPECIAL INSTRUCTIONS
None
Turn Around Time ☐ Standard ☐ RUSH, need by ___

LAB USE ONLY
Work Order: 19B0451
Temperature
Turn-Cooler: No

☐ Custody Seal
☐ Containers Intact
☐ COC/Labels Agree
☐ Preservation Confirmed
☐ Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
01-001	Front Parking Lot North Manhole	Water		2/11/09	8:50	5	[illegible]	01

Relinquished By: [signature] Date/Time: 2/11/09 11:50

Relinquished By: [signature] Date/Time: 2/11/09 11:50

Remarks:

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

SAMPLER ID# 1182518539 09:38 4-MAR-09
Hardware: A1 Software: 2.31
********** PROGRAM SETTINGS **********

SITE DESCRIPTION:
"USDA" "

UNITS SELECTED:
FLOW RATE: gpm
FLOW VOLUME: gal

BUBBLER MODULE:
FLOW-INSERT
8"
V-NOTCH

1, 9.80 lit BTLS

20 ft SUCTION LINE

PACING:
FLOW, EVERY
500.0 gal

COMPOSITE:

120 SAMPLES

---

70 ml SAMPLES

NO DELAY TO START

24 HOURS RUN TIME

SAMPLER ID# 1182518539 09:38 4-MAR-09
Hardware: A1 Software: 2.31
********** SAMPLING RESULTS **********
SITE: USDA"
Program Started at 09:24 TU 3-MAR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	SOURCE	ERROR	COUNT TO LIQUID
		09:24	PGM ENABLED		
1	1	09:45		F	428
2	1	10:05		F	424
3	1	10:24		F	424
4	1	10:44		F	421

2784

5	1	11:04	F		423
6	1	11:26	F		420
7	1	11:41	F		419
8	1	12:01	F		421
9	1	12:15	F		421
10	1	12:32	F		419
11	1	12:48	F		420
12	1	13:07	F		419
13	1	13:28	F		419
14	1	13:53	F		419
15	1	14:16	F		418
16	1	14:32	F		418
17	1	14:45	F		416
18	1	14:59	F		418
19	1	15:11	F		417
20	1	15:24	F		418
21	1	15:35	F		418
22	1	15:49	F		417
23	1	16:07	F		419
24	1	16:22	F		418
25	1	16:36	F		419
26	1	16:51	F		418
27	1	17:09	F		417
28	1	17:32	F		418
29	1	17:57	F		418
30	1	18:22	F		419
31	1	19:03	F		417
32	1	19:48	F		417
33	1	20:32	F		411
34	1	20:50	F		407
35	1	20:59	F		407
36	1	21:39	F		407
37	1	21:42	F		404
38	1	21:45	F		393
39	1	21:49	F		399
40	1	21:54	F		401
41	1	21:57	F		394
42	1	22:00	F		393
43	1	22:03	F		393
44	1	22:16	F		411
45	1	22:30	F		413
46	1	23:21	F		416
----------		WE 04-MAR-09			----------
47	1	00:09	F		411
48	1	00:55	F		411
49	1	01:46	F		413
50	1	02:34	F		402
51	1	03:17	F		411
52	1	04:00	F		408
53	1	04:42	F		412
54	1	05:30	F		411
55	1	06:22	F		411
56	1	07:11	F		402
57	1	07:41	F		401
58	1	08:05	F		407
59	1	08:34	F		408
60	1	08:59	F		409
61	1	09:15	F	NM	*
		09:24	PGM DONE 04-MAR		

SOURCE F ==> FLOW
ERROR NM ==> NO MORE LIQUID!

SAMPLER ID# 1182518539 09:39 4-MAR-09
Hardware: A1 Software: 2.31
BUBBLER MODULE: 1160556497
Hardware: A0 Software: 1.07
********** COMBINED RESULTS **********
SITE: USDA"
Program Started at 09:24 TU 3-MAR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	LEVEL ft	FLOW RATE gpm	TOTAL FLOW gal
1	1	09:45	0.466	36.17	0000000500
2	1	10:05	0.413	21.75	0000001000
3	1	10:24	0.430	25.61	0000001500
4	1	10:44	0.466	36.17	0000002000
5	1	11:04	0.387	16.39	0000002500
6	1	11:26	0.387	16.39	0000003000
7	1	11:41	0.413	21.75	0000003500
8	1	12:01	0.443	28.99	0000004000
9	1	12:15	0.459	33.96	0000004500
10	1	12:32	0.502	47.11	0000005000
11	1	12:48	0.443	28.99	0000005500
12	1	13:07	0.466	36.17	0000006000
13	1	13:28	0.486	42.37	0000006500
14	1	13:53	0.394	17.64	0000007000
15	1	14:16	0.466	36.17	0000007500
16	1	14:32	0.427	24.80	0000008000
17	1	14:45	0.449	30.79	0000008510
18	1	14:59	0.476	39.35	0000009010
19	1	15:11	0.466	36.17	0000009500
20	1	15:24	0.456	32.86	0000010000
21	1	15:35	0.518	51.50	0000010510
22	1	15:49	0.423	24.01	0000011010
23	1	16:07	0.505	48.01	0000011510
24	1	16:22	0.492	44.31	0000012010
25	1	16:36	0.433	26.42	0000012510
26	1	16:51	0.509	48.90	0000013010
27	1	17:09	0.387	16.39	0000013510
28	1	17:32	0.394	17.64	0000014010
29	1	17:57	0.371	13.52	0000014510
30	1	18:22	0.367	12.99	0000015010
31	1	19:03	0.361	11.96	0000015510
32	1	19:48	0.364	12.46	0000016010
33	1	20:32	0.354	10.99	0000016510
34	1	20:50	1.391	152.4	0000017010
35	1	20:59	0.407	20.32	0000017510
36	1	21:39	1.404	153.4	0000018010
37	1	21:42	2.425	160.6	0000018510
38	1	21:45	2.156	160.6	0000019010
39	1	21:49	0.495	45.25	0000019510
40	1	21:54	1.952	160.6	0000020010
41	1	21:57	2.129	160.6	0000020510
42	1	22:00	2.165	160.6	0000021010
43	1	22:03	0.784	97.19	0000021510
44	1	22:16	0.499	46.19	0000022010
45	1	22:30	0.420	23.24	0000022510
46	1	23:21	0.344	9.627	0000023010

---------- WE 4-MAR-09 ------

47	1	00:09	0.354	10.99	0000023510
48	1	00:55	0.344	9.627	0000024010
49	1	01:46	0.348	10.07	0000024510
50	1	02:34	0.358	11.46	0000025010
51	1	03:17	0.351	10.52	0000025510
52	1	04:00	0.354	10.99	0000026010
53	1	04:42	0.354	10.99	0000026510
54	1	05:30	0.341	9.196	0000027010
55	1	06:22	0.344	9.627	0000027510
56	1	07:11	0.344	9.627	0000028010
57	1	07:41	0.410	21.02	0000028510
58	1	08:05	0.381	15.20	0000029010
59	1	08:34	0.371	13.52	0000029510
60	1	08:59	0.453	31.78	0000030010
61	1	09:15	0.459	33.96	0000030510

SAMPLER ID# 1182518539 09:39 4-MAR-09
Hardware: A1 Software: 2.31
********** COMBINED RESULTS **********
SITE: USDA"
Program Started at 09:24 TU 3-MAR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	FR-TEMP C

NO FR-TEMPERATURE

SAMPLER ID# 1182518539 09:39 4-MAR-09
Hardware: A1 Software: 2.31
********** COMBINED RESULTS **********
SITE: USDA"
Program Started at 09:24 TU 3-MAR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME

NO RAIN GAUGE

SAMPLER ID# 1182518539 09:39 4-MAR-09
Hardware: A1 Software: 2.31
SDI-12 DATA
********** COMBINED RESULTS **********
SITE: USDA"
Program Started at 09:24 TU 3-MAR-09
Nominal Sample Volume = 70 ml

NO SDI-12 SONDE

USDA-

Daily level & flow



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-17124-1

SDG Number: 500-17124-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
1920 Daimler Road
Rockford, IL 61112

Attention: Ms. Erin Jarrett

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
3/4/2010 1:13 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
03/04/2010
Revision: 1

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
Report revised to correct analyte list. Removed 1,2-DCA and added cis- and trans-1,2-DCE.

All other samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier		Reporting Limit	Units	Method
500-17124-1	**25560-1Q2009**					
1,1-Dichloroethene		0.017		0.0010	mg/L	8260B
Acetone		0.28		0.10	mg/L	8260B
1,1-Dichloroethane		0.0086		0.0010	mg/L	8260B
1,1,1-Trichloroethane		0.059		0.0010	mg/L	8260B
Trichloroethene		0.021		0.0010	mg/L	8260B
Tetrachloroethene		0.39		0.020	mg/L	8260B
Xylenes, Total		0.0055		0.0020	mg/L	8260B
trans-1,2-Dichloroethene		0.00068	J	0.0010	mg/L	8260B
cis-1,2-Dichloroethene		0.067		0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Method	Analyst	Analyst ID
SW846 8260B	Swaney, Garth E	GES

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-17124-1	25560-1Q2009	Water	02/13/2009 1300	02/14/2009 1000

SAMPLE RESULTS

Ms. Erin Jarrett
Fehr-Graham & Associates
1920 Daimler Road
Rockford, IL 61112

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Client Sample ID: 25560-1Q2009
Lab Sample ID: 500-17124-1

Date Sampled: 02/13/2009 1300
Date Received: 02/14/2009 1000
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260B			Date Analyzed:	02/16/2009 1550		
Prep Method: 5030B			Date Prepared:	02/16/2009 1550		
1,1-Dichloroethene	0.017		mg/L	0.00022	0.0010	1.0
1,1-Dichloroethane	0.0086		mg/L	0.00018	0.0010	1.0
1,1,1-Trichloroethane	0.059		mg/L	0.00023	0.0010	1.0
Trichloroethene	0.021		mg/L	0.00020	0.0010	1.0
Xylenes, Total	0.0055		mg/L	0.00033	0.0020	1.0
trans-1,2-Dichloroethene	0.00068	J	mg/L	0.00017	0.0010	1.0
cis-1,2-Dichloroethene	0.067		mg/L	0.00021	0.0010	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109	%	70 - 125
Toluene-d8 (Surr)	95	%	75 - 120
4-Bromofluorobenzene (Surr)	103	%	75 - 120
Dibromofluoromethane	100	%	75 - 120

Method: 8260B Run Type: DL			Date Analyzed:	02/16/2009 1615		
Prep Method: 5030B			Date Prepared:	02/16/2009 1615		
Acetone	0.28		mg/L	0.024	0.10	20
Tetrachloroethene	0.39		mg/L	0.0028	0.020	20

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	%	70 - 125
Toluene-d8 (Surr)	94	%	75 - 120
4-Bromofluorobenzene (Surr)	101	%	75 - 120
Dibromofluoromethane	95	%	75 - 120

DATA REPORTING QUALIFIERS

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Section	Qualifier	Description
GC/MS VOA		
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-58078					
LCS 500-58078/23	Lab Control Sample	T	Water	8260B	
MB 500-58078/22	Method Blank	T	Water	8260B	
500-17124-1	25560-1Q2009	T	Water	8260B	
500-17124-1DL	25560-1Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-17124-1	25560-1Q2009	109	95	103	100
500-17124-1 DL	25560-1Q2009 DL	107	94	101	95
MB 500-58078/22		103	94	102	93
LCS 500-58078/23		102	99	99	97

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	70-125
TOL = Toluene-d8 (Surr)	75-120
BFB = 4-Bromofluorobenzene (Surr)	75-120
DBFM = Dibromofluoromethane	75-120

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Method Blank - Batch: 500-58078

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-58078/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/16/2009 1155
Date Prepared: 02/16/2009 1155

Analysis Batch: 500-58078
Prep Batch: N/A
Units: mg/L

Instrument ID: MS18
Lab File ID: 18m0216.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1-Dichloroethene	<0.0010		0.00022	0.0010
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020
trans-1,2-Dichloroethene	<0.0010		0.00017	0.0010
cis-1,2-Dichloroethene	<0.0010		0.00021	0.0010

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103	70 - 125
Toluene-d8 (Surr)	94	75 - 120
4-Bromofluorobenzene (Surr)	102	75 - 120
Dibromofluoromethane	93	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
Sdg Number: 500-17124-1

Lab Control Sample - Batch: 500-58078

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-58078/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 02/16/2009 1220
Date Prepared: 02/16/2009 1220

Analysis Batch: 500-58078
Prep Batch: N/A
Units: mg/L

Instrument ID: MS18
Lab File ID: 18s02136.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1-Dichloroethene	0.0250	0.0192	77	55 - 121	
Acetone	0.0250	0.0179	72	10 - 175	
1,1-Dichloroethane	0.0250	0.0207	83	69 - 120	
1,1,1-Trichloroethane	0.0250	0.0222	89	68 - 125	
Trichloroethene	0.0250	0.0225	90	69 - 120	
Tetrachloroethene	0.0250	0.0240	96	65 - 120	
1,2-Dichloroethane	0.0250	0.0230	92	71 - 120	
m&p-Xylene	0.0500	0.0456	91	78 - 120	
o-Xylene	0.0250	0.0228	91	79 - 120	
Xylenes, Total	0.0750	0.0684	91	78 - 120	
trans-1,2-Dichloroethene	0.0250	0.0204	82	69 - 120	
cis-1,2-Dichloroethene	0.0250	0.0219	88	76 - 124	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	70 - 125
Toluene-d8 (Surr)	99	75 - 120
4-Bromofluorobenzene (Surr)	99	75 - 120
Dibromofluoromethane	97	75 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Chain of Custody Record

500-17124

03/04/2010

Project Number : 09-233 Sauer Danfoss

Turnaround Time (cirle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (cirle one) Mail / Fax / Email

Deliver Report To : (check one)

[ ] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4832 fax
aschlosser@fehr-graham.com e-mail

[X] 1920 Daimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
ejarrett@fehr-graham.com e-mail

Internal Routing To : ERIN JARRETT

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Cooler Sealed Y or N
Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Dan Stoehr/Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	Number and type of containers: HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's Method 8260 See Attached Sheet For Reporting Requests					
25560 - 1Q2009	2/13/2009	1pm		X	3						Groundwater Effluent	X					

Relinquished By: [signature]	Date: 2.13.09	Time: 2pm	Received By: [signature]	Date: 2/14/09	Time: 1000
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

500-17124

Fehr-Graham & Associates
Project: 09-233
Sample ID: 25560 – 1Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on 2-13-09
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-17124-1
SDG Number: 500-17124-1

Login Number: 17124
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.7
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

July 10, 2009

Mr. Gary Erickson
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010

FILE COPY

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 2nd Quarter 2009

Dear Mr. Erickson:

Enclosed please find three copies of the above-referenced documents. Please review for completeness and accuracy, and if satisfactory sign and date where indicated. The original set, along with the enclosed cover letter, should be forwarded to the Water and Pollution Control Department for the City of Ames. For your convenience, certified mailing labels are enclosed. Please retain two additional copies and I will file when next on-site.

If you have any questions regarding the enclosed documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 2nd Qrtr Wastewater to City of Ames.doc
Enclosure

Recycled Paper

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

CERTIFIED MAIL NO. 7008 0150 0001 0180 2287
RETURN RECEIPT REQUESTED

FILE COPY

July 14, 2009

City of Ames, Iowa
Water and Pollution Control Department
300 East Fifth Street, Building 1
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 2nd Quarter 2009
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010
Facility Permit No. 6593-7

Recycled Paper

Dear Sir/Madam:

Enclosed, please find the Non-Domestic Waste Pretreatment Program Quarterly Report for wastewater discharge from the above-referenced facility for the 2nd quarter of 2009. Also enclosed are copies of the analytical reports from Keystone Labs and Test America for the analysis of wastewater and groundwater remediation respectively.

Should you have any questions regarding these documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 2nd Qrtr Wastewater to City of Ames.doc
Enclosure

cc: Sauer-Danfoss (with enclosure)

Non-Domestic Waste Pretreatment Program
Quarterly Report
(Non-Significant, Non-Domestic Contributor)
2nd Quarter 2009
Reporting Period: **April 1st to June 30th 2009**
Submit results on or before the 10th of the month following the end of the quarter

Facility: Sauer-Danfoss
Permit No: 6593-7
Facility Contact: Tod Strudthoff
Facility Phone No: 239-6242
Sampling Location: Front Parking Lot North Manhole (Wastewater)/On-Site Wastewater Treatment Sample Port (GW Remediation)
Sample Type: Grab & 24 Hour Composite
Sample Date: **5.28.09 (GW Remediation)/04.08.09 (Wastewater)**

Analyte	Permit Limit Mg/L	Sample Results Mg/L
Facility	Sauer Danfoss 2800 East 13th	
Flow	Gals/Day	12,270
pH	6-10 pH	7.9
TSS	1,500	308
Cyanide	0.55	0.021
Ammonia (NH3)	200	22.5
Total Kjeldahl Nitrogen (TKN)	250	55
Oil & Grease	300	17
CBOD 5	1,500	196
COD	2,500	667
Molybdenum	0.19	0.057
GW remediation	**Max Expected Concentration ug/L**	Ug/L
Flow (remediation)	Gals/Qrtr	520,875
Acetone	44	<0.0050
1,1-Dichloroethane	370	0.0043
1,1-Dichloroethene	170	0.0079
cis- 1,2-Dichloroethane	490	<0.0010
Tetrachloroethene	1700	0.28
1,1,1-Trichloroethane	650	0.033
Trichloroethene	110	0.013
Total Xylenes	11	<0.0020

Note: Please attach sample results from Laboratory

Process or Treatment Change: None

Additional Comments: Summary of monthly flow data for GW Remediation is attached.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person (s) who manage the system, or those persons directly responsible for gathering the information, the information is, the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signed Gary Eicker Date 7-13-09
Authorized Representative

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

ANALYTICAL REPORT

April 23, 2009

Work Order: 19D0337

Report To	Work Order Information
Gary Erickson	Date Received: 04/08/2009 12:05PM
Sauer-Danfoss	Collector: Pryke/Swank
2800 E. 13th St.	Phone: 515-239-6539
Ames, IA 50010	PO Number:

Project: Quarterly Waste Pretreatment

Project Number: Pretreatment

Analyte	Result	MRL	Batch	Method	Analyst	Analyzed	Qualifier
19D0337-01 Front Parking Lot North Manhole				Matrix:Water		Collected: 04/08/09 10:25	
CBOD (5 day)	196 mg/l	4	1D90821	SM 5210 B	JRP	04/08/09 13:20	
Cyanide, total	0.021 mg/l	0.007	1D91711	SM 4500CN-E	DRB	04/17/09 8:28	
Chemical Oxygen Demand	667 mg/l	100	1D92001	EPA 410.4	WAS	04/20/09 13:02	
Nitrogen, Ammonia	22.5 mg/l	1.0	1D90804	SM 4500-NH3 B,E	SAI	04/08/09 16:11	
Oil/Grease, animal/vegetable	16 mg/l	4	1D91607	EPA 1664	DRB	04/16/09 8:37	
Oil/Grease, petroleum	<4 mg/l	4	1D91607	EPA 1664	DRB	04/16/09 8:37	
Oil and Grease	17 mg/l	4	1D91607	EPA 1664	DRB	04/16/09 8:37	
Nitrogen, Kjeldahl, total	55 mg/l	10	1D90717	SM 4500-N ORG	SAI	04/09/09 16:06	
Solids, total suspended	308 mg/l	7	1D91347	USGS I-3765-85	LJG	04/13/09 15:54	
Molybdenum, total	0.057 mg/l	0.010	1D91710	EPA 200.7	RVV	04/22/09 19:27	
Flow	12270 Gallons	1.0000	1D90825	Flow	JRP	04/08/09 10:30	
pH	7.9 pH	0.5	1D90825	SM 4500 H+ B	JRP	04/08/09 10:30	
Temperature	18.2 °C	0.00	1D90825	SM 2550 B	JRP	04/08/09 10:30	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B0622 - 1B90409										
Cal Standard (19B0622-CAL1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	2.70		mg/l	0.00000						
Cal Standard (19B0622-CAL2)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	8.82		mg/l	10.0000		88.2				
Cal Standard (19B0622-CAL3)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	18.1		mg/l	20.0000		90.7				
Cal Standard (19B0622-CAL4)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	73.5		mg/l	75.0000		98.0				
Cal Standard (19B0622-CAL5)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	103		mg/l	100.000		103				
Cal Standard (19B0622-CAL6)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	149		mg/l	150.000		99.4				
Calibration Check (19B0622-CCV1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	75.1		mg/l	75.0000		100	80-120			
Batch 19B1009 - 1B91004										
Cal Standard (19B1009-CAL1)				Prepared & Analyzed: 02/10/09						
Cyanide, total	-0.003		mg/l	0.00000						
Cal Standard (19B1009-CAL2)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.008		mg/l	0.0100000		84.4				

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1D90804 - Wet Chem Preparation										
Blank (1D90804-BLK1)				Prepared & Analyzed: 04/08/09						
Nitrogen, Ammonia	ND	1.0	mg/l							
LCS (1D90804-BS1)				Prepared & Analyzed: 04/08/09						
Nitrogen, Ammonia	9.11	1.0	mg/l	10.0000		91.1	83-110			
Duplicate (1D90304-DUP1)		Source: 19D0279-01		Prepared & Analyzed: 04/08/09						
Nitrogen, Ammonia	0.130	1.0	mg/l		ND				10	
Matrix Spike (1D90804-MS1)		Source: 19D0273-02		Prepared & Analyzed: 04/08/09						
Nitrogen, Ammonia	13.1	1.0	mg/l	10.0000	4.06	90.4	73-116			
Batch 1D90821 - General Prep Micro										
Blank (1D90821-BLK1)				Prepared & Analyzed: 04/08/09						
CBOD (5 day)	ND	4	mg/l							
Duplicate (1D90821-DUP1)		Source: 19D0367-03		Prepared & Analyzed: 04/08/09						
CBOD (5 day)	1970	4	mg/l		1760			11.6	28	
Reference (1D90821-SRM1)				Prepared & Analyzed: 04/08/09						
CBOD (5 day)	452	4	mg/l	416.900		108	84.6-115.4			
Batch 1D91347 - Wet Chem Preparation										
Blank (1D91347-BLK1)				Prepared & Analyzed: 04/13/09						
Solids, total suspended	ND	1	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1D91347 - Wet Chem Preparation										
LCS (1D91347-BS1)				Prepared & Analyzed: 04/13/09						
Solids, total suspended	14.5	1	mg/l	15.0000		96.7	67-122			
Duplicate (1D91347-DUP1)		Source: 19D0435-01		Prepared & Analyzed: 04/13/09						
Solids, total suspended	8.8	4	mg/l		9.2			4.44	30	
Batch 1D91607 - Wet Chem Preparation										
Blank (1D91607-BLK1)				Prepared & Analyzed: 04/16/09						
Oil and Grease	ND	4	mg/l							
Oil/Grease, animal/vegetable	ND	4	"							
Oil/Grease, petroleum	ND	4	"							
LCS (1D91607-BS1)				Prepared & Analyzed: 04/16/09						
Oil and Grease	38	4	mg/l	40.0000		94.8	78-114			
Oil/Grease, animal/vegetable	19	4	"	20.0000		94.0	64-132			
Oil/Grease, petroleum	19	4	"	20.0000		95.5	64-132			
Matrix Spike (1D91607-MS1)		Source: 19D0349-01		Prepared & Analyzed: 04/16/09						
Oil and Grease	41	4	mg/l	40.0802	3	95.8	78-114			
Oil/Grease, animal/vegetable	23	4	"	20.0401	1	106	64-132			
Oil/Grease, petroleum	19	4	"	20.0401	1	85.5	64-132			
Matrix Spike Dup (1D91607-MSD1)		Source: 19D0349-01		Prepared & Analyzed: 04/16/09						
Oil and Grease	41	4	mg/l	39.7614	3	95.7	78-114	0.798	18	
Oil/Grease, animal/vegetable	22	4	"	19.8807	1	103	64-132	3.05	34	
Oil/Grease, petroleum	19	4	"	19.8807	1	88.0	64-132	1.87	34	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19D2207 - 1D92220										
Calibration Blank (19D2207-CCB8)				Prepared: 04/22/09 Analyzed: 04/23/09						
Molybdenum, total	-0.000200		mg/l	0.00000						
Calibration Check (19D2207-CCV1)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.994		mg/l	1.00000		99.4	90-110			
Calibration Check (19D2207-CCV2)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.998		mg/l	1.00000		99.8	90-110			
Calibration Check (19D2207-CCV3)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.995		mg/l	1.00000		99.5	90-110			
Calibration Check (19D2207-CCV4)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.984		mg/l	1.00000		98.4	90-110			
Calibration Check (19D2207-CCV5)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.975		mg/l	1.00000		97.5	90-110			
Calibration Check (19D2207-CCV6)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.999		mg/l	1.00000		99.9	90-110			
Calibration Check (19D2207-CCV7)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.995		mg/l	1.00000		99.5	90-110			
Calibration Check (19D2207-CCV8)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.989		mg/l	1.00000		98.9	90-110			
Calibration Check (19D2207-CCV9)				Prepared: 04/22/09 Analyzed: 04/23/09						
Molybdenum, total	0.996		mg/l	1.00000		99.6	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.
ACCREDITED IN ACCORDANCE WITH nelac
MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19D2207 - 1D92220										
Calibration Check (19D2207-CCVA)				Prepared: 04/22/09 Analyzed: 04/23/09						
Molybdenum, total	0.995		mg/l	1.00000		99.5	90-110			
Calibration Check (19D2207-CCVB)				Prepared: 04/22/09 Analyzed: 04/23/09						
Molybdenum, total	0.990		mg/l	1.00000		99.0	90-110			
High Cal Check (19D2207-HCV2)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	18.8		mg/l	20.0000		93.9	90-110			
Initial Cal Blank (19D2207-ICB1)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.00140		mg/l	0.00000						
Initial Cal Check (19D2207-ICV1)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.994		mg/l	1.00000		99.4	90-110			
Secondary Cal Check (19D2207-SCV1)				Prepared & Analyzed: 04/22/09						
Molybdenum, total	0.498		mg/l	0.500000		99.5	90-110			
Batch 1D91710 - EPA 3010A Total ICP										
Blank (1D91710-BLK1)				Prepared: 04/17/09 Analyzed: 04/22/09						
Molybdenum, total	ND	0.010	mg/l							
LCS (1D91710-BS1)				Prepared: 04/17/09 Analyzed: 04/22/09						
Molybdenum, total	0.192	0.010	mg/l	0.200000		95.8	84-112			
Matrix Spike (1D91710-MS1)		Source: 19D0304-01		Prepared: 04/17/09 Analyzed: 04/22/09						
Molybdenum, total	0.201	0.010	mg/l	0.200000	ND	101	73-116			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Keystone
LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19D0337

April 23, 2009
Page 13 of 13

CHAIN OF CUSTODY RECORD

Keystone LABORATORIES, INC.
600 East 17th Street South
Newton, IA 50208
Phone: 641-792-8451
FAX: 641-792-7989

Page 1 of 1
Printed: 4/8/2008 8:51:22 AM

SITE INFORMATION
Sampler: Gary Erickson
Project: Quarterly Waste Pretreatment
Report #: 07028

REPORT TO
Gary Erickson
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

INVOICE TO
Gary Erickson
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

SPECIAL INSTRUCTIONS
None

Turn Around Time
☐ Standard ☐ RUSH, need by

LAB USE ONLY
Work Order: 19D0337
Temperature
Turn-Around: No

☐ Custody Seal
☐ Containers Intact
☐ COC Labels Agree
☐ Preservation Confirmed
☐ Received On Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Temp	Flow	pH	Analyses	Lab Sample Number
01-001	Front Parking Lot North Manhole	Water		4/8/08	10:45	18.2		7.70	99-207-2,3,4,5,6,7,8,9 / 62-550.4 / 01-350.4 / 24-500 / 44-375.2,3,5,7 / 99-207.2 / 62-531.1 / 01-351.1 / 24-499	01

Relinquished by: [signature] Date/Time: 4/8/08 12:00
Relinquished by: [signature] Date/Time: 4/8/08 12:00
Relinquished by: Date/Time: Received by:

Lab Sample Number: 19D0337

The results in this report apply to the samples analyzed in accordance with the chain of custody documents. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

19D0337

SAUER-DANF

Daily level & flow



SAMPLER ID# 1159863424 10:24 8-APR-09
Hardware: A1 Software: 2.31
********** PROGRAM SETTINGS **********

SITE DESCRIPTION:
"SAUER-DANF"

UNITS SELECTED:
FLOW RATE: gpm
FLOW VOLUME: gal

BUBBLER MODULE:
FLOW-INSERT
8"
V-NOTCH

1, 9.30 lit BTLS

25 ft SUCTION LINE

PACING:
TIME, EVERY
0 HOURS, 12 MINUTES

COMPOSITE:

120 SAMPLES

---

70 ml SAMPLES

NO DELAY TO START

SAMPLER ID# 1159863424 10:24 8-APR-09
Hardware: A1 Software: 2.31
********** SAMPLING RESULTS **********
SITE: SAUER-DANF
Program Started at 09:35 TU 7-APR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	SOURCE	ERROR	COUNT TO LIQUID
		09:35	PGM ENABLED		
1	1	09:35	S		811
2	1	09:47	T		819
3	1	09:59	T		817
4	1	10:11	T		817

5	1	10:23	T		819
6	1	10:35	T		819
7	1	10:47	T		811
8	1	10:59	T		815
9	1	11:11	T		814
10	1	11:23	T		817
11	1	11:35	T		817
12	1	11:47	T		821
13	1	11:59	T		817
14	1	12:11	T		821
15	1	12:23	T		817
16	1	12:35	T		821
17	1	12:47	T		821
18	1	12:59	T		821
19	1	13:11	T		817
20	1	13:23	T		823
21	1	13:35	T		821
22	1	13:47	T		822
23	1	13:59	T		821
24	1	14:11	T		818
25	1	14:23	T		821
26	1	14:35	T		821
27	1	14:47	T		825
28	1	14:59	T		821
29	1	15:11	T		825
30	1	15:23	T		825
31	1	15:35	T		826
32	1	15:47	T		827
33	1	15:59	T	NM	*
34	1	16:11	T		822
35	1	16:23	T		821
36	1	16:35	T		823
37	1	16:47	T		825
38	1	16:59	T		821
39	1	17:11	T		821
40	1	17:23	T	NM	*
41	1	17:35	T	NM	*
42	1	17:47	T	NM	*
43	1	17:59	T	NL	*
44	1	18:11	T	NM	*
45	1	18:23	T	NM	*
46	1	18:35	T	NL	*
47	1	18:47	T	NL	*
48	1	18:59	T	NL	*
49	1	19:11	T	NL	*
50	1	19:23	T	NL	*
51	1	19:35	T		1106
52	1	19:47	T	NL	*
53	1	19:59	T	NL	*
54	1	20:11	T	NM	*
55	1	20:23	T	NM	*
56	1	20:35	T	NL	*
57	1	20:47	T		797
58	1	20:59	T		801
59	1	21:11	T		908
60	1	21:23	T		820
61	1	21:35	T	NM	*
62	1	21:47	T	NL	*
63	1	21:59	T	NL	*
64	1	22:11	T	NL	*
65	1	22:23	T	NL	*
66	1	22:35	T	NL	*
67	1	22:47	T	NL	*

					2180
68	1	22:59	T	NL	*
69	1	23:11	T	NL	*
70	1	23:23	T	NL	*
71	1	23:35	T	NL	*
72	1	23:47	T	NL	*
73	1	23:59	T	NL	*
----------		WE 08-APR-09			----------
74	1	00:11	T	NL	*
75	1	00:23	T	NL	*
76	1	00:35	T	NL	*
77	1	00:47	T	NL	*
78	1	00:59	T	NL	*
79	1	01:11	T	NL	*
80	1	01:23	T	NL	*
81	1	01:35	T	NL	*
82	1	01:47	T	NL	*
83	1	01:59	T	NL	*
84	1	02:11	T	NL	*
85	1	02:23	T	NL	*
86	1	02:35	T	NL	*
87	1	02:47	T	NL	*
88	1	02:59	T	NL	*
89	1	03:11	T		785
90	1	03:23	T		779
91	1	03:35	T	NM	*
92	1	03:47	T	NL	*
93	1	03:59	T	NL	*
94	1	04:11	T		787
95	1	04:23	T		777
96	1	04:35	T	NM	*
97	1	04:47	T	NL	*
98	1	04:59	T	NL	*
99	1	05:11	T	NL	*
100	1	05:23	T	P	*
		05:23	POWER FAILED!		
		05:23	POWER RESTORED		
101	1	05:35	T	P	*
		05:35	POWER FAILED!		
		05:35	POWER RESTORED		
102	1	05:47	T	P	*
		05:47	POWER FAILED!		
		05:47	POWER RESTORED		
103	1	05:59	T	P	*
		05:59	POWER FAILED!		
		05:59	POWER RESTORED		
104	1	06:11	T	P	*
		06:11	POWER FAILED!		
		06:11	POWER RESTORED		
		06:11	PGM STOPPED 08-APR		

SOURCE S ==> START
SOURCE T ==> TIME
ERROR NL ==> NO LIQUID DETECTED!
ERROR NM ==> NO MORE LIQUID!
ERROR P ==> POWER FAILED!

SAMPLER ID# 1159863424 10:25 8-APR-09
Hardware: A1 Software: 2.31
BUBBLER MODULE: 1181980981

Hardware: A0 Software: 1.07
********** COMBINED RESULTS **********
SITE: SAUER-DANF
Program Started at 09:35 TU 7-APR-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	LEVEL ft	FLOW RATE gpm	TOTAL FLOW gal
1	1	09:35	0.328	7.590	0000000000
2	1	09:47	0.364	12.46	0000000180
3	1	09:59	0.374	14.07	0000000350
4	1	10:11	0.381	15.20	0000000560
5	1	10:23	0.397	18.29	0000000780
6	1	10:35	0.404	19.62	0000001010
7	1	10:47	0.364	12.46	0000001170
8	1	10:59	0.374	14.07	0000001320
9	1	11:11	0.400	18.95	0000001490
10	1	11:23	0.374	14.07	0000001650
11	1	11:35	0.423	24.01	0000001860
12	1	11:47	0.443	28.99	0000002200
13	1	11:59	0.469	37.25	0000002570
14	1	12:11	0.446	29.88	0000002880
15	1	12:23	0.404	19.62	0000003170
16	1	12:35	0.413	21.75	0000003440
17	1	12:47	0.446	29.88	0000003720
18	1	12:59	0.433	26.42	0000004050
19	1	13:11	0.427	24.80	0000004350
20	1	13:23	0.417	22.48	0000004630
21	1	13:35	0.400	18.95	0000004880
22	1	13:47	0.440	28.11	0000005150
23	1	13:59	0.423	24.01	0000005430
24	1	14:11	0.443	28.99	0000005790
25	1	14:23	0.420	23.24	0000006080
26	1	14:35	0.420	23.24	0000006390
27	1	14:47	0.404	19.62	0000006640
28	1	14:59	0.404	19.62	0000006900
29	1	15:11	0.397	18.29	0000007140
30	1	15:23	0.390	17.01	0000007360
31	1	15:35	0.400	18.95	0000007590
32	1	15:47	0.374	14.07	0000007780
33	1	15:59	0.364	12.46	0000007950
34	1	16:11	0.384	15.79	0000008110
35	1	16:23	0.390	17.01	0000008320
36	1	16:35	0.377	14.63	0000008510
37	1	16:47	0.377	14.63	0000008680
38	1	16:59	0.390	17.01	0000008880
39	1	17:11	0.394	17.64	0000009090
40	1	17:23	0.354	10.99	0000009300
41	1	17:35	0.335	8.368	0000009410
42	1	17:47	0.308	5.535	0000009490
43	1	17:59	0.299	4.645	0000009550
44	1	18:11	0.308	5.535	0000009610
45	1	18:23	0.302	4.934	0000009670
46	1	18:35	0.308	5.535	0000009740
47	1	18:47	0.272	2.721	0000009780
48	1	18:59	0.249	1.504	0000009800
49	1	19:11	0.246	1.361	0000009820
50	1	19:23	0.276	2.926	0000009850
51	1	19:35	0.361	11.96	0000009980
52	1	19:47	0.276	2.926	0000010070
53	1	19:59	0.256	1.809	0000010100
54	1	20:11	0.299	4.645	0000010130

					2180
55	1	20:23	0.305	5.228	0000010180
56	1	20:35	0.302	4.934	0000010230
57	1	20:47	0.358	11.46	0000010390
58	1	20:59	0.354	10.99	0000010530
59	1	21:11	0.354	10.99	0000010660
60	1	21:23	0.348	10.07	0000010790
61	1	21:35	0.295	4.373	0000010880
62	1	21:47	0.256	1.809	0000010910
63	1	21:59	0.266	2.331	0000010940
64	1	22:11	0.256	1.809	0000010970
65	1	22:23	0.279	3.148	0000011000
66	1	22:35	0.253	1.650	0000011030
67	1	22:47	0.233	0.876	0000011040
68	1	22:59	0.256	1.809	0000011060
69	1	23:11	0.243	1.230	0000011070
70	1	23:23	0.246	1.361	0000011090
71	1	23:35	0.240	1.102	0000011120
72	1	23:47	0.233	0.876	0000011130
73	1	23:59	0.243	1.230	0000011150
----------		WE	8-APR-09	------	
74	1	00:11	0.253	1.650	0000011170
75	1	00:23	0.230	0.771	0000011180
76	1	00:35	0.246	1.361	0000011190
77	1	00:47	0.233	0.876	0000011200
78	1	00:59	0.233	0.876	0000011210
79	1	01:11	0.226	0.676	0000011220
80	1	01:23	0.223	0.585	0000011230
81	1	01:35	0.220	0.504	0000011240
82	1	01:47	0.240	1.102	0000011250
83	1	01:59	0.223	0.585	0000011260
84	1	02:11	0.223	0.585	0000011260
85	1	02:23	0.230	0.771	0000011270
86	1	02:35	0.223	0.585	0000011280
87	1	02:47	0.220	0.504	0000011290
88	1	02:59	0.223	0.585	0000011290
89	1	03:11	0.331	7.977	0000011310
90	1	03:23	0.371	13.52	0000011480
91	1	03:35	0.325	7.225	0000011630
92	1	03:47	0.249	1.504	0000011670
93	1	03:59	0.236	0.986	0000011680
94	1	04:11	0.328	7.590	0000011700
95	1	04:23	0.371	13.52	0000011860
96	1	04:35	0.328	7.590	0000012020
97	1	04:47	0.262	2.147	0000012070
98	1	04:59	0.249	1.504	0000012090
99	1	05:11	0.233	0.876	0000012100
100	1	05:23	0.243	1.230	0000012120
101	1	05:35	0.243	1.230	0000012130
102	1	05:47	0.285	3.610	0000012160
103	1	05:59	0.285	3.610	0000012200
104	1	06:11	0.325	7.225	0000012270

SAMPLER ID# 1159863424 10:26 8-APR-09
Hardware: A1 Software: 2.31
********** COMBINED RESULTS **********
SITE: SAUER-DANF
Program Started at 09:35 TU 7-APR-09
Nominal Sample Volume = 70 ml
FR-TEMP

```
SAMPLE  BOTTLE TIME          C
------- ------ ----        ----
                    NO FR-TEMPERATURE
----------------------------------------


SAMPLER ID# 1159863424  10:26  8-APR-09
  Hardware:     A1  Software: 2.31
*********** COMBINED RESULTS ***********
   SITE: SAUER-DANF
Program Started at 09:35 TU  7-APR-09
Nominal Sample Volume =   70 ml
SAMPLE  BOTTLE TIME
------- ------ ----------- ------ ----
                    NO RAIN GAUGE
----------------------------------------


SAMPLER ID# 1159863424  10:26  8-APR-09
  Hardware:     A1  Software: 2.31
SDI-12 DATA
*********** COMBINED RESULTS ***********
   SITE: SAUER-DANF
Program Started at 09:35 TU  7-APR-09
Nominal Sample Volume =   70 ml

                    NO SDI-12 SONDE
----------------------------------------
```

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-19178-1

SDG Number: 500-19178-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
6/2/2009 4:31 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
06/02/2009

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60466
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-19178-1	**26059-2009-2Q**				
1,1-Dichloroethene		0.0079	0.0010	mg/L	8260B
1,1-Dichloroethane		0.0043	0.0010	mg/L	8260B
1,1,1-Trichloroethane		0.033	0.0010	mg/L	8260B
Trichloroethene		0.013	0.0010	mg/L	8260B
Tetrachloroethene		0.28	0.010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-19178-1	26059-2009-2Q	Water	05/28/2009 1000	05/29/2009 1010

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Client Sample ID: 26059-2009-2Q
Lab Sample ID: 500-19178-1

Date Sampled: 05/28/2009 1000
Date Received: 05/29/2009 1010
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	06/02/2009 0224		
Prep Method: 5030B		Date Prepared:	06/02/2009 0224		
1,1-Dichloroethene	0.0079	mg/L	0.00022	0.0010	1.0
Acetone	<0.0050	mg/L	0.0012	0.0050	1.0
1,1-Dichloroethane	0.0043	mg/L	0.00018	0.0010	1.0
1,1,1-Trichloroethane	0.033	mg/L	0.00023	0.0010	1.0
1,2-Dichloroethane	<0.0010	mg/L	0.00022	0.0010	1.0
Trichloroethene	0.013	mg/L	0.00020	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00033	0.0020	1.0
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	103	%	72 - 135		
Toluene-d8 (Surr)	98	%	80 - 120		
4-Bromofluorobenzene (Surr)	86	%	77 - 120		
Dibromofluoromethane	110	%	79 - 133		
Method: 8260B Run Type: DL		Date Analyzed:	06/02/2009 0246		
Prep Method: 5030B		Date Prepared:	06/02/2009 0246		
Tetrachloroethene	0.28	mg/L	0.0014	0.010	10
Surrogate			Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	102	%	72 - 135		
Toluene-d8 (Surr)	98	%	80 - 120		
4-Bromofluorobenzene (Surr)	85	%	77 - 120		
Dibromofluoromethane	113	%	79 - 133		

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-65027					
LCS 500-65027/9	Lab Control Sample	T	Water	8260B	
LCSD 500-65027/11	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-65027/8	Method Blank	T	Water	8260B	
500-19178-1	26059-2009-2Q	T	Water	8260B	
500-19178-1DL	26059-2009-2Q	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	12DCE %Rec	TOL %Rec	BFB %Rec	DBFM %Rec
500-19178-1	26059-2009-2Q	103	98	86	110
500-19178-1 DL	26059-2009-2Q DL	102	98	85	113
MB 500-65027/8		101	98	88	110
LCS 500-65027/9		102	102	92	109
LCSD 500-65027/11		88	100	89	105

Surrogate	Acceptance Limits
12DCE = 1,2-Dichloroethane-d4 (Surr)	72-135
TOL = Toluene-d8 (Surr)	80-120
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Method Blank - Batch: 500-65027

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-65027/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 0010
Date Prepared: 06/02/2009 0010

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22M0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1-Dichloroethene	<0.0010		0.00022	0.0010
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	72 - 135
Toluene-d8 (Surr)	98	80 - 120
4-Bromofluorobenzene (Surr)	88	77 - 120
Dibromofluoromethane	110	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-65027

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-65027/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 0055
Date Prepared: 06/02/2009 0055

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22S0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-65027/11
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 1013
Date Prepared: 06/02/2009 1013

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973
Lab File ID: 22T0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,1-Dichloroethene	109	99	55 - 129	9	20		
Acetone	90	75	29 - 152	19	20		
1,1-Dichloroethane	98	89	65 - 120	9	20		
1,1,1-Trichloroethane	98	85	64 - 122	14	20		
1,2-Dichloroethane	93	79	62 - 120	17	20		
Trichloroethene	102	95	71 - 120	7	20		
Tetrachloroethene	82	80	70 - 120	2	20		
m&p-Xylene	86	81	74 - 120	6	20		
o-Xylene	86	82	74 - 120	5	20		
Xylenes, Total	86	82	74 - 120	5	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	88	72 - 135
Toluene-d8 (Surr)	102	100	80 - 120
4-Bromofluorobenzene (Surr)	92	89	77 - 120
Dibromofluoromethane	109	105	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES CHAIN OF CUSTODY RECORD

500-19178

06/02/2009

Project Number : 09-233

Turnaround Time (circle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (circle one) Mail / Fax / Email

Deliver Report To : (check one)

[X] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4632 fax
aschlosser@fehr-graham.com e-mail

[ ] 1920 Daimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
bpaluzzi@fehr-graham.com e-mail

Internal Routing To : Daniel Stoehr

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Daniel Stoehr / Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	Number and type of containers: HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's Method 8260 - See attached sheet for reporting requests					
26069 - 2009 BQ	5.28.09	10 am		X	3						Groundwater Effluent	X					

COMMENTS

Relinquished By: Daniel Stoehr	Date: 5-28.09	Time: 10:30 a	Received By:	Date: 5/29/09	Time: 1010
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Fehr-Graham & Associates
Project: 09-233
Sample ID: 26059-2Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on: May 28, 2009
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
SDG Number: 500-19178-1

List Source: TestAmerica Chicago

Login Number: 19178
Creator: Lunt, Jeff T
List Number: 1

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	4.3
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Customer:	Fehr-Graham & Associates
Project:	09-233 Sauer Danfoss
Sample Date:	5/28/2009
Lab Name:	TestAmerica Chicago
Job Number:	500-19178-1

Analytical Results for Water Samples		Exposure Routes for Specific SRO				Sample ID
		Ingestion	Inhalation	Class I	Class II	26059-2009-2Q
Method	Analyte	mg/L	mg/L	mg/L	mg/L	—
8260B	1,1,1-Trichloroethane	NRO	NRO	0.2	1	0.033
8260B	1,1-Dichloroethane	NRO	NRO	0.7	3.5	0.0043
8260B	1,1-Dichloroethene	NRO	NRO	0.007	0.035	0.0079
8260B	1,2-Dichloroethane	NRO	NRO	0.005	0.025	<0.0010
8260B	Acetone	NRO	NRO	6.3	6.3	<0.0050
8260B	Tetrachloroethene	NRO	NRO	0.005	0.025	0.28
8260B	Trichloroethene	NRO	NRO	0.005	0.025	0.013
8260B	Xylenes, Total	NRO	NRO	10	10	<0.0020

Sauer-Danfoss (Ames, IA)
Groundwater Remediation Flow Data

April 2009 Flow (Gals)		70,309
May 2009 Flow (Gals)		110,293
June 2009 Flow (Gals)		340,273
Total flow (gals) 2nd Quarter:	**520,875**	
	5,724	**gpd**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-19178-1

SDG Number: 500-19178-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
3/4/2010 1:15 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
03/04/2010
Revision: 1

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
Report revised to correct analyte list. Removed 1,2-DCA and added cis- and trans-1,2-DCE.

All other samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-19178-1	**26059-2009-2Q**				
1,1,1-Trichloroethane		0.033	0.0010	mg/L	8260B
1,1-Dichloroethane		0.0043	0.0010	mg/L	8260B
1,1-Dichloroethene		0.0079	0.0010	mg/L	8260B
cis-1,2-Dichloroethene		0.026	0.0010	mg/L	8260B
Tetrachloroethene		0.28	0.010	mg/L	8260B
Trichloroethene		0.013	0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-19178-1	26059-2009-2Q	Water	05/28/2009 1000	05/29/2009 1010

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Client Sample ID: 26059-2009-2Q
Lab Sample ID: 500-19178-1

Date Sampled: 05/28/2009 1000
Date Received: 05/29/2009 1010
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	06/02/2009 0224		
Prep Method: 5030B		Date Prepared:	06/02/2009 0224		
1,1,1-Trichloroethane	0.033	mg/L	0.00023	0.0010	1.0
1,1-Dichloroethane	0.0043	mg/L	0.00018	0.0010	1.0
1,1-Dichloroethene	0.0079	mg/L	0.00022	0.0010	1.0
Acetone	<0.0050	mg/L	0.0012	0.0050	1.0
cis-1,2-Dichloroethene	0.026	mg/L	0.00021	0.0010	1.0
trans-1,2-Dichloroethene	<0.0010	mg/L	0.00017	0.0010	1.0
Trichloroethene	0.013	mg/L	0.00020	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00033	0.0020	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103	%	72 - 135
4-Bromofluorobenzene (Surr)	86	%	77 - 120
Dibromofluoromethane	110	%	79 - 133
Toluene-d8 (Surr)	98	%	80 - 120

Method: 8260B Run Type: DL		Date Analyzed:	06/02/2009 0246		
Prep Method: 5030B		Date Prepared:	06/02/2009 0246		
Tetrachloroethene	0.28	mg/L	0.0014	0.010	10

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	%	72 - 135
4-Bromofluorobenzene (Surr)	85	%	77 - 120
Dibromofluoromethane	113	%	79 - 133
Toluene-d8 (Surr)	98	%	80 - 120

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-65027					
LCS 500-65027/9	Lab Control Sample	T	Water	8260B	
LCSD 500-65027/11	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-65027/8	Method Blank	T	Water	8260B	
500-19178-1	26059-2009-2Q	T	Water	8260B	
500-19178-1DL	26059-2009-2Q	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	BFB %Rec	DBFM %Rec	TOL %Rec
500-19178-1	26059-2009-2Q	103	86	110	98
500-19178-1 DL	26059-2009-2Q DL	102	85	113	98
MB 500-65027/8		101	88	110	98
LCS 500-65027/9		102	92	109	102
LCSD 500-65027/11		88	89	105	100

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133
TOL = Toluene-d8 (Surr)	80-120

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Method Blank - Batch: 500-65027

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-65027/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 0010
Date Prepared: 06/02/2009 0010

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22M0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,1-Dichloroethene	<0.0010		0.00022	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
Acetone	<0.0050		0.0012	0.0050
cis-1,2-Dichloroethene	<0.0010		0.00021	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
trans-1,2-Dichloroethene	<0.0010		0.00017	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	101	72 - 135
4-Bromofluorobenzene (Surr)	88	77 - 120
Dibromofluoromethane	110	79 - 133
Toluene-d8 (Surr)	98	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
Sdg Number: 500-19178-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-65027

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-65027/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 0055
Date Prepared: 06/02/2009 0055

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22S0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-65027/11
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 06/02/2009 1013
Date Prepared: 06/02/2009 1013

Analysis Batch: 500-65027
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22T0601C.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,1,1-Trichloroethane	98	85	64 - 122	14	20		
1,1-Dichloroethane	98	89	65 - 120	9	20		
1,1-Dichloroethene	109	99	55 - 129	9	20		
1,2-Dichloroethane	93	79	62 - 120	17	20		
Acetone	90	75	29 - 152	19	20		
cis-1,2-Dichloroethene	112	106	72 - 123	6	20		
m&p-Xylene	86	81	74 - 120	6	20		
o-Xylene	86	82	74 - 120	5	20		
Tetrachloroethene	82	80	70 - 120	2	20		
trans-1,2-Dichloroethene	108	101	66 - 120	7	20		
Trichloroethene	102	95	71 - 120	7	20		
Xylenes, Total	86	82	74 - 120	5	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102	88	72 - 135
4-Bromofluorobenzene (Surr)	92	89	77 - 120
Dibromofluoromethane	109	105	79 - 133
Toluene-d8 (Surr)	102	100	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES CHAIN OF CUSTODY RECORD

500-19178

03/04/2010

Project Number : 09-233

Turnaround Time (cirle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (cirle one) Mail / Fax / Email

Deliver Report To : (check one)

[X] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4632 fax
aschlosser@fehr-graham.com e-mail

[ ] 1920 Daimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
bpaluzzi@fehr-graham.com e-mail

Internal Routing To : Daniel Stoehr

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Daniel Stoehr / Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	Number and type of containers: HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's Method 8260 - See attached sheet for reporting requests					
26059 - 2009 3Q	5.28.09	10 am		X	3						Groundwater Effluent	X					

COMMENTS

Relinquished By: [signature]	Date: 5-28.09	Time: 10:30 a	Received By: [signature]	Date: 5/29/09	Time: 1010
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Fehr-Graham & Associates
Project: 09-233
Sample ID: 26059-2Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on: May 28, 2009
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-19178-1
SDG Number: 500-19178-1

Login Number: 19178
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	4.3
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

October 6, 2009

FILE COPY

Mr. Gary Erickson
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 3rd Quarter 2009

Dear Mr. Erickson:

Enclosed please find three copies of the above-referenced documents. Please review for completeness and accuracy, and if satisfactory sign and date where indicated. The original set, along with the enclosed cover letter, should be forwarded to the Water and Pollution Control Department for the City of Ames. For your convenience, certified mailing labels are enclosed. Please retain two additional copies and I will file when next on-site.

If you have any questions regarding the enclosed documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09313 - 3rd Qrtr Wastewater to City of Ames.doc
Enclosure

Recycled Paper

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

CERTIFIED MAIL NO.: 7008 0500 0000 0550 1546
RETURN RECEIPT REQUESTED

FILE COPY

October 7, 2009

City of Ames, Iowa
Water and Pollution Control Department
300 East Fifth Street, Building 1
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 3rd Quarter 2009
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010
Facility Permit No. 6593-7

Dear Sir/Madam:

Enclosed, please find the Non-Domestic Waste Pretreatment Program Quarterly Report for wastewater discharge from the above-referenced facility for the 3rd quarter of 2009. Also enclosed are copies of the analytical reports from Keystone Labs and Test America for the analysis of wastewater and groundwater remediation respectively and a summary of monthly flow in gals/month from the groundwater remediation project.

Should you have any questions regarding these documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09313 - 3rd Qrtr Wastewater to City of Ames.doc
Enclosure

cc: Sauer-Danfoss (with enclosure)

Recycled Paper

Non-Domestic Waste Pretreatment Program
Quarterly Report
(Non-Significant, Non-Domestic Contributor)
3rd Quarter 2009
Reporting Period: **July 1, 2009 to September 30, 2009**
Submit results on or before the 10th of the month following the end of the quarter

Facility: Sauer-Danfoss
Permit No: 6593-7
Facility Contact: Gary Erickson
Facility Phone No: 515-239-6000
Sampling Location: Front Parking Lot North Manhole (Wastewater)/On-Site Wastewater Treatment Sample Port (GW Remediation)
Sample Type: Grab & 24 Hour Composite
Sample Date: **07.27.09 (GW Remediation)/07.07.09 (Wastewater)**

Analyte	Permit Limit Mg/L	Sample Results Mg/L
Facility	Sauer Danfoss 2800 East 13th	
Flow	Gals/Day	13,070
pH	6-10 pH	8
TSS	1,500	70
Cyanide	0.55	<.007
Ammonia (NH3)	200	10.7
Total Kjeldahl Nitrogen (TKN)	250	26
Oil & Grease	300	16
CBOD 5	1,500	192
COD	2,500	217
Molybdenum	0.19	<0.010
GW remediation	**Max Expected Concentration ug/L**	**ug/L**
Flow (remediation)	Gals/Qrtr	493,637
Acetone	44	<5
1,1-Dichloroethane	370	8.1
1,1-Dichloroethene	170	12
cis- 1,2-Dichloroethane	490	<1
Tetrachloroethene	1700	530
1,1,1-Trichloroethane	650	44
Trichloroethene	110	19
Total Xylenes	11	<2

Note: Please attach sample results from Laboratory

Process or Treatment Change:

Additional Comments: _____

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person (s) who manage the system, or those persons directly responsible for gathering the information, the information is, the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signed Gary Erickson Date 10-14-09
Authorized Representative

Sauer-Danfoss
Ames, IA
Groundwater Remediation Flow Data

July 2009 Flow (Gals)		254,648
August 2009 Flow (Gals)		139,099
September 2009 Flow (Gals)		99,891
Total flow (gals) 3rd Quarter:	**493,637**	
	5,366	**gpd**

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

ANALYTICAL REPORT

July 19, 2009

Work Order: 19G0256

Requested by:

Gary Erickson
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order Information

Date Received: 07/07/2009 1:30PM
Collector: Pryke/Swank
Phone: 515-239-6539
PO Number:

Project : Quarterly Waste Pretreatment
Project Number: Pretreatment

Analyte	Result	MRL	Batch	Method	Analyst	Analyzed	Qualifier
19G0256-01 Front Parking Lot North Manhole				Matrix:Water		Collected: 07/07/09 08:55	
CBOD (5 day)	192 mg/l	4	1G90734	SM 5210 B	JRP	07/08/09 7:00	
Cyanide, total	<0.007 mg/l	0.007	1G91336	SM 4500CN-E	DRB	07/14/09 8:00	
Chemical Oxygen Demand	217 mg/l	40	1G90815	EPA 410.4	WAS	07/08/09 13:28	
Nitrogen, Ammonia	10.7 mg/l	1.0	1G90908	SM 4500-NH3 B,E	SAI	07/09/09 16:08	
Oil/Grease, animal/vegetable	15 mg/l	4	1G90903	EPA 1664	WAS	07/09/09 13:57	
Oil/Grease, petroleum	<4 mg/l	4	1G90903	EPA 1664	WAS	07/09/09 13:57	
Oil and Grease	16 mg/l	4	1G90903	EPA 1664	WAS	07/09/09 13:57	
pH	8.1 pH	0.5	1G90741	SM 4500 H+ B	LJG	07/07/09 16:31	I-03
Nitrogen, Kjeldahl, total	26 mg/l	10	1G91017	SM 4500-N ORG	SAI	07/13/09 16:45	
Solids, total suspended	70 mg/l	4	1G91309	USGS I-3765-85	LJG	07/13/09 8:27	
Molybdenum, total	<0.010 mg/l	0.010	1G90806	EPA 200.7	RVV	07/10/09 12:59	
Flow	13070 Gallons	1.0000	1G91901	Flow	SNT	07/07/09 8:55	
pH	8.0 pH	0.5	1G91901	SM 4500 H+ B	SNT	07/07/09 8:53	
Temperature	19.2 °C	0.00	1G91901	SM 2550 B	SNT	07/07/09 8:55	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19G0256

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B0622 - 1B90409										
Cal Standard (19B0622-CAL1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	2.70		mg/l	0.00000						
Cal Standard (19B0622-CAL2)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	8.82		mg/l	10.0000		88.2				
Cal Standard (19B0622-CAL3)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	18.1		mg/l	20.0000		90.7				
Cal Standard (19B0622-CAL4)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	73.5		mg/l	75.0000		98.0				
Cal Standard (19B0622-CAL5)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	103		mg/l	100.000		103				
Cal Standard (19B0622-CAL6)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	149		mg/l	150.000		99.4				
Calibration Check (19B0622-CCV1)				Prepared & Analyzed: 02/06/09						
Chemical Oxygen Demand	75.1		mg/l	75.0000		100	80-120			
Batch 19B1009 - 1B91004										
Cal Standard (19B1009-CAL1)				Prepared & Analyzed: 02/10/09						
Cyanide, total	-0.003		mg/l	0.00000						
Cal Standard (19B1009-CAL2)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.006		mg/l	0.0100000		54.4				

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19G0256

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B1009 - 1B91004										
Cal Standard (19B1009-CAL3)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.040		mg/l	0.040000		103				
Cal Standard (19B1009-CAL4)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.083		mg/l	0.080000		104				
Cal Standard (19B1009-CAL5)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.165		mg/l	0.160000		103				
Cal Standard (19B1009-CAL6)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.317		mg/l	0.320000		98.9				
Calibration Check (19B1009-CCV1)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.093		mg/l	0.100000		93.0	90-110			
Batch 19G0802 - 1G90815										
Calibration Check (19G0802-CCV1)				Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	79.3		mg/l	75.0000		106	80-120			
Initial Cal Check (19G0802-ICV1)				Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	79.3		mg/l	75.0000		106	80-120			
Batch 19G1405 - 1G91336										
Calibration Check (19G1405-CCV1)				Prepared & Analyzed: 07/14/09						
Cyanide, total	0.106		mg/l	0.100000		106	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19G0256

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19G1405 - 1G91336										
Calibration Check (19G1405-CCV2)				Prepared & Analyzed: 07/14/09						
Cyanide, total	0.099		mg/l	0.100000		93.8	90-110			
Instrument Blank (19G1405-IBL1)				Prepared & Analyzed: 07/14/09						
Cyanide, total	ND	0.007	mg/l							
Instrument Blank (19G1405-IBL2)				Prepared & Analyzed: 07/14/09						
Cyanide, total	ND	0.007	mg/l							
Initial Cal Check (19G1405-ICV1)				Prepared & Analyzed: 07/14/09						
Cyanide, total	0.103		mg/l	0.100000		103	90-110			
Initial Cal Check (19G1405-ICV2)				Prepared & Analyzed: 07/14/09						
Cyanide, total	0.100		mg/l	0.100000		99.8	90-110			
Batch 1G90734 - General Prep Micro										
Blank (1G90734-BLK1)				Prepared & Analyzed: 07/08/09						
CBOD (5 day)	ND	4	mg/l							
Duplicate (1G90734-DUP1)		Source: 19G0190-01		Prepared & Analyzed: 07/08/09						
CBOD (5 day)	148	4	mg/l		128			14.5	30	
Duplicate (1G90734-DUP2)		Source: 19G0273-01		Prepared & Analyzed: 07/08/09						
CBOD (5 day)	1200	4	mg/l		1210			0.498	30	
Reference (1G90734-SRM1)				Prepared & Analyzed: 07/08/09						
CBOD (5 day)	451	4	mg/l	417.780		103	84.6-115.4			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19G0256

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1G90741 - Wet Chem Preparation										
Duplicate (1G90741-DUP1)		Source: 19G0241-01		Prepared & Analyzed: 07/07/09						
pH	7.3	0.5	pH		7.3			0.136	10	I-03
Reference (1G90741-SRM1)				Prepared & Analyzed: 07/07/09						
pH	7.0	0.5	pH	7.00000		100	98.5-101.5			I-03
Batch 1G90815 - Wet Chem Preparation										
Blank (1G90815-BLK1)				Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	ND	10	mg/l							
LCS (1G90815-BS1)				Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	78.0	10	mg/l	75.0000		104	74-110			
Matrix Spike (1G90815-MS1)		Source: 19G0279-01		Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	89.9	10	mg/l	42.8571	66.1	55.5	68-140			QM-14
Matrix Spike Dup (1G90815-MSD1)		Source: 19G0279-01		Prepared & Analyzed: 07/08/09						
Chemical Oxygen Demand	99.1	10	mg/l	42.8571	66.1	76.9	68-140	9.73	26	
Batch 1G90903 - Wet Chem Preparation										
Blank (1G90903-BLK1)				Prepared & Analyzed: 07/09/09						
Oil and Grease	ND	4	mg/l							
Oil/Grease, animal/vegetable	ND	4	"							
Oil/Grease, petroleum	ND	4	"							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19G0256

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1G90903 - Wet Chem Preparation										
LCS (1G90903-BS1)				Prepared & Analyzed: 07/09/09						
Oil and Grease	40	4	mg/l	40.0000		99.0	78-114			
Oil/Grease, animal/vegetable	20	4	"	20.0000		99.5	64-132			
Oil/Grease, petroleum	20	4	"	20.0000		98.5	64-132			
LCS Dup (1G90903-BSD1)				Prepared & Analyzed: 07/09/09						
Oil and Grease	39	4	mg/l	40.0000		97.5	78-114	1.53	200	
Oil/Grease, animal/vegetable	24	4	"	20.0000		118	64-132	16.6	200	
Oil/Grease, petroleum	16	4	"	20.0000		77.5	64-132	23.9	200	
Batch 1G90908 - Wet Chem Preparation										
Blank (1G90908-BLK1)				Prepared & Analyzed: 07/09/09						
Nitrogen, Ammonia	ND	1.0	mg/l							
LCS (1G90908-BS1)				Prepared & Analyzed: 07/09/09						
Nitrogen, Ammonia	9.88	1.0	mg/l	10.0000		98.8	83-110			
Duplicate (1G90908-DUP1)		Source: 19G0335-02		Prepared & Analyzed: 07/09/09						
Nitrogen, Ammonia	0.870	1.0	mg/l						10	
Matrix Spike (1G90908-MS1)		Source: 19G0335-01		Prepared & Analyzed: 07/09/09						
Nitrogen, Ammonia	11.1	1.0	mg/l	10.0000		111	73-116			
Batch 1G91017 - Wet Chem Preparation										
Blank (1G91017-BLK1)				Prepared: 07/10/09 Analyzed: 07/13/09						
Nitrogen, Kjeldahl, total	ND	10	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1G91017 - Wet Chem Preparation										
LCS (1G91017-BS1)				Prepared: 07/10/09 Analyzed: 07/13/09						
Nitrogen, Kjeldahl, total	125	10	mg/l	120.000		104	90-110			
Matrix Spike (1G91017-MS1)		Source: 19G0126-01		Prepared: 07/10/09 Analyzed: 07/13/09						
Nitrogen, Kjeldahl, total	122	10	mg/l	120.000	10	93.3	77-119			
Matrix Spike Dup (1G91017-MSD1)		Source: 19G0126-01		Prepared: 07/10/09 Analyzed: 07/13/09						
Nitrogen, Kjeldahl, total	120	10	mg/l	120.000	10	92.3	77-119	0.893	10	
Batch 1G91309 - Wet Chem Preparation										
Blank (1G91309-BLK1)				Prepared & Analyzed: 07/13/09						
Solids, total suspended	ND	1	mg/l							
LCS (1G91309-BS1)				Prepared & Analyzed: 07/13/09						
Solids, total suspended	14.2	1	mg/l	15.0000		94.7	75-116			
Duplicate (1G91309-DUP1)		Source: 19G0333-02		Prepared & Analyzed: 07/13/09						
Solids, total suspended	10.8	4	mg/l		11.2			3.64	30	
Batch 1G91336 - Wet Chem Preparation										
Blank (1G91336-BLK1)				Prepared & Analyzed: 07/14/09						
Cyanide, total	ND	0.007	mg/l							
LCS (1G91336-BS1)				Prepared & Analyzed: 07/14/09						
Cyanide, total	0.022	0.007	mg/l	0.0200000		112	74-121			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1G91336 - Wet Chem Preparation										
Matrix Spike (1G91336-MS1)		Source: 19G0311-01		Prepared & Analyzed: 07/14/09						
Cyanide, total	0.025	0.007	mg/l	0.0200000	0.003	110	60-135			
Matrix Spike Dup (1G91336-MSD1)		Source: 19G0311-01		Prepared & Analyzed: 07/14/09						
Cyanide, total	0.024	0.007	mg/l	0.0200000	0.003	105	60-135	3.76	30	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19G1004 - 1G9093										
Calibration Blank (19G1004-CCB1)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	0.000000		mg/l	0.00000						
Calibration Blank (19G1004-CCB2)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	0.000200		mg/l	0.00000						
Calibration Check (19G1004-CCV1)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	1.06		mg/l	1.00000		106	90-110			
Calibration Check (19G1004-CCV2)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	1.10		mg/l	1.00000		110	90-110			
High Cal Check (19G1004-HCV2)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	20.3		mg/l	20.0000		101	90-110			
Initial Cal Blank (19G1004-ICB1)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	0.000800		mg/l	0.00000						
Initial Cal Check (19G1004-ICV1)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	1.05		mg/l	1.00000		105	90-110			
Secondary Cal Check (19G1004-SCV1)				Prepared & Analyzed: 07/10/09						
Molybdenum, total	0.537		mg/l	0.500000		107	90-110			
Batch 1G90806 - EPA 3010A Total ICP										
Blank (1G90806-BLK1)				Prepared: 07/08/09 Analyzed: 07/10/09						
Molybdenum, total	ND	0.010	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1G90806 - EPA 3010A Total ICP										
LCS (1G90806-BS1)				Prepared: 07/08/09 Analyzed: 07/10/09						
Molybdenum, total	0.223	0.010	mg/l	0.200000		111	84-112			
Matrix Spike (1G90806-MS1)		Source: 19G0241-01		Prepared: 07/08/09 Analyzed: 07/10/09						
Molybdenum, total	0.224	0.010	mg/l	0.200000	ND	112	73-116			
Matrix Spike Dup (1G90806-MSD1)		Source: 19G0241-01		Prepared: 07/08/09 Analyzed: 07/10/09						
Molybdenum, total	0.227	0.010	mg/l	0.200000	ND	113	73-116	1.02	13	
Post Spike (1G90806-PS1)		Source: 19G0241-01		Prepared: 07/08/09 Analyzed: 07/10/09						
Molybdenum, total	0.213		mg/l	0.196078	0.00176	108	88-116			

ND = Non Detect; REC= Recovery; RPD= Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Certified Analyses included in this Report

Method/Matrix	Analyte	Certifications
EPA 1664 in Water		
	Oil and Grease	IA-NT,KS-NT,NELAC
	Oil/Grease, animal/vegetable	IA-NT,KS-NT,NELAC
	Oil/Grease, petroleum	IA-NT,KS-NT,NELAC
EPA 200.7 in Water		
	Arsenic, total	IA-NT
	Cadmium, total	IA-NT
	Chromium, total	IA-NT
	Copper, total	IA-NT
	Iron, total	IA-NT
	Lead, total	IA-NT
	Molybdenum, total	IA-NT
	Nickel, total	IA-NT
	Silver, total	IA-NT
	Zinc, total	IA-NT
	Hardness, Total as CaCO3	KS-NT,NELAC
EPA 200.8 in Water		
	Cadmium, total	IA-NT
EPA 410.4 in Water		
	Chemical Oxygen Demand	IA-NT,KS-NT,NELAC
EPA 6010B in Solid		
	Chromium, total	IA-NT,KS-NT,NELAC
	Lead, total	IA-NT,KS-NT,NELAC
EPA 6020 in Water		
	Nickel (SPLP)	IA-NT
EPA 6020A in Water		
	Antimony, total	IA-NT
	Antimony (SPLP)	IA-NT
	Arsenic, total	IA-NT
	Arsenic (SPLP)	IA-NT
	Barium, total	IA-NT
	Barium (SPLP)	IA-NT
	Beryllium, total	IA-NT
	Beryllium (SPLP)	IA-NT

	Cadmium, total	IA-NT
	Cadmium (SPLP)	IA-NT
	Chromium, total	IA-NT
	Chromium (SPLP)	IA-NT
	Cobalt, total	IA-NT
	Copper, total	IA-NT
	Copper (SPLP)	IA-NT
	Lead, total	IA-NT
	Lead (SPLP)	IA-NT
	Nickel, total	IA-NT
	Selenium, total	IA-NT
	Selenium (SPLP)	IA-NT
	Silver, total	IA-NT
	Silver (SPLP)	IA-NT
	Thallium (SPLP)	IA-NT
	Thallium, total	IA-NT
	Vanadium, total	IA-NT
	Zinc, total	IA-NT
SM 2550 B in Water		
	Temperature	IA-NT
SM 3120B in Water		
	Copper, total	IA-NT,KS-NT,NELAC
	Silver, total	IA-NT,KS-NT,NELAC
SM 4500 H+ B in Water		
	pH	IA-NT,KS-NT,NELAC
SM 4500CN-E in Water		
	Cyanide, total	IA-NT,KS-NT,NELAC
SM 4500-N ORG in Water		
	Nitrogen, Kjeldahl, total	IA-NT,KS-NT,NELAC
SM 4500-NH3 B,E in Water		
	Nitrogen, Ammonia	IA-NT,KS-NT,NELAC
SM 5210 B in Water		
	CBOD (5 day)	IA-NT
USGS I-3765-85 in Water		
	Solids, total suspended	IA-NT

Code	Description	Number	Expires
IA-NT	Iowa Department of Natural Resources	096	02/01/2010
KS-NT	Kansas Department of Health and Environment	E-10287	07/31/2009
NELAC	New Jersey Department of Environmental Protection	IA001	06/30/2009

Notes and Definitions

I-03	Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.
I-03	Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.
QM-14	The spike recovery was outside acceptance limits for the MS and/or MSD. However, all other QC was acceptable.
R-01	The Reporting Limit for this analyte has been raised to account for matrix interference.

End of Report

Sue Thompson

Keystone Laboratories, Inc.

Sue Thompson
Project Manager I

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

SAMPLER ID# 1159863424 09:00 7-JUL-09
Hardware: A1 Software: 2.31
********** PROGRAM SETTINGS **********

SITE DESCRIPTION:
"SAUER-DANF"

UNITS SELECTED:
FLOW RATE: gpm
FLOW VOLUME: gal

BUBBLER MODULE:
FLOW-INSERT
8"
V-NOTCH

1, 9.30 lit BTLS

25 ft SUCTION LINE

PACING:
FLOW, EVERY
250.0 gal

COMPOSITE:

120 SAMPLES

---

70 ml SAMPLES

NO DELAY TO START

24 HOURS RUN TIME

SAMPLER ID# 1159863424 09:00 7-JUL-09
Hardware: A1 Software: 2.31
********** SAMPLING RESULTS **********
SITE: SAUER-DANF
Program Started at 08:41 MO 6-JUL-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	SOURCE	ERROR	COUNT TO LIQUID
		08:41	PGM ENABLED		
1	1	09:17	F	NM	*
2	1	10:19	F		1036
3	1	11:07	F		897
4	1	11:48	F		869

5	1	12:00	F		873
6	1	12:10	F		873
7	1	12:22	F		875
8	1	12:34	F		875
9	1	12:47	F		878
10	1	13:01	F		881
11	1	13:14	F		881
12	1	13:26	F		881
13	1	13:39	F		881
14	1	13:53	F		887
15	1	14:06	F		881
16	1	14:19	F		882
17	1	14:31	F		883
18	1	14:44	F		887
19	1	14:57	F		893
20	1	15:11	F		894
21	1	15:25	F		895
22	1	15:38	F		899
23	1	15:53	F		893
24	1	16:07	F		893
25	1	16:22	F		888
26	1	17:34	F	NL	*
27	1	23:34	F		803
28	1	23:50	F		797
----------		TU 07-JUL-09			----------
29	1	01:03	F		789
30	1	01:20	F		789
31	1	01:36	F		789
32	1	01:52	F		791
33	1	02:08	F		789
34	1	02:24	F		791
35	1	02:40	F		793
36	1	02:56	F		789
37	1	03:09	F		791
38	1	03:17	F		791
39	1	03:26	F		793
40	1	03:36	F		793
41	1	03:52	F		791
42	1	04:01	F		793
43	1	04:05	F		797
44	1	04:09	F		807
45	1	04:15	F		799
46	1	04:23	F		799
47	1	04:32	F		796
48	1	04:46	F		795
49	1	05:02	F		795
50	1	05:18	F		793
51	1	05:47	F	NL	*
52	1	08:10	F	NL	*
		08:41	PGM DONE 07-JUL		

SOURCE F ==> FLOW
ERROR NL ==> NO LIQUID DETECTED!
ERROR NM ==> NO MORE LIQUID!

SAMPLER ID# 1159863424 09:00 7-JUL-09
Hardware: A1 Software: 2.31
BUBBLER MODULE: 1181980981
Hardware: A0 Software: 1.07

********** COMBINED RESULTS **********

SITE: SAUER-DANF

Program Started at 08:41 MO 6-JUL-09

Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	LEVEL ft	FLOW RATE gpm	TOTAL FLOW gal
1	1	09:17	0.282	3.374	0000000250
2	1	10:19	0.305	5.228	0000000490
3	1	11:07	0.276	2.926	0000000740
4	1	11:48	0.387	16.39	0000000990
5	1	12:00	0.410	21.02	0000001240
6	1	12:10	0.407	20.32	0000001490
7	1	12:22	0.413	21.75	0000001740
8	1	12:34	0.397	18.29	0000001990
9	1	12:47	0.404	19.62	0000002240
10	1	13:01	0.404	19.62	0000002490
11	1	13:14	0.404	19.62	0000002740
12	1	13:26	0.397	18.29	0000002990
13	1	13:39	0.397	18.29	0000003240
14	1	13:53	0.400	18.95	0000003490
15	1	14:06	0.400	18.95	0000003740
16	1	14:19	0.400	18.95	0000003990
17	1	14:31	0.404	19.62	0000004240
18	1	14:44	0.397	18.29	0000004490
19	1	14:57	0.410	21.02	0000004740
20	1	15:11	0.407	20.32	0000005000
21	1	15:25	0.404	19.62	0000005250
22	1	15:38	0.394	17.64	0000005500
23	1	15:53	0.400	18.95	0000005750
24	1	16:07	0.397	18.29	0000006000
25	1	16:22	0.387	16.39	0000006250
26	1	17:34	0.236	0.986	0000006500
27	1	23:34	0.384	15.79	0000006750
28	1	23:50	0.384	15.79	0000007000
----------			TU 7-JUL-09	------	
29	1	01:03	0.381	15.20	0000007250
30	1	01:20	0.381	15.20	0000007500
31	1	01:36	0.384	15.79	0000007750
32	1	01:52	0.381	15.20	0000008000
33	1	02:08	0.381	15.20	0000008250
34	1	02:24	0.384	15.79	0000008500
35	1	02:40	0.381	15.20	0000008750
36	1	02:56	0.381	15.20	0000009000
37	1	03:09	0.453	31.78	0000009250
38	1	03:17	0.453	31.78	0000009500
39	1	03:26	0.453	31.78	0000009750
40	1	03:36	0.384	15.79	0000010000
41	1	03:52	0.384	15.79	0000010250
42	1	04:01	0.515	50.65	0000010500
43	1	04:05	0.535	55.60	0000010750
44	1	04:09	0.581	65.75	0000010990
45	1	04:15	0.456	32.86	0000011250
46	1	04:23	0.449	30.79	0000011500
47	1	04:32	0.420	23.24	0000011750
48	1	04:46	0.387	16.39	0000012000
49	1	05:02	0.384	15.79	0000012250
50	1	05:18	0.387	16.39	0000012500
51	1	05:47	0.246	1.361	0000012750
52	1	08:10	0.279	3.148	0000013000

SAUER-DANF

Flowlink 5



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-20221-1

SDG Number: 500-20221-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Accepted for release.
Donna L Ingersoll
Project Manager II
7/30/2009 2:36 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
07/30/2009

cc: Ms. Donna Ingersoll
Ms. Erin Jarrett

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
<<EXPLANATION REQUIRED>>

All other samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-20221-1	26301-3Q2009				
1,1-Dichloroethane		0.0081	0.0010	mg/L	8260B
1,1-Dichloroethene		0.012	0.0010	mg/L	8260B
Tetrachloroethene		0.53	0.010	mg/L	8260B
1,1,1-Trichloroethane		0.044	0.0010	mg/L	8260B
Trichloroethene		0.019	0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-20221-1	26301-3Q2009	Water	07/27/2009 1300	07/28/2009 1020

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Client Sample ID: 26301-3Q2009
Lab Sample ID: 500-20221-1

Date Sampled: 07/27/2009 1300
Date Received: 07/28/2009 1020
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	07/29/2009 0111		
Prep Method: 5030B		Date Prepared:	07/29/2009 0111		
Acetone	<0.0050	mg/L	0.0012	0.0050	1.0
1,1-Dichloroethane	0.0081	mg/L	0.00018	0.0010	1.0
1,2-Dichloroethane	<0.0010	mg/L	0.00022	0.0010	1.0
1,1-Dichloroethene	0.012	mg/L	0.00022	0.0010	1.0
1,1,1-Trichloroethane	0.044	mg/L	0.00023	0.0010	1.0
Trichloroethene	0.019	mg/L	0.00020	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00033	0.0020	1.0
Surrogate				Acceptance Limits	
4-Bromofluorobenzene (Surr)	102	%		77 - 120	
Dibromofluoromethane	103	%		79 - 133	
1,2-Dichloroethane-d4 (Surr)	109	%		72 - 135	
Toluene-d8 (Surr)	99	%		80 - 120	
Method: 8260B Run Type: DL		Date Analyzed:	07/29/2009 2252		
Prep Method: 5030B		Date Prepared:	07/29/2009 2252		
Tetrachloroethene	0.53	mg/L	0.0014	0.010	10
Surrogate				Acceptance Limits	
4-Bromofluorobenzene (Surr)	103	%		77 - 120	
Dibromofluoromethane	105	%		79 - 133	
1,2-Dichloroethane-d4 (Surr)	110	%		72 - 135	
Toluene-d8 (Surr)	102	%		80 - 120	

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-68540					
LCS 500-68540/22	Lab Control Sample	T	Water	8260B	
LCSD 500-68540/23	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-68540/21	Method Blank	T	Water	8260B	
500-20221-1	26301-3Q2009	T	Water	8260B	
Analysis Batch:500-68648					
LCS 500-68648/23	Lab Control Sample	T	Water	8260B	
LCSD 500-68648/24	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-68648/22	Method Blank	T	Water	8260B	
500-20221-1DL	26301-3Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	BFB %Rec	DBFM %Rec	12DCE %Rec	TOL %Rec
500-20221-1	26301-3Q2009	102	103	109	99
500-20221-1 DL	26301-3Q2009 DL	103	105	110	102
MB 500-68540/21		102	104	107	107
MB 500-68648/22		103	101	104	103
LCS 500-68540/22		105	108	106	103
LCS 500-68648/23		104	106	104	108
LCSD 500-68540/23		101	108	105	101
LCSD 500-68648/24		105	112	111	103

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133
12DCE = 1,2-Dichloroethane-d4 (Surr)	72-135
TOL = Toluene-d8 (Surr)	80-120

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method Blank - Batch: 500-68540

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-68540/21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/28/2009 1607
Date Prepared: 07/28/2009 1607

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
1,1-Dichloroethene	<0.0010		0.00022	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	102	77 - 120
Dibromofluoromethane	104	79 - 133
1,2-Dichloroethane-d4 (Surr)	107	72 - 135
Toluene-d8 (Surr)	107	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-68540

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-68540/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/28/2009 1521
Date Prepared: 07/28/2009 1521

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-68540/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 0048
Date Prepared: 07/29/2009 0048

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 6T0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Acetone	75	86	29 - 152	14	20		
1,1-Dichloroethane	92	96	65 - 120	4	20		
1,2-Dichloroethane	100	102	62 - 120	2	20		
1,1-Dichloroethene	88	86	55 - 129	1	20		
m&p-Xylene	96	101	74 - 120	5	20		
o-Xylene	96	99	74 - 120	3	20		
Tetrachloroethene	85	91	70 - 120	7	20		
1,1,1-Trichloroethane	95	98	64 - 122	3	20		
Trichloroethene	96	98	71 - 120	2	20		
Xylenes, Total	96	100	74 - 120	4	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	105	101	77 - 120
Dibromofluoromethane	108	108	79 - 133
1,2-Dichloroethane-d4 (Surr)	106	105	72 - 135
Toluene-d8 (Surr)	103	101	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method Blank - Batch: 500-68648

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-68648/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 1248
Date Prepared: 07/29/2009 1248

Analysis Batch: 500-68648
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6M0729.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
1,1-Dichloroethene	<0.0010		0.00022	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	103	77 - 120
Dibromofluoromethane	101	79 - 133
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
Toluene-d8 (Surr)	103	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-68648

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-68648/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 1311
Date Prepared: 07/29/2009 1311

Analysis Batch: 500-68648
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973N
Lab File ID: 6S0729.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-68648/24
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 2158
Date Prepared: 07/29/2009 2158

Analysis Batch: 500-68648
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890N GC - 5973I
Lab File ID: 6T0729.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Acetone	88	88	29 - 152	3	20		
1,1-Dichloroethane	91	92	65 - 120	1	20		
1,2-Dichloroethane	98	102	62 - 120	5	20		
1,1-Dichloroethene	81	76	55 - 129	7	20		
m&p-Xylene	94	92	74 - 120	2	20		
o-Xylene	92	94	74 - 120	2	20		
Tetrachloroethene	86	77	70 - 120	11	20		
1,1,1-Trichloroethane	93	89	64 - 122	5	20		
Trichloroethene	91	91	71 - 120	0	20		
Xylenes, Total	93	93	74 - 120	0	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	104	105	77 - 120
Dibromofluoromethane	106	112	79 - 133
1,2-Dichloroethane-d4 (Surr)	104	111	72 - 135
Toluene-d8 (Surr)	108	103	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Fehr-Graham & Associates

Project: 09-233

Sample ID: 26301-3Q2009

Sample Characteristics: Groundwater remediation effluent

Sample to be collected on:

Number of samples: One (1)

FGA contact for questions: Joel Zirkle (815) 394-4700 or (815) 235-7643

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

FEHR-GRAHAM & ASSOCIATES CHAIN OF CUSTODY RECORD

500-20221

Project Number: 09-233

Turnaround Time (circle one): Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method: (circle one) Mail / Fax / Email

Deliver Report To: (check one)

[X] 221 East Main Street, Suite 200, Freeport, IL 61032, 815-235-7643 phone, 815-235-4632 fax, pschlosser@fehr-graham.com - e-mail

[ ] 1920 Daimler Road, Rockford, IL 61112, 815-394-4700 phone, 815-394-4702 fax, bsakurzi@fehr-graham.com e-mail

Internal Routing To: Daniel Stoehr

LAB USE ONLY

Login ID #

Login By

Lab Proj/ID #

Sample Temperature

Received on Ice Y or N

Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Dan Stoehr / Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOCs - Method 8260 - (See attached sheet for reporting requests)					
26301 - 3Q2009	7.27.09	1:40 PM		X	3						Groundwater Effluent	X					

Number and type of containers

COMMENTS:

Sample shipped UPS

Relinquished By: Daniel Stoehr	Date: 7.27.09	Time: 1pm	Received By: JZ	Date: 7/28/09	Time: 1020
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By	Date:	Time:	Received By:	Date:	Time:

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
SDG Number: 500-20221-1

Login Number: 20221
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.6
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

Customer	Fehr-Graham & Associates
Project	09-233 Sauer Danfoss
Sample Date	7/27/2009
Lab Name	TestAmerica Chicago
Job Number	500-20221-1

Analytical Results for Water Samples

		* Exposure Routes for Specific SROs				Sample ID
		Ingestion	Inhalation	Class I	Class II	26301-3Q2009
Method	Analyte	mg/L	mg/L	mg/L	mg/L	—
8260B	1,1,1-Trichloroethane	NRO	NRO	0.2	1	0.044
8260B	1,1-Dichloroethane	NRO	NRO	0.7	3.5	0.0081
8260B	1,1-Dichloroethene	NRO	NRO	0.007	0.035	0.012
8260B	1,2-Dichloroethane	NRO	NRO	0.005	0.025	<0.0010
8260B	Acetone	NRO	NRO	6.3	6.3	<0.0050
8260B	Tetrachloroethene	NRO	NRO	0.005	0.025	0.53
8260B	Trichloroethene	NRO	NRO	0.005	0.025	0.019
8260B	Xylenes, Total	NRO	NRO	10	10	<0.0020

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-20221-1

SDG Number: 500-20221-1

Job Description: 09-233 Sauer Danfoss

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
2/26/2010 10:22 AM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
02/26/2010
Revision: 1

cc: Ms. Donna Ingersoll
Ms. Erin Jarrett

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Job Narrative
500-20221-1

Comments
No additional comments.

Receipt
Report revised to correct analyte list. Removed 1,2-DCA and added cis- and trans-1,2-DCE.

All other samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Sample ID Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-20221-1	**26301-3Q2009**				
1,1-Dichloroethane		0.0081	0.0010	mg/L	8260B
1,1-Dichloroethene		0.012	0.0010	mg/L	8260B
Tetrachloroethene		0.53	0.010	mg/L	8260B
1,1,1-Trichloroethane		0.044	0.0010	mg/L	8260B
Trichloroethene		0.019	0.0010	mg/L	8260B
cis-1,2-Dichloroethene		0.043	0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA
SW846 8260B	Drabek, Dave J	DJD

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-20221-1	26301-3Q2009	Water	07/27/2009 1300	07/28/2009 1020

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Client Sample ID: 26301-3Q2009
Lab Sample ID: 500-20221-1

Date Sampled: 07/27/2009 1300
Date Received: 07/28/2009 1020
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	07/29/2009 0111		
Prep Method: 5030B		Date Prepared:	07/29/2009 0111		
Acetone	<0.0050	mg/L	0.0012	0.0050	1.0
1,1-Dichloroethane	0.0081	mg/L	0.00018	0.0010	1.0
1,1-Dichloroethene	0.012	mg/L	0.00022	0.0010	1.0
1,1,1-Trichloroethane	0.044	mg/L	0.00023	0.0010	1.0
Trichloroethene	0.019	mg/L	0.00020	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00033	0.0020	1.0
trans-1,2-Dichloroethene	<0.0010	mg/L	0.00017	0.0010	1.0
cis-1,2-Dichloroethene	0.043	mg/L	0.00021	0.0010	1.0

Surrogate			Acceptance Limits
4-Bromofluorobenzene (Surr)	102	%	77 - 120
Dibromofluoromethane	103	%	79 - 133
1,2-Dichloroethane-d4 (Surr)	109	%	72 - 135
Toluene-d8 (Surr)	99	%	80 - 120

Method: 8260B Run Type: DL		Date Analyzed:	07/29/2009 2252		
Prep Method: 5030B		Date Prepared:	07/29/2009 2252		
Tetrachloroethene	0.53	mg/L	0.0014	0.010	10

Surrogate			Acceptance Limits
4-Bromofluorobenzene (Surr)	103	%	77 - 120
Dibromofluoromethane	105	%	79 - 133
1,2-Dichloroethane-d4 (Surr)	110	%	72 - 135
Toluene-d8 (Surr)	102	%	80 - 120

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-68540					
LCS 500-68540/22	Lab Control Sample	T	Water	8260B	
LCSD 500-68540/23	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-68540/21	Method Blank	T	Water	8260B	
500-20221-1	26301-3Q2009	T	Water	8260B	
Analysis Batch:500-68648					
LCS 500-68648/23	Lab Control Sample	T	Water	8260B	
LCSD 500-68648/24	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-68648/22	Method Blank	T	Water	8260B	
500-20221-1DL	26301-3Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID.	BFB %Rec	DBFM %Rec	DCA %Rec	TOL %Rec
500-20221-1	26301-3Q2009	102	103	109	99
500-20221-1 DL	26301-3Q2009 DL	103	105	110	102
MB 500-68540/21		102	104	107	107
MB 500-68648/22		103	101	104	103
LCS 500-68540/22		105	108	106	103
LCS 500-68648/23		104	106	104	108
LCSD 500-68540/23		101	108	105	101
LCSD 500-68648/24		105	112	111	103

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene (Surr)	77-120
DBFM = Dibromofluoromethane	79-133
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
TOL = Toluene-d8 (Surr)	80-120

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method Blank - Batch: 500-68540

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-68540/21
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/28/2009 1607
Date Prepared: 07/28/2009 1607

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: MS06
Lab File ID: 6M0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
1,1-Dichloroethene	<0.0010		0.00022	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020
trans-1,2-Dichloroethene	<0.0010		0.00017	0.0010
cis-1,2-Dichloroethene	<0.0010		0.00021	0.0010

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	102	77 - 120
Dibromofluoromethane	104	79 - 133
1,2-Dichloroethane-d4 (Surr)	107	72 - 135
Toluene-d8 (Surr)	107	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-68540

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-68540/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/28/2009 1521
Date Prepared: 07/28/2009 1521

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: MS06
Lab File ID: 6S0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-68540/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 0048
Date Prepared: 07/29/2009 0048

Analysis Batch: 500-68540
Prep Batch: N/A
Units: mg/L

Instrument ID: MS06
Lab File ID: 6T0728.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Acetone	75	86	29 - 152	14	20		
1,1-Dichloroethane	92	96	65 - 120	4	20		
1,2-Dichloroethane	100	102	62 - 120	2	20		
1,1-Dichloroethene	86	86	55 - 129	1	20		
m&p-Xylene	96	101	74 - 120	5	20		
o-Xylene	96	99	74 - 120	3	20		
Tetrachloroethene	85	91	70 - 120	7	20		
1,1,1-Trichloroethane	95	98	64 - 122	3	20		
Trichloroethene	96	98	71 - 120	2	20		
Xylenes, Total	96	100	74 - 120	4	20		
trans-1,2-Dichloroethene	92	95	66 - 120	2	20		
cis-1,2-Dichloroethene	98	100	72 - 123	2	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	105	101	77 - 120
Dibromofluoromethane	108	108	79 - 133
1,2-Dichloroethane-d4 (Surr)	106	105	72 - 135
Toluene-d8 (Surr)	103	101	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Method Blank - Batch: 500-68648

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-68648/22
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 1248
Date Prepared: 07/29/2009 1248

Analysis Batch: 500-68648
Prep Batch: N/A
Units: mg/L

Instrument ID: MS06
Lab File ID: 6M0729.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Acetone	<0.0050		0.0012	0.0050
1,1-Dichloroethane	<0.0010		0.00018	0.0010
1,2-Dichloroethane	<0.0010		0.00022	0.0010
1,1-Dichloroethene	<0.0010		0.00022	0.0010
m&p-Xylene	<0.0020		0.00023	0.0020
o-Xylene	<0.0010		0.00012	0.0010
Tetrachloroethene	<0.0010		0.00014	0.0010
1,1,1-Trichloroethane	<0.0010		0.00023	0.0010
Trichloroethene	<0.0010		0.00020	0.0010
Xylenes, Total	<0.0020		0.00033	0.0020
trans-1,2-Dichloroethene	<0.0010		0.00017	0.0010
cis-1,2-Dichloroethene	<0.0010		0.00021	0.0010

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	103	77 - 120
Dibromofluoromethane	101	79 - 133
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
Toluene-d8 (Surr)	103	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
Sdg Number: 500-20221-1

Lab Control Sample - Batch: 500-68648

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-68648/23
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 07/29/2009 1311
Date Prepared: 07/29/2009 1311

Analysis Batch: 500-68648
Prep Batch: N/A
Units: mg/L

Instrument ID: MS06
Lab File ID: 6S0729.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acetone	0.0250	0.0220	88	29 - 152	
1,1-Dichloroethane	0.0250	0.0226	91	65 - 120	
1,2-Dichloroethane	0.0250	0.0241	96	62 - 120	
1,1-Dichloroethene	0.0250	0.0203	81	55 - 129	
m&p-Xylene	0.0500	0.0468	94	74 - 120	
o-Xylene	0.0250	0.0231	92	74 - 120	
Tetrachloroethene	0.0250	0.0215	86	70 - 120	
1,1,1-Trichloroethane	0.0250	0.0232	93	64 - 122	
Trichloroethene	0.0250	0.0228	91	71 - 120	
Xylenes, Total	0.0750	0.0699	93	74 - 120	
trans-1,2-Dichloroethene	0.0250	0.0224	90	66 - 120	
cis-1,2-Dichloroethene	0.0250	0.0240	96	72 - 123	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	104	77 - 120
Dibromofluoromethane	106	79 - 133
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
Toluene-d8 (Surr)	108	80 - 120

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES CHAIN OF CUSTODY RECORD

500-20221

02/26/2010

Project Number : 09-233

Turnaround Time (cirle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (cirle one) Mail / Fax / Email

Deliver Report To : (check one)

[X] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4632 fax
aschlosser@fehr-graham.com e-mail

[ ] 1920 Daimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
bpaluzzi@fehr-graham.com e-mail

Internal Routing To : Daniel Stoehr

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Dan Stoehr / Fehr-Graham & Associates

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	Number and type of containers: HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's - Method 8260 - (See attached sheet for reporting requests)					
26301 - 3Q2009	7.27.09	1:00 PM		X	3						Groundwater Effluent	X					

COMMENTS.
Sample shipped UPS

Relinquished By: Daniel Stoehr	Date: 7.27.09	Time: 1pm	Received By: JLT	Date: 7/28/09	Time: 1020
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Fehr-Graham & Associates

Project: 09-233

Sample ID: 26301-3Q2009

Sample Characteristics: Groundwater remediation effluent

Sample to be collected on:

Number of samples: One (1)

FGA contact for questions: Joel Zirkle (815) 394-4700 or (815) 235-7643

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\2009 Annual Site Sampling Report\New Microsoft Office Word Document.docx

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-20221-1
SDG Number: 500-20221-1

Login Number: 20221
Creator: Lunt, Jeff T
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	2.6
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

January 6, 2010

FILE COPY

Mr. Gary Erickson
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 4th Quarter 2009

Dear Mr. Erickson:

Enclosed please find three copies of the above-referenced documents. Please review for completeness and accuracy, and if satisfactory sign and date where indicated. The original set, along with the enclosed cover letter, should be forwarded to the Water and Pollution Control Department for the City of Ames. For your convenience, certified mailing labels are enclosed. Please retain two additional copies and I will file when next on-site.

If you have any questions regarding the enclosed documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 4th Qrtr Wastewater to City of Ames.doc
Enclosure

Recycled Paper

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Hans A. Anderson, P.E.
R. Todd Weegens, P.E.
Mick W. Gronewold, P.E.
Ken R. Thompson
Adam G. Holder, P.E.

Civil • Surveying • Municipal • Structural • EHS • IT

221 E. Main Street • Suite 200 • Freeport, IL 61032
E-mail: fga@fehr-graham.com

Ph: 815/235-7643 • Fax: 815/235-4632
Web: www.fehr-graham.com

CERTIFIED MAIL NO. 7008 0500 0000 0550 2017
RETURN RECEIPT REQUESTED

January 7, 2010

FILE COPY

City of Ames, Iowa
Water and Pollution Control Department
300 East Fifth Street, Building 1
Ames, IA 50010

RE: Non-Domestic Waste Pretreatment Program Quarterly Report – 4th Quarter 2009
Sauer-Danfoss (US) Company
2800 East 13th Street
Ames, IA 50010
Facility Permit No. 6593-7

Dear Sir/Madam:

Enclosed, please find the Non-Domestic Waste Pretreatment Program Quarterly Report for wastewater discharge from the above-referenced facility for the 4th quarter of 2009. Also enclosed are copies of the analytical reports from Keystone Labs and Test America for the analysis of wastewater and groundwater remediation respectively and a summary of monthly flow in gals/month from the groundwater remediation project

Should you have any questions regarding these documents, please do not hesitate to contact this office.

Sincerely,

Daniel M. Stoehr
Project Environmental Scientist

DMS:mll
I:\Documents\SEC 2009\09-313\DMS 09-313 - 4th Qrtr Wastewater to City of Ames.doc
Enclosure

cc: Sauer-Danfoss (with enclosures)

Recycled Paper

Non-Domestic Waste Pretreatment Program
Quarterly Report
(Non-Significant, Non-Domestic Contributor)
4th Quarter 2009
Reporting Period: 10/1/2009 to 12/31/2009
Submit results on or before the 10th of the month following the end of the quarter

Facility: Sauer-Danfoss
Permit No: 6593-7
Facility Contact: Gary Erickson
Facility Phone No: 515-239-6000
Sampling Location: Front Parking Lot North Manhole (Wastewater)/On-Site Wastewater Treatment Sample Port (GW Remediation)
Sample Type: Grab & 24 Hour Composite
Sample Date: **10/15/09 (GW Remediation)/ 10/7/09 (Wastewater)**

Analyte	Permit Limit Mg/L	Sample Results Mg/L
Facility	Sauer Danfoss 2800 East 13th	
Flow	Gals/Day	15,245
pH	6-10 pH	8.20
TSS	1,500	212
Cyanide	0.55	<0.007
Ammonia (NH3)	200	32
Total Kjeldahl Nitrogen (TKN)	250	100
Oil & Grease	300	35
CBOD 5	1,500	324
COD	2,500	1240
Molybdenum	0.19	0.018
GW remediation	**Max Expected Concentration ug/L**	ug/L
Flow (remediation)	Gals/Qrtr	628,031
Acetone	44	<5
1,1-Dichloroethane	370	10
1,1-Dichloroethene	170	12
cis- 1,2-Dichloroethene	490	58
Tetrachloroethene	1700	410
1,1,1-Trichloroethane	650	48
Trichloroethene	110	21
Total Xylenes	11	<2

Note: Please attach sample results from Laboratory

Process or Treatment Change: None

Additional Comments: Attached e-mail from Keystone Labs explains difference in flow data of Keystone Report. Correct volume of 15,245 gpd was used above.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person (s) who manage the system, or those persons directly responsible for gathering the information, the information is, the best of my knowledge and belief, true accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signed Gary Erickson
Authorized Representative

Date 01-11-10

Dan Stoehr

From: Sue Thompson [sthompson@keystonelabresults.com]
Sent: Monday, November 23, 2009 8:29 AM
To: Dan Stoehr
Subject: RE: Flow Report

Dan -
The following is the explanation I received from our sampling technician:

Sampling Event - Sauer Danfoss - 7/8 October 2009
At 03:30 AM the section tube became clogged with debris from the sanitary system. The sampler attempted to suction liquid until the power failed. the battery maintained enough power to continue monitoring flow. 60 samples were successfully taken during the 24hr sampling period.

Please let me know if you need anything further.
Sue

Visit us at www.keystonelabs.com

Sue Thompson
Project Manager I
Keystone Laboratories, Inc.
600 East 17th Street South
Newton, IA 50208
641-792-8451
sthompson@keystonelabs.com

Confidentiality Notice
Because Access to receiving equipment is not under our control, Keystone Laboratories, Inc. cannot be responsible for the confidentiality of electronically transmitted data unless prior arrangements have been made.

From: Dan Stoehr [mailto:DStoehr@fehr-graham.com]
Sent: Monday, November 16, 2009 2:30 PM
To: sthompson@keystonelabs.com
Subject: RE: Flow Report

Status?

Thanks.

Dan

From: Sue Thompson [mailto:sthompson@keystonelabresults.com]
Sent: Friday, November 13, 2009 2:30 PM
To: Dan Stoehr
Subject: Flow Report

Hey Dan -
I just wanted to let you I'm not ignoring you :)
Jim has been out all week, but we're hoping to have him back on Monday. I apologize for the

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

ANALYTICAL REPORT

October 16, 2009

Work Order: 19J0319

Report To:

Gary Erickson
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order Information

Date Received: 10/07/2009 10:40AM
Collector: Pryke
Phone: 515-239-6539
PO Number:

Project : Quarterly Waste Pretreatment
Project Number: Pretreatment

Analyte	Result	MRL	Batch	Method	Analyst	Analyzed	Qualifier
19J0319-01 Front Parking Lot North Manhole				Matrix:Water		Collected: 10/07/09 09:30	
CBOD (5 day)	324 mg/l	4	1J90802	SM 5210 B	JRP	10/08/09 6:58	
Cyanide, total	<0.007 mg/l	0.007	1J91224	4500CN-E	DRB	10/12/09 9:10	
Chemical Oxygen Demand	1240 mg/l	200	1J91436	EPA 410.4	WAS	10/15/09 15:01	
Nitrogen, Ammonia	32.0 mg/l	1.0	1J91202	SM 4500-NH3 B,E	SAI	10/12/09 12:17	
Oil/Grease, animal/vegetable	33 mg/l	4	1J91250	EPA 1664	DRB	10/13/09 9:00	
Oil/Grease, petroleum	<4 mg/l	4	1J91250	EPA 1664	DRB	10/13/09 9:00	
Oil and Grease	35 mg/l	4	1J91250	EPA 1664	DRB	10/13/09 9:00	
pH	8.2 pH	0.5	1J90746	SM 4500 H+ B	TMR	10/07/09 15:00	I-03
Nitrogen, Kjeldahl, total	99.7 mg/l	1.00	1J91230	EPA 351.2	WAS	10/14/09 8:05	
Solids, total suspended	212 mg/l	7	1J91301	USGS I-3765-85	LJG	10/13/09 7:37	
Molybdenum, total	0.018 mg/l	0.010	1J90833	EPA 200.7	RVV	10/14/09 14:58	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B0622 - 1B90409										
Cal Standard (19B0622-CAL1)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	2.70		mg/l	0.00000						
Cal Standard (19B0622-CAL2)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	8.82		mg/l	10.0000		88.2				
Cal Standard (19B0622-CAL3)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	18.1		mg/l	20.0000		90.7				
Cal Standard (19B0622-CAL4)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	73.5		mg/l	75.0000		98.0				
Cal Standard (19B0622-CAL5)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	103		mg/l	100.000		103				
Cal Standard (19B0622-CAL6)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	149		mg/l	150.000		99.4				
Calibration Check (19B0622-CCV1)				Prepared: 02/06/09 Analyzed: 08/11/09						
Chemical Oxygen Demand	0.00		mg/l	75.0000			80-120			
Batch 19B1009 - 1B91004										
Cal Standard (19B1009-CAL1)				Prepared & Analyzed: 02/10/09						
Cyanide, total	-0.003		mg/l	0.00000						
Cal Standard (19B1009-CAL2)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.003		mg/l	0.0100000		84.4				

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19B1009 - 1B91004										
Cal Standard (19B1009-CAL3)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.040		mg/l	0.0400000		100				
Cal Standard (19B1009-CAL4)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.083		mg/l	0.080000		104				
Cal Standard (19B1009-CAL5)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.165		mg/l	0.160000		103				
Cal Standard (19B1009-CAL6)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.317		mg/l	0.320000		98.9				
Calibration Check (19B1009-CCV1)				Prepared & Analyzed: 02/10/09						
Cyanide, total	0.093		mg/l	0.100000		93.0	90-110			
Batch 19J1220 - 1J91224										
Calibration Check (19J1220-CCV1)				Prepared & Analyzed: 10/12/09						
Cyanide, total	0.106		mg/l	0.100000		106	90-110			
Calibration Check (19J1220-CCV2)				Prepared: 10/12/09 Analyzed: 10/13/09						
Cyanide, total	0.091		mg/l	0.100000		90.5	90-110			
Instrument Blank (19J1220-IBL1)				Prepared & Analyzed: 10/12/09						
Cyanide, total	ND	0.007	mg/l							
Instrument Blank (19J1220-IBL2)				Prepared: 10/12/09 Analyzed: 10/13/09						
Cyanide, total	ND	0.007	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19J1220 - 1J91224										
Initial Cal Check (19J1220-ICV1)				Prepared & Analyzed: 10/12/09						
Cyanide, total	0.104		mg/l	0.100000		104	90-110			
Initial Cal Check (19J1220-ICV2)				Prepared: 10/12/09 Analyzed: 10/13/09						
Cyanide, total	0.091		mg/l	0.100000		90.5	90-110			
Batch 19J1401 - 1J91230										
Calibration Check (19J1401-CCV1)				Prepared & Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	10.2		mg/l	10.0000		102	90-110			
Calibration Check (19J1401-CCV2)				Prepared & Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	10.4		mg/l	10.0000		104	90-110			
Calibration Check (19J1401-CCV3)				Prepared & Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	10.3		mg/l	10.0000		103	90-110			
Calibration Check (19J1401-CCV4)				Prepared & Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	10.8		mg/l	10.0000		108	90-110			
Calibration Check (19J1401-CCV5)				Prepared & Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	10.4		mg/l	10.0000		104	90-110			
Batch 19J1419 - 1J91436										
Calibration Check (19J1419-CCV1)				Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	74.8		mg/l	75.0000		99.7	80-120			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19J1419 - 1J91436										
Initial Cal Check (19J1419-ICV1)				Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	74.2		mg/l	75.0000		99.7	80-120			
Batch 1J90746 - Wet Chem Preparation										
Duplicate (1J90746-DUP1)		Source: 19J0203-01		Prepared & Analyzed: 10/07/09						
pH	7.0	0.5	pH		7.0			0.00	10	I-03
Duplicate (1J90746-DUP2)		Source: 19J0374-01		Prepared & Analyzed: 10/07/09						
pH	7.3	0.5	pH		7.3			0.00	10	I-03
Reference (1J90746-SRM1)				Prepared & Analyzed: 10/07/09						
pH	7.0	0.5	pH	7.00000		99.6	98.5-101.5			I-03
Reference (1J90746-SRM2)				Prepared & Analyzed: 10/07/09						
pH	7.0	0.5	pH	7.00000		99.6	98.5-101.5			I-03
Batch 1J90802 - General Prep Micro										
Blank (1J90802-BLK1)				Prepared & Analyzed: 10/08/09						
CBOD (5 day)	ND	4	mg/l							
Duplicate (1J90802-DUP1)		Source: 19J0365-05		Prepared & Analyzed: 10/08/09						
CBOD (5 day)	894	4	mg/l		921			2.98	30	
Duplicate (1J90802-DUP2)		Source: 19J0367-01		Prepared & Analyzed: 10/08/09						
CBOD (5 day)	1670	4	mg/l		2140			24.6	30	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1J90802 - General Prep Micro										
Duplicate (1J90802-DUP3)		Source: 19J0376-08		Prepared & Analyzed: 10/08/09						
CBOD (5 day)	189	4	mg/l		113			50.3	30	QR-04
Reference (1J90802-SRM1)				Prepared & Analyzed: 10/08/09						
CBOD (5 day)	427	4	mg/l	413.160		103	84.6-115.4			
Batch 1J91202 - Wet Chem Preparation										
Blank (1J91202-BLK1)				Prepared & Analyzed: 10/12/09						
Nitrogen, Ammonia	ND	1.0	mg/l							
LCS (1J91202-BS1)				Prepared & Analyzed: 10/12/09						
Nitrogen, Ammonia	9.70	1.0	mg/l	10.0000		97.0	83-110			
Duplicate (1J91202-DUP1)		Source: 19J0302-01		Prepared & Analyzed: 10/12/09						
Nitrogen, Ammonia	0.260	1.0	mg/l		0.260			0.00	10	
Matrix Spike (1J91202-MS1)		Source: 19J0291-01		Prepared & Analyzed: 10/12/09						
Nitrogen, Ammonia	9.57	1.0	mg/l	10.0000	ND	95.7	73-116			
Batch 1J91224 - Wet Chem Preparation										
Blank (1J91224-BLK1)				Prepared & Analyzed: 10/12/09						
Cyanide, total	ND	0.007	mg/l							
LCS (1J91224-BS1)				Prepared & Analyzed: 10/12/09						
Cyanide, total	0.021	0.007	mg/l	0.0200000		104	74-121			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8151 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Keystone LABORATORIES, INC.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1J91224 - Wet Chem Preparation										
Matrix Spike (1J91224-MS1)		Source: 19J0332-01		Prepared & Analyzed: 10/12/09						
Cyanide, total	0.027	0.007	mg/l	0.0200000	0.007	101	60-135			
Matrix Spike Dup (1J91224-MSD1)		Source: 19J0332-01		Prepared & Analyzed: 10/12/09						
Cyanide, total	0.027	0.007	mg/l	0.0200000	0.007	99.9	60-135	0.572	30	
Batch 1J91230 - Wet Chem Preparation										
Blank (1J91230-BLK1)				Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	ND	0.50	mg/l							
Blank (1J91230-BLK2)				Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	ND	0.50	mg/l							
LCS (1J91230-BS1)				Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	21.2	0.50	mg/l	20.0000		106	80-120			
LCS (1J91230-BS2)				Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	19.9	0.50	mg/l	20.0000		99.3	80-120			
Matrix Spike (1J91230-MS1)		Source: 19J0388-01		Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	58.8	0.50	mg/l	20.0000	35.0	119	80-120			
Matrix Spike (1J91230-MS2)		Source: 19J0461-02		Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	72.6	0.50	mg/l	20.0000	52.1	103	80-120			
Matrix Spike Dup (1J91230-MSD1)		Source: 19J0388-01		Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	56.2	0.50	mg/l	20.0000	35.0	106	80-120	4.52	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL = Method Reporting Limit.

Keystone LABORATORIES, INC.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control

Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1J91230 - Wet Chem Preparation										
Matrix Spike Dup (1J91230-MSD2)		Source: 19J0461-02		Prepared: 10/12/09 Analyzed: 10/14/09						
Nitrogen, Kjeldahl, total	73.6	0.50	mg/l	20.0000	52.1	108	80-120	1.43	20	
Batch 1J91250 - Wet Chem Preparation										
Blank (1J91250-BLK1)				Prepared & Analyzed: 10/13/09						
Oil and Grease	ND	4	mg/l							
Oil/Grease, animal/vegetable	ND	4	"							
Oil/Grease, petroleum	ND	4	"							
LCS (1J91250-BS1)				Prepared & Analyzed: 10/13/09						
Oil and Grease	41	4	mg/l	40.0000		102	78-114			
Oil/Grease, animal/vegetable	20	4	"	20.0000		99.0	64-132			
Oil/Grease, petroleum	21	4	"	20.0000		105	64-132			
Matrix Spike (1J91250-MS1)		Source: 19J0332-01		Prepared & Analyzed: 10/13/09						
Oil and Grease	43	4	mg/l	40.1204	5	96.2	78-114			
Oil/Grease, animal/vegetable	25	4	"	20.0602	3	110	64-132			
Oil/Grease, petroleum	18	4	"	20.0602	2	82.5	64-132			
Matrix Spike Dup (1J91250-MSD1)		Source: 19J0332-01		Prepared & Analyzed: 10/13/09						
Oil and Grease	48	4	mg/l	40.2010	5	107	78-114	10.1	18	
Oil/Grease, animal/vegetable	28	4	"	20.1005	3	122	64-132	9.76	34	
Oil/Grease, petroleum	20	4	"	20.1005	2	92.5	64-132	10.6	34	
Batch 1J91301 - Wet Chem Preparation										
Blank (1J91301-BLK1)				Prepared & Analyzed: 10/13/09						
Solids, total suspended	ND	1	mg/l							

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL = Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Conventional Chemistry Parameters - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1J91301 - Wet Chem Preparation										
LCS (1J91301-BS1)				Prepared & Analyzed: 10/13/09						
Solids, total suspended	14.1	1	mg/l	15.0000		94.0	75-116			
Duplicate (1J91301-DUP1)		Source: 19J0295-02		Prepared & Analyzed: 10/13/09						
Solids, total suspended	51.0	5	mg/l		53.0			3.85	30	
Batch 1J91436 - Wet Chem Preparation										
Blank (1J91436-BLK1)				Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	ND	10	mg/l							
LCS (1J91436-BS1)				Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	75.1	10	mg/l	75.0000		100	74-110			
Matrix Spike (1J91436-MS1)		Source: 19J0275-03		Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	28.1	10	mg/l	42.8571	ND	65.5	60-140			
Matrix Spike Dup (1J91436-MSD1)		Source: 19J0275-03		Prepared: 10/14/09 Analyzed: 10/15/09						
Chemical Oxygen Demand	44.6	10	mg/l	42.8571	ND	104	60-140	45.5	26	QM-14

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL = Method Reporting Limit.

Keystone LABORATORIES, INC.
ACCREDITED IN ACCORDANCE WITH nelac
MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19J1411 - 1J90909										
Calibration Blank (19J1411-CCB1)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.000500		mg/l	0.00000						
Calibration Blank (19J1411-CCB2)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.00100		mg/l	0.00000						
Calibration Blank (19J1411-CCB3)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.00150		mg/l	0.00000						
Calibration Blank (19J1411-CCB4)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.000600		mg/l	0.00000						
Calibration Blank (19J1411-CCB5)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.00150		mg/l	0.00000						
Calibration Blank (19J1411-CCB6)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.000200		mg/l	0.00000						
Calibration Blank (19J1411-CCB7)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.000300		mg/l	0.00000						
Calibration Check (19J1411-CCV1)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.997		mg/l	1.00000		99.7	90-110			
Calibration Check (19J1411-CCV2)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.990		mg/l	1.00000		99.0	90-110			
Calibration Check (19J1411-CCV3)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.991		mg/l	1.00000		99.1	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL = Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 19J1411 - 1J90909										
Calibration Check (19J1411-CCV4)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.988		mg/l	1.00000		98.8	90-110			
Calibration Check (19J1411-CCV5)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	1.01		mg/l	1.00000		101	90-110			
Calibration Check (19J1411-CCV6)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	1.00		mg/l	1.00000		100	90-110			
Calibration Check (19J1411-CCV7)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	1.01		mg/l	1.00000		101	90-110			
High Cal Check (19J1411-HCV2)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	19.4		mg/l	20.0000		97.2	90-110			
Initial Cal Blank (19J1411-ICB1)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.000000		mg/l	0.00000						
Initial Cal Check (19J1411-ICV1)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	1.00		mg/l	1.00000		100	90-110			
Secondary Cal Check (19J1411-SCV1)				Prepared & Analyzed: 10/14/09						
Molybdenum, total	0.510		mg/l	0.500000		102	90-110			
Batch 1J90833 - EPA 3010A Total ICP										
Blank (1J90833-BLK1)				Prepared: 10/08/09 Analyzed: 10/14/09						
Molybdenum, total	ND	0.010	mg/l							

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Determination of Total Metals - Quality Control
Keystone Laboratories, Inc. - Newton

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1J90833 - EPA 3010A Total ICP										
LCS (1J90833-BS1)				Prepared: 10/08/09 Analyzed: 10/14/09						
Molybdenum, total	0.208	0.010	mg/l	0.200000		104	84-112			
Matrix Spike (1J90833-MS1)		Source: 19J0275-09		Prepared: 10/08/09 Analyzed: 10/14/09						
Molybdenum, total	0.208	0.010	mg/l	0.200000	ND	104	73-116			
Matrix Spike Dup (1J90833-MSD1)		Source: 19J0275-09		Prepared: 10/08/09 Analyzed: 10/14/09						
Molybdenum, total	0.203	0.010	mg/l	0.200000	ND	104	73-116	0.337	13	
Post Spike (1J90833-PS1)		Source: 19J0275-09		Prepared: 10/08/09 Analyzed: 10/14/09						
Molybdenum, total	0.202		mg/l	0.196078	0.0000980	103	88-116			

ND = Non Detect; REC= Recovery; RPD= Relative Percent Difference

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Certified Analyses included in this Report

Method/Matrix	Analyte	Certifications
200.7 in Drink Wtr		
	Calcium, total	IA-NT
	Sodium, total	IA-NT
200.8 in Water		
	Thallium, total	IA-NT
4500CN-E in Water		
	Cyanide, total	IA-NT,KS-NT,NELAC
EPA 1664 in Water		
	Oil and Grease	IA-NT,KS-NT,NELAC
	Oil/Grease, animal/vegetable	IA-NT,KS-NT,NELAC
	Oil/Grease, petroleum	IA-NT,KS-NT,NELAC
EPA 200.7 in Water		
	Aluminum, total	IA-NT
	Cadmium, total	IA-NT
	Chromium, total	IA-NT
	Copper, total	IA-NT
	Iron, total	IA-NT
	Lead, total	IA-NT
	Molybdenum, total	IA-NT
	Nickel, total	IA-NT
	Silver, total	IA-NT
	Zinc, total	IA-NT
	Hardness, Total as CaCO3	KS-NT,NELAC
EPA 200.8 in Water		
	Antimony, total	IA-NT
	Arsenic, total	IA-NT
	Barium, total	IA-NT
	Cadmium, total	IA-NT
	Chromium, total	IA-NT
	Copper, total	IA-NT
	Lead, total	IA-NT
	Nickel, total	IA-NT
	Selenium, total	IA-NT
	Silver, total	IA-NT

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Keystone LABORATORIES, INC.

ACCREDITED IN ACCORDANCE WITH nelac

MEMBER ACIL

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

	Zinc, total	IA-NT
EPA 351.2 in Water		
	Nitrogen, Kjeldahl, total	IA-NT
EPA 410.4 in Water		
	Chemical Oxygen Demand	IA-NT,KS-NT,NELAC
EPA 6010B in Soil		
	Arsenic, total	IA-NT,KS-NT
	Barium, total	IA-NT,KS-NT,NELAC
	Cadmium, total	IA-NT,KS-NT,NELAC
	Chromium, total	IA-NT,KS-NT,NELAC
	Copper, total	IA-NT,KS-NT,NELAC
	Lead, total	IA-NT,KS-NT,NELAC
	Molybdenum, total	IA-NT,KS-NT,NELAC
	Nickel, total	IA-NT,KS-NT,NELAC
	Selenium, total	IA-NT,KS-NT
	Silver, total	IA-NT,KS-NT,NELAC
	Zinc, total	IA-NT,KS-NT,NELAC
EPA 6010B in Water		
	Iron, dissolved	IA-NT,KS-NT,NELAC
EPA 6020A in Water		
	Antimony, total	IA-NT
	Arsenic, total	IA-NT
	Barium, total	IA-NT
	Cadmium, total	IA-NT
	Chromium, total	IA-NT
	Cobalt, total	IA-NT
	Copper, total	IA-NT
	Lead, total	IA-NT
	Nickel, total	IA-NT
	Selenium, total	IA-NT
	Thallium, total	IA-NT
	Vanadium, total	IA-NT
	Zinc, total	IA-NT
SM 3120B in Water		
	Lead, total	IA-NT,KS-NT,NELAC
SM 4500 H+ B in Water		
	pH	IA-NT,KS-NT,NELAC

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Phone 641-792-8451 600 East 17th Street South Newton, IA 50208 Fax 641-792-7989

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

SM 4500-Nh3 B,E in Water

Nitrogen, Ammonia	IA-NT,KS-NT,NELAC

SM 5210 B in Water

CBOD (5 day)	IA-NT

USGS I-3765-85 in Water

Solids, total suspended	IA-NT

Code	Description	Number	Expires
IA-NT	Iowa Department of Natural Resources	095	02/01/2010
KS-NT	Kansas Department of Health and Environment	E-10287	07/31/2010
NELAC	New Jersey Department of Environmental Protection	IA001	06/30/2010

Notes and Definitions

I-03	Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.
I-03	Analyte required to be analyzed within 15 minutes of sampling. Analysis performed upon receipt of sample at laboratory.
QM-14	The spike recovery was outside acceptance limits for the MS and/or MSD. However, all other QC was acceptable.
QR-04	The RPD for this analyte exceeded acceptance limits.
R-01	The Reporting Limit for this analyte has been raised to account for matrix interference.

End of Report

Sue Thompson

Keystone Laboratories, Inc.

Sue Thompson
Project Manager I

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

Work Order: 19J0319

Keystone LABORATORIES, INC.
600 East 17th Street South
Newton, IA 50208
641-792-8451

CHAIN OF CUSTODY RECORD

Page 1 of 1
Printed: 10/3/2009 12:30:45AM
www.keystonelabs.com

SITE INFORMATION
Sampler: Pyke
Project: Quarterly Waste Pretreatment Pretreatment

SPECIAL INSTRUCTIONS
None
Turn Around Time
☐ Standard ☐ RUSH, need by ___

REPORT TO
Gary Erickson
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

LAB USE ONLY
Work Order 19J0319
Temperature
Turn-Cooler: No

INVOICE TO
Accounts Payable
Sauer-Danfoss
2800 E. 13th St.
Ames, IA 50010

☐ Custody Seal
☐ Containers Intact
☐ COC/Labels Agree
☐ Preservation Confirmed
☐ Received on Ice

Number	Sample Identification / Other ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses	Lab Sample Number
01-001	Front Parking Lot North Manhole	Water		10/2/09	9:30		nh3-n(E)-1414 tss-2540d cl-4-500cl cn-4-500cn p-4-1525 br-I-3765-85	01

Relinquished By: [signature] 10/2/09 12:00 Date/Time
Received By: Date/Time
Relinquished By: [signature] 10-2-09 10:40 Date/Time
Received for Lab By: Date/Time

Remarks:

Original - Return with Report • Yellow - Lab Copy • Pink - Sampler Copy

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Samples were preserved in accordance with 40 CFR for pH adjustment unless otherwise noted. MRL= Method Reporting Limit.

19J0319



3060

SAMPLER ID# 1182518539 09:13 7-OCT-09
Hardware: A1 Software: 2.31
********** PROGRAM SETTINGS **********

SITE DESCRIPTION:
"SAUR-DANFO"

UNITS SELECTED:
FLOW RATE: gpm
FLOW VOLUME: gal

BUBBLER MODULE:
FLOW-INSERT
8"
V-NOTCH

1, 9.80 lit BTLS

25 ft SUCTION LINE

PACING:
TIME, EVERY
0 HOURS, 12 MINUTES

COMPOSITE:

120 SAMPLES

---

70 ml SAMPLES

NO DELAY TO START

SAMPLER ID# 1182518539 09:13 7-OCT-09
Hardware: A1 Software: 2.31
********** SAMPLING RESULTS **********
SITE: SAUR-DANFO
Program Started at 09:17 TU 6-OCT-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	SOURCE	ERROR	COUNT TO LIQUID
		09:17	PGM ENABLED		
1	1	09:17	S	NM	*
2	1	09:29	T		810
3	1	09:41	T		812
4	1	09:53	T		812

					3060
5	1	10:05	T		812
6	1	10:17	T		812
7	1	10:29	T		1004
8	1	10:41	T		812
9	1	10:53	T		814
10	1	11:05	T		823
11	1	11:17	T		824
12	1	11:29	T		819
13	1	11:41	T		818
14	1	11:53	T		820
15	1	12:05	T		819
16	1	12:17	T		820
17	1	12:29	T		822
18	1	12:41	T		815
19	1	12:53	T		820
20	1	13:05	T		818
21	1	13:17	T		809
22	1	13:29	T		812
23	1	13:41	T		812
24	1	13:53	T		814
25	1	14:05	T		814
26	1	14:17	T		811
27	1	14:29	T		812
28	1	14:41	T		812
29	1	14:53	T		812
30	1	15:05	T		812
31	1	15:17	T		812
32	1	15:29	T		810
33	1	15:41	T		806
34	1	15:53	T		808
35	1	16:05	T		806
36	1	16:17	T		808
37	1	16:29	T	NM	*
38	1	16:41	T	NM	*
39	1	16:53	T	NL	*
40	1	17:05	T	NM	*
41	1	17:17	T		810
42	1	17:29	T		809
43	1	17:41	T		826
44	1	17:53	T		820
45	1	18:05	T		798
46	1	18:17	T		833
47	1	18:29	T		796
48	1	18:41	T		796
49	1	18:53	T		796
50	1	19:05	T		796
51	1	19:17	T		794
52	1	19:29	T		794
53	1	19:41	T		795
54	1	19:53	T		794
55	1	20:05	T		794
56	1	20:17	T		794
57	1	20:29	T		794
58	1	20:41	T		794
59	1	20:53	T		818
60	1	21:05	T	NM	*
61	1	21:17	T	NM	*
62	1	21:29	T	NL	*
63	1	21:41	T	NL	*
64	1	21:53	T	NL	*
65	1	22:05	T	NL	*
66	1	22:17	T	NL	*
67	1	22:29	T	NL	*

					3060
68	1	22:41	T	NL	*
69	1	22:53	T	NL	*
70	1	23:05	T	NL	*
71	1	23:17	T	NL	*
72	1	23:29	T	NL	*
73	1	23:41	T	NL	*
74	1	23:53	T	NL	*
----------		WE 07-OCT-09			----------
75	1	00:05	T	NL	*
76	1	00:17	T	NL	*
77	1	00:29	T	NL	*
78	1	00:41	T	NL	*
79	1	00:53	T	NL	*
80	1	01:05	T	NL	*
81	1	01:17	T	NL	*
82	1	01:29	T	NL	*
83	1	01:41	T	NL	*
84	1	01:53	T	NL	*
85	1	02:05	T	NL	*
86	1	02:17	T	NL	*
87	1	02:29	T	NL	*
88	1	02:41	T	NL	*
89	1	02:53	T	NL	*
90	1	03:05	T	NL	*
91	1	03:17	T		782
92	1	03:29	T	P	*
		03:30	POWER FAILED!		
		03:30	POWER RESTORED		
93	1	03:41	T	P	*
		03:41	POWER FAILED!		
		03:41	POWER RESTORED		
94	1	03:53	T	P	*
		03:53	POWER FAILED!		
		03:53	POWER RESTORED		
95	1	04:05	T	P	*
		04:05	POWER FAILED!		
		04:05	POWER RESTORED		
96	1	04:17	T	P	*
		04:17	POWER FAILED!		
		04:17	POWER RESTORED		
		04:17	PGM STOPPED 07-OCT		

SOURCE S ==> START
SOURCE T ==> TIME
ERROR NL ==> NO LIQUID DETECTED!
ERROR NM ==> NO MORE LIQUID!
ERROR P ==> POWER FAILED!

SAMPLER ID# 1182518539 09:13 7-OCT-09
Hardware: A1 Software: 2.31
BUBBLER MODULE: 1160556497
Hardware: A0 Software: 1.07
********** COMBINED RESULTS **********
SITE: SAUR-DANFO
Program Started at 09:17 TU 6-OCT-09
Nominal Sample Volume = 70 ml

SAMPLE	BOTTLE	TIME	LEVEL ft	FLOW RATE gpm	TOTAL FLOW gal

					3060
1	1	09:17	0.328	7.590	0000000000
2	1	09:29	0.420	23.24	0000000240
3	1	09:41	0.423	24.01	0000000550
4	1	09:53	0.427	24.80	0000000850
5	1	10:05	0.440	28.11	0000001140
6	1	10:17	0.394	17.64	0000001380
7	1	10:29	0.413	21.75	0000001610
8	1	10:41	0.394	17.64	0000001850
9	1	10:53	0.404	19.62	0000002070
10	1	11:05	0.410	21.02	0000002330
11	1	11:17	0.390	17.01	0000002560
12	1	11:29	0.400	18.95	0000002790
13	1	11:41	0.410	21.02	0000003050
14	1	11:53	0.407	20.32	0000003320
15	1	12:05	0.417	22.48	0000003600
16	1	12:17	0.394	17.64	0000003860
17	1	12:29	0.413	21.75	0000004080
18	1	12:41	0.427	24.80	0000004350
19	1	12:53	0.387	16.39	0000004580
20	1	13:05	0.423	24.01	0000004840
21	1	13:17	0.417	22.48	0000005120
22	1	13:29	0.413	21.75	0000005380
23	1	13:41	0:387	16.39	0000005590
24	1	13:53	0.407	20.32	0000005810
25	1	14:05	0.410	21.02	0000006040
26	1	14:17	0.364	12.46	0000006240
27	1	14:29	0.404	19.62	0000006430
28	1	14:41	0.384	15.79	0000006650
29	1	14:53	0.387	16.39	0000006840
30	1	15:05	0.394	17.64	0000007050
31	1	15:17	0.374	14.07	0000007220
32	1	15:29	0.351	10.52	0000007370
33	1	15:41	0.367	12.99	0000007530
34	1	15:53	0.354	10.99	0000007670
35	1	16:05	0.358	11.46	0000007790
36	1	16:17	0.371	13.52	0000007930
37	1	16:29	0.312	5.850	0000008070
38	1	16:41	0.292	4.107	0000008130
39	1	16:53	0.256	1.609	0000008170
40	1	17:05	0.269	2.520	0000008200
41	1	17:17	0.344	9.627	0000008260
42	1	17:29	0.331	7.977	0000008370
43	1	17:41	0.338	8.778	0000008470
44	1	17:53	0.335	8.368	0000008570
45	1	18:05	0.351	10.52	0000008680
46	1	18:17	0.338	8.778	0000008780
47	1	18:29	0.417	22.48	0000008970
48	1	18:41	0.423	24.01	0000009250
49	1	18:53	0.417	22.48	0000009520
50	1	19:05	0.413	21.75	0000009790
51	1	19:17	0.417	22.48	0000010070
52	1	19:29	0.423	24.01	0000010340
53	1	19:41	0.417	22.48	0000010610
54	1	19:53	0.413	21.75	0000010890
55	1	20:05	0.410	21.02	0000011160
56	1	20:17	0:400	18.95	0000011430
57	1	20:29	0.384	15.79	0000011640
58	1	20:41	0.387	16.39	0000011830
59	1	20:53	0.335	8.368	0000012000
60	1	21:05	0.282	3.374	0000012080
61	1	21:17	0.246	1.361	0000012110
62	1	21:29	0.223	0.585	0000012120

					3060
63	1	21:41	0.223	0.585	0000012130
64	1	21:53	0.223	0.585	0000012140
65	1	22:05	0.213	0.360	0000012150
66	1	22:17	0.240	1.102	0000012160
67	1	22:29	0.220	0.504	0000012170
68	1	22:41	0.226	0.676	0000012180
69	1	22:53	0.217	0.426	0000012180
70	1	23:05	0.210	0.297	0000012190
71	1	23:17	0.207	0.242	0000012190
72	1	23:29	0.207	0.242	0000012190
73	1	23:41	0.217	0.426	0000012200
74	1	23:53	0.203	0.192	0000012200
----------			WE	7-OCT-09	------
75	1	00:05	0.223	0.585	0000012200
76	1	00:17	0.210	0.297	0000012210
77	1	00:29	0.230	0.771	0000012220
78	1	00:41	0.213	0.360	0000012220
79	1	00:53	0.207	0.242	0000012220
80	1	01:05	0.203	0.192	0000012230
81	1	01:17	0.203	0.192	0000012230
82	1	01:29	0.203	0.192	0000012230
83	1	01:41	0.210	0.297	0000012240
84	1	01:53	0.210	0.297	0000012240
85	1	02:05	0.203	0.192	0000012240
86	1	02:17	0.203	0.192	0000012240
87	1	02:29	0.203	0.192	0000012250
88	1	02:41	0.217	0.426	0000012250
89	1	02:53	0.210	0.297	0000012250
90	1	03:05	0.210	0.297	0000012260
91	1	03:17	0.423	24.01	0000012480
92	1	03:29	0.253	1.650	0000012570
93	1	03:41	0.223	0.585	0000012580
94	1	03:53	0.217	0.426	0000012590
95	1	04:05	0.210	0.297	0000012590
96	1	04:17	0.223	0.585	0000012600

```
SAMPLER ID# 1182518539  09:14  7-OCT-09
  Hardware:     A1  Software: 2.31
*********** COMBINED RESULTS ***********
   SITE: SAUR-DANFO
Program Started at 09:17 TU  6-OCT-09
Nominal Sample Volume =   70 ml
                          FR-TEMP
SAMPLE  BOTTLE TIME          C
------- ------ ----        ----
                    NO FR-TEMPERATURE
----------------------------------------
```

```
SAMPLER ID# 1182518539  09:14  7-OCT-09
  Hardware:     A1  Software: 2.31
*********** COMBINED RESULTS ***********
   SITE: SAUR-DANFO
Program Started at 09:17 TU  6-OCT-09
Nominal Sample Volume =   70 ml
SAMPLE  BOTTLE TIME
------- ------ ----------- ------ ----
                    NO RAIN GAUGE
```

---------- 3060

SAMPLER ID# 1182518539 09:14 7-OCT-09
Hardware: A1 Software: 2.31
SDI-12 DATA
********** COMBINED RESULTS **********
SITE: SAUR-DANFO
Program Started at 09:17 TU 6-OCT-09
Nominal Sample Volume = 70 ml

NO SDI-12 SONDE

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-21830-1

SDG Number: 500-21830-1

Job Description: 09-233

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
10/22/2009 6:08 AM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
10/22/2009

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-21830-1	26646 4Q2009				
1,1,1-Trichloroethane		0.048	0.0010	mg/L	8260B
1,1-Dichloroethane		0.010	0.0010	mg/L	8260B
1,1-Dichloroethene		0.012	0.0010	mg/L	8260B
1,2-Dichloroethene, Total		0.058	0.0020	mg/L	8260B
Tetrachloroethene		0.41	0.0050	mg/L	8260B
Trichloroethene		0.021	0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-21830-1	26646 4Q2009	Water	10/15/2009 1400	10/16/2009 1025

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Client Sample ID: 26646 4Q2009
Lab Sample ID: 500-21830-1

Date Sampled: 10/15/2009 1400
Date Received: 10/16/2009 1025
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	10/20/2009 1721		
Prep Method: 5030B		Date Prepared:	10/20/2009 1721		
1,1,1-Trichloroethane	0.048	mg/L	0.00014	0.0010	1.0
1,1-Dichloroethane	0.010	mg/L	0.00012	0.0010	1.0
1,1-Dichloroethene	0.012	mg/L	0.00023	0.0010	1.0
1,2-Dichloroethene, Total	0.058	mg/L	0.00026	0.0020	1.0
Acetone	<0.0050	mg/L	0.0021	0.0050	1.0
Trichloroethene	0.021	mg/L	0.00016	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00042	0.0020	1.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	113	%		72 - 135	
4-Bromofluorobenzene (Surr)	88	%		77 - 120	
Toluene-d8 (Surr)	97	%		80 - 120	
Dibromofluoromethane	114	%		79 - 133	
Method: 8260B Run Type: DL		Date Analyzed:	10/19/2009 2023		
Prep Method: 5030B		Date Prepared:	10/19/2009 2023		
Tetrachloroethene	0.41	mg/L	0.0010	0.0050	5.0
Surrogate				Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	108	%		72 - 135	
4-Bromofluorobenzene (Surr)	88	%		77 - 120	
Toluene-d8 (Surr)	94	%		80 - 120	
Dibromofluoromethane	113	%		79 - 133	

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-73808					
LCS 500-73808/6	Lab Control Sample	T	Water	8260B	
LCSD 500-73808/15	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-73808/5	Method Blank	T	Water	8260B	
500-21830-1DL	26646 4Q2009	T	Water	8260B	
Analysis Batch:500-73862					
LCS 500-73862/9	Lab Control Sample	T	Water	8260B	
MB 500-73862/8	Method Blank	T	Water	8260B	
500-21830-1	26646 4Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	BFB %Rec	TOL %Rec	DBFM %Rec
500-21830-1 DL	26646 4Q2009 DL	108	88	94	113
500-21830-1	26646 4Q2009	113	88	97	114
MB 500-73808/5		104	91	95	107
MB 500-73862/8		104	89	96	107
LCS 500-73808/6		105	95	99	104
LCS 500-73862/9		104	97	99	104
LCSD 500-73808/15		105	95	100	110

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
BFB = 4-Bromofluorobenzene (Surr)	77-120
TOL = Toluene-d8 (Surr)	80-120
DBFM = Dibromofluoromethane	79-133

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method Blank - Batch: 500-73808

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-73808/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 1253
Date Prepared: 10/19/2009 1253

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22M1019.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	<0.0010		0.00014	0.0010
1,1-Dichloroethane	<0.0010		0.00012	0.0010
1,1-Dichloroethene	<0.0010		0.00023	0.0010
1,2-Dichloroethene, Total	<0.0020		0.00026	0.0020
Acetone	<0.0050		0.0021	0.0050
Tetrachloroethene	<0.0010		0.00020	0.0010
Trichloroethene	<0.0010		0.00016	0.0010
Xylenes, Total	<0.0020		0.00042	0.0020

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	91	77 - 120
Toluene-d8 (Surr)	95	80 - 120
Dibromofluoromethane	107	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-73808

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-73808/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 1314
Date Prepared: 10/19/2009 1314

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22S1019A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-73808/15
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 2208
Date Prepared: 10/19/2009 2208

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973
Lab File ID: 22T1019.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,1,1-Trichloroethane	107	109	64 - 122	2	20		
1,1-Dichloroethane	104	105	65 - 120	1	20		
1,1-Dichloroethene	102	103	55 - 129	1	20		
1,2-Dichloroethene, Total	105	106	68 - 120	1	20		
Acetone	104	101	29 - 152	2	20		
Tetrachloroethene	99	94	70 - 120	5	20		
Trichloroethene	104	101	71 - 120	3	20		
Xylenes, Total	104	99	74 - 120	4	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	105	72 - 135
4-Bromofluorobenzene (Surr)	95	95	77 - 120
Toluene-d8 (Surr)	99	100	80 - 120
Dibromofluoromethane	104	110	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method Blank - Batch: 500-73862

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-73862/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/20/2009 1224
Date Prepared: 10/20/2009 1224

Analysis Batch: 500-73862
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22M1020.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	<0.0010		0.00014	0.0010
1,1-Dichloroethane	<0.0010		0.00012	0.0010
1,1-Dichloroethene	<0.0010		0.00023	0.0010
1,2-Dichloroethene, Total	<0.0020		0.00026	0.0020
Acetone	<0.0050		0.0021	0.0050
Tetrachloroethene	<0.0010		0.00020	0.0010
Trichloroethene	<0.0010		0.00016	0.0010
Xylenes, Total	<0.0020		0.00042	0.0020

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	89	77 - 120
Toluene-d8 (Surr)	96	80 - 120
Dibromofluoromethane	107	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Control Sample - Batch: 500-73862

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-73862/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/20/2009 1141
Date Prepared: 10/20/2009 1141

Analysis Batch: 500-73862
Prep Batch: N/A
Units: mg/L

Instrument ID: Agilent 6890A GC - 5973 M
Lab File ID: 22S1020.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1,1-Trichloroethane	0.0250	0.0246	98	64 - 122	
1,1-Dichloroethane	0.0250	0.0240	96	65 - 120	
1,1-Dichloroethene	0.0250	0.0230	92	55 - 129	
1,2-Dichloroethene, Total	0.0500	0.0484	97	68 - 120	
Acetone	0.0250	0.0205	82	29 - 152	
Tetrachloroethene	0.0250	0.0229	92	70 - 120	
Trichloroethene	0.0250	0.0237	95	71 - 120	
Xylenes, Total	0.0750	0.0721	96	74 - 120	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	97	77 - 120
Toluene-d8 (Surr)	99	80 - 120
Dibromofluoromethane	104	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

500-21830

Fehr-Graham & Associates
Project: 09-233
Sample ID: 26059-2Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on: May 28, 2009
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Chain of Custody Record

500-21830

Project Number : 09-233

Turnaround Time (circle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method (circle one) : Mail / Fax / Email

Deliver Report To : (check one)

[X] 221 East Main Street, Suite 200, Freeport, IL 61032, 815-235-7643 phone, 815-235-4632 fax, aschlosser@fehr-graham.com e-mail

[ ] 1920 Oakner Road, Rockford, IL 61112, 815-394-4700 phone, 815-394-4702 fax, bpaluzzi@fehr-graham.com e-mail

Internal Routing To: Amy Schlosser

LAB USE ONLY
Login ID #
Login By
Lab Proj/ID #
Sample Temperature
Received on ice Y or N
Cooler Sealed Y or N
Comments:

Page 1 of 1

Retain Samples Y / N

Sampled By: Daniel Stehr

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's - Method 8260 - (See attached sheet for reporting requests)					
26646-4Q2009	10/15/2009	2pm		X	3						Groundwater Effluent	X					

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Daniel Stehr	10.15.09	2:30pm	[illegible]	10/16/09	1625
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
SDG Number: 500-21630-1

Login Number: 21830
Creator: Kelsey, Shawn M
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 500-21830-1

SDG Number: 500-21830-1

Job Description: 09-233

For:
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Attention: Ms. Amy Schlosser

Donna L. Ingersoll

Approved for release.
Donna L Ingersoll
Project Manager II
3/4/2010 1:17 PM

Donna L Ingersoll
Project Manager II
donna.ingersoll@testamericainc.com
03/04/2010
Revision: 1

cc: Ms. Donna Ingersoll

These test results meet all the requirements of NELAC for accredited parameters.

The Lab Certification ID# is 100201.

All questions regarding this test report should be directed to the TestAmerica Project Manager whose signature appears on this report. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.
TestAmerica Chicago 2417 Bond Street, University Park, IL 60484
Tel (708) 534-5200 Fax (708) 534-5211 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Comments
No additional comments.

Receipt
Report revised to correct analyte list. Removed 1,2-DCE (total) and added cis- and trans-1,2-DCE.

All other samples were received in good condition within temperature requirements.

GC/MS VOA
No analytical or quality issues were noted.

EXECUTIVE SUMMARY - Detections

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Sample ID / Analyte	Client Sample ID	Result / Qualifier	Reporting Limit	Units	Method
500-21830-1	**26646 4Q2009**				
1,1,1-Trichloroethane		0.048	0.0010	mg/L	8260B
1,1-Dichloroethane		0.010	0.0010	mg/L	8260B
1,1-Dichloroethene		0.012	0.0010	mg/L	8260B
Tetrachloroethene		0.41	0.0050	mg/L	8260B
Trichloroethene		0.021	0.0010	mg/L	8260B
cis-1,2-Dichloroethene		0.060	0.0010	mg/L	8260B

METHOD SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds (GC/MS)	TAL CHI	SW846 8260B	
Purge and Trap	TAL CHI		SW846 5030B

Lab References:

TAL CHI = TestAmerica Chicago

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method	Analyst	Analyst ID
SW846 8260B	Alikpala, Elaine	EA

SAMPLE SUMMARY

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
500-21830-1	26646 4Q2009	Water	10/15/2009 1400	10/16/2009 1025

SAMPLE RESULTS

Ms. Amy Schlosser
Fehr-Graham & Associates
221 E. Main Street, Suite 200
Freeport, IL 61032-4201

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Client Sample ID: 26646 4Q2009
Lab Sample ID: 500-21830-1

Date Sampled: 10/15/2009 1400
Date Received: 10/16/2009 1025
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260B		Date Analyzed:	10/20/2009 1721		
Prep Method: 5030B		Date Prepared:	10/20/2009 1721		
1,1,1-Trichloroethane	0.048	mg/L	0.00014	0.0010	1.0
1,1-Dichloroethane	0.010	mg/L	0.00012	0.0010	1.0
1,1-Dichloroethene	0.012	mg/L	0.00023	0.0010	1.0
Acetone	<0.0050	mg/L	0.0021	0.0050	1.0
Trichloroethene	0.021	mg/L	0.00016	0.0010	1.0
Xylenes, Total	<0.0020	mg/L	0.00042	0.0020	1.0
trans-1,2-Dichloroethene	<0.0010	mg/L	0.00018	0.0010	1.0
cis-1,2-Dichloroethene	0.060	mg/L	0.00015	0.0010	1.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	113	%	72 - 135
4-Bromofluorobenzene (Surr)	88	%	77 - 120
Toluene-d8 (Surr)	97	%	80 - 120
Dibromofluoromethane	114	%	79 - 133

Method: 8260B Run Type: DL		Date Analyzed:	10/19/2009 2023		
Prep Method: 5030B		Date Prepared:	10/19/2009 2023		
Tetrachloroethene	0.41	mg/L	0.0010	0.0050	5.0

Surrogate			Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	108	%	72 - 135
4-Bromofluorobenzene (Surr)	88	%	77 - 120
Toluene-d8 (Surr)	94	%	80 - 120
Dibromofluoromethane	113	%	79 - 133

DATA REPORTING QUALIFIERS

Lab Section	Qualifier	Description

QUALITY CONTROL RESULTS

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:500-73808					
LCS 500-73808/6	Lab Control Sample	T	Water	8260B	
LCSD 500-73808/15	Lab Control Sample Duplicate	T	Water	8260B	
MB 500-73808/5	Method Blank	T	Water	8260B	
500-21830-1DL	26646 4Q2009	T	Water	8260B	
Analysis Batch:500-73862					
LCS 500-73862/9	Lab Control Sample	T	Water	8260B	
MB 500-73862/8	Method Blank	T	Water	8260B	
500-21830-1	26646 4Q2009	T	Water	8260B	

Report Basis
T = Total

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Surrogate Recovery Report

8260B Volatile Organic Compounds (GC/MS)

Client Matrix: Water

Lab Sample ID	Client Sample ID	DCA %Rec	BFB %Rec	TOL %Rec	DBFM %Rec
500-21830-1 DL	26646 4Q2009 DL	108	88	94	113
500-21830-1	26646 4Q2009	113	88	97	114
MB 500-73808/5		104	91	95	107
MB 500-73862/8		104	89	96	107
LCS 500-73808/6		105	95	99	104
LCS 500-73862/9		104	97	99	104
LCSD 500-73808/15		105	95	100	110

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	72-135
BFB = 4-Bromofluorobenzene (Surr)	77-120
TOL = Toluene-d8 (Surr)	80-120
DBFM = Dibromofluoromethane	79-133

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method Blank - Batch: 500-73808

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-73808/5
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 1253
Date Prepared: 10/19/2009 1253

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22M1019.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	<0.0010		0.00014	0.0010
1,1-Dichloroethane	<0.0010		0.00012	0.0010
1,1-Dichloroethene	<0.0010		0.00023	0.0010
1,2-Dichloroethene, Total	<0.0020		0.00026	0.0020
Acetone	<0.0050		0.0021	0.0050
Tetrachloroethene	<0.0010		0.00020	0.0010
Trichloroethene	<0.0010		0.00016	0.0010
Xylenes, Total	<0.0020		0.00042	0.0020
trans-1,2-Dichloroethene	<0.0010		0.00018	0.0010
cis-1,2-Dichloroethene	<0.0010		0.00015	0.0010

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	91	77 - 120
Toluene-d8 (Surr)	95	80 - 120
Dibromofluoromethane	107	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 500-73808

Method: 8260B
Preparation: 5030B

LCS Lab Sample ID: LCS 500-73808/6
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 1314
Date Prepared: 10/19/2009 1314

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22S1019A.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

LCSD Lab Sample ID: LCSD 500-73808/15
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/19/2009 2208
Date Prepared: 10/19/2009 2208

Analysis Batch: 500-73808
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22T1019.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	% Rec. LCS	% Rec. LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
1,1,1-Trichloroethane	107	109	64 - 122	2	20		
1,1-Dichloroethane	104	105	65 - 120	1	20		
1,1-Dichloroethene	102	103	55 - 129	1	20		
1,2-Dichloroethene, Total	105	106	68 - 120	1	20		
Acetone	104	101	29 - 152	2	20		
Tetrachloroethene	99	94	70 - 120	5	20		
Trichloroethene	104	101	71 - 120	3	20		
Xylenes, Total	104	99	74 - 120	4	20		
trans-1,2-Dichloroethene	107	109	66 - 120	1	20		
cis-1,2-Dichloroethene	103	103	72 - 123	0	20		

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105	105	72 - 135
4-Bromofluorobenzene (Surr)	95	95	77 - 120
Toluene-d8 (Surr)	99	100	80 - 120
Dibromofluoromethane	104	110	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Method Blank - Batch: 500-73862

Method: 8260B
Preparation: 5030B

Lab Sample ID: MB 500-73862/8
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/20/2009 1224
Date Prepared: 10/20/2009 1224

Analysis Batch: 500-73862
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22M1020.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	<0.0010		0.00014	0.0010
1,1-Dichloroethane	<0.0010		0.00012	0.0010
1,1-Dichloroethene	<0.0010		0.00023	0.0010
1,2-Dichloroethene, Total	<0.0020		0.00026	0.0020
Acetone	<0.0050		0.0021	0.0050
Tetrachloroethene	<0.0010		0.00020	0.0010
Trichloroethene	<0.0010		0.00016	0.0010
Xylenes, Total	<0.0020		0.00042	0.0020
trans-1,2-Dichloroethene	<0.0010		0.00018	0.0010
cis-1,2-Dichloroethene	<0.0010		0.00015	0.0010

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	89	77 - 120
Toluene-d8 (Surr)	96	80 - 120
Dibromofluoromethane	107	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
Sdg Number: 500-21830-1

Lab Control Sample - Batch: 500-73862

Method: 8260B
Preparation: 5030B

Lab Sample ID: LCS 500-73862/9
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 10/20/2009 1141
Date Prepared: 10/20/2009 1141

Analysis Batch: 500-73862
Prep Batch: N/A
Units: mg/L

Instrument ID: MS22
Lab File ID: 22S1020.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1,1-Trichloroethane	0.0250	0.0246	98	64 - 122	
1,1-Dichloroethane	0.0250	0.0240	96	65 - 120	
1,1-Dichloroethene	0.0250	0.0230	92	55 - 129	
1,2-Dichloroethene, Total	0.0500	0.0484	97	68 - 120	
Acetone	0.0250	0.0205	82	29 - 152	
Tetrachloroethene	0.0250	0.0229	92	70 - 120	
Trichloroethene	0.0250	0.0237	95	71 - 120	
Xylenes, Total	0.0750	0.0721	96	74 - 120	
trans-1,2-Dichloroethene	0.0250	0.0247	99	66 - 120	
cis-1,2-Dichloroethene	0.0250	0.0237	95	72 - 123	

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	72 - 135
4-Bromofluorobenzene (Surr)	97	77 - 120
Toluene-d8 (Surr)	99	80 - 120
Dibromofluoromethane	104	79 - 133

Calculations are performed before rounding to avoid round-off errors in calculated results.

FEHR-GRAHAM & ASSOCIATES
Engineering and Science Consultants

Chain of Custody Record

500-21830

Project Number : 09-233

Turnaround Time (circle one) : Standard / Rush

For Rush Delivery, Specify Due Date:

Delivery Method : (circle one) Mail / Fax / Email

Deliver Report To : (check one)

[X] 221 East Main Street
Suite 200
Freeport, IL 61032
815-235-7643 phone
815-235-4632 fax
aschlosser@fehr-graham.com e-mail

[ ] 1920 Daimler Road
Rockford, IL 61112
815-394-4700 phone
815-394-4702 fax
bpaluzzi@fehr-graham.com e-mail

Internal Routing To: Amy Schlosser

LAB USE ONLY
Login ID # _____
Login By _____
Lab Proj/ID # _____
Sample Temperature _____
Received on ice Y or N
Cooler Sealed Y or N
Comments:

Page 1 of 1

Retain Samples Y N

Sampled By: Daniel Stoehr

ANALYSIS REQUESTED (Specify Method if applicable)

SAMPLE IDENTIFICATION	DATE SAMPLED	TIME OF COLLECTION	COMP	GRAB	HCl	NaOH	HNO3	H2SO4	NONE	OTHER	SAMPLE DESCRIPTION	VOC's - Method 8260 - (See attached sheet for reporting requiests)					
					Number and type of containers												
26646 4Q2009	10/15/2009	2pm		X	3						Groundwater Effluent	X					

Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Daniel Stoehr	10.15.09	2:30pm	[illegible]	10/16/09	1025
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

03/04/2010

500-21830

Fehr-Graham & Associates
Project: 09-233
Sample ID: 26059-2Q2009
Sample Characteristics: Groundwater Remediation Effluent
Sample to be collected on: May 28, 2009
Number of Samples: One (1)
FGA Contact for questions: Joel Zirkle (815-394-4700) or Ken Thompson (815-235-7643)

Analyze for VOC's Method 8260 but only report for the following constituents:

1. Acetone
2. 1,1-Dichloroethane
3. 1,1-Dichloroethene
4. 1,2-Dichloroethene
5. 1,1,1-Trichloroethane
6. Trichloroethene
7. Tetrachloroethene
8. Total Xylenes

I:\Documents\2009\09-233\GW Remediation System Sample Parameters.doc

Login Sample Receipt Check List

Client: Fehr-Graham & Associates

Job Number: 500-21830-1
SDG Number: 500-21830-1

Login Number: 21830
Creator: Kelsey, Shawn M
List Number: 1

List Source: TestAmerica Chicago

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	True	

ATTACHMENT 3

Laboratory Report for 2009 Annual Sampling

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

October 29, 2009

Client:
FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032

Attn: Joel Zirkle

Work Order: CSJ0896
Project Name: Sauer Danfoss
Project Number: [none]

Date Received: 10/15/09

The Chain(s) of Custody, 4 pages, are included and are an integral part of this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-(800)750-2401

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
26607-MW-R30	CSJ0896-01	10/15/09 14:10
26608-MW-31	CSJ0896-02	10/15/09 11:30
26609-MW-33	CSJ0896-03	10/15/09 14:35
26610-MW-19	CSJ0896-04	10/15/09 16:00
26611-MW-20	CSJ0896-05	10/15/09 17:00
26612-EB-01	CSJ0896-06	10/15/09 13:45
26613-EB-02	CSJ0896-07	10/15/09 14:35
26615-D01	CSJ0896-08	10/15/09

SW 9056 analysis performed at Lab ID: 131

Samples were received into laboratory at a temperature of 7.50 °C.

NELAC states that samples which require thermal preservation shall be considered acceptable if the arrival temperature is within 2 degrees C of the required temperature or the method specified range. For samples with a temperature requirement of 4 degrees C, an arrival temperature from 0 degrees C to 6 degrees C meets specifications. Samples that are delivered to the laboratory on the same day that they are collected may not meet these criteria. In these cases, the samples are considered acceptable if there is evidence that the chilling process has begun, such as arrival on ice.

Please refer to the Temperature and Sample Receipt form that is included with this report for additional information regarding the condition of samples at the time of receipt by the laboratory.

The reported results were obtained in compliance with the 2003 NELAC standards unless otherwise noted.
Iowa Certification Number: 007

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the specific sample analyzed.

Approved By:

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-01 (26607-MW-R30 - Ground Water)						**Sampled: 10/15/09 14:10**			**Recvd: 10/15/09 19:00**	
Sampled By: Mike Day				**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/17/09 01:38	sjn	9100863	SW 8260B
1,1-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
1,1-Dichloroethene	<2.00		ug/L		2.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
cis-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Tetrachloroethene	**63.6**		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
1,1,1-Trichloroethane	**3.07**		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Trichloroethene	**37.6**	M1	ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/17/09 01:38	sjn	9100863	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*110 %*									
Surr: Toluene-d8 (80-110%)	*100 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*93 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Sample ID: CSJ0896-02 (26608-MW-31 - Ground Water) **Sampled: 10/15/09 11:30** **Recvd: 10/15/09 19:00**

Sampled By: Mike Day **Phone** (815) 235-7643

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/17/09 14:01	sjn	9100870	SW 8260B
1,1-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
1,1-Dichloroethene	<2.00	R	ug/L		2.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
cis-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Tetrachloroethene	**5.72**		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
1,1,1-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Trichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/17/09 14:01	sjn	9100870	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*93 %*									
Surr: Toluene-d8 (80-110%)	*98 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*96 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-03 (26609-MW-33 - Ground Water)						**Sampled: 10/15/09 14:35**		**Recvd: 10/15/09 19:00**		
Sampled By: Mike Day				**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/17/09 14:27	sjn	9100870	SW 8260B
1,1-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
1,1-Dichloroethene	<2.00		ug/L		2.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
cis-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Tetrachloroethene	**3.18**		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
1,1,1-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Trichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/17/09 14:27	sjn	9100870	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*87 %*									
Surr: Toluene-d8 (80-110%)	*96 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*96 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	<2.0		ug/l		2.0	1	10/21/09 15:32	GMK	9J21019	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*116 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-04 (26610-MW-19 - Ground Water)						**Sampled: 10/15/09 16:00**		**Recvd: 10/15/09 19:00**		
Sampled By: Mike Day				**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/17/09 14:53	sjn	9100870	SW 8260B
1,1-Dichloroethane	**1.60**		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
1,1-Dichloroethene	<2.00		ug/L		2.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
cis-1,2-Dichloroethene	**3.41**		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Tetrachloroethene	**38.0**		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
1,1,1-Trichloroethane	**6.83**		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Trichloroethene	**3.64**		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/17/09 14:53	sjn	9100870	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*92 %*									
Surr: Toluene-d8 (80-110%)	*97 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*95 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	**3.5**		ug/l		2.0	1	10/21/09 15:01	GMK	9J21019	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*116 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-05 (26611-MW-20 - Ground Water)						**Sampled: 10/15/09 17:00**			**Recvd: 10/15/09 19:00**	
Sampled By: Mike Day				**Phone**		**(815) 235-7643**				
General Chemistry Parameters										
Chemical Oxygen Demand	6.90		mg/L		5.00	1	10/22/09 08:03	amc	9101042	SM 5220 D
Nitrate as N	3.17		mg/L		0.10	1	10/16/09 12:40	tlr	9100751	SM 4500 NO3 E/00
Dissolved Metals by SW 846 Series Methods										
Iron	<0.100		mg/L		0.100	1	10/21/09 23:43	cjt	9100999	SW 6010B
Manganese	0.0765		mg/L		0.0100	1	10/21/09 23:43	cjt	9100999	SW 6010B
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/17/09 15:18	sjn	9100870	SW 8260B
1,1-Dichloroethane	26.5		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
1,1-Dichloroethene	21.0		ug/L		2.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
cis-1,2-Dichloroethene	57.4		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
trans-1,2-Dichloroethene	2.37		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Tetrachloroethene	408		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
1,1,1-Trichloroethane	67.0		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
1,1,2-Trichloroethane	1.65		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Trichloroethene	21.7		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/17/09 15:18	sjn	9100870	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*106 %*									
Surr: Toluene-d8 (80-110%)	*98 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*92 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	39		ug/l		4.0	2	10/21/09 17:19	GMK	9J21020	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*110 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-06 (26612-EB-01 - Ground Water)						**Sampled: 10/15/09 13:45**			**Recvd: 10/15/09 19:00**	
Sampled By:	**Mike Day**			**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/18/09 00:42	FMK	9100877	SW 8260B
1,1-Dichloroethane	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
1,1-Dichloroethene	<2.00		ug/L		2.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
cis-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Tetrachloroethene	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
1,1,1-Trichloroethane	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Trichloroethene	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/18/09 00:42	FMK	9100877	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*88 %*									
Surr: Toluene-d8 (80-110%)	*95 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*96 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	<2.0		ug/l		2.0	1	10/21/09 12:23	GMK	9J21019	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*115 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-07 (26613-EB-02 - Ground Water)						**Sampled: 10/15/09 14:35**		**Recvd: 10/15/09 19:00**		
Sampled By: Mike Day				**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/18/09 01:08	FMK	9100877	SW 8260B
1,1-Dichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
1,1-Dichloroethene	<2.00		ug/L		2.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
cis-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Tetrachloroethene	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
1,1,1-Trichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Trichloroethene	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/18/09 01:08	FMK	9100877	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*91 %*									
Surr: Toluene-d8 (80-110%)	*95 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*96 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	<2.0		ug/l		2.0	1	10/21/09 12:55	GMK	9J21019	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*116 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: CSJ0896-08 (26615-D01 - Ground Water)						**Sampled: 10/15/09**			**Recvd: 10/15/09 19:00**	
Sampled By:	**Mike Day**			**Phone**		**(815) 235-7643**				
Volatile Organic Compounds										
Acetone	<10.0		ug/L		10.0	1	10/18/09 01:34	FMK	9100877	SW 8260B
1,1-Dichloroethane	**1.56**		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
1,2-Dichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
1,1-Dichloroethene	**2.20**		ug/L		2.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
cis-1,2-Dichloroethene	**3.72**		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
trans-1,2-Dichloroethene	<1.00		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Methylene Chloride	<5.00		ug/L		5.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Tetrachloroethene	**38.2**		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
1,1,1-Trichloroethane	**6.71**		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
1,1,2-Trichloroethane	<1.00		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Trichloroethene	**4.06**		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Vinyl chloride	<1.00		ug/L		1.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Xylenes, total	<4.00		ug/L		4.00	1	10/18/09 01:34	FMK	9100877	SW 8260B
Surr: Dibromofluoromethane (80-120%)	*93 %*									
Surr: Toluene-d8 (80-110%)	*95 %*									
Surr: 4-Bromofluorobenzene (65-115%)	*96 %*									
VOC Preservation Check										
pH	<2.00		units		2.00	1	10/20/09 15:21	am	9100855	SW
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)										
1,4-Dioxane	**3.1**		ug/l		2.0	1	10/21/09 16:50	GMK	9J21020	EPA 8260B-SIM
Surr: Dibromofluoromethane (80-120%)	*120 %*									

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Dissolved Metals by SW 846 Series Methods							
SW 6010B	9100999	CSJ0896-05	50	50	10/21/09 00:00	CJT	SW 3010A

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
Nitrate as N	9100751			mg/L	N/A	0.10	<0.10							
Chemical Oxygen Demand	9101042			mg/L	N/A	5.00	<5.00							
Dissolved Metals by SW 846 Series Methods														
Iron	9100999			mg/L	N/A	0.100	<0.100							
Manganese	9100999			mg/L	N/A	0.0100	<0.0100							
Volatile Organic Compounds														
Acetone	9100863			ug/L	N/A	10.0	<10.0							
1,1-Dichloroethane	9100863			ug/L	N/A	1.00	<1.00							
1,2-Dichloroethane	9100863			ug/L	N/A	1.00	<1.00							
1,1-Dichloroethene	9100863			ug/L	N/A	2.00	<2.00							
cis-1,2-Dichloroethene	9100863			ug/L	N/A	1.00	<1.00							
trans-1,2-Dichloroethene	9100863			ug/L	N/A	1.00	<1.00							
Methylene Chloride	9100863			ug/L	N/A	5.00	<5.00							
Tetrachloroethene	9100863			ug/L	N/A	1.00	<1.00							
1,1,1-Trichloroethane	9100863			ug/L	N/A	1.00	<1.00							
1,1,2-Trichloroethane	9100863			ug/L	N/A	1.00	<1.00							
Trichloroethene	9100863			ug/L	N/A	1.00	<1.00							
Vinyl chloride	9100863			ug/L	N/A	1.00	<1.00							
Xylenes, total	9100863			ug/L	N/A	4.00	<4.00							
Surrogate: Dibromofluoromethane	*9100863*			ug/L					*113*		*80-120*			
Surrogate: Toluene-d8	*9100863*			ug/L					*101*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100863*			ug/L					*89*		*65-115*			
Acetone	9100870			ug/L	N/A	10.0	<10.0							
1,1-Dichloroethane	9100870			ug/L	N/A	1.00	<1.00							
1,2-Dichloroethane	9100870			ug/L	N/A	1.00	<1.00							
1,1-Dichloroethene	9100870			ug/L	N/A	2.00	<2.00							
cis-1,2-Dichloroethene	9100870			ug/L	N/A	1.00	<1.00							
trans-1,2-Dichloroethene	9100870			ug/L	N/A	1.00	<1.00							
Methylene Chloride	9100870			ug/L	N/A	5.00	<5.00							
Tetrachloroethene	9100870			ug/L	N/A	1.00	<1.00							
1,1,1-Trichloroethane	9100870			ug/L	N/A	1.00	<1.00							
1,1,2-Trichloroethane	9100870			ug/L	N/A	1.00	<1.00							
Trichloroethene	9100870			ug/L	N/A	1.00	<1.00							
Vinyl chloride	9100870			ug/L	N/A	1.00	<1.00							
Xylenes, total	9100870			ug/L	N/A	4.00	<4.00							
Surrogate: Dibromofluoromethane	*9100870*			ug/L					*95*		*80-120*			
Surrogate: Toluene-d8	*9100870*			ug/L					*96*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100870*			ug/L					*96*		*65-115*			

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Volatile Organic Compounds														
Acetone	9100877			ug/L	N/A	10.0	<10.0							
1,1-Dichloroethane	9100877			ug/L	N/A	1.00	<1.00							
1,2-Dichloroethane	9100877			ug/L	N/A	1.00	<1.00							
1,1-Dichloroethene	9100877			ug/L	N/A	2.00	<2.00							
cis-1,2-Dichloroethene	9100877			ug/L	N/A	1.00	<1.00							
trans-1,2-Dichloroethene	9100877			ug/L	N/A	1.00	<1.00							
Methylene Chloride	9100877			ug/L	N/A	5.00	<5.00							
Tetrachloroethene	9100877			ug/L	N/A	1.00	<1.00							
1,1,1-Trichloroethane	9100877			ug/L	N/A	1.00	<1.00							
1,1,2-Trichloroethane	9100877			ug/L	N/A	1.00	<1.00							
Trichloroethene	9100877			ug/L	N/A	1.00	<1.00							
Vinyl chloride	9100877			ug/L	N/A	1.00	<1.00							
Xylenes, total	9100877			ug/L	N/A	4.00	<4.00							
Surrogate: Dibromofluoromethane	*9100877*			ug/L					*91*		*80-120*			
Surrogate: Toluene-d8	*9100877*			ug/L					*95*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100877*			ug/L					*99*		*65-115*			
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)														
1,4-Dioxane	9J21019			ug/l	N/A	2.0	<2.0							
Surrogate: Dibromofluoromethane	*9J21019*			ug/l					*109*		*80-120*			
1,4-Dioxane	9J21020			ug/l	N/A	2.0	<2.0							
Surrogate: Dibromofluoromethane	*9J21020*			ug/l					*97*		*80-120*			

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Dissolved Metals by SW 846 Series Methods													
QC Source Sample: CSJ0737-01													
Iron	9100999	0.0225		mg/L	N/A	0.100	0.0196				14	15	
Manganese	9100999	0.0877		mg/L	N/A	0.0100	0.0867				1	15	
QC Source Sample: CSJ0838-02													
Iron	9100999	0.107		mg/L	N/A	0.100	0.104				2	15	
Manganese	9100999	0.203		mg/L	N/A	0.0100	0.205				1	15	

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
Nitrate as N	9100751		14.8	mg/L	N/A	2.50	14.3		97		90-110			
Chemical Oxygen Demand	9101042		251	mg/L	N/A	10.0	255		102		90-110			
Dissolved Metals by SW 846 Series Methods														
Iron	9100999		2.00	ug/mL	N/A	N/A	1.99		100		85-115			
Manganese	9100999		2.00	ug/mL	N/A	N/A	1.97		98		85-110			
Volatile Organic Compounds														
Acetone	9100863		20.0	ug/L	N/A	N/A	17.1		86		50-145			
1,1-Dichloroethane	9100863		20.0	ug/L	N/A	N/A	17.6		88		65-145			
1,2-Dichloroethane	9100863		20.0	ug/L	N/A	N/A	18.2		91		80-140			
1,1-Dichloroethene	9100863		20.0	ug/L	N/A	N/A	17.6		88		65-150			
cis-1,2-Dichloroethene	9100863		20.0	ug/L	N/A	N/A	18.0		90		65-150			
trans-1,2-Dichloroethene	9100863		20.0	ug/L	N/A	N/A	18.6		93		70-150			
Methylene Chloride	9100863		20.0	ug/L	N/A	N/A	19.4		97		70-150			
Tetrachloroethene	9100863		20.0	ug/L	N/A	N/A	18.4		92		75-125			
1,1,1-Trichloroethane	9100863		20.0	ug/L	N/A	N/A	16.6		83		70-130			
1,1,2-Trichloroethane	9100863		20.0	ug/L	N/A	N/A	19.3		96		75-140			
Trichloroethene	9100863		20.0	ug/L	N/A	N/A	17.9		90		80-130			
Vinyl chloride	9100863		20.0	ug/L	N/A	N/A	18.8		94		55-150			
Xylenes, total	9100863		60.0	ug/L	N/A	N/A	54.9		91		80-130			
Surrogate: Dibromofluoromethane	*9100863*			ug/L					*96*		*80-120*			
Surrogate: Toluene-d8	*9100863*			ug/L					*99*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100863*			ug/L					*102*		*70-115*			
Acetone	9100870		20.0	ug/L	N/A	N/A	18.0		90		50-145			
1,1-Dichloroethane	9100870		20.0	ug/L	N/A	N/A	16.0		80		65-145			
1,2-Dichloroethane	9100870		20.0	ug/L	N/A	N/A	16.4		82		80-140			
1,1-Dichloroethene	9100870		20.0	ug/L	N/A	N/A	16.1		81		65-150			
cis-1,2-Dichloroethene	9100870		20.0	ug/L	N/A	N/A	16.4		82		65-150			
trans-1,2-Dichloroethene	9100870		20.0	ug/L	N/A	N/A	17.0		85		70-150			
Methylene Chloride	9100870		20.0	ug/L	N/A	N/A	18.9		94		70-150			
Tetrachloroethene	9100870		20.0	ug/L	N/A	N/A	17.0		85		75-125			
1,1,1-Trichloroethane	9100870		20.0	ug/L	N/A	N/A	16.0		80		70-130			
1,1,2-Trichloroethane	9100870		20.0	ug/L	N/A	N/A	18.7		94		75-140			
Trichloroethene	9100870		20.0	ug/L	N/A	N/A	17.2		86		80-130			
Vinyl chloride	9100870		20.0	ug/L	N/A	N/A	17.4		87		55-150			
Xylenes, total	9100870		60.0	ug/L	N/A	N/A	52.6		88		80-130			
Surrogate: Dibromofluoromethane	*9100870*			ug/L					*90*		*80-120*			
Surrogate: Toluene-d8	*9100870*			ug/L					*96*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100870*			ug/L					*100*		*70-115*			

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Volatile Organic Compounds														
Acetone	9100877		20.0	ug/L	N/A	N/A	18.9		95		50-145			
1,1-Dichloroethane	9100877		20.0	ug/L	N/A	N/A	17.1		85		65-145			
1,2-Dichloroethane	9100877		20.0	ug/L	N/A	N/A	16.8		84		80-140			
1,1-Dichloroethene	9100877		20.0	ug/L	N/A	N/A	20.3		102		65-150			
cis-1,2-Dichloroethene	9100877		20.0	ug/L	N/A	N/A	17.2		86		65-150			
trans-1,2-Dichloroethene	9100877		20.0	ug/L	N/A	N/A	18.6		93		70-150			
Methylene Chloride	9100877		20.0	ug/L	N/A	N/A	19.1		95		70-150			
Tetrachloroethene	9100877		20.0	ug/L	N/A	N/A	18.0		90		75-125			
1,1,1-Trichloroethane	9100877		20.0	ug/L	N/A	N/A	17.9		90		70-130			
1,1,2-Trichloroethane	9100877		20.0	ug/L	N/A	N/A	18.0		90		75-140			
Trichloroethene	9100877		20.0	ug/L	N/A	N/A	18.9		95		80-130			
Vinyl chloride	9100877		20.0	ug/L	N/A	N/A	18.9		94		55-150			
Xylenes, total	9100877		60.0	ug/L	N/A	N/A	55.2		92		80-130			
Surrogate: Dibromofluoromethane	*9100877*			ug/L					*92*		*80-120*			
Surrogate: Toluene-d8	*9100877*			ug/L					*96*		*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100877*			ug/L					*99*		*70-115*			
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)														
1,4-Dioxane	9J21019		10.0	ug/l	N/A	2.0	11.2		112		70-125			
Surrogate: Dibromofluoromethane	*9J21019*			ug/l					*108*		*80-120*			
1,4-Dioxane	9J21020		10.0	ug/l	N/A	2.0	10.5		105		70-125			
Surrogate: Dibromofluoromethane	*9J21020*			ug/l					*97*		*80-120*			

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
QC Source Sample: CSJ0896-05														
Nitrate as N	9100751	3.17	2.50	mg/L	N/A	0.10	5.67	5.80	100	105	75-125	2	20	
QC Source Sample: CSJ0853-01														
Chemical Oxygen Demand	9101042	5.70	50.0	mg/L	N/A	5.00	56.8	56.6	102	102	75-125	0	20	
Volatile Organic Compounds														
QC Source Sample: CSJ0896-01														
Acetone	9100863	0.320	20.0	ug/L	N/A	N/A	19.0	16.3	94	80	50-150	15	35	
1,1-Dichloroethane	9100863	0.610	20.0	ug/L	N/A	N/A	17.9	21.1	86	103	55-145	17	20	
1,2-Dichloroethane	9100863	<1.00	20.0	ug/L	N/A	N/A	18.1	20.3	91	102	70-140	11	15	
1,1-Dichloroethene	9100863	0.850	20.0	ug/L	N/A	N/A	20.4	19.7	98	94	50-150	3	20	
cis-1,2-Dichloroethene	9100863	0.810	20.0	ug/L	N/A	N/A	18.4	20.6	88	99	50-150	12	20	
trans-1,2-Dichloroethene	9100863	0.0500	20.0	ug/L	N/A	N/A	18.7	21.4	93	107	55-150	13	25	
Methylene Chloride	9100863	0.0500	20.0	ug/L	N/A	N/A	20.2	19.5	101	97	55-150	4	20	
Tetrachloroethene	9100863	63.6	20.0	ug/L	N/A	N/A	82.1	83.2	92	98	45-140	1	15	
1,1,1-Trichloroethane	9100863	3.07	20.0	ug/L	N/A	N/A	20.1	20.5	85	87	60-130	2	15	
1,1,2-Trichloroethane	9100863	0.340	20.0	ug/L	N/A	N/A	20.4	19.9	100	98	70-140	2	10	
Trichloroethene	9100863	37.6	20.0	ug/L	N/A	N/A	49.7	48.1	61	53	55-135	3	15	M1
Vinyl chloride	9100863	<1.00	20.0	ug/L	N/A	N/A	19.4	20.1	97	101	45-150	4	20	
Xylenes, total	9100863	<3.00	60.0	ug/L	N/A	N/A	56.3	54.7	94	91	55-140	3	15	
Surrogate: Dibromofluoromethane	*9100863*			ug/L					*94*	*105*	*80-120*			
Surrogate: Toluene-d8	*9100863*			ug/L					*94*	*101*	*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100863*			ug/L					*100*	*98*	*70-115*			
QC Source Sample: CSJ0896-02														
Acetone	9100870	2.05	20.0	ug/L	N/A	N/A	20.4	18.4	92	82	50-150	10	35	
1,1-Dichloroethane	9100870	0.0800	20.0	ug/L	N/A	N/A	17.9	16.8	89	84	55-145	6	20	
1,2-Dichloroethane	9100870	<1.00	20.0	ug/L	N/A	N/A	18.0	17.3	90	86	70-140	4	15	
1,1-Dichloroethene	9100870	0.0400	20.0	ug/L	N/A	N/A	20.9	15.8	104	79	50-150	28	20	R
cis-1,2-Dichloroethene	9100870	0.290	20.0	ug/L	N/A	N/A	18.6	17.1	91	84	50-150	8	20	
trans-1,2-Dichloroethene	9100870	<1.00	20.0	ug/L	N/A	N/A	19.5	17.7	98	88	55-150	10	25	
Methylene Chloride	9100870	<5.00	20.0	ug/L	N/A	N/A	20.5	19.6	102	98	55-150	4	20	
Tetrachloroethene	9100870	5.72	20.0	ug/L	N/A	N/A	23.0	21.9	87	81	45-140	5	15	
1,1,1-Trichloroethane	9100870	0.410	20.0	ug/L	N/A	N/A	18.0	16.7	88	81	60-130	7	15	
1,1,2-Trichloroethane	9100870	0.0700	20.0	ug/L	N/A	N/A	19.7	19.3	98	96	70-140	2	10	
Trichloroethene	9100870	0.310	20.0	ug/L	N/A	N/A	19.7	18.1	97	89	55-135	8	15	
Vinyl chloride	9100870	<1.00	20.0	ug/L	N/A	N/A	19.2	17.7	96	89	45-150	8	20	
Xylenes, total	9100870	0.130	60.0	ug/L	N/A	N/A	56.0	54.1	93	90	55-140	3	15	
Surrogate: Dibromofluoromethane	*9100870*			ug/L					*93*	*89*	*80-120*			
Surrogate: Toluene-d8	*9100870*			ug/L					*95*	*96*	*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100870*			ug/L					*100*	*99*	*70-115*			
QC Source Sample: CSJ0896-06														
Acetone	9100877	0.870	20.0	ug/L	N/A	N/A	18.2	21.4	87	103	50-150	16	35	
1,1-Dichloroethane	9100877	<1.00	20.0	ug/L	N/A	N/A	17.9	17.0	90	85	55-145	5	20	
1,2-Dichloroethane	9100877	<1.00	20.0	ug/L	N/A	N/A	18.8	18.2	94	91	70-140	3	15	
1,1-Dichloroethene	9100877	<2.00	20.0	ug/L	N/A	N/A	17.8	19.4	89	97	50-150	8	20	
cis-1,2-Dichloroethene	9100877	<1.00	20.0	ug/L	N/A	N/A	18.9	17.8	95	89	50-150	6	20	
trans-1,2-Dichloroethene	9100877	<1.00	20.0	ug/L	N/A	N/A	19.7	18.2	99	91	55-150	8	25	

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Volatile Organic Compounds														
QC Source Sample: CSJ0896-06														
Methylene Chloride	9100877	0.120	20.0	ug/L	N/A	N/A	21.8	20.1	108	100	55-150	8	20	
Tetrachloroethene	9100877	<1.00	20.0	ug/L	N/A	N/A	19.1	17.3	96	87	45-140	10	15	
1,1,1-Trichloroethane	9100877	<1.00	20.0	ug/L	N/A	N/A	18.1	17.1	90	85	60-130	6	15	
1,1,2-Trichloroethane	9100877	0.0200	20.0	ug/L	N/A	N/A	20.8	20.0	104	100	70-140	4	10	
Trichloroethene	9100877	<1.00	20.0	ug/L	N/A	N/A	19.6	18.6	98	93	55-135	5	15	
Vinyl chloride	9100877	<1.00	20.0	ug/L	N/A	N/A	19.3	17.7	97	88	45-150	9	20	
Xylenes, total	9100877	0.0800	60.0	ug/L	N/A	N/A	57.7	55.6	96	93	55-140	4	15	
Surrogate: Dibromofluoromethane	*9100877*			ug/L					*93*	*92*	*80-120*			
Surrogate: Toluene-d8	*9100877*			ug/L					*97*	*95*	*80-110*			
Surrogate: 4-Bromofluorobenzene	*9100877*			ug/L					*99*	*98*	*70-115*			
1,4-DIOXANE BY GCMS - SINGLE ION MONITORING (SIM)														
QC Source Sample: CSJ0896-03														
1,4-Dioxane	9J21019	<2.0	10.0	ug/l	N/A	2.0	11.5	11.1	115	111	70-130	4	30	
Surrogate: Dibromofluoromethane	*9J21019*			ug/l					*115*	*120*	*80-120*			
QC Source Sample: ISJ1511-05														
1,4-Dioxane	9J21020	<2.0	10.0	ug/l	N/A	2.0	9.87	9.83	99	98	70-130	0	30	
Surrogate: Dibromofluoromethane	*9J21020*			ug/l					*104*	*105*	*80-120*			

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING
704 Enterprise Drive Cedar Falls, IA 50613 * 800-750-2401 * Fax 319-277-2425

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

OTHER

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Dissolved Metals by SW 846 Series Methods														
QC Source Sample: CSJ0838-03														
Iron	9100999	0.181	1.92	ug/mL	N/A	N/A	2.17		104		75-125			
Manganese	9100999	0.0788	0.962	ug/mL	N/A	N/A	1.07		103		80-120			
QC Source Sample: CSJ0838-03														
Iron	9100999	0.181	1.92	ug/mL	N/A	N/A	2.12		101		75-125			
Manganese	9100999	0.0788	0.962	ug/mL	N/A	N/A	1.05		101		80-120			

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

FEHR-GRAHAM & ASSOCIATES - FREEPORT
221 E. Main Street, Ste. 200
Freeport, IL 61032
Joel Zirkle

Work Order: CSJ0896
Project: Sauer Danfoss
Project Number: [none]

Received: 10/15/09
Reported: 10/29/09 16:18

CERTIFICATION SUMMARY

TestAmerica Cedar Falls

Method	Matrix	Nelac	Iowa
SM 4500 NO3 E/00	Water - NonPotable	X	X
SM 5220 D	Water - NonPotable	X	X
SW 6010B	Water - NonPotable	X	X
SW 8260B	Water - NonPotable	X	X
SW	Water - NonPotable		

Subcontracted Laboratories

TestAmerica Irvine
17461 Derian Avenue, Suite 100 - Irvine, CA 92614
Method Performed: EPA 8260B-SIM
Samples: CSJ0896-03, CSJ0896-04, CSJ0896-05, CSJ0896-06, CSJ0896-07, CSJ0896-08

TestAmerica Analytical Testing Corp.- Nashville NELAC Cert #87358, Illinois Cert #001366, Iowa Cert #131, Kansas Cert #E-10229, Minnesota Cert #047-999-345, Wisconsin Cert #998020436
2960 Foster Creighton Dr. - Nashville, TN 37204
Analysis Performed: Sulfate (IC) SW 9056
Samples: CSJ0896-05

Any abnormalities or departures from sample acceptance policy shall be documented on the 'Sample Receipt and Termperature Log Form' and 'Sample Non-conformance Form' (if applicable) included with this report.

For information concerning certifications of this facility or another TestAmerica facility, please visit our website at www.TestAmericaInc.com

Samples collected by TestAmerica Field Services personnel are noted on the Chain of Custody (COC) and are sampled in accordance with TA-CF SOP CF-FSS-01.

DATA QUALIFIERS AND DEFINITIONS

M1	The MS and/or MSD were outside control limits.
R	Sample duplicate RPD exceeded the laboratory control limit.

ADDITIONAL COMMENTS

TestAmerica Cedar Falls
Derrick Klinkenberg
Organics Manager

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Cedar Falls Division
704 Enterprise Drive
Cedar Falls, IA 50613

Phone 319-277-2401 or 800-750-2401
Fax 319-277-2425

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?
Compliance Monitoring: YES

Client Name: FEHR-GRAHAM & ASSOCIATES Client #: 09-233
Address: 221 E. MAIN ST.
City/State/Zip Code: FREEPORT, IL. 61032
Project Manager: JOEL ZIRKLE @ ~~fehr-graham.com~~
Email Address: JZirkle@fehr-graham.com
Telephone Number: (815) 235-7643 Fax (815) 235-4632
Sampler Name: (Print Name) MIKE DAY
Sampler Signature: Mike Day

Project Name:
Project #:
Site/Location ID: State:
Report To:
Invoice To:
Quote #: PO#:

TAT: X Standard; ___ Rush (surcharges may apply)
Date Needed:
Fax Results: (Y) N
Email Results: (Y) N

SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix (SL - Sludge, DW - Drinking Water, GW - Groundwater, S - Soil/Solid, WW - Wastewater, Specify, Other)	Preservation & # of Containers: HNO3	HCl	NaOH	H2SO4	Methanol	None	Other (Specify)	Analyze For: List 1	Method 8260B SIM	Sulfate, Nitrate, COD	Fe, Mn - (Filtered)	REMARKS
26605 - MW-18	10-15-09	11:50	G		GW		6						X	X			
26606 - MW-12	↓	—	↓		↓		6						X	X			NO SAMPLES - DRY WELL
26607 - MW-R30		2:10					3						X				NO SAMPLES - DRY WELL
26608 - MW-31		11:30					3						X				
26609 - MW-33		2:35					18						X	X			
26610 - MW-19		4:00					6						X	X			*EXTRA VIALS FOR MS/MSD
26611 - MW-20		5:00		1		1	6		1		2		X	X	X	X	
26612 - EB-01		1:45					6						X	X			HNO3 - FIELD FILTERED
26613 - EB-02		2:35					6						X	X			
26614 - TB-01	↓	5:00	↓		↓		6						X	X			

QC Deliverables: ___ None; ___ Level 2 (Batch QC); ___ Level 3; ___ Level 4; Other: ___

Special Instructions: THE EXTRA VIALS FROM MW-33 ARE FOR THE MATRIX SPIKE AND MATRIX SPIKE DUPLICATE

LABORATORY COMMENTS: Trip Blank not rcvd 10/16/09 SH

Relinquished By	Date	Time	Received By	Date	Time
Mike Day	10/15/09	5:00PM	[illegible]	10/15/09	1900

TAL-0033 (0708)

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Cedar Falls Division
704 Enterprise Drive
Cedar Falls, IA 50613

Phone 319-277-2401 or 800-750-2401
Fax 319-277-2425

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?
Compliance Monitoring: YES

Client Name: FEHR-GRAHAM + ASSOCIATES
Client #: 09-233
Address: 221 E. MAIN ST.
City/State/Zip Code: FREEPORT, IL. 61032
Project Manager: JOEL ZIRKLE
Email Address: JZirkle@fehr-graham.com
Telephone Number: (815) 235-7643
Fax: (815) 235-4632
Sampler Name: (Print Name) MIKE DAY
Sampler Signature: Mike Day

Project Name:
Project #:
Site/Location ID:
State:
Report To:
Invoice To:
Quote #:
PO#:

TAT: X Standard; ___ Rush (surcharges may apply)
Date Needed:
Fax Results: (Y) N
Email Results: (Y) N

SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix (SL - Sludge, DW - Drinking Water, GW - Groundwater, S - Soil/Solid, WW - Wastewater, Specify, Other)	Preservation & # of Containers: HNO_3	HCl	NaOH	H_2SO_4	Methanol	None	Other (Specify)	Analyze For: List 1	Method 8260B SIM	QC Deliverables	REMARKS
26615 - D01	10-15-09	—	G		GW		6						X	X		

QC Deliverables: ___ None; ___ Level 2 (Batch QC); ___ Level 3; ___ Level 4; Other: ___

Special Instructions:

LABORATORY COMMENTS:

Relinquished By	Date	Time	Received By	Date	Time
Mike Day	10/15/09	3:00 PM	[illegible]	10/15/09	1900

TAL-0033 (0708)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

704 Enterprise Drive • Cedar Falls, IA 50613
800-750-2401 • 319-277-2425 Fax

Sample Receipt and Temperature Log Form

Client: Fehr-Graham Associates Project: _____

City: Freeport, IL

Date: 10/15/09 Receiver's Initials: MH Time (Delivered): 1900

Temperature Record:

Cooler ID# (If Applicable) _____

7.5 °C On Ice

☒ Temp Blank

☒ Temperature out of compliance

Thermometer:

☒ IR - 90876942 'C'
☐ IR - 61997671 'B'
☐ IR - 61854108
☐ 22126775

Courier:

☐ UPS
☐ FedEx
☐ FedEx Ground
☐ US Postal Service
☐ Spee-Dee
☐ TA Courier
☐ TA Field Services
☒ Client
☐ Other _____

Custody seals present?
☐ Yes

Custody seals intact?
☐ Yes ☐ No

☐ Non-Conformance report started

Exceptions Noted

☐ Sample(s) not received in a cooler.
☒ Samples(s) received same day of sampling.
☐ Evidence of a chilling process
☐ Temperature not taken: _____

Loc. @ front walkin

No trip Blank rcvd 10/16/09 SH
Notified Joel Zirkle

*Refer to SOP CF-SS-01 for Temperature Criteria

P:\QA Forms & Log Book pgs\Cooler Receipt rev15.doc

TABLE 1

ANALYTE LIST

Acetone*
1,1-Dichloroethane*
1,2-Dichloroethane
1,1-Dichloroethene*
cis-1,2-Dichloroelhene*
trans-1,2-Dichloroethene
1,4 Dioxane** (8260B SIM) ← method
Methylene Chloride
Tetrachloroethene*
1,1,1-Trichloroethane*
1,1,2-Trichloroethane
Trichloroethene*
Vinyl Chloride***
Total Xylenes*

* Required by Sauer-Danfoss's Permit No. 6593-3.

** Required for select monitoring wells.

*** Beginning second quarter 2002, as requested in the United States Environmental Protection Agency (US EPA) comments on the 2002 Annual Site Sampling Report.