Mitchell, Brian

From:	Roblez, Nicole
Sent:	Wednesday, August 05, 2020 11:51 AM
To:	Mitchell, Brian
Cc:	R7 LIMS Admin
Subject:	Copies of the Final LIMS data for ASR #8596 (Downtown Wells & Former Electrolux site) with the eCOC attached, Excel, Scribe and Property Report LIMS files, and the Online ASR Sample/Data Disposition and Customer Satisfaction Survey
Attachments:	Final LIMS data ASR 8596 eCOC.pdf; Final Excel files ASR 8596.xlsx; Final Scribe data ASR 8596.TXT; Final LIMS Property Report ASR 8596.pdf
Follow Up Flag:	Follow up
Due By:	Wednesday, August 12, 2020 4:00 PM
Flag Status:	Flagged

Attached are the electronic copies of the Final, Excel, Scribe and Property Report LIMS data files for ASR #8596 (Downtown Wells site and Former Electrolux site).

In addition, the electronic Chain of Custody (COC) record is attached to the above copy of the final LIMS data transmittal for ASR #8596. Please ensure that you file this electronic (.pdf only) transmittal in your records management system as a record. The Regional Laboratory will now retain all the electronic or hard copy documentation (e.g. COC[s] and/or the LIMS field sheet[s], etc) according to our LSASD records management system.

ACTION REQUIRED: Please complete the online ASR Sample/Data Disposition and Customer Satisfaction Survey for ASR #8596.

(b) (6) [redacted]

It is critical that we receive your response in accordance to RCRA and the laboratory accreditation. Lack of a response does not guarantee that the laboratory will not dispose of the samples after 30 days.

We look forward to hearing from you.

Thank you!
Nicole Roblez
U.S. EPA - Region 7
LSASD/LTAB
300 Minnesota Ave.
Kansas City, KS 66101
913-551-5130
roblez.nicole@epa.gov

RCRA
596372

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-1
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-1. This sample was collected on 07/06/2020 at the location described as: GW-12. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-1 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	6.2	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-1
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-2
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-2. This sample was collected on 07/06/2020 at the location described as: GW-09. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-2 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	5.6	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-2
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-2-FD
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-2-FD. This sample was collected on 07/06/2020 at the location described as: GW-09. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-2-FD for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	5.7	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter

Sample: 8596-2-FD
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-4
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-4. This sample was collected on 07/06/2020 at the location described as: GW-07. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-4 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	6.0	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-4
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-5
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-5. This sample was collected on 07/06/2020 at the location described as: GW-11. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-5 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Approximately 16	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-5
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-6
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-6. This sample was collected on 07/06/2020 at the location described as: GW-08. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-6 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	6.3	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-6
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-7
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-7. This sample was collected on 07/07/2020 at the location described as: GW-07. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-7 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Approximately 19	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-7
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-8
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-8. This sample was collected on 07/07/2020 at the location described as: GW-14. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-8 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	8.5	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-8
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-9
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-9. This sample was collected on 07/07/2020 at the location described as: GW-15. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-9 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	6.2	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-9
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-9-FD
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-9-FD. This sample was collected on 07/07/2020 at the location described as: GW-15. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-9-FD for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	7.1	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter

Sample: 8596-9-FD
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-11
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-11. This sample was collected on 07/07/2020 at the location described as: GW-16. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-11 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	8.1	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-11
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-12
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-12. This sample was collected on 07/07/2020 at the location described as: GW-10. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-12 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	5.7	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-12
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-13
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-13. This sample was collected on 07/07/2020 at the location described as: GW-13. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-13 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Approximately 6.4	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-13
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-14
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-14. This sample was collected on 07/07/2020 at the location described as: GW-17. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-14 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	6.8	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-14
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-15
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-15. This sample was collected on 07/07/2020 at the location described as: Rinsate sample. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-15 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	11	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter

Sample: 8596-15
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-16
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-16. This sample was collected on 07/07/2020 at the location described as: GW-18. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-16 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	5.5	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-16
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-17
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-17. This sample was collected on 07/08/2020 at the location described as: GW-19. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-17 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Less Than 5.0	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-17
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-18
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-18. This sample was collected on 07/08/2020 at the location described as: GW-21. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-18 for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	11	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	0.67	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter

Sample: 8596-18
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
cis-1,2-Dichloroethene	29	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	1.6	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	1.2	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	5.4	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-19-FB
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-19-FB. This sample was collected on 07/01/2020 at the location described as: Trip Blank sample. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-19-FB for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Less Than 5.0	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter

Sample: 8596-19-FB
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter

United States Environmental Protection Agency
Region 7
11201 Renner Blvd
Lenexa, KS 66219

08/05/2020

Results of Sample Analysis

Sample: 8596-20-FB
Project ID: BMFESDWS

These are the results from the analysis of water sample number 8596-20-FB. This sample was collected on 07/08/2020 at the location described as: Field Blank sample. If you have any questions about these results, contact Brian Mitchell at the above address or by calling 913-551-7633. Correspondence should refer to sample number 8596-20-FB for project: BMFESDWS - Downtown Wells site and Former Electrolux site.

Analysis/Analyte	Amount Found	Units
Volatile Organic Compounds (VOCs) in Water by Gas Chromatography and Mass Selective Detection (GC/MS) for Low Detection Limits		
Acetone	Less Than 5.0	Micrograms per Liter
Benzene	Less Than 0.50	Micrograms per Liter
Bromochloromethane	Less Than 0.50	Micrograms per Liter
Bromodichloromethane	Less Than 0.50	Micrograms per Liter
Bromoform	Less Than 0.50	Micrograms per Liter
Bromomethane	Less Than 0.50	Micrograms per Liter
2-Butanone	Less Than 5.0	Micrograms per Liter
Carbon Disulfide	Less Than 0.50	Micrograms per Liter
Carbon Tetrachloride	Less Than 0.50	Micrograms per Liter
Chlorobenzene	Less Than 0.50	Micrograms per Liter
Chloroethane	Less Than 0.50	Micrograms per Liter
Chloroform	Less Than 0.50	Micrograms per Liter
Chloromethane	Less Than 0.50	Micrograms per Liter
Cyclohexane	Less Than 0.50	Micrograms per Liter
1,2-Dibromo-3-Chloropropane	Less Than 0.50	Micrograms per Liter
Dibromochloromethane	Less Than 0.50	Micrograms per Liter
1,2-Dibromoethane	Less Than 0.50	Micrograms per Liter
1,2-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,3-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
1,4-Dichlorobenzene	Less Than 0.50	Micrograms per Liter
Dichlorodifluoromethane	Less Than 0.50	Micrograms per Liter
1,1-Dichloroethane	Less Than 0.50	Micrograms per Liter
1,2-Dichloroethane	Less Than 0.50	Micrograms per Liter

Sample: 8596-20-FB
Project ID: BMFESDWS

Analysis/Analyte	Amount Found	Units
1,1-Dichloroethene	Less Than 0.50	Micrograms per Liter
cis-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
trans-1,2-Dichloroethene	Less Than 0.50	Micrograms per Liter
1,2-Dichloropropane	Less Than 0.50	Micrograms per Liter
cis-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
trans-1,3-Dichloropropene	Less Than 0.50	Micrograms per Liter
Ethyl Benzene	Less Than 0.50	Micrograms per Liter
2-Hexanone	Less Than 5.0	Micrograms per Liter
Isopropylbenzene	Less Than 0.50	Micrograms per Liter
Methyl Acetate	Less Than 0.50	Micrograms per Liter
Methyl tert-butyl ether	Less Than 0.50	Micrograms per Liter
Methylcyclohexane	Less Than 0.50	Micrograms per Liter
Methylene Chloride	Less Than 0.50	Micrograms per Liter
4-Methyl-2-Pentanone	Less Than 5.0	Micrograms per Liter
Styrene	Less Than 0.50	Micrograms per Liter
1,1,2,2-Tetrachloroethane	Less Than 0.50	Micrograms per Liter
Tetrachloroethene	Less Than 0.50	Micrograms per Liter
Toluene	Less Than 0.50	Micrograms per Liter
1,2,3-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,2,4-Trichlorobenzene	Less Than 0.50	Micrograms per Liter
1,1,1-Trichloroethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichloroethane	Less Than 0.50	Micrograms per Liter
Trichloroethene	Less Than 0.50	Micrograms per Liter
Trichlorofluoromethane	Less Than 0.50	Micrograms per Liter
1,1,2-Trichlorotrifluoroethane	Less Than 0.50	Micrograms per Liter
Vinyl Chloride	Less Than 0.50	Micrograms per Liter
m and/or p-Xylene	Less Than 0.50	Micrograms per Liter
o-Xylene	Less Than 0.50	Micrograms per Liter