To: sonja.loyd@la.gov[sonja.loyd@la.gov]
Cc: Jenniffer L. Sheppard[Jenniffer.Sheppard@LA.GOV]; Chen, Isaac[Chen.Isaac@epa.gov]; Bogdan, Silvia[bogdan.silvia@epa.gov]; Larsen, Brent[Larsen.Brent@epa.gov]; Dwyer, Stacey[Dwyer.Stacey@epa.gov]
From: Schwab, Kay
Sent: Fri 8/12/2016 3:31:18 PM
Subject: LOOP Finale

Hi Sonja,

Can you please send us your most recent version of the PDP and the Fact Sheet to ensure that we are on the same page?

Trying to reach the "finish line!"

Thanks

K

Kay Schwab (6WQ-PO)

Environmental Engineer

US EPA Region 6

1445 Ross Ave., Ste. 1200

Dallas, TX 75202-2733

schwab.kay@epa.gov

(214) 665-6635

From: Sonja Loyd [mailto:Sonja.Loyd@LA.GOV]
Sent: Wednesday, March 02, 2016 7:02 AM
To: Schwab, Kay <Schwab.Kay@epa.gov>
Subject: FW: Reconnect for LOOP

Hello Kay,

I recall that LOOP requested the following modifications:

1. Add a new outfall (Outfall 029) for reverse osmosis reject water from the Control Platform at the Marine Terminal.

2. Change the monitoring frequency for TRC at Outfall 015 from 1/week to 1/month to be consistent with other parameters.

3. Remove the biomonitoring requirements for Outfall 004.

In response to your second question, the original cover letter for the draft permit package was signed by Claudia Hosch on or about July 7, 2014. So, yes, it will need to be re-submitted for Stacey's signature.

Sonja

From: Schwab, Kay [mailto:Schwab.Kay@epa.gov]
Sent: Monday, February 29, 2016 9:21 AM
To: Sonja Loyd
Subject: RE: Reconnect for LOOP

Hi,

I will once again try to help "coordinate" the wrap-up of this one. Isaac Chen is still the EPA Permit Writer and Paul Kaspar has been coordinating with Jenniffer regarding the data collected on Outfall 004. I will be digging thru things this week to refresh my memory. Off the top of your head, what is the status of the requested modifications? (I think I recall seeing just a letter describing the requested additions?? I will also check EDMS). Also, I cannot remember the timing of the most recent version of the package submitted by LDEQ. Do you have that date handy? Our Associate Director for the Branch is now Stacey Dwyer, so may need to update that among other things.

Thanks, more to come……

K

From: Sonja Loyd [mailto:Sonja.Loyd@LA.GOV]
Sent: Friday, February 26, 2016 6:48 AM
To: Schwab, Kay <Schwab.Kay@epa.gov>
Subject: RE: Reconnect for LOOP

Hello Kay,

Yes, I'm still working on LOOP. What's up?

Sonja

From: Schwab, Kay [mailto:Schwab.Kay@epa.gov]
Sent: Thursday, February 25, 2016 3:44 PM
To: Sonja Loyd
Subject: Reconnect for LOOP

Hi Sonja,

It has been a while. Are you still working on LOOP?

K