To: Sonja Loyd[Sonja.Loyd@LA.GOV]
Cc: Jenniffer L. Sheppard[Jenniffer.Sheppard@LA.GOV]; Michelle Bickham[Michelle.Bickham@LA.GOV]; Kaspar, Paul[kaspar.paul@epa.gov]
From: Schwab, Kay
Sent: Wed 8/12/2015 7:01:48 PM
Subject: RE: LOOP LLC Addition of Outfall 029

Hi Sonja,

Thanks so much for forwarding this information. I don't think that we have connected with the hard-copy sent to Claudia Hosch yet (P.S. Claudia has moved to a different Branch. Stacey Dwyer has taken Claudia's place.) I have forwarded the information to my management & Isaac Chen (permit writer for EPA/federal waters portion of the permit).

Thanks

K

Kay Schwab (6WQ-PO)

Environmental Engineer

US EPA Region 6

1445 Ross Ave., Ste. 1200

Dallas, TX 75202-2733

schwab.kay@epa.gov

(214) 665-6635

From: Sonja Loyd [mailto:Sonja.Loyd@LA.GOV]
Sent: Monday, August 10, 2015 9:37 AM
To: Schwab, Kay
Cc: 'Gardner-Leblanc, Cynthia'; 'Doug LaBar'; Jenniffer L. Sheppard; Michelle Bickham
Subject: FW: LOOP LLC Addition of Outfall 029

Hello Kay,

Attached is the additional information for the new outfall that LOOP would like to add into the draft permit. Please give me a call at (225) 219-3232 if you have any questions.

Sonja

From: Gardner-Leblanc, Cynthia [mailto:cgleblanc@loopllc.com]
Sent: Friday, August 07, 2015 5:35 PM
To: Sonja Loyd
Cc: Dale Sittig; Gardner-Leblanc, Cynthia; 'Doug LaBar' (doug.labar@c-ka.com)
Subject: LOOP LLC Addition of Outfall 029

Dear Ms. Loyd,

In accordance with our recent conversation, attached please find a letter to Ms. Tegan Treadaway requesting an addendum to LOOP's Louisiana Pollutant Discharge Elimination System (LPDES) permit application which was submitted to the Louisiana Department of Environmental Quality (DEQ) and U.S. Environmental Protection Agency (EPA) on March 26, 2013. As indicated in the letter, LOOP would like to establish a new outfall (029) for reverse osmosis (RO) reject water from the Control Platform at the Marine Terminal. A hard copy of the letter is being forwarded to Ms. Treadaway via FEDEX.

If you have any questions please do not hesitate to contact me. I would to thank you in advance for your assistance.

Kindest regards,

Cindy Gardner-LeBlanc

Cynthia A. Gardner-LeBlanc

Manager Regulatory Affairs

LOOP LLC

(985) 276-6299

Fax (985) 276-6290

Cell (504) 289-6307

cgleblanc@loopllc.com