TW[illegible] ANALYTICAL LABORATORIES, IN[illegible]
26276 Twelve Trees Lane, Suite C Poulsbo, WA 98370 Telephone (360) 779-5141 FAX (360) 779-5150

SB

VOC - VOC1

VOC - VOC1 by Various EPA Approved Methods

Source / Point of Entry - Report of Analysis

Date Collected:	6/13/2011	Group:	A
System ID No:	IH3826	System Name:	Seven Cedars Casino
Lab - Sample #:	01093701	County:	Clallam
Sample Location:	CA-02 Finished Tap	DOH Source No:	
Sample Purpose:	RC	Date Received:	6/13/2011
Sample Composition:	S	Date Analyzed:	6/17/2011
Send Report To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382	Date Reported:	6/23/2011
		Sample Type:	Post-treatment/Finished
		Collected By:	Rich Camporini
		Phone Number:	360-681-4602
		Bill To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382

105300108

DOH#	Analyte	Results	Units	SRL	Trigger	MCL*	MCL Exceeded	Method (Analyst Init.)
EPA/State Regulated								
79	1,2,3-Trichloropropane	ND	µg/L	0.5	0.5	21		EPA 524.2 (TM)
160	Total Xylenes	ND	µg/L	0.5	0.5	10000		EPA 524.2 (TM)
57	T-1,2-Dichloroethene	ND	µg/L	0.5	0.5	100		EPA 524.2 (TM)
60	Cis-1,2-Dichloroethene	ND	µg/L	0.5	0.5	70		EPA 524.2 (TM)
47	1,1,1-Trichloroethane	ND	µg/L	0.5	0.5	200		EPA 524.2 (TM)
48	Carbon Tetrachloride	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
49	Benzene	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
50	1,2-Dichloroethane	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
51	Trichloroethene	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
63	1,2-Dichloropropane	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
66	Toluene	ND	µg/L	0.5	0.5	1000		EPA 524.2 (TM)
67	1,1,2-Trichoroethane	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
68	Tetrachloroethene	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)
71	Chlorobenzene	ND	µg/L	0.5	0.5	100		EPA 524.2 (TM)
73	Ethyl Benzene	ND	µg/L	0.5	0.5	700		EPA 524.2 (TM)
74	M/P Xylene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
45	Vinyl Chloride	ND	µg/L	0.5	0.5	2		EPA 524.2 (TM)
75	O-Xylene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
76	Styrene	ND	µg/L	0.5	0.5	100		EPA 524.2 (TM)
52	P-Dichlorobenzene	ND	µg/L	0.5	0.5	75		EPA 524.2 (TM)
84	O-Dichlorobenzene	ND	µg/L	0.5	0.5	600		EPA 524.2 (TM)
95	1,2,4-Trichlorobenzene	ND	µg/L	0.5	0.5	70		EPA 524.2 (TM)
46	1,1-Dichloroethylene	ND	µg/L	0.5	0.5	7		EPA 524.2 (TM)
56	Methylene Chloride	ND	µg/L	0.5	0.5	5		EPA 524.2 (TM)

NP

RECEIVED
JUN 29 2011
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

115937

TWELVE TREES ANALYTICAL LABORATORIES, INC.

26276 Twelve Trees Lane, Suite C Poulsbo, WA 98370 Telephone (360) 779-5141 FAX (360) 779-5150

VOC - VOC1

VOC - VOC1 by Various EPA Approved Methods

Source / Point of Entry - Report of Analysis

Date Collected:	6/13/2011	Group:	A
System ID No:	IH3826	System Name:	Seven Cedars Casino
Lab - Sample #:	01093701	County:	Clallam
Sample Location:	CA-02 Finished Tap	DOH Source No:	
Sample Purpose:	RC	Date Received:	6/13/2011
Sample Composition:	S	Date Analyzed:	6/17/2011
Send Report To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382	Date Reported:	6/23/2011
		Sample Type:	Post-treatment/Finished
		Collected By:	Rich Camporini
		Phone Number:	360-681-4602
		Bill To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382

DOH#	Analyte	Results	Units	SRL	Trigger	MCL*	MCL Exceeded	Method (Analyst Init.)
EPA Unregulated								
58	1,1-Dichloroethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
59	2,2-Dichloropropane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
86	Bromochloromethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
62	1,1-Dichloropropene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
104	Dichlorodifluoromethane	ND	µg/L	0.5	0.5	530		EPA 524.2 (TM)
64	Dibromoethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
65	Cis-1,3-Dichloropropene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
69	Trans-1,3-Dichloropropene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
53	Chloromethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
70	1,3-Dichloropropane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
72	1,1,1,2-Tetrachloroethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
87	Isopropylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
78	Bromobenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
80	1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
81	O-Chlorotoluene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
88	N-Propylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
89	1,3,5-Trimethylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
54	Bromomethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
82	P-Chlorotoluene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
90	Tert-Butybenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
91	1,2,4-Trimethylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
92	Sec-Butylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
83	M-Dichlorobenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
93	P-Isopropyltoluene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
94	N-Butylbenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
55	Chloroethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
97	Hexachlorobutadiene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
96	Naphthalene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
98	1,2,3-Trichlorobenzene	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
85	Trichlorofluoromethane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
103	1,2-Dibromo-3-Chloropropane	ND	µg/L	0.5	0.5			EPA 524.2 (TM)
EPA Regulated - Trihalomethanes Program								
31	Total Trihalomethanes	24.68	µg/L		60	80		EPA 524.2 (TM)
27	Chloroform	6.56	µg/L	0.5	0.5			EPA 524.2 (TM)
28	Bromodichloromethane	11	µg/L	0.5				EPA 524.2 (TM)
29	Dibromochloromethane	7.12	µg/L	1.5				EPA 524.2 (TM)
30	Bromoform	ND	µg/L	0.6				EPA 524.2 (TM)

RECEIVED
JUN 29 2011
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

115937

TWISS ANALYTICAL LABORATORIES, INC

26276 Twelve Trees Lane, Suite C Poulsbo, WA 98370 Telephone (360) 779-5141 FAX (360) 779-5150

VOC - VOC1

VOC - VOC1 by Various EPA Approved Methods

Source / Point of Entry - Report of Analysis

Date Collected:	6/13/2011	Group:	A
System ID No:	IH3826	System Name:	Seven Cedars Casino
Lab - Sample #:	01093701	County:	Clallam
Sample Location:	CA-02 Finished Tap	DOH Source No:	
Sample Purpose:	RC	Date Received:	6/13/2011
Sample Composition:	S	Date Analyzed:	6/17/2011
Send Report To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382	Date Reported:	6/23/2011
		Sample Type:	Post-treatment/Finished
		Collected By:	Rich Camporini
		Phone Number:	360-681-4602
		Bill To:	Rich Camporini 1033 Old Blyn Hwy Sequim, WA 98382

DOH#	Analyte	Results	Units	SRL	Trigger	MCL*	MCL Exceeded	Method (Analyst Init.)

SRL: (State Reporting Level), indicates the minimum reporting level required by the Washington Department of Health (DOH).
Trigger Level: DOH Drinking Water response level. Systems with compounds detected at concentrations in excess of this level are required to take additional samples. Contact your regional DOH office for further information.
MCL: (Maximum Contaminant Level), If the contaminant amount exceeds the MCL, immediately contact your regional DOH office.
NA: (Not Analyzed), in the results column indicates this compound was not included in the current analysis.
ND: (Not Detected), in the results column indicates this compound was analyzed and not detected at a level greater than or equal to the SRL
< (0.00x): indicates the compound was not detected in the sample at or above the concentration indicated.
* The 0.010 mg/L MCL for Arsenic is for Group A NTNC systems. All other systems should check with their county Health District to determine what level is applicable.

RECEIVED
JUN 29 2011
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

115937

EDGE ANALYTICAL LABORATORIES

Burlington WA
Corporate Office
1620 S Walnut St - 98233
800.755.9295 • 360.757.1400

Bellingham WA
Microbiology
805 Orchard Dr Ste 4 - 98225
360.671.0688

Portland O.
Microbiology/Chemistry
9150 SW Pioneer Ct Ste W- 97070
503.682.7802

ACCREDITED IN ACCORDANCE WITH nelac
Florida Dept of Health Lab E871040

SB

VOLATILE ORGANIC COMPOUNDS (VOC) REPORT

Client Name: Twiss Analytical Laboratories
26276 Twelve Trees Lane Ste C
Poulsbo, WA 98370

Reference Number: 10-17650
Project: Various

System Name: 7 CEDARS CASINO
System ID Number: IH3826
DOH Source Number:
Multiple Sources:
Sample Type: A - After treatment
Sample Purpose: C - Compliance
Sample Location: CA-02 Finish Water Tap Treatment Room
County: CLALLAM
Sampled By: Jeff Becker
Sampler Phone: 360-681-4602

(105300108)

Field ID: 110892-01
Lab Number: 046-39596
Date Collected: 11/17/10 10:15
Date Extracted: 524_101122
Date Analyzed: 11/22/10
Report Date: 11/30/10
Analyst: HY
Peer Review: MP

EPA Method 524.2 For State Drinking Water Compliance

DOH#	COMPOUNDS	RESULTS	UNITS	SRL	Trigger	MCL	COMMENT
	EPA/State Regulated						
102	ETHYLENE DIBROMIDE (EDB)	ND	ug/L	0.5	0.02	0.05	Screening Only / PQL 0.5 ug/L
103	1,2-DIBROMO-3-CHLOROPROPANE	ND	ug/L	0.5	0.04	0.2	Screening Only / PQL 0.5 ug/L
160	TOTAL XYLENES	ND	ug/L	0.5	0.5	10000	
57	T - 1,2 - DICHLOROETHYLENE	ND	ug/L	0.5	0.5	100	
60	CIS - 1,2 - DICHLOROETHYLENE	ND	ug/L	0.5	0.5	70	
47	1,1,1 - TRICHLOROETHANE	ND	ug/L	0.5	0.5	200	
48	CARBON TETRACHLORIDE	ND	ug/L	0.5	0.5	5	
49	BENZENE	ND	ug/L	0.5	0.5	5	
50	1,2 - DICHLOROETHANE	ND	ug/L	0.5	0.5	5	
51	TRICHLOROETHYLENE	ND	ug/L	0.5	0.5	5	
63	1,2 - DICHLOROPROPANE	ND	ug/L	0.5	0.5	5	
66	TOLUENE	ND	ug/L	0.5	0.5	1000	
67	1,1,2 - TRICHLOROETHANE	ND	ug/L	0.5	0.5	5	
68	TETRACHLOROETHYLENE	ND	ug/L	0.5	0.5	5	
71	CHLOROBENZENE	ND	ug/L	0.5	0.5	100	
73	ETHYLBENZENE	ND	ug/L	0.5	0.5	700	
74	M/P - XYLENE	ND	ug/L	0.5	0.5		
45	VINYL CHLORIDE	ND	ug/L	0.5	0.5	2	
75	O - XYLENE	ND	ug/L	0.5	0.5		
76	STYRENE	ND	ug/L	0.5	0.5	100	
52	P - DICHLOROBENZENE	ND	ug/L	0.5	0.5	75	
84	O - DICHLOROBENZENE	ND	ug/L	0.5	0.5	600	
95	1,2,4, - TRICHLOROBENZENE	ND	ug/L	0.5	0.5	70	
46	1,1 - DICHLOROETHYLENE	ND	ug/L	0.5	0.5	7	
56	METHYLENE CHLORIDE	ND	ug/L	0.5	0.5	5	
	EPA/State Unregulated						

RECEIVED
DEC - 8 2010
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

NOTES:
f a compound is detected > or = to the State Reporting Level, SRL, specified increased monitoring frequencies may occur per DOH.
MCL (Maximum Contaminant Level) maximum permissible level of a contaminant in water established by EPA; Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper. Sodium has a recommended limit of 20 mg/L. A blank MCL value indicates a level is not currently established.
Trigger Level: DOH Drinking Water Response level. Systems with compounds detected in excess of this level are required to take additional samples. Contact your regional DOH office.
ND (Not Detected): indicates that the parameter was not detected above the State Reporting Limit (SRL).
An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.
If you have any questions concerning this report contact Lawrence Henderson at the above phone number.

FORM: VOC

EDGE ANALYTICAL LABORATORIES

Reference Number: 10-17650
Lab Number: 046-39596
Report Date: 11/30/10 12:52

VOLATILE ORGANIC COMPOUNDS (VOC) REPORT

DOH#	COMPOUNDS	RESULTS	UNITS	SRL	Trigger	MCL	COMMENT
58	1,1 - DICHLOROETHANE	ND	ug/L	0.5	0.5		
59	2,2 - DICHLOROPROPANE	ND	ug/L	0.5	0.5		
86	BROMOCHLOROMETHANE	ND	ug/L	0.5	0.5		
62	1,1 - DICHLOROPROPENE	ND	ug/L	0.5	0.5		
104	DICHLORODIFLUOROMETHANE	ND	ug/L	0.5	0.5		
64	DIBROMOMETHANE	ND	ug/L	0.5	0.5		
65	CIS - 1,3 - DICHLOROPROPENE	ND	ug/L	0.5	0.5		
69	TRANS- 1,3 - DICHLOROPROPENE	ND	ug/L	0.5	0.5		
53	CHLOROMETHANE	ND	ug/L	0.5	0.5		
70	1,3 - DICHLOROPROPANE	ND	ug/L	0.5	0.5		
72	1,1,1,2 - TETRACHLOROETHANE	ND	ug/L	0.5	0.5		
87	ISOPROPYLBENZENE	ND	ug/L	0.5	0.5		
79	1,2,3 - TRICHLOROPROPANE	ND	ug/L	0.5	0.5		
78	BROMOBENZENE	ND	ug/L	0.5	0.5		
80	1,1,2,2 - TETRACHLOROETHANE	ND	ug/L	0.5	0.5		
81	O - CHLOROTOLUENE	ND	ug/L	0.5	0.5		
88	N - PROPYLBENZENE	ND	ug/L	0.5	0.5		
89	1,3,5 - TRIMETHYLBENZENE	ND	ug/L	0.5	0.5		
54	BROMOMETHANE	ND	ug/L	0.5	0.5		
82	P - CHLOROTOLUENE	ND	ug/L	0.5	0.5		
90	TERT - BUTYLBENZENE	ND	ug/L	0.5	0.5		
91	1,2,4 - TRIMETHYLBENZENE	ND	ug/L	0.5	0.5		
92	SEC - BUTYLBENZENE	ND	ug/L	0.5	0.5		
83	M - DICHLOROBENZENE	ND	ug/L	0.5	0.5		
93	P - ISOPROPYLTOLUENE	ND	ug/L	0.5	0.5		
94	N - BUTYLBENZENE	ND	ug/L	0.5	0.5		
55	CHLOROETHANE	ND	ug/L	0.5	0.5		
97	HEXACHLOROBUTADIENE	ND	ug/L	0.5	0.5		
96	NAPHTHALENE	ND	ug/L	0.5	0.5		
98	1,2,3 - TRICHLOROBENZENE	ND	ug/L	0.5	0.5		
85	TRICHLOROFLUOROMETHANE	ND	ug/L	0.5	0.5		
	EPA Regulated - Under Trihalomethanes Program						
31	TOTAL TRIHALOMETHANE	**14.0**	ug/L	0.5	60	80	
27	CHLOROFORM	**4.0**	ug/L	0.5			
28	BROMODICHLOROMETHANE	**6.0**	ug/L	0.5			
29	CHLORODIBROMOMETHANE	**4.0**	ug/L	0.5			
30	BROMOFORM	ND	ug/L	0.5			
	State Unregulated - Other						
0	METHYL TERT-BUTYL ETHER	ND	ug/L	1.0			

RECEIVED
DEC - 8 2010
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

NOTES:
f a compound is detected > or = to the State Reporting Level, SRL, specified increased monitoring frequencies may occur per DOH.
MCL (Maximum Contaminant Level) maximum permissible level of a contaminant in water established by EPA; Federal Action Levels are 0.015 mg/L for Lead and 1.3 mg/L for Copper. Sodium has a recommended limit of 20 mg/L. A
blank MCL value indicates a level is not currently established.
Trigger Level: DOH Drinking Water Response level. Systems with compounds detected in excess of this level are required to take additional samples. Contact your regional DOH office.
ND (Not Detected): indicates that the parameter was not detected above the State Reporting Limit (SRL).
An * in front of the parameter name indicates it is not NELAP accredited but it is accredited through WSDOH or USEPA Region 10.

These test results meet all the requirements of NELAC, unless otherwise stated in writing, and relate only to these samples.
If you have any questions concerning this report contact Lawrence Henderson at the above phone number.

FORM: VOC

WATER MANAGEMENT LABORATORIES INC.

1515 80th St. E.
Tacoma, WA 98404
(253) 531-3121

VOLATILE ORGANIC CHEMICALS (VOC's) ANALYSIS REPORT
EPA TEST METHOD - 524.2
WA DOH TEST PANEL: VOC1

System ID No.: IH3826	System Name: 7 Cedars Casino	
Lab/Sample No.: 08977882	Date Collected: 06/10/2009	DOH Source No.: S02
Multiple Source Nos.: N/A	Sample Type: B	Sample Purpose: C
Date Received: 06/11/2009	Date Analyzed: 06/15/2009	Analyst: LHL
	Date Reported: 06/16/2009	Supervisor:
County: Clallam	Group: A	
Sample Location: Pumphouse Outside Hosebib		
Send To: Blue Line Water 2531 A Inter Avenue Puyallup, WA 98372		Remarks:

DOH #	ANALYTES	RESULTS	UNITS	SRL	TRIGGER	MCL	EXCEEDS	
	EPA REGULATED						Trigger?	MCL?
45	Vinyl Chloride	ND	ug/L	0.5	0.5	2	NO	NO
46	1,1 - Dichloroethylene	ND	ug/L	0.5	0.5	7	NO	NO
47	1,1,1 - Trichloroethane	ND	ug/L	0.5	0.5	200	NO	NO
48	Carbon Tetrachloride	ND	ug/L	0.5	0.5	5	NO	NO
49	Benzene	ND	ug/L	0.5	0.5	5	NO	NO
50	1,2 - Dichloroethane	ND	ug/L	0.5	0.5	5	NO	NO
51	Trichloroethylene	ND	ug/L	0.5	0.5	5	NO	NO
52	1,4 - Dichlorobenzene	ND	ug/L	0.5	0.5	75	NO	NO
56	Dichloromethane	ND	ug/L	0.5	0.5	5	NO	NO
57	trans-1,2 - Dichloroethylene	ND	ug/L	0.5	0.5	100	NO	NO
60	cis-1,2 - Dichloroethylene	ND	ug/L	0.5	0.5	70	NO	NO
63	1,2 - Dichloropropane	ND	ug/L	0.5	0.5	5	NO	NO
66	Toluene	ND	ug/L	0.5	0.5	1000	NO	NO
67	1,1,2 - Trichloroethane	ND	ug/L	0.5	0.5	5	NO	NO
68	Tetrachloroethylene	ND	ug/L	0.5	0.5	5	NO	NO
71	Chlorobenzene	ND	ug/L	0.5	0.5	100	NO	NO
73	Ethylbenzene	ND	ug/L	0.5	0.5	700	NO	NO
76	Styrene	ND	ug/L	0.5	0.5	100	NO	NO
84	1,2 - Dichlorobenzene	ND	ug/L	0.5	0.5	600	NO	NO
95	1,2,4 - Trichlorobenzene	ND	ug/L	0.5	0.5	70	NO	NO
160	Total Xylenes	ND	ug/L	0.5	0.5	10000	NO	NO
74	m/p Xylenes (MCL for Total)	ND	ug/L	0.5	0.5		NO	
75	o - Xylene (MCL for Total)	ND	ug/L	0.5	0.5		NO	
	TRIHALOMETHANES							
27	Chloroform	ND	ug/L	0.5	0.5		NO	
28	Bromodichloromethane	ND	ug/L	0.5	0.5		NO	
29	Chlorodibromomethane	ND	ug/L	0.5	0.5		NO	
30	Bromoform	ND	ug/L	0.5	0.5		NO	
31	TOTAL Trihalomethanes	ND	ug/L	NA	NA	80		NO

Lab/Sample No.: 08977882

VOC ANALYSIS REPORT - METHOD 524.2 **page 2**

Water Management Laboratories, Inc.
1515 80th St. E.
Tacoma, WA 98404
(253) 531-3121

DOH #	ANALYTES	RESULTS	UNITS	SRL	TRIGGER	MCL	EXCEEDS	
	EPA UNREGULATED (Continued)						Trigger?	MCL?
53	Chloromethane	ND	ug/L	0.5	0.5		NO	
54	Bromomethane	ND	ug/L	0.5	0.5		NO	
58	1,1 - Dichloroethane	ND	ug/L	0.5	0.5		NO	
72	1,1,1,2 - Tetrachloroethane	ND	ug/L	0.5	0.5		NO	
78	Bromobenzene	ND	ug/L	0.5	0.5		NO	
79	1,2,3 - Trichloropropane (Confirm by 504.1)	ND	ug/L	0.5	0.5		NO	
81	o - Chlorotoluene	ND	ug/L	0.5	0.5		NO	
85	Fluorotrichloromethane	ND	ug/L	0.5	0.5		NO	
86	Bromochloromethane	ND	ug/L	0.5	0.5		NO	
89	1,3,5 - Trimethylbenzene	ND	ug/L	0.5	0.5		NO	
91	1,2,4 - Trimethylbenzene	ND	ug/L	0.5	0.5		NO	
92	s - Butylbenzene	ND	ug/L	0.5	0.5		NO	
93	p - Isopropyltoluene	ND	ug/L	0.5	0.5		NO	
94	n - Butylbenzene	ND	ug/L	0.5	0.5		NO	
96	Napthalene	ND	ug/L	0.5	0.5		NO	
102	EDB (Confirm by 504.1)	ND	ug/L	0.5	0.5		NO	
103	DBCP (Confirm by 504.1)	ND	ug/L	0.5	0.5		NO	
162	Dichlorodifluoromethane	ND	ug/L	0.5	0.5		NO	
N/A	MTBE	ND	ug/L	0.5	0.5		NO	

NOTES:

SRL (State Reporting Level): Indicates the minimum reporting level required by the Washington Department of Health (DOH).

Trigger Level: DOH Drinking Water response level. Systems with compounds detected at concentrations in excess of this level may need to take additional samples. Contact your regional DOH office for further information.

MCL (Maximum Contaminant Level): If the contaminant amount exceeds the MCL, immediately contact your regional DOH office.

NA (Not Analyzed): In the RESULTS column indicates this compound was not included in the current analysis.

ND (Not Detected): In the RESULTS column indicates this compound was analyzed and not detected at a level greater than or equal to the SRL.

< : Indicates less than.

Comments:

A maximum contaminant level of 80 ug/L total Trihalomethanes (Compounds 27-30) is allowed.

Method 524.2: VOC's

fax

From the desk of...
Ron Sather
Facilities Manager
7 Cedars Casino
270756 Hwy. 101
Sequim, WA 98382
e-mail:
rsather@7cedarscasino.com
360.681.6734
Fax: 360.681.6711

To: DALE BECKER

Fax: 206-553-1280

From: RON SATHER 681-6734

Date: 7-10-09

Re: WELL WATER TESTING ON ALTERNATIVE WATER SOURCE

WATER MANAGEMENT LABORATORIES INC.

1515 80th St. E.
Tacoma, WA 98404
(253) 531-3121

VOLATILE ORGANIC CHEMICALS (VOC's) ANALYSIS REPORT
EPA TEST METHOD - 524.2
WA DOH TEST PANEL: VOC1

System ID No.: IH3826	System Name: Seven Cedars Casino	
Lab/Sample No.: 08977882	Date Collected: 06/10/2009	DOH Source No.: S02
Multiple Source Nos.: N/A	Sample Type: B	Sample Purpose: C
Date Received: 06/11/2009	Date Analyzed: 06/15/2009	Analyst: LHL
	Date Reported: 06/16/2009	Supervisor:
County: Clallam	Group: A	
Sample Location: Pumphouse Outside Hosebib		
Send To: Blue Line Water 2531 A Inter Avenue Puyallup, WA 98372	Remarks:	

RECEIVED
JUN 22 2009
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

DOH #	ANALYTES	RESULTS	UNITS	SRL	TRIGGER	MCL	EXCEEDS	
		EPA REGULATED					Trigger?	MCL?
45	Vinyl Chloride	ND	ug/L	0.5	0.5	2	NO	NO
46	1,1 - Dichloroethylene	ND	ug/L	0.5	0.5	7	NO	NO
47	1,1,1 - Trichloroethane	ND	ug/L	0.5	0.5	200	NO	NO
48	Carbon Tetrachloride	ND	ug/L	0.5	0.5	5	NO	NO
49	Benzene	ND	ug/L	0.5	0.5	5	NO	NO
50	1,2 - Dichloroethane	ND	ug/L	0.5	0.5	5	NO	NO
51	Trichloroethylene	ND	ug/L	0.5	0.5	5	NO	NO
52	1,4 - Dichlorobenzene	ND	ug/L	0.5	0.5	75	NO	NO
56	Dichloromethane	ND	ug/L	0.5	0.5	5	NO	NO
57	trans-1,2 - Dichloroethylene	ND	ug/L	0.5	0.5	100	NO	NO
60	cis-1,2 - Dichloroethylene	ND	ug/L	0.5	0.5	70	NO	NO
63	1,2 - Dichloropropane	ND	ug/L	0.5	0.5	5	NO	NO
66	Toluene	ND	ug/L	0.5	0.5	1000	NO	NO
67	1,1,2 - Trichloroethane	ND	ug/L	0.5	0.5	5	NO	NO
68	Tetrachloroethylene	ND	ug/L	0.5	0.5	5	NO	NO
71	Chlorobenzene	ND	ug/L	0.5	0.5	100	NO	NO
73	Ethylbenzene	ND	ug/L	0.5	0.5	700	NO	NO
76	Styrene	ND	ug/L	0.5	0.5	100	NO	NO
84	1,2 - Dichlorobenzene	ND	ug/L	0.5	0.5	600	NO	NO
95	1,2,4 - Trichlorobenzene	ND	ug/L	0.5	0.5	70	NO	NO
160	Total Xylenes	ND	ug/L	0.5	0.5	10000	NO	NO
74	m/p Xylenes (MCL for Total)	ND	ug/L	0.5	0.5		NO	
75	o - Xylene (MCL for Total)	ND	ug/L	0.5	0.5		NO	
		TRIHALOMETHANES						
27	Chloroform	ND	ug/L	0.5	0.5		NO	
28	Bromodichloromethane	ND	ug/L	0.5	0.5		NO	
29	Chlorodibromomethane	ND	ug/L	0.5	0.5		NO	
30	Bromoform	ND	ug/L	0.5	0.5		NO	
31	TOTAL Trihalomethanes	ND	ug/L	NA	NA	80		NO

Lab/Sample No.: 08977882

VOC ANALYSIS REPORT - METHOD 524.2

Water Management Laboratories, Inc.
1515 80th St. E.
Tacoma, WA 98404
(253) 531-3121

DOH #	ANALYTES	RESULTS	UNITS	SRL	TRIGGER	MCL	EXCEEDS	
	EPA UNREGULATED (Continued)						Trigger?	MCL?
53	Chloromethane	**ND**	ug/L	0.5	0.5		NO	
54	Bromomethane	**ND**	ug/L	0.5	0.5		NO	
58	1,1 - Dichloroethane	**ND**	ug/L	0.5	0.5		NO	
72	1,1,1,2 - Tetrachlroroethane	**ND**	ug/L	0.5	0.5		NO	
78	Bromobenzene	**ND**	ug/L	0.5	0.5		NO	
79	1,2,3 - Trichloropropane (Confirm by 504.1)	**ND**	ug/L	0.5	0.5		NO	
81	o - Chlorotoluene	**ND**	ug/L	0.5	0.5		NO	
85	Fluorotrichloromethane	**ND**	ug/L	0.5	0.5		NO	
86	Bromochloromethane	**ND**	ug/L	0.5	0.5		NO	
89	1,3,5 - Trimethylbenzene	**ND**	ug/L	0.5	0.5		NO	
91	1,2,4 - Trimethylbenzene	**ND**	ug/L	0.5	0.5		NO	
92	s - Butylbenzene	**ND**	ug/L	0.5	0.5		NO	
93	p - Isopropyltoluene	**ND**	ug/L	0.5	0.5		NO	
94	n - Butylbenzene	**ND**	ug/L	0.5	0.5		NO	
96	Napthalene	**ND**	ug/L	0.5	0.5		NO	
102	EDB (Confirm by 504.1)	**ND**	ug/L	0.5	0.5		NO	
103	DBCP (Confirm by 504.1)	**ND**	ug/L	0.5	0.5		NO	
162	Dichlorodifluoromethane	**ND**	ug/L	0.5	0.5		NO	
N/A	MTBE	**ND**	ug/L	0.5	0.5		NO	

NOTES:

SRL (State Reporting Level): Indicates the minimum reporting level required by the Washington Department of Health (DOH).

Trigger Level: DOH Drinking Water response level. Systems with compounds detected at concentrations in excess of this level may need to take additional samples. Contact your regional DOH office for further information.

MCL (Maximum Contaminant Level): If the contaminant amount exceeds the MCL, immediately contact your regional DOH office.

NA (Not Analyzed): In the RESULTS column indicates this compound was not included in the current analysis.

ND (Not Detected): In the RESULTS column indicates this compound was analyzed and not detected at a level greater than or equal to the SRL.

< : Indicates less than.

Comments:

A maximum contaminant level of 80 ug/L total Trihalomethanes (Compounds 27-30) is allowed.

Method 524.2: VOC's

RECEIVED
JUN 22 2009
U.S. EPA REGION 10
OFFICE OF WATER AND WATERSHEDS

Twiss ANALYTICAL, INC.

RECEIVED
MAY 02 2006
Department of Health
Office of Drinking Water

ENVIROSTARS ★★★★

VOC - VOC1

VOC - VOC1 by Various EPA Approved Methods

Date Collected: 4/13/2006
Water System ID Number: IH3826
Lab Sample Number: 01050319
Sample Location: CA-01 Finish Rm Raw Water Tap
Sample Purpose: C-Compliance
Sample Composition:

Send Report to:
Jamestown S'Klallam Tribe
1033 Old Blyn Hwy
Sequim, WA 98382

Group: A
System Name: Seven Cedars Casino
County: Clallam
DOH Source No:
Date Received: 4/13/2006
Date Analyzed: 4/19/2006
Date Reported: 4/26/2006
Sample Type: A-After Treatment
Sample Collected by (name): Vickie Carroll
Phone Number: 360-681-4659
Supervisor: ST

VOC's

DOH#	ANALYTES	RESULTS	UNITS	SRL	Trigger	MCL	Analyst	METHOD	COMMENT
	1,2-DIBROMO-3-CHLOROPROPANE	ND	µg/L	0.4		0.2	TM	524.2	
	ETHYLENE DIBROMIDE (EDB)	ND	µg/L	0.4		0.05	TM	524.2	
160	TOTAL XYLENES	ND	µg/L	0.4	0.5	10000	TM	524.2	
57	T-1,2-DICHLOROETHYLENE	ND	µg/L	0.4	0.5	100	TM	524.2	
60	CIS-1,2-DICHLOROETHYLENE	ND	µg/L	0.4	0.5	70	TM	524.2	
47	1,1,1-TRICHLOROETHANE	ND	µg/L	0.4	0.5	200	TM	524.2	
48	CARBON TETRACHLORIDE	ND	µg/L	0.4	0.5	5	TM	524.2	
49	BENZENE	ND	µg/L	0.4	0.5	5	TM	524.2	
50	1,2-DICHLOROETHANE	ND	µg/L	0.4	0.5	5	TM	524.2	
51	TRICHLOROETHYLENE	ND	µg/L	0.4	0.5	5	TM	524.2	
63	1,2-DICHLOROPROPANE	ND	µg/L	0.4	0.5	5	TM	524.2	
66	TOLUENE	ND	µg/L	0.4	0.5	1000	TM	524.2	
67	1,1,2-TRICHLOROETHANE	ND	µg/L	0.4	0.5	5	TM	524.2	
68	TETRACHLOROETHYLENE	ND	µg/L	0.4	0.5	5	TM	524.2	
71	CHLOROBENZENE	ND	µg/L	0.4	0.5	100	TM	524.2	
73	ETHYLBENZENE	ND	µg/L	0.4	0.5	700	TM	524.2	
158	M/P-XYLENE	ND	µg/L	0.4	0.5		TM	524.2	
45	VINYL CHLORIDE	ND	µg/L	0.4	0.5	2	TM	524.2	
159	O-XYLENE	ND	µg/L	0.4	0.5		TM	524.2	
76	STRYENE	ND	µg/L	0.4	0.5	100	TM	524.2	
52	P-DICHLOROBENZENE	ND	µg/L	0.4	0.5	75	TM	524.2	
84	O-DICHLOROBENZENE	ND	µg/L	0.4	0.5	600	TM	524.2	
95	1,2,4-TRICHLOROBENZENE	ND	µg/L	0.4	0.5	70	TM	524.2	
46	1.1-DICHLOROETHYLENE	ND	µg/L	0.4	0.5	7	TM	524.2	
56	METHYLENE CHLORIDE	ND	µg/L	0.4	0.5	5	TM	524.2	
	EPA Unregulated Monitoring Required								
58	1,1-DICHLOROETHANE	ND	µg/L	0.4	0.5		TM	524.2	
59	2,2-DICHLOROPROPANE	ND	µg/L	0.4	0.5		TM	524.2	
86	BROMOCHLOROMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
62	1,1-DICHLOROPROPENE	ND	µg/L	0.4	0.5		TM	524.2	
162	DICHLORODIFLUOROMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
64	DIBROMOMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
65	CIS-1,3-DICHLOROPROPENE	ND	µg/L	0.4	0.5		TM	524.2	
69	TRANS-1,3-DICHLOROPROPENE	ND	µg/L	0.4	0.5		TM	524.2	
53	CHLOROMETHANE	ND	µg/L	0.4	0.5		TM	524.2	

RECEIVED JUN 13 2006 U.S. EPA REGION 10 OFFICE OF WATER

Twiss ANALYTICAL, INC.

ENVIROSTARS ★★★★

VOC - VOC1

VOC - VOC1 by Various EPA Approved Methods

Date Collected: 4/13/2006
Water System ID Number: IH3826
Lab Sample Number: 01050319
Sample Location: CA-01 Finish Rm Raw Water Tap
Sample Purpose: C-Compliance
Sample Composition:

Group: A
System Name: Seven Cedars Casino
County: Clallam
DOH Source No:
Date Received: 4/13/2006
Date Analyzed: 4/19/2006
Date Reported: 4/26/2006
Sample Type: A-After Treatment
Sample Collected by (name): Vickie Carroll
Phone Number: 360-681-4659
Supervisor: ST

Send Report to:
Jamestown S'Klallam Tribe
1033 Old Blyn Hwy
Sequim, WA 98382

DOH#	ANALYTES	RESULTS	UNITS	SRL	Trigger	MCL	Analyst	METHOD	COMMENT
70	1,3-DICHLOROPROPANE	ND	µg/L	0.4	0.5		TM	524.2	
72	1,1,1,2-TETRACHLOROETHANE	ND	µg/L	0.4	0.5		TM	524.2	
87	ISOPROPYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
79	1,2,3-TRICHLOROPROPANE	ND	µg/L	0.4	0.5		TM	524.2	
78	BROMOBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
80	1,1,2,2-TETRACHLOROETHANE	ND	µg/L	0.4	0.5		TM	524.2	
81	O-CHLOROTOLUENE	ND	µg/L	0.4	0.5		TM	524.2	
88	N-PROPYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
89	1,3,5-TRIMETHYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
54	BROMOMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
82	P-CHLOROTOLUENE	ND	µg/L	0.4	0.5		TM	524.2	
90	TERT-BUTYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
91	1,2,4-TRIMETHYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
92	SEC-BUTYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
83	M-DICHLOROBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
93	P-ISOPROPYLTOLUENE	ND	µg/L	0.4	0.5		TM	524.2	
94	N-BUTYLBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
55	CHLOROETHANE	ND	µg/L	0.4	0.5		TM	524.2	
97	HEXACHLOROBUTADIENE	ND	µg/L	0.4	0.5		TM	524.2	
96	NAPTHALENE	ND	µg/L	0.4	0.5		TM	524.2	
98	1,2,3-TRICHLOROBENZENE	ND	µg/L	0.4	0.5		TM	524.2	
85	TRICHLOROFLUORMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
	EPA-Regulated - Under Trihalomethanes Program								
31	TOTAL TRIHALOMETHANE	ND	µg/L	0.4	0.5	80	TM	524.2	
27	CHLOROFORM	ND	µg/L	0.4	0.5		TM	524.2	
28	BROMODICHLOROMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
29	CHLORODIBROMOMETHANE	ND	µg/L	0.4	0.5		TM	524.2	
30	BROMOFORM	ND	µg/L	0.4	0.5		TM	524.2	
	State Unregulated - Other								
0	METHYL TERT-BUTYL ETHER	ND	µg/L	0.4	0.5		TM	524.2	

RECEIVED JUN 13 2006 U.S. EPA REGION 10 OFFICE OF WATER

Notes:

SRL (State Reporting Limit): Indicates the minimum reporting level required by the Washington State Dept. of Health
MCL (Maximum Contaminant level): maximum permissable level of a contaminant in water established by EPA
Trigger Level: DOH Drinking Water Response Level. Systems with compounds detected in excess of this level are required to take additional samples. Contact your regional DOH office.
ND (Not Detected): Indicates tha the parameter was not detected above the Specified Reporting Limit (SRL)
NA (Not Analyzed): Indicates that this parameter was not analyzed for.