JOB NO. 4726 DIXIE CARRIERS
BARGE: PC-2506 6/95

HER 02036

8000188

HERCULES
MARINE SERVICES CORPORATION
P. O. Drawer O • Freeport, Texas 77541

INVOICE NO. : 3020-95
DATE : 06/30/95
Job No. : 4726-1
Location : Freeport Yard

TO: Dixie Carriers
2102 Broadway
Houston, TX 77012

PLEASE REMIT PAYMENTS TO:
11011 RICHMOND
SUITE 500
HOUSTON, TX. 77042

Terms : Net 30

PO# BGMG951029

FOR: Service to barge DC2506 as follows:

Set up equipment
Strip out all free product
Cold water wash pipeline and stripping system
Cold water wash cargo tanks
Blow cargo pipeline and stripping system
Vacuum blow dry cargo tanks
Remove equipment
Close barge

Labor:	Leadman	13	@	48.00	$ 624.00
	Journey	52	@	44.25	2,301.00
Equipment:	Compressor	13	@	44.00	572.00
	Air movers	104	@	5.00	520.00
	Vacuum	7	@	18.00	126.00
	Hand hose	8	@	10.00	80.00
Disposal:	1,500 gal. @ .35				525.00
Stock material	49.55 + 9.91				59.46
				TOTAL AMOUNT DUE	$4,807.46

PHONE: (409) 233-6371

Strength through Experience, Equipment, Know-How

HER 02037

HERCULES
MARINE SERVICES CORPORATION

PURCHASE ORDER

P.M. NO.	4726 #9023
VENDOR	Kitty
TERMS	30
F.O.B.	Yard
VIA	
SHIP DATE	6/18/95

JOB	DATE 6/18	REQ. NO.	
DATE MATERIAL REQ'D.		PREPARED BY: Sylvia	
NOTIFY: Sylvia		DELIVER TO: Marine	
REQUIRED FOR: O/T meals			
DATE RECEIVED 1.	DATE RECEIVED 2.	DATE RECEIVED 3.	

ITEM	QUANTITY ORDERED	QUANTITY RECEIVED	SHIP. NO.	DESCRIPTION — FULL DETAIL REQUIRED	COST CODE		UNIT	UNIT COST	TOTAL
1	5			O/T meals	85	40			59
2				Lucio					
3				Claudio					
4				Jose					
5				Sam					
6				Daniel					
7									
8				Barge PC-2506					
9									
10									
11									
12									
13									
14									

RECEIVED BY:	APPROVED BY Larry Dallinger	TOTALS	
DATE RECEIVED	APPROVED BY	BUYER / DATE	

Date 6-16 19 95

M Kitty's Purple Cow

No. [illegible]

Reg. No.	Clerk	ACCOUNT FORWARD	
1	5 [illegible]	[illegible]	75
2		TX	95
3		59	00
4			
5			
6			
7			
8			
9			
10	4726-90239		
11			
12	L. Edwards		
13			
14	14		
15			

Your Account Stated to Date — If Error is Found Return at Once.

HER 02038

JOB WORKSCOPE/INVOICE

JOB NO: 4726 CUSTOMER: Dixie BADGE: DC2506

FOREMAN:	S/T	@ 36.00	
	O/T	@ 51.75	
LEADMAN:	S/T	@ 33.50	
	O/T 13	@ 48.00	624.00
JOURNEY:	S/T	@ 31.00	
	O/T 52	@ 44.25	2,301.00
DISPOSAL:	1,500 gal	@ .35	525.00
MATERIAL:	49.55 plus 20%	9.91	59.46
STOCK MATERIAL:	PLUS 20%		

EQUIP:

COMPRESSOR	13	@ 44.00	572.00
AIR MOVERS	104	@ 5.00	520.00
FORKLIFT		@ 20.00	
TUGBOAT		@ 80.00	
STEAM RIG		@ 60.00	
VACUUM	7	@ 18.00	126.00
HAND HOSE	8	@ 10.00	80.00
WELDING MACHINE		@ 15.00	
CHERRYPICKER		@ 50.00	
CRANE		@ 100.00	
FLATBED TRUCK		@ 20.00	
3" GAS PUMP		@ 14.00	
2" STRIPPING PUMP		@ 12.00	
BUTTERWORTH		@ 10.00	
4" ELECT PUMP		@ 15.00	
WORK BARGE		@ 35.00	
CUTTING RIG		@ 0.00	
HAUL OUT		@1100.00 / Day	

ARRIVED: COMPLETED: DEPARTED:

PICKUP: LOAD:

TOTAL INVOICE : 4,807.46

4pr. filters @ 6.00 24.00
4 coveralls @ 7.85 11.40
4 batteries @ 2.25 9.00

44.40
deepwell + gasket 5.15

49.55

HER 02039

HERCULES OFFSHORE CO.

INVOICE NO. _____

CUSTOMER P.O. _____

MARINE REPAIR ORDER No. 4726

MARINE OPERATIONS FACILITY

DATE

ORDER WRITTEN 6/16/95	ETA
ARRIVAL	
COMPLETION DATE 6/16/95	
DEPARTURE DATE	

M/V ☐ BARGE ☑

NAME PC-2506

LOA | WIDTH

FOREMAN Claudio Duarte

LAST PRODUCT Naptha / Propane

GAS FREEING YES ☐ NO ☐ CERTIFICATE REQUIRED YES ☐ NO ☐

HAUL OUT FOR INSPECTION AND REPAIR YES ☐ NO ☐

ON WAYS DATE: _____

ON WAYS DATE: _____

CUSTOMER

NAME

BILLING ADDRESS

CITY AND STATE

PHONE NUMBER

WORK AUTHORIZED BY Mike | O/T AUTHORIZED BY

STOCK MATERIAL ☐ YES ☐ NO

IF YES, COMPLETE STOCK MATERIAL TRANSFER TICKET

OUTSIDE SERVICES IF YES, LIST ☐ YES ☐ NO

ITEM NUMBERS

1 Strip big fan

2 Maybe a wash

3 Used Four pair Respirator Filters, Four pair Coveralls Four Flashlight Batteries

4

5

6

7

8

9

10

THIS SHALL SERVE AS YOUR AUTHORIZATION TO PROCEED WITH THE ABOVE.

Signed: Claudio Duarte Date: 6-17-95

HER 02040

HERCULES OFFSHORE CO.

INVOICE NO. _____

MARINE REPAIR ORDER No. 4726

MARINE OPERATIONS FACILITY

CUSTOMER P.O. _____

DATE

ORDER WRITTEN: 6/16/95 | ETA:

ARRIVAL:

COMPLETION DATE: 6/16/95

DEPARTURE DATE:

M/V ☐ BARGE ☒

NAME: PC-2506

LOA: | WIDTH:

FOREMAN: Claudio Duarte

LAST PRODUCT: Naptha / Pyjas

GAS FREEING YES ☐ NO ☐ CERTIFICATE REQUIRED YES ☐ NO ☐

HAUL OUT FOR INSPECTION AND REPAIR YES ☐ NO ☐

ON WAYS DATE: _____

ON WAYS DATE: _____

CUSTOMER

NAME: Exxe

BILLING ADDRESS:

CITY AND STATE:

PHONE NUMBER:

WORK AUTHORIZED BY: Mike | O/T AUTHORIZED BY:

STOCK MATERIAL ☐ YES ☐ NO

IF YES, COMPLETE STOCK MATERIAL TRANSFER TICKET

OUTSIDE SERVICES IF YES, LIST ☐ YES ☐ NO

ITEM NUMBERS

1 Strip lig free -

2 Maybe a wash

3

4

5

6

7

8

9

10

THIS SHALL SERVE AS YOUR AUTHORIZATION TO PROCEED WITH THE ABOVE.

Signed: _____ Date: _____

HER 02041

HERCULES
MARINE SERVICES CORPORATION
Strength through environmental awareness and customer service
P.O. Drawer O
Freeport, Texas 77541
Office (409) 233-6371
Fax. (409) 233-6375

EQUIPMENT	HOURS USED	HOURLY RATE	TOTAL PRICE
COMPRESSOR	6	44.00	
AIR MOVERS	48	5.00	
VACUUM	3	20.00	
BOILER		80.00	
HAND HOSE	4	10.00	
BUTTERWORTH		10.00	
2" STRIP PUMP		12.00	
3" DIESEL PUMP		14.00	
4" ELECT PUMP		15.00	
CRANE		130.00	
CHERRYPICKER		50.00	
FORKLIFT		20.00	
TUG BOAT		80.00	
WELD MACHINE		15.00	
CUTTING RIG		8.00	
WORK BARGE		35.00	
HAUL OUT		1100.00	

DATE: 6-17-95 JOB NO: 4726 BARGE NAME: D.C. 2506

HER 02042

HERCULES
MARINE SERVICES CORPORATION
Strength through environmental awareness and customer service
P.O. Drawer O
Freeport, Texas 77541
Office (409) 233-6371
Fax. (409) 233-6375

EQUIPMENT	HOURS USED	HOURLY RATE	TOTAL PRICE
COMPRESSOR	7	44.00	
AIR MOVERS	56	5.00	
VACUUM	4	20.00	
BOILER		80.00	
HAND HOSE	4	10.00	
BUTTERWORTH		10.00	
2" STRIP PUMP		12.00	
3" DIESEL PUMP		14.00	
4" ELECT PUMP		15.00	
CRANE		130.00	
CHERRYPICKER		50.00	
FORKLIFT		20.00	
TUG BOAT		80.00	
WELD MACHINE		15.00	
CUTTING RIG		8.00	
WORK BARGE		35.00	
HAUL OUT		1100.00	

DATE: 6-16-95 JOB NO: 4726 BARGE NAME: D.C. 2506

HER 02043

JOB NO. 4726 ETA

BARGE NO. D.C. 2506 DATE/TIME ARRIVAL

CUSTOMER DATE/TIME STARTED

PRODUCT NAPTHA DATE/TIME COMPLETED

DISPOSAL AMOUNT AMOUNT STRIPPED 500

CLEANING INSTRUCTION BY: BY:

COMPLETION SCHEDULE BY:

OVERTIME AUTHORIZED BY: Mike Greve

BARGE INSPECTED BY: Claudio Duarte DATE/TIME:

BARGE RELEASED TO: Ruben DATE/TIME:

DEEPWELL OPENED: YES ✓ NO ___ CLOSED BY Duarte NEW GASKET ___ YES ✓ NO ___

BELOW DECK CARGO PIPELINE: BLIND OPEN YES ___ NO ✓ CLOSED BY ___ NEW GASKET ___ YES ___ NO ___

DECK CHECK VALVE OPENED: YES N/A NO ___ CLOSED BY ___ NEW GASKET ___ YES ___ NO ___

DECK HEADER BLINDS OPEN: YES ✓ NO ___ CLOSED BY Rosa NEW GASKET ___ YES ✓ NO

DECK HEADER DRAIN PLUG OPEN: YES ✓ NO ___ CLOSED BY Rosa

VAPOR RECOVERY HEADER OPENED: YES ✓ NO ___ CLOSED BY Rosa NEW GASKET ___ YES ✓ NO

RUST SCALE: YES ✓ NO ___ WASHED OUT ___ BUCKETED OUT

NUMBER OF CARGO TANKS 6

NUMBER OF DRAIN VALVES 600

[illegible] TANK STRIPPED: YES N/A NO ___ PIPE PRESSURE TEST DATE:

DRIP PANS STRIPPED: YES ✓ NO

WEATHER: TEMP 85 RAIN ✓ FOG ___ HUMIDITY ___ OVERCAST ___ CLOUDY ___ CLEAR ✓

PIPELINE WASHED: no PIPELINE BLOWN yes PIPELINE SUMPS INSPECTED Claudio Duarte

BOW RAKE CHECKED: YES ✓ NO ___ STERN RAKE: YES ✓ NO

VOIDS: YES ✓ NO ___ SAFETY EQUIPMENT USED:

****

WORK SCOPE

HER 02044

HAZARDS COMMUNICATION STANDARD

OSHA 1910.1200

EMPLOYEE HAZARDOUS MATERIALS TRAINING PROGRAM

Date 6-16-95

Plant Hercules

Supervisor [illegible]

Area GAS Free DOCK
D-C 2506

Client Safety

The following listed materials are considered to be hazardous to the employees working in this area:

NAPHTHA

The employees assigned to work in this area have been informed of the hazardous materials in this area, the hazards they present to the workers, the location of hazards listed, the protective equipment that has been provided and where it is located, and procedures to be followed in case of an accidental exposure. I have received the training listed above and will so designate by signing this form.

NAME	BADGE	NAME	BADGE
[illegible]	326		
[illegible]			
Jose A Casas	664		
Gabriel [illegible]			

HER 02045

UNION CARBIDE CHEMICALS AND PLASTICS COMPANY INC.

Industrial Chemicals Division

MATERIAL SAFETY DATA SHEET FOR INTERMEDIATE

Union Carbide urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with the product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology, and fire prevention, as necessary or appropriate to use and understand the data contained in this MSDS.

To promote safe handling, each customer or recipient should: (1) notify its employees, agents, contractors and others whom it knows or believes will use this material or the information in this MSDS and any other information regarding hazards or safety; (2) furnish this same information to each of its customers for the product; and (3) request its customers to notify their employees, customers, and other users of the product of this information.

EFFECTIVE DATE: 10/08/92 OBSOLETE DATE: 10/08/95

I. IDENTIFICATION

PRODUCT NAME:	NAPHTHA
CHEMICAL NAME:	Naphtha
CHEMICAL FAMILY:	Hydrocarbons
FORMULA:	Not Applicable
MOLECULAR WEIGHT:	Not Applicable
SYNONYMS:	Gasoline, Petroleum Naphtha
CAS # AND NAME:	8030-30-6 Naphtha

II. PHYSICAL DATA (Determined on Typical Material)

BOILING POINT, 760 mm Hg:	21°C TO ~ 191°C (70°F TO ~ 425°F)
SPECIFIC GRAVITY(H2O = 1):	0.654 TO 0.739 AT 15/4°C
FREEZING POINT:	<-20°C (-4°F)
VAPOR PRESSURE AT 20°C:	<12 PSIA
VAPOR DENSITY (AIR = 1):	<1
EVAPORATION RATE (Butyl Acetate = 1):	<1
SOLUBILITY IN WATER by wt:	Insoluble

Copyright 1992, Union Carbide Chemicals & Plastics Technology Corp.
UNION CARBIDE is a Trademark of Union Carbide Corporation
EMERGENCY PHONE NUMBERS: 1-800-UCC-HELP (NUMBER AVAILABLE AT ALL TIMES) OR (304) 744-3487

UNION CARBIDE CHEMICALS AND PLASTICS COMPANY INC
Industrial Chemicals Division
39 Old Ridgebury Road, Danbury, CT 06817-0001

PRODUCT NAME: NAPHTHA

APPEARANCE:	Yellow
ODOR:	Hydrocarbon
PHYSICAL STATE:	Liquid

III. INGREDIENTS

%	MATERIAL	CAS#	EXPOSURE LIMIT
0.0-11	n-Hexane	110-54-3	50 ppm-TWAB,ACGIH, OSHA
0.15-5.65	Benzene	71-43-2	0.1 ppm TWAB (skin), ACGIH 1 ppm TWAB, OSHA 5 ppm STEL, OSHA
0.36-2.95	Toluene	108-88-3	50 ppm TWAB (skin), ACGIH 100 ppm TWAB, OSHA 150 ppm STEL, OSHA
0.3-1.2	Xylenes	1330-20-7	100 ppm TWAB, 150 ppm STEL; OSHA & ACGIH
0-4.7	Cyclohexane	110-82-7	300 ppm-TWAB, ACGIH, OSHA
<100	Naphtha	8030-30-6	100ppm TWA, 100ppm PEL, OSHA

IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (test method(s)):	20°F Pensky-Martens Closed Cup ASTM D 93
FLAMMABLE LIMITS IN AIR % by volume:	LOWER: 1.1 UPPER: Approx. 5.9
SPECIAL FIRE FIGHTING PROCEDURES:	Use water spray to cool fire-exposed containers and structures. Use water spray to disperse vapors; re-ignition is possible. Use protective clothing, eye protection and have self-contained breathing apparatus available.
EXTINGUISHING MEDIA:	Apply alcohol-type or all-purpose-type foam by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Vapors form from this product and may travel or be moved by air currents and ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharges or other ignition sources at locations distant from product handling point. Vapors from this material may settle in low or confined areas or travel a long distance to an ignition source and flash back explosively

This material may produce a floating fire hazard in extreme fire conditions.

V. HEALTH HAZARD DATA

EXPOSURE LIMIT(S): See Section III.

EFFECTS OF SINGLE OVEREXPOSURE:

SWALLOWING:	Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung injury. Abdominal discomfort, nausea and vomiting may occur.
SKIN ABSORPTION:	Prolonged or widespread contact may result in the absorption of potentially harmful amounts of material.
INHALATION:	Causes irritation of the respiratory tract, experienced as nasal discomfort and discharge, with chest pain, coughing, headache, nausea, vomiting, dizziness, drowsiness, disturbed vision and unconsciousness. Liver and kidney damage may occur. Blood damage may occur. Depression of bone marrow activity may occur.
SKIN CONTACT:	Causes irritation with discomfort and local redness. Prolonged or repeated contact may cause defatting and drying of the skin.
EYE CONTACT:	Excess redness of the conjunctiva may occur. May cause irritation, experienced as stinging with excess blinking and tear production.

EFFECTS OF REPEATED OVEREXPOSURE:

Prolonged exposure can cause dizziness, weakness, weight loss, anemia, a feeling of agitation, plus pain, numbness, and a tingling sensation in the limbs. The red blood cell count may be reduced, bone marrow may be hypoplastic, and hematuria may be found. Skin irritation can occur.

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

Skin contact may aggravate an existing dermatitis.
Inhalation of material may aggravate asthma and inflammatory or fibrotic pulmonary disease.

SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH HAZARD EVALUATION:

None currently known.

OTHER EFFECTS OF OVEREXPOSURE:

Contains benzene, a known human carcinogen. May cause various blood disorders, including anemia and leukemia. Effects of chronic exposure may be delayed. Benzene is included in the IARC, NTP, and OSHA lists of carcinogens.

EMERGENCY AND FIRST AID PROCEDURES:

SWALLOWING:	DO NOT INDUCE VOMITING. Do not give anything to drink. Obtain medical attention without delay.
SKIN:	Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists. Wash clothing before reuse.

INHALATION:	Remove to fresh air. Give artificial respiration if not breathing. If breathing is difficult, oxygen may be given by qualified personnel. Obtain medical attention urgently. If exposure is severe, hospitalize and observe. Treatment for pulmonary edema and hemorrhage may be required.
EYES:	Immediately flush eyes with water and continue washing for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist.
NOTES TO PHYSICIAN:	A component of this material may be a cardiac sensitizer. Avoid the use of epinephrine.

VI. REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Contact with excessive heat, open flame, sparks, or ignition sources.

INCOMPATIBILITY (materials to avoid):
Strong oxidizing agents.
Avoid halogens (chlorine) in the presence of sunlight or ultraviolet light.

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:
Burning can produce the following combustion products:
Carbon monoxide and/or carbon dioxide.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: None known.

VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
Eliminate all sources of ignition in vicinity of spill or released vapor.
Clean up spills as soon as possible, observing precautions in Section Protective Information. Absorb small spills with absorbent clay, diatomaceous earth, or other suitable material. A fire or vapor hazard may exist since these cleanup materials will only absorb liquid, they will not absorb vapor. Large spills should be collected for disposal. Avoid runoff; See Section IX.

WASTE DISPOSAL METHOD:
Prevent contamination of surrounding environment. Incinerate waste in an approved combustion device or flare in accordance with Federal, State and local regulations.

VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (specify type):
Select in accordance with 29CFR1910.134. Supplied air or self-contained breathing apparatus recommended if personnel exposure exceeds exposure limits

VENTILATION:
General (mechanical) room ventilation is expected to be satisfactory where this product is stored and handled in closed equipment.
Special, local ventilation is needed at points where vapors can be expected to escape to the workplace air.

PROTECTIVE GLOVES:	Polyvinyl alcohol 'Viton'
EYE PROTECTION:	Monogoggles or Faceshield
OTHER PROTECTIVE EQUIPMENT:	Eye bath, safety shower, and chemical apron.

IX. SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

DANGER! Extremely flammable.
Harmful if inhaled.
Causes eye and skin irritation.
May cause kidney, liver and red blood cell damage.
Aspiration may cause lung damage.
May cause nervous system damage.
Contains Benzene - a cancer hazard.
Keep away from heat, sparks and flame.
Avoid breathing vapor.
Avoid contact with eyes, skin and clothing.
Do not swallow.
Keep container closed.
Use with adequate ventilation.
Vapors from from this product and may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heates, electrical equipment, static discharges or other ignition sources at locations distant from product handing point.
Wash thoroughly after handling.

OTHER PRECAUTIONS:

SPILLS - This product is insoluble in water and will float on the surface. It could cause a fire or explosion in a sewer and could spread a floating fire. Avoid discharge to sewers or waterways.

WARNING: Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into vacuum equipment, may result in ignitions without the presence of obvious ignition sources. Published "autoignition" or "ignition" temperature values cannot be treated as safe operating temperatures in chemical processes without analysis of the actual process conditions.

Any use of this product in elevated-temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions. Further information is available in a technical bulletin entitled "Ignition Hazards of Organic Chemical Vapors."

X. REGULATORY INFORMATION

STATUS ON SUBSTANCE LISTS:

The concentrations shown are maximum or ceiling levels (weight %) to be used for calculations for regulations. Trade Secrets are indicated by "TS".

FEDERAL EPA

Comprehensive Environmental Response Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4.

Components present in this product at a level which could require reporting under the statute are:

CHEMICAL	CAS NUMBER	UPPER BOUND CONCENTRATION %
Benzene	71-43-2	6.05
Toluene	108-88-3	2.95
Xylenes	1330-20-7	1.20
Cyclohexane	110-82-7	4.7

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III
requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312).

Components present in this product at a level which could require reporting under the statute are:

NONE

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III
requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all MSDSs that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

CHEMICAL	CAS NUMBER	UPPER BOUND CONCENTRATION %
Benzene	71-43-2	6.05
Toluene	108-88-3	2.95
Xylenes	1330-20-7	1.20
Cyclohexane	110-82-7	4.7

Toxic Substances Control Act (TSCA) STATUS:
The ingredients of this product are on the TSCA inventory.

STATE RIGHT-TO-KNOW

CALIFORNIA Proposition 65
This product contains BENZENE which the State of California has found to cause cancer, birth defects or other reproductive harm.

MASSACHUSETTS Right-To-Know, Substance List (MSL) Hazardous Substances and Extraordinarily Hazardous Substances on the MSL must be identified when present in products.

Components present in this product at a level which could require reporting under the statue are:

HAZARDOUS SUBSTANCES (=> 1%)

CHEMICAL	CAS NUMBER	UPPER BOUND CONCENTRATION %
*** None Known ***		

PENNSYLVANIA Right-to-Know, Hazardous Substance List Hazardous Substances and Special Hazardous Substances on the List must be identified when present in products.

Components present in this product at a level which could require reporting under the statue are:

HAZARDOUS SUBSTANCES (=> 1%)

CHEMICAL	CAS NUMBER	UPPER BOUND CONCENTRATION %
*** None Known ***		

CALIFORNIA SCAQMD RULE 443.1 VOC'S:

Not presently available

NOTE ----
The opinions expressed herein are those of qualified experts within Union Carbide. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Use this information only in accordance with applicable location standard operating procedures.

REVISED SECTIONS:

The format of this MSDS has been altered slightly. In addition, the text of several statements have been changed to enhance consistency among products with similar characteristics. Please review the entire MSDS to insure safe handling and use of this material.

PC: 62913
F NUMBER: N07550

HERCULES
OFFSHORE CORPORATION
Strength through experience, equipment know-how
P.O. Drawer O
Freeport, Texas 77541
Office: (409) 233-6371
Fax: (409) 233-6375

FINAL CHECK LIST

DATE: 6-17-95

BARGE: D. C. 2506

BLND NUMBER CHECKED 2 REPLACED GASKET YES ___ NO ✓

GATE VALVE NUMBER CHECKED 5 REPLACED GASKET YES ___ NO ✓

PLUGS NUMBER CHECKED N/A REPLACED PLUG YES ___ NO ___

CHECK VALVE NUMBER CHECKED N/A REPLACED GASKET YES ___ NO ___

DEEPWELL BLIND NUMBER CHECKED 1 REPLACED GASKET YES ✓ NO ___

BELOW DECK CARGO PIPELINE BLIND NUMBER 2 REPLACED GASKET YES ___ NO ✓

BELOW DECK CARGO PIPELINE BLIND REMOVED YES ___ NO ✓

DRIP PANS VALVES: CLOSED BY Duaite

DRIP PANS COVER: CLOSED BY N/A

COMTAINMENT AREA PLUG OR VALVES: CLOSED BY Roca

AIR TEST CARGO LINE - 40psi - USING SOAP

SIGNATURE OF TESTER: [illegible]

WITNESS: _____

* CHECK VALVE GASKET WILL BE REPLACED
* AIR TEST IS LAST THING TO BE DONE BEFORE RELEASING BARGE.

HERCULES
MARINE SERVICE CORP.
FREEPORT, TEXAS

FOREMAN'S DAILY TIME REPORT

JOB NO. 4726
DATE 6/17/95
CLASS NO. DC-2506

DESCRIPTION OF WORK PERFORMED (BY FOREMAN)

BADGE NO.	NAME	Cold Water Work											TOTAL HOURS
60													
00													
364	JOSE CADAS	6											6
73													
72													
49	GABRIEL DE LA ROSA	6											6
229	DANIEL HERNANDEZ	6											6
70													
53	CLAUDIO DUARTE	6											6
41		[illegible]											
579	LUCIO NAJERA	6											6
663													
664													
41													
													30

ED _____ FOREMAN

CODED AND EXTENDED BY _____

APPROVED BY _____

HER 02054

PLEASE FILL OUT EVERYTHING ON THIS PAGE BEFORE TURNING INTO SYLVIA

TIMESHEET

DATE: 6-12-95 JOB NO: 4726

BARGE NAME: D-C. 2506 OVERHEAD:

OFFSHORE:

TIME START: 7:00AM TIME STOP: 1:30 PM

NAME:	HOURS:	
DANIEL HERNANDEZ ✓	S/T	O/T 6
SAM PETTIT ✓	S/T	O/T
GABRIEL DE LA ROSA ✓	S/T	O/T 6
CLAUDIO DUARTE ✓	S/T	O/T 6
LUCIO NAJERA ✓	S/T	O/T 6
JOSE CASAS ✓	S/T	O/T 6

JOB DESCRIPTION: Cold water Wash, finish work on this day.

HER 02055

HERCULES
MARINE SERVICE CORP.
FREEPORT, TEXAS

FOREMAN'S DAILY TIME REPORT

JOB NO 4726
DATE 6/16/95
PASS NO. DC-2506

BADGE NO.	NAME	Cold Water Wash + Strip + Blow dry												TOTAL HOURS
60														
00														
654	JOSE CASAS	7												7
73														
72														
49														
229	DANIEL HERNANDEZ	7												7
70														
53	CLAUDIO DUARTE	7												7
41	SAM PETTIT	7												7
579	LUCIO NAJERA	7												7
683														
654														
451														21

SIGNED _____ FOREMAN
CODED AND EXTENDED BY _____
APPROVED BY _____

HER 02056

PLEASE FILL OUT EVERYTHING ON THIS PAGE BEFORE TURNING INTO SYLVIA

TIMESHEET

DATE: 6-16-95

JOB NO: 4726

BARGE NAME: D.C. 2506

OVERHEAD:

OFFSHORE:

TIME START: 4:30 PM.

TIME STOP: 11:30 PM.

NAME:	HOURS:	
DANIEL HERNANDEZ ✓	S/T	O/T 7
SAM PETTIT ✓	S/T	O/T 7
CLAUDIO DUARTE ✓	S/T	O/T 7
LUCIO NAJERA ✓	S/T	O/T 7
JOSE CASAS ✓	S/T	O/T 7

JOB DESCRIPTION: Cold water Wash & Strip & Blow Dry Four pair of Respirator Filters, Four Flashlight Batteries, Four Paper Coveralls

HER 02057