POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ
DUE TO THE QUALITY OF THE ORIGINAL

SFUND RECORDS CTR
88130530
ITX 2166-01109

ID # 91509006

SFUND RECORDS CTR
2166-01109

Letter of Transmittal

Kennedy/Jenks/Chilton

3336 Bradshaw Road, Suite 320
Sacramento, California 95827
916-362-3251

To: Los Angeles Regional Water Quality Control Board
107 South Broadway, Room 1027
Los Angeles, CA 90012-4596

Date: 1/6/89 Job No.: 872505

Attention: David Bocharowski

Subject: Pacific Airmotive Corporation

We are sending you:

☒ Attached or ☐ Under separate cover via

the following items:

☐ Plans ☐ Prints ☐ Specifications ☐ Samples ☐ Shop drawings

☐ Copy of letter ☐ Change order ☒ as described above

Copies	Date	No.	Description
1	1/6/89		Groundwater Monitoring Program for Pacific Airmotive Corporation Jet Fuel Spill Site

These are transmitted as checked below:

☒ For information and coordination ☐ For review and comment ☐ Resubmit ____ copies for review

☐ For approval ☐ Returned after loan to us ☐ Submit ____ copies for distribution

☐ As requested ☐ ____ ☐ Return ____ corrected prints

Remarks: At the request of Christopher Andrews of Airwork Corporation, we are transmitting the results of our recent sampling of the two wells located at PAC's jet engine test facility. As we have in the past, we will notify you prior to the next scheduled sampling in June, 1989.

Copies to: Eugene Fox, Pacific Airmotive Corporation

If enclosures are not as noted, kindly notify us at once.

Kennedy/Jenks/Chilton

By: Neil H. Pence, Project Manager

G-5
Rev. 1/86

Kennedy/Jenks/Chilton

Consulting Engineers

3336 Bradshaw Road Suite 320
Sacramento, California 95827
916-362-3251

6 January 1989

Mr. Christopher Andrews
Vice President, Operations
Airwork Corporation
Millville, New Jersey 08322

Subject: Groundwater Monitoring Program for Pacific Airmotive Corporation Jet Fuel Spill Site
Burbank, CA
(K/J/C 872505.01)

Dear Mr. Andrews:

In accordance with our Agreement dated 1 May 1987, we have completed the fourth sampling of groundwater from monitoring wells MW-1 and MW-2 at the Pacific Airmotive Corporation (PAC) jet engine test facility in Burbank, CA. These wells were sampled as part of the semi-annual groundwater monitoring program that is being conducted to comply with closure requirements for remediation of a jet fuel pipeline rupture.

Remedial actions completed at the site to date include excavation of soil containing jet fuel to a depth of 30 feet; replacement of the soil with compacted, clean fill, and placement of a new asphalt surface over the site. A two-year groundwater monitoring program was undertaken by PAC at the request of the Regional Water Quality Control Board to evaluate possible migration of jet fuel remaining in soils beneath the site.

GROUNDWATER ANALYSES AND RESULTS

Groundwater samples were analyzed for petroleum hydrocarbons by a gas chromatographic scan obtained with a flame ionization detector using commercial gasoline, diesel fuel and jet fuel as standards. The samples were also analyzed for volatile organic chemicals (VOCs) by EPA Method 8240 utilizing gas chromatography/mass spectroscopy to evaluate disposal options for the purged water.

The results of laboratory analysis of semi-annual samples collected from July 1987 to the present are summarized in Table 1. Copies of laboratory reports are presented in Attachment A to this letter. The locations of the monitoring wells are shown on Figure 1.

The results of the recent groundwater sampling for jet fuel are consistent with previous site sampling. Jet fuel has not been detected in groundwater samples collected during the past eighteen months.

The results of groundwater analysis for VOCs are also consistent with previous sampling. VOCs were detected in samples from both of the monitoring wells, confirming the results of previous analyses.

As indicated in our letter dated 23 July 1987 to Airwork Corporation, according to PAC operations personnel there have been no discharges of chlorinated hydrocarbons at the site and the VOCs detected in MW-1 and MW-2 are likely to have originated from offsite sources.

No diesel fuel was detected above the detection limits of 0.05 mg/L in the recent sampling. Since sampling was initiated, diesel fuel has only been detected in one sample (December 1987) at a concentration of 0.22 mg/L in MW-1. However, during the subsequent two sampling events diesel has not been detected in either monitoring well.

RECOMMENDATIONS

Semi-annual groundwater monitoring should continue for the two-year period in accordance with our 2 April 1987 work plan. The two-year groundwater monitoring program will end with the next scheduled sampling in June, 1989.

If you have any questions or wish to discuss our findings in greater detail, please do not hesitate to call us.

Very truly yours,

KENNEDY/JENKS/CHILTON

Noel M. Lerner

Noel M. Lerner
Project Manager

NML:ap

Attachments: Table 1
Figure 1
Attachment A - Laboratory Analysis Reports for December 1988 Analyses

cc: Mr. Eugene Fox, Pacific Airmotive Corporation

Attachment to K/J/C's letter
to Airwork Corporation
dated 6 January 1989

Kennedy/Jenks/Chilton

TABLE 1

SUMMARY OF GROUNDWATER MONITORING PROGRAM
LABORATORY ANALYSIS RESULTS
PACIFIC AIRMOTIVE CORPORATION
BURBANK, CALIFORNIA
(K/J/C 872505.01)

Sample Source[a]	Chemical[b]	Concentration Detected (6/87)	Concentration Detected (12/87)	Concentration Detected (6/88)	Concentration Detected 12/88
MW-1	Gasoline	<0.16 mg/L[c]	<0.05 mg/L	<0.05 mg/L	<0.05 mg/L
	Diesel	<0.24 mg/L	<0.075 mg/L	<0.085 mg/L	<0.05 mg/L
	Jet Fuel	<0.24 mg/L	<0.125 mg/L	<0.15 mg/L	<0.10 mg/L
	1,1-Dichloroethylene	NA	<5 ug/L	5 ug/L	<5 ug/L
	Trichloroethylene	NA	24 ug/L	31 ug/L	12 ug/L
	Tetrachloroethylene	NA	67 ug/L	160 ug/L	75 ug/L
	1,1,2 - Trichloro-1,2,2-Trifluoro-ethane	NA	<5 ug/L	19 ug/L	<5 mg/L
MW-2	Gasoline	<0.16 mg/L	<0.05 mg/L	<0.05 mg/L	<0.05 mg/L
	Diesel	<0.24 mg/L	0.22 mg/L	<0.085 mg/L	<0.05 mg/L
	Jet Fuel	<0.24 mg/L	<0.125 mg/L	<0.15 mg/L	<0.1 mg/L
	1,1-Dichloroethylene	NA	5 ug/L	5 ug/L	<5 ug/L
	Trichloroethylene	NA	41 ug/L	33 ug/L	15 ug/L
	Tetrachloroethylene	NA	190 ug/L	200 ug/L	130 ug/L
	1,1,2 - Trichloro-1,2,2 - Trifluoro-ethane	NA	<5 ug/L	20 ug/L	<5mg/L
MW-1 and MW-2, Composited	Chloroform	6 ug/L	NA	NA	NA
	Trichloroethylene	32 ug/L	NA	NA	NA
	Tetrachloroethylene	130 ug/L	NA	NA	NA

TABLE 1
SUMMARY OF GROUNDWATER MONITORING PROGRAM
LABORATORY ANALYSIS RESULTS
PACIFIC AIRMOTIVE CORPORATION
BURBANK, CALIFORNIA
(K/J/C 872505.01)

(Continued)

a. Refer to Figure 1 for location of monitoring wells.

b. Petroleum hydrocarbons by gas chromatography scan utilizing a flame ionization detector.
- Volatile organic compounds (VOCs) analyses performed by EPA Method 8240 utilizing gas chromatography/mass spectroscopy.

NA - Not Analyzed
< - Concentration is below the detection limits of the analysis method.



Notes:

1. Area 1, Excavated to a Depth of 25 feet in 1985.

2. Area 2, Excavated to a Depth of 30 feet in 1985.

3. Hydraulic Gradient from "Groundwater Quality Management Plan San Fernando Valley Basin" (Los Angeles Department of Water and Power, July, 1983).

4. All Locations are Approximate.

Kennedy/Jenks/Chilt

Pacific Airmotive Corporatio
Burbank, C

Locations of Groundwate
Monitoring Well

K/J/C 872505.0
January 198

Figure 1

Attachment to Kennedy/Jenks/Chilton's
letter dated 6 January 1989 to Airwork
Corporation

ATTACHMENT A

LABORATORY ANALYSIS REPORTS FOR
DECEMBER 1988 ANALYSES

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Quality Control Page
Received 12/16/88
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. 888996

Source Sample I.D.: Water- Travel Blank
Depth: -
Pacific Airmotive Corp.

Date Collected 12/15/88 Date Analyzed: 12/16/88

Time Collected -

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	<5	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	<5	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	<5	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
			xylenes	<5	5
2-butanone	<10	10			

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager Everett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. 888997

Source Sample I.D.: Water- MW1-4
Depth: -
Pacific Airmotive Corp.

Date Collected 12/15/88 Date Analyzed: 12/16/88

Time Collected 0935

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	12	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	75	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	<5	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
2-butanone	<10	10	xylenes	<5	5

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager Everett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. 888998

Source Sample I.D.: Water- MW2-4
Depth: -
Pacific Airmotive Corp.

Date Collected 12/15/88 Date Analyzed: 12/16/88

Time Collected 1130

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	15	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	130	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	6	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
			xylenes	<5	5
2-butanone	<10	10			

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager Everett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. 888999

Source Sample I.D.: Water- DW12-2
Depth: -
Pacific Airmotive Corp.

Date Collected 12/15/88 Date Analyzed: 12/16/88

Time Collected -

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	14	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	110	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	<5	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
2-butanone	<10	10	xylenes	<5	5

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager [signature]

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94103
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Quality Control Page
Received 12/16/88
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. 888900

Source Sample I.D.: Water- Field Blank
Depth: -
Pacific Airmotive Corp.

Date Collected 12/15/88 Date Analyzed: 12/16/88

Time Collected 1130

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	<5	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	<5	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	<5	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
2-butanone	<10	10	xylenes	<5	5

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager Lenett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

GC/MS Priority Pollutant Analysis

Kennedy/Jenks/Chilton, Laboratory Division
657 Howard Street
San Francisco, CA 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Quality Control Page
Received -
Reported 12/20/88
(K/J/C 872505.01)

Lab. No. Method Blank

Source Sample I.D.: Reagent Water

Date Collected - Date Analyzed: 12/16/88

Time Collected -

Collected by K/J/C

PRIORITY POLLUTANT COMPOUNDS

Volatiles	ug/L (ppb)	Det. Lim.	Volatiles	ug/L (ppb)	Det. Lim.
chloromethane	<10	10	bromodichloromethane	<5	5
bromomethane	<10	10	1,2-dichloropropane	<5	5
vinyl chloride	<10	10	trans-1,3-dichloropropylene	<5	5
chloroethane	<10	10	trichloroethylene	<5	5
methylene chloride	<5	5	benzene	<5	5
acrolein	<30	30	dibromochloromethane	<5	5
acrylonitrile	<10	10	cis-1,3-dichloropropylene	<5	5
trichlorofluoromethane	<5	5	1,1,2-trichloroethane	<5	5
1,1-dichloroethylene	<5	5	2-chloroethylvinyl ether	<5	5
1,1-dichloroethane	<5	5	bromoform	<5	5
1,2-dichloroethylene	<5	5	tetrachloroethylene	<5	5
chloroform	<5	5	1,1,2,2-tetrachloroethane	<5	5
1,2-dichloroethane	<5	5	toluene	<5	5
1,1,1-trichloroethane	<5	5	chlorobenzene	<5	5
carbon tetrachloride	<5	5	ethylbenzene	<5	5

NON-PRIORITY POLLUTANT COMPOUNDS

acetonitrile	<30	30	vinyl acetate	<10	10
acetone	<10	10	4-methyl-2-pentanone	<10	10
carbon disulfide	<5	5	2-hexanone	<10	10
1,1,2-Trichloro-1,2,2-trifluoroethane	<5	5	styrene	<5	5
			xylenes	<5	5
2-butanone	<10	10			

Comments: Analysis by U.S. EPA Method 8240, reported in micrograms per liter.

Analyst DC, WW

Manager Garrett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

Kennedy/Jenks/Chilton
Laboratory Division
657 Howard Street
San Francisco, California 94105
415-362 6065

GC/MS Volatiles
Surrogate Standard Recovery Report

For Attention Address: Kennedy/Jenks/Chilton
Noel M. Lerner
3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received -
Reported 12/20/88
Quality Control Page
(K/J/C 872505.01)

Sample Identification		Percent Recoveries		
Lab No.	Type	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
Method Blank	Water	85	93	89
888996	Water	96	100	92
888900	Water	104	106	102
888997	Water	108	108	99
888998	Water	101	104	98
888999	Water	103	104	99

Acceptable Recoveries:	Water	Soil
1,2-Dichloroethane-d4	76-114	70-121
Toluene-d8	88-110	81-117
4-Bromofluorobenzene	86-115	74-121

Analyst DC, WW

Manager Everett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons

Analysis Report

Kennedy/Jenks/Chilton
Laboratory Division
657 Howard Street
San Francisco, California 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88

(K/J/C 872505.01)

Lab. No. 888997

Source Sample I.D.: Water- MW1-4

Pacific Airmotive Corp.

Date Collected 12/15/88

Date Extracted: 12/16/88
Date Analyzed: 12/16/88

Time Collected 0935

Collected by K/J/C

Analysis	Units	Analytical Results	Det. Limit
Petroleum Hydrocarbons (as gasoline)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as diesel fuel)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as jet fuel)	mg/L	<0.1	0.1

Comments: Analysis of hexane extract by capillary gas chromatography, using flame ionization detection. Commercial hydrocarbons used as comparison standards. Results reported in milligrams per liter.

Analyst PG

Manager Bennett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

Analysis Report

Kennedy/Jenks/Chilton
Laboratory Division
657 Howard Street
San Francisco, California 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88

(K/J/C 872505.01)

Lab. No. 888998

Source Sample I.D.: Water- MW2-4

Pacific Airmotive Corp.

Date Collected 12/15/88

Date Extracted: 12/16/88
Date Analyzed: 12/16/88

Time Collected 1130

Collected by K/J/C

Analysis	Units	Analytical Results	Det. Limit
Petroleum Hydrocarbons (as gasoline)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as diesel fuel)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as jet fuel)	mg/L	<0.1	0.1

Comments: Analysis of hexane extract by capillary gas chromatography, using flame ionization detection. Commercial hydrocarbons used as comparison standards. Results reported in milligrams per liter.

Analyst PG

Manager Lenett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

Analysis Report

Kennedy/Jenks/Chilton
Laboratory Division
657 Howard Street
San Francisco, California 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received 12/16/88
Reported 12/20/88
Quality Control Page
(K/J/C 872505.01)

Lab. No. 888998

Source Sample I.D.: Water- MW2-4

Pacific Airmotive Corp.

Date Collected 12/15/88

Date Extracted: 12/16/88
Date Analyzed: 12/16/88

Time Collected 1130

Collected by K/J/C

Analysis	Units		Replicate	Analytical Results	Det. Limit
Petroleum Hydrocarbons (as gasoline)	mg/L	<0.05	<0.05	Spike recovery 93%	0.05
Petroleum Hydrocarbons (as diesel fuel)	mg/L	<0.05	<0.05	Spike recovery 101%	0.05
Petroleum Hydrocarbons (as jet fuel)	mg/L	<0.1	<0.1		0.1

Comments: Analysis of hexane extract by capillary gas chromatography, using flame ionization detection. Commercial hydrocarbons used as comparison standards. Results reported in milligrams per liter.

Analyst PG

Manager Leonett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof.

Analysis Report

Kennedy/Jenks/Chilton
Laboratory Division
657 Howard Street
San Francisco, California 94105
415-362-6065

For Kennedy/Jenks/Chilton
Attention Noel M. Lerner
Address 3336 Bradshaw Road, Suite 320
Sacramento, CA 95827

Received -
Reported 12/20/88
Quality Control Page
(K/J/C 872505.01)

Lab. No. Method Blank

Source Sample I.D.: Reagent Water

Date Collected -

Date Analyzed: 12/16/88

Time Collected -

Collected by K/J/C

Analysis	Units	Analytical Results	Det. Limit
Petroleum Hydrocarbons (as gasoline)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as diesel fuel)	mg/L	<0.05	0.05
Petroleum Hydrocarbons (as jet fuel)	mg/L	<0.1	0.1

Comments: Analysis of hexane extract by capillary gas chromatography, using flame ionization detection. Commercial hydrocarbons used as comparison standards. Results reported in milligrams per liter.

Analyst PG

Manager Everett R. Smith

This report applies only to the sample investigated and is not necessarily indicative of the quality of apparently identical or similar samples. The liability of the laboratory is limited to the amount paid for the report by the issuee. The issuee assumes all liability for the further distribution of this report or its contents and by making such distribution agrees to hold the laboratory harmless against all claims of persons so informed of the contents hereof

California State Department Of Health Services
Southern California Laboratory

Analysis Request Form

Name of Sampler: [illegible]

Phone No: (ATSS) 640-[illegible]
(213)- 620-5485

Sampler Employed By:
R.W.Q.C.Board No. : [] 4 [] 6 [] 7 [] 8 [] 9

Sample Source: PACIFIC AIRMOTIVE (PAC)

Date Collected : 12/15/88 Analysis Task No. 126-03

Sample Type : [] Drinking water : [N] Ground water [] Surface water
[] Waste water : Chlorinated : [] Yes [N] No
[] Solid sample : [] Soil [] Sludge [] Sediment
[] Other

Use your own Bottle ID. No. for each bottle.

For Lab use Log Number	Bottle ID. No.	Sampling Point	Time collected	Type of Analysis required (Be Specific)
812-3361	PAC 1 VOC	PAC MW-1	9:40A	VOC
812-3362	PAC 1 TPH	PAC MW-1	9:40A	TPH
812-3363	PAC 2 VOC	PAC MW-2	11:30A	VOC
812-3364	PAC2 TPH	PAC MW-2	11:30A	TPH

Warning or Special Instruction on Samples :

Seals: [] Intact [] None [] Broken		Date	Time
Samples Relinquished by			
Samples Relinquished by			
Received for Lab by	[illegible]	12/15/88	12:[illegible]

(For Lab use only)Total cost for Lab analyses : $800

CALIFORNIA STATE DEPARTMENT OF HEALTH SERVICES
SOUTHERN CALIFORNIA LABORATORY - SWQIS Lab ID No. 5091

Laboratory Analytical Report

DATE REPORTED : 12/27/88

DATE SAMPLED : 12/15/88 SAMPLER : Hostak

Lab ID. Number	CONSTITUENT	EPA METHOD	STORET CODE	UNITS	ANALYSIS RESULTS	REPORTING LIMIT
812-3362	TPH	418.1		mg/L	N.D.	0.2
812-3364	TPH	418.1		mg/L	N.D.	0.2

N.D. = None detected.
mg/L = Milligram/Litre (ppm) mcg/L = Microgram/Litre (ppb)
mg/Kg = Milligram/Kilogram (ppm) mcg/Kg = Microgram/Kilogram (ppb)

California State Department Of Health Services
Southern California Laboratory - SWQIS Lab ID No. 5091
Volatile Organic Chemicals

LAB SAMPLE ID NO.: 812-3361

DATE REPORTED : 12/27/88

METHOD USED : EPA [X] 524.2 [] 624
All reporting units = Mcg/l(ppb)
N.D. = None detected

CONSTITUENT	STORET CODE	ANALYSIS RESULTS	DETECTION LIMIT
Acrolein	34210	ND	10.0
Acrylonitrile	34215		5.0
Benzene	34030		0.2
Bromodichloromethane	32101		0.5
Bromoform	32104		0.5
Bromomethane	34413		0.5
Carbon tetrachloride	32102		0.5
Chlorobenzene	34301		0.5
Chloroethane	34311		0.5
2-Chloroethylvinyl ether	34576		1.0
Chloroform	32106		0.5
Chloromethane	34418		0.5
Dibromochloromethane	32105		0.5
1,2-Dichlorobenzene	34536		0.5
1,3-Dichlorobenzene	34566		0.5
1,4-Dichlorobenzene	34571		0.5
Dichlorodifluoromethane	34668		0.5
1,1-Dichloroethane	34496		0.5
1,2-Dichloroethane	34531		0.5
1,1-Dichloroethylene	34501		0.2
cis-1,2-Dichloroethylene	77093		0.5
trans-1,2-Dichloroethylene	34546		0.5
1,2-Dichloropropane	34541		0.5
cis-1,3-Dichloropropylene	34704		0.5
trans-1,3-Dichloropropylene	34699		0.5
Ethyl benzene	34371		0.5
Ethylene dibromide	77651		0.5
Methylene chloride	34423		0.5
Methyl Ethyl Ketone	81595		5.0
Methyl Isobutyl Ketone	81596		5.0
Styrene	77128		0.5
1,1,2,2-Tetrachloroethane	34516		0.5
Tetrachloroethylene	34475	60	0.5

Southern California Laboratory - SWQIS Lab ID No. 5091
Volatile Organic Chemicals

LAB SAMPLE ID NO.: 812-3361

DATE REPORTED : 12/27/88

METHOD USED : EPA [X] 524.2 [] 624
All reporting units = Mcg/l(ppb)
N.D. = None detected

CONSTITUENT	STORET CODE	ANALYSIS RESULTS	DETECTION LIMIT
Toluene	34010	5.0	0.5
1,1,1-Trichloroethane	34506	ND	0.5
1,1,2-Trichloroethane	34511	↓	0.5
Trichlorofluoromethane	34488	↓	0.5
Vinyl chloride	39175	↓	0.5
Trichloroethylene	39180	17	0.5
m,p-Xylenes		ND	0.5
o-Xylene		↓	0.5

California State Department Of Health Services
Southern California Laboratory - SWQIS Lab ID No. 5091
Volatile Organic Chemicals

LAB SAMPLE ID NO.: 812-3363

DATE REPORTED : 12/27/88

METHOD USED : EPA [X] 524.2 [] 624
All reporting units = Mcg/l(ppb)
N.D. = None detected

CONSTITUENT	STORET CODE	ANALYSIS RESULTS	DETECTION LIMIT
Acrolein	34210	ND	10.0
Acrylonitrile	34215		5.0
Benzene	34030		0.2
Bromodichloromethane	32101		0.5
Bromoform	32104		0.5
Bromomethane	34413		0.5
Carbon tetrachloride	32102		0.5
Chlorobenzene	34301		0.5
Chloroethane	34311		0.5
2-Chloroethylvinyl ether	34576		1.0
Chloroform	32106		0.5
Chloromethane	34418		0.5
Dibromochloromethane	32105		0.5
1,2-Dichlorobenzene	34536		0.5
1,3-Dichlorobenzene	34566		0.5
1,4-Dichlorobenzene	34571		0.5
Dichlorodifluoromethane	34668		0.5
1,1-Dichloroethane	34496		0.5
1,2-Dichloroethane	34531		0.5
1,1-Dichloroethylene	34501		0.2
cis-1,2-Dichloroethylene	77093		0.5
trans-1,2-Dichloroethylene	34546		0.5
1,2-Dichloropropane	34541		0.5
cis-1,3-Dichloropropylene	34704		0.5
trans-1,3-Dichloropropylene	34699		0.5
Ethyl benzene	34371		0.5
Ethylene dibromide	77651		0.5
Methylene chloride	34423		0.5
Methyl Ethyl Ketone	81595		5.0
Methyl Isobutyl Ketone	81596		5.0
Styrene	77128		0.5
1,1,2,2-Tetrachloroethane	34516		0.5
Tetrachloroethylene	34475	119	0.5

Southern California Laboratory - SWQIS Lab ID No. 5091
Volatile Organic Chemicals

LAB SAMPLE ID NO.: 812-3363

DATE REPORTED : 12/27/88

METHOD USED : EPA [X] 524.2 [] 624
All reporting units = Mcg/l(ppb)
N.D. = None detected

CONSTITUENT	STORET CODE	ANALYSIS RESULTS	DETECTION LIMIT
Toluene	34010	6.2	0.5
1,1,1-Trichloroethane	34506	ND	0.5
1,1,2-Trichloroethane	34511	↓	0.5
Trichlorofluoromethane	34488	↓	0.5
Vinyl chloride	39175	↓	0.5
Trichloroethylene	39180	27	0.5
m,p-Xylenes		ND	0.5
o-Xylene		↓	0.5