EPA Official Record

Mail ID: 008301d07b9a$d63b60a0$82b221e0$

From: edw@acmegalv.com

To: Halbur, Kathy

Delivered Date: 04/20/2015 02:50 PM EDT

Subject: RE: WI DNR report

Kathy… this is taking much longer than I ever expected….. I sent 5 emails to Will Binger at Advanced Waste thus far…..He was the guy
Steve Mueller told me would get the necessary info.

I have now sent the request to Jim Brushwood [our Primary Contact at Advanced Waste] ….. as soon as I get the analysis, I will send it to you.

As to MDNS……see the attached email from Brian Kraus. I am told that the Insurance Company for Ferrilgas their Engineers, and their Atty, will be At Acme on April 29th for their investigation. I understand that we will then commence the 'sifting' of the fire rubble to assist in
Contents identification. Once that is complete we can finally proceed with more 'site related' identification of floor and foundations.

I am sorry for the delays…. If it were up to me, we would have had all of this done in week #1, and I could have been replacing some of my lost facility.

Regards
Ed

Edward J. Weiss
President

Acme Galvanizing, Inc
Phone: 414-645-3250 x112
Fax: 414-645-5929
Email:edw@acmegalv.com

usa_sm40f

ACME SINCE 1919
An ISO 9001-2008 Certified Company
www.acmegalv.com

CONFIDENTIALITY. This email and any files transmitted with it may contain information proprietary to Acme Galvanizing, Inc, and are intended solely for the use of the individual to whom they are addressed. If you have received this electronic mail in error, please immediately notify the sender by return email.

From: Halbur, Kathy [mailto:halbur.kathy@epa.gov]
Sent: Monday, April 20, 2015 1:07 PM
To: Edward J Weiss
Cc: Mueller, Stephen D - DNR
Subject: RE: WI DNR report

Ed:
Thanks for sending this to me. Did you also receive a copy of the analytical results from the water collected inside the building? That information doesn't seem to be included.
Also, any update on MDNS requirements/schedule? Did they grant you an extension? Do you know yet what the "floor" in the maintenance shop looks like?
Thanks again for keeping me updated on your progress. Much appreciated!
Kathy

From: Edward J Weiss [mailto:edw@acmegalv.com]
Sent: Wednesday, April 15, 2015 8:28 AM
To: Halbur, Kathy
Subject: WI DNR report

Kathy

You had asked to be copied on this report, this was completed by Advanced Waste, which was what Steve Mueller wanted.

If you have any questions, please let me know.

Regards
Ed

Edward J. Weiss
President

Acme Galvanizing, Inc
Phone: 414-645-3250 x112
Fax: 414-645-5929
Email:edw@acmegalv.com

usa_sm4
0f

ACME SINCE 1919
An ISO 9001-2008 Certified Company
www.acmegalv.com

CONFIDENTIALITY. This email and any files transmitted with it may contain information proprietary to Acme Galvanizing, Inc, and are intended solely for the use of the individual to whom they are addressed. If you have received this electronic mail in error, please immediately notify the sender by return email.