9417778

AUSTIN TRAVIS COUNTY HEALTH DEPARTMENT
Bureau of Environmental Health Services
15 Waller Street
Austin, Texas 78702
(512) 469-2022

SUPERFUND
FILE

FEB 16 1993

REORGANIZED

January 23, 1987

Kevin A. Fleming, Construction Manager
Lincoln Property Company
600 Congress Ave., Suite 2180
Austin, Texas 78701

TXD 981 155 971
Lincoln Properties

Dear Mr. Fleming:

The Health Department acknowledges receiving the application of the Lincoln Property Company, together with the related fee of $75.00 and other necessary materials, for a Storm Sewer Industrial Waste Discharge Permit for the discharge of pretreated groundwater from 100 Congress Avenue to the City storm sewer system. This is to indicate that this permit (expiration date: December 31, 1987) will be granted and the discharge to the storm sewer approved by the Health Department subject to the following conditions.

1) The installation of the "permanent" groundwater pretreatment facility described in your recent plan submittal to us. This installation will be subject to an approval inspection by Health Department staff prior to the commencement of any discharge of groundwater from 100 Congress Avenue to the City storm sewer.

2) The continuance by the Lincoln Property Company of groundwater discharge sampling, analysis, and reporting operations similar to those now in place under the "Special and Conditional Industrial Waste Discharge Permit for Groundwaters from 100 Congress Avenue" issued to you by the Water and Wastewater Utility. Specifically the requirements associated with the issuance of the Health Department IWS permit are:

Lincoln Properties obtains and has analyzed samples of the effluent for the permit period using the following parameters and schedule:

Parameter	Maximum value (milligrams/liter)	Sample Frequency	Sample type
pH	6.0 to 10.5 (Units)	1x/week	grab
Total Organic Carbon (TOC)	20.0	1x/week	grab
Polyaromatic Hydrocarbons (PAH)	2.0	each 3 months	grab
Total Toxic Organics (TTO)	2.0	each 3 months	grab

Health Department staff will be allowed admittance to inspect and/or to take other grab samples.

Summaries of test results are to be sent to my attention at Environmental Health Services on a monthly basis. A review of the sampling and reporting requirements will be conducted at the time of your application for permit renewal at the end of each calendar year.

3) A special permit review will be conducted at the end of the five year period referenced as the time frame required for the completion of the second phase of the coal tar excavation site closure plan as approved by the Texas Department of Health. It is our understanding that all remaining contaminated soil is to be removed from the site within that time (five years).

4) Any and all treatment facility malfunctions or upsets, spills, or any other unusual events which may result in the real or potential degradation of the groundwater discharge quality as presently documented and as referenced above (item #2), in Article V of chapter 4-3 of the City Code, and by Mr. Larry Soward of the Texas Water Commission in his correspondence to us of September 30, 1986, must be reported immediately to the Health Department as follows:

Telephone	Hours	Contacts
469-2015	M-F 7:45 a.m. to 4:45 p.m.	Carol Cook Tim Powell Joe Staudt
397-1600	After hours, weekends holidays	Pollution Control Contacts at home

5) All changes in the identities of or means for communication with Lincoln Property Company personnel directly responsible for the functioning of the pretreatment facility at 100 Congress (including the site manager) must be promptly reported to my attention at E.H.S.

Once again let me indicate that we are appreciative of the efforts you have made to remedy this serious environmental hazard. I am hopeful that the atmosphere of cooperation and open communication which has prevailed thus far will continue.

I am attaching herewith your check of December 18, 1986, in the amount of $25.00 which would have been associated with the issuance of a permit to you in 1986.

If I am not available, please feel free to contact Joe Seely, R.S., or Carol Cook, R.S., at 469-2015, or my office if you have any questions.

Respectfully,

Fred Rodgers. P.E.
Deputy Director
Environmental Health Services Division

FR:he

TABLE 2-7

TABLE 1 LAW ENGINEERING DATA

LABORATORY WATER ANALYSES DATA SUMMARY

CONSTITUENTS	MONITORING WELL MW-1	MW-2	MW-3	MW-4	MW-5	TREATMENT SYSTEM SUMP PIT #1 TS-P1	SUMP PIT #2 TS-P2	SUMP PIT #3 TS-P3	SUMP PIT #4 TS-P4	INFLUENT TS-I2	EFFLUENT TS-E	EFFLUENT TS-E1 (SPLIT) SPL	SWL	REGULATORY OR DISCHARGE LIMITS SAFE DRINKING WATER REGULATION LIMITS	SAFE DRINKING WATER REGULATION LIMITS (PROPOSED)	CITY OF AUSTIN DISCHARGE LIMITS
(CONCENTRATIONS - MILLIGRAMS PER LITER)																
SILVER	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	0.05		0.1
ARSENIC	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	0.05		0.05
BARIUM	-	-	-	-	-	<1	<1	<1	<1	<1	<1	<1	<0.5	1.0	1.5	5.0
BORON	0.22	0.45	0.68	0.45	0.08	0.45	0.45	0.45	0.67	0.56	0.67	-	-			1.0
CADMIUM	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-	-	0.01	0.005	0.02
CHLORIDE	74	100	144	139	96	128	32	14	64	91	106	118	137	250		100
CHROMIUM	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	0.05	0.12	1.0
COPPER	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	1.0	1.3	1.0
CYANIDE	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-			0.02
FORMALDEHYDE	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	-	-			DETECTABLE
MERCURY	<0.002	<0.002	<0.002	<0.002	<0.002	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	-	-	0.002	0.003	0.005
PHOSPHORUS	0.68	1.11	1.25	0.68	0.125	1.75	1.12	0.90	0.35	1.45	1.35	-	-			6.0
MANGANESE	1.2	1.1	0.96	1.5	0.67	0.4	2.0	<0.05	<0.05	0.55	0.55	0.60	0.53	0.05		1.0
NICKEL	<0.05	0.07	0.08	<0.05	0.08	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-			1.0
ORTHOPHOSPHATE	<0.05	<0.05	<0.05	<0.05	0.025	1.45	0.90	0.25	0.24	1.25	0.62	-	-			
LEAD	<0.05	<0.05	<0.05	<0.05	<0.10	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-	-	0.05	0.02	0.1
PHENOLICS	10.3	3.6	0.51	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-			* 0.05
SELENIUM	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	-	-	0.01	0.045	0.02
SULFATES	104	24	71	108	260	89	24	16	120	92	87	108	104	250.0		75
TOTAL ORGANIC CARBON	-	-	-	-	-	-	-	-	-	-	-	<1	<1			20.0
ZINC	<0.05	<0.05	<0.05	<0.05	0.11	0.06	0.38	0.18	<0.05	0.17	0.52	-	-	5.0		5.0
(CONCENTRATIONS - MICROGRAMS PER LITER)																
BENZENE 4-17-87	450	2300	2800	<	<	<	<	<	<	<	<	-	-		5	
5-26-87	150	7800	500	-	-	<	<	<	<	<	<	-	-			
TOLUENE 4-17-87	550	3600	1900	<	<	<	<	<	<	<	<	-	-		2000	
5-26-87	120	7700	2700	-	-	<	<	<	<	<	<	-	-			
ETHYLBENZENE 4-17-87	160	2800	4200	<	<	<	<	<	<	<	<	-	-		680	
5-26-87	80	6200	9300	-	-	<	<	<	<	<	<	-	-			
XYLENE	200	4700	6000	<	<	<	7	<	<	<	<	-	-			
PHENOL	1100	<	<	<	<	<	<	<	<	<	<	<0.05	-			* 50
2,4-DIMETHYLPHENOL	570	<	<	<	<	<	<	<	<	<	<	-	-			
NAPHTHALENE	1000	11000	18000	<	<	<	<	<	<	<	<	-	-			
ACENAPHTHYLENE	29	<	<	<	<	<	<	<	<	<	<	-	-			
ACENAPHTHENE	20	<	<	<	<	<	<	<	<	<	<	-	-			
FLUORENE	29	<	<	<	<	<	<	<	<	<	<	-	-			
PHENANTHRENE	20	<	3000	<	<	<	<	<	<	<	<	-	-			
DI-N-BUTYLPHTHALATE	65	<	<	150	<	<	<	<	<	<	<	-	-			

(*) ODOR THRESHOLD LIMIT
(-) NOT ANALYZED
(<) LESS THAN DETECTION LIMIT

TABLE 2-6

(Continued) TABLE 1

CONSTITUENTS	LABORATORY SOIL ANALYSES DATA SUMMARY WELL NUMBER												
	MW-1	SB-2A-1	SB-2A-2	MW-2		MW-3			MW-4			MW-5
	SAMPLE 13			SAMPLE 2 & 3	SAMPLE 13	SAMPLE 2 & 3	SAMPLE 8 & 9	SAMPLE 11,12,13	SAMPLE 2 & 3	SAMPLE 9	SAMPLE 10 & 11	SAMPLE 10 & 11
(CONCENTRATIONS - PARTS PER MILLION)												
SILVER	0.1	-	-	<0.1	<0.1	0.1	<0.1	0.4	<0.1	<0.1	0.1	<0.1
ARSENIC	1.4	-	-	0.08	0.67	0.41	0.6	0.78	0.41	0.28	0.97	0.24
BARIUM (TOTAL	4700	3300	1600	3600	7000	1500	2900	8000	4300	3200	7200	7100
BARIUM (SOLUBLE)	-	14.9	7.4	-	-	-	-	-	-	-	-	-
BORON	5.5	-	-	5.6	11	<0.5	<0.5	5.6	<0.5	22	<0.5	5.6
CADMIUM	<0.1	-	-	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1
CHROMIUM	11.4	-	-	1.1	5.3	9.3	4.3	4.6	4.9	5.6	11.1	10.7
COPPER	11.1	-	-	6.2	2.4	8.5	4.3	3.8	4.1	5.5	14	9.3
MERCURY	0.04	-	-	0.02	0.02	0.23	0.01	0.04	0.02	0.02	0.02	0.03
MANGANESE	155	-	-	73	113	162	126	114	158	210	249	476
MOISTURE *	7.45	-	-	17.2	5.6	14.2	14.8	10.4	10.7	9.2	6.42	9.79
NICKEL	15.1	-	-	11.4	2.6	7.2	5.5	4.4	4.4	6.7	12.3	11
LEAD	4.8	-	-	23	3.6	49	4.9	4.0	11	6.0	4.7	4.5
SELENIUM	<0.25	-	-	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25	<0.25
TOTAL ORGANIC CARBON *	1.59	-	-	4.9	1.28	1.7	0.09	0.81	0.17	0.1	1.16	0.53
ZINC	12	-	-	6	2.4	30.3	6.8	5.4	12	9.2	22	10.1
(CONCENTRATIONS - MICROGRAMS PER KILOGRAM)												
PHENOL	3400	-	-	<	<	<	<	<	<	<	<	<
2,4-DIMETHYLPHENOL	3500	-	-	<	<	<	<	<	<	<	<	<
NAPHTHALENE	67000	-	-	3700000	3000000	<	<	84000	<	<	<	<
ACENAPHTHYLENE	11000	-	-	490000	190000	<	<	16000	<	<	<	<
ACENAPHTHENE	<	-	-	<	190000	<	<	80000	<	<	<	<
FLUORENE	8000	-	-	520000	240000	<	<	45000	<	<	<	<
PHENANTHRENE	36000	-	-	2100000	610000	30000	<	250000	<	<	<	<
ANTHRACENE	12000	-	-	390000	170000	5900	<	48000	<	<	<	<
FLUORANTHENE	20000	-	-	1500000	290000	34000	<	83000	<	<	<	<
PYRENE	17000	-	-	690000	320000	70000	<	85000	<	<	<	<
BENZO (a) ANTHRACENE	22000	-	-	630000	180000	<	<	40000	<	<	<	<
CHRYSENE	15000	-	-	470000	<	60000	<	34000	<	<	<	<
BENZO(b) FLUORANTHENE	<	-	-	460000	<	<	<	27000	<	<	<	<
BENZO(k) FLUORANTHENE	<	-	-	510000	<	<	<	29000	<	<	<	<
BENZO(a) PYRENE	3500	-	-	310000	<	22000	<	28000	<	<	<	<
INDENO (1,2,3-cd)PYRENE	<	-	-	160000	<	<	<	12000	<	<	<	<
BENZO(g,h,i)PERYLENE	<	-	-	150000	<	<	<	13000	<	<	<	<
(RELATIVE CONCENTRATIONS - HMU UNITS)												
HMU	200	-	-	400/650	800	60/300	300/250	300/150/600	85/110	400	500/650	320/175

(*) = Weight Percent

(-) NOT ANALYZED

(<) LESS THAN DETECTION LIMITS

Table 2 - Radian Data

TABLE 3-5. RESULTS OF ANALYSIS FOR METALS AND WATER QUALITY PARAMETERS

	Effluent Standard	4-13-87			4-21-87			4-27-87		
		TU-1	Sump	Effluent	TU-1	Sump	Effluent	TU-1	Sump	Effluent
Metals (Dissolved), mg/L										
Arsenic (As)	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
Barium (Ba)	5.0	0.35	0.21	0.17	0.30	0.19	0.18	0.37	0.20	0.15
Boron (B)	1.0	0.40	0.36	0.11	0.39	0.28	0.18	0.36	0.23	0.18
Cadmium (Cd)	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium (Cr)	1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper (Cu)	1.0	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.02	<0.02
Lead (Pb)	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Manganese (Mn)	1.0	0.41	0.41	0.48	0.05	0.46	0.53	1.11	0.92	0.53
Mercury (Hg)	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002
Nickel (Ni)	1.0	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Selenium (Se)	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Silver (Ag)	0.1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Zinc (Zn)	5.0	<0.01	0.15	0.15	<0.01	0.21	0.09	0.02	0.19	0.12
Water Quality Parameters, mg/L										
BOD5	20	25	7	3	2	2	<1	1	3	<1
Carbon, Total Organic	—	115	6	<1	42	7	<1	32	10	<1
COD	45	975	14	<5	150	21	5	180	40	5
Chloride	100	113	126	122	119	95	96	119	84	88
Cyanide	0.02	0.12	0.05	<0.02	0.03	0.03	<0.02	0.02	0.03	0.02
Oil and Grease	--	7	<5	<5	10	<5	<5	6.9	<5	<5
pH**	<6.0, >10.5	7.25	7.89	8.02	7.04	7.76	7.75	7.38	7.96	7.95
Phenols	Odor, Taste	0.131*	0.052*	<0.012*	0.061*	0.033*	<0.012*	0.023*	0.052*	<0.012*
Phosphorous, Dissolved Ortho	—	<0.01	1.38	0.95	<0.01	1.04	0.88	<0.01	0.67	0.70
Phosphorous, Total	--	5.0	1.55	0.98	1.25	1.24	0.96	1.95	1.18	0.78
Residue, Filterable (TDS)	400	712	754	770	760	754	748	772	722	744
Residue Non-Filterable (TSS)	--	1,072	7	1	2,852	8	3	722	80	2
Solids, Settleable	5	24	<0.1	<0.1	7.5	<0.1	<0.1	5.0	0.2	<0.1
Sulfate	75	44	95	95	90	96	106	90	90	88
Formaldehyde	Detectable	<1	<1	<1	<1	<1	<1	<1	<1	<1

*Indicates insufficient sample volume for proper analysis.

**Results reported in pH units.

Table 2 (cont.) - Radian Data

TABLE 3-6. RESULTS OF ANALYSIS FOR ORGANIC COMPOUNDS

	4-13-87			4-21-87			4-27-87		
	TW-1	Sump	Effluent	TW-1	Sump	Effluent	TW-1	Sump	Effluent
EPA 601 (Halogenated Organic Compounds)*	--	--	--	--	--	--	--	--	--
EPA 602, mg/L									
Benzene	0.093	0.009	--	0.118	--	--	0.078	0.004	--
Chlorobenzene	--	--	--	--	--	--	--	--	--
1,2-Dichlorobenzene	--	--	--	--	--	--	--	--	--
1,3-Dichlorobenzene	--	--	--	--	--	--	--	--	--
1,4-Dichlorobenzene	--	--	--	--	--	--	--	--	--
Ethyl Benzene	0.027	--	--	0.060	--	--	0.036	--	--
Toluene	0.010	--	<0.005	0.007	--	--	0.005	--	--
EPA 610 (PAH), mg/L									
Acenaphthene	0.79	0.13	<0.05	0.87	0.39	<0.05	2.49	<0.05	<0.05
Acenaphthlyene	0.88	<0.05	<0.05	1.11	<0.05	<0.05	0.90	<0.05	<0.05
Anthracene	0.04	<0.01	<0.01	0.03	<0.01	<0.01	0.05	<0.01	<0.01
Benzo(a)anthracene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Benzo(a)pyrene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Benzo(b)fluoranthene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Benzo(ghi)perylene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Benzo(k)fluoranthene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chrysene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dibenzo(a,h)anthacene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Fluoranthene	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	<0.01	<0.01
Fluorene	0.20	<0.01	<0.01	0.21	0.01	<0.01	0.10	<0.01	<0.01
Indeno(a,2,3,c,d)pyrene	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Naphthalene	0.95	<0.05	<0.01	0.65	<0.05	<0.05	0.33	<0.05	<0.05
Phenanthrene	0.15	<0.01	<0.01	0.14	<0.01	<0.01	0.15	<0.01	<0.01
Pyrene	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.03	<0.01	<0.01

*No compounds in this series were present above analytical detection limits. For a listing of compounds, see laboratory reports contained in Attachment A.

" -" = indicates not detected.

CDS AIR SERVICE P.O. Box 3039, Silver Spring, MD. 20901 (800) 423-3461

FROM: (COMPANY) LAW ENGINEERING	ACCOUNT NO. 26514	TO: (COMPANY) ENVIRONMENTAL PROTECTION AG.	AIRBILL NO. T60849
FROM: (AUTHORIZING PARTY) R. PEARCE	PHONE NO. A/C ( )	TO: (INDIVIDUAL) Mr. Robert Blanton, Jr.	PHONE NO. A/C ( )
PICK-UP STREET ADDRESS 5500 Guhn Rd		DELIVERY STREET ADDRESS 1445 Ross Avenue	
PICK-UP CITY Houston / STATE TX	ZIP CODE 77040	DELIVERY CITY Dallas / STATE TX	ZIP CODE 75202
BILL TO: (IF OTHER THAN SHIPPER OR CONSIGNEE)		☐ 3RD PARTY XX PREPAID ☐ COLLECT	
DRIVER'S SIGNATURE	DRIVER NO. 5607	DRIVER CODE 144	SEE REVERSE FOR LIMITATION OF LIABILITY
DATE/TIME 9-17-87	ORIGIN IAH	DESTINATION DFW	AIRBILL NUMBER T 60849

PIECES	DESCRIPTION AND COMMENTS	WEIGHT	DECLARED VALUE
1	Envelope		

SPECIAL INSTRUCTIONS:

SPECIAL SERVICES REQUIRED
- ☐ PRIORITY
- XX OVERNIGHT
- ☐ 1-2 DAY AIR
- ☐ DENSITY DISCOUNT
- ☐ CONTAINER SERVICE
- ☐ DEFERRED AIR

TOTAL CHARGES		
BASE CHARGE		
ADD'L WEIGHT		
PICK-UP/ TERMINAL		
DELIVERY		
VALUATION		
CARRIER ADVANCE		
OTHER		
SHIPPER'S C.O.D.		
C.O.D. FEE		

SIGNATURE OF SHIPPER	SHIPPER'S REF. NO. HT-2080 (514)	DATE/TIME

CONSIGNEE

DATE/TIME	SIGNATURE OF CONSIGNEE: Rec'd in good condition:	AGENT SIGNATURE (AT PICK-UP)	AGENT CHGS.

DHL WORLDWIDE EXPRESS®

DESTINATION STATION

SHIPPER'S ACCOUNT NO.	SHIPPER'S REFERENCE
858555321	T60849

FORWARDER AIRBILL NO.

A 2 9 4 3 4 0 6 4

DATE: 9/17/87

ORIGIN	DESTIN.
IAH	DAL
PIECES	WEIGHT
1	6
SERVICE	CHARGE
DOCUMENT ☑	
EXPRESS DOCUMENT ☐	
WORLDWIDE PKG. EXPRESS ☐	
VISA PAK ☐	
SIGNATURE SERVICE ☐	
SATURDAY SERVICE ☐	
INSUR ☐	
HANDLING ☐	
ONFWD ☐	
DUTY ☐	
TOTAL	

FROM (SHIPPER)

CDS AIR SERVICE
410 GARDEN OAKS BLVD.
HOUSTON, TEXAS

TELEX / PHONE

ZIP CODE 77018

TO (CONSIGNEE) PLEASE USE FULL ADDRESS, NO P.O. BOX

ENVIORNMENTAL PROTECTION AGENCY
1445 ROSS AVENUE
DALLAS, TEXAS 75202
MR. ROBERT BLANTON, JR.

TELEX / PHONE

ZIP CODE 75202

FOR WORLDWIDE PACKAGE EXPRESS TOTAL DECLARED VALUE (FOR CUSTOMS PURPOSES ONLY)

DESCRIPTION OF CONTENTS (IF WORLDWIDE PACKAGE EXPRESS SERVICE PLEASE ATTACH COMMERCIAL INVOICES ON YOUR COMPANY LETTERHEAD) INCLUDING ANY MARKINGS, DIMENSIONS AND PACKING METHODS.

P/M

THIS IS A NON-NEGOTIABLE AIRBILL SUBJECT TO THE TERMS AND CONDITIONS PRINTED ON THE REVERSE OF THE SHIPPER'S COPY. IN TENDERING THIS SHIPMENT, SHIPPER AGREES THAT DHL SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM THE CARRIAGE OF THIS SHIPMENT. DHL DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, WITH RESPECT TO THIS SHIPMENT. THE LIABILITY OF DHL FOR ANY LOSS OR DAMAGE SHALL BE LIMITED TO U.S. $100.00. INSURANCE COVERAGE IS AVAILABLE UPON SHIPPER'S REQUEST AND PAYMENT OF INSURANCE CHARGES. THERE ARE NO AGREED STOPPING PLACES FOR THIS SHIPMENT. INTERNATIONAL SHIPPERS PLEASE ALSO READ THE WARSAW CONVENTION NOTICE ON THE REVERSE OF THE AIRBILL.

SHIPPER'S SIGNATURE X

PICKED UP BY DHL DATE 9/17/87

NAME TIME 7:30 AM PM

METHOD OF PAYMENT ☐ BILL SHIPPER ☐ BILL RECIPIENT (U.S. DEST. ONLY)

RECEIVED IN GOOD ORDER AND CONDITION

CONSIGNEE'S SIGNATURE

PLEASE PRINT NAME

DATE / /

TIME AM PM

FOLD HERE

FOLD HERE

FORWARDER AIRBILL - NON NEGOTIABLE

6946-0764-5307

CA/AWB/9/85

COPYRIGHT © DHL AIRWAYS, INC. 1985, 1986 • 333 TWIN DOLPHIN DRIVE, REDWOOD CITY, CA 94065