eurofins | Lancaster Laboratories

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Analysis Report

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

ExxonMobil
Mobil Pipeline Company
PO Box 4416
Houston TX 77210-4416

April 16, 2013

Project: Mayflower, AR Pipeline Incident

Submittal Date: 04/15/2013
Group Number: 1382921
SDG: PEG32
PO Number: 4510076246
Release Number: MAYFLOWER 1406
State of Sample Origin: AR

Client Sample Description	Lancaster Labs #	Collected
WS-003(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022452	04/14/2013 08:15
WS-002(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022453	04/14/2013 08:45
WS-BKG-001(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022454	04/14/2013 09:40
WS-005(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022455	04/14/2013 10:30
WS-008(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022456	04/14/2013 11:15
WS-008(SURFACE)MS041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022457	04/14/2013 11:20
WS-008(SURFACE)MSD041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022458	04/14/2013 11:25

9426328

WS-008(SURFACE)DUP041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022459	04/14/2013 11:15
WS-001(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022460	04/14/2013 12:30
WS-001(0.5-1.0)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022461	04/14/2013 12:35
WS-004(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022462	04/14/2013 13:00
WS-004(0.5-1.4)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022463	04/14/2013 13:05
WS-007(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022464	04/14/2013 13:35
WS-007(0.5-1.0)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022465	04/14/2013 13:40
WS-006(SURFACE)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022466	04/14/2013 14:05
WS-006(0.5-1.0)041413 Grab Surface Water Mayflower, AR Pipeline Incident	7022467	04/14/2013 14:10
WS-TB-10-04142013 Water Mayflower, AR Pipeline Incident	7022468	04/14/2013

METHODOLOGY

The specified methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	ARCADIS	Attn: Stephen Barrick
ELECTRONIC COPY TO	ARCADIS	Attn: Lyndi Mott
ELECTRONIC COPY TO	ExxonMobil	Attn: Scott Bushroe
ELECTRONIC COPY TO	ExxonMobil Pipeline Company	Attn: Timothy S. Martin
ELECTRONIC COPY TO	ExxonMobil	Attn: Michael J. Firth

Respectfully Submitted,

Katherine A. Klinefelter

Katherine A. Klinefelter
Principal Specialist

ExxonMobil
Project: Mayflower, AR Pipeline Incident
SDG: PEG32

Report Date: 4/16/2013 15:58
Submit Date: 4/15/2013 16:33

Analysis Name	Units	7022452 WS-003(SURFACE)041413			7022453 WS-002(SURFACE)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	N.D.	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Acenaphthylene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Fluoranthene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.031	0.052	N.D.	0.030	0.051
Phenanthrene	ug/l	N.D.	0.031	0.052	N.D.	0.030	0.051
Pyrene	ug/l	N.D.	0.010	0.052	N.D.	0.010	0.051
Total Hardness as CaCO3	mg/l	15.2	0.064	0.20	12.2	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0197	0.00033	0.0050	0.0153	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050

** = This limit was used in the evaluation of the final result

Calcium	mg/l	3.36	0.0640	0.200	2.70	0.0640	0.200
Chromium	mg/l	N.D.	0.0011	0.0150	N.D.	0.0011	0.0150
Lead	mg/l	N.D.	0.0051	0.0150	N.D.	0.0051	0.0150
Magnesium	mg/l	1.65	0.0606	0.100	1.33	0.0606	0.100
Nickel	mg/l	0.0021 J	0.0011	0.0100	0.0011 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	N.D.	0.0013	0.0050	N.D.	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020

Analysis Name	Units	7022454 WS-BKG-001(SURFACE)041413			7022455 WS-005(SURFACE)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	N.D.	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Acenaphthylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.030	0.051	N.D.	0.031	0.051
Phenanthrene	ug/l	N.D.	0.030	0.051	N.D.	0.031	0.051
Pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051

** = This limit was used in the evaluation of the final result

Total Hardness as CaCO3	mg/l	22.8	0.064	0.20	15.1	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0324	0.00033	0.0050	0.0159	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050
Calcium	mg/l	6.06	0.0640	0.200	3.44	0.0640	0.200
Chromium	mg/l	N.D.	0.0011	0.0150	N.D.	0.0011	0.0150
Lead	mg/l	N.D.	0.0051	0.0150	N.D.	0.0051	0.0150
Magnesium	mg/l	1.86	0.0606	0.100	1.59	0.0606	0.100
Nickel	mg/l	0.0021 J	0.0011	0.0100	0.0013 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	N.D.	0.0013	0.0050	N.D.	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020

		7022456			7022457		
Analysis Name	Units	WS-008(SURFACE)041413			WS-008(SURFACE)MS041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	42	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	6.9	0.1	0.5
Benzene	ug/l	1.8	0.1	0.5	7.5	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	5.9	0.1	0.5
Bromodichloromethane	ug/l	0.3 J	0.1	0.5	5.5	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	5.1	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	5.0	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	37	1.0	5.0
n-Butylbenzene	ug/l	0.2 J	0.1	0.5	5.6	0.1	0.5
sec-Butylbenzene	ug/l	0.2 J	0.1	0.5	5.8	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	5.7	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	5.9	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	5.7	0.1	0.5

** = This limit was used in the evaluation of the final result

Chloroethane	ug/l	N.D.	0.1	0.5	5.2	0.1	0.5
Chloroform	ug/l	1	0.1	0.5	6.6	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	4.7	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	5.7	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	5.6	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	4.2	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	5.4	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	5.2	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	5.6	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	4.3	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	5.8	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	5.1	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	6.5	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	5.8	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	6.1	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	6.0	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	5.9	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	5.4	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	5.8	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	5.5	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	5.0	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	5.0	0.1	0.5
Ethylbenzene	ug/l	0.9	0.1	0.5	6.7	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	6.1	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	4.0	0.1	0.5
Isopropylbenzene	ug/l	0.2 J	0.1	0.5	6.0	0.1	0.5
p-Isopropyltoluene	ug/l	0.2 J	0.1	0.5	5.8	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	5.6	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	26	1.0	5.0

** = This limit was used in the evaluation of the final result

Methylene Chloride	ug/l	N.D.	0.2	0.5	5.9	0.2	0.5
n-Propylbenzene	ug/l	0.3 J	0.1	0.5	6.1	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	5.8	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	5.6	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	5.4	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	5.7	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	24	2.0	5.0
Toluene	ug/l	4.1	0.1	0.5	10	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	4.6	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	4.9	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	5.7	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	7.2	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	5.9	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	5.2	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	5.6	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	1.9	0.1	0.5	7.7	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	1.2	0.1	0.5	6.9	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	5.1	0.1	0.5
Xylene (Total)	ug/l	6.8	0.1	0.5	25	0.1	0.5
Acenaphthene	ug/l	0.025 J	0.010	0.051	0.96	0.010	0.051
Acenaphthylene	ug/l	0.011 J	0.010	0.051	0.99	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.051	1.0	0.010	0.051
Benzo(a)anthracene	ug/l	0.014 J	0.010	0.051	0.88	0.010	0.051
Benzo(a)pyrene	ug/l	0.011 J	0.010	0.051	0.67	0.010	0.051
Benzo(b)fluoranthene	ug/l	0.018 J	0.010	0.051	0.74	0.010	0.051
Benzo(g,h,i)perylene	ug/l	0.015 J	0.010	0.051	0.56	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.051	0.71	0.010	0.051
Chrysene	ug/l	0.039 J	0.010	0.051	0.80	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.051	0.55	0.010	0.051
Fluoranthene	ug/l	0.026 J	0.010	0.051	0.98	0.010	0.051
Fluorene	ug/l	0.091	0.010	0.051	1.0	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	0.014 J	0.010	0.051	0.56	0.010	0.051
1-Methylnaphthalene	ug/l	0.097	0.010	0.051	1.1	0.010	0.051

** = This limit was used in the evaluation of the final result

2-Methylnaphthalene	ug/l	0.067	0.010	0.051	1.0	0.010	0.051
Naphthalene	ug/l	0.061	0.030	0.051	1.0	0.031	0.051
Phenanthrene	ug/l	0.072	0.030	0.051	1.0	0.031	0.051
Pyrene	ug/l	0.056	0.010	0.051	1.0	0.010	0.051
Total Hardness as CaCO3	mg/l	32.4	0.064	0.20	52.3	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	0.153	0.0068	0.0200
Barium	mg/l	0.182	0.00033	0.0050	2.23	0.00033	0.0050
Cadmium	mg/l	0.00043 J	0.00036	0.0050	0.0502	0.00036	0.0050
Calcium	mg/l	5.64	0.0640	0.200	9.35	0.0640	0.200
Chromium	mg/l	0.0221	0.0011	0.0150	0.238	0.0011	0.0150
Lead	mg/l	0.0269	0.0051	0.0150	0.176	0.0051	0.0150
Magnesium	mg/l	4.44	0.0606	0.100	7.03	0.0606	0.100
Nickel	mg/l	0.0217	0.0011	0.0100	0.537	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	0.145	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	0.0493	0.0012	0.0050
Vanadium	mg/l	0.0327	0.0013	0.0050	0.555	0.0013	0.0050
Mercury	mg/l	0.000076 J	0.000070	0.00020	0.0011	0.000070	0.00020

		7022458			7022459		
Analysis Name	Units	WS-008(SURFACE)MSD041413			WS-008(SURFACE)DUP041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	51	3.0	5.0		n.a.	n.a.
Allyl Chloride	ug/l	6.7	0.1	0.5		n.a.	n.a.
Benzene	ug/l	7.4	0.1	0.5		n.a.	n.a.
Bromobenzene	ug/l	5.5	0.1	0.5		n.a.	n.a.
Bromochloromethane	ug/l	5.8	0.1	0.5		n.a.	n.a.
Bromodichloromethane	ug/l	5.6	0.1	0.5		n.a.	n.a.
Bromoform	ug/l	5.3	0.1	0.5		n.a.	n.a.
Bromomethane	ug/l	4.9	0.1	0.5		n.a.	n.a.
2-Butanone	ug/l	42	1.0	5.0		n.a.	n.a.

** = This limit was used in the evaluation of the final result

n-Butylbenzene	ug/l	5.4	0.1	0.5	n.a.	n.a.
sec-Butylbenzene	ug/l	5.6	0.1	0.5	n.a.	n.a.
tert-Butylbenzene	ug/l	5.6	0.1	0.5	n.a.	n.a.
Carbon Tetrachloride	ug/l	5.9	0.1	0.5	n.a.	n.a.
Chlorobenzene	ug/l	5.7	0.1	0.5	n.a.	n.a.
Chloroethane	ug/l	4.9	0.1	0.5	n.a.	n.a.
Chloroform	ug/l	6.5	0.1	0.5	n.a.	n.a.
Chloromethane	ug/l	4.6	0.2	0.5	n.a.	n.a.
2-Chlorotoluene	ug/l	5.5	0.1	0.5	n.a.	n.a.
4-Chlorotoluene	ug/l	5.6	0.1	0.5	n.a.	n.a.
1,2-Dibromo-3-chloropropane	ug/l	5.1	0.2	0.5	n.a.	n.a.
Dibromochloromethane	ug/l	5.6	0.1	0.5	n.a.	n.a.
1,2-Dibromoethane	ug/l	5.5	0.1	0.5	n.a.	n.a.
Dibromomethane	ug/l	5.1	0.1	0.5	n.a.	n.a.
1,2-Dichlorobenzene	ug/l	5.3	0.1	0.5	n.a.	n.a.
1,3-Dichlorobenzene	ug/l	5.5	0.1	0.5	n.a.	n.a.
1,4-Dichlorobenzene	ug/l	5.4	0.1	0.5	n.a.	n.a.
Dichlorodifluoromethane	ug/l	4.2	0.1	0.5	n.a.	n.a.
1,1-Dichloroethane	ug/l	5.7	0.1	0.5	n.a.	n.a.
1,2-Dichloroethane	ug/l	5.1	0.1	0.5	n.a.	n.a.
1,1-Dichloroethene	ug/l	6.5	0.1	0.5	n.a.	n.a.
cis-1,2-Dichloroethene	ug/l	5.8	0.1	0.5	n.a.	n.a.
trans-1,2-Dichloroethene	ug/l	6.0	0.1	0.5	n.a.	n.a.
Dichlorofluoromethane	ug/l	5.7	0.2	0.5	n.a.	n.a.
1,2-Dichloropropane	ug/l	5.9	0.1	0.5	n.a.	n.a.
1,3-Dichloropropane	ug/l	5.5	0.1	0.5	n.a.	n.a.
2,2-Dichloropropane	ug/l	5.6	0.1	0.5	n.a.	n.a.
1,1-Dichloropropene	ug/l	5.8	0.1	0.5	n.a.	n.a.
cis-1,3-Dichloropropene	ug/l	5.6	0.1	0.5	n.a.	n.a.
trans-1,3-Dichloropropene	ug/l	5.0	0.1	0.5	n.a.	n.a.
Ethyl ether	ug/l	5.0	0.1	0.5	n.a.	n.a.
Ethylbenzene	ug/l	6.8	0.1	0.5	n.a.	n.a.
Freon 113	ug/l	6.0	0.2	0.5	n.a.	n.a.

** = This limit was used in the evaluation of the final result

Hexachlorobutadiene	ug/l	3.4	0.1	0.5	n.a.	n.a.
Isopropylbenzene	ug/l	6.0	0.1	0.5	n.a.	n.a.
p-Isopropyltoluene	ug/l	5.6	0.1	0.5	n.a.	n.a.
Methyl Tertiary Butyl Ether	ug/l	5.5	0.1	0.5	n.a.	n.a.
4-Methyl-2-Pentanone	ug/l	26	1.0	5.0	n.a.	n.a.
Methylene Chloride	ug/l	5.9	0.2	0.5	n.a.	n.a.
n-Propylbenzene	ug/l	6.1	0.1	0.5	n.a.	n.a.
Styrene	ug/l	5.8	0.1	0.5	n.a.	n.a.
1,1,1,2-Tetrachloroethane	ug/l	5.6	0.1	0.5	n.a.	n.a.
1,1,2,2-Tetrachloroethane	ug/l	5.3	0.1	0.5	n.a.	n.a.
Tetrachloroethene	ug/l	5.7	0.1	0.5	n.a.	n.a.
Tetrahydrofuran	ug/l	28	2.0	5.0	n.a.	n.a.
Toluene	ug/l	10	0.1	0.5	n.a.	n.a.
1,2,3-Trichlorobenzene	ug/l	4.5	0.1	0.5	n.a.	n.a.
1,2,4-Trichlorobenzene	ug/l	4.7	0.1	0.5	n.a.	n.a.
1,1,1-Trichloroethane	ug/l	5.7	0.1	0.5	n.a.	n.a.
1,1,2-Trichloroethane	ug/l	7.7	0.1	0.5	n.a.	n.a.
Trichloroethene	ug/l	5.8	0.1	0.5	n.a.	n.a.
Trichlorofluoromethane	ug/l	5.0	0.1	0.5	n.a.	n.a.
1,2,3-Trichloropropane	ug/l	5.5	0.3	1.0	n.a.	n.a.
1,2,4-Trimethylbenzene	ug/l	7.8	0.1	0.5	n.a.	n.a.
1,3,5-Trimethylbenzene	ug/l	7.0	0.1	0.5	n.a.	n.a.
Vinyl Chloride	ug/l	5.0	0.1	0.5	n.a.	n.a.
Xylene (Total)	ug/l	25	0.1	0.5	n.a.	n.a.
Acenaphthene	ug/l	0.99	0.010	0.051	n.a.	n.a.
Acenaphthylene	ug/l	1.0	0.010	0.051	n.a.	n.a.
Anthracene	ug/l	1.0	0.010	0.051	n.a.	n.a.
Benzo(a)anthracene	ug/l	0.72	0.010	0.051	n.a.	n.a.
Benzo(a)pyrene	ug/l	0.48	0.010	0.051	n.a.	n.a.
Benzo(b)fluoranthene	ug/l	0.54	0.010	0.051	n.a.	n.a.
Benzo(g,h,i)perylene	ug/l	0.39	0.010	0.051	n.a.	n.a.
Benzo(k)fluoranthene	ug/l	0.52	0.010	0.051	n.a.	n.a.
Chrysene	ug/l	0.64	0.010	0.051	n.a.	n.a.

** = This limit was used in the evaluation of the final result

Dibenz(a,h)anthracene	ug/l	0.36	0.010	0.051		n.a.	n.a.
Fluoranthene	ug/l	0.90	0.010	0.051		n.a.	n.a.
Fluorene	ug/l	1.1	0.010	0.051		n.a.	n.a.
Indeno(1,2,3-cd)pyrene	ug/l	0.39	0.010	0.051		n.a.	n.a.
1-Methylnaphthalene	ug/l	1.1	0.010	0.051		n.a.	n.a.
2-Methylnaphthalene	ug/l	1.1	0.010	0.051		n.a.	n.a.
Naphthalene	ug/l	1.1	0.031	0.051		n.a.	n.a.
Phenanthrene	ug/l	0.99	0.031	0.051		n.a.	n.a.
Pyrene	ug/l	0.96	0.010	0.051		n.a.	n.a.
Total Hardness as CaCO3	mg/l	57.0	0.064	0.20	33.9	0.064	0.20
Arsenic	mg/l	0.150	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	2.23	0.00033	0.0050	0.188	0.00033	0.0050
Cadmium	mg/l	0.0507	0.00036	0.0050	0.00043 J	0.00036	0.0050
Calcium	mg/l	10.1	0.0640	0.200	5.77	0.0640	0.200
Chromium	mg/l	0.237	0.0011	0.0150	0.0243	0.0011	0.0150
Lead	mg/l	0.180	0.0051	0.0150	0.0276	0.0051	0.0150
Magnesium	mg/l	7.74	0.0606	0.100	4.73	0.0606	0.100
Nickel	mg/l	0.543	0.0011	0.0100	0.0249	0.0011	0.0100
Selenium	mg/l	0.143	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	0.0504	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	0.557	0.0013	0.0050	0.0364	0.0013	0.0050
Mercury	mg/l	0.0011	0.000070	0.00020	N.D.	0.000070	0.00020

		7022460			7022461		
Analysis Name	Units	WS-001(SURFACE)041413			WS-001(0.5-1.0)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	N.D.	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Acenaphthylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051

** = This limit was used in the evaluation of the final result

Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.031	0.051	N.D.	0.031	0.051
Phenanthrene	ug/l	N.D.	0.031	0.051	N.D.	0.031	0.051
Pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Total Hardness as CaCO3	mg/l	14.9	0.064	0.20	14.7	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0297	0.00033	0.0050	0.0296	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050
Calcium	mg/l	3.34	0.0640	0.200	3.30	0.0640	0.200
Chromium	mg/l	0.0026 J	0.0011	0.0150	0.0020 J	0.0011	0.0150
Lead	mg/l	N.D.	0.0051	0.0150	N.D.	0.0051	0.0150
Magnesium	mg/l	1.59	0.0606	0.100	1.58	0.0606	0.100
Nickel	mg/l	0.0026 J	0.0011	0.0100	0.0025 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	0.0029 J	0.0013	0.0050	0.0023 J	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020

		7022462			7022463		
Analysis Name	Units	WS-004(SURFACE)041413			WS-004(0.5-1.4)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	N.D.	3.0	5.0

** = This limit was used in the evaluation of the final result

Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051

** = This limit was used in the evaluation of the final result

Acenaphthylene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Fluoranthene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.050	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.030	0.050	N.D.	0.030	0.051
Phenanthrene	ug/l	N.D.	0.030	0.050	N.D.	0.030	0.051
Pyrene	ug/l	0.011 J	0.010	0.050	N.D.	0.010	0.051
Total Hardness as CaCO3	mg/l	17.7	0.064	0.20	19.5	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0757	0.00033	0.0050	0.0833	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050
Calcium	mg/l	3.74	0.0640	0.200	4.10	0.0640	0.200
Chromium	mg/l	0.0068 J	0.0011	0.0150	0.0080 J	0.0011	0.0150
Lead	mg/l	0.0076 J	0.0051	0.0150	0.0081 J	0.0051	0.0150
Magnesium	mg/l	2.03	0.0606	0.100	2.25	0.0606	0.100
Nickel	mg/l	0.0069 J	0.0011	0.0100	0.0088 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	0.0107	0.0013	0.0050	0.0122	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020
		7022464			7022465		

** = This limit was used in the evaluation of the final result

Analysis Name	Units	WS-007(SURFACE)041413			WS-007(0.5-1.0)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	4.1 J	3.0	5.0	3.4 J	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0

** = This limit was used in the evaluation of the final result

1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Acenaphthylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.051	0.014 J	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluoranthene	ug/l	0.023 J	0.010	0.051	0.064	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.031	0.051	N.D.	0.031	0.051
Phenanthrene	ug/l	N.D.	0.031	0.051	N.D.	0.031	0.051
Pyrene	ug/l	0.029 J	0.010	0.051	0.060	0.010	0.051
Total Hardness as CaCO3	mg/l	17.9	0.064	0.20	16.9	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0748	0.00033	0.0050	0.0677	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050
Calcium	mg/l	3.80	0.0640	0.200	3.72	0.0640	0.200
Chromium	mg/l	0.0076 J	0.0011	0.0150	0.0049 J	0.0011	0.0150
Lead	mg/l	0.0065 J	0.0051	0.0150	N.D.	0.0051	0.0150
Magnesium	mg/l	2.04	0.0606	0.100	1.84	0.0606	0.100
Nickel	mg/l	0.0074 J	0.0011	0.0100	0.0058 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050

** = This limit was used in the evaluation of the final result

Vanadium	mg/l	0.0113	0.0013	0.0050	0.0080	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020

Analysis Name	Units	7022466 WS-006(SURFACE)041413			7022467 WS-006(0.5-1.0)041413		
		Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0	N.D.	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5	N.D.	0.1	0.5
Acenaphthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Acenaphthylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(a)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(b)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(g,h,i)perylene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Benzo(k)fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Chrysene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Dibenz(a,h)anthracene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluoranthene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Fluorene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Indeno(1,2,3-cd)pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
1-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
2-Methylnaphthalene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Naphthalene	ug/l	N.D.	0.030	0.051	N.D.	0.030	0.051
Phenanthrene	ug/l	N.D.	0.030	0.051	N.D.	0.030	0.051
Pyrene	ug/l	N.D.	0.010	0.051	N.D.	0.010	0.051
Total Hardness as CaCO3	mg/l	15.1	0.064	0.20	15.8	0.064	0.20
Arsenic	mg/l	N.D.	0.0068	0.0200	N.D.	0.0068	0.0200
Barium	mg/l	0.0215	0.00033	0.0050	0.0280	0.00033	0.0050
Cadmium	mg/l	N.D.	0.00036	0.0050	N.D.	0.00036	0.0050
Calcium	mg/l	3.38	0.0640	0.200	3.51	0.0640	0.200
Chromium	mg/l	0.0017 J	0.0011	0.0150	0.0022 J	0.0011	0.0150
Lead	mg/l	N.D.	0.0051	0.0150	N.D.	0.0051	0.0150

** = This limit was used in the evaluation of the final result

Magnesium	mg/l	1.63	0.0606	0.100	1.72	0.0606	0.100
Nickel	mg/l	0.0023 J	0.0011	0.0100	0.0031 J	0.0011	0.0100
Selenium	mg/l	N.D.	0.0075	0.0200	N.D.	0.0075	0.0200
Silver	mg/l	N.D.	0.0012	0.0050	N.D.	0.0012	0.0050
Vanadium	mg/l	0.0019 J	0.0013	0.0050	0.0031 J	0.0013	0.0050
Mercury	mg/l	N.D.	0.000070	0.00020	N.D.	0.000070	0.00020

Analysis Name	Units	7022468 WS-TB-10-04142013		
		Result	MDL**	LOQ
Acetone	ug/l	N.D.	3.0	5.0
Allyl Chloride	ug/l	N.D.	0.1	0.5
Benzene	ug/l	N.D.	0.1	0.5
Bromobenzene	ug/l	N.D.	0.1	0.5
Bromochloromethane	ug/l	N.D.	0.1	0.5
Bromodichloromethane	ug/l	N.D.	0.1	0.5
Bromoform	ug/l	N.D.	0.1	0.5
Bromomethane	ug/l	N.D.	0.1	0.5
2-Butanone	ug/l	N.D.	1.0	5.0
n-Butylbenzene	ug/l	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	N.D.	0.1	0.5
Chlorobenzene	ug/l	N.D.	0.1	0.5
Chloroethane	ug/l	N.D.	0.1	0.5
Chloroform	ug/l	N.D.	0.1	0.5
Chloromethane	ug/l	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	N.D.	0.1	0.5
1,2-Dibromo-3-chloropropane	ug/l	N.D.	0.2	0.5
Dibromochloromethane	ug/l	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

Dibromomethane	ug/l	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	N.D.	0.1	0.5
Dichlorofluoromethane	ug/l	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	N.D.	0.1	0.5
Ethyl ether	ug/l	N.D.	0.1	0.5
Ethylbenzene	ug/l	N.D.	0.1	0.5
Freon 113	ug/l	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	N.D.	0.1	0.5
Isopropylbenzene	ug/l	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	N.D.	1.0	5.0
Methylene Chloride	ug/l	N.D.	0.2	0.5
n-Propylbenzene	ug/l	N.D.	0.1	0.5
Styrene	ug/l	N.D.	0.1	0.5
1,1,1,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5
1,1,2,2-Tetrachloroethane	ug/l	N.D.	0.1	0.5
Tetrachloroethene	ug/l	N.D.	0.1	0.5
Tetrahydrofuran	ug/l	N.D.	2.0	5.0
Toluene	ug/l	N.D.	0.1	0.5

** = This limit was used in the evaluation of the final result

1,2,3-Trichlorobenzene	ug/l	N.D.	0.1	0.5
1,2,4-Trichlorobenzene	ug/l	N.D.	0.1	0.5
1,1,1-Trichloroethane	ug/l	N.D.	0.1	0.5
1,1,2-Trichloroethane	ug/l	N.D.	0.1	0.5
Trichloroethene	ug/l	N.D.	0.1	0.5
Trichlorofluoromethane	ug/l	N.D.	0.1	0.5
1,2,3-Trichloropropane	ug/l	N.D.	0.3	1.0
1,2,4-Trimethylbenzene	ug/l	N.D.	0.1	0.5
1,3,5-Trimethylbenzene	ug/l	N.D.	0.1	0.5
Vinyl Chloride	ug/l	N.D.	0.1	0.5
Xylene (Total)	ug/l	N.D.	0.1	0.5
Acenaphthene	ug/l		n.a.	n.a.
Acenaphthylene	ug/l		n.a.	n.a.
Anthracene	ug/l		n.a.	n.a.
Benzo(a)anthracene	ug/l		n.a.	n.a.
Benzo(a)pyrene	ug/l		n.a.	n.a.
Benzo(b)fluoranthene	ug/l		n.a.	n.a.
Benzo(g,h,i)perylene	ug/l		n.a.	n.a.
Benzo(k)fluoranthene	ug/l		n.a.	n.a.
Chrysene	ug/l		n.a.	n.a.
Dibenz(a,h)anthracene	ug/l		n.a.	n.a.
Fluoranthene	ug/l		n.a.	n.a.
Fluorene	ug/l		n.a.	n.a.
Indeno(1,2,3-cd)pyrene	ug/l		n.a.	n.a.
1-Methylnaphthalene	ug/l		n.a.	n.a.
2-Methylnaphthalene	ug/l		n.a.	n.a.
Naphthalene	ug/l		n.a.	n.a.
Phenanthrene	ug/l		n.a.	n.a.
Pyrene	ug/l		n.a.	n.a.
Total Hardness as CaCO3	mg/l		n.a.	n.a.
Arsenic	mg/l		n.a.	n.a.
Barium	mg/l		n.a.	n.a.
Cadmium	mg/l		n.a.	n.a.

** = This limit was used in the evaluation of the final result

Calcium	mg/l	n.a.	n.a.
Chromium	mg/l	n.a.	n.a.
Lead	mg/l	n.a.	n.a.
Magnesium	mg/l	n.a.	n.a.
Nickel	mg/l	n.a.	n.a.
Selenium	mg/l	n.a.	n.a.
Silver	mg/l	n.a.	n.a.
Vanadium	mg/l	n.a.	n.a.
Mercury	mg/l	n.a.	n.a.

** = This limit was used in the evaluation of the final result

CAT No.	Analysis Name	Method	Trial ID	Batch	Analysis Date/Time	Analyst	Dilution
7022452	**WS-003(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/15/13 2323	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/15/13 2323	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0557	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0018	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1143	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022453	**WS-002(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/15/13 2345	Kevin A Sposito	1

01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/15/13 2345	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 0624	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1 131051848006	4/16/13 0022	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1 131055713001	4/16/13 1145	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022454 WS-BKG-001(SURFACE)041413 Grab Surface Water

02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1 G131052AA	4/16/13 0007	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/16/13 0007	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 0651	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1

07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0032	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1147	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022455	**WS-005(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0028	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0028	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0719	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1

01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0036	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1149	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022456	**WS-008(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0050	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0050	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0435	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1

01757	Magnesium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/15/13 2356	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1155	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022457	**WS-008(SURFACE)MS041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0111	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0111	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0503	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1

07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0007	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1159	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022458	**WS-008(SURFACE)MSD041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0133	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0133	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0530	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0011	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1201	Damary Valentin	1

01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022459 WS-008(SURFACE)DUP041413 Grab Surface Water

06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1 131051848006	4/16/13 0003	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1 131055713001	4/16/13 1157	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022460 WS-001(SURFACE)041413 Grab Surface Water

02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1 G131052AA	4/16/13 0155	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/16/13 0155	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 0746	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1

07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0040	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1203	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022461	**WS-001(0.5-1.0)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0216	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0216	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0813	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1

01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0043	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1205	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022462	**WS-004(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0238	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0238	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0840	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1

01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0047	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1207	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022463	**WS-004(0.5-1.4)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0259	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0259	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0907	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1

07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0050	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1209	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022464	**WS-007(SURFACE)041413 Grab Surface Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/16/13 0321	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/16/13 0321	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13105WAL026	4/16/13 0934	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0054	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1211	Damary Valentin	1

01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022465 WS-007(0.5-1.0)041413 Grab Surface Water

02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1 G131052AA	4/16/13 0343	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/16/13 0343	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 1001	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1 131051848006	4/16/13 0058	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1 131055713001	4/16/13 1213	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022466 WS-006(SURFACE)041413 Grab Surface Water

02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1 G131052AA	4/16/13 0405	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/16/13 0405	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 1028	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1 131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1 131051848006	4/16/13 0101	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1 131055713001	4/16/13 1220	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1 131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1 131055713001	4/16/13 0805	Damary Valentin	1

7022467 WS-006(0.5-1.0)041413 Grab Surface Water

02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1 G131052AA	4/16/13 0426	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1 G131052AA	4/16/13 0426	Kevin A Sposito	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1 13105WAL026	4/16/13 1056	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1 13105WAL026	4/15/13 2200	Elaine F Stoltzfus	1

06256	Total Hardness as CaCO3	SM 2340 B-1997	1	131056256001	4/16/13 1115	Nina C Haller	1
07035	Arsenic	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07046	Barium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07049	Cadmium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
01750	Calcium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07051	Chromium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07055	Lead	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
01757	Magnesium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07061	Nickel	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07036	Selenium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07066	Silver	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
07071	Vanadium	SW-846 6010B	1	131051848006	4/16/13 0105	John W Yanzuk II	1
00259	Mercury	SW-846 7470A	1	131055713001	4/16/13 1222	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	131051848006	4/15/13 1650	James L Mertz	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	131055713001	4/16/13 0805	Damary Valentin	1
7022468	**WS-TB-10-04142013 Water**						
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	G131052AA	4/15/13 2157	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	G131052AA	4/15/13 2157	Kevin A Sposito	1

Client Name: ExxonMobil

Group Number: 1382921

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	Max RPD
Batch number: G131052AA	Sample number(s): 7022452-7022458,7022460-7022468								
Acetone	N.D.	3.0	5.0	ug/l	110		73-135		
Allyl Chloride	N.D.	0.1	0.5	ug/l	126		61-130		
Benzene	N.D.	0.1	0.5	ug/l	104		80-120		
Bromobenzene	N.D.	0.1	0.5	ug/l	107		80-120		
Bromochloromethane	N.D.	0.1	0.5	ug/l	113		80-125		
Bromodichloromethane	N.D.	0.1	0.5	ug/l	101		80-120		
Bromoform	N.D.	0.1	0.5	ug/l	96		63-132		
Bromomethane	N.D.	0.1	0.5	ug/l	94		38-146		
2-Butanone	N.D.	1.0	5.0	ug/l	103		70-130		
n-Butylbenzene	N.D.	0.1	0.5	ug/l	107		80-120		
sec-Butylbenzene	N.D.	0.1	0.5	ug/l	109		80-120		
tert-Butylbenzene	N.D.	0.1	0.5	ug/l	107		80-120		
Carbon Tetrachloride	N.D.	0.1	0.5	ug/l	108		74-133		
Chlorobenzene	N.D.	0.1	0.5	ug/l	108		80-120		
Chloroethane	N.D.	0.1	0.5	ug/l	94		67-124		
Chloroform	N.D.	0.1	0.5	ug/l	106		80-120		
Chloromethane	N.D.	0.2	0.5	ug/l	86		55-135		
2-Chlorotoluene	N.D.	0.1	0.5	ug/l	106		80-120		
4-Chlorotoluene	N.D.	0.1	0.5	ug/l	106		80-120		
1,2-Dibromo-3-chloropropane	N.D.	0.2	0.5	ug/l	90		57-141		
Dibromochloromethane	N.D.	0.1	0.5	ug/l	104		80-126		
1,2-Dibromoethane	N.D.	0.1	0.5	ug/l	105		80-120		
Dibromomethane	N.D.	0.1	0.5	ug/l	101		80-120		
1,2-Dichlorobenzene	N.D.	0.1	0.5	ug/l	106		80-120		
1,3-Dichlorobenzene	N.D.	0.1	0.5	ug/l	108		80-120		
1,4-Dichlorobenzene	N.D.	0.1	0.5	ug/l	106		80-112		
Dichlorodifluoromethane	N.D.	0.1	0.5	ug/l	79		39-120		
1,1-Dichloroethane	N.D.	0.1	0.5	ug/l	107		80-120		

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

1,2-Dichloroethane	N.D.	0.1	0.5	ug/l	102	80-127
1,1-Dichloroethene	N.D.	0.1	0.5	ug/l	116	80-123
cis-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	109	80-120
trans-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	111	80-120
Dichlorofluoromethane	N.D.	0.2	0.5	ug/l	108	63-149
1,2-Dichloropropane	N.D.	0.1	0.5	ug/l	108	80-120
1,3-Dichloropropane	N.D.	0.1	0.5	ug/l	106	80-120
2,2-Dichloropropane	N.D.	0.1	0.5	ug/l	102	75-122
1,1-Dichloropropene	N.D.	0.1	0.5	ug/l	105	80-121
cis-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	106	74-120
trans-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	96	73-126
Ethyl ether	N.D.	0.1	0.5	ug/l	97	59-130
Ethylbenzene	N.D.	0.1	0.5	ug/l	107	80-120
Freon 113	N.D.	0.2	0.5	ug/l	109	78-132
Hexachlorobutadiene	N.D.	0.1	0.5	ug/l	100	61-125
Isopropylbenzene	N.D.	0.1	0.5	ug/l	107	80-120
p-Isopropyltoluene	N.D.	0.1	0.5	ug/l	108	80-120
Methyl Tertiary Butyl Ether	N.D.	0.1	0.5	ug/l	110	80-125
4-Methyl-2-Pentanone	N.D.	1.0	5.0	ug/l	100	69-135
Methylene Chloride	N.D.	0.2	0.5	ug/l	112	80-120
n-Propylbenzene	N.D.	0.1	0.5	ug/l	108	80-120
Styrene	N.D.	0.1	0.5	ug/l	110	80-120
1,1,1,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	105	80-120
1,1,2,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	103	80-125
Tetrachloroethene	N.D.	0.1	0.5	ug/l	107	80-120
Tetrahydrofuran	N.D.	2.0	5.0	ug/l	112	65-131
Toluene	N.D.	0.1	0.5	ug/l	109	80-120
1,2,3-Trichlorobenzene	N.D.	0.1	0.5	ug/l	95	63-120
1,2,4-Trichlorobenzene	N.D.	0.1	0.5	ug/l	100	70-120
1,1,1-Trichloroethane	N.D.	0.1	0.5	ug/l	104	79-127
1,1,2-Trichloroethane	N.D.	0.1	0.5	ug/l	108	80-120
Trichloroethene	N.D.	0.1	0.5	ug/l	109	80-120
Trichlorofluoromethane	N.D.	0.1	0.5	ug/l	94	77-132
1,2,3-Trichloropropane	N.D.	0.3	1.0	ug/l	107	80-120
1,2,4-Trimethylbenzene	N.D.	0.1	0.5	ug/l	107	80-120
1,3,5-Trimethylbenzene	N.D.	0.1	0.5	ug/l	109	80-120
Vinyl Chloride	N.D.	0.1	0.5	ug/l	92	65-127
Xylene (Total)	N.D.	0.1	0.5	ug/l	108	80-120

Batch number: 13105WAL026 Sample number(s): 7022452-7022458,7022460-7022467

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

Acenaphthene	N.D.	0.010	0.050	ug/l	108	65-124
Acenaphthylene	N.D.	0.010	0.050	ug/l	112	72-113
Anthracene	N.D.	0.010	0.050	ug/l	112	70-117
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	112	75-115
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	111	72-120
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	112	74-130
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	98	63-121
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	111	74-118
Chrysene	N.D.	0.010	0.050	ug/l	110	75-112
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	90	66-122
Fluoranthene	N.D.	0.010	0.050	ug/l	117*	73-116
Fluorene	N.D.	0.010	0.050	ug/l	110	74-115
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	99	66-122
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	115*	72-114
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	112	74-119
Naphthalene	N.D.	0.030	0.050	ug/l	110	67-118
Phenanthrene	N.D.	0.030	0.050	ug/l	110*	72-109
Pyrene	N.D.	0.010	0.050	ug/l	113	71-116

Batch number: 131051848006 Sample number(s): 7022452-7022467

Arsenic	N.D.	0.0068	0.0200	mg/l	97	90-113
Barium	N.D.	0.00033	0.0050	mg/l	100	90-110
Cadmium	N.D.	0.00036	0.0050	mg/l	100	90-112
Calcium	N.D.	0.0640	0.200	mg/l	101	90-110
Chromium	N.D.	0.0011	0.0150	mg/l	100	90-110
Lead	N.D.	0.0051	0.0150	mg/l	102	88-110
Magnesium	N.D.	0.0606	0.100	mg/l	100	90-110
Nickel	N.D.	0.0011	0.0100	mg/l	103	90-111
Selenium	N.D.	0.0075	0.0200	mg/l	99	80-120
Silver	N.D.	0.0012	0.0050	mg/l	96	80-120
Vanadium	N.D.	0.0013	0.0050	mg/l	100	90-110

Batch number: 131055713001 Sample number(s): 7022452-7022467

Mercury	N.D.	0.000070	0.00020	mg/l	99	80-120

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	DUP RPD Max
Batch number: G131052AA	Sample number(s): 7022452-7022458,7022460-7022468 UNSPK: 7022456								
Acetone	112	135	57-163	18	30				
Allyl Chloride	137	134	67-139	3	30				
Benzene	113	111	87-126	1	30				
Bromobenzene	110	109	80-123	1	30				
Bromochloromethane	118	115	82-125	2	30				
Bromodichloromethane	106	106	82-133	0	30				
Bromoform	101	105	60-138	4	30				
Bromomethane	100	97	41-145	2	30				
2-Butanone	97	113	63-146	15	30				
n-Butylbenzene	109	103	83-131	5	30				
sec-Butylbenzene	112	109	84-128	3	30				
tert-Butylbenzene	115	111	84-135	3	30				
Carbon Tetrachloride	119	119	81-148	0	30				
Chlorobenzene	114	114	78-133	1	30				
Chloroethane	104	99	70-139	5	30				
Chloroform	112	111	86-136	1	30				
Chloromethane	93	91	55-152	2	30				
2-Chlorotoluene	114	110	81-120	3	30				
4-Chlorotoluene	113	112	82-119	1	30				
1,2-Dibromo-3-chloropropane	85	102	43-143	18	30				
Dibromochloromethane	108	111	79-125	3	30				
1,2-Dibromoethane	109	109	84-127	0	30				
Dibromomethane	104	102	83-126	2	30				
1,2-Dichlorobenzene	109	107	83-117	2	30				
1,3-Dichlorobenzene	113	109	81-118	3	30				
1,4-Dichlorobenzene	110	107	79-120	3	30				
Dichlorodifluoromethane	86	84	28-136	3	30				
1,1-Dichloroethane	115	115	88-136	1	30				
1,2-Dichloroethane	101	103	82-135	1	30				

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

1,1-Dichloroethene	129	129	83-150	0	30
cis-1,2-Dichloroethene	117	116	82-129	1	30
trans-1,2-Dichloroethene	121	121	88-127	0	30
Dichlorofluoromethane	119	114	59-176	5	30
1,2-Dichloropropane	117	118	91-126	0	30
1,3-Dichloropropane	109	110	80-127	1	30
2,2-Dichloropropane	111	111	80-134	1	30
1,1-Dichloropropene	116	115	86-139	1	30
cis-1,3-Dichloropropene	109	111	74-132	2	30
trans-1,3-Dichloropropene	100	100	71-128	0	30
Ethyl ether	100	99	67-127	1	30
Ethylbenzene	117	118	80-140	1	30
Freon 113	122	119	87-158	2	30
Hexachlorobutadiene	80	68	65-128	16	30
Isopropylbenzene	116	115	81-133	1	30
p-Isopropyltoluene	111	108	84-124	3	30
Methyl Tertiary Butyl Ether	113	111	82-132	2	30
4-Methyl-2-Pentanone	102	102	69-149	0	30
Methylene Chloride	118	117	84-122	1	30
n-Propylbenzene	116	115	79-131	0	30
Styrene	116	117	63-151	1	30
1,1,1,2-Tetrachloroethane	111	112	87-126	1	30
1,1,2,2-Tetrachloroethane	109	106	75-131	2	30
Tetrachloroethene	114	114	75-129	0	30
Tetrahydrofuran	96	110	56-154	14	30
Toluene	119	119	83-127	0	30
1,2,3-Trichlorobenzene	91	90	73-125	1	30
1,2,4-Trichlorobenzene	98	93	77-120	5	30
1,1,1-Trichloroethane	115	115	85-140	0	30
1,1,2-Trichloroethane	143*	155*	85-129	8	30
Trichloroethene	117	116	85-131	1	30
Trichlorofluoromethane	105	101	67-161	4	30
1,2,3-Trichloropropane	111	110	76-120	1	30
1,2,4-Trimethylbenzene	115	117	87-126	1	30
1,3,5-Trimethylbenzene	114	115	89-129	1	30
Vinyl Chloride	102	99	65-151	3	30
Xylene (Total)	119	121	81-137	1	30

Batch number: 13105WAL026 Sample number(s): 7022452-7022458,7022460-7022467 UNSPK: 7022456

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

Acenaphthene	91	94	59-127	3	30				
Acenaphthylene	96	97	33-146	1	30				
Anthracene	99	98	69-119	0	30				
Benzo(a)anthracene	85	69	67-124	20	30				
Benzo(a)pyrene	65	46*	64-123	33*	30				
Benzo(b)fluoranthene	70	51*	61-133	32*	30				
Benzo(g,h,i)perylene	54	37	36-138	37*	30				
Benzo(k)fluoranthene	70	51*	59-128	31*	30				
Chrysene	75	59*	62-118	22	30				
Dibenz(a,h)anthracene	54	35	32-141	42*	30				
Fluoranthene	93	86	65-123	8	30				
Fluorene	93	94	69-124	1	30				
Indeno(1,2,3-cd)pyrene	53	37	29-143	34*	30				
1-Methylnaphthalene	96	96	67-117	0	30				
2-Methylnaphthalene	94	97	71-126	3	30				
Naphthalene	93	97	58-131	4	30				
Phenanthrene	90	90	67-117	0	30				
Pyrene	93	89	59-125	5	30				
Batch number: 131051848006	Sample number(s): 7022452-7022467 UNSPK: 7022456 BKG: 7022456								
Arsenic	102	100	81-123	2	20	N.D.	N.D.	0 (1)	20
Barium	102	102	78-118	0	20	0.182	0.188	3	20
Cadmium	100	100	83-116	1	20	0.00043 J	0.00043 J	0 (1)	20
Calcium	93	111	81-118	7	20	5.64	5.77	2	20
Chromium	108	108	81-120	0	20	0.0221	0.0243	10 (1)	20
Lead	99	102	75-125	2	20	0.0269	0.0276	3 (1)	20
Magnesium	130*	165*	75-125	10	20	4.44	4.73	6	20
Nickel	103	104	86-115	1	20	0.0217	0.0249	13 (1)	20
Selenium	97	95	75-125	1	20	N.D.	N.D.	0 (1)	20
Silver	99	101	75-125	2	20	N.D.	N.D.	0 (1)	20
Vanadium	104	105	90-111	0	20	0.0327	0.0364	11	20
Batch number: 131055713001	Sample number(s): 7022452-7022467 UNSPK: 7022456 BKG: 7022456								
Mercury	104	103	80-120	0	20	0.000076 J	N.D.	200* (1)	20

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed
unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: NHDES VOCs 25ml purge
Batch number: G131052AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7022452	98	100	99	96
7022453	98	98	100	96
7022454	98	98	101	97
7022455	99	99	100	97
7022456	96	97	100	98
7022457	98	99	101	97
7022458	99	98	102	99
7022460	98	99	100	97
7022461	97	100	99	95
7022462	96	99	100	97
7022463	97	99	100	96
7022464	96	99	100	97
7022465	99	101	100	96
7022466	97	100	100	96
7022467	97	101	100	96
7022468	97	102	99	97
Blank	98	100	100	96
LCS	98	100	101	97
MS	98	99	101	97
MSD	99	98	102	99
Limits:	77-114	74-113	77-110	78-110

Analysis Name: PAHs in waters by SIM
Batch number: 13105WAL026

Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

7022452	107	98	97
7022453	110	108	98
7022454	107	94	101
7022455	99	87	90
7022456	79	55*	82
7022457	90	71	90
7022458	87	53*	96
7022460	102	102	96
7022461	102	93	96
7022462	78	65	80
7022463	84	70	86
7022464	75	56*	79
7022465	86	73	86
7022466	99	88	95
7022467	88	63	88
Blank	106	114	100
LCS	111	113	105
MS	90	71	90
MSD	87	53*	96
Limits:	64-120	62-141	58-134

* - Outside of specification
(1) The result for one or both determinations was less than five times the LOQ.
(2) The unspiked result was more than four times the spike added.
** = This limit was used in the evaluation of the final result

QC Comment

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

7022452 WS-003(SURFACE)041413 Grab Surface Water

7022453 WS-002(SURFACE)041413 Grab Surface Water

7022454 WS-BKG-001(SURFACE)041413 Grab Surface Water

7022455 WS-005(SURFACE)041413 Grab Surface Water

7022456 WS-008(SURFACE)041413 Grab Surface Water

08357 PAHs in waters by SIM

The percent recoveries for several compounds in the LCS associated with this

sample were outside QC specification high. Any detected compounds would be

biased slightly high. The client was contacted and the data was reported.

7022457 WS-008(SURFACE)MS041413 Grab Surface Water

7022458 WS-008(SURFACE)MSD041413 Grab Surface Water

7022459 WS-008(SURFACE)DUP041413 Grab Surface Water

7022460 WS-001(SURFACE)041413 Grab Surface Water

7022461 WS-001(0.5-1.0)041413 Grab Surface Water

7022462 WS-004(SURFACE)041413 Grab Surface Water

7022463 WS-004(0.5-1.4)041413 Grab Surface Water

7022464 WS-007(SURFACE)041413 Grab Surface Water

08357 PAHs in waters by SIM

The recovery for the sample surrogate(s) is outside the QC

acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

The percent recoveries for several compounds in the LCS associated with this

sample were outside QC specification high. Any detected compounds would be

biased slightly high. The client was contacted and the data was reported.

7022465 WS-007(0.5-1.0)041413 Grab Surface Water

08357 PAHs in waters by SIM

The percent recoveries for several compounds in the LCS associated with this

sample were outside QC specification high. Any detected compounds would be

biased slightly high. The client was contacted and the data was reported.

7022466 WS-006(SURFACE)041413 Grab Surface Water

7022467 WS-006(0.5-1.0)041413 Grab Surface Water

7022468 WS-TB-10-04142013 Water

Analysis Name	Units	Method	Cas Number	7022452 WS-003(SURFACE)041413			7022453 WS-002S(SURFACE)041413			7022454 WS-BKG-001S(SURFACE)041413			7022455 WS-005(SURFACE)041413			7022456 WS-006(SURFACE)041413			7022457 WS-008(SURFACE)MS041413			7022458 WS-009(SURFACE)MSD041413			7022459 WS-008S(SURFACE)DUP041413			7022460 WS-001(SURFACE)041413			7022461 WS-001(I-5-1.0)041413			7022462 WS-004(SURFACE)041413			7022463 WS-004(I-5-1.4)041413			7022464 WS-007(SURFACE)041413			7022465 WS-007(I-5-1.0)041413			7022466 WS-009(SURFACE)041413			7022467 WS-009(I-5-1.0)041413			7022468 WS-TB-10-041413		
				Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ	Result	MDL**	LOQ
Acetone	ug/l	SW-846 8260B 25mL purge	67-64-1	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	42	3.0	5.0	51	3.0	5.0	n.a.	n.a.	n.a.	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	4.1 J	3.0	5.0	3.4 J	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0	N.D.	3.0	5.0
Allyl Chloride	ug/l	SW-846 8260B 25mL purge	107-05-1	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	6.9	0.1	0.5	6.7	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Benzene	ug/l	SW-846 8260B 25mL purge	71-43-2	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	1.8	0.1	0.5	7.5	0.1	0.5	7.4	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromobenzene	ug/l	SW-846 8260B 25mL purge	108-86-1	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromochloromethane	ug/l	SW-846 8260B 25mL purge	74-97-5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.9	0.1	0.5	5.8	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromodichloromethane	ug/l	SW-846 8260B 25mL purge	75-27-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.3 J	0.1	0.5	5.5	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromoform	ug/l	SW-846 8260B 25mL purge	75-25-2	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.1	0.1	0.5	5.3	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Bromomethane	ug/l	SW-846 8260B 25mL purge	74-83-9	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.0	0.1	0.5	4.9	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
2-Butanone	ug/l	SW-846 8260B 25mL purge	78-93-3	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	37	1.0	5.0	42	1.0	5.0	n.a.	n.a.	n.a.	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0	N.D.	1.0	5.0
n-Butylbenzene	ug/l	SW-846 8260B 25mL purge	104-51-8	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.2 J	0.1	0.5	5.6	0.1	0.5	5.4	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
sec-Butylbenzene	ug/l	SW-846 8260B 25mL purge	135-98-8	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.2 J	0.1	0.5	5.8	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
tert-Butylbenzene	ug/l	SW-846 8260B 25mL purge	98-06-6	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.7	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Carbon Tetrachloride	ug/l	SW-846 8260B 25mL purge	56-23-5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.9	0.1	0.5	5.9	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Chlorobenzene	ug/l	SW-846 8260B 25mL purge	108-90-7	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.7	0.1	0.5	5.7	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroethane	ug/l	SW-846 8260B 25mL purge	75-00-3	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.2	0.1	0.5	4.9	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloroform	ug/l	SW-846 8260B 25mL purge	67-66-3	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.6	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Chloromethane	ug/l	SW-846 8260B 25mL purge	74-87-3	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	4.7	0.2	0.5	4.6	0.2	0.5	4.6	0.2	0.5	n.a.	n.a.	n.a.	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5
2-Chlorotoluene	ug/l	SW-846 8260B 25mL purge	95-49-8	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.7	0.1	0.5	5.5	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Chlorotoluene	ug/l	SW-846 8260B 25mL purge	106-43-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.6	0.1	0.5	5.6	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromo-3-Chloropropane	ug/l	SW-846 8260B 25mL purge	96-12-8	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	4.2	0.2	0.5	5.1	0.2	0.5	n.a.	n.a.	n.a.	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5
Dibromochloromethane	ug/l	SW-846 8260B 25mL purge	124-48-1	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.4	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dibromoethane	ug/l	SW-846 8260B 25mL purge	106-93-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Dibromomethane	ug/l	SW-846 8260B 25mL purge	74-95-3	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.2	0.1	0.5	5.1	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichlorobenzene	ug/l	SW-846 8260B 25mL purge	95-50-1	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.3	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichlorobenzene	ug/l	SW-846 8260B 25mL purge	541-73-1	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.6	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,4-Dichlorobenzene	ug/l	SW-846 8260B 25mL purge	106-46-7	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.4	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	SW-846 8260B 25mL purge	75-71-8	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	4.3	0.1	0.5	4.2	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethane	ug/l	SW-846 8260B 25mL purge	75-34-3	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.8	0.1	0.5	5.7	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,2-Dichloroethane	ug/l	SW-846 8260B 25mL purge	107-06-2	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.1	0.1	0.5	5.1	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloroethene	ug/l	SW-846 8260B 25mL purge	75-35-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	6.5	0.1	0.5	6.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,2-Dichloroethene	ug/l	SW-846 8260B 25mL purge	156-59-2	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.8	0.1	0.5	5.8	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,2-Dichloroethene	ug/l	SW-846 8260B 25mL purge	156-60-5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	6.1	0.1	0.5	6.0	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Dichlorodifluoromethane	ug/l	SW-846 8260B 25mL purge	75-43-4	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	6.0	0.2	0.5	5.7	0.2	0.5	n.a.	n.a.	n.a.	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5
1,2-Dichloropropane	ug/l	SW-846 8260B 25mL purge	78-87-5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.9	0.1	0.5	5.9	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,3-Dichloropropane	ug/l	SW-846 8260B 25mL purge	142-28-9	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.6	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
2,2-Dichloropropane	ug/l	SW-846 8260B 25mL purge	594-20-7	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
1,1-Dichloropropene	ug/l	SW-846 8260B 25mL purge	563-58-6	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.8	0.1	0.5	5.8	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
cis-1,3-Dichloropropene	ug/l	SW-846 8260B 25mL purge	10061-01-5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.5	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
trans-1,3-Dichloropropene	ug/l	SW-846 8260B 25mL purge	10061-02-6	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.0	0.1	0.5	5.0	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethyl ether	ug/l	SW-846 8260B 25mL purge	60-29-7	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.0	0.1	0.5	5.0	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Ethylbenzene	ug/l	SW-846 8260B 25mL purge	100-41-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.9	0.1	0.5	6.7	0.1	0.5	6.8	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Freon 113	ug/l	SW-846 8260B 25mL purge	76-13-1	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	6.1	0.2	0.5	6.0	0.2	0.5	n.a.	n.a.	n.a.	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5	N.D.	0.2	0.5
Hexachlorobutadiene	ug/l	SW-846 8260B 25mL purge	87-68-3	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	4.0	0.1	0.5	3.4	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Isopropylbenzene	ug/l	SW-846 8260B 25mL purge	98-82-8	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.2 J	0.1	0.5	6.0	0.1	0.5	6.0	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
p-Isopropyltoluene	ug/l	SW-846 8260B 25mL purge	99-87-6	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	0.2 J	0.1	0.5	5.8	0.1	0.5	5.6	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
Methyl Tertiary Butyl Ether	ug/l	SW-846 8260B 25mL purge	1634-04-4	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	5.6	0.1	0.5	5.5	0.1	0.5	n.a.	n.a.	n.a.	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5	N.D.	0.1	0.5
4-Methyl-2-Pentanone	ug/l	SW-846 8260B 25m