Non-responsive

[redacted]

24-30 inches	39	26	1,825	ND				
0-6 inches	290	ND	812	ND				
6-12 inches	1,824	ND	489	19			1/13/2015	1/13/2015
12-18 inches	241	ND	365	ND				
18-24 inches	208	ND	157	15				
24-30 inches	254	ND	391	ND				
0-6 inches	6,900	276	3,980	32	11/12/2014	11/12/2014	11/12/2014	11/12/2014
6-12 inches	23,400	667	2,372	ND	11/12/2014	11/12/2014		
12-18 inches	58,300	2,420	4,190	137	11/12/2014	11/12/2014	11/12/2014	11/12/2014
18-24 inches	91,100	3,530	4,100	104	11/12/2014	11/12/2014	11/12/2014	11/12/2014
24-30 inches	Refusal (NS)	Refusal (NS)	Native Sand (NS)	Native Sand (NS)				
0-6 inches	241	26	266	22				
6-12 inches	609	ND	676	ND				
12-18 inches	590	ND	961	ND				
18-24 inches	316	ND	5,540	114			1/13/2015	1/13/2015
24-30 inches	75	14	390	ND				
0-6 inches	1,511	Not Sampled in RI	1,100	Not Sampled in RI				
6-12 inches	13,000	434	930	Not Sampled in RI	1/20/2010	1/19/2010		
12-18 inches	16,700	567	380	Not Sampled in RI	1/20/2010	1/19/2010		
18-24 inches	Not Sampled in RI	Not Sampled in RI	138	Not Sampled in RI				
24-30 inches	Not Sampled in RI	Not Sampled in RI	Not Sampled in RI	Not Sampled in RI				
0-6 inches	343	12	291	ND	1/13/2015	1/13/2015		
6-12 inches	2,134	53	813	31				
12-18 inches	2,570	38	631	39	12/10/2014	12/10/2014	12/10/2014	12/10/2014
18-24 inches	2,099	128	1,537	40				
24-30 inches	3,016	95	2,396	49				
0-6 inches	853	53	780	26	1/20/2010	1/20/2010	10/5/2015	10/5/2015
6-12 inches	6,220	436	1,688	54	1/20/2010	1/20/2010		
12-18 inches	5,830	418	1,677	45	1/20/2010	1/20/2010		
18-24 inches	6,150	535	4,044	49	1/20/2010	1/20/2010		
24-30 inches	Not Sampled	Not Sampled	Native Sand/Refusal (NS)	Native Sand/Refusal (NS)				
0-6 inches	4,510	329	837	ND	11/11/2014	11/11/2014		
6-12 inches	25,300	1,430	1,607	ND	11/11/2014	11/11/2014		
12-18 inches	26,600	1,370	1,770	79	11/11/2014	11/11/2014	11/12/2014	11/12/2014
18-24 inches	20,300	1,110	10,900	419	11/11/2014	11/11/2014	11/12/2014	11/12/2014
24-30 inches	5,884	265	6,210	94				
0-6 inches	2,600	179	3,420	41	1/13/2015	1/13/2015	1/13/2015	1/13/2015
6-12 inches	448	11	2,176	43	12/11/2014	12/11/2014		
12-18 inches	1,560	98	895	ND	12/11/2014	12/11/2014		
18-24 inches	1,711	67	1,029	34				
24-30 inches	442	ND	745	ND				

Lab Data	Front - Lead	Front -Arsenic	Back - Lead	Back - Arsenic
Max	91,100	3,530	54,900	2,610
Min	230	6	245	7
Mean	9,326	222	6,366	161
Median	4,980	59	4,740	74

XRF Data	Front - Lead	Front -Arsenic	Back - Lead	Back - Arsenic
Max	54,772	343	16,382	328
Min	39	11	51	9
Mean	1,985	57	1,509	44
Median	1,212	36	1,061	34

Notes:

[1] X-ray Fluorescence (XRF) is a field screening tool; XRF data is considered less accurate than laboratory data, especially at high concentrations.

[2] EPA screened soil samples using XRF to evaluate whether to submit samples to a laboratory for analysis. Samples were submitted for laboratory analysis if the average of three XRF measurements for the same sample fell between 300 and 400 PPM for Pb and 20 to 50 PPM for As.

QD - Arsenic	QE - Lead	QE - Arsenic	QF - Lead	QF - Arsenic	QG - Lead	QG - Arsenic	Yard/Play Area - Lead	Yard/Play Area - Arsenic
43	1,017	ND	341	ND	1,229	45	8	NS
21	1,306	ND	1,068	ND	1,815	48	311	NS
40	1,934	ND	1,110	19	1,987	81	131	NS
Refusal/Native Sand (NS)	293	ND	198	ND	Refusal (NS)	Refusal (NS)	1,650	27
Refusal/Native Sand (NS)	103	ND	571	ND	Refusal (NS)	Refusal (NS)	Not Sampled	Not Sampled
15								
ND							74	ND
ND							47	ND
ND							Native Sand (NS)	Native Sand (NS)
6								
6								
9								
8								
ND								
ND								
23								
ND								
67								
14								
ND								
11								
ND								
12								
11								
37								
ND								
ND								

QD - Arsenic	QE - Lead	QE - Arsenic	QF - Lead	QF - Arsenic	QG - Lead	QG - Arsenic	Yard/Play Area - Lead	Yard/Play Area - Arsenic
110			1,110	19		81	1,650	27
6			1,110	19		81	1,650	27
25			1,110	19		81	1,650	27
14			1,110	19		81	1,650	27

QD - Arsenic	QE - Lead	QE - Arsenic	QF - Lead	QF - Arsenic	QG - Lead	QG - Arsenic	Yard/Play Area - Lead	Yard/Play Area - Arsenic
94	1,934		1,068		1,987	48	311	
11	103		198		1,229	45	8	
35	931		545		1,677	47	114	
24	1,017		456		1,815	47	74	

0 and 400 PPM for Pb and 20 to 50 PPM for As.