Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		101	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		84.0	%REC	8/29/2005
Toluene-d8(Surr.)		98.8	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		102	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

9540493

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		57.36	%REC	9/28/2005
	Phenol-d6(Surr.)		36.97	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		77.48	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		45.63	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		101	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		86.59	%REC	9/28/2005
Phenol	<	0.200	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
2-Chlorophenol	<	0.380	µg/L	9/28/2005
1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
Benzyl Alcohol	<	0.350	µg/L	9/28/2005
1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
2-Methylphenol	<	0.340	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
Acetophenone	<	0.640	µg/L	9/28/2005
4-Methylphenol	<	0.610	µg/L	9/28/2005
Hexachloroethane	<	0.310	µg/L	9/28/2005
Nitrobenzene	<	0.570	µg/L	9/28/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
Isophorone	<	1.40	µg/L	9/28/2005
2-Nitrophenol	<	0.410	µg/L	9/28/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005
Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005
Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		1.08	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate		0.282	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		79.90	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		67.63	%REC	9/10/2005
	Terphenyl-d14(Surr.)		75.80	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		69.37	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate	<	0.012	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine	<	0.008	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

	Dieldrin	<	0.050	µg/L	9/10/2005
	Endrin	<	0.154	µg/L	9/10/2005
	PCB-as-AR1254	<	0.026	µg/L	9/10/2005
	PCB-as-AR1260	<	0.110	µg/L	9/10/2005
	Endosulfan II	<	0.066	µg/L	9/10/2005
	p-p-DDD	<	0.012	µg/L	9/10/2005
	Endrin Aldehyde	<	0.092	µg/L	9/10/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
	p-p-DDT	<	0.012	µg/L	9/10/2005
	Hexazinone	<	0.134	µg/L	9/10/2005
	Endrin Ketone	<	0.032	µg/L	9/10/2005
	Methoxychlor	<	0.012	µg/L	9/10/2005
ICP/MS-T					
	Aluminum	<	20.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		2.22	µg/L	9/21/2005
	Barium		118	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		36.2	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		115	mg/L	9/21/2005
	Chromium		0.20	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		0.94	µg/L	9/21/2005
	Iron		20.9	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2376
Your Sample ID: CED1-MW1
Sample Type: **Report Date:** *26-Jan-06*

Lead		0.48	µg/L	9/21/2005
Magnesium		53.1	mg/L	9/21/2005
Manganese		4.21	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		0.269	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		51.3	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		41.9	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		1.09	µg/L	9/21/2005
Zinc		4.45	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		104	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		85.4	%REC	8/29/2005
Toluene-d8(Surr.)		99.2	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		108	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
ICP/MS-T					
	Aluminum	<	20.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		2.56	µg/L	9/21/2005
	Barium		80.5	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

	Boron		39.8	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		53.8	mg/L	9/21/2005
	Chromium		2.05	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		0.84	µg/L	9/21/2005
	Iron		250	µg/L	9/21/2005
	Lead		0.40	µg/L	9/21/2005
	Magnesium		44.4	mg/L	9/21/2005
	Manganese		450	µg/L	9/21/2005
	Nickel		0.86	µg/L	9/21/2005
	Potassium		0.168	mg/L	9/21/2005
	Selenium	<	0.50	µg/L	9/21/2005
	Silicon Dioxide		33.4	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		33.4	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium		0.96	µg/L	9/21/2005
	Zinc		1.37	µg/L	9/21/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		60.85	%REC	9/28/2005
	Phenol-d6(Surr.)		36.40	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		88.68	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		76.85	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		116	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		95.99	%REC	9/28/2005
Phenol	<	0.200	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
2-Chlorophenol	<	0.380	µg/L	9/28/2005
1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
Benzyl Alcohol	<	0.350	µg/L	9/28/2005
1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
2-Methylphenol	<	0.340	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
Acetophenone	<	0.640	µg/L	9/28/2005
4-Methylphenol	<	0.610	µg/L	9/28/2005
Hexachloroethane	<	0.310	µg/L	9/28/2005
Nitrobenzene	<	0.570	µg/L	9/28/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
Isophorone	<	1.40	µg/L	9/28/2005
2-Nitrophenol	<	0.410	µg/L	9/28/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005
Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005
Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.671	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate		0.273	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		74.57	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		60.90	%REC	9/10/2005
	Terphenyl-d14(Surr.)		87.67	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		59.63	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate	<	0.012	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine	<	0.008	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2377
Your Sample ID: CED1-MW2
Sample Type: **Report Date:** *26-Jan-06*

Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone	<	0.134	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005
Methoxychlor	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		94.0	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		87.6	%REC	8/29/2005
Toluene-d8(Surr.)		91.5	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		98.6	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane		6.19	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		71.27	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		54.80	%REC	9/10/2005
	Terphenyl-d14(Surr.)		96.73	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		81.87	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

PCB-as-AR1232	<	0.042	µg/L	9/10/2005
Molinate		2.83	µg/L	9/10/2005
Propachlor	<	0.014	µg/L	9/10/2005
Trifluralin	<	0.013	µg/L	9/10/2005
Alpha-BHC	<	0.016	µg/L	9/10/2005
Atraton	<	0.034	µg/L	9/10/2005
Prometon	<	0.026	µg/L	9/10/2005
Simazine	<	0.008	µg/L	9/10/2005
Atrazine	<	0.008	µg/L	9/10/2005
Beta-BHC	<	0.014	µg/L	9/10/2005
Propazine	<	0.028	µg/L	9/10/2005
Gamma-BHC	<	0.016	µg/L	9/10/2005
Terbuthylazine	<	0.018	µg/L	9/10/2005
Diazinon	<	0.040	µg/L	9/10/2005
Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005
Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone		0.614	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

	Methoxychlor	<	0.012	µg/L	9/10/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		49.25	%REC	9/28/2005
	Phenol-d6(Surr.)		32.67	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		70.44	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		85.42	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		108	%REC	9/28/2005
	Terphenyl-d14(Surr.)		90.22	%REC	9/28/2005
	Phenol	<	0.200	µg/L	9/28/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
	2-Chlorophenol	<	0.380	µg/L	9/28/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
	Benzyl Alcohol	<	0.350	µg/L	9/28/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
	2-Methylphenol	<	0.340	µg/L	9/28/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
	Acetophenone	<	0.640	µg/L	9/28/2005
	4-Methylphenol	<	0.610	µg/L	9/28/2005
	Hexachloroethane	<	0.310	µg/L	9/28/2005
	Nitrobenzene	<	0.570	µg/L	9/28/2005
	N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
	Isophorone	<	1.40	µg/L	9/28/2005
	2-Nitrophenol	<	0.410	µg/L	9/28/2005
	2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline		4.45	µg/L	9/28/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.619	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

	Bis(2-ethylhexyl)phthalate		0.284	µg/L	9/28/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/28/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
ICP/MS-T					
	Aluminum		40.1	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		2.40	µg/L	9/21/2005
	Barium		138	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		38.3	µg/L	9/21/2005
	Cadmium		0.10	µg/L	9/21/2005
	Calcium		133	mg/L	9/21/2005
	Chromium		0.18	µg/L	9/21/2005
	Cobalt		0.82	µg/L	9/21/2005
	Copper		1.36	µg/L	9/21/2005
	Iron		334	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2378
Your Sample ID: CED1-MW3
Sample Type: **Report Date:** *26-Jan-06*

Lead		0.52	µg/L	9/21/2005
Magnesium		98.4	mg/L	9/21/2005
Manganese		1390	µg/L	9/21/2005
Nickel		5.24	µg/L	9/21/2005
Potassium		0.540	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		32.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		300	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.34	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		98.2	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		95.7	%REC	8/29/2005
Toluene-d8(Surr.)		98.4	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		84.3	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane		48.2	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene		0.609	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
ICP/MS-T					
	Aluminum		49.2	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		2.48	µg/L	9/21/2005
	Barium		165	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

	Boron		33.9	µg/L	9/21/2005
	Cadmium		0.44	µg/L	9/21/2005
	Calcium		204	mg/L	9/21/2005
	Chromium		0.22	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		2.14	µg/L	9/21/2005
	Iron		140	µg/L	9/21/2005
	Lead		0.54	µg/L	9/21/2005
	Magnesium		157	mg/L	9/21/2005
	Manganese		739	µg/L	9/21/2005
	Nickel		1.98	µg/L	9/21/2005
	Potassium		0.568	mg/L	9/21/2005
	Selenium		0.70	µg/L	9/21/2005
	Silicon Dioxide		33.8	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		250	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium		1.40	µg/L	9/21/2005
	Zinc		2.79	µg/L	9/21/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		95.10	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		54.97	%REC	9/10/2005
	Terphenyl-d14(Surr.)		125	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		80.00	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

PCB-as-AR1232	<	0.042	µg/L	9/10/2005
Molinate		1.13	µg/L	9/10/2005
Propachlor	<	0.014	µg/L	9/10/2005
Trifluralin	<	0.013	µg/L	9/10/2005
Alpha-BHC	<	0.016	µg/L	9/10/2005
Atraton	<	0.034	µg/L	9/10/2005
Prometon	<	0.026	µg/L	9/10/2005
Simazine	<	0.008	µg/L	9/10/2005
Atrazine	<	0.008	µg/L	9/10/2005
Beta-BHC	<	0.014	µg/L	9/10/2005
Propazine	<	0.028	µg/L	9/10/2005
Gamma-BHC	<	0.016	µg/L	9/10/2005
Terbuthylazine	<	0.018	µg/L	9/10/2005
Diazinon	<	0.040	µg/L	9/10/2005
Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005
Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone		0.169	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

	Methoxychlor	<	0.012	µg/L	9/10/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		50.32	%REC	9/28/2005
	Phenol-d6(Surr.)		32.64	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		69.25	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		52.13	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		108	%REC	9/28/2005
	Terphenyl-d14(Surr.)		92.92	%REC	9/28/2005
	Phenol	<	0.200	µg/L	9/28/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
	2-Chlorophenol	<	0.380	µg/L	9/28/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
	Benzyl Alcohol	<	0.350	µg/L	9/28/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
	2-Methylphenol	<	0.340	µg/L	9/28/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
	Acetophenone	<	0.640	µg/L	9/28/2005
	4-Methylphenol	<	0.610	µg/L	9/28/2005
	Hexachloroethane	<	0.310	µg/L	9/28/2005
	Nitrobenzene	<	0.570	µg/L	9/28/2005
	N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
	Isophorone	<	1.40	µg/L	9/28/2005
	2-Nitrophenol	<	0.410	µg/L	9/28/2005
	2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.679	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2379
Your Sample ID: CED1-MW4
Sample Type: **Report Date:** *26-Jan-06*

Bis(2-ethylhexyl)phthalate		0.319	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005
Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		104	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		85.1	%REC	8/29/2005
Toluene-d8(Surr.)		104	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		111	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		44.70	%REC	9/28/2005
	Phenol-d6(Surr.)		28.78	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		62.97	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		76.22	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		97.81	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		95.11	%REC	9/28/2005
Phenol	<	0.200	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
2-Chlorophenol	<	0.380	µg/L	9/28/2005
1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
Benzyl Alcohol	<	0.350	µg/L	9/28/2005
1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
2-Methylphenol	<	0.340	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
Acetophenone	<	0.640	µg/L	9/28/2005
4-Methylphenol	<	0.610	µg/L	9/28/2005
Hexachloroethane	<	0.310	µg/L	9/28/2005
Nitrobenzene	<	0.570	µg/L	9/28/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
Isophorone	<	1.40	µg/L	9/28/2005
2-Nitrophenol	<	0.410	µg/L	9/28/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005
Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005
Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.591	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate		0.363	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		75.87	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		75.97	%REC	9/10/2005
	Terphenyl-d14(Surr.)		108	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		80.07	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate	<	0.012	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine	<	0.008	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

	Dieldrin	<	0.050	µg/L	9/10/2005
	Endrin	<	0.154	µg/L	9/10/2005
	PCB-as-AR1254	<	0.026	µg/L	9/10/2005
	PCB-as-AR1260	<	0.110	µg/L	9/10/2005
	Endosulfan II	<	0.066	µg/L	9/10/2005
	p-p-DDD	<	0.012	µg/L	9/10/2005
	Endrin Aldehyde	<	0.092	µg/L	9/10/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
	p-p-DDT	<	0.012	µg/L	9/10/2005
	Hexazinone	<	0.134	µg/L	9/10/2005
	Endrin Ketone	<	0.032	µg/L	9/10/2005
	Methoxychlor	<	0.012	µg/L	9/10/2005
ICP/MS-T					
	Aluminum		26.3	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		1.75	µg/L	9/21/2005
	Barium		142	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		36.5	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		83.3	mg/L	9/21/2005
	Chromium		0.58	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		0.93	µg/L	9/21/2005
	Iron		31.4	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2380
Your Sample ID: CED1-MW5
Sample Type: **Report Date:** *26-Jan-06*

Lead		0.40	µg/L	9/21/2005
Magnesium		40.4	mg/L	9/21/2005
Manganese		0.63	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		0.244	mg/L	9/21/2005
Selenium		0.90	µg/L	9/21/2005
Silicon Dioxide		42.9	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		59.2	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		0.96	µg/L	9/21/2005
Zinc		1.09	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		97.6	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		100.0	%REC	8/29/2005
Toluene-d8(Surr.)		102	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		102	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
ICP/MS-T					
	Aluminum		21.4	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		2.74	µg/L	9/21/2005
	Barium		96.0	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

	Boron		67.6	µg/L	9/21/2005
	Cadmium		0.20	µg/L	9/21/2005
	Calcium		94.9	mg/L	9/21/2005
	Chromium		0.25	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		1.41	µg/L	9/21/2005
	Iron		40.1	µg/L	9/21/2005
	Lead		0.49	µg/L	9/21/2005
	Magnesium		46.3	mg/L	9/21/2005
	Manganese		92.3	µg/L	9/21/2005
	Nickel		2.82	µg/L	9/21/2005
	Potassium		1.51	mg/L	9/21/2005
	Selenium	<	0.50	µg/L	9/21/2005
	Silicon Dioxide		48.6	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		132	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium		0.94	µg/L	9/21/2005
	Zinc		2.70	µg/L	9/21/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		81.07	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		59.17	%REC	9/10/2005
	Terphenyl-d14(Surr.)		131	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		79.43	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

PCB-as-AR1232	<	0.042	µg/L	9/10/2005
Molinate	<	0.012	µg/L	9/10/2005
Propachlor	<	0.014	µg/L	9/10/2005
Trifluralin	<	0.013	µg/L	9/10/2005
Alpha-BHC	<	0.016	µg/L	9/10/2005
Atraton	<	0.034	µg/L	9/10/2005
Prometon	<	0.026	µg/L	9/10/2005
Simazine		0.052	µg/L	9/10/2005
Atrazine	<	0.008	µg/L	9/10/2005
Beta-BHC	<	0.014	µg/L	9/10/2005
Propazine	<	0.028	µg/L	9/10/2005
Gamma-BHC	<	0.016	µg/L	9/10/2005
Terbuthylazine	<	0.018	µg/L	9/10/2005
Diazinon	<	0.040	µg/L	9/10/2005
Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005
Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone	<	0.134	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

	Methoxychlor	<	0.012	µg/L	9/10/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		60.55	%REC	9/28/2005
	Phenol-d6(Surr.)		37.58	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		90.56	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		72.43	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		129	%REC	9/28/2005
	Terphenyl-d14(Surr.)		104	%REC	9/28/2005
	Phenol	<	0.200	µg/L	9/28/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
	2-Chlorophenol	<	0.380	µg/L	9/28/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
	Benzyl Alcohol	<	0.350	µg/L	9/28/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
	2-Methylphenol	<	0.340	µg/L	9/28/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
	Acetophenone	<	0.640	µg/L	9/28/2005
	4-Methylphenol	<	0.610	µg/L	9/28/2005
	Hexachloroethane	<	0.310	µg/L	9/28/2005
	Nitrobenzene	<	0.570	µg/L	9/28/2005
	N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
	Isophorone	<	1.40	µg/L	9/28/2005
	2-Nitrophenol	<	0.410	µg/L	9/28/2005
	2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.685	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2381
Your Sample ID: EMW-1
Sample Type: **Report Date:** *26-Jan-06*

Bis(2-ethylhexyl)phthalate		0.282	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005
Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		93.5	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		80.0	%REC	8/29/2005
Toluene-d8(Surr.)		85.2	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		89.6	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane		39.9	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene		2.83	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene		61.9	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene		2.02	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene		49.3	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		47.95	%REC	9/28/2005
	Phenol-d6(Surr.)		33.17	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		65.24	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		95.14	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		138	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		96.77	%REC	9/28/2005
Phenol	<	0.200	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
2-Chlorophenol	<	0.380	µg/L	9/28/2005
1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
Benzyl Alcohol	<	0.350	µg/L	9/28/2005
1,2-Dichlorobenzene		24.8	µg/L	9/28/2005
2-Methylphenol	<	0.340	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
Acetophenone	<	0.640	µg/L	9/28/2005
4-Methylphenol	<	0.610	µg/L	9/28/2005
Hexachloroethane	<	0.310	µg/L	9/28/2005
Nitrobenzene	<	0.570	µg/L	9/28/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
Isophorone	<	1.40	µg/L	9/28/2005
2-Nitrophenol	<	0.410	µg/L	9/28/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005
Benzoic Acid		26.2	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline		359	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005
Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.497	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate		0.225	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		0.00	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		58.10	%REC	9/10/2005
	Terphenyl-d14(Surr.)		456	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		97.93	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate		1.34	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine	<	0.008	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

	Dieldrin	<	0.050	µg/L	9/10/2005
	Endrin	<	0.154	µg/L	9/10/2005
	PCB-as-AR1254	<	0.026	µg/L	9/10/2005
	PCB-as-AR1260	<	0.110	µg/L	9/10/2005
	Endosulfan II	<	0.066	µg/L	9/10/2005
	p-p-DDD	<	0.012	µg/L	9/10/2005
	Endrin Aldehyde	<	0.092	µg/L	9/10/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
	p-p-DDT	<	0.012	µg/L	9/10/2005
	Hexazinone		0.335	µg/L	9/10/2005
	Endrin Ketone	<	0.032	µg/L	9/10/2005
	Methoxychlor	<	0.012	µg/L	9/10/2005
ICP/MS-T					
	Aluminum		45.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		11.8	µg/L	9/21/2005
	Barium		679	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		242	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		242	mg/L	9/21/2005
	Chromium		0.29	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		1.00	µg/L	9/21/2005
	Iron		4660	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2382
Your Sample ID: EMW-4B
Sample Type: **Report Date:** *26-Jan-06*

Lead		0.43	µg/L	9/21/2005
Magnesium		116	mg/L	9/21/2005
Manganese		554	µg/L	9/21/2005
Nickel		13.1	µg/L	9/21/2005
Potassium		2.30	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		38.3	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		217	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		2.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		103	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		97.3	%REC	8/29/2005
Toluene-d8(Surr.)		98.7	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		97.1	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane		7.49	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene		32.8	µg/L	8/29/2005
Ethylbenzene		8.47	µg/L	8/29/2005
m+p_Xylene		2.43	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene		0.724	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene		28.1	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene		8.68	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene		61.3	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene		11.6	µg/L	8/29/2005
	1,2,4-Trimethylbenzene		103	µg/L	8/29/2005
	sec-Butylbenzene		1.09	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene		1.34	µg/L	8/29/2005
	1,2-Dichlorobenzene		79.1	µg/L	8/29/2005
	n-butylbenzene		12.8	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene		0.678	µg/L	8/29/2005
	Naphthalene		30.2	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
ICP/MS-T					
	Aluminum	<	20.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		18.1	µg/L	9/21/2005
	Barium		247	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

	Boron		132	µg/L	9/21/2005
	Cadmium		0.13	µg/L	9/21/2005
	Calcium		105	mg/L	9/21/2005
	Chromium		0.25	µg/L	9/21/2005
	Cobalt		2.33	µg/L	9/21/2005
	Copper		1.32	µg/L	9/21/2005
	Iron		606	µg/L	9/21/2005
	Lead		0.60	µg/L	9/21/2005
	Magnesium		45.4	mg/L	9/21/2005
	Manganese		2880	µg/L	9/21/2005
	Nickel		44.9	µg/L	9/21/2005
	Potassium		0.899	mg/L	9/21/2005
	Selenium		0.60	µg/L	9/21/2005
	Silicon Dioxide		46.2	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		208	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium	<	0.50	µg/L	9/21/2005
	Zinc		2.32	µg/L	9/21/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		97.78	%REC	9/28/2005
	Phenol-d6(Surr.)		78.26	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		74.13	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		99.32	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		107	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		84.52	%REC	9/28/2005
Phenol	<	4.00	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	8.20	µg/L	9/28/2005
2-Chlorophenol	<	7.60	µg/L	9/28/2005
1,3-Dichlorobenzene	<	10.2	µg/L	9/28/2005
1,4-Dichlorobenzene	<	8.60	µg/L	9/28/2005
Benzyl Alcohol	<	7.00	µg/L	9/28/2005
1,2-Dichlorobenzene		49.7	µg/L	9/28/2005
2-Methylphenol	<	6.80	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	10.6	µg/L	9/28/2005
Acetophenone	<	12.8	µg/L	9/28/2005
4-Methylphenol	<	12.2	µg/L	9/28/2005
Hexachloroethane	<	6.20	µg/L	9/28/2005
Nitrobenzene	<	11.4	µg/L	9/28/2005
N-Nitrosopiperidine	<	8.40	µg/L	9/28/2005
Isophorone	<	28.0	µg/L	9/28/2005
2-Nitrophenol	<	8.20	µg/L	9/28/2005
2,4-Dimethylphenol	<	24.0	µg/L	9/28/2005
Benzoic Acid		147	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	15.0	µg/L	9/28/2005
2,4-Dichlorophenol	<	12.0	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	7.80	µg/L	9/28/2005
Naphthalene		19.4	µg/L	9/28/2005
2,6-Dichlorophenol	<	9.40	µg/L	9/28/2005
4-Chloroaniline		4950	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	6.60	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	4.60	µg/L	9/28/2005
2-Methylnaphthalene	<	5.80	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	5.00	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	6.20	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	6.40	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	5.00	µg/L	9/28/2005
2-Chloronaphthalene	<	12.0	µg/L	9/28/2005
1-Chloronaphthalene	<	12.0	µg/L	9/28/2005
2-Nitroaniline	<	8.20	µg/L	9/28/2005
Dimethyl-phthalate	<	4.20	µg/L	9/28/2005
2,6-Dinitrotoluene	<	5.00	µg/L	9/28/2005
Acenaphthylene	<	7.80	µg/L	9/28/2005
3-Nitroaniline	<	12.0	µg/L	9/28/2005
Acenaphthene	<	7.40	µg/L	9/28/2005
2,4-Dinitrophenol	<	7.40	µg/L	9/28/2005
Pentachlorobenzene	<	12.0	µg/L	9/28/2005
4-Nitrophenol	<	12.0	µg/L	9/28/2005
Dibenzofuran	<	8.20	µg/L	9/28/2005
2,4-Dinitrotoluene	<	5.40	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	6.00	µg/L	9/28/2005
Diethyl-phthalate	<	12.6	µg/L	9/28/2005
Fluorene	<	9.40	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	11.4	µg/L	9/28/2005
4-Nitroaniline	<	9.20	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	11.6	µg/L	9/28/2005
Diphenylamine	<	25.0	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	10.6	µg/L	9/28/2005
Phenacetin	<	8.60	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	14.0	µg/L	9/28/2005
Hexachlorobenzene	<	9.20	µg/L	9/28/2005
Pentachlorophenol	<	7.80	µg/L	9/28/2005
Pentachloronitrobenzene	<	9.20	µg/L	9/28/2005
Pronamide	<	8.00	µg/L	9/28/2005
Phenanthrene	<	8.40	µg/L	9/28/2005
Anthracene	<	9.20	µg/L	9/28/2005
Di-n-butyl-phthalate	<	7.40	µg/L	9/28/2005
Fluoranthene	<	5.00	µg/L	9/28/2005
Pyrene	<	5.20	µg/L	9/28/2005
Dimethylaminoazobenzene	<	12.4	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	6.20	µg/L	9/28/2005
Benzo(a)anthracene	<	5.60	µg/L	9/28/2005
Chrysene	<	3.40	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate	<	4.20	µg/L	9/28/2005
Di-n-octyl-phthalate	<	7.40	µg/L	9/28/2005
Benzo(b)fluoranthene	<	30.0	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	13.2	µg/L	9/28/2005
Benzo(k)fluoranthene	<	7.00	µg/L	9/28/2005
Benzo(a)pyrene	<	16.0	µg/L	9/28/2005
3-Methylcholanthrene	<	11.2	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	24.0	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	40.0	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	24.0	µg/L	9/28/2005
	Methyl methanesulfonate	<	16.0	µg/L	9/28/2005
	Ethyl methanesulfonate	<	7.00	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		88.27	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		97.97	%REC	9/10/2005
	Terphenyl-d14(Surr.)		286	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		65.83	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate		0.335	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine		0.294	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2383
Your Sample ID: EMW-6B
Sample Type: **Report Date:** *26-Jan-06*

Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone	<	0.134	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005
Methoxychlor	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		102	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		89.3	%REC	8/29/2005
Toluene-d8(Surr.)		92.4	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		105	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene		1.52	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
ICP/MS-T					
	Aluminum		107	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		16.9	µg/L	9/21/2005
	Barium		142	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

	Boron		36.4	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		101	mg/L	9/21/2005
	Chromium		0.43	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		3.07	µg/L	9/21/2005
	Iron		2390	µg/L	9/21/2005
	Lead		1.45	µg/L	9/21/2005
	Magnesium		39.4	mg/L	9/21/2005
	Manganese		952	µg/L	9/21/2005
	Nickel	<	0.50	µg/L	9/21/2005
	Potassium		1.44	mg/L	9/21/2005
	Selenium	<	0.50	µg/L	9/21/2005
	Silicon Dioxide		32.2	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		13.4	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium	<	0.50	µg/L	9/21/2005
	Zinc		2.66	µg/L	9/21/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		60.87	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		145	%REC	9/10/2005
	Terphenyl-d14(Surr.)		239	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		102	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

PCB-as-AR1232	<	0.042	µg/L	9/10/2005
Molinate	<	0.012	µg/L	9/10/2005
Propachlor	<	0.014	µg/L	9/10/2005
Trifluralin	<	0.013	µg/L	9/10/2005
Alpha-BHC	<	0.016	µg/L	9/10/2005
Atraton	<	0.034	µg/L	9/10/2005
Prometon	<	0.026	µg/L	9/10/2005
Simazine	<	0.008	µg/L	9/10/2005
Atrazine	<	0.008	µg/L	9/10/2005
Beta-BHC	<	0.014	µg/L	9/10/2005
Propazine	<	0.028	µg/L	9/10/2005
Gamma-BHC	<	0.016	µg/L	9/10/2005
Terbuthylazine	<	0.018	µg/L	9/10/2005
Diazinon	<	0.040	µg/L	9/10/2005
Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005
Dieldrin	<	0.050	µg/L	9/10/2005
Endrin	<	0.154	µg/L	9/10/2005
PCB-as-AR1254	<	0.026	µg/L	9/10/2005
PCB-as-AR1260	<	0.110	µg/L	9/10/2005
Endosulfan II	<	0.066	µg/L	9/10/2005
p-p-DDD	<	0.012	µg/L	9/10/2005
Endrin Aldehyde	<	0.092	µg/L	9/10/2005
Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
p-p-DDT	<	0.012	µg/L	9/10/2005
Hexazinone	<	0.134	µg/L	9/10/2005
Endrin Ketone	<	0.032	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

	Methoxychlor	<	0.012	µg/L	9/10/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		69.57	%REC	9/28/2005
	Phenol-d6(Surr.)		43.22	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		97.30	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		88.41	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		95.83	%REC	9/28/2005
	Terphenyl-d14(Surr.)		109	%REC	9/28/2005
	Phenol	<	0.200	µg/L	9/28/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
	2-Chlorophenol	<	0.380	µg/L	9/28/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
	Benzyl Alcohol	<	0.350	µg/L	9/28/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
	2-Methylphenol	<	0.340	µg/L	9/28/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
	Acetophenone	<	0.640	µg/L	9/28/2005
	4-Methylphenol	<	0.610	µg/L	9/28/2005
	Hexachloroethane	<	0.310	µg/L	9/28/2005
	Nitrobenzene	<	0.570	µg/L	9/28/2005
	N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
	Isophorone	<	1.40	µg/L	9/28/2005
	2-Nitrophenol	<	0.410	µg/L	9/28/2005
	2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.466	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2384
Your Sample ID: AGI-05
Sample Type: **Report Date:** *26-Jan-06*

Bis(2-ethylhexyl)phthalate		0.241	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005
Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		102	%REC	8/29/2005
1,2-Dichloroethane-d4(Surr)		95.5	%REC	8/29/2005
Toluene-d8(Surr.)		100	%REC	8/29/2005
4-Bromofluorobenzene(Surr.)		100	%REC	8/29/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/29/2005
Chloromethane	<	0.484	µg/L	8/29/2005
Vinyl Chloride	<	0.169	µg/L	8/29/2005
Bromomethane	<	0.313	µg/L	8/29/2005
Chloroethane	<	0.346	µg/L	8/29/2005
Trichlorofluoromethane	<	0.104	µg/L	8/29/2005
1,1-Dichloroethene	<	0.168	µg/L	8/29/2005
Methylene_chloride	<	5.00	µg/L	8/29/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/29/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/29/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/29/2005
Bromochloromethane	<	0.212	µg/L	8/29/2005
Chloroform	<	0.570	µg/L	8/29/2005
2,2-Dichloropropane	<	0.169	µg/L	8/29/2005
1,2-Dichloroethane	<	0.240	µg/L	8/29/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/29/2005
1,1-Dichloropropene	<	0.133	µg/L	8/29/2005
Carbon Tetrachloride	<	0.098	µg/L	8/29/2005
Benzene	<	0.169	µg/L	8/29/2005
Dibromomethane	<	0.268	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/29/2005
Trichloroethene	<	0.165	µg/L	8/29/2005
Bromodichloromethane	<	0.142	µg/L	8/29/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/29/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/29/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/29/2005
Toluene	<	0.116	µg/L	8/29/2005
1,3-Dichloropropane	<	0.216	µg/L	8/29/2005
Dibromochloromethane	<	0.294	µg/L	8/29/2005
1,2-Dibromoethane	<	0.165	µg/L	8/29/2005
Tetrachloroethene	<	0.149	µg/L	8/29/2005
Chlorobenzene	<	0.220	µg/L	8/29/2005
Ethylbenzene	<	0.066	µg/L	8/29/2005
m+p_Xylene	<	0.183	µg/L	8/29/2005
Bromoform	<	0.323	µg/L	8/29/2005
Styrene	<	0.158	µg/L	8/29/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/29/2005
o-Xylene	<	0.103	µg/L	8/29/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/29/2005
Isopropylbenzene	<	0.090	µg/L	8/29/2005
Bromobenzene	<	0.224	µg/L	8/29/2005
n-Propylbenzene	<	0.037	µg/L	8/29/2005
2-Chlorotoluene	<	0.126	µg/L	8/29/2005
4-Chlorotoluene	<	0.109	µg/L	8/29/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

	tert-Butylbenzene	<	0.131	µg/L	8/29/2005
	1,2,4-Trimethylbenzene	<	0.090	µg/L	8/29/2005
	sec-Butylbenzene	<	0.096	µg/L	8/29/2005
	1,3-Dichlorobenzene	<	0.164	µg/L	8/29/2005
	1,4-Dichlorobenzene	<	0.364	µg/L	8/29/2005
	p-Isopropyltoluene	<	0.136	µg/L	8/29/2005
	1,2-Dichlorobenzene	<	0.139	µg/L	8/29/2005
	n-butylbenzene	<	0.094	µg/L	8/29/2005
	1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/29/2005
	1,2,4-Trichlorobenzene	<	0.102	µg/L	8/29/2005
	Naphthalene	<	0.157	µg/L	8/29/2005
	Hexachlorobutadiene	<	0.106	µg/L	8/29/2005
	1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/29/2005
	1,1-Dichloroethane	<	0.300	µg/L	8/29/2005
	1,2,3-Trichlorobenzene	<	0.174	µg/L	8/29/2005
	Acetone	<	7.70	µg/L	8/29/2005
	2-Butanone	<	4.80	µg/L	8/29/2005
	4-Methyl-2-pentanone	<	4.90	µg/L	8/29/2005
	2-Hexanone	<	4.10	µg/L	8/29/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		47.18	%REC	9/28/2005
	Phenol-d6(Surr.)		28.50	%REC	9/28/2005
	Nitrobenzene-d5(Surr.)		69.42	%REC	9/28/2005
	2-Fluorobiphenyl(Surr.)		99.80	%REC	9/28/2005
	2,4,6-Tribromophenol(Surr)		72.59	%REC	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

Terphenyl-d14(Surr.)		82.42	%REC	9/28/2005
Phenol	<	0.200	µg/L	9/28/2005
Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/28/2005
2-Chlorophenol	<	0.380	µg/L	9/28/2005
1,3-Dichlorobenzene	<	0.510	µg/L	9/28/2005
1,4-Dichlorobenzene	<	0.430	µg/L	9/28/2005
Benzyl Alcohol	<	0.350	µg/L	9/28/2005
1,2-Dichlorobenzene	<	0.530	µg/L	9/28/2005
2-Methylphenol	<	0.340	µg/L	9/28/2005
N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/28/2005
Acetophenone	<	0.640	µg/L	9/28/2005
4-Methylphenol	<	0.610	µg/L	9/28/2005
Hexachloroethane	<	0.310	µg/L	9/28/2005
Nitrobenzene	<	0.570	µg/L	9/28/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/28/2005
Isophorone	<	1.40	µg/L	9/28/2005
2-Nitrophenol	<	0.410	µg/L	9/28/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/28/2005
Benzoic Acid	<	2.00	µg/L	9/28/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/28/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/28/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/28/2005
Naphthalene	<	0.420	µg/L	9/28/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/28/2005
4-Chloroaniline	<	0.250	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

N-Nitrosodibutylamine	<	0.330	µg/L	9/28/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/28/2005
2-Methylnaphthalene	<	0.290	µg/L	9/28/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/28/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/28/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/28/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/28/2005
2-Chloronaphthalene	<	0.600	µg/L	9/28/2005
1-Chloronaphthalene	<	0.600	µg/L	9/28/2005
2-Nitroaniline	<	0.410	µg/L	9/28/2005
Dimethyl-phthalate	<	0.210	µg/L	9/28/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/28/2005
Acenaphthylene	<	0.390	µg/L	9/28/2005
3-Nitroaniline	<	0.600	µg/L	9/28/2005
Acenaphthene	<	0.370	µg/L	9/28/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/28/2005
Pentachlorobenzene	<	0.600	µg/L	9/28/2005
4-Nitrophenol	<	0.600	µg/L	9/28/2005
Dibenzofuran	<	0.410	µg/L	9/28/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/28/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/28/2005
Diethyl-phthalate	<	0.630	µg/L	9/28/2005
Fluorene	<	0.470	µg/L	9/28/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/28/2005
4-Nitroaniline	<	0.460	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/28/2005
Diphenylamine	<	1.25	µg/L	9/28/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/28/2005
Phenacetin	<	0.430	µg/L	9/28/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/28/2005
Hexachlorobenzene	<	0.460	µg/L	9/28/2005
Pentachlorophenol	<	0.390	µg/L	9/28/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/28/2005
Pronamide	<	0.400	µg/L	9/28/2005
Phenanthrene	<	0.420	µg/L	9/28/2005
Anthracene	<	0.460	µg/L	9/28/2005
Di-n-butyl-phthalate		0.438	µg/L	9/28/2005
Fluoranthene	<	0.250	µg/L	9/28/2005
Pyrene	<	0.260	µg/L	9/28/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/28/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/28/2005
Benzo(a)anthracene	<	0.280	µg/L	9/28/2005
Chrysene	<	0.170	µg/L	9/28/2005
Bis(2-ethylhexyl)phthalate		0.253	µg/L	9/28/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/28/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/28/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/28/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/28/2005
Benzo(a)pyrene	<	0.800	µg/L	9/28/2005
3-Methylcholanthrene	<	0.560	µg/L	9/28/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/28/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/28/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/28/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/28/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/28/2005
PEST/WATER					
	Nitrobenzene-d5(Surr.)		61.83	%REC	9/10/2005
	2-Fluorobiphenyl(Surr.)		467	%REC	9/10/2005
	Terphenyl-d14(Surr.)		267	%REC	9/10/2005
	2,4,6-Tribromophenol(Surr.)		270	%REC	9/10/2005
	PCB-as-AR1221	<	0.020	µg/L	9/10/2005
	PCB-as-AR1232	<	0.042	µg/L	9/10/2005
	Molinate	<	0.012	µg/L	9/10/2005
	Propachlor	<	0.014	µg/L	9/10/2005
	Trifluralin	<	0.013	µg/L	9/10/2005
	Alpha-BHC	<	0.016	µg/L	9/10/2005
	Atraton	<	0.034	µg/L	9/10/2005
	Prometon	<	0.026	µg/L	9/10/2005
	Simazine	<	0.008	µg/L	9/10/2005
	Atrazine	<	0.008	µg/L	9/10/2005
	Beta-BHC	<	0.014	µg/L	9/10/2005
	Propazine	<	0.028	µg/L	9/10/2005
	Gamma-BHC	<	0.016	µg/L	9/10/2005
	Terbuthylazine	<	0.018	µg/L	9/10/2005
	Diazinon	<	0.040	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

Fluchloralin	<	0.016	µg/L	9/10/2005
Fonofos	<	0.010	µg/L	9/10/2005
Delta-BHC	<	0.012	µg/L	9/10/2005
Cyprazine	<	0.016	µg/L	9/10/2005
Dimethazone	<	0.014	µg/L	9/10/2005
Metribuzin	<	0.016	µg/L	9/10/2005
Methyl-Parathion	<	0.210	µg/L	9/10/2005
Alachlor	<	0.010	µg/L	9/10/2005
PCB-as-AR1242	<	0.166	µg/L	9/10/2005
PCB-as-AR1248	<	0.456	µg/L	9/10/2005
Ametryn	<	0.012	µg/L	9/10/2005
Prometryn	<	0.008	µg/L	9/10/2005
Heptachlor	<	0.012	µg/L	9/10/2005
Terbutryn	<	0.018	µg/L	9/10/2005
Malathion	<	0.018	µg/L	9/10/2005
Dipropetryn	<	0.016	µg/L	9/10/2005
Metolachlor	<	0.006	µg/L	9/10/2005
Chlorpyrifos	<	0.012	µg/L	9/10/2005
Cyanazine	<	0.048	µg/L	9/10/2005
Aldrin	<	0.026	µg/L	9/10/2005
Pendimethalin	<	0.028	µg/L	9/10/2005
Heptachlor Epoxide	<	0.016	µg/L	9/10/2005
Technical Chlordane	<	0.108	µg/L	9/10/2005
Endosulfan I	<	0.048	µg/L	9/10/2005
p-p-DDE	<	0.024	µg/L	9/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

	Dieldrin	<	0.050	µg/L	9/10/2005
	Endrin	<	0.154	µg/L	9/10/2005
	PCB-as-AR1254	<	0.026	µg/L	9/10/2005
	PCB-as-AR1260	<	0.110	µg/L	9/10/2005
	Endosulfan II	<	0.066	µg/L	9/10/2005
	p-p-DDD	<	0.012	µg/L	9/10/2005
	Endrin Aldehyde	<	0.092	µg/L	9/10/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/10/2005
	p-p-DDT	<	0.012	µg/L	9/10/2005
	Hexazinone	<	0.134	µg/L	9/10/2005
	Endrin Ketone	<	0.032	µg/L	9/10/2005
	Methoxychlor	<	0.012	µg/L	9/10/2005
ICP/MS-T					
	Aluminum	<	20.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		7.70	µg/L	9/21/2005
	Barium		154	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		39.2	µg/L	9/21/2005
	Cadmium	<	0.10	µg/L	9/21/2005
	Calcium		86.4	mg/L	9/21/2005
	Chromium		0.11	µg/L	9/21/2005
	Cobalt	<	0.50	µg/L	9/21/2005
	Copper		0.69	µg/L	9/21/2005
	Iron		3260	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2385
Your Sample ID: AG-06
Sample Type: **Report Date:** *26-Jan-06*

Lead		0.34	µg/L	9/21/2005
Magnesium		35.3	mg/L	9/21/2005
Manganese		699	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		1.39	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		35.6	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		13.6	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		28.6	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2386
Your Sample ID: TB-01
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		118	%REC	8/31/2005
1,2-Dichloroethane-d4(Surr)		81.3	%REC	8/31/2005
Toluene-d8(Surr.)		102	%REC	8/31/2005
4-Bromofluorobenzene(Surr.)		111	%REC	8/31/2005
Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
Chloromethane	<	0.484	µg/L	8/31/2005
Vinyl Chloride	<	0.169	µg/L	8/31/2005
Bromomethane	<	0.313	µg/L	8/31/2005
Chloroethane	<	0.346	µg/L	8/31/2005
Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
Methylene_chloride	<	5.00	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
Bromochloromethane	<	0.212	µg/L	8/31/2005
Chloroform	<	0.570	µg/L	8/31/2005
2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane	<	0.240	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2386
Your Sample ID: TB-01
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005
1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2386
Your Sample ID: TB-01
Sample Type: **Report Date:** *26-Jan-06*

tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005
n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005
2-Hexanone	<	4.10	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		13500	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		7.37	mg/Kg	10/10/2005
Barium		135	mg/Kg	10/10/2005
Beryllium		0.550	mg/Kg	10/10/2005
Boron		9.04	mg/Kg	10/10/2005
Cadmium		0.291	mg/Kg	10/10/2005
Calcium		2140	mg/Kg	10/10/2005
Chromium		19.2	mg/Kg	10/10/2005
Cobalt		7.83	mg/Kg	10/10/2005
Copper		14.0	mg/Kg	10/10/2005
Iron		15300	mg/Kg	10/10/2005
Lead		22.2	mg/Kg	10/10/2005
Magnesium		2150	mg/Kg	10/10/2005
Manganese		642	mg/Kg	10/10/2005
Nickel		16.6	mg/Kg	10/10/2005
Potassium		1790	mg/Kg	10/10/2005
Selenium		0.531	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		92.8	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		25.4	mg/Kg	10/10/2005
Zinc		67.2	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		30.93	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		51.50	%REC	9/14/2005
Terphenyl-d14(Surr.)		37.73	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		89.90	%REC	9/14/2005
PCB-as-AR1221	<	0.024	µg/g	9/14/2005
PCB-as-AR1232	<	0.024	µg/g	9/14/2005
Molinate	<	0.001	µg/g	9/14/2005
Propachlor	<	0.001	µg/g	9/14/2005
Trifluralin	<	0.001	µg/g	9/14/2005
Alpha-BHC	<	0.001	µg/g	9/14/2005
Atraton	<	0.001	µg/g	9/14/2005
Prometon	<	0.001	µg/g	9/14/2005
Simazine	<	0.001	µg/g	9/14/2005
Atrazine	<	0.001	µg/g	9/14/2005
Beta-BHC	<	0.001	µg/g	9/14/2005
Propazine	<	0.001	µg/g	9/14/2005
Gamma-BHC	<	0.001	µg/g	9/14/2005
Terbuthylazine	<	0.001	µg/g	9/14/2005
Diazinon	<	0.001	µg/g	9/14/2005
Fluchloralin	<	0.001	µg/g	9/14/2005
Fonofos	<	0.001	µg/g	9/14/2005
Delta-BHC	<	0.001	µg/g	9/14/2005
Cyprazine	<	0.001	µg/g	9/14/2005
Dimethazone	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/14/2005
Methyl-Parathion	<	0.001	µg/g	9/14/2005
Alachlor	<	0.001	µg/g	9/14/2005
PCB-as-AR1242	<	0.024	µg/g	9/14/2005
PCB-as-AR1248	<	0.024	µg/g	9/14/2005
Ametryn	<	0.001	µg/g	9/14/2005
Prometryn	<	0.001	µg/g	9/14/2005
Heptachlor	<	0.001	µg/g	9/14/2005
Terbutryn	<	0.001	µg/g	9/14/2005
Malathion	<	0.001	µg/g	9/14/2005
Dipropetryn	<	0.001	µg/g	9/14/2005
Metolachlor	<	0.001	µg/g	9/14/2005
Chlorpyrifos	<	0.001	µg/g	9/14/2005
Cyanazine	<	0.001	µg/g	9/14/2005
Aldrin	<	0.001	µg/g	9/14/2005
Pendimethalin	<	0.001	µg/g	9/14/2005
Heptachlor Epoxide	<	0.001	µg/g	9/14/2005
Technical Chlorodane	<	0.001	µg/g	9/14/2005
Endosulfan I	<	0.001	µg/g	9/14/2005
p-p-DDE		0.016	µg/g	9/14/2005
Dieldrin	<	0.001	µg/g	9/14/2005
Endrin	<	0.001	µg/g	9/14/2005
PCB-as-AR1254	<	0.024	µg/g	9/14/2005
PCB-as-AR1260	<	0.024	µg/g	9/14/2005
Endosulfan II	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/14/2005
	Endrin Aldehyde	<	0.001	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/14/2005
	p-p-DDT	<	0.001	µg/g	9/14/2005
	Hexazinone	<	0.001	µg/g	9/14/2005
	Norflurazon	<	0.001	µg/g	9/14/2005
	Endrin Ketone	<	0.001	µg/g	9/14/2005
	Methoxychlor	<	0.001	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		47.42	%REC	10/4/2005
	Phenol-d6(Surr.)		21.51	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		50.29	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		76.35	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		74.08	%REC	10/4/2005
	Terphenyl-d14(Surr.)		78.87	%REC	10/4/2005
	Phenol	<	0.196	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	0.196	µg/g	10/4/2005
	2-Chlorophenol	<	0.196	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	Benzyl Alcohol	<	0.196	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	2-Methylphenol	<	0.196	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	0.196	µg/g	10/4/2005
	Acetophenone	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.196	µg/g	10/4/2005
Hexachloroethane	<	0.196	µg/g	10/4/2005
Nitrobenzene	<	0.196	µg/g	10/4/2005
N-Nitrosopiperidine	<	0.196	µg/g	10/4/2005
Isophorone	<	0.196	µg/g	10/4/2005
2-Nitrophenol	<	0.196	µg/g	10/4/2005
2,4-Dimethylphenol	<	0.196	µg/g	10/4/2005
Benzoic Acid	<	0.196	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	0.196	µg/g	10/4/2005
2,4-Dichlorophenol	<	0.196	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	0.196	µg/g	10/4/2005
Naphthalene	<	0.196	µg/g	10/4/2005
2,6-Dichlorophenol	<	0.196	µg/g	10/4/2005
4-Chloroaniline	<	0.196	µg/g	10/4/2005
N-Nitrosodibutylamine	<	0.196	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	0.196	µg/g	10/4/2005
2-Methylnaphthalene	<	0.196	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	0.196	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	0.196	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	0.196	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	0.196	µg/g	10/4/2005
2-Chloronaphthalene	<	0.196	µg/g	10/4/2005
1-Chloronaphthalene	<	0.196	µg/g	10/4/2005
2-Nitroaniline	<	0.196	µg/g	10/4/2005
Dimethyl-phthalate	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.196	µg/g	10/4/2005
Acenaphthylene	<	0.196	µg/g	10/4/2005
3-Nitroaniline	<	0.196	µg/g	10/4/2005
Acenaphthene	<	0.196	µg/g	10/4/2005
2,4-Dinitrophenol	<	0.196	µg/g	10/4/2005
Pentachlorobenzene	<	0.196	µg/g	10/4/2005
4-Nitrophenol	<	0.196	µg/g	10/4/2005
Dibenzofuran	<	0.196	µg/g	10/4/2005
2,4-Dinitrotoluene	<	0.196	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	0.196	µg/g	10/4/2005
Diethyl-phthalate	<	0.196	µg/g	10/4/2005
Fluorene	<	0.196	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	0.196	µg/g	10/4/2005
4-Nitroaniline	<	0.196	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	0.196	µg/g	10/4/2005
Diphenylamine	<	0.196	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	0.196	µg/g	10/4/2005
Phenacetin	<	0.196	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	0.196	µg/g	10/4/2005
Hexachlorobenzene	<	0.196	µg/g	10/4/2005
Pentachlorophenol	<	0.196	µg/g	10/4/2005
Pentachloronitrobenzene	<	0.196	µg/g	10/4/2005
Pronamide	<	0.196	µg/g	10/4/2005
Phenanthrene	<	0.196	µg/g	10/4/2005
Anthracene	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.196	µg/g	10/4/2005
	Fluoranthene	<	0.196	µg/g	10/4/2005
	Pyrene	<	0.196	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	0.196	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	0.196	µg/g	10/4/2005
	Benzo(a)anthracene	<	0.196	µg/g	10/4/2005
	Chrysene	<	0.196	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	0.196	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	0.196	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	0.196	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	0.196	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	0.196	µg/g	10/4/2005
	Benzo(a)pyrene	<	0.196	µg/g	10/4/2005
	3-Methylcholanthrene	<	0.196	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	0.196	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	0.196	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	0.196	µg/g	10/4/2005
	Methyl methanesulfonate	<	0.196	µg/g	10/4/2005
	Ethyl methanesulfonate	<	0.196	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		98.87	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		92.72	%REC	9/6/2005
	Toluene-d8(Surr.)		95.06	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		89.88	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.123	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.064	µg/g	9/6/2005
Vinyl Chloride	<	0.090	µg/g	9/6/2005
Bromomethane	<	0.427	µg/g	9/6/2005
Chloroethane	<	0.293	µg/g	9/6/2005
Trichlorofluoromethane	<	0.056	µg/g	9/6/2005
1,1-Dichloroethene	<	0.047	µg/g	9/6/2005
Methylene_chloride	<	1.095	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.065	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.091	µg/g	9/6/2005
1,1-Dichloroethane	<	0.046	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.084	µg/g	9/6/2005
Bromochloromethane	<	0.072	µg/g	9/6/2005
Chloroform	<	0.030	µg/g	9/6/2005
2,2-Dichloropropane	<	0.089	µg/g	9/6/2005
1,2-Dichloroethane	<	0.126	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.050	µg/g	9/6/2005
1,1-Dichloropropene	<	0.065	µg/g	9/6/2005
Carbon Tetrachloride	<	0.028	µg/g	9/6/2005
Benzene	<	0.072	µg/g	9/6/2005
Dibromomethane	<	0.195	µg/g	9/6/2005
1,2-Dichloropropane	<	0.107	µg/g	9/6/2005
Trichloroethene	<	0.066	µg/g	9/6/2005
Bromodichloromethane	<	0.071	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.094	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.092	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.085	µg/g	9/6/2005
Toluene	<	0.062	µg/g	9/6/2005
1,3-Dichloropropane	<	0.103	µg/g	9/6/2005
Dibromochloromethane	<	0.137	µg/g	9/6/2005
1,2-Dibromoethane	<	0.074	µg/g	9/6/2005
Tetrachloroethene	<	0.105	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.062	µg/g	9/6/2005
Chlorobenzene	<	0.068	µg/g	9/6/2005
Ethylbenzene	<	0.056	µg/g	9/6/2005
m+p_Xylene	<	0.131	µg/g	9/6/2005
Bromoform	<	0.171	µg/g	9/6/2005
Styrene	<	0.058	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.043	µg/g	9/6/2005
o-Xylene	<	0.055	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.200	µg/g	9/6/2005
Isopropylbenzene	<	0.065	µg/g	9/6/2005
Bromobenzene	<	0.055	µg/g	9/6/2005
n-Propylbenzene	<	0.054	µg/g	9/6/2005
2-Chlorotoluene	<	0.072	µg/g	9/6/2005
4-Chlorotoluene	<	0.088	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.033	µg/g	9/6/2005
tert-Butylbenzene	<	0.093	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.050	µg/g	9/6/2005
sec-Butylbenzene	<	0.069	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.077	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2387
Your Sample ID: SED-001
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.058	µg/g	9/6/2005
p-Isopropyltoluene	<	0.065	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.077	µg/g	9/6/2005
n-butylbenzene	<	0.079	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.094	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.125	µg/g	9/6/2005
Naphthalene	<	0.168	µg/g	9/6/2005
Hexachlorobutadiene	<	0.105	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.142	µg/g	9/6/2005
Acetone	<	1.150	µg/g	9/6/2005
2-Butanone	<	1.402	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.887	µg/g	9/6/2005
2-Hexanone	<	1.040	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		13800	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		7.08	mg/Kg	10/10/2005
Barium		146	mg/Kg	10/10/2005
Beryllium		0.493	mg/Kg	10/10/2005
Boron		9.55	mg/Kg	10/10/2005
Cadmium		0.280	mg/Kg	10/10/2005
Calcium		2420	mg/Kg	10/10/2005
Chromium		20.8	mg/Kg	10/10/2005
Cobalt		6.13	mg/Kg	10/10/2005
Copper		14.0	mg/Kg	10/10/2005
Iron		14200	mg/Kg	10/10/2005
Lead		12.7	mg/Kg	10/10/2005
Magnesium		2280	mg/Kg	10/10/2005
Manganese		734	mg/Kg	10/10/2005
Nickel		18.0	mg/Kg	10/10/2005
Potassium		1900	mg/Kg	10/10/2005
Selenium		0.640	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		90.6	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		26.5	mg/Kg	10/10/2005
Zinc		71.5	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		24.43	%REC	9/12/2005
2-Fluorobiphenyl(Surr.)		61.00	%REC	9/12/2005
Terphenyl-d14(Surr.)		115	%REC	9/12/2005
2,4,6-Tribromophenol(Surr)		80.10	%REC	9/12/2005
PCB-as-AR1221	<	0.027	µg/g	9/12/2005
PCB-as-AR1232	<	0.027	µg/g	9/12/2005
Molinate	<	0.001	µg/g	9/12/2005
Propachlor	<	0.001	µg/g	9/12/2005
Trifluralin	<	0.001	µg/g	9/12/2005
Alpha-BHC	<	0.001	µg/g	9/12/2005
Atraton	<	0.001	µg/g	9/12/2005
Prometon	<	0.001	µg/g	9/12/2005
Simazine	<	0.001	µg/g	9/12/2005
Atrazine	<	0.001	µg/g	9/12/2005
Beta-BHC	<	0.001	µg/g	9/12/2005
Propazine	<	0.001	µg/g	9/12/2005
Gamma-BHC	<	0.001	µg/g	9/12/2005
Terbuthylazine	<	0.001	µg/g	9/12/2005
Diazinon	<	0.001	µg/g	9/12/2005
Fluchloralin	<	0.001	µg/g	9/12/2005
Fonofos	<	0.001	µg/g	9/12/2005
Delta-BHC	<	0.001	µg/g	9/12/2005
Cyprazine	<	0.001	µg/g	9/12/2005
Dimethazone	<	0.001	µg/g	9/12/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/12/2005
Methyl-Parathion	<	0.001	µg/g	9/12/2005
Alachlor	<	0.001	µg/g	9/12/2005
PCB-as-AR1242	<	0.027	µg/g	9/12/2005
PCB-as-AR1248	<	0.027	µg/g	9/12/2005
Ametryn	<	0.001	µg/g	9/12/2005
Prometryn	<	0.001	µg/g	9/12/2005
Heptachlor	<	0.001	µg/g	9/12/2005
Terbutryn	<	0.001	µg/g	9/12/2005
Malathion	<	0.001	µg/g	9/12/2005
Dipropetryn	<	0.001	µg/g	9/12/2005
Metolachlor	<	0.001	µg/g	9/12/2005
Chlorpyrifos	<	0.001	µg/g	9/12/2005
Cyanazine	<	0.001	µg/g	9/12/2005
Aldrin	<	0.001	µg/g	9/12/2005
Pendimethalin	<	0.001	µg/g	9/12/2005
Heptachlor Epoxide	<	0.001	µg/g	9/12/2005
Technical Chlorodane	<	0.001	µg/g	9/12/2005
Endosulfan I	<	0.001	µg/g	9/12/2005
p-p-DDE		0.005	µg/g	9/12/2005
Dieldrin	<	0.001	µg/g	9/12/2005
Endrin	<	0.001	µg/g	9/12/2005
PCB-as-AR1254	<	0.027	µg/g	9/12/2005
PCB-as-AR1260	<	0.027	µg/g	9/12/2005
Endosulfan II	<	0.001	µg/g	9/12/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/12/2005
	Endrin Aldehyde	<	0.001	µg/g	9/12/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/12/2005
	p-p-DDT	<	0.001	µg/g	9/12/2005
	Hexazinone	<	0.001	µg/g	9/12/2005
	Norflurazon	<	0.001	µg/g	9/12/2005
	Endrin Ketone	<	0.001	µg/g	9/12/2005
	Methoxychlor	<	0.001	µg/g	9/12/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		41.56	%REC	10/4/2005
	Phenol-d6(Surr.)		28.06	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		43.11	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		71.31	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		79.39	%REC	10/4/2005
	Terphenyl-d14(Surr.)		78.86	%REC	10/4/2005
	Phenol	<	0.196	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	0.196	µg/g	10/4/2005
	2-Chlorophenol	<	0.196	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	Benzyl Alcohol	<	0.196	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	0.196	µg/g	10/4/2005
	2-Methylphenol	<	0.196	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	0.196	µg/g	10/4/2005
	Acetophenone	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.196	µg/g	10/4/2005
Hexachloroethane	<	0.196	µg/g	10/4/2005
Nitrobenzene	<	0.196	µg/g	10/4/2005
N-Nitrosopiperidine	<	0.196	µg/g	10/4/2005
Isophorone	<	0.196	µg/g	10/4/2005
2-Nitrophenol	<	0.196	µg/g	10/4/2005
2,4-Dimethylphenol	<	0.196	µg/g	10/4/2005
Benzoic Acid	<	0.196	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	0.196	µg/g	10/4/2005
2,4-Dichlorophenol	<	0.196	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	0.196	µg/g	10/4/2005
Naphthalene	<	0.196	µg/g	10/4/2005
2,6-Dichlorophenol	<	0.196	µg/g	10/4/2005
4-Chloroaniline	<	0.196	µg/g	10/4/2005
N-Nitrosodibutylamine	<	0.196	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	0.196	µg/g	10/4/2005
2-Methylnaphthalene	<	0.196	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	0.196	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	0.196	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	0.196	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	0.196	µg/g	10/4/2005
2-Chloronaphthalene	<	0.196	µg/g	10/4/2005
1-Chloronaphthalene	<	0.196	µg/g	10/4/2005
2-Nitroaniline	<	0.196	µg/g	10/4/2005
Dimethyl-phthalate	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.196	µg/g	10/4/2005
Acenaphthylene	<	0.196	µg/g	10/4/2005
3-Nitroaniline	<	0.196	µg/g	10/4/2005
Acenaphthene	<	0.196	µg/g	10/4/2005
2,4-Dinitrophenol	<	0.196	µg/g	10/4/2005
Pentachlorobenzene	<	0.196	µg/g	10/4/2005
4-Nitrophenol	<	0.196	µg/g	10/4/2005
Dibenzofuran	<	0.196	µg/g	10/4/2005
2,4-Dinitrotoluene	<	0.196	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	0.196	µg/g	10/4/2005
Diethyl-phthalate	<	0.196	µg/g	10/4/2005
Fluorene	<	0.196	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	0.196	µg/g	10/4/2005
4-Nitroaniline	<	0.196	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	0.196	µg/g	10/4/2005
Diphenylamine	<	0.196	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	0.196	µg/g	10/4/2005
Phenacetin	<	0.196	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	0.196	µg/g	10/4/2005
Hexachlorobenzene	<	0.196	µg/g	10/4/2005
Pentachlorophenol	<	0.196	µg/g	10/4/2005
Pentachloronitrobenzene	<	0.196	µg/g	10/4/2005
Pronamide	<	0.196	µg/g	10/4/2005
Phenanthrene	<	0.196	µg/g	10/4/2005
Anthracene	<	0.196	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.196	µg/g	10/4/2005
	Fluoranthene	<	0.196	µg/g	10/4/2005
	Pyrene	<	0.196	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	0.196	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	0.196	µg/g	10/4/2005
	Benzo(a)anthracene	<	0.196	µg/g	10/4/2005
	Chrysene	<	0.196	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	0.196	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	0.196	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	0.196	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	0.196	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	0.196	µg/g	10/4/2005
	Benzo(a)pyrene	<	0.196	µg/g	10/4/2005
	3-Methylcholanthrene	<	0.196	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	0.196	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	0.196	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	0.196	µg/g	10/4/2005
	Methyl methanesulfonate	<	0.196	µg/g	10/4/2005
	Ethyl methanesulfonate	<	0.196	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		82.00	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		81.10	%REC	9/6/2005
	Toluene-d8(Surr.)		87.80	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		82.80	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.121	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane		? 0.077	µg/g	9/6/2005
Vinyl Chloride	<	0.089	µg/g	9/6/2005
Bromomethane	<	0.422	µg/g	9/6/2005
Chloroethane		? 1.394	µg/g	9/6/2005
Trichlorofluoromethane	<	0.055	µg/g	9/6/2005
1,1-Dichloroethene	<	0.046	µg/g	9/6/2005
Methylene_chloride	<	1.081	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.064	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.090	µg/g	9/6/2005
1,1-Dichloroethane	<	0.045	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.083	µg/g	9/6/2005
Bromochloromethane	<	0.071	µg/g	9/6/2005
Chloroform	<	0.029	µg/g	9/6/2005
2,2-Dichloropropane	<	0.088	µg/g	9/6/2005
1,2-Dichloroethane	<	0.124	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.050	µg/g	9/6/2005
1,1-Dichloropropene	<	0.064	µg/g	9/6/2005
Carbon Tetrachloride	<	0.028	µg/g	9/6/2005
Benzene	<	0.071	µg/g	9/6/2005
Dibromomethane	<	0.192	µg/g	9/6/2005
1,2-Dichloropropane	<	0.106	µg/g	9/6/2005
Trichloroethene	<	0.065	µg/g	9/6/2005
Bromodichloromethane	<	0.070	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.093	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.091	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.084	µg/g	9/6/2005
Toluene	<	0.062	µg/g	9/6/2005
1,3-Dichloropropane	<	0.102	µg/g	9/6/2005
Dibromochloromethane	<	0.135	µg/g	9/6/2005
1,2-Dibromoethane	<	0.074	µg/g	9/6/2005
Tetrachloroethene	<	0.104	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.062	µg/g	9/6/2005
Chlorobenzene	<	0.067	µg/g	9/6/2005
Ethylbenzene	<	0.055	µg/g	9/6/2005
m+p_Xylene	<	0.130	µg/g	9/6/2005
Bromoform	<	0.169	µg/g	9/6/2005
Styrene	<	0.057	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.042	µg/g	9/6/2005
o-Xylene	<	0.054	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.198	µg/g	9/6/2005
Isopropylbenzene	<	0.064	µg/g	9/6/2005
Bromobenzene	<	0.054	µg/g	9/6/2005
n-Propylbenzene	<	0.053	µg/g	9/6/2005
2-Chlorotoluene	<	0.071	µg/g	9/6/2005
4-Chlorotoluene	<	0.086	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.032	µg/g	9/6/2005
tert-Butylbenzene	<	0.092	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.050	µg/g	9/6/2005
sec-Butylbenzene	<	0.068	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.076	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2388
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.057	µg/g	9/6/2005
p-Isopropyltoluene	<	0.064	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.076	µg/g	9/6/2005
n-butylbenzene	<	0.078	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.093	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.123	µg/g	9/6/2005
Naphthalene	<	0.165	µg/g	9/6/2005
Hexachlorobutadiene	<	0.104	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.141	µg/g	9/6/2005
Acetone	<	1.135	µg/g	9/6/2005
2-Butanone	<	1.384	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.876	µg/g	9/6/2005
2-Hexanone	<	1.027	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		9120	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		4.65	mg/Kg	10/10/2005
Barium		155	mg/Kg	10/10/2005
Beryllium		0.439	mg/Kg	10/10/2005
Boron		7.63	mg/Kg	10/10/2005
Cadmium		0.195	mg/Kg	10/10/2005
Calcium		1400	mg/Kg	10/10/2005
Chromium		20.8	mg/Kg	10/10/2005
Cobalt		3.97	mg/Kg	10/10/2005
Copper		8.07	mg/Kg	10/10/2005
Iron		13400	mg/Kg	10/10/2005
Lead		10.6	mg/Kg	10/10/2005
Magnesium		1890	mg/Kg	10/10/2005
Manganese		662	mg/Kg	10/10/2005
Nickel		10.7	mg/Kg	10/10/2005
Potassium		1390	mg/Kg	10/10/2005
Selenium	<	0.500	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		76.4	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		28.4	mg/Kg	10/10/2005
Zinc		29.4	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		26.27	%REC	9/12/2005
2-Fluorobiphenyl(Surr.)		80.23	%REC	9/12/2005
Terphenyl-d14(Surr.)		133	%REC	9/12/2005
2,4,6-Tribromophenol(Surr)		109	%REC	9/12/2005
PCB-as-AR1221	<	0.026	µg/g	9/12/2005
PCB-as-AR1232	<	0.026	µg/g	9/12/2005
Molinate	<	0.001	µg/g	9/12/2005
Propachlor	<	0.001	µg/g	9/12/2005
Trifluralin	<	0.001	µg/g	9/12/2005
Alpha-BHC	<	0.001	µg/g	9/12/2005
Atraton	<	0.001	µg/g	9/12/2005
Prometon	<	0.001	µg/g	9/12/2005
Simazine	<	0.001	µg/g	9/12/2005
Atrazine	<	0.001	µg/g	9/12/2005
Beta-BHC	<	0.001	µg/g	9/12/2005
Propazine	<	0.001	µg/g	9/12/2005
Gamma-BHC	<	0.001	µg/g	9/12/2005
Terbuthylazine	<	0.001	µg/g	9/12/2005
Diazinon	<	0.001	µg/g	9/12/2005
Fluchloralin	<	0.001	µg/g	9/12/2005
Fonofos	<	0.001	µg/g	9/12/2005
Delta-BHC	<	0.001	µg/g	9/12/2005
Cyprazine	<	0.001	µg/g	9/12/2005
Dimethazone	<	0.001	µg/g	9/12/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/12/2005
Methyl-Parathion	<	0.001	µg/g	9/12/2005
Alachlor	<	0.001	µg/g	9/12/2005
PCB-as-AR1242	<	0.026	µg/g	9/12/2005
PCB-as-AR1248	<	0.026	µg/g	9/12/2005
Ametryn	<	0.001	µg/g	9/12/2005
Prometryn	<	0.001	µg/g	9/12/2005
Heptachlor	<	0.001	µg/g	9/12/2005
Terbutryn	<	0.001	µg/g	9/12/2005
Malathion	<	0.001	µg/g	9/12/2005
Dipropetryn	<	0.001	µg/g	9/12/2005
Metolachlor	<	0.001	µg/g	9/12/2005
Chlorpyrifos	<	0.001	µg/g	9/12/2005
Cyanazine	<	0.001	µg/g	9/12/2005
Aldrin	<	0.001	µg/g	9/12/2005
Pendimethalin	<	0.001	µg/g	9/12/2005
Heptachlor Epoxide	<	0.001	µg/g	9/12/2005
Technical Chlorodane	<	0.001	µg/g	9/12/2005
Endosulfan I	<	0.001	µg/g	9/12/2005
p-p-DDE	<	0.001	µg/g	9/12/2005
Dieldrin	<	0.001	µg/g	9/12/2005
Endrin	<	0.001	µg/g	9/12/2005
PCB-as-AR1254	<	0.026	µg/g	9/12/2005
PCB-as-AR1260	<	0.026	µg/g	9/12/2005
Endosulfan II	<	0.001	µg/g	9/12/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/12/2005
	Endrin Aldehyde	<	0.001	µg/g	9/12/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/12/2005
	p-p-DDT	<	0.001	µg/g	9/12/2005
	Hexazinone	<	0.001	µg/g	9/12/2005
	Norflurazon	<	0.001	µg/g	9/12/2005
	Endrin Ketone	<	0.001	µg/g	9/12/2005
	Methoxychlor	<	0.001	µg/g	9/12/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		49.74	%REC	10/4/2005
	Phenol-d6(Surr.)		35.32	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		58.93	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		87.08	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		94.75	%REC	10/4/2005
	Terphenyl-d14(Surr.)		82.08	%REC	10/4/2005
	Phenol	<	0.195	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	0.195	µg/g	10/4/2005
	2-Chlorophenol	<	0.195	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	0.195	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	0.195	µg/g	10/4/2005
	Benzyl Alcohol	<	0.195	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	0.195	µg/g	10/4/2005
	2-Methylphenol	<	0.195	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	0.195	µg/g	10/4/2005
	Acetophenone	<	0.195	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.195	µg/g	10/4/2005
Hexachloroethane	<	0.195	µg/g	10/4/2005
Nitrobenzene	<	0.195	µg/g	10/4/2005
N-Nitrosopiperidine	<	0.195	µg/g	10/4/2005
Isophorone	<	0.195	µg/g	10/4/2005
2-Nitrophenol	<	0.195	µg/g	10/4/2005
2,4-Dimethylphenol	<	0.195	µg/g	10/4/2005
Benzoic Acid	<	0.195	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	0.195	µg/g	10/4/2005
2,4-Dichlorophenol	<	0.195	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	0.195	µg/g	10/4/2005
Naphthalene	<	0.195	µg/g	10/4/2005
2,6-Dichlorophenol	<	0.195	µg/g	10/4/2005
4-Chloroaniline	<	0.195	µg/g	10/4/2005
N-Nitrosodibutylamine	<	0.195	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	0.195	µg/g	10/4/2005
2-Methylnaphthalene	<	0.195	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	0.195	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	0.195	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	0.195	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	0.195	µg/g	10/4/2005
2-Chloronaphthalene	<	0.195	µg/g	10/4/2005
1-Chloronaphthalene	<	0.195	µg/g	10/4/2005
2-Nitroaniline	<	0.195	µg/g	10/4/2005
Dimethyl-phthalate	<	0.195	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.195	µg/g	10/4/2005
Acenaphthylene	<	0.195	µg/g	10/4/2005
3-Nitroaniline	<	0.195	µg/g	10/4/2005
Acenaphthene	<	0.195	µg/g	10/4/2005
2,4-Dinitrophenol	<	0.195	µg/g	10/4/2005
Pentachlorobenzene	<	0.195	µg/g	10/4/2005
4-Nitrophenol	<	0.195	µg/g	10/4/2005
Dibenzofuran	<	0.195	µg/g	10/4/2005
2,4-Dinitrotoluene	<	0.195	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	0.195	µg/g	10/4/2005
Diethyl-phthalate	<	0.195	µg/g	10/4/2005
Fluorene	<	0.195	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	0.195	µg/g	10/4/2005
4-Nitroaniline	<	0.195	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	0.195	µg/g	10/4/2005
Diphenylamine	<	0.195	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	0.195	µg/g	10/4/2005
Phenacetin	<	0.195	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	0.195	µg/g	10/4/2005
Hexachlorobenzene	<	0.195	µg/g	10/4/2005
Pentachlorophenol	<	0.195	µg/g	10/4/2005
Pentachloronitrobenzene	<	0.195	µg/g	10/4/2005
Pronamide	<	0.195	µg/g	10/4/2005
Phenanthrene	<	0.195	µg/g	10/4/2005
Anthracene	<	0.195	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.195	µg/g	10/4/2005
	Fluoranthene	<	0.195	µg/g	10/4/2005
	Pyrene	<	0.195	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	0.195	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	0.195	µg/g	10/4/2005
	Benzo(a)anthracene	<	0.195	µg/g	10/4/2005
	Chrysene	<	0.195	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	0.195	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	0.195	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	0.195	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	0.195	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	0.195	µg/g	10/4/2005
	Benzo(a)pyrene	<	0.195	µg/g	10/4/2005
	3-Methylcholanthrene	<	0.195	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	0.195	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	0.195	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	0.195	µg/g	10/4/2005
	Methyl methanesulfonate	<	0.195	µg/g	10/4/2005
	Ethyl methanesulfonate	<	0.195	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		94.90	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		101.3	%REC	9/6/2005
	Toluene-d8(Surr.)		99.50	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		95.30	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.120	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.062	µg/g	9/6/2005
Vinyl Chloride	<	0.088	µg/g	9/6/2005
Bromomethane	<	0.417	µg/g	9/6/2005
Chloroethane	<	0.287	µg/g	9/6/2005
Trichlorofluoromethane	<	0.055	µg/g	9/6/2005
1,1-Dichloroethene	<	0.046	µg/g	9/6/2005
Methylene_chloride	<	1.070	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.063	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.089	µg/g	9/6/2005
1,1-Dichloroethane	<	0.045	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.082	µg/g	9/6/2005
Bromochloromethane	<	0.071	µg/g	9/6/2005
Chloroform	<	0.029	µg/g	9/6/2005
2,2-Dichloropropane	<	0.087	µg/g	9/6/2005
1,2-Dichloroethane	<	0.123	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.049	µg/g	9/6/2005
1,1-Dichloropropene	<	0.063	µg/g	9/6/2005
Carbon Tetrachloride	<	0.028	µg/g	9/6/2005
Benzene	<	0.071	µg/g	9/6/2005
Dibromomethane	<	0.190	µg/g	9/6/2005
1,2-Dichloropropane	<	0.105	µg/g	9/6/2005
Trichloroethene	<	0.064	µg/g	9/6/2005
Bromodichloromethane	<	0.070	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.092	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.090	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.083	µg/g	9/6/2005
Toluene	<	0.061	µg/g	9/6/2005
1,3-Dichloropropane	<	0.101	µg/g	9/6/2005
Dibromochloromethane	<	0.134	µg/g	9/6/2005
1,2-Dibromoethane	<	0.073	µg/g	9/6/2005
Tetrachloroethene	<	0.103	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.061	µg/g	9/6/2005
Chlorobenzene	<	0.066	µg/g	9/6/2005
Ethylbenzene	<	0.055	µg/g	9/6/2005
m+p_Xylene	<	0.128	µg/g	9/6/2005
Bromoform	<	0.167	µg/g	9/6/2005
Styrene	<	0.057	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.042	µg/g	9/6/2005
o-Xylene	<	0.054	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.196	µg/g	9/6/2005
Isopropylbenzene	<	0.063	µg/g	9/6/2005
Bromobenzene	<	0.054	µg/g	9/6/2005
n-Propylbenzene	<	0.052	µg/g	9/6/2005
2-Chlorotoluene	<	0.071	µg/g	9/6/2005
4-Chlorotoluene	<	0.086	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.032	µg/g	9/6/2005
tert-Butylbenzene	<	0.091	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.049	µg/g	9/6/2005
sec-Butylbenzene	<	0.067	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.075	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2389
Your Sample ID: SED-002
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.057	µg/g	9/6/2005
p-Isopropyltoluene	<	0.063	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.075	µg/g	9/6/2005
n-butylbenzene	<	0.077	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.092	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.122	µg/g	9/6/2005
Naphthalene	<	0.164	µg/g	9/6/2005
Hexachlorobutadiene	<	0.103	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.139	µg/g	9/6/2005
Acetone		1.509	µg/g	9/6/2005
2-Butanone	<	1.370	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.867	µg/g	9/6/2005
2-Hexanone	<	1.016	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		18.4	µg/L	9/21/2005
Barium		137	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		44.6	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		101	mg/L	9/21/2005
Chromium		0.11	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		0.93	µg/L	9/21/2005
Iron		2880	µg/L	9/21/2005
Lead		0.33	µg/L	9/21/2005
Magnesium		42.3	mg/L	9/21/2005
Manganese		988	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		2.06	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		28.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		12.7	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		2.46	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		54.60	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		97.40	%REC	9/13/2005
Terphenyl-d14(Surr.)		214	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		90.90	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		55.24	%REC	9/29/2005
	Phenol-d6(Surr.)		34.82	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		75.46	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		83.32	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		91.21	%REC	9/29/2005
	Terphenyl-d14(Surr.)		103	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.504	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.215	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		97.7	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		0.00	%REC	8/31/2005
	Toluene-d8(Surr.)		99.8	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		112	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
	Chloromethane	<	0.484	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	8/31/2005
Bromomethane	<	0.313	µg/L	8/31/2005
Chloroethane	<	0.346	µg/L	8/31/2005
Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
Methylene_chloride	<	5.00	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
Bromochloromethane	<	0.212	µg/L	8/31/2005
Chloroform	<	0.570	µg/L	8/31/2005
2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane		2640	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005
1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005
tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2398
Your Sample ID: OFFMW2
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005
2-Hexanone	<	4.10	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		20.1	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		13.2	µg/L	9/21/2005
Barium		183	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		91.4	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		102	mg/L	9/21/2005
Chromium		0.11	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		1.86	µg/L	9/21/2005
Iron		3330	µg/L	9/21/2005
Lead		0.34	µg/L	9/21/2005
Magnesium		38.7	mg/L	9/21/2005
Manganese		922	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		2.27	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		26.9	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		20.6	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.42	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		50.43	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		51.63	%REC	9/13/2005
Terphenyl-d14(Surr.)		117	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		42.33	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		47.81	%REC	9/29/2005
	Phenol-d6(Surr.)		29.27	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		63.86	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		72.52	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		97.09	%REC	9/29/2005
	Terphenyl-d14(Surr.)		104	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.436	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		108	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		63.0	%REC	8/31/2005
	Toluene-d8(Surr.)		94.5	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		109	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
	Chloromethane	<	0.484	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	8/31/2005
Bromomethane	<	0.313	µg/L	8/31/2005
Chloroethane	<	0.346	µg/L	8/31/2005
Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
Methylene_chloride	<	5.00	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
Bromochloromethane	<	0.212	µg/L	8/31/2005
Chloroform	<	0.570	µg/L	8/31/2005
2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane		838	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005
1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005
tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2399
Your Sample ID: OFFMW1
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005
2-Hexanone	<	4.10	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		17.6	µg/L	9/21/2005
Barium		134	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		47.3	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		98.2	mg/L	9/21/2005
Chromium		0.12	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		0.93	µg/L	9/21/2005
Iron		2690	µg/L	9/21/2005
Lead		0.33	µg/L	9/21/2005
Magnesium		41.5	mg/L	9/21/2005
Manganese		931	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		1.99	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		26.6	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		12.4	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		2.49	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		15.77	%REC	9/13/2005
Terphenyl-d14(Surr.)		214	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		182	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		53.97	%REC	9/29/2005
	Phenol-d6(Surr.)		32.75	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		67.31	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		83.20	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		82.49	%REC	9/29/2005
	Terphenyl-d14(Surr.)		88.36	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.475	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		102	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		66.9	%REC	8/31/2005
	Toluene-d8(Surr.)		94.3	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		98.7	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
	Chloromethane	<	0.484	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	8/31/2005
Bromomethane	<	0.313	µg/L	8/31/2005
Chloroethane	<	0.346	µg/L	8/31/2005
Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
Methylene_chloride	<	5.00	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
Bromochloromethane	<	0.212	µg/L	8/31/2005
Chloroform	<	0.570	µg/L	8/31/2005
2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane		3030	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005
1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005
tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2400
Your Sample ID: OFFMW5
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005
2-Hexanone	<	4.10	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		31.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		31.2	µg/L	9/21/2005
Barium		457	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		62.1	µg/L	9/21/2005
Cadmium		0.12	µg/L	9/21/2005
Calcium		233	mg/L	9/21/2005
Chromium		0.27	µg/L	9/21/2005
Cobalt		3.86	µg/L	9/21/2005
Copper		2.79	µg/L	9/21/2005
Iron		17000	µg/L	9/21/2005
Lead		1.09	µg/L	9/21/2005
Magnesium		102	mg/L	9/21/2005
Manganese		1870	µg/L	9/21/2005
Nickel		57.0	µg/L	9/21/2005
Potassium		3.10	mg/L	9/21/2005
Selenium		1.05	µg/L	9/21/2005
Silicon Dioxide		33.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		54.2	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		603	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		31.43	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		45.70	%REC	9/13/2005
Terphenyl-d14(Surr.)		92.47	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		41.53	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		57.03	%REC	9/29/2005
	Phenol-d6(Surr.)		39.02	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		74.44	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		92.37	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		103	%REC	9/29/2005
	Terphenyl-d14(Surr.)		99.26	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether		9.06	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.460	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.296	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		107	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		88.4	%REC	8/31/2005
	Toluene-d8(Surr.)		96.3	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		105	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
	Chloromethane	<	0.484	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	8/31/2005
Bromomethane	<	0.313	µg/L	8/31/2005
Chloroethane		14.5	µg/L	8/31/2005
Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
Methylene_chloride	<	5.00	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
Bromochloromethane	<	0.212	µg/L	8/31/2005
Chloroform	<	0.570	µg/L	8/31/2005
2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane		250	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005
1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005
1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005
tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2401
Your Sample ID: OFFMW3
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005
2-Hexanone	<	4.10	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		46.20	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		66.77	%REC	9/13/2005
Terphenyl-d14(Surr.)		93.07	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		71.07	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		97.3	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		95.2	%REC	8/31/2005
	Toluene-d8(Surr.)		99.8	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		113	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.188	µg/L	8/31/2005
	Chloromethane	<	0.484	µg/L	8/31/2005
	Vinyl Chloride	<	0.169	µg/L	8/31/2005
	Bromomethane	<	0.313	µg/L	8/31/2005
	Chloroethane	<	0.346	µg/L	8/31/2005
	Trichlorofluoromethane	<	0.104	µg/L	8/31/2005
	1,1-Dichloroethene	<	0.168	µg/L	8/31/2005
	Methylene_chloride	<	5.00	µg/L	8/31/2005
	trans-1-2-Dichloroethene	<	0.104	µg/L	8/31/2005
	cis-1-2-Dichloroethene	<	0.073	µg/L	8/31/2005
	Methyl Tert-Butyl Ether	<	0.300	µg/L	8/31/2005
	Bromochloromethane	<	0.212	µg/L	8/31/2005
	Chloroform	<	0.570	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

2,2-Dichloropropane	<	0.169	µg/L	8/31/2005
1,2-Dichloroethane	<	0.240	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.129	µg/L	8/31/2005
1,1-Dichloropropene	<	0.133	µg/L	8/31/2005
Carbon Tetrachloride	<	0.098	µg/L	8/31/2005
Benzene	<	0.169	µg/L	8/31/2005
Dibromomethane	<	0.268	µg/L	8/31/2005
1,2-Dichloropropane	<	0.140	µg/L	8/31/2005
Trichloroethene	<	0.165	µg/L	8/31/2005
Bromodichloromethane	<	0.142	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.091	µg/L	8/31/2005
Toluene	<	0.116	µg/L	8/31/2005
1,3-Dichloropropane	<	0.216	µg/L	8/31/2005
Dibromochloromethane	<	0.294	µg/L	8/31/2005
1,2-Dibromoethane	<	0.165	µg/L	8/31/2005
Tetrachloroethene	<	0.149	µg/L	8/31/2005
Chlorobenzene	<	0.220	µg/L	8/31/2005
Ethylbenzene	<	0.066	µg/L	8/31/2005
m+p_Xylene	<	0.183	µg/L	8/31/2005
Bromoform	<	0.323	µg/L	8/31/2005
Styrene	<	0.158	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	8/31/2005
o-Xylene	<	0.103	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

1,2,3-Trichloropropane	<	0.937	µg/L	8/31/2005
Isopropylbenzene	<	0.090	µg/L	8/31/2005
Bromobenzene	<	0.224	µg/L	8/31/2005
n-Propylbenzene	<	0.037	µg/L	8/31/2005
2-Chlorotoluene	<	0.126	µg/L	8/31/2005
4-Chlorotoluene	<	0.109	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	8/31/2005
tert-Butylbenzene	<	0.131	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	8/31/2005
sec-Butylbenzene	<	0.096	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.164	µg/L	8/31/2005
1,4-Dichlorobenzene	<	0.364	µg/L	8/31/2005
p-Isopropyltoluene	<	0.136	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.139	µg/L	8/31/2005
n-butylbenzene	<	0.094	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	8/31/2005
Naphthalene	<	0.157	µg/L	8/31/2005
Hexachlorobutadiene	<	0.106	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	8/31/2005
1,1-Dichloroethane	<	0.300	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	8/31/2005
Acetone	<	7.70	µg/L	8/31/2005
2-Butanone	<	4.80	µg/L	8/31/2005
4-Methyl-2-pentanone	<	4.90	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

	2-Hexanone	<	4.10	µg/L	8/31/2005
ICP/MS-T					
	Aluminum	<	20.0	µg/L	9/21/2005
	Antimony	<	5.00	µg/L	9/21/2005
	Arsenic		3.98	µg/L	9/21/2005
	Barium		2.06	µg/L	9/21/2005
	Beryllium	<	0.10	µg/L	9/21/2005
	Boron		59.8	µg/L	9/21/2005
	Cadmium		0.33	µg/L	9/21/2005
	Calcium		78.5	mg/L	9/21/2005
	Chromium		0.27	µg/L	9/21/2005
	Cobalt		0.66	µg/L	9/21/2005
	Copper		1.58	µg/L	9/21/2005
	Iron		969	µg/L	9/21/2005
	Lead		0.37	µg/L	9/21/2005
	Magnesium		25.8	mg/L	9/21/2005
	Manganese		11800	µg/L	9/21/2005
	Nickel		11.7	µg/L	9/21/2005
	Potassium		1.89	mg/L	9/21/2005
	Selenium	<	0.50	µg/L	9/21/2005
	Silicon Dioxide		28.8	µg/L	9/21/2005
	Silver	<	1.00	µg/L	9/21/2005
	Sodium		221	mg/L	9/21/2005
	Thallium	<	0.50	µg/L	9/21/2005
	Vanadium	<	0.50	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

	Zinc		10.9	µg/L	9/21/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		59.92	%REC	9/29/2005
	Phenol-d6(Surr.)		39.25	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		82.10	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		67.13	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		133	%REC	9/29/2005
	Terphenyl-d14(Surr.)		106	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene		0.916	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005
	Hexachloroethane	<	0.310	µg/L	9/29/2005
	Nitrobenzene	<	0.570	µg/L	9/29/2005
	N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
	Isophorone	<	1.40	µg/L	9/29/2005
	2-Nitrophenol	<	0.410	µg/L	9/29/2005
	2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005
Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine		1.73	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.531	µg/L	9/29/2005
Fluoranthene	<	0.250	µg/L	9/29/2005
Pyrene	<	0.260	µg/L	9/29/2005
Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
Chrysene	<	0.170	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2402
Your Sample ID: CED. WELL 2MW-2
Sample Type: **Report Date:** *26-Jan-06*

Bis(2-ethylhexyl)phthalate		0.292	µg/L	9/29/2005
Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		59.6	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		6.51	µg/L	9/21/2005
Barium		47.0	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		65.7	µg/L	9/21/2005
Cadmium		0.49	µg/L	9/21/2005
Calcium		84.8	mg/L	9/21/2005
Chromium		0.53	µg/L	9/21/2005
Cobalt		45.7	µg/L	9/21/2005
Copper		4.40	µg/L	9/21/2005
Iron		13000	µg/L	9/21/2005
Lead		2.70	µg/L	9/21/2005
Magnesium		18.0	mg/L	9/21/2005
Manganese		31900	µg/L	9/21/2005
Nickel		80.3	µg/L	9/21/2005
Potassium		417	mg/L	9/21/2005
Selenium		1.60	µg/L	9/21/2005
Silicon Dioxide		26.1	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		127	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		0.71	µg/L	9/21/2005
Zinc		10.3	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		57.10	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		80.87	%REC	9/13/2005
Terphenyl-d14(Surr.)		114	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		60.07	%REC	9/13/2005
PCB-as-AR1221	<	0.200	µg/L	9/13/2005
PCB-as-AR1232	<	0.420	µg/L	9/13/2005
Molinate		380	µg/L	9/13/2005
Propachlor	<	0.140	µg/L	9/13/2005
Trifluralin	<	0.128	µg/L	9/13/2005
Alpha-BHC	<	0.160	µg/L	9/13/2005
Atraton	<	0.340	µg/L	9/13/2005
Prometon	<	0.260	µg/L	9/13/2005
Simazine	<	0.080	µg/L	9/13/2005
Atrazine	<	0.080	µg/L	9/13/2005
Beta-BHC	<	0.140	µg/L	9/13/2005
Propazine	<	0.280	µg/L	9/13/2005
Gamma-BHC	<	0.160	µg/L	9/13/2005
Terbuthylazine	<	0.180	µg/L	9/13/2005
Diazinon	<	0.400	µg/L	9/13/2005
Fluchloralin	<	0.160	µg/L	9/13/2005
Fonofos	<	0.100	µg/L	9/13/2005
Delta-BHC	<	0.120	µg/L	9/13/2005
Cyprazine	<	0.160	µg/L	9/13/2005
Dimethazone	<	0.140	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.160	µg/L	9/13/2005
Methyl-Parathion	<	2.10	µg/L	9/13/2005
Alachlor	<	0.100	µg/L	9/13/2005
PCB-as-AR1242	<	1.66	µg/L	9/13/2005
PCB-as-AR1248	<	4.56	µg/L	9/13/2005
Ametryn	<	0.120	µg/L	9/13/2005
Prometryn	<	0.080	µg/L	9/13/2005
Heptachlor	<	0.120	µg/L	9/13/2005
Terbutryn	<	0.180	µg/L	9/13/2005
Malathion	<	0.180	µg/L	9/13/2005
Dipropetryn	<	0.160	µg/L	9/13/2005
Metolachlor	<	0.060	µg/L	9/13/2005
Chlorpyrifos	<	0.120	µg/L	9/13/2005
Cyanazine	<	0.480	µg/L	9/13/2005
Aldrin	<	0.260	µg/L	9/13/2005
Pendimethalin	<	0.280	µg/L	9/13/2005
Heptachlor Epoxide	<	0.160	µg/L	9/13/2005
Technical Chlordane	<	1.08	µg/L	9/13/2005
Endosulfan I	<	0.480	µg/L	9/13/2005
p-p-DDE	<	0.240	µg/L	9/13/2005
Dieldrin	<	0.500	µg/L	9/13/2005
Endrin	<	1.54	µg/L	9/13/2005
PCB-as-AR1254	<	0.260	µg/L	9/13/2005
PCB-as-AR1260	<	1.10	µg/L	9/13/2005
Endosulfan II	<	0.660	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.120	µg/L	9/13/2005
	Endrin Aldehyde	<	0.920	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.260	µg/L	9/13/2005
	p-p-DDT	<	0.120	µg/L	9/13/2005
	Hexazinone	<	1.34	µg/L	9/13/2005
	Endrin Ketone	<	0.320	µg/L	9/13/2005
	Methoxychlor		10200	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		44.32	%REC	9/29/2005
	Phenol-d6(Surr.)		30.59	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		56.80	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		80.64	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		118	%REC	9/29/2005
	Terphenyl-d14(Surr.)		101	%REC	9/29/2005
	Phenol		106	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	8.20	µg/L	9/29/2005
	2-Chlorophenol	<	7.60	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	10.2	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	8.60	µg/L	9/29/2005
	Benzyl Alcohol	<	7.00	µg/L	9/29/2005
	1,2-Dichlorobenzene		495	µg/L	9/29/2005
	2-Methylphenol	<	6.80	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	10.6	µg/L	9/29/2005
	Acetophenone	<	12.8	µg/L	9/29/2005
	4-Methylphenol	<	12.2	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	6.20	µg/L	9/29/2005
Nitrobenzene	<	11.4	µg/L	9/29/2005
N-Nitrosopiperidine	<	8.40	µg/L	9/29/2005
Isophorone	<	28.0	µg/L	9/29/2005
2-Nitrophenol	<	8.20	µg/L	9/29/2005
2,4-Dimethylphenol	<	24.0	µg/L	9/29/2005
Benzoic Acid	<	40.0	µg/L	9/29/2005
Bis(2-chloroethoxy)methane		23.7	µg/L	9/29/2005
2,4-Dichlorophenol		58.5	µg/L	9/29/2005
1,2,4-Trichlorobenzene		10.3	µg/L	9/29/2005
Naphthalene	<	8.40	µg/L	9/29/2005
2,6-Dichlorophenol	<	9.40	µg/L	9/29/2005
4-Chloroaniline		45.7	µg/L	9/29/2005
N-Nitrosodibutylamine	<	6.60	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	4.60	µg/L	9/29/2005
2-Methylnaphthalene	<	5.80	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	5.00	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene		10.8	µg/L	9/29/2005
2,4,6-Trichlorophenol		27.7	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	5.00	µg/L	9/29/2005
2-Chloronaphthalene	<	12.0	µg/L	9/29/2005
1-Chloronaphthalene	<	12.0	µg/L	9/29/2005
2-Nitroaniline	<	8.20	µg/L	9/29/2005
Dimethyl-phthalate	<	4.20	µg/L	9/29/2005
2,6-Dinitrotoluene	<	5.00	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	7.80	µg/L	9/29/2005
3-Nitroaniline	<	12.0	µg/L	9/29/2005
Acenaphthene	<	7.40	µg/L	9/29/2005
2,4-Dinitrophenol	<	7.40	µg/L	9/29/2005
Pentachlorobenzene	<	12.0	µg/L	9/29/2005
4-Nitrophenol	<	12.0	µg/L	9/29/2005
Dibenzofuran	<	8.20	µg/L	9/29/2005
2,4-Dinitrotoluene	<	5.40	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	6.00	µg/L	9/29/2005
Diethyl-phthalate	<	12.6	µg/L	9/29/2005
Fluorene	<	9.40	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	11.4	µg/L	9/29/2005
4-Nitroaniline	<	9.20	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	11.6	µg/L	9/29/2005
Diphenylamine	<	25.0	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	10.6	µg/L	9/29/2005
Phenacetin	<	8.60	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	14.0	µg/L	9/29/2005
Hexachlorobenzene	<	9.20	µg/L	9/29/2005
Pentachlorophenol	<	7.80	µg/L	9/29/2005
Pentachloronitrobenzene	<	9.20	µg/L	9/29/2005
Pronamide	<	8.00	µg/L	9/29/2005
Phenanthrene	<	8.40	µg/L	9/29/2005
Anthracene	<	9.20	µg/L	9/29/2005
Di-n-butyl-phthalate	<	7.40	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	5.00	µg/L	9/29/2005
	Pyrene	<	5.20	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	12.4	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	6.20	µg/L	9/29/2005
	Benzo(a)anthracene		22.5	µg/L	9/29/2005
	Chrysene	<	3.40	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate	<	4.20	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	7.40	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	30.0	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	13.2	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	7.00	µg/L	9/29/2005
	Benzo(a)pyrene	<	16.0	µg/L	9/29/2005
	3-Methylcholanthrene	<	11.2	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	24.0	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	40.0	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	24.0	µg/L	9/29/2005
	Methyl methanesulfonate	<	16.0	µg/L	9/29/2005
	Ethyl methanesulfonate	<	7.00	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		102	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		106	%REC	8/31/2005
	Toluene-d8(Surr.)		93.1	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		98.8	%REC	8/31/2005
	Dichlorodifluoromethane	<	9.40	µg/L	8/31/2005
	Chloromethane	<	24.2	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	8.45	µg/L	8/31/2005
Bromomethane	<	15.6	µg/L	8/31/2005
Chloroethane	<	17.3	µg/L	8/31/2005
Trichlorofluoromethane	<	5.20	µg/L	8/31/2005
1,1-Dichloroethene	<	8.40	µg/L	8/31/2005
Methylene_chloride		1400	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	5.20	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	3.65	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	15.0	µg/L	8/31/2005
Bromochloromethane	<	10.6	µg/L	8/31/2005
Chloroform	<	28.5	µg/L	8/31/2005
2,2-Dichloropropane	<	8.45	µg/L	8/31/2005
1,2-Dichloroethane		120	µg/L	8/31/2005
1,1,1-Trichloroethane	<	6.45	µg/L	8/31/2005
1,1-Dichloropropene	<	6.65	µg/L	8/31/2005
Carbon Tetrachloride	<	4.90	µg/L	8/31/2005
Benzene	<	8.45	µg/L	8/31/2005
Dibromomethane	<	13.4	µg/L	8/31/2005
1,2-Dichloropropane	<	7.00	µg/L	8/31/2005
Trichloroethene	<	8.25	µg/L	8/31/2005
Bromodichloromethane	<	7.10	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	13.6	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	11.2	µg/L	8/31/2005
1,1,2-Trichloroethane	<	4.55	µg/L	8/31/2005
Toluene		37.2	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	10.8	µg/L	8/31/2005
Dibromochloromethane	<	14.7	µg/L	8/31/2005
1,2-Dibromoethane	<	8.25	µg/L	8/31/2005
Tetrachloroethene	<	7.45	µg/L	8/31/2005
Chlorobenzene	<	11.0	µg/L	8/31/2005
Ethylbenzene	<	3.30	µg/L	8/31/2005
m+p_Xylene		26.6	µg/L	8/31/2005
Bromoform	<	16.2	µg/L	8/31/2005
Styrene	<	7.90	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	12.0	µg/L	8/31/2005
o-Xylene	<	5.15	µg/L	8/31/2005
1,2,3-Trichloropropane	<	46.8	µg/L	8/31/2005
Isopropylbenzene	<	4.50	µg/L	8/31/2005
Bromobenzene	<	11.2	µg/L	8/31/2005
n-Propylbenzene	<	1.85	µg/L	8/31/2005
2-Chlorotoluene	<	6.30	µg/L	8/31/2005
4-Chlorotoluene	<	5.45	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	6.20	µg/L	8/31/2005
tert-Butylbenzene	<	6.55	µg/L	8/31/2005
1,2,4-Trimethylbenzene		48.5	µg/L	8/31/2005
sec-Butylbenzene	<	4.80	µg/L	8/31/2005
1,3-Dichlorobenzene	<	8.20	µg/L	8/31/2005
1,4-Dichlorobenzene	<	18.2	µg/L	8/31/2005
p-Isopropyltoluene	<	6.80	µg/L	8/31/2005
1,2-Dichlorobenzene		1740	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2403
Your Sample ID: CED. WELL 2MW-1
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	4.70	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	39.8	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	5.10	µg/L	8/31/2005
Naphthalene	<	7.85	µg/L	8/31/2005
Hexachlorobutadiene	<	5.30	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	15.0	µg/L	8/31/2005
1,1-Dichloroethane	<	15.0	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	8.70	µg/L	8/31/2005
Acetone		714	µg/L	8/31/2005
2-Butanone	<	240	µg/L	8/31/2005
4-Methyl-2-pentanone	<	245	µg/L	8/31/2005
2-Hexanone	<	205	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		15.1	µg/L	9/21/2005
Barium		277	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		38.5	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		140	mg/L	9/21/2005
Chromium		0.10	µg/L	9/21/2005
Cobalt		1.81	µg/L	9/21/2005
Copper		1.01	µg/L	9/21/2005
Iron		8470	µg/L	9/21/2005
Lead		0.36	µg/L	9/21/2005
Magnesium		55.5	mg/L	9/21/2005
Manganese		1040	µg/L	9/21/2005
Nickel		7.36	µg/L	9/21/2005
Potassium		2.40	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		36.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		20.5	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.76	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		45.50	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		71.77	%REC	9/13/2005
Terphenyl-d14(Surr.)		93.13	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		53.83	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		61.23	%REC	9/29/2005
	Phenol-d6(Surr.)		38.39	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		82.74	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		82.94	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		103	%REC	9/29/2005
	Terphenyl-d14(Surr.)		99.93	%REC	9/29/2005
	Phenol		0.388	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether		24.2	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.445	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		91.1	%REC	8/31/2005
	1,2-Dichloroethane-d4(Surr)		17.0	%REC	8/31/2005
	Toluene-d8(Surr.)		87.0	%REC	8/31/2005
	4-Bromofluorobenzene(Surr.)		107	%REC	8/31/2005
	Dichlorodifluoromethane	<	0.940	µg/L	8/31/2005
	Chloromethane	<	2.42	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.845	µg/L	8/31/2005
Bromomethane	<	1.56	µg/L	8/31/2005
Chloroethane	<	1.73	µg/L	8/31/2005
Trichlorofluoromethane	<	0.520	µg/L	8/31/2005
1,1-Dichloroethene	<	0.840	µg/L	8/31/2005
Methylene_chloride		41.9	µg/L	8/31/2005
trans-1-2-Dichloroethene	<	0.520	µg/L	8/31/2005
cis-1-2-Dichloroethene	<	0.365	µg/L	8/31/2005
Methyl Tert-Butyl Ether	<	1.50	µg/L	8/31/2005
Bromochloromethane	<	1.06	µg/L	8/31/2005
Chloroform	<	2.85	µg/L	8/31/2005
2,2-Dichloropropane	<	0.845	µg/L	8/31/2005
1,2-Dichloroethane		3950	µg/L	8/31/2005
1,1,1-Trichloroethane	<	0.645	µg/L	8/31/2005
1,1-Dichloropropene	<	0.665	µg/L	8/31/2005
Carbon Tetrachloride	<	0.490	µg/L	8/31/2005
Benzene	<	0.845	µg/L	8/31/2005
Dibromomethane	<	1.34	µg/L	8/31/2005
1,2-Dichloropropane	<	0.700	µg/L	8/31/2005
Trichloroethene	<	0.825	µg/L	8/31/2005
Bromodichloromethane	<	0.710	µg/L	8/31/2005
cis-1-3-Dichloropropene	<	1.36	µg/L	8/31/2005
trans-1-3-Dichloropropene	<	1.12	µg/L	8/31/2005
1,1,2-Trichloroethane	<	0.455	µg/L	8/31/2005
Toluene	<	0.580	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	1.08	µg/L	8/31/2005
Dibromochloromethane	<	1.47	µg/L	8/31/2005
1,2-Dibromoethane	<	0.825	µg/L	8/31/2005
Tetrachloroethene	<	0.745	µg/L	8/31/2005
Chlorobenzene	<	1.10	µg/L	8/31/2005
Ethylbenzene	<	0.330	µg/L	8/31/2005
m+p_Xylene	<	0.915	µg/L	8/31/2005
Bromoform	<	1.62	µg/L	8/31/2005
Styrene	<	0.790	µg/L	8/31/2005
1,1,2,2-Tetrachloroethane	<	1.20	µg/L	8/31/2005
o-Xylene	<	0.515	µg/L	8/31/2005
1,2,3-Trichloropropane	<	4.69	µg/L	8/31/2005
Isopropylbenzene	<	0.450	µg/L	8/31/2005
Bromobenzene	<	1.12	µg/L	8/31/2005
n-Propylbenzene	<	0.185	µg/L	8/31/2005
2-Chlorotoluene	<	0.630	µg/L	8/31/2005
4-Chlorotoluene	<	0.545	µg/L	8/31/2005
1,3,5-Trimethylbenzene	<	0.620	µg/L	8/31/2005
tert-Butylbenzene	<	0.655	µg/L	8/31/2005
1,2,4-Trimethylbenzene	<	0.450	µg/L	8/31/2005
sec-Butylbenzene	<	0.480	µg/L	8/31/2005
1,3-Dichlorobenzene	<	0.820	µg/L	8/31/2005
1,4-Dichlorobenzene	<	1.82	µg/L	8/31/2005
p-Isopropyltoluene	<	0.680	µg/L	8/31/2005
1,2-Dichlorobenzene	<	0.695	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2404
Your Sample ID: AGI WELL AGI-1
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.470	µg/L	8/31/2005
1,2-Dibromo-3-chloropropane	<	3.99	µg/L	8/31/2005
1,2,4-Trichlorobenzene	<	0.510	µg/L	8/31/2005
Naphthalene	<	0.785	µg/L	8/31/2005
Hexachlorobutadiene	<	0.530	µg/L	8/31/2005
1,1,1,2-Tetrachloroethane	<	1.50	µg/L	8/31/2005
1,1-Dichloroethane	<	1.50	µg/L	8/31/2005
1,2,3-Trichlorobenzene	<	0.870	µg/L	8/31/2005
Acetone		32.1	µg/L	8/31/2005
2-Butanone	<	24.0	µg/L	8/31/2005
4-Methyl-2-pentanone	<	24.5	µg/L	8/31/2005
2-Hexanone	<	20.5	µg/L	8/31/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		63.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		20.8	µg/L	9/21/2005
Barium		216	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		40.4	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		137	mg/L	9/21/2005
Chromium		1.82	µg/L	9/21/2005
Cobalt		1.14	µg/L	9/21/2005
Copper		1.08	µg/L	9/21/2005
Iron		5540	µg/L	9/21/2005
Lead		0.49	µg/L	9/21/2005
Magnesium		54.4	mg/L	9/21/2005
Manganese		1230	µg/L	9/21/2005
Nickel		2.20	µg/L	9/21/2005
Potassium		2.19	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		29.6	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		16.5	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		12.7	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		42.87	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		76.43	%REC	9/13/2005
Terphenyl-d14(Surr.)		98.53	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		50.80	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		64.28	%REC	9/29/2005
	Phenol-d6(Surr.)		40.02	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		76.12	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		91.31	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		101	%REC	9/29/2005
	Terphenyl-d14(Surr.)		97.17	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.430	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		99.6	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		80.6	%REC	9/1/2005
	Toluene-d8(Surr.)		103	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		100	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2405
Your Sample ID: CED. WELL 2MW-7
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		1250	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		5.86	µg/L	9/21/2005
Barium		77.6	µg/L	9/21/2005
Beryllium		0.10	µg/L	9/21/2005
Boron		43.7	µg/L	9/21/2005
Cadmium		0.84	µg/L	9/21/2005
Calcium		197	mg/L	9/21/2005
Chromium		19.0	µg/L	9/21/2005
Cobalt		4.75	µg/L	9/21/2005
Copper		5.24	µg/L	9/21/2005
Iron		3400	µg/L	9/21/2005
Lead		3.67	µg/L	9/21/2005
Magnesium		51.1	mg/L	9/21/2005
Manganese		2890	µg/L	9/21/2005
Nickel		20.4	µg/L	9/21/2005
Potassium		3.18	mg/L	9/21/2005
Selenium		0.77	µg/L	9/21/2005
Silicon Dioxide		52.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		104	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		6.83	µg/L	9/21/2005
Zinc		14.1	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		67.77	%REC	9/13/2005
Terphenyl-d14(Surr.)		106	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		66.10	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		49.94	%REC	9/29/2005
	Phenol-d6(Surr.)		36.41	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		64.61	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		88.79	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		115	%REC	9/29/2005
	Terphenyl-d14(Surr.)		98.21	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene		9.74	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.727	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.531	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		104	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		91.2	%REC	9/1/2005
	Toluene-d8(Surr.)		91.3	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		92.2	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene		20.4	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2406
Your Sample ID: CED. WELL 2MW-6
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		2.81	µg/L	9/21/2005
Barium		59.1	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		54.7	µg/L	9/21/2005
Cadmium		0.16	µg/L	9/21/2005
Calcium		127	mg/L	9/21/2005
Chromium		3.75	µg/L	9/21/2005
Cobalt		0.66	µg/L	9/21/2005
Copper		1.15	µg/L	9/21/2005
Iron		233	µg/L	9/21/2005
Lead		0.42	µg/L	9/21/2005
Magnesium		40.3	mg/L	9/21/2005
Manganese		59.6	µg/L	9/21/2005
Nickel		3.16	µg/L	9/21/2005
Potassium		3.09	mg/L	9/21/2005
Selenium		0.51	µg/L	9/21/2005
Silicon Dioxide		54.1	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		57.9	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		2.58	µg/L	9/21/2005
Zinc		3.01	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		66.40	%REC	9/13/2005
Terphenyl-d14(Surr.)		1790	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		56.13	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		54.11	%REC	9/29/2005
	Phenol-d6(Surr.)		32.60	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		80.90	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		96.84	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		94.82	%REC	9/29/2005
	Terphenyl-d14(Surr.)		102	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.556	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.309	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		103	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		76.5	%REC	9/1/2005
	Toluene-d8(Surr.)		96.7	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		107	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform		0.902	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene		0.263	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2407
Your Sample ID: CED. WELL 2MW-5
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		2.25	µg/L	9/21/2005
Barium		236	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		35.7	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		92.4	mg/L	9/21/2005
Chromium	<	0.10	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		0.95	µg/L	9/21/2005
Iron		1740	µg/L	9/21/2005
Lead		0.33	µg/L	9/21/2005
Magnesium		37.1	mg/L	9/21/2005
Manganese		297	µg/L	9/21/2005
Nickel		2.46	µg/L	9/21/2005
Potassium		2.07	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		39.3	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		21.9	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		2.18	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		52.53	%REC	9/13/2005
Terphenyl-d14(Surr.)		127	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		26.23	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		57.23	%REC	9/29/2005
	Phenol-d6(Surr.)		36.77	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		77.60	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		104	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		115	%REC	9/29/2005
	Terphenyl-d14(Surr.)		85.14	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.540	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.244	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		98.2	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		84.6	%REC	9/1/2005
	Toluene-d8(Surr.)		95.8	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		104	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		2.95	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2408
Your Sample ID: OFFMW4
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		21.6	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic	<	0.50	µg/L	9/21/2005
Barium	<	2.00	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		30.2	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		0.068	mg/L	9/21/2005
Chromium	<	0.10	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		1.16	µg/L	9/21/2005
Iron	<	20.0	µg/L	9/21/2005
Lead		0.32	µg/L	9/21/2005
Magnesium	<	0.10	mg/L	9/21/2005
Manganese		0.43	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		0.070	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide	<	0.20	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		0.249	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.74	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		52.70	%REC	9/13/2005
Terphenyl-d14(Surr.)		140	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		43.73	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		42.32	%REC	9/29/2005
	Phenol-d6(Surr.)		28.02	%REC	9/29/2005
	Nitrobenzene-d5(Surr.)		65.51	%REC	9/29/2005
	2-Fluorobiphenyl(Surr.)		96.59	%REC	9/29/2005
	2,4,6-Tribromophenol(Surr)		80.09	%REC	9/29/2005
	Terphenyl-d14(Surr.)		88.45	%REC	9/29/2005
	Phenol	<	0.200	µg/L	9/29/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/29/2005
	2-Chlorophenol	<	0.380	µg/L	9/29/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/29/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/29/2005
	Benzyl Alcohol	<	0.350	µg/L	9/29/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/29/2005
	2-Methylphenol	<	0.340	µg/L	9/29/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/29/2005
	Acetophenone	<	0.640	µg/L	9/29/2005
	4-Methylphenol	<	0.610	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/29/2005
Nitrobenzene	<	0.570	µg/L	9/29/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/29/2005
Isophorone	<	1.40	µg/L	9/29/2005
2-Nitrophenol	<	0.410	µg/L	9/29/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/29/2005
Benzoic Acid	<	2.00	µg/L	9/29/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/29/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/29/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/29/2005
Naphthalene	<	0.420	µg/L	9/29/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/29/2005
4-Chloroaniline	<	0.250	µg/L	9/29/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/29/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/29/2005
2-Methylnaphthalene	<	0.290	µg/L	9/29/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/29/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/29/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/29/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/29/2005
2-Chloronaphthalene	<	0.600	µg/L	9/29/2005
1-Chloronaphthalene	<	0.600	µg/L	9/29/2005
2-Nitroaniline	<	0.410	µg/L	9/29/2005
Dimethyl-phthalate	<	0.210	µg/L	9/29/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/29/2005
3-Nitroaniline	<	0.600	µg/L	9/29/2005
Acenaphthene	<	0.370	µg/L	9/29/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/29/2005
Pentachlorobenzene	<	0.600	µg/L	9/29/2005
4-Nitrophenol	<	0.600	µg/L	9/29/2005
Dibenzofuran	<	0.410	µg/L	9/29/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/29/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/29/2005
Diethyl-phthalate	<	0.630	µg/L	9/29/2005
Fluorene	<	0.470	µg/L	9/29/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/29/2005
4-Nitroaniline	<	0.460	µg/L	9/29/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/29/2005
Diphenylamine	<	1.25	µg/L	9/29/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/29/2005
Phenacetin	<	0.430	µg/L	9/29/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/29/2005
Hexachlorobenzene	<	0.460	µg/L	9/29/2005
Pentachlorophenol	<	0.390	µg/L	9/29/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/29/2005
Pronamide	<	0.400	µg/L	9/29/2005
Phenanthrene	<	0.420	µg/L	9/29/2005
Anthracene	<	0.460	µg/L	9/29/2005
Di-n-butyl-phthalate		0.499	µg/L	9/29/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/29/2005
	Pyrene	<	0.260	µg/L	9/29/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/29/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/29/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/29/2005
	Chrysene	<	0.170	µg/L	9/29/2005
	Bis(2-ethylhexyl)phthalate		0.364	µg/L	9/29/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/29/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/29/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/29/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/29/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/29/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/29/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/29/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/29/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/29/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/29/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/29/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		106	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		92.2	%REC	9/1/2005
	Toluene-d8(Surr.)		96.6	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		104	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2409
Your Sample ID: RINSATE RW-01
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2410
Your Sample ID: TRIP BLANK TB-02
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		101	%REC	9/1/2005
1,2-Dichloroethane-d4(Surr)		95.4	%REC	9/1/2005
Toluene-d8(Surr.)		89.5	%REC	9/1/2005
4-Bromofluorobenzene(Surr.)		102	%REC	9/1/2005
Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
Chloromethane	<	0.484	µg/L	9/1/2005
Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2410
Your Sample ID: TRIP BLANK TB-02
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005
1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2410
Your Sample ID: TRIP BLANK TB-02
Sample Type: **Report Date:** *26-Jan-06*

tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005
n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		8290	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		6.72	mg/Kg	10/10/2005
Barium		141	mg/Kg	10/10/2005
Beryllium		0.390	mg/Kg	10/10/2005
Boron		5.70	mg/Kg	10/10/2005
Cadmium		0.237	mg/Kg	10/10/2005
Calcium		3200	mg/Kg	10/10/2005
Chromium		16.3	mg/Kg	10/10/2005
Cobalt		4.26	mg/Kg	10/10/2005
Copper		7.83	mg/Kg	10/10/2005
Iron		15100	mg/Kg	10/10/2005
Lead		6.66	mg/Kg	10/10/2005
Magnesium		2020	mg/Kg	10/10/2005
Manganese		615	mg/Kg	10/10/2005
Nickel		10.6	mg/Kg	10/10/2005
Potassium		1040	mg/Kg	10/10/2005
Selenium	<	0.500	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver		5.32	mg/Kg	10/10/2005
Sodium		115	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		25.1	mg/Kg	10/10/2005
Zinc		26.1	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		32.23	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		37.63	%REC	9/14/2005
Terphenyl-d14(Surr.)		64.83	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		83.50	%REC	9/14/2005
PCB-as-AR1221	<	0.021	µg/g	9/14/2005
PCB-as-AR1232	<	0.021	µg/g	9/14/2005
Molinate	<	0.001	µg/g	9/14/2005
Propachlor	<	0.001	µg/g	9/14/2005
Trifluralin	<	0.001	µg/g	9/14/2005
Alpha-BHC	<	0.001	µg/g	9/14/2005
Atraton	<	0.001	µg/g	9/14/2005
Prometon	<	0.001	µg/g	9/14/2005
Simazine	<	0.001	µg/g	9/14/2005
Atrazine	<	0.001	µg/g	9/14/2005
Beta-BHC	<	0.001	µg/g	9/14/2005
Propazine	<	0.001	µg/g	9/14/2005
Gamma-BHC	<	0.001	µg/g	9/14/2005
Terbuthylazine	<	0.001	µg/g	9/14/2005
Diazinon	<	0.001	µg/g	9/14/2005
Fluchloralin	<	0.001	µg/g	9/14/2005
Fonofos	<	0.001	µg/g	9/14/2005
Delta-BHC	<	0.001	µg/g	9/14/2005
Cyprazine	<	0.001	µg/g	9/14/2005
Dimethazone	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/14/2005
Methyl-Parathion	<	0.001	µg/g	9/14/2005
Alachlor	<	0.001	µg/g	9/14/2005
PCB-as-AR1242	<	0.021	µg/g	9/14/2005
PCB-as-AR1248	<	0.021	µg/g	9/14/2005
Ametryn	<	0.001	µg/g	9/14/2005
Prometryn	<	0.001	µg/g	9/14/2005
Heptachlor	<	0.001	µg/g	9/14/2005
Terbutryn	<	0.001	µg/g	9/14/2005
Malathion	<	0.001	µg/g	9/14/2005
Dipropetryn	<	0.001	µg/g	9/14/2005
Metolachlor	<	0.001	µg/g	9/14/2005
Chlorpyrifos	<	0.001	µg/g	9/14/2005
Cyanazine	<	0.001	µg/g	9/14/2005
Aldrin	<	0.001	µg/g	9/14/2005
Pendimethalin	<	0.001	µg/g	9/14/2005
Heptachlor Epoxide	<	0.001	µg/g	9/14/2005
Technical Chlorodane	<	0.001	µg/g	9/14/2005
Endosulfan I	<	0.001	µg/g	9/14/2005
p-p-DDE	<	0.001	µg/g	9/14/2005
Dieldrin	<	0.001	µg/g	9/14/2005
Endrin	<	0.001	µg/g	9/14/2005
PCB-as-AR1254	<	0.021	µg/g	9/14/2005
PCB-as-AR1260	<	0.021	µg/g	9/14/2005
Endosulfan II	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/14/2005
	Endrin Aldehyde	<	0.001	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/14/2005
	p-p-DDT	<	0.001	µg/g	9/14/2005
	Hexazinone	<	0.001	µg/g	9/14/2005
	Norflurazon	<	0.001	µg/g	9/14/2005
	Endrin Ketone	<	0.001	µg/g	9/14/2005
	Methoxychlor	<	0.001	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		51.14	%REC	10/4/2005
	Phenol-d6(Surr.)		40.77	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		44.18	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		44.12	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		96.42	%REC	10/4/2005
	Terphenyl-d14(Surr.)		77.03	%REC	10/4/2005
	Phenol	<	0.100	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	0.100	µg/g	10/4/2005
	2-Chlorophenol	<	0.100	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	0.100	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	0.100	µg/g	10/4/2005
	Benzyl Alcohol	<	0.100	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	0.100	µg/g	10/4/2005
	2-Methylphenol	<	0.100	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	0.100	µg/g	10/4/2005
	Acetophenone	<	0.100	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.100	µg/g	10/4/2005
Hexachloroethane	<	0.100	µg/g	10/4/2005
Nitrobenzene	<	0.100	µg/g	10/4/2005
N-Nitrosopiperidine	<	0.100	µg/g	10/4/2005
Isophorone	<	0.100	µg/g	10/4/2005
2-Nitrophenol	<	0.100	µg/g	10/4/2005
2,4-Dimethylphenol	<	0.100	µg/g	10/4/2005
Benzoic Acid	<	0.100	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	0.100	µg/g	10/4/2005
2,4-Dichlorophenol	<	0.100	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	0.100	µg/g	10/4/2005
Naphthalene	<	0.100	µg/g	10/4/2005
2,6-Dichlorophenol	<	0.100	µg/g	10/4/2005
4-Chloroaniline	<	0.100	µg/g	10/4/2005
N-Nitrosodibutylamine	<	0.100	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	0.100	µg/g	10/4/2005
2-Methylnaphthalene	<	0.100	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	0.100	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	0.100	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	0.100	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	0.100	µg/g	10/4/2005
2-Chloronaphthalene	<	0.100	µg/g	10/4/2005
1-Chloronaphthalene	<	0.100	µg/g	10/4/2005
2-Nitroaniline	<	0.100	µg/g	10/4/2005
Dimethyl-phthalate	<	0.100	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.100	µg/g	10/4/2005
Acenaphthylene	<	0.100	µg/g	10/4/2005
3-Nitroaniline	<	0.100	µg/g	10/4/2005
Acenaphthene	<	0.100	µg/g	10/4/2005
2,4-Dinitrophenol	<	0.100	µg/g	10/4/2005
Pentachlorobenzene	<	0.100	µg/g	10/4/2005
4-Nitrophenol	<	0.100	µg/g	10/4/2005
Dibenzofuran	<	0.100	µg/g	10/4/2005
2,4-Dinitrotoluene	<	0.100	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	0.100	µg/g	10/4/2005
Diethyl-phthalate	<	0.100	µg/g	10/4/2005
Fluorene	<	0.100	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	0.100	µg/g	10/4/2005
4-Nitroaniline	<	0.100	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	0.100	µg/g	10/4/2005
Diphenylamine	<	0.100	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	0.100	µg/g	10/4/2005
Phenacetin	<	0.100	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	0.100	µg/g	10/4/2005
Hexachlorobenzene	<	0.100	µg/g	10/4/2005
Pentachlorophenol	<	0.100	µg/g	10/4/2005
Pentachloronitrobenzene	<	0.100	µg/g	10/4/2005
Pronamide	<	0.100	µg/g	10/4/2005
Phenanthrene	<	0.100	µg/g	10/4/2005
Anthracene	<	0.100	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.100	µg/g	10/4/2005
	Fluoranthene	<	0.100	µg/g	10/4/2005
	Pyrene	<	0.100	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	0.100	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	0.100	µg/g	10/4/2005
	Benzo(a)anthracene	<	0.100	µg/g	10/4/2005
	Chrysene	<	0.100	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	0.100	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	0.100	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	0.100	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	0.100	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	0.100	µg/g	10/4/2005
	Benzo(a)pyrene	<	0.100	µg/g	10/4/2005
	3-Methylcholanthrene	<	0.100	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	0.100	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	0.100	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	0.100	µg/g	10/4/2005
	Methyl methanesulfonate	<	0.100	µg/g	10/4/2005
	Ethyl methanesulfonate	<	0.100	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		92.48	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		97.42	%REC	9/6/2005
	Toluene-d8(Surr.)		96.31	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		93.12	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.143	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.074	µg/g	9/6/2005
Vinyl Chloride	<	0.105	µg/g	9/6/2005
Bromomethane	<	0.499	µg/g	9/6/2005
Chloroethane	<	0.343	µg/g	9/6/2005
Trichlorofluoromethane	<	0.065	µg/g	9/6/2005
1,1-Dichloroethene	<	0.055	µg/g	9/6/2005
Methylene_chloride		1.305	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.075	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.106	µg/g	9/6/2005
1,1-Dichloroethane	<	0.054	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.098	µg/g	9/6/2005
Bromochloromethane	<	0.084	µg/g	9/6/2005
Chloroform	<	0.035	µg/g	9/6/2005
2,2-Dichloropropane	<	0.104	µg/g	9/6/2005
1,2-Dichloroethane	<	0.147	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.059	µg/g	9/6/2005
1,1-Dichloropropene	<	0.075	µg/g	9/6/2005
Carbon Tetrachloride	<	0.033	µg/g	9/6/2005
Benzene	<	0.084	µg/g	9/6/2005
Dibromomethane	<	0.228	µg/g	9/6/2005
1,2-Dichloropropane	<	0.125	µg/g	9/6/2005
Trichloroethene	<	0.077	µg/g	9/6/2005
Bromodichloromethane	<	0.083	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.110	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.107	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.100	µg/g	9/6/2005
Toluene	<	0.073	µg/g	9/6/2005
1,3-Dichloropropane	<	0.120	µg/g	9/6/2005
Dibromochloromethane	<	0.160	µg/g	9/6/2005
1,2-Dibromoethane	<	0.087	µg/g	9/6/2005
Tetrachloroethene	<	0.123	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.073	µg/g	9/6/2005
Chlorobenzene	<	0.079	µg/g	9/6/2005
Ethylbenzene	<	0.065	µg/g	9/6/2005
m+p_Xylene	<	0.153	µg/g	9/6/2005
Bromoform	<	0.200	µg/g	9/6/2005
Styrene	<	0.068	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.050	µg/g	9/6/2005
o-Xylene	<	0.064	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.234	µg/g	9/6/2005
Isopropylbenzene	<	0.075	µg/g	9/6/2005
Bromobenzene	<	0.064	µg/g	9/6/2005
n-Propylbenzene	<	0.063	µg/g	9/6/2005
2-Chlorotoluene	<	0.084	µg/g	9/6/2005
4-Chlorotoluene	<	0.102	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.038	µg/g	9/6/2005
tert-Butylbenzene	<	0.109	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.059	µg/g	9/6/2005
sec-Butylbenzene	<	0.081	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.090	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2411
Your Sample ID: SSS-003 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.068	µg/g	9/6/2005
p-Isopropyltoluene	<	0.075	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.090	µg/g	9/6/2005
n-butylbenzene	<	0.092	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.110	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.146	µg/g	9/6/2005
Naphthalene	<	0.196	µg/g	9/6/2005
Hexachlorobutadiene	<	0.123	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.166	µg/g	9/6/2005
Acetone		1.826	µg/g	9/6/2005
2-Butanone	<	1.637	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.036	µg/g	9/6/2005
2-Hexanone	<	1.215	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		9180	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		5.92	mg/Kg	10/10/2005
Barium		175	mg/Kg	10/10/2005
Beryllium		0.475	mg/Kg	10/10/2005
Boron		6.89	mg/Kg	10/10/2005
Cadmium		0.237	mg/Kg	10/10/2005
Calcium		1830	mg/Kg	10/10/2005
Chromium		20.5	mg/Kg	10/10/2005
Cobalt		4.28	mg/Kg	10/10/2005
Copper		8.04	mg/Kg	10/10/2005
Iron		15200	mg/Kg	10/10/2005
Lead		7.02	mg/Kg	10/10/2005
Magnesium		2130	mg/Kg	10/10/2005
Manganese		590	mg/Kg	10/10/2005
Nickel		10.5	mg/Kg	10/10/2005
Potassium		1190	mg/Kg	10/10/2005
Selenium	<	0.500	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		583	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		28.6	mg/Kg	10/10/2005
Zinc		27.6	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		37.20	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		46.63	%REC	9/14/2005
Terphenyl-d14(Surr.)		83.33	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		70.73	%REC	9/14/2005
PCB-as-AR1221	<	0.021	µg/g	9/14/2005
PCB-as-AR1232	<	0.021	µg/g	9/14/2005
Molinate	<	0.001	µg/g	9/14/2005
Propachlor	<	0.001	µg/g	9/14/2005
Trifluralin	<	0.001	µg/g	9/14/2005
Alpha-BHC	<	0.001	µg/g	9/14/2005
Atraton	<	0.001	µg/g	9/14/2005
Prometon	<	0.001	µg/g	9/14/2005
Simazine	<	0.001	µg/g	9/14/2005
Atrazine	<	0.001	µg/g	9/14/2005
Beta-BHC	<	0.001	µg/g	9/14/2005
Propazine	<	0.001	µg/g	9/14/2005
Gamma-BHC	<	0.001	µg/g	9/14/2005
Terbuthylazine	<	0.001	µg/g	9/14/2005
Diazinon	<	0.001	µg/g	9/14/2005
Fluchloralin	<	0.001	µg/g	9/14/2005
Fonofos	<	0.001	µg/g	9/14/2005
Delta-BHC	<	0.001	µg/g	9/14/2005
Cyprazine	<	0.001	µg/g	9/14/2005
Dimethazone	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/14/2005
Methyl-Parathion	<	0.001	µg/g	9/14/2005
Alachlor	<	0.001	µg/g	9/14/2005
PCB-as-AR1242	<	0.021	µg/g	9/14/2005
PCB-as-AR1248	<	0.021	µg/g	9/14/2005
Ametryn	<	0.001	µg/g	9/14/2005
Prometryn	<	0.001	µg/g	9/14/2005
Heptachlor	<	0.001	µg/g	9/14/2005
Terbutryn	<	0.001	µg/g	9/14/2005
Malathion	<	0.001	µg/g	9/14/2005
Dipropetryn	<	0.001	µg/g	9/14/2005
Metolachlor	<	0.001	µg/g	9/14/2005
Chlorpyrifos	<	0.001	µg/g	9/14/2005
Cyanazine	<	0.001	µg/g	9/14/2005
Aldrin	<	0.001	µg/g	9/14/2005
Pendimethalin	<	0.001	µg/g	9/14/2005
Heptachlor Epoxide	<	0.001	µg/g	9/14/2005
Technical Chlorodane	<	0.001	µg/g	9/14/2005
Endosulfan I	<	0.001	µg/g	9/14/2005
p-p-DDE	<	0.001	µg/g	9/14/2005
Dieldrin	<	0.001	µg/g	9/14/2005
Endrin	<	0.001	µg/g	9/14/2005
PCB-as-AR1254	<	0.021	µg/g	9/14/2005
PCB-as-AR1260	<	0.021	µg/g	9/14/2005
Endosulfan II	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/14/2005
	Endrin Aldehyde	<	0.001	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/14/2005
	p-p-DDT	<	0.001	µg/g	9/14/2005
	Hexazinone	<	0.001	µg/g	9/14/2005
	Norflurazon	<	0.001	µg/g	9/14/2005
	Endrin Ketone	<	0.001	µg/g	9/14/2005
	Methoxychlor	<	0.001	µg/g	9/14/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		97.54	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		97.18	%REC	9/6/2005
	Toluene-d8(Surr.)		87.50	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		77.91	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.14	µg/g	9/6/2005
	Chloromethane	<	0.07	µg/g	9/6/2005
	Vinyl Chloride	<	0.10	µg/g	9/6/2005
	Bromomethane	<	0.49	µg/g	9/6/2005
	Chloroethane	<	0.34	µg/g	9/6/2005
	Trichlorofluoromethane	<	0.06	µg/g	9/6/2005
	1,1-Dichloroethene	<	0.05	µg/g	9/6/2005
	Methylene_chloride	<	1.26	µg/g	9/6/2005
	trans-1-2-Dichloroethene	<	0.07	µg/g	9/6/2005
	Methyl Tert-Butyl Ether	<	0.10	µg/g	9/6/2005
	cis-1-2-Dichloroethene	<	0.10	µg/g	9/6/2005
	1,1-Dichloroethane	<	0.053	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Bromochloromethane	<	0.08	µg/g	9/6/2005
Chloroform	<	0.03	µg/g	9/6/2005
2,2-Dichloropropane	<	0.10	µg/g	9/6/2005
1,2-Dichloroethane	<	0.15	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.06	µg/g	9/6/2005
1,1-Dichloropropene	<	0.07	µg/g	9/6/2005
Carbon Tetrachloride	<	0.03	µg/g	9/6/2005
Benzene	<	0.08	µg/g	9/6/2005
Dibromomethane	<	0.22	µg/g	9/6/2005
1,2-Dichloropropane	<	0.12	µg/g	9/6/2005
Trichloroethene	<	0.08	µg/g	9/6/2005
Bromodichloromethane	<	0.08	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.11	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.11	µg/g	9/6/2005
1,1,2-Trichloroethane	<	0.10	µg/g	9/6/2005
Toluene		0.21	µg/g	9/6/2005
1,3-Dichloropropane	<	0.12	µg/g	9/6/2005
Dibromochloromethane	<	0.16	µg/g	9/6/2005
1,2-Dibromoethane	<	0.09	µg/g	9/6/2005
Tetrachloroethene	<	0.12	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.072	µg/g	9/6/2005
Chlorobenzene	<	0.08	µg/g	9/6/2005
Ethylbenzene		0.82	µg/g	9/6/2005
m+p_Xylene		4.46	µg/g	9/6/2005
Bromoform	<	0.20	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Styrene	<	0.07	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.05	µg/g	9/6/2005
o-Xylene		2.30	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.23	µg/g	9/6/2005
Isopropylbenzene	<	0.07	µg/g	9/6/2005
Bromobenzene	<	0.06	µg/g	9/6/2005
n-Propylbenzene	<	0.06	µg/g	9/6/2005
2-Chlorotoluene	<	0.08	µg/g	9/6/2005
4-Chlorotoluene	<	0.10	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.04	µg/g	9/6/2005
tert-Butylbenzene	<	0.11	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.06	µg/g	9/6/2005
sec-Butylbenzene	<	0.08	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.09	µg/g	9/6/2005
1,4-Dichlorobenzene	<	0.07	µg/g	9/6/2005
p-Isopropyltoluene	<	0.07	µg/g	9/6/2005
1,2-Dichlorobenzene		1.06	µg/g	9/6/2005
n-butylbenzene	<	0.09	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.11	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.14	µg/g	9/6/2005
Naphthalene	<	0.19	µg/g	9/6/2005
Hexachlorobutadiene	<	0.12	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.16	µg/g	9/6/2005
Acetone		222	µg/g	9/6/2005
2-Butanone		11.5	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	4-Methyl-2-pentanone	<	1.023	µg/g	9/6/2005
	2-Hexanone	<	1.200	µg/g	9/6/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		54.81	%REC	10/4/2005
	Phenol-d6(Surr.)		33.11	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		45.76	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		66.61	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		91.05	%REC	10/4/2005
	Terphenyl-d14(Surr.)		58.51	%REC	10/4/2005
	Phenol	<	8.333	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	8.333	µg/g	10/4/2005
	2-Chlorophenol	<	8.333	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	8.333	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	8.333	µg/g	10/4/2005
	Benzyl Alcohol	<	8.333	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	8.333	µg/g	10/4/2005
	2-Methylphenol	<	8.333	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	8.333	µg/g	10/4/2005
	Acetophenone	<	8.333	µg/g	10/4/2005
	4-Methylphenol	<	8.333	µg/g	10/4/2005
	Hexachloroethane	<	8.333	µg/g	10/4/2005
	Nitrobenzene	<	8.333	µg/g	10/4/2005
	N-Nitrosopiperidine	<	8.333	µg/g	10/4/2005
	Isophorone	<	8.333	µg/g	10/4/2005
	2-Nitrophenol	<	8.333	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

2,4-Dimethylphenol	<	8.333	µg/g	10/4/2005
Benzoic Acid	<	8.333	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	8.333	µg/g	10/4/2005
2,4-Dichlorophenol	<	8.333	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	8.333	µg/g	10/4/2005
Naphthalene	<	8.333	µg/g	10/4/2005
2,6-Dichlorophenol	<	8.333	µg/g	10/4/2005
4-Chloroaniline	<	8.333	µg/g	10/4/2005
N-Nitrosodibutylamine	<	8.333	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	8.333	µg/g	10/4/2005
2-Methylnaphthalene	<	8.333	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	8.333	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	8.333	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	8.333	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	8.333	µg/g	10/4/2005
2-Chloronaphthalene	<	8.333	µg/g	10/4/2005
1-Chloronaphthalene	<	8.333	µg/g	10/4/2005
2-Nitroaniline	<	8.333	µg/g	10/4/2005
Dimethyl-phthalate	<	8.333	µg/g	10/4/2005
2,6-Dinitrotoluene	<	8.333	µg/g	10/4/2005
Acenaphthylene	<	8.333	µg/g	10/4/2005
3-Nitroaniline	<	8.333	µg/g	10/4/2005
Acenaphthene	<	8.333	µg/g	10/4/2005
2,4-Dinitrophenol	<	8.333	µg/g	10/4/2005
Pentachlorobenzene	<	8.333	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

4-Nitrophenol	<	8.333	µg/g	10/4/2005
Dibenzofuran	<	8.333	µg/g	10/4/2005
2,4-Dinitrotoluene	<	8.333	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	8.333	µg/g	10/4/2005
Diethyl-phthalate	<	8.333	µg/g	10/4/2005
Fluorene	<	8.333	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	8.333	µg/g	10/4/2005
4-Nitroaniline	<	8.333	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	8.333	µg/g	10/4/2005
Diphenylamine	<	8.333	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	8.333	µg/g	10/4/2005
Phenacetin	<	8.333	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	8.333	µg/g	10/4/2005
Hexachlorobenzene	<	8.333	µg/g	10/4/2005
Pentachlorophenol	<	8.333	µg/g	10/4/2005
Pentachloronitrobenzene	<	8.333	µg/g	10/4/2005
Pronamide	<	8.333	µg/g	10/4/2005
Phenanthrene	<	8.333	µg/g	10/4/2005
Anthracene	<	8.333	µg/g	10/4/2005
Di-n-butyl-phthalate	<	8.333	µg/g	10/4/2005
Fluoranthene	<	8.333	µg/g	10/4/2005
Pyrene	<	8.333	µg/g	10/4/2005
Dimethylaminoazobenzene	<	8.333	µg/g	10/4/2005
Butyl-benzyl-phthalate	<	8.333	µg/g	10/4/2005
Benzo(a)anthracene	<	8.333	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2412
Your Sample ID: SB-002 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Chrysene	<	8.333	µg/g	10/4/2005
Bis(2-ethylhexyl)phthalate	<	8.333	µg/g	10/4/2005
Di-n-octyl-phthalate	<	8.333	µg/g	10/4/2005
Benzo(b)fluoranthene	<	8.333	µg/g	10/4/2005
Dimethylbenzo(a)anthracene	<	8.333	µg/g	10/4/2005
Benzo(k)fluoranthene	<	8.333	µg/g	10/4/2005
Benzo(a)pyrene	<	8.333	µg/g	10/4/2005
3-Methylcholanthrene	<	8.333	µg/g	10/4/2005
Indeno(1-2-3-cd)pyrene	<	8.333	µg/g	10/4/2005
Dibenz(a-h)anthracene	<	8.333	µg/g	10/4/2005
Benzo(g-h-I)perylene	<	8.333	µg/g	10/4/2005
Methyl methanesulfonate	<	8.333	µg/g	10/4/2005
Ethyl methanesulfonate	<	8.333	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		8170	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		6.61	mg/Kg	10/10/2005
Barium		182	mg/Kg	10/10/2005
Beryllium		0.388	mg/Kg	10/10/2005
Boron		6.13	mg/Kg	10/10/2005
Cadmium		0.224	mg/Kg	10/10/2005
Calcium		17000	mg/Kg	10/10/2005
Chromium		16.3	mg/Kg	10/10/2005
Cobalt		4.46	mg/Kg	10/10/2005
Copper		9.39	mg/Kg	10/10/2005
Iron		15600	mg/Kg	10/10/2005
Lead		7.24	mg/Kg	10/10/2005
Magnesium		11600	mg/Kg	10/10/2005
Manganese		835	mg/Kg	10/10/2005
Nickel		11.5	mg/Kg	10/10/2005
Potassium		1090	mg/Kg	10/10/2005
Selenium	<	0.500	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		187	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		24.3	mg/Kg	10/10/2005
Zinc		33.4	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		39.43	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		54.53	%REC	9/14/2005
Terphenyl-d14(Surr.)		79.50	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		77.17	%REC	9/14/2005
PCB-as-AR1221	<	0.023	µg/g	9/14/2005
PCB-as-AR1232	<	0.023	µg/g	9/14/2005
Molinate	<	0.001	µg/g	9/14/2005
Propachlor	<	0.001	µg/g	9/14/2005
Trifluralin	<	0.001	µg/g	9/14/2005
Alpha-BHC	<	0.001	µg/g	9/14/2005
Atraton	<	0.001	µg/g	9/14/2005
Prometon	<	0.001	µg/g	9/14/2005
Simazine	<	0.001	µg/g	9/14/2005
Atrazine	<	0.001	µg/g	9/14/2005
Beta-BHC	<	0.001	µg/g	9/14/2005
Propazine	<	0.001	µg/g	9/14/2005
Gamma-BHC	<	0.001	µg/g	9/14/2005
Terbuthylazine	<	0.001	µg/g	9/14/2005
Diazinon	<	0.001	µg/g	9/14/2005
Fluchloralin	<	0.001	µg/g	9/14/2005
Fonofos	<	0.001	µg/g	9/14/2005
Delta-BHC	<	0.001	µg/g	9/14/2005
Cyprazine	<	0.001	µg/g	9/14/2005
Dimethazone	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/14/2005
Methyl-Parathion	<	0.001	µg/g	9/14/2005
Alachlor	<	0.001	µg/g	9/14/2005
PCB-as-AR1242	<	0.023	µg/g	9/14/2005
PCB-as-AR1248	<	0.023	µg/g	9/14/2005
Ametryn	<	0.001	µg/g	9/14/2005
Prometryn	<	0.001	µg/g	9/14/2005
Heptachlor	<	0.001	µg/g	9/14/2005
Terbutryn	<	0.001	µg/g	9/14/2005
Malathion	<	0.001	µg/g	9/14/2005
Dipropetryn	<	0.001	µg/g	9/14/2005
Metolachlor	<	0.001	µg/g	9/14/2005
Chlorpyrifos	<	0.001	µg/g	9/14/2005
Cyanazine	<	0.001	µg/g	9/14/2005
Aldrin	<	0.001	µg/g	9/14/2005
Pendimethalin	<	0.001	µg/g	9/14/2005
Heptachlor Epoxide	<	0.001	µg/g	9/14/2005
Technical Chlorodane	<	0.001	µg/g	9/14/2005
Endosulfan I	<	0.001	µg/g	9/14/2005
p-p-DDE	<	0.001	µg/g	9/14/2005
Dieldrin		0.093	µg/g	9/14/2005
Endrin	<	0.001	µg/g	9/14/2005
PCB-as-AR1254	<	0.023	µg/g	9/14/2005
PCB-as-AR1260	<	0.023	µg/g	9/14/2005
Endosulfan II	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/14/2005
	Endrin Aldehyde	<	0.001	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/14/2005
	p-p-DDT	<	0.001	µg/g	9/14/2005
	Hexazinone	<	0.001	µg/g	9/14/2005
	Norflurazon	<	0.001	µg/g	9/14/2005
	Endrin Ketone	<	0.001	µg/g	9/14/2005
	Methoxychlor		1.87	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		39.73	%REC	10/4/2005
	Phenol-d6(Surr.)		22.87	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		47.12	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		70.08	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		55.64	%REC	10/4/2005
	Terphenyl-d14(Surr.)		67.78	%REC	10/4/2005
	Phenol	<	1.960	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	1.960	µg/g	10/4/2005
	2-Chlorophenol	<	1.960	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	1.960	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	1.960	µg/g	10/4/2005
	Benzyl Alcohol	<	1.960	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	1.960	µg/g	10/4/2005
	2-Methylphenol	<	1.960	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	1.960	µg/g	10/4/2005
	Acetophenone	<	1.960	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	1.960	µg/g	10/4/2005
Hexachloroethane	<	1.960	µg/g	10/4/2005
Nitrobenzene	<	1.960	µg/g	10/4/2005
N-Nitrosopiperidine	<	1.960	µg/g	10/4/2005
Isophorone	<	1.960	µg/g	10/4/2005
2-Nitrophenol	<	1.960	µg/g	10/4/2005
2,4-Dimethylphenol	<	1.960	µg/g	10/4/2005
Benzoic Acid	<	1.960	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	1.960	µg/g	10/4/2005
2,4-Dichlorophenol	<	1.960	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	1.960	µg/g	10/4/2005
Naphthalene	<	1.960	µg/g	10/4/2005
2,6-Dichlorophenol	<	1.960	µg/g	10/4/2005
4-Chloroaniline	<	1.960	µg/g	10/4/2005
N-Nitrosodibutylamine	<	1.960	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	1.960	µg/g	10/4/2005
2-Methylnaphthalene	<	1.960	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	1.960	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	1.960	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	1.960	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	1.960	µg/g	10/4/2005
2-Chloronaphthalene	<	1.960	µg/g	10/4/2005
1-Chloronaphthalene	<	1.960	µg/g	10/4/2005
2-Nitroaniline	<	1.960	µg/g	10/4/2005
Dimethyl-phthalate	<	1.960	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	1.960	µg/g	10/4/2005
Acenaphthylene	<	1.960	µg/g	10/4/2005
3-Nitroaniline	<	1.960	µg/g	10/4/2005
Acenaphthene	<	1.960	µg/g	10/4/2005
2,4-Dinitrophenol	<	1.960	µg/g	10/4/2005
Pentachlorobenzene	<	1.960	µg/g	10/4/2005
4-Nitrophenol	<	1.960	µg/g	10/4/2005
Dibenzofuran	<	1.960	µg/g	10/4/2005
2,4-Dinitrotoluene	<	1.960	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	1.960	µg/g	10/4/2005
Diethyl-phthalate	<	1.960	µg/g	10/4/2005
Fluorene	<	1.960	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	1.960	µg/g	10/4/2005
4-Nitroaniline	<	1.960	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	1.960	µg/g	10/4/2005
Diphenylamine	<	1.960	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	1.960	µg/g	10/4/2005
Phenacetin	<	1.960	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	1.960	µg/g	10/4/2005
Hexachlorobenzene	<	1.960	µg/g	10/4/2005
Pentachlorophenol	<	1.960	µg/g	10/4/2005
Pentachloronitrobenzene	<	1.960	µg/g	10/4/2005
Pronamide	<	1.960	µg/g	10/4/2005
Phenanthrene	<	1.960	µg/g	10/4/2005
Anthracene	<	1.960	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	1.960	µg/g	10/4/2005
	Fluoranthene	<	1.960	µg/g	10/4/2005
	Pyrene	<	1.960	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	1.960	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	1.960	µg/g	10/4/2005
	Benzo(a)anthracene	<	1.960	µg/g	10/4/2005
	Chrysene	<	1.960	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	1.960	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	1.960	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	1.960	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	1.960	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	1.960	µg/g	10/4/2005
	Benzo(a)pyrene	<	1.960	µg/g	10/4/2005
	3-Methylcholanthrene	<	1.960	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	1.960	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	1.960	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	1.960	µg/g	10/4/2005
	Methyl methanesulfonate	<	1.960	µg/g	10/4/2005
	Ethyl methanesulfonate	<	1.960	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		95.98	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		97.02	%REC	9/6/2005
	Toluene-d8(Surr.)		91.74	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		82.46	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.126	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.065	µg/g	9/6/2005
Vinyl Chloride	<	0.092	µg/g	9/6/2005
Bromomethane	<	0.440	µg/g	9/6/2005
Chloroethane	<	0.302	µg/g	9/6/2005
Trichlorofluoromethane	<	0.057	µg/g	9/6/2005
1,1-Dichloroethene	<	0.048	µg/g	9/6/2005
Methylene_chloride	<	1.127	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.066	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.094	µg/g	9/6/2005
1,1-Dichloroethane	<	0.047	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.087	µg/g	9/6/2005
Bromochloromethane	<	0.074	µg/g	9/6/2005
Chloroform	<	0.030	µg/g	9/6/2005
2,2-Dichloropropane	<	0.091	µg/g	9/6/2005
1,2-Dichloroethane		697	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.052	µg/g	9/6/2005
1,1-Dichloropropene	<	0.066	µg/g	9/6/2005
Carbon Tetrachloride	<	0.029	µg/g	9/6/2005
Benzene	<	0.074	µg/g	9/6/2005
Dibromomethane	<	0.201	µg/g	9/6/2005
1,2-Dichloropropane	<	0.110	µg/g	9/6/2005
Trichloroethene	<	0.068	µg/g	9/6/2005
Bromodichloromethane	<	0.073	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.097	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.095	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.088	µg/g	9/6/2005
Toluene	<	0.064	µg/g	9/6/2005
1,3-Dichloropropane	<	0.106	µg/g	9/6/2005
Dibromochloromethane	<	0.141	µg/g	9/6/2005
1,2-Dibromoethane	<	0.077	µg/g	9/6/2005
Tetrachloroethene	<	0.108	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.064	µg/g	9/6/2005
Chlorobenzene	<	0.070	µg/g	9/6/2005
Ethylbenzene	<	0.057	µg/g	9/6/2005
m+p_Xylene		0.264	µg/g	9/6/2005
Bromoform	<	0.176	µg/g	9/6/2005
Styrene	<	0.060	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.044	µg/g	9/6/2005
o-Xylene		0.141	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.206	µg/g	9/6/2005
Isopropylbenzene	<	0.066	µg/g	9/6/2005
Bromobenzene	<	0.056	µg/g	9/6/2005
n-Propylbenzene	<	0.055	µg/g	9/6/2005
2-Chlorotoluene	<	0.074	µg/g	9/6/2005
4-Chlorotoluene	<	0.090	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.034	µg/g	9/6/2005
tert-Butylbenzene	<	0.096	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.052	µg/g	9/6/2005
sec-Butylbenzene	<	0.071	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.079	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2413
Your Sample ID: SS-002 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.060	µg/g	9/6/2005
p-Isopropyltoluene	<	0.066	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.079	µg/g	9/6/2005
n-butylbenzene	<	0.081	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.097	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.128	µg/g	9/6/2005
Naphthalene	<	0.172	µg/g	9/6/2005
Hexachlorobutadiene	<	0.108	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.147	µg/g	9/6/2005
Acetone		54.2	µg/g	9/6/2005
2-Butanone	<	1.443	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.913	µg/g	9/6/2005
2-Hexanone	<	1.071	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		10200	mg/Kg	10/10/2005
Antimony	<	5.00	mg/Kg	10/10/2005
Arsenic		129	mg/Kg	10/10/2005
Barium		174	mg/Kg	10/10/2005
Beryllium		0.495	mg/Kg	10/10/2005
Boron		5.80	mg/Kg	10/10/2005
Cadmium		0.162	mg/Kg	10/10/2005
Calcium		11300	mg/Kg	10/10/2005
Chromium		14.8	mg/Kg	10/10/2005
Cobalt		5.13	mg/Kg	10/10/2005
Copper		8.50	mg/Kg	10/10/2005
Iron		16800	mg/Kg	10/10/2005
Lead		6.89	mg/Kg	10/10/2005
Magnesium		2710	mg/Kg	10/10/2005
Manganese		803	mg/Kg	10/10/2005
Nickel		10.9	mg/Kg	10/10/2005
Potassium		1020	mg/Kg	10/10/2005
Selenium	<	0.500	mg/Kg	10/10/2005
Silicon Dioxide			mg/Kg	10/10/2005
Silver	<	1.00	mg/Kg	10/10/2005
Sodium		6310	mg/Kg	10/10/2005
Thallium	<	0.500	mg/Kg	10/10/2005
Vanadium		29.0	mg/Kg	10/10/2005
Zinc		32.5	mg/Kg	10/10/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		28.43	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		50.53	%REC	9/14/2005
Terphenyl-d14(Surr.)		39.57	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		77.03	%REC	9/14/2005
PCB-as-AR1221	<	1.75	µg/g	9/14/2005
PCB-as-AR1232	<	1.75	µg/g	9/14/2005
Molinate	<	0.070	µg/g	9/14/2005
Propachlor	<	0.070	µg/g	9/14/2005
Trifluralin	<	0.070	µg/g	9/14/2005
Alpha-BHC	<	0.070	µg/g	9/14/2005
Atraton	<	0.070	µg/g	9/14/2005
Prometon	<	0.070	µg/g	9/14/2005
Simazine	<	0.070	µg/g	9/14/2005
Atrazine	<	0.070	µg/g	9/14/2005
Beta-BHC	<	0.070	µg/g	9/14/2005
Propazine	<	0.070	µg/g	9/14/2005
Gamma-BHC	<	0.070	µg/g	9/14/2005
Terbuthylazine	<	0.070	µg/g	9/14/2005
Diazinon	<	0.070	µg/g	9/14/2005
Fluchloralin	<	0.070	µg/g	9/14/2005
Fonofos	<	0.070	µg/g	9/14/2005
Delta-BHC	<	0.070	µg/g	9/14/2005
Cyprazine	<	0.070	µg/g	9/14/2005
Dimethazone	<	0.070	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.070	µg/g	9/14/2005
Methyl-Parathion	<	0.070	µg/g	9/14/2005
Alachlor	<	0.070	µg/g	9/14/2005
PCB-as-AR1242	<	1.75	µg/g	9/14/2005
PCB-as-AR1248	<	1.75	µg/g	9/14/2005
Ametryn	<	0.070	µg/g	9/14/2005
Prometryn	<	0.070	µg/g	9/14/2005
Heptachlor	<	0.070	µg/g	9/14/2005
Terbutryn	<	0.070	µg/g	9/14/2005
Malathion	<	0.070	µg/g	9/14/2005
Dipropetryn	<	0.070	µg/g	9/14/2005
Metolachlor	<	0.070	µg/g	9/14/2005
Chlorpyrifos	<	0.070	µg/g	9/14/2005
Cyanazine	<	0.070	µg/g	9/14/2005
Aldrin	<	0.070	µg/g	9/14/2005
Pendimethalin	<	0.070	µg/g	9/14/2005
Heptachlor Epoxide	<	0.070	µg/g	9/14/2005
Technical Chlorodane	<	0.070	µg/g	9/14/2005
Endosulfan I	<	0.070	µg/g	9/14/2005
p-p-DDE	<	0.070	µg/g	9/14/2005
Dieldrin	<	0.070	µg/g	9/14/2005
Endrin	<	0.070	µg/g	9/14/2005
PCB-as-AR1254	<	1.75	µg/g	9/14/2005
PCB-as-AR1260	<	1.75	µg/g	9/14/2005
Endosulfan II	<	0.070	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.070	µg/g	9/14/2005
	Endrin Aldehyde	<	0.070	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.070	µg/g	9/14/2005
	p-p-DDT	<	0.070	µg/g	9/14/2005
	Hexazinone	<	0.070	µg/g	9/14/2005
	Norflurazon	<	0.070	µg/g	9/14/2005
	Endrin Ketone	<	0.070	µg/g	9/14/2005
	Methoxychlor	<	0.070	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		42.82	%REC	10/4/2005
	Phenol-d6(Surr.)		23.05	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		41.54	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		60.58	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		88.52	%REC	10/4/2005
	Terphenyl-d14(Surr.)		51.67	%REC	10/4/2005
	Phenol	<	9.091	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	9.091	µg/g	10/4/2005
	2-Chlorophenol	<	9.091	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	9.091	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	9.091	µg/g	10/4/2005
	Benzyl Alcohol	<	9.091	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	9.091	µg/g	10/4/2005
	2-Methylphenol	<	9.091	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	9.091	µg/g	10/4/2005
	Acetophenone	<	9.091	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	9.091	µg/g	10/4/2005
Hexachloroethane	<	9.091	µg/g	10/4/2005
Nitrobenzene	<	9.091	µg/g	10/4/2005
N-Nitrosopiperidine	<	9.091	µg/g	10/4/2005
Isophorone	<	9.091	µg/g	10/4/2005
2-Nitrophenol	<	9.091	µg/g	10/4/2005
2,4-Dimethylphenol	<	9.091	µg/g	10/4/2005
Benzoic Acid	<	9.091	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	9.091	µg/g	10/4/2005
2,4-Dichlorophenol	<	9.091	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	9.091	µg/g	10/4/2005
Naphthalene	<	9.091	µg/g	10/4/2005
2,6-Dichlorophenol	<	9.091	µg/g	10/4/2005
4-Chloroaniline	<	9.091	µg/g	10/4/2005
N-Nitrosodibutylamine	<	9.091	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	9.091	µg/g	10/4/2005
2-Methylnaphthalene	<	9.091	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	9.091	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	9.091	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	9.091	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	9.091	µg/g	10/4/2005
2-Chloronaphthalene	<	9.091	µg/g	10/4/2005
1-Chloronaphthalene	<	9.091	µg/g	10/4/2005
2-Nitroaniline	<	9.091	µg/g	10/4/2005
Dimethyl-phthalate	<	9.091	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	9.091	µg/g	10/4/2005
Acenaphthylene	<	9.091	µg/g	10/4/2005
3-Nitroaniline	<	9.091	µg/g	10/4/2005
Acenaphthene	<	9.091	µg/g	10/4/2005
2,4-Dinitrophenol	<	9.091	µg/g	10/4/2005
Pentachlorobenzene	<	9.091	µg/g	10/4/2005
4-Nitrophenol	<	9.091	µg/g	10/4/2005
Dibenzofuran	<	9.091	µg/g	10/4/2005
2,4-Dinitrotoluene	<	9.091	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	9.091	µg/g	10/4/2005
Diethyl-phthalate	<	9.091	µg/g	10/4/2005
Fluorene	<	9.091	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	9.091	µg/g	10/4/2005
4-Nitroaniline	<	9.091	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	9.091	µg/g	10/4/2005
Diphenylamine	<	9.091	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	9.091	µg/g	10/4/2005
Phenacetin	<	9.091	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	9.091	µg/g	10/4/2005
Hexachlorobenzene	<	9.091	µg/g	10/4/2005
Pentachlorophenol	<	9.091	µg/g	10/4/2005
Pentachloronitrobenzene	<	9.091	µg/g	10/4/2005
Pronamide	<	9.091	µg/g	10/4/2005
Phenanthrene	<	9.091	µg/g	10/4/2005
Anthracene	<	9.091	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	9.091	µg/g	10/4/2005
	Fluoranthene	<	9.091	µg/g	10/4/2005
	Pyrene	<	9.091	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	9.091	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	9.091	µg/g	10/4/2005
	Benzo(a)anthracene	<	9.091	µg/g	10/4/2005
	Chrysene	<	9.091	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	9.091	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	9.091	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	9.091	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	9.091	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	9.091	µg/g	10/4/2005
	Benzo(a)pyrene	<	9.091	µg/g	10/4/2005
	3-Methylcholanthrene	<	9.091	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	9.091	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	9.091	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	9.091	µg/g	10/4/2005
	Methyl methanesulfonate	<	9.091	µg/g	10/4/2005
	Ethyl methanesulfonate	<	9.091	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		104.8	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		102.3	%REC	9/6/2005
	Toluene-d8(Surr.)		97.97	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		94.05	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.282	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.146	µg/g	9/6/2005
Vinyl Chloride	<	0.206	µg/g	9/6/2005
Bromomethane	<	0.980	µg/g	9/6/2005
Chloroethane	<	0.674	µg/g	9/6/2005
Trichlorofluoromethane	<	0.128	µg/g	9/6/2005
1,1-Dichloroethene	<	0.108	µg/g	9/6/2005
Methylene_chloride	<	2.514	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.148	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.209	µg/g	9/6/2005
1,1-Dichloroethane	<	0.106	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.194	µg/g	9/6/2005
Bromochloromethane	<	0.166	µg/g	9/6/2005
Chloroform	<	0.068	µg/g	9/6/2005
2,2-Dichloropropane	<	0.204	µg/g	9/6/2005
1,2-Dichloroethane	<	0.289	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.116	µg/g	9/6/2005
1,1-Dichloropropene	<	0.148	µg/g	9/6/2005
Carbon Tetrachloride	<	0.065	µg/g	9/6/2005
Benzene	<	0.166	µg/g	9/6/2005
Dibromomethane	<	0.447	µg/g	9/6/2005
1,2-Dichloropropane	<	0.246	µg/g	9/6/2005
Trichloroethene	<	0.151	µg/g	9/6/2005
Bromodichloromethane	<	0.163	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.216	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.211	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.196	µg/g	9/6/2005
Toluene	<	0.143	µg/g	9/6/2005
1,3-Dichloropropane	<	0.236	µg/g	9/6/2005
Dibromochloromethane	<	0.314	µg/g	9/6/2005
1,2-Dibromoethane	<	0.171	µg/g	9/6/2005
Tetrachloroethene	<	0.241	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.143	µg/g	9/6/2005
Chlorobenzene	<	0.156	µg/g	9/6/2005
Ethylbenzene	<	0.128	µg/g	9/6/2005
m+p_Xylene	<	0.302	µg/g	9/6/2005
Bromoform	<	0.392	µg/g	9/6/2005
Styrene	<	0.133	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.098	µg/g	9/6/2005
o-Xylene	<	0.126	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.460	µg/g	9/6/2005
Isopropylbenzene	<	0.148	µg/g	9/6/2005
Bromobenzene	<	0.126	µg/g	9/6/2005
n-Propylbenzene	<	0.123	µg/g	9/6/2005
2-Chlorotoluene	<	0.166	µg/g	9/6/2005
4-Chlorotoluene	<	0.201	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.075	µg/g	9/6/2005
tert-Butylbenzene	<	0.214	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.116	µg/g	9/6/2005
sec-Butylbenzene	<	0.158	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.176	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2414
Your Sample ID: SSS-001 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.133	µg/g	9/6/2005
p-Isopropyltoluene	<	0.148	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.176	µg/g	9/6/2005
n-butylbenzene	<	0.181	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.216	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.287	µg/g	9/6/2005
Naphthalene	<	0.385	µg/g	9/6/2005
Hexachlorobutadiene	<	0.241	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.327	µg/g	9/6/2005
Acetone		143	µg/g	9/6/2005
2-Butanone		36.2	µg/g	9/6/2005
4-Methyl-2-pentanone	<	2.036	µg/g	9/6/2005
2-Hexanone	<	2.388	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		6090	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		8.10	mg/Kg	10/11/2005
Barium		55.5	mg/Kg	10/11/2005
Beryllium		0.690	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.678	mg/Kg	10/11/2005
Calcium		4780	mg/Kg	10/11/2005
Chromium		11.1	mg/Kg	10/11/2005
Cobalt		11.8	mg/Kg	10/11/2005
Copper		17.2	mg/Kg	10/11/2005
Iron		13900	mg/Kg	10/11/2005
Lead		10.7	mg/Kg	10/11/2005
Magnesium		2880	mg/Kg	10/11/2005
Manganese		1040	mg/Kg	10/11/2005
Nickel		26.1	mg/Kg	10/11/2005
Potassium		781	mg/Kg	10/11/2005
Selenium		0.942	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		3620	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		12.3	mg/Kg	10/11/2005
Zinc		51.8	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		35.97	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		57.43	%REC	9/14/2005
Terphenyl-d14(Surr.)		52.30	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		89.63	%REC	9/14/2005
PCB-as-AR1221	<	0.029	µg/g	9/14/2005
PCB-as-AR1232	<	0.029	µg/g	9/14/2005
Molinate	<	0.001	µg/g	9/14/2005
Propachlor	<	0.001	µg/g	9/14/2005
Trifluralin	<	0.001	µg/g	9/14/2005
Alpha-BHC	<	0.001	µg/g	9/14/2005
Atraton	<	0.001	µg/g	9/14/2005
Prometon	<	0.001	µg/g	9/14/2005
Simazine	<	0.001	µg/g	9/14/2005
Atrazine	<	0.001	µg/g	9/14/2005
Beta-BHC	<	0.001	µg/g	9/14/2005
Propazine	<	0.001	µg/g	9/14/2005
Gamma-BHC	<	0.001	µg/g	9/14/2005
Terbuthylazine	<	0.001	µg/g	9/14/2005
Diazinon	<	0.001	µg/g	9/14/2005
Fluchloralin	<	0.001	µg/g	9/14/2005
Fonofos	<	0.001	µg/g	9/14/2005
Delta-BHC	<	0.001	µg/g	9/14/2005
Cyprazine	<	0.001	µg/g	9/14/2005
Dimethazone	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/14/2005
Methyl-Parathion	<	0.001	µg/g	9/14/2005
Alachlor	<	0.001	µg/g	9/14/2005
PCB-as-AR1242	<	0.029	µg/g	9/14/2005
PCB-as-AR1248	<	0.029	µg/g	9/14/2005
Ametryn	<	0.001	µg/g	9/14/2005
Prometryn	<	0.001	µg/g	9/14/2005
Heptachlor	<	0.001	µg/g	9/14/2005
Terbutryn	<	0.001	µg/g	9/14/2005
Malathion	<	0.001	µg/g	9/14/2005
Dipropetryn	<	0.001	µg/g	9/14/2005
Metolachlor	<	0.001	µg/g	9/14/2005
Chlorpyrifos	<	0.001	µg/g	9/14/2005
Cyanazine	<	0.001	µg/g	9/14/2005
Aldrin	<	0.001	µg/g	9/14/2005
Pendimethalin	<	0.001	µg/g	9/14/2005
Heptachlor Epoxide	<	0.001	µg/g	9/14/2005
Technical Chlorodane	<	0.001	µg/g	9/14/2005
Endosulfan I	<	0.001	µg/g	9/14/2005
p-p-DDE	<	0.001	µg/g	9/14/2005
Dieldrin	<	0.001	µg/g	9/14/2005
Endrin	<	0.001	µg/g	9/14/2005
PCB-as-AR1254	<	0.029	µg/g	9/14/2005
PCB-as-AR1260	<	0.029	µg/g	9/14/2005
Endosulfan II	<	0.001	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/14/2005
	Endrin Aldehyde	<	0.001	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/14/2005
	p-p-DDT	<	0.001	µg/g	9/14/2005
	Hexazinone	<	0.001	µg/g	9/14/2005
	Norflurazon	<	0.001	µg/g	9/14/2005
	Endrin Ketone	<	0.001	µg/g	9/14/2005
	Methoxychlor		0.006	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		35.90	%REC	10/4/2005
	Phenol-d6(Surr.)		11.64	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		34.46	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		45.70	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		37.59	%REC	10/4/2005
	Terphenyl-d14(Surr.)		45.88	%REC	10/4/2005
	Phenol	<	9.524	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	9.524	µg/g	10/4/2005
	2-Chlorophenol	<	9.524	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	9.524	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	9.524	µg/g	10/4/2005
	Benzyl Alcohol	<	9.524	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	9.524	µg/g	10/4/2005
	2-Methylphenol	<	9.524	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	9.524	µg/g	10/4/2005
	Acetophenone	<	9.524	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	9.524	µg/g	10/4/2005
Hexachloroethane	<	9.524	µg/g	10/4/2005
Nitrobenzene	<	9.524	µg/g	10/4/2005
N-Nitrosopiperidine	<	9.524	µg/g	10/4/2005
Isophorone	<	9.524	µg/g	10/4/2005
2-Nitrophenol	<	9.524	µg/g	10/4/2005
2,4-Dimethylphenol	<	9.524	µg/g	10/4/2005
Benzoic Acid	<	9.524	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	9.524	µg/g	10/4/2005
2,4-Dichlorophenol	<	9.524	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	9.524	µg/g	10/4/2005
Naphthalene	<	9.524	µg/g	10/4/2005
2,6-Dichlorophenol	<	9.524	µg/g	10/4/2005
4-Chloroaniline	<	9.524	µg/g	10/4/2005
N-Nitrosodibutylamine	<	9.524	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	9.524	µg/g	10/4/2005
2-Methylnaphthalene	<	9.524	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	9.524	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	9.524	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	9.524	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	9.524	µg/g	10/4/2005
2-Chloronaphthalene	<	9.524	µg/g	10/4/2005
1-Chloronaphthalene	<	9.524	µg/g	10/4/2005
2-Nitroaniline	<	9.524	µg/g	10/4/2005
Dimethyl-phthalate	<	9.524	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	9.524	µg/g	10/4/2005
Acenaphthylene	<	9.524	µg/g	10/4/2005
3-Nitroaniline	<	9.524	µg/g	10/4/2005
Acenaphthene	<	9.524	µg/g	10/4/2005
2,4-Dinitrophenol	<	9.524	µg/g	10/4/2005
Pentachlorobenzene	<	9.524	µg/g	10/4/2005
4-Nitrophenol	<	9.524	µg/g	10/4/2005
Dibenzofuran	<	9.524	µg/g	10/4/2005
2,4-Dinitrotoluene	<	9.524	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	9.524	µg/g	10/4/2005
Diethyl-phthalate	<	9.524	µg/g	10/4/2005
Fluorene	<	9.524	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	9.524	µg/g	10/4/2005
4-Nitroaniline	<	9.524	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	9.524	µg/g	10/4/2005
Diphenylamine	<	9.524	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	9.524	µg/g	10/4/2005
Phenacetin	<	9.524	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	9.524	µg/g	10/4/2005
Hexachlorobenzene	<	9.524	µg/g	10/4/2005
Pentachlorophenol	<	9.524	µg/g	10/4/2005
Pentachloronitrobenzene	<	9.524	µg/g	10/4/2005
Pronamide	<	9.524	µg/g	10/4/2005
Phenanthrene	<	9.524	µg/g	10/4/2005
Anthracene	<	9.524	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	9.524	µg/g	10/4/2005
	Fluoranthene	<	9.524	µg/g	10/4/2005
	Pyrene	<	9.524	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	9.524	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	9.524	µg/g	10/4/2005
	Benzo(a)anthracene	<	9.524	µg/g	10/4/2005
	Chrysene	<	9.524	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	9.524	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	9.524	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	9.524	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	9.524	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	9.524	µg/g	10/4/2005
	Benzo(a)pyrene	<	9.524	µg/g	10/4/2005
	3-Methylcholanthrene	<	9.524	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	9.524	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	9.524	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	9.524	µg/g	10/4/2005
	Methyl methanesulfonate	<	9.524	µg/g	10/4/2005
	Ethyl methanesulfonate	<	9.524	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		105.7	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		95.43	%REC	9/6/2005
	Toluene-d8(Surr.)		100.8	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		93.66	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.149	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.077	µg/g	9/6/2005
Vinyl Chloride	<	0.109	µg/g	9/6/2005
Bromomethane	<	0.520	µg/g	9/6/2005
Chloroethane	<	0.358	µg/g	9/6/2005
Trichlorofluoromethane	<	0.068	µg/g	9/6/2005
1,1-Dichloroethene	<	0.057	µg/g	9/6/2005
Methylene_chloride	<	1.334	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.079	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.111	µg/g	9/6/2005
1,1-Dichloroethane	<	0.056	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.103	µg/g	9/6/2005
Bromochloromethane	<	0.088	µg/g	9/6/2005
Chloroform	<	0.036	µg/g	9/6/2005
2,2-Dichloropropane	<	0.108	µg/g	9/6/2005
1,2-Dichloroethane	<	0.153	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.061	µg/g	9/6/2005
1,1-Dichloropropene	<	0.079	µg/g	9/6/2005
Carbon Tetrachloride	<	0.035	µg/g	9/6/2005
Benzene	<	0.088	µg/g	9/6/2005
Dibromomethane	<	0.237	µg/g	9/6/2005
1,2-Dichloropropane	<	0.131	µg/g	9/6/2005
Trichloroethene	<	0.080	µg/g	9/6/2005
Bromodichloromethane	<	0.087	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.115	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.112	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.104	µg/g	9/6/2005
Toluene	<	0.076	µg/g	9/6/2005
1,3-Dichloropropane	<	0.125	µg/g	9/6/2005
Dibromochloromethane	<	0.167	µg/g	9/6/2005
1,2-Dibromoethane	<	0.091	µg/g	9/6/2005
Tetrachloroethene	<	0.128	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.076	µg/g	9/6/2005
Chlorobenzene	<	0.083	µg/g	9/6/2005
Ethylbenzene	<	0.068	µg/g	9/6/2005
m+p_Xylene		0.304	µg/g	9/6/2005
Bromoform	<	0.208	µg/g	9/6/2005
Styrene	<	0.071	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.052	µg/g	9/6/2005
o-Xylene		0.133	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.244	µg/g	9/6/2005
Isopropylbenzene	<	0.079	µg/g	9/6/2005
Bromobenzene	<	0.067	µg/g	9/6/2005
n-Propylbenzene	<	0.065	µg/g	9/6/2005
2-Chlorotoluene	<	0.088	µg/g	9/6/2005
4-Chlorotoluene	<	0.107	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.040	µg/g	9/6/2005
tert-Butylbenzene	<	0.113	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.061	µg/g	9/6/2005
sec-Butylbenzene	<	0.084	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.093	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2415
Your Sample ID: SSS-002 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.071	µg/g	9/6/2005
p-Isopropyltoluene	<	0.079	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.093	µg/g	9/6/2005
n-butylbenzene	<	0.096	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.115	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.152	µg/g	9/6/2005
Naphthalene	<	0.204	µg/g	9/6/2005
Hexachlorobutadiene	<	0.128	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.173	µg/g	9/6/2005
Acetone	<	1.401	µg/g	9/6/2005
2-Butanone	<	1.708	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.081	µg/g	9/6/2005
2-Hexanone	<	1.267	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		4830	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		94.0	mg/Kg	10/11/2005
Barium		83.8	mg/Kg	10/11/2005
Beryllium		0.281	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.212	mg/Kg	10/11/2005
Calcium		27700	mg/Kg	10/11/2005
Chromium		13.0	mg/Kg	10/11/2005
Cobalt		3.85	mg/Kg	10/11/2005
Copper		8.46	mg/Kg	10/11/2005
Iron		10400	mg/Kg	10/11/2005
Lead		6.80	mg/Kg	10/11/2005
Magnesium		12400	mg/Kg	10/11/2005
Manganese		396	mg/Kg	10/11/2005
Nickel		11.9	mg/Kg	10/11/2005
Potassium		1020	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		365	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		10.8	mg/Kg	10/11/2005
Zinc		40.4	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		29.40	%REC	9/14/2005
2-Fluorobiphenyl(Surr.)		61.20	%REC	9/14/2005
Terphenyl-d14(Surr.)		55.30	%REC	9/14/2005
2,4,6-Tribromophenol(Surr)		59.77	%REC	9/14/2005
PCB-as-AR1221	<	0.502	µg/g	9/14/2005
PCB-as-AR1232	<	0.502	µg/g	9/14/2005
Molinate	<	0.020	µg/g	9/14/2005
Propachlor	<	0.020	µg/g	9/14/2005
Trifluralin	<	0.020	µg/g	9/14/2005
Alpha-BHC	<	0.020	µg/g	9/14/2005
Atraton	<	0.020	µg/g	9/14/2005
Prometon	<	0.020	µg/g	9/14/2005
Simazine	<	0.020	µg/g	9/14/2005
Atrazine	<	0.020	µg/g	9/14/2005
Beta-BHC	<	0.020	µg/g	9/14/2005
Propazine	<	0.020	µg/g	9/14/2005
Gamma-BHC	<	0.020	µg/g	9/14/2005
Terbuthylazine	<	0.020	µg/g	9/14/2005
Diazinon	<	0.020	µg/g	9/14/2005
Fluchloralin	<	0.020	µg/g	9/14/2005
Fonofos	<	0.020	µg/g	9/14/2005
Delta-BHC	<	0.020	µg/g	9/14/2005
Cyprazine	<	0.020	µg/g	9/14/2005
Dimethazone	<	0.020	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.020	µg/g	9/14/2005
Methyl-Parathion	<	0.020	µg/g	9/14/2005
Alachlor	<	0.020	µg/g	9/14/2005
PCB-as-AR1242	<	0.502	µg/g	9/14/2005
PCB-as-AR1248	<	0.502	µg/g	9/14/2005
Ametryn	<	0.020	µg/g	9/14/2005
Prometryn	<	0.020	µg/g	9/14/2005
Heptachlor	<	0.020	µg/g	9/14/2005
Terbutryn	<	0.020	µg/g	9/14/2005
Malathion	<	0.020	µg/g	9/14/2005
Dipropetryn	<	0.020	µg/g	9/14/2005
Metolachlor	<	0.020	µg/g	9/14/2005
Chlorpyrifos	<	0.020	µg/g	9/14/2005
Cyanazine	<	0.020	µg/g	9/14/2005
Aldrin	<	0.020	µg/g	9/14/2005
Pendimethalin	<	0.020	µg/g	9/14/2005
Heptachlor Epoxide	<	0.020	µg/g	9/14/2005
Technical Chlorodane	<	0.020	µg/g	9/14/2005
Endosulfan I	<	0.020	µg/g	9/14/2005
p-p-DDE	<	0.020	µg/g	9/14/2005
Dieldrin	<	0.020	µg/g	9/14/2005
Endrin	<	0.020	µg/g	9/14/2005
PCB-as-AR1254	<	0.502	µg/g	9/14/2005
PCB-as-AR1260	<	0.502	µg/g	9/14/2005
Endosulfan II	<	0.020	µg/g	9/14/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.020	µg/g	9/14/2005
	Endrin Aldehyde	<	0.020	µg/g	9/14/2005
	Endosulfan Sulfate	<	0.020	µg/g	9/14/2005
	p-p-DDT	<	0.020	µg/g	9/14/2005
	Hexazinone	<	0.020	µg/g	9/14/2005
	Norflurazon	<	0.020	µg/g	9/14/2005
	Endrin Ketone	<	0.020	µg/g	9/14/2005
	Methoxychlor		3.12	µg/g	9/14/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		45.24	%REC	10/4/2005
	Phenol-d6(Surr.)		17.66	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		47.02	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		77.70	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		47.34	%REC	10/4/2005
	Terphenyl-d14(Surr.)		60.42	%REC	10/4/2005
	Phenol	<	2.041	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	2.041	µg/g	10/4/2005
	2-Chlorophenol	<	2.041	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	2.041	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	2.041	µg/g	10/4/2005
	Benzyl Alcohol	<	2.041	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	2.041	µg/g	10/4/2005
	2-Methylphenol	<	2.041	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	2.041	µg/g	10/4/2005
	Acetophenone	<	2.041	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	2.041	µg/g	10/4/2005
Hexachloroethane	<	2.041	µg/g	10/4/2005
Nitrobenzene	<	2.041	µg/g	10/4/2005
N-Nitrosopiperidine	<	2.041	µg/g	10/4/2005
Isophorone	<	2.041	µg/g	10/4/2005
2-Nitrophenol	<	2.041	µg/g	10/4/2005
2,4-Dimethylphenol	<	2.041	µg/g	10/4/2005
Benzoic Acid	<	2.041	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	2.041	µg/g	10/4/2005
2,4-Dichlorophenol	<	2.041	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	2.041	µg/g	10/4/2005
Naphthalene	<	2.041	µg/g	10/4/2005
2,6-Dichlorophenol	<	2.041	µg/g	10/4/2005
4-Chloroaniline	<	2.041	µg/g	10/4/2005
N-Nitrosodibutylamine	<	2.041	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	2.041	µg/g	10/4/2005
2-Methylnaphthalene	<	2.041	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	2.041	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	2.041	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	2.041	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	2.041	µg/g	10/4/2005
2-Chloronaphthalene	<	2.041	µg/g	10/4/2005
1-Chloronaphthalene	<	2.041	µg/g	10/4/2005
2-Nitroaniline	<	2.041	µg/g	10/4/2005
Dimethyl-phthalate	<	2.041	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	2.041	µg/g	10/4/2005
Acenaphthylene	<	2.041	µg/g	10/4/2005
3-Nitroaniline	<	2.041	µg/g	10/4/2005
Acenaphthene	<	2.041	µg/g	10/4/2005
2,4-Dinitrophenol	<	2.041	µg/g	10/4/2005
Pentachlorobenzene	<	2.041	µg/g	10/4/2005
4-Nitrophenol	<	2.041	µg/g	10/4/2005
Dibenzofuran	<	2.041	µg/g	10/4/2005
2,4-Dinitrotoluene	<	2.041	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	2.041	µg/g	10/4/2005
Diethyl-phthalate	<	2.041	µg/g	10/4/2005
Fluorene	<	2.041	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	2.041	µg/g	10/4/2005
4-Nitroaniline	<	2.041	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	2.041	µg/g	10/4/2005
Diphenylamine	<	2.041	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	2.041	µg/g	10/4/2005
Phenacetin	<	2.041	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	2.041	µg/g	10/4/2005
Hexachlorobenzene	<	2.041	µg/g	10/4/2005
Pentachlorophenol	<	2.041	µg/g	10/4/2005
Pentachloronitrobenzene	<	2.041	µg/g	10/4/2005
Pronamide	<	2.041	µg/g	10/4/2005
Phenanthrene	<	2.041	µg/g	10/4/2005
Anthracene	<	2.041	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	2.041	µg/g	10/4/2005
	Fluoranthene	<	2.041	µg/g	10/4/2005
	Pyrene	<	2.041	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	2.041	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	2.041	µg/g	10/4/2005
	Benzo(a)anthracene	<	2.041	µg/g	10/4/2005
	Chrysene	<	2.041	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	2.041	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	2.041	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	2.041	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	2.041	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	2.041	µg/g	10/4/2005
	Benzo(a)pyrene	<	2.041	µg/g	10/4/2005
	3-Methylcholanthrene	<	2.041	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	2.041	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	2.041	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	2.041	µg/g	10/4/2005
	Methyl methanesulfonate	<	2.041	µg/g	10/4/2005
	Ethyl methanesulfonate	<	2.041	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		97.19	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		96.11	%REC	9/6/2005
	Toluene-d8(Surr.)		107.6	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		111.6	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.124	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.064	µg/g	9/6/2005
Vinyl Chloride	<	0.091	µg/g	9/6/2005
Bromomethane	<	0.431	µg/g	9/6/2005
Chloroethane	<	0.296	µg/g	9/6/2005
Trichlorofluoromethane	<	0.056	µg/g	9/6/2005
1,1-Dichloroethene	<	0.048	µg/g	9/6/2005
Methylene_chloride	<	1.105	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.065	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.092	µg/g	9/6/2005
1,1-Dichloroethane	<	0.046	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.085	µg/g	9/6/2005
Bromochloromethane	<	0.073	µg/g	9/6/2005
Chloroform	<	0.030	µg/g	9/6/2005
2,2-Dichloropropane	<	0.090	µg/g	9/6/2005
1,2-Dichloroethane	<	0.127	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.051	µg/g	9/6/2005
1,1-Dichloropropene	<	0.065	µg/g	9/6/2005
Carbon Tetrachloride	<	0.029	µg/g	9/6/2005
Benzene	<	0.073	µg/g	9/6/2005
Dibromomethane	<	0.197	µg/g	9/6/2005
1,2-Dichloropropane	<	0.108	µg/g	9/6/2005
Trichloroethene	<	0.066	µg/g	9/6/2005
Bromodichloromethane	<	0.072	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.095	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.093	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.086	µg/g	9/6/2005
Toluene	<	0.063	µg/g	9/6/2005
1,3-Dichloropropane	<	0.104	µg/g	9/6/2005
Dibromochloromethane	<	0.138	µg/g	9/6/2005
1,2-Dibromoethane	<	0.075	µg/g	9/6/2005
Tetrachloroethene	<	0.106	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.063	µg/g	9/6/2005
Chlorobenzene	<	0.069	µg/g	9/6/2005
Ethylbenzene	<	0.056	µg/g	9/6/2005
m+p_Xylene	<	0.133	µg/g	9/6/2005
Bromoform	<	0.172	µg/g	9/6/2005
Styrene	<	0.059	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.043	µg/g	9/6/2005
o-Xylene	<	0.055	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.202	µg/g	9/6/2005
Isopropylbenzene	<	0.065	µg/g	9/6/2005
Bromobenzene	<	0.055	µg/g	9/6/2005
n-Propylbenzene	<	0.054	µg/g	9/6/2005
2-Chlorotoluene	<	0.073	µg/g	9/6/2005
4-Chlorotoluene	<	0.088	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.033	µg/g	9/6/2005
tert-Butylbenzene	<	0.094	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.051	µg/g	9/6/2005
sec-Butylbenzene	<	0.070	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.077	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2416
Your Sample ID: SS-003 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.059	µg/g	9/6/2005
p-Isopropyltoluene	<	0.065	µg/g	9/6/2005
1,2-Dichlorobenzene		1.545	µg/g	9/6/2005
n-butylbenzene	<	0.080	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.095	µg/g	9/6/2005
1,2,4-Trichlorobenzene		0.521	µg/g	9/6/2005
Naphthalene	<	0.169	µg/g	9/6/2005
Hexachlorobutadiene	<	0.106	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.144	µg/g	9/6/2005
Acetone	<	1.160	µg/g	9/6/2005
2-Butanone	<	1.414	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.895	µg/g	9/6/2005
2-Hexanone	<	1.050	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		4730	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		4.45	mg/Kg	10/11/2005
Barium		45.3	mg/Kg	10/11/2005
Beryllium		0.302	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.467	mg/Kg	10/11/2005
Calcium		1460	mg/Kg	10/11/2005
Chromium		9.00	mg/Kg	10/11/2005
Cobalt		5.32	mg/Kg	10/11/2005
Copper		9.83	mg/Kg	10/11/2005
Iron		11900	mg/Kg	10/11/2005
Lead		6.38	mg/Kg	10/11/2005
Magnesium		1850	mg/Kg	10/11/2005
Manganese		1570	mg/Kg	10/11/2005
Nickel		14.4	mg/Kg	10/11/2005
Potassium		517	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		1040	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		11.4	mg/Kg	10/11/2005
Zinc		26.9	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		27.30	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		22.77	%REC	9/15/2005
Terphenyl-d14(Surr.)		92.47	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		80.63	%REC	9/15/2005
PCB-as-AR1221	<	0.029	µg/g	9/15/2005
PCB-as-AR1232	<	0.029	µg/g	9/15/2005
Molinate	<	0.001	µg/g	9/15/2005
Propachlor	<	0.001	µg/g	9/15/2005
Trifluralin	<	0.001	µg/g	9/15/2005
Alpha-BHC	<	0.001	µg/g	9/15/2005
Atraton	<	0.001	µg/g	9/15/2005
Prometon	<	0.001	µg/g	9/15/2005
Simazine	<	0.001	µg/g	9/15/2005
Atrazine	<	0.001	µg/g	9/15/2005
Beta-BHC	<	0.001	µg/g	9/15/2005
Propazine	<	0.001	µg/g	9/15/2005
Gamma-BHC	<	0.001	µg/g	9/15/2005
Terbuthylazine	<	0.001	µg/g	9/15/2005
Diazinon	<	0.001	µg/g	9/15/2005
Fluchloralin	<	0.001	µg/g	9/15/2005
Fonofos	<	0.001	µg/g	9/15/2005
Delta-BHC	<	0.001	µg/g	9/15/2005
Cyprazine	<	0.001	µg/g	9/15/2005
Dimethazone	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/15/2005
Methyl-Parathion	<	0.001	µg/g	9/15/2005
Alachlor	<	0.001	µg/g	9/15/2005
PCB-as-AR1242	<	0.029	µg/g	9/15/2005
PCB-as-AR1248	<	0.029	µg/g	9/15/2005
Ametryn	<	0.001	µg/g	9/15/2005
Prometryn	<	0.001	µg/g	9/15/2005
Heptachlor	<	0.001	µg/g	9/15/2005
Terbutryn	<	0.001	µg/g	9/15/2005
Malathion	<	0.001	µg/g	9/15/2005
Dipropetryn	<	0.001	µg/g	9/15/2005
Metolachlor	<	0.001	µg/g	9/15/2005
Chlorpyrifos	<	0.001	µg/g	9/15/2005
Cyanazine	<	0.001	µg/g	9/15/2005
Aldrin	<	0.001	µg/g	9/15/2005
Pendimethalin	<	0.001	µg/g	9/15/2005
Heptachlor Epoxide	<	0.001	µg/g	9/15/2005
Technical Chlorodane	<	0.001	µg/g	9/15/2005
Endosulfan I	<	0.001	µg/g	9/15/2005
p-p-DDE	<	0.001	µg/g	9/15/2005
Dieldrin	<	0.001	µg/g	9/15/2005
Endrin	<	0.001	µg/g	9/15/2005
PCB-as-AR1254	<	0.029	µg/g	9/15/2005
PCB-as-AR1260	<	0.029	µg/g	9/15/2005
Endosulfan II	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/15/2005
	Endrin Aldehyde	<	0.001	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/15/2005
	p-p-DDT	<	0.001	µg/g	9/15/2005
	Hexazinone	<	0.001	µg/g	9/15/2005
	Norflurazon	<	0.001	µg/g	9/15/2005
	Endrin Ketone	<	0.001	µg/g	9/15/2005
	Methoxychlor	<	0.001	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		36.97	%REC	10/4/2005
	Phenol-d6(Surr.)		16.84	%REC	10/4/2005
	Nitrobenzene-d5(Surr.)		41.20	%REC	10/4/2005
	2-Fluorobiphenyl(Surr.)		64.45	%REC	10/4/2005
	2,4,6-Tribromophenol(Surr)		62.07	%REC	10/4/2005
	Terphenyl-d14(Surr.)		78.80	%REC	10/4/2005
	Phenol	<	2.500	µg/g	10/4/2005
	Bis(2-chloroethyl)-Ether	<	2.500	µg/g	10/4/2005
	2-Chlorophenol	<	2.500	µg/g	10/4/2005
	1,3-Dichlorobenzene	<	2.500	µg/g	10/4/2005
	1,4-Dichlorobenzene	<	2.500	µg/g	10/4/2005
	Benzyl Alcohol	<	2.500	µg/g	10/4/2005
	1,2-Dichlorobenzene	<	2.500	µg/g	10/4/2005
	2-Methylphenol	<	2.500	µg/g	10/4/2005
	N-Nitroso-di-n-propylamine	<	2.500	µg/g	10/4/2005
	Acetophenone	<	2.500	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	2.500	µg/g	10/4/2005
Hexachloroethane	<	2.500	µg/g	10/4/2005
Nitrobenzene	<	2.500	µg/g	10/4/2005
N-Nitrosopiperidine	<	2.500	µg/g	10/4/2005
Isophorone	<	2.500	µg/g	10/4/2005
2-Nitrophenol	<	2.500	µg/g	10/4/2005
2,4-Dimethylphenol	<	2.500	µg/g	10/4/2005
Benzoic Acid	<	2.500	µg/g	10/4/2005
Bis(2-chloroethoxy)methane	<	2.500	µg/g	10/4/2005
2,4-Dichlorophenol	<	2.500	µg/g	10/4/2005
1,2,4-Trichlorobenzene	<	2.500	µg/g	10/4/2005
Naphthalene	<	2.500	µg/g	10/4/2005
2,6-Dichlorophenol	<	2.500	µg/g	10/4/2005
4-Chloroaniline	<	2.500	µg/g	10/4/2005
N-Nitrosodibutylamine	<	2.500	µg/g	10/4/2005
4-Chloro-3-methylphenol	<	2.500	µg/g	10/4/2005
2-Methylnaphthalene	<	2.500	µg/g	10/4/2005
Hexachlorocyclopentadiene	<	2.500	µg/g	10/4/2005
1,2,4,5-Tetrachlorobenzene	<	2.500	µg/g	10/4/2005
2,4,6-Trichlorophenol	<	2.500	µg/g	10/4/2005
2,4,5-Trichlorophenol	<	2.500	µg/g	10/4/2005
2-Chloronaphthalene	<	2.500	µg/g	10/4/2005
1-Chloronaphthalene	<	2.500	µg/g	10/4/2005
2-Nitroaniline	<	2.500	µg/g	10/4/2005
Dimethyl-phthalate	<	2.500	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	2.500	µg/g	10/4/2005
Acenaphthylene	<	2.500	µg/g	10/4/2005
3-Nitroaniline	<	2.500	µg/g	10/4/2005
Acenaphthene	<	2.500	µg/g	10/4/2005
2,4-Dinitrophenol	<	2.500	µg/g	10/4/2005
Pentachlorobenzene	<	2.500	µg/g	10/4/2005
4-Nitrophenol	<	2.500	µg/g	10/4/2005
Dibenzofuran	<	2.500	µg/g	10/4/2005
2,4-Dinitrotoluene	<	2.500	µg/g	10/4/2005
2,3,4,6-Tetrachlorophenol	<	2.500	µg/g	10/4/2005
Diethyl-phthalate	<	2.500	µg/g	10/4/2005
Fluorene	<	2.500	µg/g	10/4/2005
4-Chlorophenyl-phenyl-ether	<	2.500	µg/g	10/4/2005
4-Nitroaniline	<	2.500	µg/g	10/4/2005
4,6-Dinitro-2-methyphenol	<	2.500	µg/g	10/4/2005
Diphenylamine	<	2.500	µg/g	10/4/2005
1,2-Diphenylhydrazine	<	2.500	µg/g	10/4/2005
Phenacetin	<	2.500	µg/g	10/4/2005
4-Bromophenyl-phenyl-ether	<	2.500	µg/g	10/4/2005
Hexachlorobenzene	<	2.500	µg/g	10/4/2005
Pentachlorophenol	<	2.500	µg/g	10/4/2005
Pentachloronitrobenzene	<	2.500	µg/g	10/4/2005
Pronamide	<	2.500	µg/g	10/4/2005
Phenanthrene	<	2.500	µg/g	10/4/2005
Anthracene	<	2.500	µg/g	10/4/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	2.500	µg/g	10/4/2005
	Fluoranthene	<	2.500	µg/g	10/4/2005
	Pyrene	<	2.500	µg/g	10/4/2005
	Dimethylaminoazobenzene	<	2.500	µg/g	10/4/2005
	Butyl-benzyl-phthalate	<	2.500	µg/g	10/4/2005
	Benzo(a)anthracene	<	2.500	µg/g	10/4/2005
	Chrysene	<	2.500	µg/g	10/4/2005
	Bis(2-ethylhexyl)phthalate	<	2.500	µg/g	10/4/2005
	Di-n-octyl-phthalate	<	2.500	µg/g	10/4/2005
	Benzo(b)fluoranthene	<	2.500	µg/g	10/4/2005
	Dimethylbenzo(a)anthracene	<	2.500	µg/g	10/4/2005
	Benzo(k)fluoranthene	<	2.500	µg/g	10/4/2005
	Benzo(a)pyrene	<	2.500	µg/g	10/4/2005
	3-Methylcholanthrene	<	2.500	µg/g	10/4/2005
	Indeno(1-2-3-cd)pyrene	<	2.500	µg/g	10/4/2005
	Dibenz(a-h)anthracene	<	2.500	µg/g	10/4/2005
	Benzo(g-h-I)perylene	<	2.500	µg/g	10/4/2005
	Methyl methanesulfonate	<	2.500	µg/g	10/4/2005
	Ethyl methanesulfonate	<	2.500	µg/g	10/4/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		104.0	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		99.72	%REC	9/6/2005
	Toluene-d8(Surr.)		86.98	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		91.82	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.149	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.077	µg/g	9/6/2005
Vinyl Chloride	<	0.109	µg/g	9/6/2005
Bromomethane	<	0.517	µg/g	9/6/2005
Chloroethane	<	0.355	µg/g	9/6/2005
Trichlorofluoromethane	<	0.068	µg/g	9/6/2005
1,1-Dichloroethene	<	0.057	µg/g	9/6/2005
Methylene_chloride	<	1.326	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.078	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.110	µg/g	9/6/2005
1,1-Dichloroethane	<	0.056	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.102	µg/g	9/6/2005
Bromochloromethane	<	0.088	µg/g	9/6/2005
Chloroform	<	0.036	µg/g	9/6/2005
2,2-Dichloropropane	<	0.107	µg/g	9/6/2005
1,2-Dichloroethane	<	0.152	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.061	µg/g	9/6/2005
1,1-Dichloropropene	<	0.078	µg/g	9/6/2005
Carbon Tetrachloride	<	0.034	µg/g	9/6/2005
Benzene	<	0.088	µg/g	9/6/2005
Dibromomethane	<	0.236	µg/g	9/6/2005
1,2-Dichloropropane	<	0.130	µg/g	9/6/2005
Trichloroethene	<	0.080	µg/g	9/6/2005
Bromodichloromethane	<	0.086	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.114	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.111	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.103	µg/g	9/6/2005
Toluene	<	0.076	µg/g	9/6/2005
1,3-Dichloropropane	<	0.125	µg/g	9/6/2005
Dibromochloromethane	<	0.166	µg/g	9/6/2005
1,2-Dibromoethane	<	0.090	µg/g	9/6/2005
Tetrachloroethene	<	0.127	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.076	µg/g	9/6/2005
Chlorobenzene	<	0.082	µg/g	9/6/2005
Ethylbenzene	<	0.068	µg/g	9/6/2005
m+p_Xylene	<	0.159	µg/g	9/6/2005
Bromoform	<	0.207	µg/g	9/6/2005
Styrene	<	0.070	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.052	µg/g	9/6/2005
o-Xylene	<	0.066	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.243	µg/g	9/6/2005
Isopropylbenzene	<	0.078	µg/g	9/6/2005
Bromobenzene	<	0.066	µg/g	9/6/2005
n-Propylbenzene	<	0.065	µg/g	9/6/2005
2-Chlorotoluene	<	0.088	µg/g	9/6/2005
4-Chlorotoluene	<	0.106	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.040	µg/g	9/6/2005
tert-Butylbenzene	<	0.113	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.061	µg/g	9/6/2005
sec-Butylbenzene	<	0.084	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.093	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2417
Your Sample ID: SSS-003 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.070	µg/g	9/6/2005
p-Isopropyltoluene	<	0.078	µg/g	9/6/2005
1,2-Dichlorobenzene		0.461	µg/g	9/6/2005
n-butylbenzene	<	0.095	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.114	µg/g	9/6/2005
1,2,4-Trichlorobenzene		0.407	µg/g	9/6/2005
Naphthalene	<	0.203	µg/g	9/6/2005
Hexachlorobutadiene	<	0.127	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.172	µg/g	9/6/2005
Acetone	<	1.392	µg/g	9/6/2005
2-Butanone	<	1.697	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.074	µg/g	9/6/2005
2-Hexanone	<	1.260	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		5650	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		3.45	mg/Kg	10/11/2005
Barium		78.9	mg/Kg	10/11/2005
Beryllium		0.342	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.209	mg/Kg	10/11/2005
Calcium		2180	mg/Kg	10/11/2005
Chromium		10.6	mg/Kg	10/11/2005
Cobalt		3.66	mg/Kg	10/11/2005
Copper		10.6	mg/Kg	10/11/2005
Iron		11200	mg/Kg	10/11/2005
Lead		6.75	mg/Kg	10/11/2005
Magnesium		2310	mg/Kg	10/11/2005
Manganese		271	mg/Kg	10/11/2005
Nickel		11.7	mg/Kg	10/11/2005
Potassium		580	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		219	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		8.42	mg/Kg	10/11/2005
Zinc		33.3	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		25.10	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		26.50	%REC	9/15/2005
Terphenyl-d14(Surr.)		76.80	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		90.57	%REC	9/15/2005
PCB-as-AR1221	<	0.028	µg/g	9/15/2005
PCB-as-AR1232	<	0.028	µg/g	9/15/2005
Molinate	<	0.001	µg/g	9/15/2005
Propachlor	<	0.001	µg/g	9/15/2005
Trifluralin	<	0.001	µg/g	9/15/2005
Alpha-BHC	<	0.001	µg/g	9/15/2005
Atraton	<	0.001	µg/g	9/15/2005
Prometon	<	0.001	µg/g	9/15/2005
Simazine	<	0.001	µg/g	9/15/2005
Atrazine	<	0.001	µg/g	9/15/2005
Beta-BHC	<	0.001	µg/g	9/15/2005
Propazine	<	0.001	µg/g	9/15/2005
Gamma-BHC	<	0.001	µg/g	9/15/2005
Terbuthylazine	<	0.001	µg/g	9/15/2005
Diazinon	<	0.001	µg/g	9/15/2005
Fluchloralin	<	0.001	µg/g	9/15/2005
Fonofos	<	0.001	µg/g	9/15/2005
Delta-BHC	<	0.001	µg/g	9/15/2005
Cyprazine	<	0.001	µg/g	9/15/2005
Dimethazone	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/15/2005
Methyl-Parathion	<	0.001	µg/g	9/15/2005
Alachlor	<	0.001	µg/g	9/15/2005
PCB-as-AR1242	<	0.028	µg/g	9/15/2005
PCB-as-AR1248	<	0.028	µg/g	9/15/2005
Ametryn	<	0.001	µg/g	9/15/2005
Prometryn	<	0.001	µg/g	9/15/2005
Heptachlor	<	0.001	µg/g	9/15/2005
Terbutryn	<	0.001	µg/g	9/15/2005
Malathion	<	0.001	µg/g	9/15/2005
Dipropetryn	<	0.001	µg/g	9/15/2005
Metolachlor	<	0.001	µg/g	9/15/2005
Chlorpyrifos	<	0.001	µg/g	9/15/2005
Cyanazine	<	0.001	µg/g	9/15/2005
Aldrin	<	0.001	µg/g	9/15/2005
Pendimethalin	<	0.001	µg/g	9/15/2005
Heptachlor Epoxide	<	0.001	µg/g	9/15/2005
Technical Chlorodane	<	0.001	µg/g	9/15/2005
Endosulfan I	<	0.001	µg/g	9/15/2005
p-p-DDE	<	0.001	µg/g	9/15/2005
Dieldrin	<	0.001	µg/g	9/15/2005
Endrin	<	0.001	µg/g	9/15/2005
PCB-as-AR1254	<	0.028	µg/g	9/15/2005
PCB-as-AR1260	<	0.028	µg/g	9/15/2005
Endosulfan II	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/15/2005
	Endrin Aldehyde	<	0.001	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/15/2005
	p-p-DDT	<	0.001	µg/g	9/15/2005
	Hexazinone	<	0.001	µg/g	9/15/2005
	Norflurazon	<	0.001	µg/g	9/15/2005
	Endrin Ketone	<	0.001	µg/g	9/15/2005
	Methoxychlor		0.040	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		40.04	%REC	10/5/2005
	Phenol-d6(Surr.)		26.50	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		24.42	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		33.17	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		82.43	%REC	10/5/2005
	Terphenyl-d14(Surr.)		70.05	%REC	10/5/2005
	Phenol	<	0.105	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	0.105	µg/g	10/5/2005
	2-Chlorophenol	<	0.105	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	0.105	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	0.105	µg/g	10/5/2005
	Benzyl Alcohol	<	0.105	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	0.105	µg/g	10/5/2005
	2-Methylphenol	<	0.105	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	0.105	µg/g	10/5/2005
	Acetophenone	<	0.105	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.105	µg/g	10/5/2005
Hexachloroethane	<	0.105	µg/g	10/5/2005
Nitrobenzene	<	0.105	µg/g	10/5/2005
N-Nitrosopiperidine	<	0.105	µg/g	10/5/2005
Isophorone	<	0.105	µg/g	10/5/2005
2-Nitrophenol	<	0.105	µg/g	10/5/2005
2,4-Dimethylphenol	<	0.105	µg/g	10/5/2005
Benzoic Acid	<	0.105	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	0.105	µg/g	10/5/2005
2,4-Dichlorophenol	<	0.105	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	0.105	µg/g	10/5/2005
Naphthalene	<	0.105	µg/g	10/5/2005
2,6-Dichlorophenol	<	0.105	µg/g	10/5/2005
4-Chloroaniline	<	0.105	µg/g	10/5/2005
N-Nitrosodibutylamine	<	0.105	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	0.105	µg/g	10/5/2005
2-Methylnaphthalene	<	0.105	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	0.105	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	0.105	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	0.105	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	0.105	µg/g	10/5/2005
2-Chloronaphthalene	<	0.105	µg/g	10/5/2005
1-Chloronaphthalene	<	0.105	µg/g	10/5/2005
2-Nitroaniline	<	0.105	µg/g	10/5/2005
Dimethyl-phthalate	<	0.105	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.105	µg/g	10/5/2005
Acenaphthylene	<	0.105	µg/g	10/5/2005
3-Nitroaniline	<	0.105	µg/g	10/5/2005
Acenaphthene	<	0.105	µg/g	10/5/2005
2,4-Dinitrophenol	<	0.105	µg/g	10/5/2005
Pentachlorobenzene	<	0.105	µg/g	10/5/2005
4-Nitrophenol	<	0.105	µg/g	10/5/2005
Dibenzofuran	<	0.105	µg/g	10/5/2005
2,4-Dinitrotoluene	<	0.105	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	0.105	µg/g	10/5/2005
Diethyl-phthalate	<	0.105	µg/g	10/5/2005
Fluorene	<	0.105	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	0.105	µg/g	10/5/2005
4-Nitroaniline	<	0.105	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	0.105	µg/g	10/5/2005
Diphenylamine	<	0.105	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	0.105	µg/g	10/5/2005
Phenacetin	<	0.105	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	0.105	µg/g	10/5/2005
Hexachlorobenzene	<	0.105	µg/g	10/5/2005
Pentachlorophenol	<	0.105	µg/g	10/5/2005
Pentachloronitrobenzene	<	0.105	µg/g	10/5/2005
Pronamide	<	0.105	µg/g	10/5/2005
Phenanthrene	<	0.105	µg/g	10/5/2005
Anthracene	<	0.105	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.105	µg/g	10/5/2005
	Fluoranthene	<	0.105	µg/g	10/5/2005
	Pyrene	<	0.105	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	0.105	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	0.105	µg/g	10/5/2005
	Benzo(a)anthracene	<	0.105	µg/g	10/5/2005
	Chrysene	<	0.105	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	0.105	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	0.105	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	0.105	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	0.105	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	0.105	µg/g	10/5/2005
	Benzo(a)pyrene	<	0.105	µg/g	10/5/2005
	3-Methylcholanthrene	<	0.105	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	0.105	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	0.105	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	0.105	µg/g	10/5/2005
	Methyl methanesulfonate	<	0.105	µg/g	10/5/2005
	Ethyl methanesulfonate	<	0.105	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		94.96	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		89.68	%REC	9/6/2005
	Toluene-d8(Surr.)		96.59	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		91.34	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.145	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.075	µg/g	9/6/2005
Vinyl Chloride	<	0.107	µg/g	9/6/2005
Bromomethane	<	0.507	µg/g	9/6/2005
Chloroethane	<	0.348	µg/g	9/6/2005
Trichlorofluoromethane	<	0.066	µg/g	9/6/2005
1,1-Dichloroethene	<	0.056	µg/g	9/6/2005
Methylene_chloride		1.720	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.077	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.108	µg/g	9/6/2005
1,1-Dichloroethane	<	0.055	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.100	µg/g	9/6/2005
Bromochloromethane	<	0.086	µg/g	9/6/2005
Chloroform	<	0.035	µg/g	9/6/2005
2,2-Dichloropropane	<	0.105	µg/g	9/6/2005
1,2-Dichloroethane	<	0.149	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.060	µg/g	9/6/2005
1,1-Dichloropropene	<	0.077	µg/g	9/6/2005
Carbon Tetrachloride	<	0.034	µg/g	9/6/2005
Benzene	<	0.086	µg/g	9/6/2005
Dibromomethane	<	0.231	µg/g	9/6/2005
1,2-Dichloropropane	<	0.127	µg/g	9/6/2005
Trichloroethene	<	0.078	µg/g	9/6/2005
Bromodichloromethane	<	0.084	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.112	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.109	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.101	µg/g	9/6/2005
Toluene	<	0.074	µg/g	9/6/2005
1,3-Dichloropropane	<	0.122	µg/g	9/6/2005
Dibromochloromethane	<	0.162	µg/g	9/6/2005
1,2-Dibromoethane	<	0.088	µg/g	9/6/2005
Tetrachloroethene	<	0.125	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.074	µg/g	9/6/2005
Chlorobenzene	<	0.081	µg/g	9/6/2005
Ethylbenzene	<	0.066	µg/g	9/6/2005
m+p_Xylene	<	0.156	µg/g	9/6/2005
Bromoform	<	0.203	µg/g	9/6/2005
Styrene	<	0.069	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.051	µg/g	9/6/2005
o-Xylene	<	0.065	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.238	µg/g	9/6/2005
Isopropylbenzene	<	0.077	µg/g	9/6/2005
Bromobenzene	<	0.065	µg/g	9/6/2005
n-Propylbenzene	<	0.064	µg/g	9/6/2005
2-Chlorotoluene	<	0.086	µg/g	9/6/2005
4-Chlorotoluene	<	0.104	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.039	µg/g	9/6/2005
tert-Butylbenzene	<	0.110	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.060	µg/g	9/6/2005
sec-Butylbenzene	<	0.082	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.091	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2418
Your Sample ID: SSS-004 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.069	µg/g	9/6/2005
p-Isopropyltoluene	<	0.077	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.091	µg/g	9/6/2005
n-butylbenzene	<	0.094	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.112	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.148	µg/g	9/6/2005
Naphthalene	<	0.199	µg/g	9/6/2005
Hexachlorobutadiene	<	0.125	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.169	µg/g	9/6/2005
Acetone		1.884	µg/g	9/6/2005
2-Butanone	<	1.663	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.052	µg/g	9/6/2005
2-Hexanone	<	1.234	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		3360	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		9.54	mg/Kg	10/11/2005
Barium		116	mg/Kg	10/11/2005
Beryllium		0.244	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.440	mg/Kg	10/11/2005
Calcium		96400	mg/Kg	10/11/2005
Chromium		7.96	mg/Kg	10/11/2005
Cobalt		3.30	mg/Kg	10/11/2005
Copper		7.07	mg/Kg	10/11/2005
Iron		8910	mg/Kg	10/11/2005
Lead		5.43	mg/Kg	10/11/2005
Magnesium		12500	mg/Kg	10/11/2005
Manganese		640	mg/Kg	10/11/2005
Nickel		9.39	mg/Kg	10/11/2005
Potassium		629	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		142	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		10.5	mg/Kg	10/11/2005
Zinc		31.6	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		0.00	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		0.00	%REC	9/15/2005
Terphenyl-d14(Surr.)		0.00	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		0.00	%REC	9/15/2005
PCB-as-AR1221	<	0.026	µg/g	9/15/2005
PCB-as-AR1232	<	0.026	µg/g	9/15/2005
Molinate	<	0.001	µg/g	9/15/2005
Propachlor	<	0.001	µg/g	9/15/2005
Trifluralin	<	0.001	µg/g	9/15/2005
Alpha-BHC	<	0.001	µg/g	9/15/2005
Atraton	<	0.001	µg/g	9/15/2005
Prometon	<	0.001	µg/g	9/15/2005
Simazine	<	0.001	µg/g	9/15/2005
Atrazine	<	0.001	µg/g	9/15/2005
Beta-BHC	<	0.001	µg/g	9/15/2005
Propazine	<	0.001	µg/g	9/15/2005
Gamma-BHC	<	0.001	µg/g	9/15/2005
Terbuthylazine	<	0.001	µg/g	9/15/2005
Diazinon	<	0.001	µg/g	9/15/2005
Fluchloralin	<	0.001	µg/g	9/15/2005
Fonofos	<	0.001	µg/g	9/15/2005
Delta-BHC	<	0.001	µg/g	9/15/2005
Cyprazine	<	0.001	µg/g	9/15/2005
Dimethazone	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/15/2005
Methyl-Parathion	<	0.001	µg/g	9/15/2005
Alachlor	<	0.001	µg/g	9/15/2005
PCB-as-AR1242	<	0.026	µg/g	9/15/2005
PCB-as-AR1248	<	0.026	µg/g	9/15/2005
Ametryn	<	0.001	µg/g	9/15/2005
Prometryn	<	0.001	µg/g	9/15/2005
Heptachlor	<	0.001	µg/g	9/15/2005
Terbutryn	<	0.001	µg/g	9/15/2005
Malathion	<	0.001	µg/g	9/15/2005
Dipropetryn	<	0.001	µg/g	9/15/2005
Metolachlor	<	0.001	µg/g	9/15/2005
Chlorpyrifos	<	0.001	µg/g	9/15/2005
Cyanazine	<	0.001	µg/g	9/15/2005
Aldrin	<	0.001	µg/g	9/15/2005
Pendimethalin	<	0.001	µg/g	9/15/2005
Heptachlor Epoxide	<	0.001	µg/g	9/15/2005
Technical Chlorodane	<	0.001	µg/g	9/15/2005
Endosulfan I	<	0.001	µg/g	9/15/2005
p-p-DDE	<	0.001	µg/g	9/15/2005
Dieldrin	<	0.001	µg/g	9/15/2005
Endrin	<	0.001	µg/g	9/15/2005
PCB-as-AR1254	<	0.026	µg/g	9/15/2005
PCB-as-AR1260	<	0.026	µg/g	9/15/2005
Endosulfan II	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/15/2005
	Endrin Aldehyde	<	0.001	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/15/2005
	p-p-DDT	<	0.001	µg/g	9/15/2005
	Hexazinone	<	0.001	µg/g	9/15/2005
	Norflurazon	<	0.001	µg/g	9/15/2005
	Endrin Ketone	<	0.001	µg/g	9/15/2005
	Methoxychlor		44.5	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		57.02	%REC	10/5/2005
	Phenol-d6(Surr.)		43.83	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		47.09	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		63.78	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		108.6	%REC	10/5/2005
	Terphenyl-d14(Surr.)		76.83	%REC	10/5/2005
	Phenol	<	0.209	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	0.209	µg/g	10/5/2005
	2-Chlorophenol	<	0.209	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	0.209	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	0.209	µg/g	10/5/2005
	Benzyl Alcohol	<	0.209	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	0.209	µg/g	10/5/2005
	2-Methylphenol	<	0.209	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	0.209	µg/g	10/5/2005
	Acetophenone	<	0.209	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.209	µg/g	10/5/2005
Hexachloroethane	<	0.209	µg/g	10/5/2005
Nitrobenzene	<	0.209	µg/g	10/5/2005
N-Nitrosopiperidine	<	0.209	µg/g	10/5/2005
Isophorone	<	0.209	µg/g	10/5/2005
2-Nitrophenol	<	0.209	µg/g	10/5/2005
2,4-Dimethylphenol	<	0.209	µg/g	10/5/2005
Benzoic Acid	<	0.209	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	0.209	µg/g	10/5/2005
2,4-Dichlorophenol	<	0.209	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	0.209	µg/g	10/5/2005
Naphthalene	<	0.209	µg/g	10/5/2005
2,6-Dichlorophenol	<	0.209	µg/g	10/5/2005
4-Chloroaniline	<	0.209	µg/g	10/5/2005
N-Nitrosodibutylamine	<	0.209	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	0.209	µg/g	10/5/2005
2-Methylnaphthalene	<	0.209	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	0.209	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	0.209	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	0.209	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	0.209	µg/g	10/5/2005
2-Chloronaphthalene	<	0.209	µg/g	10/5/2005
1-Chloronaphthalene	<	0.209	µg/g	10/5/2005
2-Nitroaniline	<	0.209	µg/g	10/5/2005
Dimethyl-phthalate	<	0.209	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.209	µg/g	10/5/2005
Acenaphthylene	<	0.209	µg/g	10/5/2005
3-Nitroaniline	<	0.209	µg/g	10/5/2005
Acenaphthene	<	0.209	µg/g	10/5/2005
2,4-Dinitrophenol	<	0.209	µg/g	10/5/2005
Pentachlorobenzene	<	0.209	µg/g	10/5/2005
4-Nitrophenol	<	0.209	µg/g	10/5/2005
Dibenzofuran	<	0.209	µg/g	10/5/2005
2,4-Dinitrotoluene	<	0.209	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	0.209	µg/g	10/5/2005
Diethyl-phthalate	<	0.209	µg/g	10/5/2005
Fluorene	<	0.209	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	0.209	µg/g	10/5/2005
4-Nitroaniline	<	0.209	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	0.209	µg/g	10/5/2005
Diphenylamine	<	0.209	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	0.209	µg/g	10/5/2005
Phenacetin	<	0.209	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	0.209	µg/g	10/5/2005
Hexachlorobenzene	<	0.209	µg/g	10/5/2005
Pentachlorophenol	<	0.209	µg/g	10/5/2005
Pentachloronitrobenzene	<	0.209	µg/g	10/5/2005
Pronamide	<	0.209	µg/g	10/5/2005
Phenanthrene	<	0.209	µg/g	10/5/2005
Anthracene	<	0.209	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.209	µg/g	10/5/2005
	Fluoranthene	<	0.209	µg/g	10/5/2005
	Pyrene	<	0.209	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	0.209	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	0.209	µg/g	10/5/2005
	Benzo(a)anthracene	<	0.209	µg/g	10/5/2005
	Chrysene	<	0.209	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	0.209	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	0.209	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	0.209	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	0.209	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	0.209	µg/g	10/5/2005
	Benzo(a)pyrene	<	0.209	µg/g	10/5/2005
	3-Methylcholanthrene	<	0.209	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	0.209	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	0.209	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	0.209	µg/g	10/5/2005
	Methyl methanesulfonate	<	0.209	µg/g	10/5/2005
	Ethyl methanesulfonate	<	0.209	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		94.34	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		90.43	%REC	9/6/2005
	Toluene-d8(Surr.)		101.2	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		92.87	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.123	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.064	µg/g	9/6/2005
Vinyl Chloride	<	0.090	µg/g	9/6/2005
Bromomethane	<	0.429	µg/g	9/6/2005
Chloroethane	<	0.295	µg/g	9/6/2005
Trichlorofluoromethane	<	0.056	µg/g	9/6/2005
1,1-Dichloroethene	<	0.047	µg/g	9/6/2005
Methylene_chloride		1.256	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.065	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.091	µg/g	9/6/2005
1,1-Dichloroethane	<	0.046	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.085	µg/g	9/6/2005
Bromochloromethane	<	0.073	µg/g	9/6/2005
Chloroform	<	0.030	µg/g	9/6/2005
2,2-Dichloropropane	<	0.089	µg/g	9/6/2005
1,2-Dichloroethane	<	0.126	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.051	µg/g	9/6/2005
1,1-Dichloropropene	<	0.065	µg/g	9/6/2005
Carbon Tetrachloride	<	0.029	µg/g	9/6/2005
Benzene	<	0.073	µg/g	9/6/2005
Dibromomethane	<	0.196	µg/g	9/6/2005
1,2-Dichloropropane	<	0.108	µg/g	9/6/2005
Trichloroethene	<	0.066	µg/g	9/6/2005
Bromodichloromethane	<	0.071	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.095	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.092	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.086	µg/g	9/6/2005
Toluene	<	0.063	µg/g	9/6/2005
1,3-Dichloropropane	<	0.103	µg/g	9/6/2005
Dibromochloromethane	<	0.137	µg/g	9/6/2005
1,2-Dibromoethane	<	0.075	µg/g	9/6/2005
Tetrachloroethene	<	0.106	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.063	µg/g	9/6/2005
Chlorobenzene	<	0.068	µg/g	9/6/2005
Ethylbenzene	<	0.056	µg/g	9/6/2005
m+p_Xylene	<	0.132	µg/g	9/6/2005
Bromoform	<	0.171	µg/g	9/6/2005
Styrene	<	0.058	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.043	µg/g	9/6/2005
o-Xylene	<	0.055	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.201	µg/g	9/6/2005
Isopropylbenzene	<	0.065	µg/g	9/6/2005
Bromobenzene	<	0.055	µg/g	9/6/2005
n-Propylbenzene	<	0.054	µg/g	9/6/2005
2-Chlorotoluene	<	0.073	µg/g	9/6/2005
4-Chlorotoluene	<	0.088	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.033	µg/g	9/6/2005
tert-Butylbenzene	<	0.093	µg/g	9/6/2005
1,2,4-Trimethylbenzene		0.056	µg/g	9/6/2005
sec-Butylbenzene	<	0.069	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.077	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2419
Your Sample ID: SS-001 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.058	µg/g	9/6/2005
p-Isopropyltoluene	<	0.065	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.077	µg/g	9/6/2005
n-butylbenzene	<	0.079	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.095	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.125	µg/g	9/6/2005
Naphthalene	<	0.168	µg/g	9/6/2005
Hexachlorobutadiene	<	0.106	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.143	µg/g	9/6/2005
Acetone	<	1.154	µg/g	9/6/2005
2-Butanone	<	1.407	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.890	µg/g	9/6/2005
2-Hexanone	<	1.044	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		4650	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		58.0	mg/Kg	10/11/2005
Barium		79.5	mg/Kg	10/11/2005
Beryllium		0.260	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.228	mg/Kg	10/11/2005
Calcium		29300	mg/Kg	10/11/2005
Chromium		15.0	mg/Kg	10/11/2005
Cobalt		3.94	mg/Kg	10/11/2005
Copper		9.61	mg/Kg	10/11/2005
Iron		13600	mg/Kg	10/11/2005
Lead		8.13	mg/Kg	10/11/2005
Magnesium		7550	mg/Kg	10/11/2005
Manganese		340	mg/Kg	10/11/2005
Nickel		16.9	mg/Kg	10/11/2005
Potassium		495	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		77.3	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		10.6	mg/Kg	10/11/2005
Zinc		68.2	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		50.63	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		60.93	%REC	9/15/2005
Terphenyl-d14(Surr.)		0.00	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		44.37	%REC	9/15/2005
PCB-as-AR1221	<	0.268	µg/g	9/15/2005
PCB-as-AR1232	<	0.268	µg/g	9/15/2005
Molinate	<	0.011	µg/g	9/15/2005
Propachlor	<	0.011	µg/g	9/15/2005
Trifluralin	<	0.011	µg/g	9/15/2005
Alpha-BHC	<	0.011	µg/g	9/15/2005
Atraton	<	0.011	µg/g	9/15/2005
Prometon	<	0.011	µg/g	9/15/2005
Simazine	<	0.011	µg/g	9/15/2005
Atrazine	<	0.011	µg/g	9/15/2005
Beta-BHC	<	0.011	µg/g	9/15/2005
Propazine	<	0.011	µg/g	9/15/2005
Gamma-BHC	<	0.011	µg/g	9/15/2005
Terbuthylazine	<	0.011	µg/g	9/15/2005
Diazinon	<	0.011	µg/g	9/15/2005
Fluchloralin	<	0.011	µg/g	9/15/2005
Fonofos	<	0.011	µg/g	9/15/2005
Delta-BHC	<	0.011	µg/g	9/15/2005
Cyprazine	<	0.011	µg/g	9/15/2005
Dimethazone	<	0.011	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.011	µg/g	9/15/2005
Methyl-Parathion	<	0.011	µg/g	9/15/2005
Alachlor	<	0.011	µg/g	9/15/2005
PCB-as-AR1242	<	0.268	µg/g	9/15/2005
PCB-as-AR1248	<	0.268	µg/g	9/15/2005
Ametryn	<	0.011	µg/g	9/15/2005
Prometryn	<	0.011	µg/g	9/15/2005
Heptachlor	<	0.011	µg/g	9/15/2005
Terbutryn	<	0.011	µg/g	9/15/2005
Malathion	<	0.011	µg/g	9/15/2005
Dipropetryn	<	0.011	µg/g	9/15/2005
Metolachlor	<	0.011	µg/g	9/15/2005
Chlorpyrifos	<	0.011	µg/g	9/15/2005
Cyanazine	<	0.011	µg/g	9/15/2005
Aldrin	<	0.011	µg/g	9/15/2005
Pendimethalin	<	0.011	µg/g	9/15/2005
Heptachlor Epoxide	<	0.011	µg/g	9/15/2005
Technical Chlorodane	<	0.011	µg/g	9/15/2005
Endosulfan I	<	0.011	µg/g	9/15/2005
p-p-DDE	<	0.011	µg/g	9/15/2005
Dieldrin	<	0.011	µg/g	9/15/2005
Endrin	<	0.011	µg/g	9/15/2005
PCB-as-AR1254	<	0.268	µg/g	9/15/2005
PCB-as-AR1260	<	0.268	µg/g	9/15/2005
Endosulfan II	<	0.011	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.011	µg/g	9/15/2005
	Endrin Aldehyde	<	0.011	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.011	µg/g	9/15/2005
	p-p-DDT	<	0.011	µg/g	9/15/2005
	Hexazinone	<	0.011	µg/g	9/15/2005
	Norflurazon	<	0.011	µg/g	9/15/2005
	Endrin Ketone	<	0.011	µg/g	9/15/2005
	Methoxychlor		4.76	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		25.09	%REC	10/5/2005
	Phenol-d6(Surr.)		8.36	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		21.89	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		44.87	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		33.32	%REC	10/5/2005
	Terphenyl-d14(Surr.)		53.17	%REC	10/5/2005
	Phenol	<	2.023	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	2.023	µg/g	10/5/2005
	2-Chlorophenol	<	2.023	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	2.023	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	2.023	µg/g	10/5/2005
	Benzyl Alcohol	<	2.023	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	2.023	µg/g	10/5/2005
	2-Methylphenol	<	2.023	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	2.023	µg/g	10/5/2005
	Acetophenone	<	2.023	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	2.023	µg/g	10/5/2005
Hexachloroethane	<	2.023	µg/g	10/5/2005
Nitrobenzene	<	2.023	µg/g	10/5/2005
N-Nitrosopiperidine	<	2.023	µg/g	10/5/2005
Isophorone	<	2.023	µg/g	10/5/2005
2-Nitrophenol	<	2.023	µg/g	10/5/2005
2,4-Dimethylphenol	<	2.023	µg/g	10/5/2005
Benzoic Acid	<	2.023	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	2.023	µg/g	10/5/2005
2,4-Dichlorophenol	<	2.023	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	2.023	µg/g	10/5/2005
Naphthalene	<	2.023	µg/g	10/5/2005
2,6-Dichlorophenol	<	2.023	µg/g	10/5/2005
4-Chloroaniline	<	2.023	µg/g	10/5/2005
N-Nitrosodibutylamine	<	2.023	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	2.023	µg/g	10/5/2005
2-Methylnaphthalene	<	2.023	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	2.023	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	2.023	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	2.023	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	2.023	µg/g	10/5/2005
2-Chloronaphthalene	<	2.023	µg/g	10/5/2005
1-Chloronaphthalene	<	2.023	µg/g	10/5/2005
2-Nitroaniline	<	2.023	µg/g	10/5/2005
Dimethyl-phthalate	<	2.023	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	2.023	µg/g	10/5/2005
Acenaphthylene	<	2.023	µg/g	10/5/2005
3-Nitroaniline	<	2.023	µg/g	10/5/2005
Acenaphthene	<	2.023	µg/g	10/5/2005
2,4-Dinitrophenol	<	2.023	µg/g	10/5/2005
Pentachlorobenzene	<	2.023	µg/g	10/5/2005
4-Nitrophenol	<	2.023	µg/g	10/5/2005
Dibenzofuran	<	2.023	µg/g	10/5/2005
2,4-Dinitrotoluene	<	2.023	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	2.023	µg/g	10/5/2005
Diethyl-phthalate	<	2.023	µg/g	10/5/2005
Fluorene	<	2.023	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	2.023	µg/g	10/5/2005
4-Nitroaniline	<	2.023	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	2.023	µg/g	10/5/2005
Diphenylamine	<	2.023	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	2.023	µg/g	10/5/2005
Phenacetin	<	2.023	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	2.023	µg/g	10/5/2005
Hexachlorobenzene	<	2.023	µg/g	10/5/2005
Pentachlorophenol	<	2.023	µg/g	10/5/2005
Pentachloronitrobenzene	<	2.023	µg/g	10/5/2005
Pronamide	<	2.023	µg/g	10/5/2005
Phenanthrene	<	2.023	µg/g	10/5/2005
Anthracene	<	2.023	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	2.023	µg/g	10/5/2005
	Fluoranthene	<	2.023	µg/g	10/5/2005
	Pyrene	<	2.023	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	2.023	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	2.023	µg/g	10/5/2005
	Benzo(a)anthracene	<	2.023	µg/g	10/5/2005
	Chrysene	<	2.023	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	2.023	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	2.023	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	2.023	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	2.023	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	2.023	µg/g	10/5/2005
	Benzo(a)pyrene	<	2.023	µg/g	10/5/2005
	3-Methylcholanthrene	<	2.023	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	2.023	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	2.023	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	2.023	µg/g	10/5/2005
	Methyl methanesulfonate	<	2.023	µg/g	10/5/2005
	Ethyl methanesulfonate	<	2.023	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		90.97	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		75.35	%REC	9/6/2005
	Toluene-d8(Surr.)		87.63	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		76.23	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.120	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.062	µg/g	9/6/2005
Vinyl Chloride	<	0.088	µg/g	9/6/2005
Bromomethane	<	0.418	µg/g	9/6/2005
Chloroethane	<	0.287	µg/g	9/6/2005
Trichlorofluoromethane	<	0.055	µg/g	9/6/2005
1,1-Dichloroethene	<	0.046	µg/g	9/6/2005
Methylene_chloride		1.641	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.063	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.089	µg/g	9/6/2005
1,1-Dichloroethane	<	0.045	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.083	µg/g	9/6/2005
Bromochloromethane	<	0.071	µg/g	9/6/2005
Chloroform	<	0.029	µg/g	9/6/2005
2,2-Dichloropropane	<	0.087	µg/g	9/6/2005
1,2-Dichloroethane	<	0.123	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.049	µg/g	9/6/2005
1,1-Dichloropropene	<	0.063	µg/g	9/6/2005
Carbon Tetrachloride	<	0.028	µg/g	9/6/2005
Benzene	<	0.071	µg/g	9/6/2005
Dibromomethane	<	0.191	µg/g	9/6/2005
1,2-Dichloropropane	<	0.105	µg/g	9/6/2005
Trichloroethene	<	0.064	µg/g	9/6/2005
Bromodichloromethane	<	0.070	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.092	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.090	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.084	µg/g	9/6/2005
Toluene	<	0.061	µg/g	9/6/2005
1,3-Dichloropropane	<	0.101	µg/g	9/6/2005
Dibromochloromethane	<	0.134	µg/g	9/6/2005
1,2-Dibromoethane	<	0.073	µg/g	9/6/2005
Tetrachloroethene	<	0.103	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.061	µg/g	9/6/2005
Chlorobenzene	<	0.066	µg/g	9/6/2005
Ethylbenzene	<	0.055	µg/g	9/6/2005
m+p_Xylene	<	0.129	µg/g	9/6/2005
Bromoform	<	0.167	µg/g	9/6/2005
Styrene	<	0.057	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.042	µg/g	9/6/2005
o-Xylene	<	0.054	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.196	µg/g	9/6/2005
Isopropylbenzene	<	0.063	µg/g	9/6/2005
Bromobenzene	<	0.054	µg/g	9/6/2005
n-Propylbenzene	<	0.053	µg/g	9/6/2005
2-Chlorotoluene	<	0.071	µg/g	9/6/2005
4-Chlorotoluene	<	0.086	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.032	µg/g	9/6/2005
tert-Butylbenzene	<	0.091	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.049	µg/g	9/6/2005
sec-Butylbenzene	<	0.068	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.075	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2420
Your Sample ID: SS-004 (0-2)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.057	µg/g	9/6/2005
p-Isopropyltoluene	<	0.063	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.075	µg/g	9/6/2005
n-butylbenzene	<	0.077	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.092	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.122	µg/g	9/6/2005
Naphthalene	<	0.164	µg/g	9/6/2005
Hexachlorobutadiene	<	0.103	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.139	µg/g	9/6/2005
Acetone	<	1.126	µg/g	9/6/2005
2-Butanone	<	1.372	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.868	µg/g	9/6/2005
2-Hexanone	<	1.018	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		5600	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		120	mg/Kg	10/11/2005
Barium		89.8	mg/Kg	10/11/2005
Beryllium		0.324	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.162	mg/Kg	10/11/2005
Calcium		31500	mg/Kg	10/11/2005
Chromium		17.3	mg/Kg	10/11/2005
Cobalt		3.88	mg/Kg	10/11/2005
Copper		8.47	mg/Kg	10/11/2005
Iron		11600	mg/Kg	10/11/2005
Lead		6.43	mg/Kg	10/11/2005
Magnesium		3420	mg/Kg	10/11/2005
Manganese		439	mg/Kg	10/11/2005
Nickel		9.84	mg/Kg	10/11/2005
Potassium		461	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		2920	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		11.9	mg/Kg	10/11/2005
Zinc		33.6	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		48.73	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		58.47	%REC	9/15/2005
Terphenyl-d14(Surr.)		0.00	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		63.57	%REC	9/15/2005
PCB-as-AR1221	<	1.52	µg/g	9/15/2005
PCB-as-AR1232	<	1.52	µg/g	9/15/2005
Molinate	<	0.061	µg/g	9/15/2005
Propachlor	<	0.061	µg/g	9/15/2005
Trifluralin	<	0.061	µg/g	9/15/2005
Alpha-BHC	<	0.061	µg/g	9/15/2005
Atraton	<	0.061	µg/g	9/15/2005
Prometon	<	0.061	µg/g	9/15/2005
Simazine	<	0.061	µg/g	9/15/2005
Atrazine	<	0.061	µg/g	9/15/2005
Beta-BHC	<	0.061	µg/g	9/15/2005
Propazine	<	0.061	µg/g	9/15/2005
Gamma-BHC	<	0.061	µg/g	9/15/2005
Terbuthylazine	<	0.061	µg/g	9/15/2005
Diazinon	<	0.061	µg/g	9/15/2005
Fluchloralin	<	0.061	µg/g	9/15/2005
Fonofos	<	0.061	µg/g	9/15/2005
Delta-BHC	<	0.061	µg/g	9/15/2005
Cyprazine	<	0.061	µg/g	9/15/2005
Dimethazone	<	0.061	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.061	µg/g	9/15/2005
Methyl-Parathion	<	0.061	µg/g	9/15/2005
Alachlor	<	0.061	µg/g	9/15/2005
PCB-as-AR1242	<	1.52	µg/g	9/15/2005
PCB-as-AR1248	<	1.52	µg/g	9/15/2005
Ametryn	<	0.061	µg/g	9/15/2005
Prometryn	<	0.061	µg/g	9/15/2005
Heptachlor	<	0.061	µg/g	9/15/2005
Terbutryn	<	0.061	µg/g	9/15/2005
Malathion	<	0.061	µg/g	9/15/2005
Dipropetryn	<	0.061	µg/g	9/15/2005
Metolachlor	<	0.061	µg/g	9/15/2005
Chlorpyrifos	<	0.061	µg/g	9/15/2005
Cyanazine	<	0.061	µg/g	9/15/2005
Aldrin	<	0.061	µg/g	9/15/2005
Pendimethalin	<	0.061	µg/g	9/15/2005
Heptachlor Epoxide	<	0.061	µg/g	9/15/2005
Technical Chlorodane	<	0.061	µg/g	9/15/2005
Endosulfan I	<	0.061	µg/g	9/15/2005
p-p-DDE	<	0.061	µg/g	9/15/2005
Dieldrin	<	0.061	µg/g	9/15/2005
Endrin	<	0.061	µg/g	9/15/2005
PCB-as-AR1254	<	1.52	µg/g	9/15/2005
PCB-as-AR1260	<	1.52	µg/g	9/15/2005
Endosulfan II	<	0.061	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.061	µg/g	9/15/2005
	Endrin Aldehyde	<	0.061	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.061	µg/g	9/15/2005
	p-p-DDT	<	0.061	µg/g	9/15/2005
	Hexazinone	<	0.061	µg/g	9/15/2005
	Norflurazon	<	0.061	µg/g	9/15/2005
	Endrin Ketone	<	0.061	µg/g	9/15/2005
	Methoxychlor		15.7	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		44.50	%REC	10/5/2005
	Phenol-d6(Surr.)		28.41	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		43.42	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		59.67	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		77.88	%REC	10/5/2005
	Terphenyl-d14(Surr.)		56.27	%REC	10/5/2005
	Phenol	<	8.124	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	8.124	µg/g	10/5/2005
	2-Chlorophenol	<	8.124	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	8.124	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	8.124	µg/g	10/5/2005
	Benzyl Alcohol	<	8.124	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	8.124	µg/g	10/5/2005
	2-Methylphenol	<	8.124	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	8.124	µg/g	10/5/2005
	Acetophenone	<	8.124	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	8.124	µg/g	10/5/2005
Hexachloroethane	<	8.124	µg/g	10/5/2005
Nitrobenzene	<	8.124	µg/g	10/5/2005
N-Nitrosopiperidine	<	8.124	µg/g	10/5/2005
Isophorone	<	8.124	µg/g	10/5/2005
2-Nitrophenol	<	8.124	µg/g	10/5/2005
2,4-Dimethylphenol	<	8.124	µg/g	10/5/2005
Benzoic Acid	<	8.124	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	8.124	µg/g	10/5/2005
2,4-Dichlorophenol	<	8.124	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	8.124	µg/g	10/5/2005
Naphthalene	<	8.124	µg/g	10/5/2005
2,6-Dichlorophenol	<	8.124	µg/g	10/5/2005
4-Chloroaniline	<	8.124	µg/g	10/5/2005
N-Nitrosodibutylamine	<	8.124	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	8.124	µg/g	10/5/2005
2-Methylnaphthalene	<	8.124	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	8.124	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	8.124	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	8.124	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	8.124	µg/g	10/5/2005
2-Chloronaphthalene	<	8.124	µg/g	10/5/2005
1-Chloronaphthalene	<	8.124	µg/g	10/5/2005
2-Nitroaniline	<	8.124	µg/g	10/5/2005
Dimethyl-phthalate	<	8.124	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	8.124	µg/g	10/5/2005
Acenaphthylene	<	8.124	µg/g	10/5/2005
3-Nitroaniline	<	8.124	µg/g	10/5/2005
Acenaphthene	<	8.124	µg/g	10/5/2005
2,4-Dinitrophenol	<	8.124	µg/g	10/5/2005
Pentachlorobenzene	<	8.124	µg/g	10/5/2005
4-Nitrophenol	<	8.124	µg/g	10/5/2005
Dibenzofuran	<	8.124	µg/g	10/5/2005
2,4-Dinitrotoluene	<	8.124	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	8.124	µg/g	10/5/2005
Diethyl-phthalate	<	8.124	µg/g	10/5/2005
Fluorene	<	8.124	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	8.124	µg/g	10/5/2005
4-Nitroaniline	<	8.124	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	8.124	µg/g	10/5/2005
Diphenylamine	<	8.124	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	8.124	µg/g	10/5/2005
Phenacetin	<	8.124	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	8.124	µg/g	10/5/2005
Hexachlorobenzene	<	8.124	µg/g	10/5/2005
Pentachlorophenol	<	8.124	µg/g	10/5/2005
Pentachloronitrobenzene	<	8.124	µg/g	10/5/2005
Pronamide	<	8.124	µg/g	10/5/2005
Phenanthrene	<	8.124	µg/g	10/5/2005
Anthracene	<	8.124	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	8.124	µg/g	10/5/2005
	Fluoranthene	<	8.124	µg/g	10/5/2005
	Pyrene	<	8.124	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	8.124	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	8.124	µg/g	10/5/2005
	Benzo(a)anthracene	<	8.124	µg/g	10/5/2005
	Chrysene	<	8.124	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	8.124	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	8.124	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	8.124	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	8.124	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	8.124	µg/g	10/5/2005
	Benzo(a)pyrene	<	8.124	µg/g	10/5/2005
	3-Methylcholanthrene	<	8.124	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	8.124	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	8.124	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	8.124	µg/g	10/5/2005
	Methyl methanesulfonate	<	8.124	µg/g	10/5/2005
	Ethyl methanesulfonate	<	8.124	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		90.70	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		89.80	%REC	9/6/2005
	Toluene-d8(Surr.)		93.87	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		91.80	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.136	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.071	µg/g	9/6/2005
Vinyl Chloride	<	0.100	µg/g	9/6/2005
Bromomethane	<	0.475	µg/g	9/6/2005
Chloroethane	<	0.326	µg/g	9/6/2005
Trichlorofluoromethane	<	0.062	µg/g	9/6/2005
1,1-Dichloroethene	<	0.052	µg/g	9/6/2005
Methylene_chloride		1.274	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.072	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.101	µg/g	9/6/2005
1,1-Dichloroethane	<	0.051	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.094	µg/g	9/6/2005
Bromochloromethane	<	0.080	µg/g	9/6/2005
Chloroform	<	0.033	µg/g	9/6/2005
2,2-Dichloropropane	<	0.099	µg/g	9/6/2005
1,2-Dichloroethane	<	0.140	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.056	µg/g	9/6/2005
1,1-Dichloropropene	<	0.072	µg/g	9/6/2005
Carbon Tetrachloride	<	0.032	µg/g	9/6/2005
Benzene	<	0.080	µg/g	9/6/2005
Dibromomethane	<	0.217	µg/g	9/6/2005
1,2-Dichloropropane	<	0.119	µg/g	9/6/2005
Trichloroethene	<	0.073	µg/g	9/6/2005
Bromodichloromethane	<	0.079	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.105	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.102	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.095	µg/g	9/6/2005
Toluene		0.177	µg/g	9/6/2005
1,3-Dichloropropane	<	0.114	µg/g	9/6/2005
Dibromochloromethane	<	0.152	µg/g	9/6/2005
1,2-Dibromoethane	<	0.083	µg/g	9/6/2005
Tetrachloroethene	<	0.117	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.069	µg/g	9/6/2005
Chlorobenzene	<	0.076	µg/g	9/6/2005
Ethylbenzene	<	0.062	µg/g	9/6/2005
m+p_Xylene		0.159	µg/g	9/6/2005
Bromoform	<	0.190	µg/g	9/6/2005
Styrene	<	0.065	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.048	µg/g	9/6/2005
o-Xylene		0.080	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.223	µg/g	9/6/2005
Isopropylbenzene	<	0.072	µg/g	9/6/2005
Bromobenzene	<	0.061	µg/g	9/6/2005
n-Propylbenzene	<	0.060	µg/g	9/6/2005
2-Chlorotoluene	<	0.080	µg/g	9/6/2005
4-Chlorotoluene	<	0.097	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.037	µg/g	9/6/2005
tert-Butylbenzene	<	0.104	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.056	µg/g	9/6/2005
sec-Butylbenzene	<	0.077	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.085	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2421
Your Sample ID: SSS-009 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.065	µg/g	9/6/2005
p-Isopropyltoluene	<	0.072	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.085	µg/g	9/6/2005
n-butylbenzene	<	0.088	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.105	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.139	µg/g	9/6/2005
Naphthalene	<	0.186	µg/g	9/6/2005
Hexachlorobutadiene	<	0.117	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.158	µg/g	9/6/2005
Acetone		2.524	µg/g	9/6/2005
2-Butanone		22.8	µg/g	9/6/2005
4-Methyl-2-pentanone	<	0.987	µg/g	9/6/2005
2-Hexanone	<	1.157	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		8380	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		12.5	mg/Kg	10/11/2005
Barium		41.0	mg/Kg	10/11/2005
Beryllium		0.666	mg/Kg	10/11/2005
Boron		5.54	mg/Kg	10/11/2005
Cadmium		0.418	mg/Kg	10/11/2005
Calcium		1980	mg/Kg	10/11/2005
Chromium		12.1	mg/Kg	10/11/2005
Cobalt		13.0	mg/Kg	10/11/2005
Copper		15.4	mg/Kg	10/11/2005
Iron		15900	mg/Kg	10/11/2005
Lead		9.27	mg/Kg	10/11/2005
Magnesium		2530	mg/Kg	10/11/2005
Manganese		1070	mg/Kg	10/11/2005
Nickel		24.1	mg/Kg	10/11/2005
Potassium		767	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		7540	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		13.9	mg/Kg	10/11/2005
Zinc		52.4	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		30.90	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		76.53	%REC	9/15/2005
Terphenyl-d14(Surr.)		119	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		108	%REC	9/15/2005
PCB-as-AR1221	<	0.266	µg/g	9/15/2005
PCB-as-AR1232	<	0.266	µg/g	9/15/2005
Molinate	<	0.011	µg/g	9/15/2005
Propachlor	<	0.011	µg/g	9/15/2005
Trifluralin	<	0.011	µg/g	9/15/2005
Alpha-BHC	<	0.011	µg/g	9/15/2005
Atraton	<	0.011	µg/g	9/15/2005
Prometon	<	0.011	µg/g	9/15/2005
Simazine	<	0.011	µg/g	9/15/2005
Atrazine	<	0.011	µg/g	9/15/2005
Beta-BHC	<	0.011	µg/g	9/15/2005
Propazine	<	0.011	µg/g	9/15/2005
Gamma-BHC	<	0.011	µg/g	9/15/2005
Terbuthylazine	<	0.011	µg/g	9/15/2005
Diazinon	<	0.011	µg/g	9/15/2005
Fluchloralin	<	0.011	µg/g	9/15/2005
Fonofos	<	0.011	µg/g	9/15/2005
Delta-BHC	<	0.011	µg/g	9/15/2005
Cyprazine	<	0.011	µg/g	9/15/2005
Dimethazone	<	0.011	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.011	µg/g	9/15/2005
Methyl-Parathion	<	0.011	µg/g	9/15/2005
Alachlor	<	0.011	µg/g	9/15/2005
PCB-as-AR1242	<	0.266	µg/g	9/15/2005
PCB-as-AR1248	<	0.266	µg/g	9/15/2005
Ametryn	<	0.011	µg/g	9/15/2005
Prometryn	<	0.011	µg/g	9/15/2005
Heptachlor	<	0.011	µg/g	9/15/2005
Terbutryn	<	0.011	µg/g	9/15/2005
Malathion	<	0.011	µg/g	9/15/2005
Dipropetryn	<	0.011	µg/g	9/15/2005
Metolachlor	<	0.011	µg/g	9/15/2005
Chlorpyrifos	<	0.011	µg/g	9/15/2005
Cyanazine	<	0.011	µg/g	9/15/2005
Aldrin	<	0.011	µg/g	9/15/2005
Pendimethalin	<	0.011	µg/g	9/15/2005
Heptachlor Epoxide	<	0.011	µg/g	9/15/2005
Technical Chlorodane	<	0.011	µg/g	9/15/2005
Endosulfan I	<	0.011	µg/g	9/15/2005
p-p-DDE	<	0.011	µg/g	9/15/2005
Dieldrin	<	0.011	µg/g	9/15/2005
Endrin	<	0.011	µg/g	9/15/2005
PCB-as-AR1254	<	0.266	µg/g	9/15/2005
PCB-as-AR1260	<	0.266	µg/g	9/15/2005
Endosulfan II	<	0.011	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.011	µg/g	9/15/2005
	Endrin Aldehyde	<	0.011	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.011	µg/g	9/15/2005
	p-p-DDT	<	0.011	µg/g	9/15/2005
	Hexazinone	<	0.011	µg/g	9/15/2005
	Norflurazon	<	0.011	µg/g	9/15/2005
	Endrin Ketone	<	0.011	µg/g	9/15/2005
	Methoxychlor	<	0.011	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		51.42	%REC	10/5/2005
	Phenol-d6(Surr.)		25.89	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		55.44	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		75.17	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		74.09	%REC	10/5/2005
	Terphenyl-d14(Surr.)		71.23	%REC	10/5/2005
	Phenol	<	2.358	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	2.358	µg/g	10/5/2005
	2-Chlorophenol	<	2.358	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	2.358	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	2.358	µg/g	10/5/2005
	Benzyl Alcohol	<	2.358	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	2.358	µg/g	10/5/2005
	2-Methylphenol	<	2.358	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	2.358	µg/g	10/5/2005
	Acetophenone	<	2.358	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	2.358	µg/g	10/5/2005
Hexachloroethane	<	2.358	µg/g	10/5/2005
Nitrobenzene	<	2.358	µg/g	10/5/2005
N-Nitrosopiperidine	<	2.358	µg/g	10/5/2005
Isophorone	<	2.358	µg/g	10/5/2005
2-Nitrophenol	<	2.358	µg/g	10/5/2005
2,4-Dimethylphenol	<	2.358	µg/g	10/5/2005
Benzoic Acid	<	2.358	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	2.358	µg/g	10/5/2005
2,4-Dichlorophenol	<	2.358	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	2.358	µg/g	10/5/2005
Naphthalene	<	2.358	µg/g	10/5/2005
2,6-Dichlorophenol	<	2.358	µg/g	10/5/2005
4-Chloroaniline	<	2.358	µg/g	10/5/2005
N-Nitrosodibutylamine	<	2.358	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	2.358	µg/g	10/5/2005
2-Methylnaphthalene	<	2.358	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	2.358	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	2.358	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	2.358	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	2.358	µg/g	10/5/2005
2-Chloronaphthalene	<	2.358	µg/g	10/5/2005
1-Chloronaphthalene	<	2.358	µg/g	10/5/2005
2-Nitroaniline	<	2.358	µg/g	10/5/2005
Dimethyl-phthalate	<	2.358	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	2.358	µg/g	10/5/2005
Acenaphthylene	<	2.358	µg/g	10/5/2005
3-Nitroaniline	<	2.358	µg/g	10/5/2005
Acenaphthene	<	2.358	µg/g	10/5/2005
2,4-Dinitrophenol	<	2.358	µg/g	10/5/2005
Pentachlorobenzene	<	2.358	µg/g	10/5/2005
4-Nitrophenol	<	2.358	µg/g	10/5/2005
Dibenzofuran	<	2.358	µg/g	10/5/2005
2,4-Dinitrotoluene	<	2.358	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	2.358	µg/g	10/5/2005
Diethyl-phthalate	<	2.358	µg/g	10/5/2005
Fluorene	<	2.358	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	2.358	µg/g	10/5/2005
4-Nitroaniline	<	2.358	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	2.358	µg/g	10/5/2005
Diphenylamine	<	2.358	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	2.358	µg/g	10/5/2005
Phenacetin	<	2.358	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	2.358	µg/g	10/5/2005
Hexachlorobenzene	<	2.358	µg/g	10/5/2005
Pentachlorophenol	<	2.358	µg/g	10/5/2005
Pentachloronitrobenzene	<	2.358	µg/g	10/5/2005
Pronamide	<	2.358	µg/g	10/5/2005
Phenanthrene	<	2.358	µg/g	10/5/2005
Anthracene	<	2.358	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	2.358	µg/g	10/5/2005
	Fluoranthene	<	2.358	µg/g	10/5/2005
	Pyrene	<	2.358	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	2.358	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	2.358	µg/g	10/5/2005
	Benzo(a)anthracene	<	2.358	µg/g	10/5/2005
	Chrysene	<	2.358	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	2.358	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	2.358	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	2.358	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	2.358	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	2.358	µg/g	10/5/2005
	Benzo(a)pyrene	<	2.358	µg/g	10/5/2005
	3-Methylcholanthrene	<	2.358	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	2.358	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	2.358	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	2.358	µg/g	10/5/2005
	Methyl methanesulfonate	<	2.358	µg/g	10/5/2005
	Ethyl methanesulfonate	<	2.358	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		98.74	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		86.74	%REC	9/6/2005
	Toluene-d8(Surr.)		92.05	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		86.70	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.145	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.075	µg/g	9/6/2005
Vinyl Chloride	<	0.106	µg/g	9/6/2005
Bromomethane	<	0.506	µg/g	9/6/2005
Chloroethane	<	0.348	µg/g	9/6/2005
Trichlorofluoromethane	<	0.066	µg/g	9/6/2005
1,1-Dichloroethene	<	0.056	µg/g	9/6/2005
Methylene_chloride		1.561	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.077	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.108	µg/g	9/6/2005
1,1-Dichloroethane	<	0.054	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.100	µg/g	9/6/2005
Bromochloromethane	<	0.086	µg/g	9/6/2005
Chloroform	<	0.035	µg/g	9/6/2005
2,2-Dichloropropane	<	0.105	µg/g	9/6/2005
1,2-Dichloroethane	<	0.149	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.060	µg/g	9/6/2005
1,1-Dichloropropene	<	0.077	µg/g	9/6/2005
Carbon Tetrachloride	<	0.034	µg/g	9/6/2005
Benzene	<	0.086	µg/g	9/6/2005
Dibromomethane	<	0.231	µg/g	9/6/2005
1,2-Dichloropropane	<	0.127	µg/g	9/6/2005
Trichloroethene	<	0.078	µg/g	9/6/2005
Bromodichloromethane	<	0.084	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.112	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.109	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.101	µg/g	9/6/2005
Toluene	<	0.074	µg/g	9/6/2005
1,3-Dichloropropane	<	0.122	µg/g	9/6/2005
Dibromochloromethane	<	0.162	µg/g	9/6/2005
1,2-Dibromoethane	<	0.088	µg/g	9/6/2005
Tetrachloroethene	<	0.125	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.074	µg/g	9/6/2005
Chlorobenzene	<	0.080	µg/g	9/6/2005
Ethylbenzene	<	0.066	µg/g	9/6/2005
m+p_Xylene	<	0.156	µg/g	9/6/2005
Bromoform	<	0.202	µg/g	9/6/2005
Styrene	<	0.069	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.051	µg/g	9/6/2005
o-Xylene	<	0.065	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.237	µg/g	9/6/2005
Isopropylbenzene	<	0.077	µg/g	9/6/2005
Bromobenzene	<	0.065	µg/g	9/6/2005
n-Propylbenzene	<	0.064	µg/g	9/6/2005
2-Chlorotoluene	<	0.086	µg/g	9/6/2005
4-Chlorotoluene	<	0.104	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.039	µg/g	9/6/2005
tert-Butylbenzene	<	0.110	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.060	µg/g	9/6/2005
sec-Butylbenzene	<	0.082	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.091	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2422
Your Sample ID: SSS-001 (21-23)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.069	µg/g	9/6/2005
p-Isopropyltoluene	<	0.077	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.091	µg/g	9/6/2005
n-butylbenzene	<	0.093	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.112	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.148	µg/g	9/6/2005
Naphthalene	<	0.198	µg/g	9/6/2005
Hexachlorobutadiene	<	0.125	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.169	µg/g	9/6/2005
Acetone	<	1.362	µg/g	9/6/2005
2-Butanone		32.3	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.051	µg/g	9/6/2005
2-Hexanone	<	1.232	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-TS

Aluminum		4850	mg/Kg	10/11/2005
Antimony	<	5.00	mg/Kg	10/11/2005
Arsenic		6.90	mg/Kg	10/11/2005
Barium		79.4	mg/Kg	10/11/2005
Beryllium		0.359	mg/Kg	10/11/2005
Boron	<	5.00	mg/Kg	10/11/2005
Cadmium		0.270	mg/Kg	10/11/2005
Calcium		2570	mg/Kg	10/11/2005
Chromium		8.41	mg/Kg	10/11/2005
Cobalt		4.89	mg/Kg	10/11/2005
Copper		9.78	mg/Kg	10/11/2005
Iron		13200	mg/Kg	10/11/2005
Lead		6.82	mg/Kg	10/11/2005
Magnesium		1910	mg/Kg	10/11/2005
Manganese		561	mg/Kg	10/11/2005
Nickel		13.1	mg/Kg	10/11/2005
Potassium		464	mg/Kg	10/11/2005
Selenium	<	0.500	mg/Kg	10/11/2005
Silicon Dioxide			mg/Kg	10/11/2005
Silver	<	1.00	mg/Kg	10/11/2005
Sodium		167	mg/Kg	10/11/2005
Thallium	<	0.500	mg/Kg	10/11/2005
Vanadium		11.4	mg/Kg	10/11/2005
Zinc		32.3	mg/Kg	10/11/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

PEST/SOIL

Nitrobenzene-d5(Surr.)		54.07	%REC	9/15/2005
2-Fluorobiphenyl(Surr.)		46.37	%REC	9/15/2005
Terphenyl-d14(Surr.)		241	%REC	9/15/2005
2,4,6-Tribromophenol(Surr)		96.47	%REC	9/15/2005
PCB-as-AR1221	<	0.023	µg/g	9/15/2005
PCB-as-AR1232	<	0.023	µg/g	9/15/2005
Molinate	<	0.001	µg/g	9/15/2005
Propachlor	<	0.001	µg/g	9/15/2005
Trifluralin	<	0.001	µg/g	9/15/2005
Alpha-BHC	<	0.001	µg/g	9/15/2005
Atraton	<	0.001	µg/g	9/15/2005
Prometon	<	0.001	µg/g	9/15/2005
Simazine	<	0.001	µg/g	9/15/2005
Atrazine	<	0.001	µg/g	9/15/2005
Beta-BHC	<	0.001	µg/g	9/15/2005
Propazine	<	0.001	µg/g	9/15/2005
Gamma-BHC	<	0.001	µg/g	9/15/2005
Terbuthylazine	<	0.001	µg/g	9/15/2005
Diazinon	<	0.001	µg/g	9/15/2005
Fluchloralin	<	0.001	µg/g	9/15/2005
Fonofos	<	0.001	µg/g	9/15/2005
Delta-BHC	<	0.001	µg/g	9/15/2005
Cyprazine	<	0.001	µg/g	9/15/2005
Dimethazone	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.001	µg/g	9/15/2005
Methyl-Parathion	<	0.001	µg/g	9/15/2005
Alachlor	<	0.001	µg/g	9/15/2005
PCB-as-AR1242	<	0.023	µg/g	9/15/2005
PCB-as-AR1248	<	0.023	µg/g	9/15/2005
Ametryn	<	0.001	µg/g	9/15/2005
Prometryn	<	0.001	µg/g	9/15/2005
Heptachlor	<	0.001	µg/g	9/15/2005
Terbutryn	<	0.001	µg/g	9/15/2005
Malathion	<	0.001	µg/g	9/15/2005
Dipropetryn	<	0.001	µg/g	9/15/2005
Metolachlor	<	0.001	µg/g	9/15/2005
Chlorpyrifos	<	0.001	µg/g	9/15/2005
Cyanazine	<	0.001	µg/g	9/15/2005
Aldrin	<	0.001	µg/g	9/15/2005
Pendimethalin	<	0.001	µg/g	9/15/2005
Heptachlor Epoxide	<	0.001	µg/g	9/15/2005
Technical Chlorodane	<	0.001	µg/g	9/15/2005
Endosulfan I	<	0.001	µg/g	9/15/2005
p-p-DDE	<	0.001	µg/g	9/15/2005
Dieldrin	<	0.001	µg/g	9/15/2005
Endrin	<	0.001	µg/g	9/15/2005
PCB-as-AR1254	<	0.023	µg/g	9/15/2005
PCB-as-AR1260	<	0.023	µg/g	9/15/2005
Endosulfan II	<	0.001	µg/g	9/15/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.001	µg/g	9/15/2005
	Endrin Aldehyde	<	0.001	µg/g	9/15/2005
	Endosulfan Sulfate	<	0.001	µg/g	9/15/2005
	p-p-DDT	<	0.001	µg/g	9/15/2005
	Hexazinone	<	0.001	µg/g	9/15/2005
	Norflurazon	<	0.001	µg/g	9/15/2005
	Endrin Ketone	<	0.001	µg/g	9/15/2005
	Methoxychlor		0.239	µg/g	9/15/2005
SEMI/SOIL					
	2-Fluorophenol(Surr.)		48.01	%REC	10/5/2005
	Phenol-d6(Surr.)		25.01	%REC	10/5/2005
	Nitrobenzene-d5(Surr.)		47.56	%REC	10/5/2005
	2-Fluorobiphenyl(Surr.)		54.28	%REC	10/5/2005
	2,4,6-Tribromophenol(Surr)		76.01	%REC	10/5/2005
	Terphenyl-d14(Surr.)		73.37	%REC	10/5/2005
	Phenol	<	0.062	µg/g	10/5/2005
	Bis(2-chloroethyl)-Ether	<	0.062	µg/g	10/5/2005
	2-Chlorophenol	<	0.062	µg/g	10/5/2005
	1,3-Dichlorobenzene	<	0.062	µg/g	10/5/2005
	1,4-Dichlorobenzene	<	0.062	µg/g	10/5/2005
	Benzyl Alcohol	<	0.062	µg/g	10/5/2005
	1,2-Dichlorobenzene	<	0.062	µg/g	10/5/2005
	2-Methylphenol	<	0.062	µg/g	10/5/2005
	N-Nitroso-di-n-propylamine	<	0.062	µg/g	10/5/2005
	Acetophenone	<	0.062	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

4-Methylphenol	<	0.062	µg/g	10/5/2005
Hexachloroethane	<	0.062	µg/g	10/5/2005
Nitrobenzene	<	0.062	µg/g	10/5/2005
N-Nitrosopiperidine	<	0.062	µg/g	10/5/2005
Isophorone	<	0.062	µg/g	10/5/2005
2-Nitrophenol	<	0.062	µg/g	10/5/2005
2,4-Dimethylphenol	<	0.062	µg/g	10/5/2005
Benzoic Acid	<	0.062	µg/g	10/5/2005
Bis(2-chloroethoxy)methane	<	0.062	µg/g	10/5/2005
2,4-Dichlorophenol	<	0.062	µg/g	10/5/2005
1,2,4-Trichlorobenzene	<	0.062	µg/g	10/5/2005
Naphthalene	<	0.062	µg/g	10/5/2005
2,6-Dichlorophenol	<	0.062	µg/g	10/5/2005
4-Chloroaniline		0.096	µg/g	10/5/2005
N-Nitrosodibutylamine	<	0.062	µg/g	10/5/2005
4-Chloro-3-methylphenol	<	0.062	µg/g	10/5/2005
2-Methylnaphthalene	<	0.062	µg/g	10/5/2005
Hexachlorocyclopentadiene	<	0.062	µg/g	10/5/2005
1,2,4,5-Tetrachlorobenzene	<	0.062	µg/g	10/5/2005
2,4,6-Trichlorophenol	<	0.062	µg/g	10/5/2005
2,4,5-Trichlorophenol	<	0.062	µg/g	10/5/2005
2-Chloronaphthalene	<	0.062	µg/g	10/5/2005
1-Chloronaphthalene	<	0.062	µg/g	10/5/2005
2-Nitroaniline	<	0.062	µg/g	10/5/2005
Dimethyl-phthalate	<	0.062	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

2,6-Dinitrotoluene	<	0.062	µg/g	10/5/2005
Acenaphthylene	<	0.062	µg/g	10/5/2005
3-Nitroaniline	<	0.062	µg/g	10/5/2005
Acenaphthene	<	0.062	µg/g	10/5/2005
2,4-Dinitrophenol	<	0.062	µg/g	10/5/2005
Pentachlorobenzene	<	0.062	µg/g	10/5/2005
4-Nitrophenol	<	0.062	µg/g	10/5/2005
Dibenzofuran	<	0.062	µg/g	10/5/2005
2,4-Dinitrotoluene	<	0.062	µg/g	10/5/2005
2,3,4,6-Tetrachlorophenol	<	0.062	µg/g	10/5/2005
Diethyl-phthalate	<	0.062	µg/g	10/5/2005
Fluorene	<	0.062	µg/g	10/5/2005
4-Chlorophenyl-phenyl-ether	<	0.062	µg/g	10/5/2005
4-Nitroaniline	<	0.062	µg/g	10/5/2005
4,6-Dinitro-2-methyphenol	<	0.062	µg/g	10/5/2005
Diphenylamine	<	0.062	µg/g	10/5/2005
1,2-Diphenylhydrazine	<	0.062	µg/g	10/5/2005
Phenacetin	<	0.062	µg/g	10/5/2005
4-Bromophenyl-phenyl-ether	<	0.062	µg/g	10/5/2005
Hexachlorobenzene	<	0.062	µg/g	10/5/2005
Pentachlorophenol	<	0.062	µg/g	10/5/2005
Pentachloronitrobenzene	<	0.062	µg/g	10/5/2005
Pronamide	<	0.062	µg/g	10/5/2005
Phenanthrene	<	0.062	µg/g	10/5/2005
Anthracene	<	0.062	µg/g	10/5/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

	Di-n-butyl-phthalate	<	0.062	µg/g	10/5/2005
	Fluoranthene	<	0.062	µg/g	10/5/2005
	Pyrene	<	0.062	µg/g	10/5/2005
	Dimethylaminoazobenzene	<	0.062	µg/g	10/5/2005
	Butyl-benzyl-phthalate	<	0.062	µg/g	10/5/2005
	Benzo(a)anthracene	<	0.062	µg/g	10/5/2005
	Chrysene	<	0.062	µg/g	10/5/2005
	Bis(2-ethylhexyl)phthalate	<	0.062	µg/g	10/5/2005
	Di-n-octyl-phthalate	<	0.062	µg/g	10/5/2005
	Benzo(b)fluoranthene	<	0.062	µg/g	10/5/2005
	Dimethylbenzo(a)anthracene	<	0.062	µg/g	10/5/2005
	Benzo(k)fluoranthene	<	0.062	µg/g	10/5/2005
	Benzo(a)pyrene	<	0.062	µg/g	10/5/2005
	3-Methylcholanthrene	<	0.062	µg/g	10/5/2005
	Indeno(1-2-3-cd)pyrene	<	0.062	µg/g	10/5/2005
	Dibenz(a-h)anthracene	<	0.062	µg/g	10/5/2005
	Benzo(g-h-I)perylene	<	0.062	µg/g	10/5/2005
	Methyl methanesulfonate	<	0.062	µg/g	10/5/2005
	Ethyl methanesulfonate	<	0.062	µg/g	10/5/2005
VOL/SOIL					
	Dibromofluoromethane(Surr.)		96.06	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		98.70	%REC	9/6/2005
	Toluene-d8(Surr.)		100.7	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		100.9	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.145	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

Chloromethane	<	0.075	µg/g	9/6/2005
Vinyl Chloride	<	0.106	µg/g	9/6/2005
Bromomethane	<	0.505	µg/g	9/6/2005
Chloroethane	<	0.347	µg/g	9/6/2005
Trichlorofluoromethane	<	0.066	µg/g	9/6/2005
1,1-Dichloroethene	<	0.056	µg/g	9/6/2005
Methylene_chloride		1.921	µg/g	9/6/2005
trans-1-2-Dichloroethene	<	0.076	µg/g	9/6/2005
Methyl Tert-Butyl Ether	<	0.107	µg/g	9/6/2005
1,1-Dichloroethane	<	0.054	µg/g	9/6/2005
cis-1-2-Dichloroethene	<	0.100	µg/g	9/6/2005
Bromochloromethane	<	0.085	µg/g	9/6/2005
Chloroform	<	0.035	µg/g	9/6/2005
2,2-Dichloropropane	<	0.105	µg/g	9/6/2005
1,2-Dichloroethane	<	0.149	µg/g	9/6/2005
1,1,1-Trichloroethane	<	0.060	µg/g	9/6/2005
1,1-Dichloropropene	<	0.076	µg/g	9/6/2005
Carbon Tetrachloride	<	0.034	µg/g	9/6/2005
Benzene	<	0.085	µg/g	9/6/2005
Dibromomethane	<	0.230	µg/g	9/6/2005
1,2-Dichloropropane	<	0.127	µg/g	9/6/2005
Trichloroethene	<	0.078	µg/g	9/6/2005
Bromodichloromethane	<	0.084	µg/g	9/6/2005
cis-1-3-Dichloropropene	<	0.111	µg/g	9/6/2005
trans-1-3-Dichloropropene	<	0.109	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,1,2-Trichloroethane	<	0.101	µg/g	9/6/2005
Toluene	<	0.074	µg/g	9/6/2005
1,3-Dichloropropane	<	0.122	µg/g	9/6/2005
Dibromochloromethane	<	0.162	µg/g	9/6/2005
1,2-Dibromoethane	<	0.088	µg/g	9/6/2005
Tetrachloroethene	<	0.124	µg/g	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.074	µg/g	9/6/2005
Chlorobenzene	<	0.080	µg/g	9/6/2005
Ethylbenzene	<	0.066	µg/g	9/6/2005
m+p_Xylene	<	0.155	µg/g	9/6/2005
Bromoform	<	0.202	µg/g	9/6/2005
Styrene	<	0.069	µg/g	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.050	µg/g	9/6/2005
o-Xylene	<	0.065	µg/g	9/6/2005
1,2,3-Trichloropropane	<	0.237	µg/g	9/6/2005
Isopropylbenzene	<	0.076	µg/g	9/6/2005
Bromobenzene	<	0.065	µg/g	9/6/2005
n-Propylbenzene	<	0.063	µg/g	9/6/2005
2-Chlorotoluene	<	0.085	µg/g	9/6/2005
4-Chlorotoluene	<	0.104	µg/g	9/6/2005
1,3,5-Trimethylbenzene	<	0.039	µg/g	9/6/2005
tert-Butylbenzene	<	0.110	µg/g	9/6/2005
1,2,4-Trimethylbenzene	<	0.060	µg/g	9/6/2005
sec-Butylbenzene	<	0.082	µg/g	9/6/2005
1,3-Dichlorobenzene	<	0.091	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2423
Your Sample ID: SS-004 (16-18)
Sample Type: **Report Date:** *26-Jan-06*

1,4-Dichlorobenzene	<	0.069	µg/g	9/6/2005
p-Isopropyltoluene	<	0.076	µg/g	9/6/2005
1,2-Dichlorobenzene	<	0.091	µg/g	9/6/2005
n-butylbenzene	<	0.093	µg/g	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.111	µg/g	9/6/2005
1,2,4-Trichlorobenzene	<	0.148	µg/g	9/6/2005
Naphthalene	<	0.198	µg/g	9/6/2005
Hexachlorobutadiene	<	0.124	µg/g	9/6/2005
1,2,3-Trichlorobenzene	<	0.168	µg/g	9/6/2005
Acetone		1.364	µg/g	9/6/2005
2-Butanone		11.6	µg/g	9/6/2005
4-Methyl-2-pentanone	<	1.048	µg/g	9/6/2005
2-Hexanone	<	1.229	µg/g	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		995	µg/L	9/21/2005
Antimony	<	50.0	µg/L	9/21/2005
Arsenic		762	µg/L	9/21/2005
Barium		2760	µg/L	9/21/2005
Beryllium	<	1.00	µg/L	9/21/2005
Boron		90.9	µg/L	9/21/2005
Cadmium	<	1.00	µg/L	9/21/2005
Calcium		407	mg/L	9/21/2005
Chromium		14.2	µg/L	9/21/2005
Cobalt		28.4	µg/L	9/21/2005
Copper		16.8	µg/L	9/21/2005
Iron		199000	µg/L	9/21/2005
Lead		7.08	µg/L	9/21/2005
Magnesium		148	mg/L	9/21/2005
Manganese		1290	µg/L	9/21/2005
Nickel		64.6	µg/L	9/21/2005
Potassium		3.63	mg/L	9/21/2005
Selenium	<	5.00	µg/L	9/21/2005
Silicon Dioxide		68.5	µg/L	9/21/2005
Silver	<	10.00	µg/L	9/21/2005
Sodium		782	mg/L	9/21/2005
Thallium	<	5.00	µg/L	9/21/2005
Vanadium		11.1	µg/L	9/21/2005
Zinc		58.1	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		91.07	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		69.27	%REC	9/13/2005
Terphenyl-d14(Surr.)		228	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		84.97	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		76.77	%REC	9/30/2005
	Phenol-d6(Surr.)		54.42	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		86.23	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		57.49	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		105	%REC	9/30/2005
	Terphenyl-d14(Surr.)		96.61	%REC	9/30/2005
	Phenol	<	2.00	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether		74.9	µg/L	9/30/2005
	2-Chlorophenol	<	3.80	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	5.10	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	4.30	µg/L	9/30/2005
	Benzyl Alcohol	<	3.50	µg/L	9/30/2005
	1,2-Dichlorobenzene		61.9	µg/L	9/30/2005
	2-Methylphenol	<	3.40	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	5.30	µg/L	9/30/2005
	Acetophenone	<	6.40	µg/L	9/30/2005
	4-Methylphenol	<	6.10	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	3.10	µg/L	9/30/2005
Nitrobenzene	<	5.70	µg/L	9/30/2005
N-Nitrosopiperidine	<	4.20	µg/L	9/30/2005
Isophorone	<	14.0	µg/L	9/30/2005
2-Nitrophenol	<	4.10	µg/L	9/30/2005
2,4-Dimethylphenol	<	12.0	µg/L	9/30/2005
Benzoic Acid	<	20.0	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	7.50	µg/L	9/30/2005
2,4-Dichlorophenol	<	6.00	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	3.90	µg/L	9/30/2005
Naphthalene	<	4.20	µg/L	9/30/2005
2,6-Dichlorophenol	<	4.70	µg/L	9/30/2005
4-Chloroaniline		31.8	µg/L	9/30/2005
N-Nitrosodibutylamine	<	3.30	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	2.30	µg/L	9/30/2005
2-Methylnaphthalene	<	2.90	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	2.50	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	3.10	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	3.20	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	2.50	µg/L	9/30/2005
2-Chloronaphthalene	<	6.00	µg/L	9/30/2005
1-Chloronaphthalene	<	6.00	µg/L	9/30/2005
2-Nitroaniline	<	4.10	µg/L	9/30/2005
Dimethyl-phthalate	<	2.10	µg/L	9/30/2005
2,6-Dinitrotoluene	<	2.50	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	3.90	µg/L	9/30/2005
3-Nitroaniline	<	6.00	µg/L	9/30/2005
Acenaphthene	<	3.70	µg/L	9/30/2005
2,4-Dinitrophenol	<	3.70	µg/L	9/30/2005
Pentachlorobenzene	<	6.00	µg/L	9/30/2005
4-Nitrophenol	<	6.00	µg/L	9/30/2005
Dibenzofuran	<	4.10	µg/L	9/30/2005
2,4-Dinitrotoluene	<	2.70	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	3.00	µg/L	9/30/2005
Diethyl-phthalate	<	6.30	µg/L	9/30/2005
Fluorene	<	4.70	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	5.70	µg/L	9/30/2005
4-Nitroaniline	<	4.60	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	5.80	µg/L	9/30/2005
Diphenylamine	<	12.5	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	5.30	µg/L	9/30/2005
Phenacetin	<	4.30	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	7.00	µg/L	9/30/2005
Hexachlorobenzene	<	4.60	µg/L	9/30/2005
Pentachlorophenol	<	3.90	µg/L	9/30/2005
Pentachloronitrobenzene	<	4.60	µg/L	9/30/2005
Pronamide	<	4.00	µg/L	9/30/2005
Phenanthrene	<	4.20	µg/L	9/30/2005
Anthracene	<	4.60	µg/L	9/30/2005
Di-n-butyl-phthalate		4.31	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	2.50	µg/L	9/30/2005
	Pyrene	<	2.60	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	6.20	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	3.10	µg/L	9/30/2005
	Benzo(a)anthracene	<	2.80	µg/L	9/30/2005
	Chrysene	<	1.70	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		3.00	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	3.70	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	15.0	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	6.60	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	3.50	µg/L	9/30/2005
	Benzo(a)pyrene	<	8.00	µg/L	9/30/2005
	3-Methylcholanthrene	<	5.60	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	12.0	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	20.0	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	12.0	µg/L	9/30/2005
	Methyl methanesulfonate	<	8.00	µg/L	9/30/2005
	Ethyl methanesulfonate	<	3.50	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		90.4	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		94.9	%REC	9/1/2005
	Toluene-d8(Surr.)		104	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		109	%REC	9/1/2005
	Dichlorodifluoromethane	<	1.88	µg/L	9/1/2005
	Chloromethane	<	4.84	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	1.69	µg/L	9/1/2005
Bromomethane	<	3.13	µg/L	9/1/2005
Chloroethane	<	3.46	µg/L	9/1/2005
Trichlorofluoromethane	<	1.04	µg/L	9/1/2005
1,1-Dichloroethene	<	1.68	µg/L	9/1/2005
Methylene_chloride		32.0	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	1.04	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.730	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	3.00	µg/L	9/1/2005
Bromochloromethane	<	2.12	µg/L	9/1/2005
Chloroform	<	5.70	µg/L	9/1/2005
2,2-Dichloropropane	<	1.69	µg/L	9/1/2005
1,2-Dichloroethane		372	µg/L	9/1/2005
1,1,1-Trichloroethane	<	1.29	µg/L	9/1/2005
1,1-Dichloropropene	<	1.33	µg/L	9/1/2005
Carbon Tetrachloride	<	0.980	µg/L	9/1/2005
Benzene	<	1.69	µg/L	9/1/2005
Dibromomethane	<	2.68	µg/L	9/1/2005
1,2-Dichloropropane	<	1.40	µg/L	9/1/2005
Trichloroethene	<	1.65	µg/L	9/1/2005
Bromodichloromethane	<	1.42	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	2.72	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	2.24	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.910	µg/L	9/1/2005
Toluene		2.54	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	2.16	µg/L	9/1/2005
Dibromochloromethane	<	2.94	µg/L	9/1/2005
1,2-Dibromoethane	<	1.65	µg/L	9/1/2005
Tetrachloroethene	<	1.49	µg/L	9/1/2005
Chlorobenzene		22.3	µg/L	9/1/2005
Ethylbenzene	<	0.660	µg/L	9/1/2005
m+p_Xylene	<	1.83	µg/L	9/1/2005
Bromoform	<	3.23	µg/L	9/1/2005
Styrene	<	1.58	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	2.40	µg/L	9/1/2005
o-Xylene	<	1.03	µg/L	9/1/2005
1,2,3-Trichloropropane	<	9.37	µg/L	9/1/2005
Isopropylbenzene	<	0.900	µg/L	9/1/2005
Bromobenzene	<	2.24	µg/L	9/1/2005
n-Propylbenzene	<	0.370	µg/L	9/1/2005
2-Chlorotoluene	<	1.26	µg/L	9/1/2005
4-Chlorotoluene	<	1.09	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	1.24	µg/L	9/1/2005
tert-Butylbenzene	<	1.31	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.900	µg/L	9/1/2005
sec-Butylbenzene	<	0.960	µg/L	9/1/2005
1,3-Dichlorobenzene	<	1.64	µg/L	9/1/2005
1,4-Dichlorobenzene	<	3.64	µg/L	9/1/2005
p-Isopropyltoluene	<	1.36	µg/L	9/1/2005
1,2-Dichlorobenzene		89.4	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2424
Your Sample ID: CED 2MW-3
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.940	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	7.97	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	1.02	µg/L	9/1/2005
Naphthalene	<	1.57	µg/L	9/1/2005
Hexachlorobutadiene	<	1.06	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	3.00	µg/L	9/1/2005
1,1-Dichloroethane	<	3.00	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	1.74	µg/L	9/1/2005
Acetone	<	77.0	µg/L	9/1/2005
2-Butanone	<	48.0	µg/L	9/1/2005
4-Methyl-2-pentanone	<	49.0	µg/L	9/1/2005
2-Hexanone	<	41.0	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		796	µg/L	9/21/2005
Antimony	<	50.0	µg/L	9/21/2005
Arsenic		67.7	µg/L	9/21/2005
Barium		1730	µg/L	9/21/2005
Beryllium	<	1.00	µg/L	9/21/2005
Boron		91.1	µg/L	9/21/2005
Cadmium	<	1.00	µg/L	9/21/2005
Calcium		506	mg/L	9/21/2005
Chromium		26.0	µg/L	9/21/2005
Cobalt	<	5.00	µg/L	9/21/2005
Copper		17.7	µg/L	9/21/2005
Iron		172000	µg/L	9/21/2005
Lead		6.28	µg/L	9/21/2005
Magnesium		227	mg/L	9/21/2005
Manganese		1300	µg/L	9/21/2005
Nickel		24.4	µg/L	9/21/2005
Potassium		2.91	mg/L	9/21/2005
Selenium	<	5.00	µg/L	9/21/2005
Silicon Dioxide		43.4	µg/L	9/21/2005
Silver	<	10.00	µg/L	9/21/2005
Sodium		373	mg/L	9/21/2005
Thallium	<	5.00	µg/L	9/21/2005
Vanadium	<	5.00	µg/L	9/21/2005
Zinc		27.1	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		58.07	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		98.77	%REC	9/13/2005
Terphenyl-d14(Surr.)		474	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		81.33	%REC	9/13/2005
PCB-as-AR1221	<	0.200	µg/L	9/13/2005
PCB-as-AR1232	<	0.420	µg/L	9/13/2005
Molinate	<	0.120	µg/L	9/13/2005
Propachlor	<	0.140	µg/L	9/13/2005
Trifluralin	<	0.128	µg/L	9/13/2005
Alpha-BHC	<	0.160	µg/L	9/13/2005
Atraton	<	0.340	µg/L	9/13/2005
Prometon	<	0.260	µg/L	9/13/2005
Simazine	<	0.080	µg/L	9/13/2005
Atrazine	<	0.080	µg/L	9/13/2005
Beta-BHC	<	0.140	µg/L	9/13/2005
Propazine	<	0.280	µg/L	9/13/2005
Gamma-BHC	<	0.160	µg/L	9/13/2005
Terbuthylazine	<	0.180	µg/L	9/13/2005
Diazinon	<	0.400	µg/L	9/13/2005
Fluchloralin	<	0.160	µg/L	9/13/2005
Fonofos	<	0.100	µg/L	9/13/2005
Delta-BHC	<	0.120	µg/L	9/13/2005
Cyprazine	<	0.160	µg/L	9/13/2005
Dimethazone	<	0.140	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.160	µg/L	9/13/2005
Methyl-Parathion	<	2.10	µg/L	9/13/2005
Alachlor	<	0.100	µg/L	9/13/2005
PCB-as-AR1242	<	1.66	µg/L	9/13/2005
PCB-as-AR1248	<	4.56	µg/L	9/13/2005
Ametryn	<	0.120	µg/L	9/13/2005
Prometryn	<	0.080	µg/L	9/13/2005
Heptachlor	<	0.120	µg/L	9/13/2005
Terbutryn	<	0.180	µg/L	9/13/2005
Malathion	<	0.180	µg/L	9/13/2005
Dipropetryn	<	0.160	µg/L	9/13/2005
Metolachlor	<	0.060	µg/L	9/13/2005
Chlorpyrifos	<	0.120	µg/L	9/13/2005
Cyanazine	<	0.480	µg/L	9/13/2005
Aldrin	<	0.260	µg/L	9/13/2005
Pendimethalin	<	0.280	µg/L	9/13/2005
Heptachlor Epoxide	<	0.160	µg/L	9/13/2005
Technical Chlordane	<	1.08	µg/L	9/13/2005
Endosulfan I	<	0.480	µg/L	9/13/2005
p-p-DDE	<	0.240	µg/L	9/13/2005
Dieldrin	<	0.500	µg/L	9/13/2005
Endrin	<	1.54	µg/L	9/13/2005
PCB-as-AR1254	<	0.260	µg/L	9/13/2005
PCB-as-AR1260	<	1.10	µg/L	9/13/2005
Endosulfan II	<	0.660	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.120	µg/L	9/13/2005
	Endrin Aldehyde	<	0.920	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.260	µg/L	9/13/2005
	p-p-DDT	<	0.120	µg/L	9/13/2005
	Hexazinone	<	1.34	µg/L	9/13/2005
	Endrin Ketone	<	0.320	µg/L	9/13/2005
	Methoxychlor	<	0.120	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		96.19	%REC	9/30/2005
	Phenol-d6(Surr.)		73.69	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		91.55	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		119	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		101	%REC	9/30/2005
	Terphenyl-d14(Surr.)		103	%REC	9/30/2005
	Phenol	<	4.00	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	8.20	µg/L	9/30/2005
	2-Chlorophenol	<	7.60	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	10.2	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	8.60	µg/L	9/30/2005
	Benzyl Alcohol	<	7.00	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	10.6	µg/L	9/30/2005
	2-Methylphenol	<	6.80	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	10.6	µg/L	9/30/2005
	Acetophenone	<	12.8	µg/L	9/30/2005
	4-Methylphenol	<	12.2	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	6.20	µg/L	9/30/2005
Nitrobenzene	<	11.4	µg/L	9/30/2005
N-Nitrosopiperidine	<	8.40	µg/L	9/30/2005
Isophorone	<	28.0	µg/L	9/30/2005
2-Nitrophenol	<	8.20	µg/L	9/30/2005
2,4-Dimethylphenol	<	24.0	µg/L	9/30/2005
Benzoic Acid	<	40.0	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	15.0	µg/L	9/30/2005
2,4-Dichlorophenol	<	12.0	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	7.80	µg/L	9/30/2005
Naphthalene	<	8.40	µg/L	9/30/2005
2,6-Dichlorophenol	<	9.40	µg/L	9/30/2005
4-Chloroaniline	<	5.00	µg/L	9/30/2005
N-Nitrosodibutylamine	<	6.60	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	4.60	µg/L	9/30/2005
2-Methylnaphthalene	<	5.80	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	5.00	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	6.20	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	6.40	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	5.00	µg/L	9/30/2005
2-Chloronaphthalene	<	12.0	µg/L	9/30/2005
1-Chloronaphthalene	<	12.0	µg/L	9/30/2005
2-Nitroaniline	<	8.20	µg/L	9/30/2005
Dimethyl-phthalate	<	4.20	µg/L	9/30/2005
2,6-Dinitrotoluene	<	5.00	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	7.80	µg/L	9/30/2005
3-Nitroaniline	<	12.0	µg/L	9/30/2005
Acenaphthene	<	7.40	µg/L	9/30/2005
2,4-Dinitrophenol	<	7.40	µg/L	9/30/2005
Pentachlorobenzene	<	12.0	µg/L	9/30/2005
4-Nitrophenol	<	12.0	µg/L	9/30/2005
Dibenzofuran	<	8.20	µg/L	9/30/2005
2,4-Dinitrotoluene	<	5.40	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	6.00	µg/L	9/30/2005
Diethyl-phthalate	<	12.6	µg/L	9/30/2005
Fluorene	<	9.40	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	11.4	µg/L	9/30/2005
4-Nitroaniline	<	9.20	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	11.6	µg/L	9/30/2005
Diphenylamine	<	25.0	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	10.6	µg/L	9/30/2005
Phenacetin	<	8.60	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	14.0	µg/L	9/30/2005
Hexachlorobenzene	<	9.20	µg/L	9/30/2005
Pentachlorophenol	<	7.80	µg/L	9/30/2005
Pentachloronitrobenzene	<	9.20	µg/L	9/30/2005
Pronamide	<	8.00	µg/L	9/30/2005
Phenanthrene	<	8.40	µg/L	9/30/2005
Anthracene	<	9.20	µg/L	9/30/2005
Di-n-butyl-phthalate	<	7.40	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	5.00	µg/L	9/30/2005
	Pyrene	<	5.20	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	12.4	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	6.20	µg/L	9/30/2005
	Benzo(a)anthracene	<	5.60	µg/L	9/30/2005
	Chrysene	<	3.40	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	4.20	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	7.40	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	30.0	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	13.2	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	7.00	µg/L	9/30/2005
	Benzo(a)pyrene	<	16.0	µg/L	9/30/2005
	3-Methylcholanthrene	<	11.2	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	24.0	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	40.0	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	24.0	µg/L	9/30/2005
	Methyl methanesulfonate	<	16.0	µg/L	9/30/2005
	Ethyl methanesulfonate	<	7.00	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		91.5	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		89.8	%REC	9/1/2005
	Toluene-d8(Surr.)		95.2	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		100	%REC	9/1/2005
	Dichlorodifluoromethane	<	1.88	µg/L	9/1/2005
	Chloromethane	<	4.84	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	1.69	µg/L	9/1/2005
Bromomethane	<	3.13	µg/L	9/1/2005
Chloroethane	<	3.46	µg/L	9/1/2005
Trichlorofluoromethane	<	1.04	µg/L	9/1/2005
1,1-Dichloroethene	<	1.68	µg/L	9/1/2005
Methylene_chloride		47.3	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	1.04	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.730	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	3.00	µg/L	9/1/2005
Bromochloromethane	<	2.12	µg/L	9/1/2005
Chloroform	<	5.70	µg/L	9/1/2005
2,2-Dichloropropane	<	1.69	µg/L	9/1/2005
1,2-Dichloroethane	<	2.40	µg/L	9/1/2005
1,1,1-Trichloroethane	<	1.29	µg/L	9/1/2005
1,1-Dichloropropene	<	1.33	µg/L	9/1/2005
Carbon Tetrachloride	<	0.980	µg/L	9/1/2005
Benzene	<	1.69	µg/L	9/1/2005
Dibromomethane	<	2.68	µg/L	9/1/2005
1,2-Dichloropropane	<	1.40	µg/L	9/1/2005
Trichloroethene	<	1.65	µg/L	9/1/2005
Bromodichloromethane	<	1.42	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	2.72	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	2.24	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.910	µg/L	9/1/2005
Toluene	<	1.16	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	2.16	µg/L	9/1/2005
Dibromochloromethane	<	2.94	µg/L	9/1/2005
1,2-Dibromoethane	<	1.65	µg/L	9/1/2005
Tetrachloroethene	<	1.49	µg/L	9/1/2005
Chlorobenzene	<	2.20	µg/L	9/1/2005
Ethylbenzene	<	0.660	µg/L	9/1/2005
m+p_Xylene	<	1.83	µg/L	9/1/2005
Bromoform	<	3.23	µg/L	9/1/2005
Styrene	<	1.58	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	2.40	µg/L	9/1/2005
o-Xylene	<	1.03	µg/L	9/1/2005
1,2,3-Trichloropropane	<	9.37	µg/L	9/1/2005
Isopropylbenzene	<	0.900	µg/L	9/1/2005
Bromobenzene	<	2.24	µg/L	9/1/2005
n-Propylbenzene	<	0.370	µg/L	9/1/2005
2-Chlorotoluene	<	1.26	µg/L	9/1/2005
4-Chlorotoluene	<	1.09	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	1.24	µg/L	9/1/2005
tert-Butylbenzene	<	1.31	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.900	µg/L	9/1/2005
sec-Butylbenzene	<	0.960	µg/L	9/1/2005
1,3-Dichlorobenzene	<	1.64	µg/L	9/1/2005
1,4-Dichlorobenzene	<	3.64	µg/L	9/1/2005
p-Isopropyltoluene	<	1.36	µg/L	9/1/2005
1,2-Dichlorobenzene	<	1.39	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2425
Your Sample ID: CED 1MW-6
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.940	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	7.97	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	1.02	µg/L	9/1/2005
Naphthalene	<	1.57	µg/L	9/1/2005
Hexachlorobutadiene	<	1.06	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	3.00	µg/L	9/1/2005
1,1-Dichloroethane	<	3.00	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	1.74	µg/L	9/1/2005
Acetone	<	77.0	µg/L	9/1/2005
2-Butanone	<	48.0	µg/L	9/1/2005
4-Methyl-2-pentanone	<	49.0	µg/L	9/1/2005
2-Hexanone	<	41.0	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		31.8	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		1.80	µg/L	9/21/2005
Barium		374	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		58.0	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		120	mg/L	9/21/2005
Chromium		1.59	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		1.10	µg/L	9/21/2005
Iron		2280	µg/L	9/21/2005
Lead		0.39	µg/L	9/21/2005
Magnesium		44.1	mg/L	9/21/2005
Manganese		318	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		1.76	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		41.8	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		19.4	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		2.49	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		30.53	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		82.70	%REC	9/13/2005
Terphenyl-d14(Surr.)		615	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		60.00	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		48.96	%REC	9/30/2005
	Phenol-d6(Surr.)		32.97	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		68.37	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		93.78	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		83.79	%REC	9/30/2005
	Terphenyl-d14(Surr.)		93.88	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline	<	0.250	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.516	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		0.274	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		104	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		102	%REC	9/1/2005
	Toluene-d8(Surr.)		92.1	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		96.8	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		0.556	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene		0.232	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2426
Your Sample ID: CED 1MW-7
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		4.97	µg/L	9/21/2005
Barium		275	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		41.2	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		142	mg/L	9/21/2005
Chromium		5.27	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		0.98	µg/L	9/21/2005
Iron		4580	µg/L	9/21/2005
Lead		0.92	µg/L	9/21/2005
Magnesium		57.5	mg/L	9/21/2005
Manganese		422	µg/L	9/21/2005
Nickel		7.14	µg/L	9/21/2005
Potassium		5.46	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		43.9	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		57.1	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.92	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		42.07	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		88.63	%REC	9/13/2005
Terphenyl-d14(Surr.)		347	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		93.33	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		74.16	%REC	9/30/2005
	Phenol-d6(Surr.)		50.69	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		92.34	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		95.59	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		81.29	%REC	9/30/2005
	Terphenyl-d14(Surr.)		110	%REC	9/30/2005
	Phenol	<	4.00	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	8.20	µg/L	9/30/2005
	2-Chlorophenol	<	7.60	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	10.2	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	8.60	µg/L	9/30/2005
	Benzyl Alcohol	<	7.00	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	10.6	µg/L	9/30/2005
	2-Methylphenol	<	6.80	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	10.6	µg/L	9/30/2005
	Acetophenone	<	12.8	µg/L	9/30/2005
	4-Methylphenol	<	12.2	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	6.20	µg/L	9/30/2005
Nitrobenzene	<	11.4	µg/L	9/30/2005
N-Nitrosopiperidine	<	8.40	µg/L	9/30/2005
Isophorone	<	28.0	µg/L	9/30/2005
2-Nitrophenol	<	8.20	µg/L	9/30/2005
2,4-Dimethylphenol	<	24.0	µg/L	9/30/2005
Benzoic Acid	<	40.0	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	15.0	µg/L	9/30/2005
2,4-Dichlorophenol	<	12.0	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	7.80	µg/L	9/30/2005
Naphthalene	<	8.40	µg/L	9/30/2005
2,6-Dichlorophenol	<	9.40	µg/L	9/30/2005
4-Chloroaniline	<	5.00	µg/L	9/30/2005
N-Nitrosodibutylamine	<	6.60	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	4.60	µg/L	9/30/2005
2-Methylnaphthalene	<	5.80	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	5.00	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	6.20	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	6.40	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	5.00	µg/L	9/30/2005
2-Chloronaphthalene	<	12.0	µg/L	9/30/2005
1-Chloronaphthalene	<	12.0	µg/L	9/30/2005
2-Nitroaniline	<	8.20	µg/L	9/30/2005
Dimethyl-phthalate	<	4.20	µg/L	9/30/2005
2,6-Dinitrotoluene	<	5.00	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	7.80	µg/L	9/30/2005
3-Nitroaniline	<	12.0	µg/L	9/30/2005
Acenaphthene	<	7.40	µg/L	9/30/2005
2,4-Dinitrophenol	<	7.40	µg/L	9/30/2005
Pentachlorobenzene	<	12.0	µg/L	9/30/2005
4-Nitrophenol	<	12.0	µg/L	9/30/2005
Dibenzofuran	<	8.20	µg/L	9/30/2005
2,4-Dinitrotoluene	<	5.40	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	6.00	µg/L	9/30/2005
Diethyl-phthalate	<	12.6	µg/L	9/30/2005
Fluorene	<	9.40	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	11.4	µg/L	9/30/2005
4-Nitroaniline	<	9.20	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	11.6	µg/L	9/30/2005
Diphenylamine	<	25.0	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	10.6	µg/L	9/30/2005
Phenacetin	<	8.60	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	14.0	µg/L	9/30/2005
Hexachlorobenzene	<	9.20	µg/L	9/30/2005
Pentachlorophenol	<	7.80	µg/L	9/30/2005
Pentachloronitrobenzene	<	9.20	µg/L	9/30/2005
Pronamide	<	8.00	µg/L	9/30/2005
Phenanthrene	<	8.40	µg/L	9/30/2005
Anthracene	<	9.20	µg/L	9/30/2005
Di-n-butyl-phthalate	<	7.40	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	5.00	µg/L	9/30/2005
	Pyrene	<	5.20	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	12.4	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	6.20	µg/L	9/30/2005
	Benzo(a)anthracene	<	5.60	µg/L	9/30/2005
	Chrysene	<	3.40	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	4.20	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	7.40	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	30.0	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	13.2	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	7.00	µg/L	9/30/2005
	Benzo(a)pyrene	<	16.0	µg/L	9/30/2005
	3-Methylcholanthrene	<	11.2	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	24.0	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	40.0	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	24.0	µg/L	9/30/2005
	Methyl methanesulfonate	<	16.0	µg/L	9/30/2005
	Ethyl methanesulfonate	<	7.00	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		98.8	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		98.2	%REC	9/1/2005
	Toluene-d8(Surr.)		99.1	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		102	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		1.24	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2427
Your Sample ID: EMW-6
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	200	µg/L	9/21/2005
Antimony	<	50.0	µg/L	9/21/2005
Arsenic		12.8	µg/L	9/21/2005
Barium		767	µg/L	9/21/2005
Beryllium	<	1.00	µg/L	9/21/2005
Boron		50.4	µg/L	9/21/2005
Cadmium	<	1.00	µg/L	9/21/2005
Calcium		249	mg/L	9/21/2005
Chromium		34.1	µg/L	9/21/2005
Cobalt	<	5.00	µg/L	9/21/2005
Copper		13.0	µg/L	9/21/2005
Iron		10700	µg/L	9/21/2005
Lead		4.44	µg/L	9/21/2005
Magnesium		109	mg/L	9/21/2005
Manganese		401	µg/L	9/21/2005
Nickel		38.9	µg/L	9/21/2005
Potassium		1.84	mg/L	9/21/2005
Selenium	<	5.00	µg/L	9/21/2005
Silicon Dioxide		43.0	µg/L	9/21/2005
Silver	<	10.00	µg/L	9/21/2005
Sodium		48.1	mg/L	9/21/2005
Thallium	<	5.00	µg/L	9/21/2005
Vanadium	<	5.00	µg/L	9/21/2005
Zinc		19.6	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		66.30	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		87.57	%REC	9/13/2005
Terphenyl-d14(Surr.)		456	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		85.57	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		65.23	%REC	9/30/2005
	Phenol-d6(Surr.)		44.73	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		84.87	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		108	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		133	%REC	9/30/2005
	Terphenyl-d14(Surr.)		109	%REC	9/30/2005
	Phenol		0.694	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		89.0	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate		7.17	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.514	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		0.274	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		103	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		95.1	%REC	9/1/2005
	Toluene-d8(Surr.)		98.4	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		106	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		238	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene		0.495	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2428
Your Sample ID: EMW-6A
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic	<	0.50	µg/L	9/21/2005
Barium	<	2.00	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		29.5	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		0.076	mg/L	9/21/2005
Chromium		0.13	µg/L	9/21/2005
Cobalt	<	0.50	µg/L	9/21/2005
Copper		0.54	µg/L	9/21/2005
Iron	<	20.0	µg/L	9/21/2005
Lead		0.31	µg/L	9/21/2005
Magnesium	<	0.10	mg/L	9/21/2005
Manganese		0.49	µg/L	9/21/2005
Nickel	<	0.50	µg/L	9/21/2005
Potassium		0.067	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide	<	0.20	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		0.258	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium	<	0.50	µg/L	9/21/2005
Zinc		1.90	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		0.00	%REC	9/13/2005
Terphenyl-d14(Surr.)		406	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		210	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		55.92	%REC	9/30/2005
	Phenol-d6(Surr.)		33.35	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		73.03	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		85.38	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		93.67	%REC	9/30/2005
	Terphenyl-d14(Surr.)		96.99	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		3.77	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.380	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		0.334	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		94.4	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		84.9	%REC	9/1/2005
	Toluene-d8(Surr.)		113	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		111	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane	<	0.240	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2429
Your Sample ID: RW-2
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		12100	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		5.73	µg/L	9/21/2005
Barium		216	µg/L	9/21/2005
Beryllium		0.63	µg/L	9/21/2005
Boron		55.8	µg/L	9/21/2005
Cadmium		7.40	µg/L	9/21/2005
Calcium		86.6	mg/L	9/21/2005
Chromium		98.4	µg/L	9/21/2005
Cobalt		6.20	µg/L	9/21/2005
Copper		32.9	µg/L	9/21/2005
Iron		23000	µg/L	9/21/2005
Lead		16.4	µg/L	9/21/2005
Magnesium		36.0	mg/L	9/21/2005
Manganese		335	µg/L	9/21/2005
Nickel		38.4	µg/L	9/21/2005
Potassium		4.76	mg/L	9/21/2005
Selenium		1.96	µg/L	9/21/2005
Silicon Dioxide		86.0	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		31.1	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		29.1	µg/L	9/21/2005
Zinc		65.6	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		32.33	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		297	%REC	9/13/2005
Terphenyl-d14(Surr.)		1420	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		203	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		66.62	%REC	9/30/2005
	Phenol-d6(Surr.)		40.70	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		81.99	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		95.94	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		93.20	%REC	9/30/2005
	Terphenyl-d14(Surr.)		93.35	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	0.530	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		3.10	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate	<	0.370	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		98.1	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		102	%REC	9/1/2005
	Toluene-d8(Surr.)		94.3	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		107	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		1.08	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene	<	0.220	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2430
Your Sample ID: EMW-2
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		62.7	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		25.4	µg/L	9/21/2005
Barium		104	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		42.1	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		224	mg/L	9/21/2005
Chromium		3.09	µg/L	9/21/2005
Cobalt		0.87	µg/L	9/21/2005
Copper		1.38	µg/L	9/21/2005
Iron		22800	µg/L	9/21/2005
Lead		1.34	µg/L	9/21/2005
Magnesium		117	mg/L	9/21/2005
Manganese		3170	µg/L	9/21/2005
Nickel		6.72	µg/L	9/21/2005
Potassium		4.64	mg/L	9/21/2005
Selenium		0.57	µg/L	9/21/2005
Silicon Dioxide		35.3	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		342	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		3.95	µg/L	9/21/2005
Zinc		3.83	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		0.00	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		45.33	%REC	9/13/2005
Terphenyl-d14(Surr.)		259	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		42.93	%REC	9/13/2005
PCB-as-AR1221	<	0.200	µg/L	9/13/2005
PCB-as-AR1232	<	0.420	µg/L	9/13/2005
Molinate	<	0.120	µg/L	9/13/2005
Propachlor	<	0.140	µg/L	9/13/2005
Trifluralin	<	0.128	µg/L	9/13/2005
Alpha-BHC	<	0.160	µg/L	9/13/2005
Atraton	<	0.340	µg/L	9/13/2005
Prometon	<	0.260	µg/L	9/13/2005
Simazine	<	0.080	µg/L	9/13/2005
Atrazine	<	0.080	µg/L	9/13/2005
Beta-BHC	<	0.140	µg/L	9/13/2005
Propazine	<	0.280	µg/L	9/13/2005
Gamma-BHC	<	0.160	µg/L	9/13/2005
Terbuthylazine	<	0.180	µg/L	9/13/2005
Diazinon	<	0.400	µg/L	9/13/2005
Fluchloralin	<	0.160	µg/L	9/13/2005
Fonofos	<	0.100	µg/L	9/13/2005
Delta-BHC	<	0.120	µg/L	9/13/2005
Cyprazine	<	0.160	µg/L	9/13/2005
Dimethazone	<	0.140	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.160	µg/L	9/13/2005
Methyl-Parathion	<	2.10	µg/L	9/13/2005
Alachlor	<	0.100	µg/L	9/13/2005
PCB-as-AR1242	<	1.66	µg/L	9/13/2005
PCB-as-AR1248	<	4.56	µg/L	9/13/2005
Ametryn	<	0.120	µg/L	9/13/2005
Prometryn	<	0.080	µg/L	9/13/2005
Heptachlor	<	0.120	µg/L	9/13/2005
Terbutryn	<	0.180	µg/L	9/13/2005
Malathion	<	0.180	µg/L	9/13/2005
Dipropetryn	<	0.160	µg/L	9/13/2005
Metolachlor	<	0.060	µg/L	9/13/2005
Chlorpyrifos	<	0.120	µg/L	9/13/2005
Cyanazine	<	0.480	µg/L	9/13/2005
Aldrin	<	0.260	µg/L	9/13/2005
Pendimethalin	<	0.280	µg/L	9/13/2005
Heptachlor Epoxide	<	0.160	µg/L	9/13/2005
Technical Chlordane	<	1.08	µg/L	9/13/2005
Endosulfan I	<	0.480	µg/L	9/13/2005
p-p-DDE	<	0.240	µg/L	9/13/2005
Dieldrin	<	0.500	µg/L	9/13/2005
Endrin	<	1.54	µg/L	9/13/2005
PCB-as-AR1254	<	0.260	µg/L	9/13/2005
PCB-as-AR1260	<	1.10	µg/L	9/13/2005
Endosulfan II	<	0.660	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.120	µg/L	9/13/2005
	Endrin Aldehyde	<	0.920	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.260	µg/L	9/13/2005
	p-p-DDT	<	0.120	µg/L	9/13/2005
	Hexazinone	<	1.34	µg/L	9/13/2005
	Endrin Ketone	<	0.320	µg/L	9/13/2005
	Methoxychlor	<	0.120	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		65.48	%REC	9/30/2005
	Phenol-d6(Surr.)		42.69	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		78.43	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		97.39	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		99.39	%REC	9/30/2005
	Terphenyl-d14(Surr.)		90.68	%REC	9/30/2005
	Phenol	<	2.00	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether		20.6	µg/L	9/30/2005
	2-Chlorophenol	<	3.80	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	5.10	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	4.30	µg/L	9/30/2005
	Benzyl Alcohol	<	3.50	µg/L	9/30/2005
	1,2-Dichlorobenzene	<	5.30	µg/L	9/30/2005
	2-Methylphenol	<	3.40	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	5.30	µg/L	9/30/2005
	Acetophenone	<	6.40	µg/L	9/30/2005
	4-Methylphenol	<	6.10	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	3.10	µg/L	9/30/2005
Nitrobenzene	<	5.70	µg/L	9/30/2005
N-Nitrosopiperidine	<	4.20	µg/L	9/30/2005
Isophorone	<	14.0	µg/L	9/30/2005
2-Nitrophenol	<	4.10	µg/L	9/30/2005
2,4-Dimethylphenol	<	12.0	µg/L	9/30/2005
Benzoic Acid	<	20.0	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	7.50	µg/L	9/30/2005
2,4-Dichlorophenol	<	6.00	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	3.90	µg/L	9/30/2005
Naphthalene	<	4.20	µg/L	9/30/2005
2,6-Dichlorophenol	<	4.70	µg/L	9/30/2005
4-Chloroaniline		31.6	µg/L	9/30/2005
N-Nitrosodibutylamine	<	3.30	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	2.30	µg/L	9/30/2005
2-Methylnaphthalene	<	2.90	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	2.50	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	3.10	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	3.20	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	2.50	µg/L	9/30/2005
2-Chloronaphthalene	<	6.00	µg/L	9/30/2005
1-Chloronaphthalene	<	6.00	µg/L	9/30/2005
2-Nitroaniline	<	4.10	µg/L	9/30/2005
Dimethyl-phthalate	<	2.10	µg/L	9/30/2005
2,6-Dinitrotoluene	<	2.50	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	3.90	µg/L	9/30/2005
3-Nitroaniline	<	6.00	µg/L	9/30/2005
Acenaphthene	<	3.70	µg/L	9/30/2005
2,4-Dinitrophenol	<	3.70	µg/L	9/30/2005
Pentachlorobenzene	<	6.00	µg/L	9/30/2005
4-Nitrophenol	<	6.00	µg/L	9/30/2005
Dibenzofuran	<	4.10	µg/L	9/30/2005
2,4-Dinitrotoluene	<	2.70	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	3.00	µg/L	9/30/2005
Diethyl-phthalate	<	6.30	µg/L	9/30/2005
Fluorene	<	4.70	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	5.70	µg/L	9/30/2005
4-Nitroaniline	<	4.60	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	5.80	µg/L	9/30/2005
Diphenylamine	<	12.5	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	5.30	µg/L	9/30/2005
Phenacetin	<	4.30	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	7.00	µg/L	9/30/2005
Hexachlorobenzene	<	4.60	µg/L	9/30/2005
Pentachlorophenol	<	3.90	µg/L	9/30/2005
Pentachloronitrobenzene	<	4.60	µg/L	9/30/2005
Pronamide	<	4.00	µg/L	9/30/2005
Phenanthrene	<	4.20	µg/L	9/30/2005
Anthracene	<	4.60	µg/L	9/30/2005
Di-n-butyl-phthalate		4.33	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	2.50	µg/L	9/30/2005
	Pyrene	<	2.60	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	6.20	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	3.10	µg/L	9/30/2005
	Benzo(a)anthracene	<	2.80	µg/L	9/30/2005
	Chrysene	<	1.70	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	2.10	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	3.70	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	15.0	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	6.60	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	3.50	µg/L	9/30/2005
	Benzo(a)pyrene	<	8.00	µg/L	9/30/2005
	3-Methylcholanthrene	<	5.60	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	12.0	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	20.0	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	12.0	µg/L	9/30/2005
	Methyl methanesulfonate	<	8.00	µg/L	9/30/2005
	Ethyl methanesulfonate	<	3.50	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		103	%REC	9/1/2005
	1,2-Dichloroethane-d4(Surr)		82.9	%REC	9/1/2005
	Toluene-d8(Surr.)		92.3	%REC	9/1/2005
	4-Bromofluorobenzene(Surr.)		103	%REC	9/1/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/1/2005
	Chloromethane	<	0.484	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/1/2005
Bromomethane	<	0.313	µg/L	9/1/2005
Chloroethane	<	0.346	µg/L	9/1/2005
Trichlorofluoromethane	<	0.104	µg/L	9/1/2005
1,1-Dichloroethene	<	0.168	µg/L	9/1/2005
Methylene_chloride	<	5.00	µg/L	9/1/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/1/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/1/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/1/2005
Bromochloromethane	<	0.212	µg/L	9/1/2005
Chloroform	<	0.570	µg/L	9/1/2005
2,2-Dichloropropane	<	0.169	µg/L	9/1/2005
1,2-Dichloroethane		114	µg/L	9/1/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/1/2005
1,1-Dichloropropene	<	0.133	µg/L	9/1/2005
Carbon Tetrachloride	<	0.098	µg/L	9/1/2005
Benzene	<	0.169	µg/L	9/1/2005
Dibromomethane	<	0.268	µg/L	9/1/2005
1,2-Dichloropropane	<	0.140	µg/L	9/1/2005
Trichloroethene	<	0.165	µg/L	9/1/2005
Bromodichloromethane	<	0.142	µg/L	9/1/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/1/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/1/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/1/2005
Toluene	<	0.116	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/1/2005
Dibromochloromethane	<	0.294	µg/L	9/1/2005
1,2-Dibromoethane	<	0.165	µg/L	9/1/2005
Tetrachloroethene	<	0.149	µg/L	9/1/2005
Chlorobenzene		16.1	µg/L	9/1/2005
Ethylbenzene	<	0.066	µg/L	9/1/2005
m+p_Xylene	<	0.183	µg/L	9/1/2005
Bromoform	<	0.323	µg/L	9/1/2005
Styrene	<	0.158	µg/L	9/1/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/1/2005
o-Xylene	<	0.103	µg/L	9/1/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/1/2005
Isopropylbenzene	<	0.090	µg/L	9/1/2005
Bromobenzene	<	0.224	µg/L	9/1/2005
n-Propylbenzene	<	0.037	µg/L	9/1/2005
2-Chlorotoluene	<	0.126	µg/L	9/1/2005
4-Chlorotoluene	<	0.109	µg/L	9/1/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/1/2005
tert-Butylbenzene	<	0.131	µg/L	9/1/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/1/2005
sec-Butylbenzene	<	0.096	µg/L	9/1/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/1/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/1/2005
p-Isopropyltoluene	<	0.136	µg/L	9/1/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2431
Your Sample ID: 4MW-4
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/1/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/1/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/1/2005
Naphthalene	<	0.157	µg/L	9/1/2005
Hexachlorobutadiene	<	0.106	µg/L	9/1/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/1/2005
1,1-Dichloroethane	<	0.300	µg/L	9/1/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/1/2005
Acetone	<	7.70	µg/L	9/1/2005
2-Butanone	<	4.80	µg/L	9/1/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/1/2005
2-Hexanone	<	4.10	µg/L	9/1/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		53.9	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		37.1	µg/L	9/21/2005
Barium		4130	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		18.9	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		2050	mg/L	9/21/2005
Chromium		2.25	µg/L	9/21/2005
Cobalt		30.9	µg/L	9/21/2005
Copper		3.16	µg/L	9/21/2005
Iron		38000	µg/L	9/21/2005
Lead		0.74	µg/L	9/21/2005
Magnesium		842	mg/L	9/21/2005
Manganese		18900	µg/L	9/21/2005
Nickel		87.0	µg/L	9/21/2005
Potassium		103	mg/L	9/21/2005
Selenium		1.12	µg/L	9/21/2005
Silicon Dioxide		50.4	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		245	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		1.64	µg/L	9/21/2005
Zinc		4.11	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		58.48	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		81.43	%REC	9/13/2005
Terphenyl-d14(Surr.)		108	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		85.30	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		58.87	%REC	9/30/2005
	Phenol-d6(Surr.)		39.40	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		88.42	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		94.93	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		121	%REC	9/30/2005
	Terphenyl-d14(Surr.)		88.49	%REC	9/30/2005
	Phenol		0.385	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether		3.09	µg/L	9/30/2005
	2-Chlorophenol		1.04	µg/L	9/30/2005
	1,3-Dichlorobenzene		3.60	µg/L	9/30/2005
	1,4-Dichlorobenzene		3.60	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene		252	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol		1.06	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		74.0	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol		2.13	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.491	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		0.238	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		91.3	%REC	9/2/2005
	1,2-Dichloroethane-d4(Surr)		94.7	%REC	9/2/2005
	Toluene-d8(Surr.)		85.1	%REC	9/2/2005
	4-Bromofluorobenzene(Surr.)		88.8	%REC	9/2/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/2/2005
	Chloromethane	<	0.484	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/2/2005
Bromomethane	<	0.313	µg/L	9/2/2005
Chloroethane	<	0.346	µg/L	9/2/2005
Trichlorofluoromethane	<	0.104	µg/L	9/2/2005
1,1-Dichloroethene	<	0.168	µg/L	9/2/2005
Methylene_chloride		242	µg/L	9/2/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/2/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/2/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/2/2005
Bromochloromethane	<	0.212	µg/L	9/2/2005
Chloroform	<	0.570	µg/L	9/2/2005
2,2-Dichloropropane	<	0.169	µg/L	9/2/2005
1,2-Dichloroethane		2880	µg/L	9/2/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/2/2005
1,1-Dichloropropene	<	0.133	µg/L	9/2/2005
Carbon Tetrachloride	<	0.098	µg/L	9/2/2005
Benzene	<	0.169	µg/L	9/2/2005
Dibromomethane	<	0.268	µg/L	9/2/2005
1,2-Dichloropropane	<	0.140	µg/L	9/2/2005
Trichloroethene	<	0.165	µg/L	9/2/2005
Bromodichloromethane	<	0.142	µg/L	9/2/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/2/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/2/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/2/2005
Toluene		3.80	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/2/2005
Dibromochloromethane	<	0.294	µg/L	9/2/2005
1,2-Dibromoethane	<	0.165	µg/L	9/2/2005
Tetrachloroethene	<	0.149	µg/L	9/2/2005
Chlorobenzene		168	µg/L	9/2/2005
Ethylbenzene	<	0.066	µg/L	9/2/2005
m+p_Xylene	<	0.183	µg/L	9/2/2005
Bromoform	<	0.323	µg/L	9/2/2005
Styrene	<	0.158	µg/L	9/2/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/2/2005
o-Xylene	<	0.103	µg/L	9/2/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/2/2005
Isopropylbenzene	<	0.090	µg/L	9/2/2005
Bromobenzene	<	0.224	µg/L	9/2/2005
n-Propylbenzene	<	0.037	µg/L	9/2/2005
2-Chlorotoluene	<	0.126	µg/L	9/2/2005
4-Chlorotoluene	<	0.109	µg/L	9/2/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/2/2005
tert-Butylbenzene	<	0.131	µg/L	9/2/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/2/2005
sec-Butylbenzene	<	0.096	µg/L	9/2/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/2/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/2/2005
p-Isopropyltoluene	<	0.136	µg/L	9/2/2005
1,2-Dichlorobenzene		224	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2432
Your Sample ID: CED 2MW-4
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/2/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/2/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/2/2005
Naphthalene	<	0.157	µg/L	9/2/2005
Hexachlorobutadiene	<	0.106	µg/L	9/2/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/2/2005
1,1-Dichloroethane	<	0.300	µg/L	9/2/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/2/2005
Acetone	<	7.70	µg/L	9/2/2005
2-Butanone	<	4.80	µg/L	9/2/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/2/2005
2-Hexanone	<	4.10	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		206	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		55.4	µg/L	9/21/2005
Barium		169	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		27.6	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		101	mg/L	9/21/2005
Chromium		2.98	µg/L	9/21/2005
Cobalt		3.88	µg/L	9/21/2005
Copper		2.73	µg/L	9/21/2005
Iron		21500	µg/L	9/21/2005
Lead		1.55	µg/L	9/21/2005
Magnesium		52.9	mg/L	9/21/2005
Manganese		6390	µg/L	9/21/2005
Nickel		6.21	µg/L	9/21/2005
Potassium		15.0	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		30.5	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		28.5	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		5.88	µg/L	9/21/2005
Zinc		12.7	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		43.40	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		68.13	%REC	9/13/2005
Terphenyl-d14(Surr.)		95.03	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		71.63	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		56.37	%REC	9/30/2005
	Phenol-d6(Surr.)		33.05	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		73.02	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		58.26	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		127	%REC	9/30/2005
	Terphenyl-d14(Surr.)		95.50	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene		20.9	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		5.27	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol		3.12	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.412	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		0.950	µg/L	9/30/2005
	Di-n-octyl-phthalate		0.797	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		108	%REC	9/2/2005
	1,2-Dichloroethane-d4(Surr)		104	%REC	9/2/2005
	Toluene-d8(Surr.)		88.7	%REC	9/2/2005
	4-Bromofluorobenzene(Surr.)		102	%REC	9/2/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/2/2005
	Chloromethane	<	0.484	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/2/2005
Bromomethane	<	0.313	µg/L	9/2/2005
Chloroethane	<	0.346	µg/L	9/2/2005
Trichlorofluoromethane	<	0.104	µg/L	9/2/2005
1,1-Dichloroethene	<	0.168	µg/L	9/2/2005
Methylene_chloride	<	5.00	µg/L	9/2/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/2/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/2/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/2/2005
Bromochloromethane	<	0.212	µg/L	9/2/2005
Chloroform	<	0.570	µg/L	9/2/2005
2,2-Dichloropropane	<	0.169	µg/L	9/2/2005
1,2-Dichloroethane		253	µg/L	9/2/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/2/2005
1,1-Dichloropropene	<	0.133	µg/L	9/2/2005
Carbon Tetrachloride	<	0.098	µg/L	9/2/2005
Benzene	<	0.169	µg/L	9/2/2005
Dibromomethane	<	0.268	µg/L	9/2/2005
1,2-Dichloropropane	<	0.140	µg/L	9/2/2005
Trichloroethene	<	0.165	µg/L	9/2/2005
Bromodichloromethane	<	0.142	µg/L	9/2/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/2/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/2/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/2/2005
Toluene	<	0.116	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/2/2005
Dibromochloromethane	<	0.294	µg/L	9/2/2005
1,2-Dibromoethane	<	0.165	µg/L	9/2/2005
Tetrachloroethene	<	0.149	µg/L	9/2/2005
Chlorobenzene		2.22	µg/L	9/2/2005
Ethylbenzene	<	0.066	µg/L	9/2/2005
m+p_Xylene		0.484	µg/L	9/2/2005
Bromoform	<	0.323	µg/L	9/2/2005
Styrene	<	0.158	µg/L	9/2/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/2/2005
o-Xylene	<	0.103	µg/L	9/2/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/2/2005
Isopropylbenzene	<	0.090	µg/L	9/2/2005
Bromobenzene	<	0.224	µg/L	9/2/2005
n-Propylbenzene	<	0.037	µg/L	9/2/2005
2-Chlorotoluene	<	0.126	µg/L	9/2/2005
4-Chlorotoluene	<	0.109	µg/L	9/2/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/2/2005
tert-Butylbenzene	<	0.131	µg/L	9/2/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/2/2005
sec-Butylbenzene	<	0.096	µg/L	9/2/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/2/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/2/2005
p-Isopropyltoluene	<	0.136	µg/L	9/2/2005
1,2-Dichlorobenzene		32.7	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2433
Your Sample ID: 9MW-1
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/2/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/2/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/2/2005
Naphthalene	<	0.157	µg/L	9/2/2005
Hexachlorobutadiene	<	0.106	µg/L	9/2/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/2/2005
1,1-Dichloroethane	<	0.300	µg/L	9/2/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/2/2005
Acetone	<	7.70	µg/L	9/2/2005
2-Butanone	<	4.80	µg/L	9/2/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/2/2005
2-Hexanone	<	4.10	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum		311	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		65.8	µg/L	9/21/2005
Barium		181	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		27.4	µg/L	9/21/2005
Cadmium		0.11	µg/L	9/21/2005
Calcium		105	mg/L	9/21/2005
Chromium		5.87	µg/L	9/21/2005
Cobalt		6.89	µg/L	9/21/2005
Copper		3.45	µg/L	9/21/2005
Iron		24900	µg/L	9/21/2005
Lead		2.04	µg/L	9/21/2005
Magnesium		54.9	mg/L	9/21/2005
Manganese		6550	µg/L	9/21/2005
Nickel		9.78	µg/L	9/21/2005
Potassium		15.5	mg/L	9/21/2005
Selenium	<	0.50	µg/L	9/21/2005
Silicon Dioxide		32.1	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		29.8	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		6.40	µg/L	9/21/2005
Zinc		15.3	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		44.43	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		61.70	%REC	9/13/2005
Terphenyl-d14(Surr.)		74.13	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		53.83	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		61.09	%REC	9/30/2005
	Phenol-d6(Surr.)		33.95	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		72.85	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		54.45	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		128	%REC	9/30/2005
	Terphenyl-d14(Surr.)		103	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene	<	0.510	µg/L	9/30/2005
	1,4-Dichlorobenzene	<	0.430	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene		19.9	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline		3.81	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol		1.56	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.401	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate		1.08	µg/L	9/30/2005
	Di-n-octyl-phthalate		0.806	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		94.2	%REC	9/2/2005
	1,2-Dichloroethane-d4(Surr)		84.6	%REC	9/2/2005
	Toluene-d8(Surr.)		90.3	%REC	9/2/2005
	4-Bromofluorobenzene(Surr.)		92.6	%REC	9/2/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/2/2005
	Chloromethane	<	0.484	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride	<	0.169	µg/L	9/2/2005
Bromomethane	<	0.313	µg/L	9/2/2005
Chloroethane	<	0.346	µg/L	9/2/2005
Trichlorofluoromethane	<	0.104	µg/L	9/2/2005
1,1-Dichloroethene	<	0.168	µg/L	9/2/2005
Methylene_chloride	<	5.00	µg/L	9/2/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/2/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/2/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/2/2005
Bromochloromethane	<	0.212	µg/L	9/2/2005
Chloroform	<	0.570	µg/L	9/2/2005
2,2-Dichloropropane	<	0.169	µg/L	9/2/2005
1,2-Dichloroethane		345	µg/L	9/2/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/2/2005
1,1-Dichloropropene	<	0.133	µg/L	9/2/2005
Carbon Tetrachloride	<	0.098	µg/L	9/2/2005
Benzene	<	0.169	µg/L	9/2/2005
Dibromomethane	<	0.268	µg/L	9/2/2005
1,2-Dichloropropane	<	0.140	µg/L	9/2/2005
Trichloroethene	<	0.165	µg/L	9/2/2005
Bromodichloromethane	<	0.142	µg/L	9/2/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/2/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/2/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/2/2005
Toluene	<	0.116	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/2/2005
Dibromochloromethane	<	0.294	µg/L	9/2/2005
1,2-Dibromoethane	<	0.165	µg/L	9/2/2005
Tetrachloroethene	<	0.149	µg/L	9/2/2005
Chlorobenzene		2.01	µg/L	9/2/2005
Ethylbenzene	<	0.066	µg/L	9/2/2005
m+p_Xylene		0.453	µg/L	9/2/2005
Bromoform	<	0.323	µg/L	9/2/2005
Styrene	<	0.158	µg/L	9/2/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/2/2005
o-Xylene	<	0.103	µg/L	9/2/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/2/2005
Isopropylbenzene	<	0.090	µg/L	9/2/2005
Bromobenzene	<	0.224	µg/L	9/2/2005
n-Propylbenzene	<	0.037	µg/L	9/2/2005
2-Chlorotoluene	<	0.126	µg/L	9/2/2005
4-Chlorotoluene	<	0.109	µg/L	9/2/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/2/2005
tert-Butylbenzene	<	0.131	µg/L	9/2/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/2/2005
sec-Butylbenzene	<	0.096	µg/L	9/2/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/2/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/2/2005
p-Isopropyltoluene	<	0.136	µg/L	9/2/2005
1,2-Dichlorobenzene		28.2	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2434
Your Sample ID: 9MW-2
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/2/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/2/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/2/2005
Naphthalene	<	0.157	µg/L	9/2/2005
Hexachlorobutadiene	<	0.106	µg/L	9/2/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/2/2005
1,1-Dichloroethane	<	0.300	µg/L	9/2/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/2/2005
Acetone		13.8	µg/L	9/2/2005
2-Butanone	<	4.80	µg/L	9/2/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/2/2005
2-Hexanone	<	4.10	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		2.31	µg/L	9/21/2005
Barium		131	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		40.1	µg/L	9/21/2005
Cadmium	<	0.10	µg/L	9/21/2005
Calcium		142	mg/L	9/21/2005
Chromium		2.92	µg/L	9/21/2005
Cobalt		0.59	µg/L	9/21/2005
Copper		0.99	µg/L	9/21/2005
Iron	<	20.0	µg/L	9/21/2005
Lead		0.34	µg/L	9/21/2005
Magnesium		50.4	mg/L	9/21/2005
Manganese		107	µg/L	9/21/2005
Nickel		0.57	µg/L	9/21/2005
Potassium		1.44	mg/L	9/21/2005
Selenium		0.84	µg/L	9/21/2005
Silicon Dioxide		45.6	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		38.9	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		2.23	µg/L	9/21/2005
Zinc		1.29	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		35.47	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		66.83	%REC	9/13/2005
Terphenyl-d14(Surr.)		89.97	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		61.90	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		37.02	%REC	9/30/2005
	Phenol-d6(Surr.)		21.67	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		91.30	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		74.88	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)		131	%REC	9/30/2005
	Terphenyl-d14(Surr.)		89.90	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene		4.96	µg/L	9/30/2005
	1,4-Dichlorobenzene		4.96	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene		0.628	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol		0.639	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline	<	0.250	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.422	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		103	%REC	9/2/2005
	1,2-Dichloroethane-d4(Surr)		45.1	%REC	9/2/2005
	Toluene-d8(Surr.)		95.1	%REC	9/2/2005
	4-Bromofluorobenzene(Surr.)		107	%REC	9/2/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/2/2005
	Chloromethane	<	0.484	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride		1.02	µg/L	9/2/2005
Bromomethane	<	0.313	µg/L	9/2/2005
Chloroethane	<	0.346	µg/L	9/2/2005
Trichlorofluoromethane	<	0.104	µg/L	9/2/2005
1,1-Dichloroethene	<	0.168	µg/L	9/2/2005
Methylene_chloride	<	5.00	µg/L	9/2/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/2/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/2/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/2/2005
Bromochloromethane	<	0.212	µg/L	9/2/2005
Chloroform		1.17	µg/L	9/2/2005
2,2-Dichloropropane	<	0.169	µg/L	9/2/2005
1,2-Dichloroethane		4420	µg/L	9/2/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/2/2005
1,1-Dichloropropene	<	0.133	µg/L	9/2/2005
Carbon Tetrachloride	<	0.098	µg/L	9/2/2005
Benzene	<	0.169	µg/L	9/2/2005
Dibromomethane	<	0.268	µg/L	9/2/2005
1,2-Dichloropropane	<	0.140	µg/L	9/2/2005
Trichloroethene	<	0.165	µg/L	9/2/2005
Bromodichloromethane	<	0.142	µg/L	9/2/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/2/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/2/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/2/2005
Toluene	<	0.116	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/2/2005
Dibromochloromethane	<	0.294	µg/L	9/2/2005
1,2-Dibromoethane	<	0.165	µg/L	9/2/2005
Tetrachloroethene	<	0.149	µg/L	9/2/2005
Chlorobenzene	<	0.220	µg/L	9/2/2005
Ethylbenzene	<	0.066	µg/L	9/2/2005
m+p_Xylene	<	0.183	µg/L	9/2/2005
Bromoform	<	0.323	µg/L	9/2/2005
Styrene	<	0.158	µg/L	9/2/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/2/2005
o-Xylene	<	0.103	µg/L	9/2/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/2/2005
Isopropylbenzene	<	0.090	µg/L	9/2/2005
Bromobenzene	<	0.224	µg/L	9/2/2005
n-Propylbenzene	<	0.037	µg/L	9/2/2005
2-Chlorotoluene	<	0.126	µg/L	9/2/2005
4-Chlorotoluene	<	0.109	µg/L	9/2/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/2/2005
tert-Butylbenzene	<	0.131	µg/L	9/2/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/2/2005
sec-Butylbenzene	<	0.096	µg/L	9/2/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/2/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/2/2005
p-Isopropyltoluene	<	0.136	µg/L	9/2/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2435
Your Sample ID: CED 4MW-3
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/2/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/2/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/2/2005
Naphthalene	<	0.157	µg/L	9/2/2005
Hexachlorobutadiene	<	0.106	µg/L	9/2/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/2/2005
1,1-Dichloroethane	<	0.300	µg/L	9/2/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/2/2005
Acetone	<	7.70	µg/L	9/2/2005
2-Butanone	<	4.80	µg/L	9/2/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/2/2005
2-Hexanone	<	4.10	µg/L	9/2/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

ICP/MS-T

Aluminum	<	20.0	µg/L	9/21/2005
Antimony	<	5.00	µg/L	9/21/2005
Arsenic		2.65	µg/L	9/21/2005
Barium		138	µg/L	9/21/2005
Beryllium	<	0.10	µg/L	9/21/2005
Boron		41.3	µg/L	9/21/2005
Cadmium		0.13	µg/L	9/21/2005
Calcium		148	mg/L	9/21/2005
Chromium		3.08	µg/L	9/21/2005
Cobalt		0.63	µg/L	9/21/2005
Copper		1.05	µg/L	9/21/2005
Iron		20.3	µg/L	9/21/2005
Lead		0.34	µg/L	9/21/2005
Magnesium		51.6	mg/L	9/21/2005
Manganese		115	µg/L	9/21/2005
Nickel		0.53	µg/L	9/21/2005
Potassium		1.51	mg/L	9/21/2005
Selenium		0.87	µg/L	9/21/2005
Silicon Dioxide		46.8	µg/L	9/21/2005
Silver	<	1.00	µg/L	9/21/2005
Sodium		40.4	mg/L	9/21/2005
Thallium	<	0.50	µg/L	9/21/2005
Vanadium		2.39	µg/L	9/21/2005
Zinc		1.82	µg/L	9/21/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

PEST/WATER

Nitrobenzene-d5(Surr.)		15.58	%REC	9/13/2005
2-Fluorobiphenyl(Surr.)		34.53	%REC	9/13/2005
Terphenyl-d14(Surr.)		61.80	%REC	9/13/2005
2,4,6-Tribromophenol(Surr.)		28.65	%REC	9/13/2005
PCB-as-AR1221	<	0.020	µg/L	9/13/2005
PCB-as-AR1232	<	0.042	µg/L	9/13/2005
Molinate	<	0.012	µg/L	9/13/2005
Propachlor	<	0.014	µg/L	9/13/2005
Trifluralin	<	0.013	µg/L	9/13/2005
Alpha-BHC	<	0.016	µg/L	9/13/2005
Atraton	<	0.034	µg/L	9/13/2005
Prometon	<	0.026	µg/L	9/13/2005
Simazine	<	0.008	µg/L	9/13/2005
Atrazine	<	0.008	µg/L	9/13/2005
Beta-BHC	<	0.014	µg/L	9/13/2005
Propazine	<	0.028	µg/L	9/13/2005
Gamma-BHC	<	0.016	µg/L	9/13/2005
Terbuthylazine	<	0.018	µg/L	9/13/2005
Diazinon	<	0.040	µg/L	9/13/2005
Fluchloralin	<	0.016	µg/L	9/13/2005
Fonofos	<	0.010	µg/L	9/13/2005
Delta-BHC	<	0.012	µg/L	9/13/2005
Cyprazine	<	0.016	µg/L	9/13/2005
Dimethazone	<	0.014	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

Metribuzin	<	0.016	µg/L	9/13/2005
Methyl-Parathion	<	0.210	µg/L	9/13/2005
Alachlor	<	0.010	µg/L	9/13/2005
PCB-as-AR1242	<	0.166	µg/L	9/13/2005
PCB-as-AR1248	<	0.456	µg/L	9/13/2005
Ametryn	<	0.012	µg/L	9/13/2005
Prometryn	<	0.008	µg/L	9/13/2005
Heptachlor	<	0.012	µg/L	9/13/2005
Terbutryn	<	0.018	µg/L	9/13/2005
Malathion	<	0.018	µg/L	9/13/2005
Dipropetryn	<	0.016	µg/L	9/13/2005
Metolachlor	<	0.006	µg/L	9/13/2005
Chlorpyrifos	<	0.012	µg/L	9/13/2005
Cyanazine	<	0.048	µg/L	9/13/2005
Aldrin	<	0.026	µg/L	9/13/2005
Pendimethalin	<	0.028	µg/L	9/13/2005
Heptachlor Epoxide	<	0.016	µg/L	9/13/2005
Technical Chlordane	<	0.108	µg/L	9/13/2005
Endosulfan I	<	0.048	µg/L	9/13/2005
p-p-DDE	<	0.024	µg/L	9/13/2005
Dieldrin	<	0.050	µg/L	9/13/2005
Endrin	<	0.154	µg/L	9/13/2005
PCB-as-AR1254	<	0.026	µg/L	9/13/2005
PCB-as-AR1260	<	0.110	µg/L	9/13/2005
Endosulfan II	<	0.066	µg/L	9/13/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

	p-p-DDD	<	0.012	µg/L	9/13/2005
	Endrin Aldehyde	<	0.092	µg/L	9/13/2005
	Endosulfan Sulfate	<	0.026	µg/L	9/13/2005
	p-p-DDT	<	0.012	µg/L	9/13/2005
	Hexazinone	<	0.134	µg/L	9/13/2005
	Endrin Ketone	<	0.032	µg/L	9/13/2005
	Methoxychlor	<	0.012	µg/L	9/13/2005
SEMI/WATER					
	2-Fluorophenol(Surr.)		33.46	%REC	9/30/2005
	Phenol-d6(Surr.)		24.61	%REC	9/30/2005
	Nitrobenzene-d5(Surr.)		91.07	%REC	9/30/2005
	2-Fluorobiphenyl(Surr.)		78.94	%REC	9/30/2005
	2,4,6-Tribromophenol(Surr)			%REC	9/30/2005
	Terphenyl-d14(Surr.)		77.79	%REC	9/30/2005
	Phenol	<	0.200	µg/L	9/30/2005
	Bis(2-chloroethyl)-Ether	<	0.410	µg/L	9/30/2005
	2-Chlorophenol	<	0.380	µg/L	9/30/2005
	1,3-Dichlorobenzene		5.15	µg/L	9/30/2005
	1,4-Dichlorobenzene		5.15	µg/L	9/30/2005
	Benzyl Alcohol	<	0.350	µg/L	9/30/2005
	1,2-Dichlorobenzene		0.681	µg/L	9/30/2005
	2-Methylphenol	<	0.340	µg/L	9/30/2005
	N-Nitroso-di-n-propylamine	<	0.530	µg/L	9/30/2005
	Acetophenone	<	0.640	µg/L	9/30/2005
	4-Methylphenol	<	0.610	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

Hexachloroethane	<	0.310	µg/L	9/30/2005
Nitrobenzene	<	0.570	µg/L	9/30/2005
N-Nitrosopiperidine	<	0.420	µg/L	9/30/2005
Isophorone	<	1.40	µg/L	9/30/2005
2-Nitrophenol	<	0.410	µg/L	9/30/2005
2,4-Dimethylphenol	<	1.20	µg/L	9/30/2005
Benzoic Acid	<	2.00	µg/L	9/30/2005
Bis(2-chloroethoxy)methane	<	0.750	µg/L	9/30/2005
2,4-Dichlorophenol	<	0.600	µg/L	9/30/2005
1,2,4-Trichlorobenzene	<	0.390	µg/L	9/30/2005
Naphthalene	<	0.420	µg/L	9/30/2005
2,6-Dichlorophenol	<	0.470	µg/L	9/30/2005
4-Chloroaniline	<	0.250	µg/L	9/30/2005
N-Nitrosodibutylamine	<	0.330	µg/L	9/30/2005
4-Chloro-3-methylphenol	<	0.230	µg/L	9/30/2005
2-Methylnaphthalene	<	0.290	µg/L	9/30/2005
Hexachlorocyclopentadiene	<	0.250	µg/L	9/30/2005
1,2,4,5-Tetrachlorobenzene	<	0.310	µg/L	9/30/2005
2,4,6-Trichlorophenol	<	0.320	µg/L	9/30/2005
2,4,5-Trichlorophenol	<	0.250	µg/L	9/30/2005
2-Chloronaphthalene	<	0.600	µg/L	9/30/2005
1-Chloronaphthalene	<	0.600	µg/L	9/30/2005
2-Nitroaniline	<	0.410	µg/L	9/30/2005
Dimethyl-phthalate	<	0.210	µg/L	9/30/2005
2,6-Dinitrotoluene	<	0.250	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

Acenaphthylene	<	0.390	µg/L	9/30/2005
3-Nitroaniline	<	0.600	µg/L	9/30/2005
Acenaphthene	<	0.370	µg/L	9/30/2005
2,4-Dinitrophenol	<	0.370	µg/L	9/30/2005
Pentachlorobenzene	<	0.600	µg/L	9/30/2005
4-Nitrophenol	<	0.600	µg/L	9/30/2005
Dibenzofuran	<	0.410	µg/L	9/30/2005
2,4-Dinitrotoluene	<	0.270	µg/L	9/30/2005
2,3,4,6-Tetrachlorophenol	<	0.300	µg/L	9/30/2005
Diethyl-phthalate	<	0.630	µg/L	9/30/2005
Fluorene	<	0.470	µg/L	9/30/2005
4-Chlorophenyl-phenyl-ether	<	0.570	µg/L	9/30/2005
4-Nitroaniline	<	0.460	µg/L	9/30/2005
4,6-Dinitro-2-methyphenol	<	0.580	µg/L	9/30/2005
Diphenylamine	<	1.25	µg/L	9/30/2005
1,2-Diphenylhydrazine	<	0.530	µg/L	9/30/2005
Phenacetin	<	0.430	µg/L	9/30/2005
4-Bromophenyl-phenyl-ether	<	0.700	µg/L	9/30/2005
Hexachlorobenzene	<	0.460	µg/L	9/30/2005
Pentachlorophenol	<	0.390	µg/L	9/30/2005
Pentachloronitrobenzene	<	0.460	µg/L	9/30/2005
Pronamide	<	0.400	µg/L	9/30/2005
Phenanthrene	<	0.420	µg/L	9/30/2005
Anthracene	<	0.460	µg/L	9/30/2005
Di-n-butyl-phthalate		0.370	µg/L	9/30/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

	Fluoranthene	<	0.250	µg/L	9/30/2005
	Pyrene	<	0.260	µg/L	9/30/2005
	Dimethylaminoazobenzene	<	0.620	µg/L	9/30/2005
	Butyl-benzyl-phthalate	<	0.310	µg/L	9/30/2005
	Benzo(a)anthracene	<	0.280	µg/L	9/30/2005
	Chrysene	<	0.170	µg/L	9/30/2005
	Bis(2-ethylhexyl)phthalate	<	0.210	µg/L	9/30/2005
	Di-n-octyl-phthalate	<	0.370	µg/L	9/30/2005
	Benzo(b)fluoranthene	<	1.50	µg/L	9/30/2005
	Dimethylbenzo(a)anthracene	<	0.660	µg/L	9/30/2005
	Benzo(k)fluoranthene	<	0.350	µg/L	9/30/2005
	Benzo(a)pyrene	<	0.800	µg/L	9/30/2005
	3-Methylcholanthrene	<	0.560	µg/L	9/30/2005
	Indeno(1-2-3-cd)pyrene	<	1.20	µg/L	9/30/2005
	Dibenz(a-h)anthracene	<	2.00	µg/L	9/30/2005
	Benzo(g-h-I)perylene	<	1.20	µg/L	9/30/2005
	Methyl methanesulfonate	<	0.800	µg/L	9/30/2005
	Ethyl methanesulfonate	<	0.350	µg/L	9/30/2005
VOL/WATER					
	Dibromofluoromethane(Surr.)		108	%REC	9/6/2005
	1,2-Dichloroethane-d4(Surr)		3740	%REC	9/6/2005
	Toluene-d8(Surr.)		87.0	%REC	9/6/2005
	4-Bromofluorobenzene(Surr.)		107	%REC	9/6/2005
	Dichlorodifluoromethane	<	0.188	µg/L	9/6/2005
	Chloromethane	<	0.484	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

Vinyl Chloride		1.10	µg/L	9/6/2005
Bromomethane	<	0.313	µg/L	9/6/2005
Chloroethane	<	0.346	µg/L	9/6/2005
Trichlorofluoromethane	<	0.104	µg/L	9/6/2005
1,1-Dichloroethene	<	0.168	µg/L	9/6/2005
Methylene_chloride	<	5.00	µg/L	9/6/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/6/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/6/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/6/2005
Bromochloromethane	<	0.212	µg/L	9/6/2005
Chloroform		1.22	µg/L	9/6/2005
2,2-Dichloropropane	<	0.169	µg/L	9/6/2005
1,2-Dichloroethane		3920	µg/L	9/6/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/6/2005
1,1-Dichloropropene	<	0.133	µg/L	9/6/2005
Carbon Tetrachloride	<	0.098	µg/L	9/6/2005
Benzene	<	0.169	µg/L	9/6/2005
Dibromomethane	<	0.268	µg/L	9/6/2005
1,2-Dichloropropane		2.72	µg/L	9/6/2005
Trichloroethene	<	0.165	µg/L	9/6/2005
Bromodichloromethane	<	0.142	µg/L	9/6/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/6/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/6/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/6/2005
Toluene	<	0.116	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

1,3-Dichloropropane	<	0.216	µg/L	9/6/2005
Dibromochloromethane	<	0.294	µg/L	9/6/2005
1,2-Dibromoethane	<	0.165	µg/L	9/6/2005
Tetrachloroethene	<	0.149	µg/L	9/6/2005
Chlorobenzene	<	0.220	µg/L	9/6/2005
Ethylbenzene	<	0.066	µg/L	9/6/2005
m+p_Xylene	<	0.183	µg/L	9/6/2005
Bromoform	<	0.323	µg/L	9/6/2005
Styrene	<	0.158	µg/L	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/6/2005
o-Xylene	<	0.103	µg/L	9/6/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/6/2005
Isopropylbenzene	<	0.090	µg/L	9/6/2005
Bromobenzene	<	0.224	µg/L	9/6/2005
n-Propylbenzene	<	0.037	µg/L	9/6/2005
2-Chlorotoluene	<	0.126	µg/L	9/6/2005
4-Chlorotoluene	<	0.109	µg/L	9/6/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/6/2005
tert-Butylbenzene	<	0.131	µg/L	9/6/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/6/2005
sec-Butylbenzene	<	0.096	µg/L	9/6/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/6/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/6/2005
p-Isopropyltoluene	<	0.136	µg/L	9/6/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2436
Your Sample ID: 4MW-5
Sample Type: **Report Date:** *26-Jan-06*

n-butylbenzene	<	0.094	µg/L	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/6/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/6/2005
Naphthalene	<	0.157	µg/L	9/6/2005
Hexachlorobutadiene	<	0.106	µg/L	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/6/2005
1,1-Dichloroethane	<	0.300	µg/L	9/6/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/6/2005
Acetone	<	7.70	µg/L	9/6/2005
2-Butanone	<	4.80	µg/L	9/6/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/6/2005
2-Hexanone	<	4.10	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2437
Your Sample ID: TB-03
Sample Type: **Report Date:** *26-Jan-06*

VOL/WATER

Dibromofluoromethane(Surr.)		106	%REC	9/6/2005
1,2-Dichloroethane-d4(Surr)		93.2	%REC	9/6/2005
Toluene-d8(Surr.)		89.6	%REC	9/6/2005
4-Bromofluorobenzene(Surr.)		88.7	%REC	9/6/2005
Dichlorodifluoromethane	<	0.188	µg/L	9/6/2005
Chloromethane	<	0.484	µg/L	9/6/2005
Vinyl Chloride	<	0.169	µg/L	9/6/2005
Bromomethane	<	0.313	µg/L	9/6/2005
Chloroethane	<	0.346	µg/L	9/6/2005
Trichlorofluoromethane	<	0.104	µg/L	9/6/2005
1,1-Dichloroethene	<	0.168	µg/L	9/6/2005
Methylene_chloride	<	5.00	µg/L	9/6/2005
trans-1-2-Dichloroethene	<	0.104	µg/L	9/6/2005
cis-1-2-Dichloroethene	<	0.073	µg/L	9/6/2005
Methyl Tert-Butyl Ether	<	0.300	µg/L	9/6/2005
Bromochloromethane	<	0.212	µg/L	9/6/2005
Chloroform	<	0.570	µg/L	9/6/2005
2,2-Dichloropropane	<	0.169	µg/L	9/6/2005
1,2-Dichloroethane	<	0.240	µg/L	9/6/2005
1,1,1-Trichloroethane	<	0.129	µg/L	9/6/2005
1,1-Dichloropropene	<	0.133	µg/L	9/6/2005
Carbon Tetrachloride	<	0.098	µg/L	9/6/2005
Benzene	<	0.169	µg/L	9/6/2005
Dibromomethane	<	0.268	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2437
Your Sample ID: TB-03
Sample Type: **Report Date:** *26-Jan-06*

1,2-Dichloropropane	<	0.140	µg/L	9/6/2005
Trichloroethene	<	0.165	µg/L	9/6/2005
Bromodichloromethane	<	0.142	µg/L	9/6/2005
cis-1-3-Dichloropropene	<	0.272	µg/L	9/6/2005
trans-1-3-Dichloropropene	<	0.224	µg/L	9/6/2005
1,1,2-Trichloroethane	<	0.091	µg/L	9/6/2005
Toluene	<	0.116	µg/L	9/6/2005
1,3-Dichloropropane	<	0.216	µg/L	9/6/2005
Dibromochloromethane	<	0.294	µg/L	9/6/2005
1,2-Dibromoethane	<	0.165	µg/L	9/6/2005
Tetrachloroethene	<	0.149	µg/L	9/6/2005
Chlorobenzene	<	0.220	µg/L	9/6/2005
Ethylbenzene	<	0.066	µg/L	9/6/2005
m+p_Xylene	<	0.183	µg/L	9/6/2005
Bromoform	<	0.323	µg/L	9/6/2005
Styrene	<	0.158	µg/L	9/6/2005
1,1,2,2-Tetrachloroethane	<	0.240	µg/L	9/6/2005
o-Xylene	<	0.103	µg/L	9/6/2005
1,2,3-Trichloropropane	<	0.937	µg/L	9/6/2005
Isopropylbenzene	<	0.090	µg/L	9/6/2005
Bromobenzene	<	0.224	µg/L	9/6/2005
n-Propylbenzene	<	0.037	µg/L	9/6/2005
2-Chlorotoluene	<	0.126	µg/L	9/6/2005
4-Chlorotoluene	<	0.109	µg/L	9/6/2005
1,3,5-Trimethylbenzene	<	0.124	µg/L	9/6/2005

Company Name

Company Address
Phone: Fax:

- CERTIFICATE OF ANALYSIS -

Attn: **Phone:** **Ext:**
FAX:

Our Lab#: 2005-2437
Your Sample ID: TB-03
Sample Type: **Report Date:** *26-Jan-06*

tert-Butylbenzene	<	0.131	µg/L	9/6/2005
1,2,4-Trimethylbenzene	<	0.090	µg/L	9/6/2005
sec-Butylbenzene	<	0.096	µg/L	9/6/2005
1,3-Dichlorobenzene	<	0.164	µg/L	9/6/2005
1,4-Dichlorobenzene	<	0.364	µg/L	9/6/2005
p-Isopropyltoluene	<	0.136	µg/L	9/6/2005
1,2-Dichlorobenzene	<	0.139	µg/L	9/6/2005
n-butylbenzene	<	0.094	µg/L	9/6/2005
1,2-Dibromo-3-chloropropane	<	0.797	µg/L	9/6/2005
1,2,4-Trichlorobenzene	<	0.102	µg/L	9/6/2005
Naphthalene	<	0.157	µg/L	9/6/2005
Hexachlorobutadiene	<	0.106	µg/L	9/6/2005
1,1,1,2-Tetrachloroethane	<	0.300	µg/L	9/6/2005
1,1-Dichloroethane	<	0.300	µg/L	9/6/2005
1,2,3-Trichlorobenzene	<	0.174	µg/L	9/6/2005
Acetone	<	7.70	µg/L	9/6/2005
2-Butanone	<	4.80	µg/L	9/6/2005
4-Methyl-2-pentanone	<	4.90	µg/L	9/6/2005
2-Hexanone	<	4.10	µg/L	9/6/2005