CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII		Resident Phone	Exemption 6- PII	
Address			Resident Present for inspection?	(Y)	N
Date	2/17/23		Start Time	0905	End Time 0920

Time	Location Description	Analyte	Result	Comments	Sampler
0909	1st floor	VOC	<0.1ppm	living/dining room	N.W
0911	1st floor	VOC	<0.1ppm	kitchen	N.W
0913	Basement	VOC	<0.1ppm	Bed room	N.W
0913	Basement	VOC	<0.1ppm		N.W
0914	2nd floor	VOC	<0.1ppm	Bedroom	N.W
0915	1st floor	VOC	<0.1ppm	office/Bedroom/Bathroom	N.W
0916	Outside	VOC	<0.1ppm		N.W

Comments:

Instrument MR SN M61EA12459 Cal Date 2/17/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	(Y) N
Date	2/17/23	Start Time 1535	End Time 1540

Time	Location Description	Analyte	Result	Comments	Sampler
1537	1st floor	VOC	<0.1ppm	living room/2nd livingroom	N.W
1538	1st floor	VOC	<0.1ppm	dining/kitchen	N.W
1540	Basement	VOC	<0.1ppm	laundry/garage	N.W
1543	2nd floor	VOC	<0.1ppm	3 Bedrooms/Bathroom	N.W
1536	Outside	VOC	<0.1ppm	Frontyard	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/17/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII	
Address		Resident Present for inspection?		(Y)	N
Date	2/17/23	Start Time	1600	End Time	1605

Time	Location Description	Analyte	Result	Comments	Sampler
1600	1st floor	VOC	<0.1ppm	living room	N.W
1601	1st floor	VOC	<0.1ppm	dining room/dining room	N.W
1602	1st floor	VOC	<0.1ppm	Bathroom	N.W
1603	1st floor	VOC	<0.1ppm	Utility/laundry	N.W

Comments:

Instrument MR SN M01EA17459 Cal Date 2/17/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/17/23	Start Time	1340	End Time	1355

Time	Location Description	Analyte	Result	Comments	Sampler
1343	1st floor	VOC	<0.1ppm	Living room / kitchen	N.W
1344	1st floor	VOC	<0.1ppm	Bedroom / Bathroom	N.W
1346	Basement	VOC	<0.1ppm	open room	N.W
1350	Outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR SN M01EA17459 Cal Date 2/17/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII		Resident Phone	Exemption 6- PII	
Address			Resident Present for inspection?	Y	N
Date	2/17/23		Start Time	1640	End Time 1655

Time	Location Description	Analyte	Result	Comments	Sampler
1644	1st floor	VOC	<0.1ppm	living area	N.W
1646	1st floor	VOC	<0.1ppm	2Bedroom/Bathroom	N.W
1647	Basement	VOC	<0.1ppm	laundry	N.W
1648	Basement	VOC	<0.1ppm	kitchen open area	N.W

omments:

nstrument MR SN M01EA17459 Cal Date 2/17/23

CTEH®
THE SCIENCE OF READY℠

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/17/23	Start Time 1120	End Time 1140

Time	Location Description	Analyte	Result	Comments	Sampler
1128	1st floor	VOC	<0.1ppm	living room/Table/Kitchen	N.W
1130	1st floor	VOC	<0.1ppm	Bathroom/Bedroom	N.W
1131	1st floor	VOC	<0.1ppm	Sunroom	N.W
1132	Basement	VOC	<0.1ppm	open room	N.W
1134	Outside	VOC	<0.1ppm	Frontyard/car parked	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/17/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for inspection?	Y N
Date	2/17/23	Start Time 1040	End Time 1055

Time	Location Description	Analyte	Result	Comments	Sampler
1042	1st floor	VOC	<0.1 ppm	living room/dining room	N.W
1043	1st floor	VOC	<0.1 ppm	kitchen	N.W
1044	1st floor	VOC	<0.1 ppm	Bedroom/Bathroom	N.W
1045	1st floor	VOC	<0.1 ppm	Bedroom	N.W
1047	Attic	VOC	<0.1 ppm	2 rooms	N.W
1051	Basement	VOC	<0.1 ppm	Bath area/open area	N.W
1052	Outside	VOC	<0.1 ppm	Front/Back yard/garage	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/17/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for Inspection?	(Y) N
Date	2/17/23	Start Time 1315	End Time 1320

Time	Location Description	Analyte	Result	Comments	Sampler
1317	1st floor	VOC	<0.1ppm	living room/dining	N.W
1318	1st floor	VOC	<0.1ppm	kitchen	N.W
1318	2nd floor	VOC	<0.1ppm	Bathroom/Bedroom	N.W
1319	2nd floor	VOC	<0.1ppm	Bedrooms	N.W
1316	Outside	VOC	<0.1ppm	Frontyard	N.W

Comments:

Instrument MR **SN** MOIEA 17459 **Cal Date** 2/17/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		Y	N
Date	2/17/23	Start Time	1410	End Time	1420

Time	Location Description	Analyte	Result	Comments	Sampler
1413	1st floor	VOC	<0.1ppm	living/kitchen	N.W
1414	1st floor	VOC	<0.1ppm	2 Bedroom/Bathroom	N.W
1415	1st floor	VOC	<0.1ppm	Kitchen	N.W

Comments:

Instrument MR SN M01EA17459 Cal Date 2/17/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	[redacted] Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/17/23	Start Time 0830	End Time 0845

Time	Location Description	Analyte	Result	Comments	Sampler
0831	1st floor	VOC	<0.1ppm	living room/Kitchen	N.W
0833	2nd floor	VOC	<0.1ppm	Bedroom	N.W
0834	2nd floor	VOC	<0.1ppm	Bedroom	N.W
0835	2nd floor	VOC	<0.1ppm	Bedroom	N.W
0836	Basement	VOC	<0.1ppm		N.W
0839	out side	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR SN M01EA1745 9 Cal Date 2/17/23

Residential Air Monitoring

CTEH®
THE SCIENCE OF READY™

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/17/23	Start Time	1010
		End Time	1025

Time	Location Description	Analyte	Result	Comments	Sampler
1014	1st floor	VOC	<0.1ppm	living room	N.W
1015	1st floor	VOC	<0.1ppm	dining/kitchen	N.W
1016	Basement	VOC	<0.1ppm	laundry	N.W
1017	Basement	VOC	<0.1ppm	2 room/Bathroom	N.W
1017	Basement	VOC	<0.1ppm	Main room	N.W
1019	1st floor	VOC	<0.1ppm	3 room/Bathroom	N.W
1020	outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MA **SN** M01EA1745 9 **Cal Date** 2/17/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII [redacted]	
Address	[redacted]	Resident Present for inspection?		(Y)	N
Date	2/17/23	Start Time	0945	End Time	1000

Time	Location Description	Analyte	Result	Comments	Sampler
0945	1st floor	VOC	<0.1ppm	Kitchen/living room	N.W
0946	1st floor	VOC	<0.1ppm	Bedrooms/Bathrooms	N.W
0947	1st floor	VOC	0.2ppm	Closet /lotion	N.W
0954	Basement	VOC	<0.1ppm	Mancave/storage/Bathroom	N.W
0959	1st floor	VC	<0.02 ppm	Closet /lotion	N.W
1000	Outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR **SN** MOIEA17459 **Cal Date** 2/17/23

Gastec 14937 131L QC No: 11121 Exp: 05/24

Residential Air Monitoring

CTEH
THE SCIENCE OF READ

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for Inspection?	
Date	2/17/23	Start Time	1625
		End Time	1640

Time	Location Description	Analyte	Result	Comments	Sampler
1628	1st floor	VOC	<0.1ppm	living room/office	N.W
1629	1st floor	VOC	<0.1ppm	Kitchen/dining area	N.W
1630	1st floor	VOC	<0.1ppm	2 rooms	N.W
1632	2nd floor	VOC	<0.1ppm	2 Bedrooms	N.W
1633	2nd floor	VOC	<0.1ppm	Bedroom/Bathroom	N.W

Comments:

Instrument MR SN MO1EA17459 Cal Date 2/17/23

CTEH
THE SCIENCE OF READY

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for Inspection?	(Y) N
Date	3/15/23	Start Time 0905	End Time 0920

Time	Location Description	Analyte	Result	Comments	Sampler
0910	1st floor	VOC	<0.1ppm	living room/ dining room	N.W
0911	1st floor	VOC	<0.1ppm	living room 2/ kitchen	N.W
0913	Basement	VOC	<0.1ppm	crawl space/ appliance	N.W
0915	2nd floor	VOC	<0.1ppm	Bedroom/ office	N.W
0916	2nd floor	VOC	<0.1ppm	Bedroom/ Bathroom	N.W
0917	Outside	VOC	<0.1ppm	Front/ Backyard	N.W

Comments:

Instrument MP **SN** M01EH1055 **Cal Date** 3/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	(Y) N
Date	2/18/23	Start Time 1540	End Time 1550

Time	Location Description	Analyte	Result	Comments	Sampler
1542	Basement	VOC	<0.1ppm		N.W
1543	1st floor	VOC	<0.1ppm	living room	N.W
1544	1st floor	VOC	<0.1ppm	2 Bedrooms	N.W
1545	Outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	[illegible]	Start Time 1510	End Time 1525

Time	Location Description	Analyte	Result	Comments	Sampler
1515	living room	VOC	<0.1ppm	1st floor	N.W
1516	1st floor	VOC	<0.1ppm	Kitchen/Bathroom	N.W
1517	1st floor	VOC	<0.1ppm	Game room	N.W
1517	Basement	VOC	<0.1ppm		N.W
1519	2nd floor	VOC	<0.1ppm	Bedrooms	N.W
1520	2nd floor	VOC	<0.1ppm	Bedrooms/Bathroom	N.W
1521	outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for inspection?	Y N
Date	2/10/23	Start Time 1525	End Time 1535

Time	Location Description	Analyte	Result	Comments	Sampler
1526	1st floor	VOC	<0.1ppm	living room/kitchen	N.W
1527	1st floor	VOC	<0.1ppm	dining /Bathroom	N.W
1528	Basement	VOC	<0.1ppm	Bedroom	N.W
1529	2nd floor	VOC	<0.1ppm	Bedroom	N.W
1530	2nd floor	VOC	<0.1ppm	Bedroom	N.W
1531	outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/13/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII		
Address		Resident Phone	Exemption 6- PII
Date	2/18/23	Resident Present for inspection?	(Y) N
		Start Time 1035	End Time 1045

Time	Location Description	Analyte	Result	Comments	Sampler
1037	Outside	VOC	<0.1ppm	Front/Backyard	N.W
1038	1st floor	VOC	<0.1ppm	Entry/living room	N.W
1038	1st floor	VOC	<0.1ppm	Bedroom/Bathrooms	N.W
1039	Basement	VOC	<0.1ppm		N.W
1039	1st floor	VOC	<0.1ppm	Kitchen	N.W
1040	2nd floor	VOC	<0.1ppm	Bedroom	N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/18/23

CTEH®
THE SCIENCE OF READY℠

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII		
Address		Resident Present for inspection?	Y	N	
Date	2/18/23	Start Time	1715	End Time	1725

Time	Location Description	Analyte	Result	Comments	Sampler
1718	Garage	VOC	3.5ppm	Main area	N.W
1719	Garage	VC	<0.02ppm	Main area	N.W
1720	Garage	VOC	2.0ppm	office	N.W

Comments: Car shop/gas, WD40, Paint, car parts

Instrument MR **SN** M01EA17459 **Cal Date** 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for inspection?	Y N
Date	2/18/23	Start Time 1420	End Time 1435

Time	Location Description	Analyte	Result	Comments	Sampler
1424	1st floor	VOC	<0.1ppm	Kitchen/dining	N.W
1425	1st floor	VOC	<0.1ppm	Bedroom	N.W
1426	Basement	VOC	<0.1ppm	2 rooms	N.W
1428	2nd floor	VOC	<0.1ppm	Bedrooms	N.W
1429	2nd floor	VOC	<0.1ppm	Bedroom/Bathroom	N.W
1432	Outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR SN M01EA17459 Cal Date 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/18/23	Start Time 1100	End Time 1110

Time	Location Description	Analyte	Result	Comments	Sampler
1101	1st floor	VOC	<0.1ppm	living room/dining area	N.W
1102	1st floor	VOC	<0.1ppm	kitchen/Bathroom	N.W
1103	Basement	VOC	<0.1ppm		N.W
1105	2nd floor	VOC	<0.1ppm	Kids room/Bathroom	N.W
1106	2nd floor	VOC	<0.1ppm	Bedroom	N.W
1107	Attic	VOC	<0.1ppm		N.W

Comments:

Instrument MR **SN** M01EA17459 **Cal Date** 2/18/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/18/23	Start Time	1445	End Time	1459

Time	Location Description	Analyte	Result	Comments	Sampler
1448	1st floor	VOC	<0.1ppm	living room/Kitchen	N.W
1450	1st floor	VOC	<0.1ppm	Bathroom	N.W
1451	Basement	VOC	<0.1ppm	Storage	N.W
1452	1st floor	VOC	<0.1ppm	offices	N.W
1453	1st floor	VOC	<0.1ppm	Bedrooms	N.W
1456	outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments:

Instrument MR **SN** MOIE A17459 **Cal Date** 2/18/23

CTEH®
THE SCIENCE OF READY℠

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	✓ Y N
Date	2/18/23	Start Time 1135	End Time 1150

Time	Location Description	Analyte	Result	Comments	Sampler
1136	1st floor	VOC	<0.1ppm	~~Kitchen~~ living room/dining	N.W
1137	1st floor	VOC	<0.1ppm	Kitchen	N.W
1138	Basement	VOC	<0.1ppm	2 rooms	N.W
1140	2nd floor	VOC	<0.1ppm	Bedrooms	N.W
1141	2nd floor	VOC	<0.1ppm	Bedroom / Bathroom	N.W
1143	Attic	VOC	<0.1ppm		N.W

Comments:

Instrument MR SN M01EA17459 Cal Date 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/18/23	Start Time 1600	End Time 1615

Time	Location Description	Analyte	Result	Comments	Sampler
1604	1st floor	VOC	<0.1ppm	living room/kitchen	N.W
1605	1st floor	VOC	<0.1ppm	Bedroom	N.W
1607	Basement	VOC	<0.1ppm	2 room	N.W
1608	2nd floor	VOC	<0.1ppm		N.W
1609	2nd floor	VOC	<0.1ppm	Bathroom	N.W
1610	Attic	VOC	<0.1ppm		N.W
1611	2nd floor	VOC	<0.1ppm	Bedrooms	

Comments:

Instrument MR SN MOIE A/1459 Cal Date 2/18/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for inspection?	Y N
Date	[illegible]	Start Time 1340	End Time 1420

Time	Location Description	Analyte	Result	Comments	Sampler
1344	1st floor	VOC	0.1ppm	living room/dining/candle	N.W
1345	1st floor	VOC	0.1ppm	Kitchen/candle	N.W
1348	1st floor	VOC	<0.02ppm	Kitchen/hallway	N.W
1353	Basement	VOC	<0.1ppm	laundry	N.W
1355	2nd floor	VOC	0.1ppm	Bedroom/candle	N.W
1356	2nd floor	VOC	0.1ppm	Bathroom/candle	N.W
1357	2nd floor	VC	<0.02ppm		N.W
1358	3rd floor	VOC	0.1ppm	Bedroom/candle/409	N.W
1406	3rd floor	VC	<0.02ppm		N.W
1412	Outside	VOC	<0.1ppm	Front/Backyard	N.W

Comments: house smells like wax melts or candles

Instrument MR **SN** MOIEA17459 **Cal Date** 2/18/23

Gastec: 14937 QC No: 11121 Exp: 5/24

CTEH

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address	[redacted]	Resident Present for Inspection?	(Y) N
Date	2/18/23	Start Time 0825	End Time 0850

Time	Location Description	Analyte	Result	Comments	Sampler
0827	1st floor	VOC	<0.1ppm	Entry/Livingroom	NW
0827	1st floor	VOC	<0.1ppm	dining/kitchen	NW
0827	1st floor	VOC	0.1ppm	Pantry/Bathroom	NW
0830	1st floor	VC	<0.02ppm	Kitchen	NW
0839	Base Mont	VOC	<0.1ppm	laundry/open area	NW
0840	2nd floor	VOC	<0.1ppm	Bedroom/office	NW
0842	2nd floor	VOC	<0.1ppm	Bathroom/Bedroom	NW
0844	Attic	VOC	<0.1ppm		NW

Comments:

Instrument MTx **SN** Mo16A17454 **Cal Date** 2/18/23

Gastec 14917 Cal No. 11121 Exp 3/24

CTEH®
THE SCIENCE OF READY℠

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	(Y) N
Date	2/19/23	Start Time 1405	End Time 1415

Time	Location Description	Analyte	Result	Comments	Sampler
1408	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades
1409	Main Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1410	Main Floor	VOC	<0.1 ppm	Kitchen/Dining Room	C. Rhoades
1411	Main Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C. Rhoades
1412	Basement	VOC	<0.1 ppm	Living Area	C. Rhoades
1413	Basement	VOC	<0.1 ppm	Laundry Room	C. Rhoades
1414	Outdoor	VOC	<0.1 ppm	Garage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB3Z100Q6 **Cal Date** 2/19/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1540	End Time	1610

Time	Location Description	Analyte	Result	Comments	Sampler
1542	Outdoors	VOC	<0.1 ppm	Front/Backyard	C Rhoades
1544	Basement	VOC	<0.1 ppm	Storage	C. Rhoades
1546	1st Floor	VOC	0.3 ppm	Living Room	C. Rhoades
1548	1st Floor	VOC	0.2 ppm	Kitchen/Dining Room	C. Rhoades
1552	2nd Floor	VOC	0.1 ppm	Bedrooms	C Rhoades
1554	2nd Floor	VC	<0.02 ppm	Bedrooms	C Rhoades
1557	1st Floor	VC	<0.02 ppm	Living Room	C Rhoades

Comments:

Instrument MultiRAE Pro **SN** MC132100Q6 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1335	End Time	1400

Time	Location Description	Analyte	Result	Comments	Sampler
1339	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades
1341	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1342	1st Floor	VOC	<0.1 ppm	Kitchen/Dining Room	C. Rhoades
1343	1st Floor	VOC	<0.1 ppm	Bottom Living Room	C. Rhoades
1344	2nd Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C. Rhoades
1346	Basement	VOC	<0.1 ppm	Storage	C. Rhoades
1354	Outdoor	VOC	<0.1 ppm	Garage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB3Z100Q6 **Cal Date** 2/19/23

CTEH
THE SCIENCE OF READY

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]
Address		Resident Present for Inspection?	Y N
Date	2/19/23	Start Time 1115	End Time 1130

Time	Location Description	Analyte	Result	Comments	Sampler
1118	Outdoors	VOC	<0.1 ppm	Front/Back yard	C Rhoades
1120	Outdoors	VOC	<0.1 ppm	Garage	C. Rhoades
1121	1st Floor	VOC	<0.1 ppm	Kitchen	C Rhoades
1123	1st Floor	VOC	<0.1 ppm	Living Room	C Rhoades
1124	1st Floor	VOC	<0.1 ppm	Workshop/Bath	C. Rhoades
1126	2nd Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C Rhoades
1127	Basement	VOC	<0.1 ppm	Storage	C. Rhoades

Comments:

Instrument MultiRAE Pro SN MCB32100Q6 Cal Date 2/19/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII		
Address		Resident Present for inspection?	Y	N	
Date	2/19/23	Start Time	1520	End Time	1530

Time	Location Description	Analyte	Result	Comments	Sampler
1521	1st Floor	VOC	<0.1 ppm	Kitchen	C. Rhoades
1522	1st Floor	VOC	<0.1 ppm	Living Rooms	C. Rhoades
1523	2nd Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1525	Attic	VOC	<0.1 ppm	—	C. Rhoades
1527	Basement	VOC	<0.1 ppm	Storage	C. Rhoades
1528	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB32106 26 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1450	End Time	1500

Time	Location Description	Analyte	Result	Comments	Sampler
1456	Main Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Rhoades
1457	Main Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1458	Main Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1459	Outdoors	VOC	<0.1 ppm	Front Entrance	C. Rhoade

Comments:

Instrument MultiRAE Pro **SN** MCB32010026 **Cal Date** 2/17/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1030	End Time	1100

Time	Location Description	Analyte	Result	Comments	Sampler
1035	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades
1036	1st Floor	VOC	<0.1 ppm	Front/Living Room	C. Rhoades
1037	1st Floor	VOC	0.1 ppm	Kitchen	C. Rhoades
1039	2nd Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1041	Attic	VOC	<0.1 ppm	—	C. Rhoades
1042	Basement	VOC	0.2 ppm	Storage/Laundry	C. Rhoades
1050	Basement	VC	<0.02 ppm	Storage/Laundry	C. Rhoades
1052	1st Floor	VC	<0.02 ppm	Kitchen	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB32100Q6 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY℠

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone		Exemption 6- PII	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1615	End Time	1630

Time	Location Description	Analyte	Result	Comments	Sampler
1619	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades
1621	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1622	1st Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C. Rhoades
1624	1st Floor	VOC	<0.1 ppm	Kitchen	C. Rhoades
1625	Basement	VOC	<0.1 ppm	Storage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MC13Z100Q6 **Cal Date** 2/19/23

CTEH THE SCIENCE OF READY™

Data Entry Form

Residential Re-Entry Air Monitoring Date: 2/19/23

Resident's Name: Exemption 6- PII [redacted]

Address: Exemption 6- PII [redacted]

Telephone Number: ( ) [redacted] E-mail Address:

Resident(s) present during inspection: (Y) N

Start Time: 1645 End Time: 1715

Time	Location Description	Analyte	Result	Comments	Initials
1650	1st Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Rhoades
1651	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1652	1st Floor	VOC	<0.1 ppm	Bedrooms	C. Rhoades
1654	2nd Floor	VOC	0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1658	Basement	VOC	<0.1 ppm	Storage	C. Rhoades
1700	Outdoors	VOC	<0.1 ppm	Front / Backyard	C. Rhoades
1705	Outdoors	VOC	<0.1 ppm	Garage	C. Rhoades
1708	2nd Floor	VC	<0.02 ppm	Bedroom	C. Rhoades

Comments:

Instrument MultiRAE Pro SN MC032100986 Calib. Date: 2/19/2023

CTEH
THE SCIENCE OF READY

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII		
Address		Resident Present for inspection?	Y	N	
Date	2/19/23	Start Time	0845	End Time	0900

Time	Location Description	Analyte	Result	Comments	Sampler
0845	Outdoors	VOC	<0.1 ppm	Front/Back yard	C. Rhoades
0846	Outdoors	VOC	<0.1 ppm	Garage	C. Rhoades
0848	1st Floor	VOC	<0.1 ppm	Kitchen	C. Rhoades
0849	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
0850	1st Floor	VOC	<0.1 ppm	Office	C. Rhoades
0851	1st Floor	VOC	<0.1 ppm	Bedroom / Bathroom	C. Rhoades
0852	2nd Floor	VOC	<0.1 ppm	Bedroom	C. Rhoades
0853	2nd Floor	VOC	<0.1 ppm	Storage Rooms	C. Rhoades
0854	Basement	VOC	<0.1 ppm	Storage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** M1B3Z100Q6 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone	Exemption 6- PII [redacted]		
Address		Resident Present for inspection?	(Y)	N	
Date	2/19/23	Start Time	0910	End Time	0930

Time	Location Description	Analyte	Result	Comments	Sampler
0911	Outdoors	VOC	<0.1 ppm	Front/backyard	C. Rhoades
0915	Main Floor	VOC	1.4 ppm	Living Room	C. Rhoades
0917	Main Floor	VOC	1.8 ppm	Kitchen / Dining Room	C. Rhoades
0918	Main Floor	VOC	1.2 ppm	Bedrooms / Bathroom	C. Rhoades
0920	Basement	VOC	0.4 ppm	/	C. Rhoades
0923	Main Floor	VC	<0.02 ppm	Kitchen / Dining Room	C. Rhoades
0925	Basement	VC	<0.02 ppm	/	C. Rhoades

Comments:

Instrument MultiRAE Pro / Gastec **SN** MC-B3Z100Q6 / 14900 **Cal Date** 2/19/23

CTEH
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	Y N
Date	2/19/23	Start Time 0815	End Time 0825

Time	Location Description	Analyte	Result	Comments	Sampler
0820	Outdoors	VOC	<0.1 ppm	Front/back yard	C. Rhoades
0822	Main Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
0823	Main Floor	VOC	<0.1 ppm	Kitchen	C. Rhoades
0824	Main Floor	VOC	<0.1 ppm	Bedroom	C. Rhoades
0825	Main Floor	VOC	<0.1 ppm	Laundry Room	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB3Z100Q6 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY®

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/19/23	Start Time	1000	End Time	1630

Time	Location Description	Analyte	Result	Comments	Sampler
1009	Outdoors	VOC	<0.1 ppm	Front/backyard	C Rhoades
1010	1st Floor	VOC	<0.1 ppm	Kitchen/Dining Room	C Rhoades
1012	1st Floor	VOC	<0.1 ppm	Living Room	C Rhoades
1014	2nd Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C Rhoades
1018	Basement	VOC	<0.1 ppm	Laundry/Storage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB3Z100 Q6 **Cal Date** 2/19/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/20/23	Start Time	1440	End Time	1500

Time	Location Description	Analyte	Result	Comments	Sampler
1443	1st Floor	VOC	<0.1 ppm	Front Foyer Area	C. Rhoades
1444	1st Floor	VOC	<0.1 ppm	Front Office	C. Rhoades
1445	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1446	1st Floor	VOC	<0.1 ppm	Kitchen/Dining Room	C. Rhoades
1448	2nd Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C. Rhoades
1450	Attic	VOC	<0.1 ppm	—	C. Rhoades
1451	1st Floor	VOC	<0.1 ppm	Front Room	C. Rhoades
1453	Basement	VOC	<0.1 ppm	Laundry/Storage	C. Rhoades
1457	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** M01FA09299 **Cal Date** 2/20/23

CTEH THE SCIENCE OF READY℠

Data Entry Form

Residential Re-Entry Air Monitoring Date: 2/20/23

Resident's Name: Exemption 6- PII

Address: Exemption 6- PII

Telephone Number: Exemption 6- PII E-mail Address:

Resident(s) present during inspection: Y N

Start Time: 1410 End Time: _____

Time	Location Description	Analyte	Result	Comments	Initials
1415	1st Floor	VOC	<0.1 ppm	Living Room	C Alvarado
1416	1st Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C Alvarados
1417	2nd Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C Alvarado
1419	Basement	VOC	<0.1 ppm	Storage	C Alvarados
1420	1st Floor	VOC	<0.1 ppm	Bathroom	C Alvarados
1421	Outdoors	VOC	<0.1 ppm	Front / Back yard	C Alvarados

Comments: _____

Instrument MultiRAE Pro SN M01FA09299 Calib. Date: 2 / 20 / 20 23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address		Resident Present for inspection?	(Y) N
Date	2/20/23	Start Time 1220	End Time 1240

Time	Location Description	Analyte	Result	Comments	Sampler
1224	1st Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1225	1st Floor	VOC	<0.1 ppm	Bedroom / Bathroom	C. Rhoades
1226	1st Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Rhoades
1228	2nd Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1229	Basement	VOC	<0.1 ppm	Storage	C. Rhoades
1231	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades
1233	Outdoors	VOC	<0.1 ppm	Garage	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** M01FA09299 **Cal Date** 2/20/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII [redacted]		
Address		Resident Present for inspection?	Y	N	
Date	2/21/23	Start Time	1415	End Time	1430

Time	Location Description	Analyte	Result	Comments	Sampler
1419	1st Floor	VOC	<0.1 ppm	Living Room	C. Alvarado
1420	1st Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Alvarado
1421	1st Floor	VOC	<0.1 ppm	Bedroom / Bathroom	C. Alvarado
1423	2nd Floor	VOC	<0.1 ppm	Bedrooms	C. Alvarado
1424	Basement	VOC	<0.1 ppm		C. Alvarado
1426	Outdoors	VOC	<0.1 ppm	Front / Backyard	C. Alvarado

Comments:

Instrument MultiRAE Pro **SN** MCB3Z063Q3 **Cal Date** 2/21/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII [redacted]
Address	[redacted]	Resident Present for inspection?	(Y) N
Date	2/21/23	Start Time 1820	End Time 1840

Time	Location Description	Analyte	Result	Comments	Sampler
1826	3rd Floor	VOC	<0.1 ppm	Bedroom	C. Rhoades
1828	2nd Floor	VOC	<0.1 ppm	Bedrooms/Bathroom	C. Rhoades
1830	1st Floor	VOC	<0.1 ppm	Living Room/Dining	C. Rhoades
1832	1st Floor	VOC	<0.1 ppm	Kitchen	C. Rhoades
1833	1st Floor	VOC	<0.1 ppm	Bedroom/Bathroom	C. Rhoades
1835	1st Floor	VOC	<0.1 ppm	Foyer	C. Rhoades
1836	Basement	VOC	<0.1 ppm	Laundry/Storage	C. Rhoades
1837	Outdoors	VOC	<0.1 ppm	Bottom Garage	C. Rhoades
1838	Outdoors	VOC	<0.1 ppm	Upstairs Garage	C. Rhoades
1839	Outdoors	VOC	<0.1 ppm	Front/Backyard	C. Rhoades

Comments:

Instrument MultiRAE Pro **SN** MCB32063Q3 **Cal Date** 2/21/23

Data Entry Form

Residential Air Monitoring Date: 2/21/23

Resident's Name: Exemption 6- PII

Address: Exemption 6- PII

Telephone Number: (_____) _____--_____ E-mail Address:

Resident(s) present during inspection: (Y) N

Start Time: 0945 End Time: 1010

Time	Location Description	Analyte	Result	Comments	Sampler
0945	Basement	VOCs/HCl	<0.1 PPM		NES, JJ
0948	Kitchen	VOCs/HCl	<0.1 PPM		NES, JJ
0950	Living Room	VOCs/HCl	<0.1 PPM		NES, JJ
1000	Dining Room	VOCs/HCl	<0.1 PPM		NES, JJ
1005	2nd floor bedrooms	VOCs/HCl	<0.1 PPM		NES, JJ
1010	2nd floor bathroom	VOCs/HCl	<0.1 PPM		NES, JJ

Comments:

Instrument MultiRAE SPM Flex SN M01FA02635 B15554 Calib. Date: 2/21/2023

Data Entry Form

Residential Air Monitoring Date: 2/21/2023

Resident's Name:

Exemption 6- PII

Address

Exemption 6- PII

Telephone Number: (_____) _____--_____ E-mail Address:

Resident(s) present during inspection: (Y) N

Start Time: 0900 End Time: 0920

Time	Location Description	Analyte	Result	Comments	Sampler
0900	Basement	VOCs/HCl	<0.1 PPM		NES, JJ
0905	Kitchen	VOCs/HCl	<0.1 PPM		NES, JJ
0905	Living Room	VOCs/HCl	<0.1 PPM		NES, JJ
0910	Bathroom	VOCs/HCl	<0.1 PPM		NES, JJ
0910	2nd Floor Living Spaces	VOCs/HCl	<0.1 PPM		NES, JJ

Comments:

Instrument MultiRAE SPM Flex SN M01FA02635 B15554 Calib. Date: 2/21/2023

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?		(Y)	N
Date	2/21/23	Start Time	1445	End Time	

Time	Location Description	Analyte	Result	Comments	Sampler
1448	Main Floor	VOC	<0.1 ppm	Living Room	C. Rhoades
1449	Main Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Rhoades
1450	Main Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Rhoades
1452	Attic	VOC	<0.1 ppm	Storage	C. Rhoades
1453	Basement	VOC	<0.1 ppm	Laundry / Storage	C. Rhoades
1455	Outdoor	VOC	<0.1 ppm	Garage	C. Rhoades
1457	Outdoors	VOC	<0.1 ppm	Front / Backyard	C. Rhoades

Comments:

Instrument MultiRAE Pro SN MB3Z063Q3 Cal Date 2/21/23

CTEH
THE SCIENCE OF READY

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]
Address	
Date	

Resident Present for Inspection?		Resident Phone	Exemption 6- PII [redacted]
Start Time	1745	End Time	1810

Time	Location Description	Analyte	Result	Comments	Sampler
1746	1st Floor	VOC	<0.1 ppm	Living Room	C. Alvarados
1749	1st Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Alvarados
1751	2nd Floor	VOC	<0.1 ppm	Bedrooms / Bathroom	C. Alvarados
1753	Basement	VOC	<0.1 ppm	Laundry / Storage	C. Alvarados
1756	Outdoors	VOC	<0.1 ppm	Front / Backyard	C. Alvarados

Comments:

Instrument MultiRAE Pro **SN** MCB2Z063Q03 **Cal Date** 7/21/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII	Resident Phone	Exemption 6- PII
Address	[redacted]	Resident Present for inspection?	Y N
Date	2/22/23	Start Time 0845	End Time 0920

Time	Location Description	Analyte	Result	Comments	Sampler
0852	Main Floor	VOC	<0.1 ppm	Kitchen / Dining Room	C. Uhouder
0853	Main Floor	VOC	<0.1 ppm	Living Room	C. Uhouder
0854	Main Floor	VOC	<0.1 ppm	Office	C. Uhouder
0855	Main Floor	VOC	0.1 ppm	Bedrooms / Bathroom	C. Uhouder
0857	Basement	VOC	0.1 ppm	Laundry / Storage	C. Uhouder
0904	Main Floor	VC	<0.02 ppm	Bedrooms / Bathroom	C. Uhouder
0908	Basement	VC	<0.02 ppm	Laundry / Storage	C. Uhouder
0916	Outdoors	VOC	<0.1 ppm	Front Porch	C. Uhouder

Comments:

Instrument MultiRAE Pro **SN** M01FA03284 M01FA01679 **Cal Date** 2/22/23

CTEH®
THE SCIENCE OF READY™

Residential Air Monitoring

Resident Name	Exemption 6- PII [redacted]	Resident Phone		Exemption 6- PII [redacted]	
Address		Resident Present for inspection?			
Date	02/23/2023	Start Time	1012	End Time	~~1018~~ 1024

Time	Location Description	Analyte	Result	Comments	Sampler
1012	Living Room	VOC	<0.1ppm		A. Richardson
1013	Outdoor Back Patio	VOC	<0.1ppm		
1013	Kitchen	VOC	0.1ppm	MultiRAE M01FA01679	
1014	Hallway	VOC	0.1ppm		
1014	Bedroom	VOC	0.1ppm		
1014	Bedroom	VOC	0.1ppm		
1015	Bathroom	VOC	0.1ppm		
1024	Kitchen	~~VOC~~ VC	<0.02ppm		

Comments:

Instrument MultiRAE/ Gastec/ MultiRAE **SN** M01EA17443/ 14938/ M01FA01679 **Cal Date** 02/23/2023