ENTERED 7/20/09

XTO ENERGY

RECEIVED
JUL 20 2009
DEC
Division of Water Quality
Wastewater Discharge Program

July 17, 2009

Alaska Dept. of Environmental Conservation
ATTN: Watershed Management Section
555 Cordova Street
Anchorage, Alaska 99501

FedEx Tracking Number: 796785200709

SUBJECT: DISCHARGE MONITORING REPORTS, NPDES PERMIT NUMBERS
AKG-31-5003 EAST FORELANDS FACILITY
AKG-31-5012 PLATFORM A
AKG-31-5013 PLATFORM C

Enclosed are the subject National Pollution Discharge Elimination System (NPDES) Discharge Monitoring Reports for the month of June 2009.

If there are any questions, please don't hesitate to contact me at (907) 776-2510 or Scott Griffith at (907) 776-2506.

Yours Truly,

Ryan Tunseth
Environmental, Health & Safety Coordinator

Enclosures: June 2009 DMR

cc: Director, Office of Water & Watersheds
U.S. Environmental Protection Agency
Region 10
1200 Sixth Avenue, OWW-130
Seattle, Washington 98101

Director, Office of Compliance and Enforcement
U.S. Environmental Protection Agency, Region 10
1200 Sixth Avenue, OCE-133
Seattle, Washington 98101

Scott Griffith
Mike Oconnor

XTO Energy Inc. • 52260 Wik Road • Kenai, Alaska 99611 • (907) 776-8473 • Fax (907) 776-2542

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NAME:	XTO ENERGY, INC
ADDRESS:	52260 WIK RD KENAI, AK 99611
FACILITY:	EAST FORELANDS
LOCATION:	60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISHCARGE NUMBER

☐ CHECK HERE IF NO DISCHARGE

RECEIVED
JUL 20 2009
DEC
Division of Water Quality
Wastewater Discharge Program

MONITORING PERIOD

FROM	YEAR	MONTH	DAY	TO	YEAR	MONTH	DAY
	2009	6	1		2009	6	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

PARAMETER (32-37)			QUANTITY OR LOADING (46-53) Average	(54-61) Maximum	Units	QUALITY OR CONCENTRATION (38-45) Minimum	(46-53) Average	(54-61) Maximum	Units	NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
015 - Produced Water	FLOW	Sample Measurement	0.1515612	0.191058	MGD	***	***	***	***	0	Weekly	Estimate
		Permit Requirement	***	***		***	***	***		***	Weekly	Estimate
015 - Produced Water	PRODUCED SAND	Sample Measurement	***	***	***	No discharge	No discharge	No discharge	***	0	***	***
		Permit Requirement	***	***		No discharge	No discharge	No discharge		***	***	***
015 - Produced Water	OIL & GREASE	Sample Measurement	***	***	***	***	9.725	12	mg/l	0	Weekly	Grab
		Permit Requirement	***	***		***	29	42		***	Weekly	Grab
015 - Produced Water	pH	Sample Measurement	***	***	***	7.4	***	7.6	SU	0	Weekly	Grab
		Permit Requirement	***	***		6	***	9		***	Weekly	Grab
015 - Produced Water	TAH	Sample Measurement	***	***	***	***	20.82	20.82	mg/l	0	Monthly	Grab
		Permit Requirement	***	***		***	24	32		***	Monthly	Grab
015 - Produced Water	TAqH	Sample Measurement	***	***	***	***	20.962	20.962	mg/l	0	Monthly	Grab
		Permit Requirement	***	***		***	Report	Report		***	Monthly	Grab
015 - Produced Water	TOTAL AMMONIA	Sample Measurement	***	***	***	5.1	5.1	5.1	mg/l	0	Quarterly	Grab
		Permit Requirement	***	***		Report	***	Report		***	Quarterly	Grab

NAME TITLE PRINCIPAL EXECUTIVE OFFICER			Telephone	Date (YR/MO/DAY)
Ryan Tunseth HSE&T Coordinator	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons driectly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Signature	907 776-2510	7/17/2009

COMMENTS & EXPLANATION OF ANY VIOLATIONS: WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 1st Period 2009 WET tests were taken on 02/03/09 and are reported the Feb. 09 DMR. Additionally the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2009 sample results are shown.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

NAME:	XTO ENERGY, INC
ADDRESS:	52260 WIK RD KENAI, AK 99611
FACILITY:	EAST FORELANDS
LOCATION:	60° 31' 10" N; 151° 20' 31" W

(2-16)	(17-19)
AKG 31 5003	015
PERMIT NUMBER	DISHCARGE NUMBER

☐ CHECK HERE IF NO DISCHARGE

MONITORING PERIOD

FROM	YEAR	MONTH	DAY
	2009	6	1
	(20-21)	(22-23)	(24-25)

TO	YEAR	MONTH	DAY
	2009	6	30
	(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		QUANTITY OR LOADING (46-53) (54-61) Average	Maximum	Units	QUALITY OR CONCENTRATION (38-45) Minimum	(46-53) Average	(54-61) Maximum	Units	NO EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
015 - Produced Water COPPER	Sample Measurement	***	***	***	***	4.75	4.75	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	60	90		***	Quarterly	Grab
015 - Produced Water MERCURY	Sample Measurement	***	***	***	***	N/D	N/D	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	0.5	0.8		***	Quarterly	Grab
015 - Produced Water MANGANESE	Sample Measurement	***	***	***	***	1.07	1.07	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	7.9	15.8		***	Quarterly	Grab
015 - Produced Water SILVER	Sample Measurement	***	***	***	***	2.17	2.17	ug/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	46	149		***	Quarterly	Grab
015 - Produced Water ZINC	Sample Measurement	***	***	***	***	0.0394	0.0394	mg/l	0	Quarterly	Grab
	Permit Requirement	***	***		***	3.1	6.1		***	Quarterly	Grab
015 - Produced Water WET - *Mytilus galloprovincialis* (invertibrate)	Sample Measurement	***	***	***	***	< 625	< 625	TUc	0	Semi Annual	Grab
	Permit Requirement	***	***		***	1209	2425		***	Semi Annual	Grab

NAME TITLE PRINCIPAL EXECUTIVE OFFICER			Telephone	Date (YR/MO/DAY)
Ryan Tunseth HSE&T Coordinator	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Signature	907 776-2510	7/17/2009

COMMENTS & EXPLANATION OF ANY VIOLATIONS: WET Testing sampling frequency is reduced to once/6 months [Section II.G.6.a - Permit # AKG-31-5000] 1st Period 2009 WET tests were taken on 02/03/09 and are reported the Feb. 09 DMR. Additionally the sampling frequency for Copper, Manganese, Silver, Total Mercury, and Zinc is reduced from monthly to quarterly [Section II.G.6.a - Permit # AKG-31-5000] 2nd Quarter 2009 sample results are shown.