UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

User ID: JNE

RAW DATA QUALIFIER REPORT

Report Request ID: 1903685 Report Code: AMP360 Feb. 10, 2021

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	55	087									

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	42401		

SELECTED OPTIONS

Option Type	Option Value
QUALIFIER TYPES	ALL QUALFIER TYPES
CONCURRENCE STATUS	All Data (Concurred and Non-concurred)
QUALIFIER CODE	All QUALIFIER CODES
AGENCY ROLE	PQAO
MERGE PDF FILES	YES
QUALIFIER COUNTS BY MONITOR	YES

DATE CRITERIA

Start Date	End Date
2017 01 01	2020 12 30

United States Environmental Protection Agency
Air Quality System
Raw Data Qualifier Report (v 1.1)

Report Date: Feb. 10, 2021

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Qualifier Code	Qualifier Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2017-01-03 14:00		BF	Precision/Zero/Span.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-01-03 15:00		BF	Precision/Zero/Span.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-01-05 10:00		AZ	Q C Audit.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-01-05 11:00		AZ	Q C Audit.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-02-11 07:00		AV	Power Failure.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-02-21 10:00		BF	Precision/Zero/Span.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-02-21 11:00		BF	Precision/Zero/Span.	2017-07-13			
55-087-0015-42401-1 601 Plank Rd.	2017-04-06 04:00		AV	Power Failure.	2017-12-27			
55-087-0015-42401-1 601 Plank Rd.	2017-04-06 05:00		AV	Power Failure.	2017-12-27			
55-087-0015-42401-1 601 Plank Rd.	2017-05-23 10:00		BF	Precision/Zero/Span.	2017-07-20			
55-087-0015-42401-1 601 Plank Rd.	2017-05-23 11:00		BF	Precision/Zero/Span.	2017-07-20			
55-087-0015-42401-1 601 Plank Rd.	2017-05-23 12:00		BF	Precision/Zero/Span.	2017-07-20			
55-087-0015-42401-1 601 Plank Rd.	2017-06-20 00:00		AN	Machine Malfunction.	2017-09-19			
55-087-0015-42401-1 601 Plank Rd.	2017-08-23 10:00		AZ	Q C Audit.	2017-12-13			
55-087-0015-42401-1 601 Plank Rd.	2017-08-23 11:00		AZ	Q C Audit.	2017-12-13			
55-087-0015-42401-1 601 Plank Rd.	2017-08-24 10:00		BF	Precision/Zero/Span.	2017-12-13			
55-087-0015-42401-1	2017-08-24 11:00		BF	Precision/Zero/Span.	2017-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2017-08-24 11:00		BF	Precision/Zero/Span.	2017-12-13			
55-087-0015-42401-1 601 Plank Rd.	2017-08-24 12:00		BF	Precision/Zero/Span.	2017-12-13			
55-087-0015-42401-1 601 Plank Rd.	2017-08-31 13:00		AE	Shelter Temperature Outside Limits.	2017-12-13			
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 11:00	2.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 12:00	2.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 13:00	1.7			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 14:00	1.5			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 15:00	.6			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 16:00	.5			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 17:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 18:00	.5			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 19:00	.5			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 20:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 21:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 22:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-26 23:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 00:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 01:00	.4			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1	2017-10-27 02:00	.2			2018-01-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 02:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 03:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 04:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 05:00	-.1			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 06:00	0			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 07:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 08:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 09:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1	2017-10-27 10:00	.2			2018-01-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 10:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 11:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 12:00	.3			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-10-27 13:00	.2			2018-01-08			
	Other Qualifiers:		2	Operational Deviation.		2018-01-08		
55-087-0015-42401-1 601 Plank Rd.	2017-11-21 15:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-21 16:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-21 23:00		BD	Auto Calibration.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-22 10:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-22 11:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-22 12:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2017-11-22 13:00		BF	Precision/Zero/Span.	2018-01-18			
55-087-0015-42401-1 601 Plank Rd.	2018-01-10 23:00		AV	Power Failure.	2018-05-07			
55-087-0015-42401-1	2018-01-11 00:00		AV	Power Failure.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-01-11 00:00		AV	Power Failure.	2018-05-07			
55-087-0015-42401-1 601 Plank Rd.	2018-03-26 12:00		AT	Calibration.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-26 13:00		AT	Calibration.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-26 14:00		AT	Calibration.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-27 06:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-27 08:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-27 09:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-03-27 10:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-1 601 Plank Rd.	2018-07-06 06:00		BF	Precision/Zero/Span.	2018-12-11			
55-087-0015-42401-1 601 Plank Rd.	2018-07-06 07:00		BF	Precision/Zero/Span.	2018-12-11			
55-087-0015-42401-1 601 Plank Rd.	2018-07-06 08:00		BF	Precision/Zero/Span.	2018-12-11			
55-087-0015-42401-1 601 Plank Rd.	2018-08-13 15:00	107.8			2018-12-13			
	Other Qualifiers:		V	Validated Value.		2018-12-13		
55-087-0015-42401-1 601 Plank Rd.	2018-08-20 07:00		AV	Power Failure.	2018-12-13			
55-087-0015-42401-1 601 Plank Rd.	2018-08-20 08:00		AV	Power Failure.	2018-12-13			
55-087-0015-42401-1 601 Plank Rd.	2018-08-28 07:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-1	2018-08-28 08:00		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-08-28 08:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-1 601 Plank Rd.	2018-08-28 09:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-1 601 Plank Rd.	2018-09-21 16:00		AV	Power Failure.	2018-12-13			
55-087-0015-42401-1 601 Plank Rd.	2018-10-03 09:00	.6			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-03 10:00	.7			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-03 11:00	1.8			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-03 15:00		BF	Precision/Zero/Span.	2019-02-14			
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 03:00	-.3			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 04:00	-.4			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 05:00	-.3			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1	2018-10-04 06:00	-.4			2019-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 06:00	-.4			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 07:00	-.3			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 08:00		BF	Precision/Zero/Span.	2019-02-14			
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 09:00		BF	Precision/Zero/Span.	2019-02-14			
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 10:00		BF	Precision/Zero/Span.	2019-02-14			
55-087-0015-42401-1 601 Plank Rd.	2018-10-04 11:00		BF	Precision/Zero/Span.	2019-02-14			
55-087-0015-42401-1 601 Plank Rd.	2018-10-06 05:00	-.1			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-06 07:00	0			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-06 08:00	-.1			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-08 03:00	-.4			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1	2018-10-08 04:00	-.5			2019-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-10-08 04:00	-.5			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-22 21:00	-.2			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-22 22:00	-.2			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-10-23 08:00	-.1			2019-02-13			
	Other Qualifiers:		2	Operational Deviation.		2019-02-13		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 13:00	.5			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 14:00	1.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 15:00	5.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 16:00	.6			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1	2018-11-15 17:00	.2			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 17:00	.2			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 18:00	.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 19:00	1.8			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 20:00	1.5			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 21:00	.7			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 22:00	.4			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-15 23:00	.4			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 00:00	.3			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1	2018-11-16 01:00	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 01:00	.3			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 02:00	.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 03:00	.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 04:00	.2			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 05:00	.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 06:00	0			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 07:00	.3			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 08:00	.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1	2018-11-16 09:00	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 09:00	0			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 10:00	0			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 11:00	-.2			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-16 12:00	-.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-1 601 Plank Rd.	2018-11-27 15:00		BK	Site computer/data logger down.	2019-03-07			
55-087-0015-42401-1 601 Plank Rd.	2018-11-28 10:00		BF	Precision/Zero/Span.	2019-03-07			
55-087-0015-42401-1 601 Plank Rd.	2018-11-28 11:00		BF	Precision/Zero/Span.	2019-03-07			
55-087-0015-42401-1 601 Plank Rd.	2019-01-01 10:00	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-01 11:00	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-01 12:00	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-01 13:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 14:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 15:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 16:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 17:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 18:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 19:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 20:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 21:00	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-01 21:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-01 23:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 00:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 01:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 02:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 03:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 04:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-02 05:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 13:00	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-06 13:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 14:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 15:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 16:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 17:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 18:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 19:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 20:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 21:00	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-06 21:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 22:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-06 23:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 00:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 01:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 02:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 03:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 04:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 05:00	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-07 05:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 06:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 07:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 08:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 09:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 10:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 11:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 12:00	4.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-07 13:00	.6			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-07 13:00	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 10:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 11:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 12:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 13:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 14:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-19 15:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-20 10:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-20 11:00	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 11:00	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 12:00	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 13:00	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 14:00	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 15:00	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-20 16:00	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-21 10:00	.9			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-01-21 11:00	.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-21 12:00	.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-21 12:00	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-21 13:00	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 02:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 03:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 04:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 05:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 06:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-25 07:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-29 21:00	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-29 21:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-29 22:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-29 23:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 00:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 01:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 02:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 03:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 04:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 05:00	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-30 05:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 06:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 07:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 08:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 20:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 21:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 22:00	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-30 23:00	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 00:00	.4			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-31 00:00	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 01:00	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 02:00	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 03:00	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 04:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 05:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 06:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 07:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 08:00	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-01-31 08:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-01-31 09:00	.8			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 01:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 02:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 03:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 04:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 05:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 06:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-09 07:00	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-02-09 07:00	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-02-09 08:00	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 08:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 09:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 10:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 11:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 12:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 13:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 14:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 15:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 16:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 17:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-18 18:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-1 601 Plank Rd.	2019-02-23 13:00	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1	2019-02-23 14:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-23 15:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-02-23 16:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-1	2019-03-04 03:00	.4			2019-06-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1	2019-03-04 04:00	.4			2019-06-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1	2019-03-04 05:00	.7			2019-06-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1	2019-03-04 06:00	.5			2019-06-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1	2019-03-04 07:00	1.1			2019-06-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1	2019-03-07 12:00	.1			2019-06-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-03-07 12:00	.1			2019-06-27			
	Other Qualifiers:		3	Field Issue.		2019-06-27		
55-087-0015-42401-1 601 Plank Rd.	2019-03-14 09:00		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-1 601 Plank Rd.	2019-03-14 10:00		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-1 601 Plank Rd.	2019-04-29 14:00	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-1 601 Plank Rd.	2019-04-29 15:00	0			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-1 601 Plank Rd.	2019-04-29 16:00	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 11:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 12:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 13:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 14:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 15:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 16:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1	2019-05-06 17:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 17:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 18:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 19:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 20:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 21:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 22:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-06 23:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 00:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 01:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 02:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 03:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 04:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 05:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 06:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 07:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 08:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1	2019-05-07 09:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 09:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 10:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 11:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 12:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 13:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 14:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 15:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 16:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 17:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 18:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 19:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 20:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 21:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 22:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-07 23:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 00:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1	2019-05-08 01:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 01:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 02:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 03:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 04:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 05:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 06:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 07:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 08:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 09:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 10:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 11:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 12:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 13:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 14:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 15:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 16:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1	2019-05-08 17:00		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 17:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-08 18:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-09 05:00		AY	Q C Control Points (zero/span).	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-09 06:00		AY	Q C Control Points (zero/span).	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-09 07:00		AY	Q C Control Points (zero/span).	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-05-09 08:00		AY	Q C Control Points (zero/span).	2019-09-23			
55-087-0015-42401-1 601 Plank Rd.	2019-08-05 10:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-1 601 Plank Rd.	2019-08-05 11:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-1 601 Plank Rd.	2019-08-05 12:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-1 601 Plank Rd.	2019-08-05 13:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-1 601 Plank Rd.	2019-08-06 07:00		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-1 601 Plank Rd.	2019-08-13 08:00	.3			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-1 601 Plank Rd.	2019-08-13 09:00	.3			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-1 601 Plank Rd.	2019-08-13 10:00	.3			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-08-13 11:00	.7			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-1 601 Plank Rd.	2019-11-05 12:00		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-05 15:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-05 16:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-05 17:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-06 08:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-06 09:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-06 10:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-06 11:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 02:00	.2			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 03:00	25.2			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 04:00	67.5			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1	2019-11-13 05:00	68.6			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 05:00	68.6			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 06:00	19.1			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 07:00	3.6			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 08:00	4.8			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 09:00	8.4			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 10:00	4.5			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-11-13 11:00	1.5			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-1 601 Plank Rd.	2019-12-01 11:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1	2019-12-01 12:00	-.1			2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-12-01 12:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-01 13:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-01 14:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-02 09:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-02 10:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-02 11:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-02 12:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-05 08:00		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-05 09:00		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-1	2019-12-05 13:00		BF	Precision/Zero/Span.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-12-05 13:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-05 14:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-06 08:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-06 09:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-06 10:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 01:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 02:00	-.2			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 03:00	-.3			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 04:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 05:00	-.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 06:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 07:00	0			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 16:00	.3			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 17:00	.2			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 18:00	.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 19:00	.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 20:00	.1			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 21:00	.2			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-11 22:00	.2			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1	2019-12-12 03:00	.4			2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2019-12-12 03:00	.4			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-12 04:00	.3			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-12 10:00	.3			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-12 11:00	.3			2020-03-30			
	Other Qualifiers:		3	Field Issue.		2020-03-30		
55-087-0015-42401-1 601 Plank Rd.	2019-12-13 12:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-13 13:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-23 11:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-23 12:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2019-12-24 10:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-1 601 Plank Rd.	2020-01-02 09:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-01-02 10:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-01-02 11:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1	2020-01-09 13:00		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-01-09 13:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-01-12 21:00	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-1 601 Plank Rd.	2020-01-13 01:00	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-1 601 Plank Rd.	2020-01-13 02:00	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-1 601 Plank Rd.	2020-01-13 04:00	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-1 601 Plank Rd.	2020-01-13 05:00	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 12:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 13:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 14:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 15:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 16:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1	2020-02-11 17:00		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 17:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 18:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 19:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 20:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 21:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 22:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-11 23:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 00:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 01:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 02:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 03:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 04:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 05:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 06:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 07:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 08:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1	2020-02-12 09:00		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 09:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 10:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 11:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 12:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 13:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 14:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-12 15:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-13 09:00		AM	Miscellaneous Void.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-02-25 09:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-1 601 Plank Rd.	2020-03-09 07:00		BF	Precision/Zero/Span.	2020-06-26			
55-087-0015-42401-1 601 Plank Rd.	2020-03-23 09:00		BF	Precision/Zero/Span.	2020-06-26			
55-087-0015-42401-1 601 Plank Rd.	2020-04-08 07:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 12:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 13:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 14:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 15:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1	2020-04-16 16:00		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 16:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 17:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 18:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 19:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 20:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 21:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 22:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-16 23:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 00:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 01:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 02:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 03:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 04:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-17 05:00		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-04-21 07:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-1 601 Plank Rd.	2020-05-04 10:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1	2020-05-04 11:00		BF	Precision/Zero/Span.	2020-09-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-05-04 11:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-05-18 09:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-02 07:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-16 08:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-16 14:00		AM	Miscellaneous Void.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-20 05:00		AV	Power Failure.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-20 06:00		AV	Power Failure.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-20 07:00		AV	Power Failure.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-20 08:00		AV	Power Failure.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-06-29 12:00		BF	Precision/Zero/Span.	2020-09-30			
55-087-0015-42401-1 601 Plank Rd.	2020-07-09 11:00		BF	Precision/Zero/Span.	2020-11-30			
55-087-0015-42401-1 601 Plank Rd.	2020-07-09 12:00		BF	Precision/Zero/Span.	2020-11-30			
55-087-0015-42401-1 601 Plank Rd.	2020-07-09 13:00		BF	Precision/Zero/Span.	2020-11-30			
55-087-0015-42401-1 601 Plank Rd.	2020-07-13 09:00		BF	Precision/Zero/Span.	2020-11-30			
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 08:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1	2020-07-26 09:00	.2			2020-11-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 09:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 10:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 11:00	.7			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 12:00	.7			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 13:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 14:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 15:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 16:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1	2020-07-26 17:00	.3			2020-11-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 17:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 18:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 19:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 20:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 21:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 22:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-26 23:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 00:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1	2020-07-27 01:00	.2			2020-11-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 01:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 02:00	.1			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 03:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 04:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 05:00	.3			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 06:00	0			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 07:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 08:00	.2			2020-11-30			
	Other Qualifiers:		2	Operational Deviation.		2020-11-30		
55-087-0015-42401-1	2020-07-27 14:00		BF	Precision/Zero/Span.	2020-11-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-07-27 14:00		BF	Precision/Zero/Span.	2020-11-30			
55-087-0015-42401-1 601 Plank Rd.	2020-08-10 09:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-08-24 07:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-08-24 08:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-08 11:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-08 12:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-15 13:00		AZ	Q C Audit.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-15 14:00		AZ	Q C Audit.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-15 15:00		AZ	Q C Audit.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-15 16:00		AZ	Q C Audit.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-17 10:00		AM	Miscellaneous Void.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-17 11:00		AM	Miscellaneous Void.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-17 12:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-17 13:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-17 14:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 08:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1	2020-09-18 09:00		BA	Maintenance/Routine Repairs.	2020-12-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 09:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 10:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 11:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 12:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-18 13:00		BA	Maintenance/Routine Repairs.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-25 10:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-25 11:00		BF	Precision/Zero/Span.	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-09-28 07:00		AY	Q C Control Points (zero/span).	2020-12-08			
55-087-0015-42401-1 601 Plank Rd.	2020-10-01 06:00		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-10-01 07:00		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-10-01 08:00		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-10-09 15:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-10-09 16:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-03 10:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-17 09:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-19 12:00		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-1	2020-11-30 09:00		BA	Maintenance/Routine Repairs.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-1 601 Plank Rd.	2020-11-30 09:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-30 10:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-30 11:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-30 12:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-11-30 13:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-01 07:00		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-10 11:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-10 12:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-16 08:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-17 09:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-17 10:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-17 11:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-1 601 Plank Rd.	2020-12-30 08:00		BF	Precision/Zero/Span.	2021-01-07			

Monitor Qualifier Counts:

BF	**Precision/Zero/Span.**	**Count: 105**
AN	**Machine Malfunction.**	**Count: 1**
AZ	**Q C Audit.**	**Count: 13**
V	**Validated Value.**	**Count: 1**
AE	**Shelter Temperature Outside Limits.**	**Count: 1**
BD	**Auto Calibration.**	**Count: 1**
BK	**Site computer/data logger down.**	**Count: 4**

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Qualifier Counts:			
	AY	Q C Control Points (zero/span).	Count: 15
	BC	Multi-point Calibration.	Count: 5
	AV	Power Failure.	Count: 12
	BA	Maintenance/Routine Repairs.	Count: 42
	AM	Miscellaneous Void.	Count: 5
	AS	Poor Quality Assurance Results.	Count: 14
	AT	Calibration.	Count: 3
	3	Field Issue.	Count: 159
	BJ	Operator Error.	Count: 45
	2	Operational Deviation.	Count: 92

Monitor Key / Site Address	Sample Date-Time	Sample Value	Qualifier Code	Qualifier Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-01 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-02 00:10		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-02 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 13:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 13:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-01-03 14:10		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:15		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:20		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:25		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:30		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:35		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:40		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:45		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 14:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 15:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 15:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 15:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 15:15		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-03 22:55		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-03 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-04 11:00		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-04 11:05		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-04 11:10		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:00		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:05		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:10		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2	2017-01-05 10:15		AZ	Q C Audit.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:15		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:20		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:25		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:30		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:35		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:40		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:45		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:50		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 10:55		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:00		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:05		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:10		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:15		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:20		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:25		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:30		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2	2017-01-05 11:35		AZ	Q C Audit.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:35		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:40		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:45		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:50		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 11:55		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 12:00		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 12:05		AZ	Q C Audit.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-05 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-06 23:00		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-06 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-08 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-01-09 01:55		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 12:00		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 12:05		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 12:10		BK	Site computer/data logger down.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-09 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-10 23:00		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-10 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-12 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-13 22:50		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-13 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-15 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-16 00:10		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-16 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-17 23:05		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-17 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-19 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-20 22:55		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-20 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-22 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-23 01:50		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-23 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-24 23:10		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-24 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-26 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-01-27 23:00		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-27 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-29 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-01-30 01:55		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-30 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-01-31 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-02 00:45		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-02 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-03 23:05		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-03 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-05 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-02-06 02:00		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-06 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 15:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 15:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-07 23:10		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-07 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-09 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-10 23:00		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-10 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:00		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:05		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:10		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:15		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:20		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:25		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:30		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:35		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:40		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:45		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:50		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 07:55		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 08:00		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2	2017-02-11 08:05		AV	Power Failure.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-11 08:05		AV	Power Failure.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-12 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-02-13 02:05		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-13 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-14 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-16 00:55		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-16 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-17 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-19 00:45		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-19 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-02-20 02:10		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-20 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:30		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:35		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:40		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:45		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 10:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-02-21 11:15		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:15		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:20		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:25		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:30		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:35		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:40		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:45		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 11:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 12:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-21 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-23 00:45		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-23 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2	2017-02-24 23:05		BD	Auto Calibration.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-24 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 00:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 00:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 00:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 01:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 01:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 01:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-26 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 01:50		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 01:55		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2	2017-02-27 02:00		BF	Precision/Zero/Span.	2017-07-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 02:00		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 02:05		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 02:10		BF	Precision/Zero/Span.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 23:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 23:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-27 23:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 00:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 00:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 00:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 22:45		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 22:50		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 22:55		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 23:00		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 23:05		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-02-28 23:10		BD	Auto Calibration.	2017-07-17			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 00:50		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-02 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-03 23:10		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-03 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-05 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 01:50		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 01:55		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 02:00		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2	2017-03-06 02:05		BF	Precision/Zero/Span.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 02:05		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 02:10		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-06 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 14:25		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 14:30		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 14:35		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-07 23:10		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-07 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-09 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-10 23:00		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-10 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-12 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 01:50		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2	2017-03-13 01:55		BF	Precision/Zero/Span.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 01:55		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 02:00		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 02:05		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 02:10		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-13 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-14 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-16 00:45		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-16 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-17 23:05		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-17 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-19 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 01:50		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 01:55		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2	2017-03-20 02:00		BF	Precision/Zero/Span.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 02:00		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 02:05		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 02:10		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-20 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-21 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-23 00:50		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-23 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-24 23:10		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-24 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-26 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 01:50		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 01:55		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 02:00		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2	2017-03-27 02:05		BF	Precision/Zero/Span.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 02:05		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 02:10		BF	Precision/Zero/Span.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-27 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-28 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 00:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 00:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-03-30 00:55		BD	Auto Calibration.	2017-07-03			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 00:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 01:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 01:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 01:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 23:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 23:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-30 23:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 00:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 00:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 00:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 22:45		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 22:50		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 22:55		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 23:00		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 23:05		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2 601 Plank Rd.	2017-03-31 23:10		BD	Auto Calibration.	2017-07-03			
55-087-0015-42401-2	2017-04-02 00:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-02 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-04-03 02:10		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-03 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 14:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-04 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-06 00:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 03:50		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 03:55		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:00		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:05		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:10		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:15		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:20		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:25		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:30		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:35		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:40		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:45		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2	2017-04-06 04:50		AV	Power Failure.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:50		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 04:55		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 05:00		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 05:05		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 05:10		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 05:15		AV	Power Failure.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-06 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-07 23:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-07 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-09 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-04-10 02:00		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-10 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-11 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-13 00:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-13 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-14 23:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-14 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-16 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-04-17 02:05		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-17 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-18 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-20 00:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-20 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-21 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-23 00:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-23 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-04-24 02:10		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-24 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-25 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-27 01:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-27 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-28 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-04-30 00:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-04-30 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-05-01 07:35		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 07:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-01 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-02 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-04 01:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-04 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-05 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-07 00:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-07 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-05-08 23:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-08 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-09 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-11 01:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-11 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-12 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-14 00:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-14 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-15 23:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-15 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-16 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-18 01:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-18 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-19 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-21 01:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-21 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-22 23:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-22 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 10:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 10:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 10:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 10:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:15		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:20		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:25		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:30		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-05-23 11:40		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 11:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:15		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:20		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:25		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:30		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 12:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-05-23 13:00		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 13:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-23 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-25 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-26 00:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-26 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-28 23:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-28 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-29 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-05-30 22:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-05-30 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-01 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-02 00:05		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-02 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-04 23:55		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-04 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 01:50		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 01:55		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 02:00		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 02:05		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 02:10		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-05 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-06 22:50		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-06 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-08 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-09 00:10		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-09 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-11 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-12 00:00		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 01:50		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 01:55		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 02:00		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 02:05		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 02:10		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-12 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-13 22:55		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-13 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-15 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-16 22:45		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-16 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-18 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-19 00:05		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 01:50		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 01:55		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 02:00		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 02:05		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 02:10		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-19 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:15		AN	Machine Malfunction.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:20		AN	Machine Malfunction.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 00:25		AN	Machine Malfunction.	2017-09-19			
55-087-0015-42401-2	2017-06-20 22:45		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-20 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-22 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-23 00:05		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-23 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-25 23:55		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-25 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 01:50		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 01:55		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 02:00		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 02:05		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 02:10		BF	Precision/Zero/Span.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-26 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-27 22:50		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-27 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 00:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 00:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 00:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 01:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 01:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 01:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 23:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 23:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-29 23:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 00:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 00:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2	2017-06-30 00:10		BD	Auto Calibration.	2017-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 00:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 22:45		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 22:50		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 22:55		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 23:00		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 23:05		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-06-30 23:10		BD	Auto Calibration.	2017-09-19			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-02 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-03 00:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-03 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-04 22:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-04 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-06 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-07 22:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-07 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-09 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-10 00:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-10 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 07:00		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 07:05		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 07:10		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2	2017-07-11 22:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-11 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-12 11:00		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-12 11:05		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-12 11:10		BK	Site computer/data logger down.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-13 23:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-13 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-14 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-16 01:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-16 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-17 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-18 00:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-18 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-20 23:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-20 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-21 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-23 23:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-23 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 08:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-24 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-25 00:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-25 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-27 23:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-27 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-28 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-07-30 23:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-30 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-07-31 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-01 00:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-01 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-03 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-04 00:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-04 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-06 23:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-06 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-07 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-08 22:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-08 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-10 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-11 00:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-11 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-13 23:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-13 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-14 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-15 22:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-15 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-17 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-18 00:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-18 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-20 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-21 00:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-21 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-22 22:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-22 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 09:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 09:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 09:55		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:00		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:05		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:10		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:15		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:20		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:25		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:30		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:35		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:40		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2	2017-08-23 10:45		AZ	Q C Audit.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:45		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:50		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 10:55		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:00		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:05		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:10		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:15		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:20		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:25		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:30		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-23 11:35		AZ	Q C Audit.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-24 01:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 09:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 09:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:15		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:20		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:25		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:30		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 10:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-08-24 11:05		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:15		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:20		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:25		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:30		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:35		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:40		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:45		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 11:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:15		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:20		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2	2017-08-24 12:25		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:25		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 12:30		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-24 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-25 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-27 00:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-27 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-28 23:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-28 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-29 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-08-31 01:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:25		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:30		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:35		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:40		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:45		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:50		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 13:55		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 14:00		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 14:05		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 14:10		AE	Shelter Temperature Outside Limits.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-08-31 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-01 00:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-01 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-03 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-04 00:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-04 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-05 22:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-05 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-07 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-08 22:45		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-08 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-10 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-11 00:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-11 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-12 23:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-12 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-14 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-15 22:50		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-15 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-17 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-18 00:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-18 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-19 23:05		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-19 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-21 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-22 22:55		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-22 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-24 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-25 01:50		BF	Precision/Zero/Span.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 01:50		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 01:55		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 02:00		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 02:05		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 02:10		BF	Precision/Zero/Span.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-25 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-26 23:10		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-26 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 00:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 00:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 00:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 01:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 01:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 01:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 23:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 23:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-28 23:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 00:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 00:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 00:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 22:45		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 22:50		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 22:55		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2	2017-09-29 23:00		BD	Auto Calibration.	2017-12-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 23:00		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 23:05		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-09-29 23:10		BD	Auto Calibration.	2017-12-27			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-01 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-10-02 01:55		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 13:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-02 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-03 23:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-03 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-05 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-06 23:00		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-06 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-08 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-10-09 01:55		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-09 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-10 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-12 00:45		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-12 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-13 23:05		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-13 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-15 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-10-16 02:00		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-16 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-17 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-19 00:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-19 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-20 23:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-20 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-22 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-10-23 02:05		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-23 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-24 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-26 00:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 10:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 11:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 11:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 12:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 12:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 13:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 13:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 14:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 15:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 15:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 16:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 16:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 17:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 17:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 18:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 19:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 19:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 20:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 20:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 21:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 21:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 22:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-26 23:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-26 23:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 00:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 00:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 01:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 01:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 02:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 03:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 03:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 04:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 04:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 05:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 05:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 06:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 07:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 07:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 08:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 08:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 09:50		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 09:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 10:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 11:10		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 11:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:00		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:05		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:10		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:15		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:20		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:25		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2	2017-10-27 12:30		BK	Site computer/data logger	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:30		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:35		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:40		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:45		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:50		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 12:55		BK	Site computer/data logger down.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 13:55	.4			2018-03-30			
	Other Qualifiers:		2	Operational Deviation.		2018-03-30		
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-27 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-29 00:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-29 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-10-30 23:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-30 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-10-31 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-02 01:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-02 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-03 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-05 01:00		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-05 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-06 23:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-06 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-07 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-09 23:45		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-09 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-10 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-12 01:05		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-12 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-13 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-14 00:00		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-14 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-16 23:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-16 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-17 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-19 01:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-19 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-20 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-21 00:05		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:20		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:25		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:30		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:35		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:45		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 15:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 16:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 16:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 16:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 16:15		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-21 22:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-21 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:15		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:20		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:25		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:30		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:35		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:45		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 10:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-11-22 11:10		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:15		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:20		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:25		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:30		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:35		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:45		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 11:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:15		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:20		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:25		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-11-22 12:30		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:30		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:35		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:45		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 12:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:15		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:20		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:25		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:30		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:35		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-22 13:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-23 00:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-23 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-24 23:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-24 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-26 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-11-27 02:05		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-27 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-28 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-11-30 00:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-11-30 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-01 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-03 00:45		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-03 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-12-04 02:10		BF	Precision/Zero/Span.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-04 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-05 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-07 01:00		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-07 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-08 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-10 00:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-10 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2	2017-12-11 23:45		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-11 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-12 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-14 01:05		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-14 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-15 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-17 00:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-17 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-18 23:50		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-18 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-19 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-21 01:10		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-21 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-22 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-24 01:00		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-24 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 01:50		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 01:55		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 02:00		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 02:05		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 02:10		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-25 23:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-25 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-26 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-27 08:40		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-27 08:45		BF	Precision/Zero/Span.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-28 01:05		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-28 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 00:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 00:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 00:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 22:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 22:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 22:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 23:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 23:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-29 23:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 00:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 00:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2	2017-12-31 00:55		BD	Auto Calibration.	2018-04-02			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 00:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 01:00		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 01:05		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 01:10		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 23:45		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 23:50		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2017-12-31 23:55		BD	Auto Calibration.	2018-04-02			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 01:50		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 01:55		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 02:00		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 02:05		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 02:10		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-01 23:50		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-01 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-02 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-04 01:10		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-04 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-05 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-07 01:00		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-07 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 01:50		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 01:55		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 02:00		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 02:05		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 02:10		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-08 23:55		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-08 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-09 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-10 23:40		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-10 23:45		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-10 23:50		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-10 23:55		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:00		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:05		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2	2018-01-11 00:10		AV	Power Failure.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:10		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:15		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:20		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:25		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:30		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:35		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:40		AV	Power Failure.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-11 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-12 00:00		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-12 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-14 23:50		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-14 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 01:50		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 01:55		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 02:00		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 02:05		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 02:10		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-15 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-16 22:45		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-16 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-18 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-19 00:05		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-19 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-21 23:55		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-21 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 01:50		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 01:55		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 02:00		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 02:05		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 02:10		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-22 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-23 22:50		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-23 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 13:00		BK	Site computer/data logger down.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 13:05		BK	Site computer/data logger down.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 13:10		BK	Site computer/data logger down.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-25 23:55		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-25 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-26 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 00:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 00:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 00:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 01:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 01:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 01:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-28 23:45		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-28 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 01:50		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 01:55		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 02:00		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 02:05		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 02:10		BF	Precision/Zero/Span.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 23:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 23:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-29 23:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 00:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 00:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2	2018-01-30 00:10		BD	Auto Calibration.	2018-05-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 00:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 22:45		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 22:50		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 22:55		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 23:00		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 23:05		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-01-30 23:10		BD	Auto Calibration.	2018-05-07			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-01 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-02 00:00		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-02 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-04 23:50		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-04 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 01:50		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 01:55		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 02:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 02:05		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 02:10		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-05 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-06 22:45		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-06 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-08 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-09 00:05		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-09 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-11 23:55		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-11 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 01:50		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 01:55		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 02:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 02:05		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 02:10		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-12 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-13 22:50		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-13 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-15 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-16 00:10		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-16 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-18 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-19 00:00		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 01:50		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 01:55		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 02:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 02:05		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 02:10		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-19 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-20 22:55		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-20 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-22 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-23 22:45		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-23 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-25 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-26 00:05		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 01:50		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 01:55		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 02:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 02:05		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 02:10		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:25		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:30		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:35		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:40		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:45		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:50		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 12:55		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:00		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:05		AT	Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-26 13:10		AT	Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:10		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:15		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:20		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:25		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:30		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:35		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:40		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:45		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:50		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 13:55		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:00		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:05		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:10		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:15		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:20		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:25		AT	Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-26 14:30		AT	Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:30		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:35		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:40		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:45		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:50		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 14:55		AT	Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-26 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 06:35		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 06:40		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 06:45		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 06:50		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2	2018-03-27 06:55		BF	Precision/Zero/Span.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 06:55		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 07:00		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 07:05		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 07:10		BF	Precision/Zero/Span.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:05		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:10		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:15		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:20		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:25		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:30		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:35		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:40		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:45		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:50		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 08:55		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2	2018-03-27 09:00		AZ	Q C Audit.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:05		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:10		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:15		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:20		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:25		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:30		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:35		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:40		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:45		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:50		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 09:55		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:00		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:05		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:10		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:15		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2	2018-03-27 10:20		AZ	Q C Audit.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:20		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:25		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:30		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:35		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:40		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:45		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 10:50		AZ	Q C Audit.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-27 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 00:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 00:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 00:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2	2018-03-29 01:00		BD	Auto Calibration.	2018-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 01:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 01:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 01:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 23:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 23:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-29 23:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 00:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 00:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 00:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 22:45		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 22:50		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 22:55		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 23:00		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 23:05		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-03-30 23:10		BD	Auto Calibration.	2018-06-28			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-01 00:05		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-01 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-03 23:55		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-03 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-04 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-06 23:45		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-06 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-07 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-08 00:10		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-08 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-10 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-11 00:00		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-11 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-13 23:50		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-13 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-14 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-15 22:45		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-15 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-17 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-18 00:05		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-18 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-20 23:55		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-20 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-21 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-22 22:50		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-22 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-24 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-25 00:10		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-25 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-27 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-28 00:00		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-28 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-05-29 22:55		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-29 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-05-31 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-01 22:45		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-01 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-03 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-04 00:05		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-04 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-05 23:00		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-05 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-07 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-08 22:50		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-08 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-10 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-11 00:10		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-11 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-12 23:05		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-12 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-14 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-15 22:55		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-15 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-17 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-18 01:50		BF	Precision/Zero/Span.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-18 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-19 23:10		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-19 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-21 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-22 23:00		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-22 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-24 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 01:50		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2	2018-06-25 01:55		BF	Precision/Zero/Span.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 01:55		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 02:00		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 02:05		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 02:10		BF	Precision/Zero/Span.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-25 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-26 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-28 00:45		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 00:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 00:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 00:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 01:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 01:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 01:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 23:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 23:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-28 23:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 00:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 00:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 00:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 22:45		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 22:50		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 22:55		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 23:00		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2	2018-06-29 23:05		BD	Auto Calibration.	2018-09-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 23:05		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-06-29 23:10		BD	Auto Calibration.	2018-09-27			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-01 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 01:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 01:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2	2018-07-02 02:00		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 02:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 02:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 02:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 11:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-02 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-03 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-05 00:45		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 13:15		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 13:20		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 13:25		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-05 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:15		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:15		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:20		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:25		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:30		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:35		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:40		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:45		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 06:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:15		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:20		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:25		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:30		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2	2018-07-06 07:35		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:35		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:40		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:45		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 07:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:15		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:20		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:25		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:30		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:35		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 08:40		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-06 22:55		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-06 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-08 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-09 01:50		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 01:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 01:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 02:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 02:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 02:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-09 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-10 23:10		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-10 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-12 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-13 23:00		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-13 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-15 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 01:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2	2018-07-16 01:55		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 01:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 02:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 02:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 02:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-16 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-17 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-19 00:45		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-19 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-20 23:05		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-20 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-22 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 01:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 01:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2	2018-07-23 02:00		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 02:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 02:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 02:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-23 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-24 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-25 07:00		BK	Site computer/data logger down.	2018-12-13			
55-087-0015-42401-2	2018-07-25 07:05		BK	Site computer/data logger	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-25 07:05		BK	Site computer/data logger down.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-25 07:10		BK	Site computer/data logger down.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-26 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-27 22:55		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-27 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 00:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 00:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 00:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 01:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 01:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 01:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-29 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-30 01:50		BF	Precision/Zero/Span.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 01:50		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 01:55		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 02:00		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 02:05		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 02:10		BF	Precision/Zero/Span.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 23:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 23:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-30 23:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 00:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 00:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 00:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 22:45		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 22:50		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 22:55		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 23:00		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 23:05		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2	2018-07-31 23:10		BD	Auto Calibration.	2018-12-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-07-31 23:10		BD	Auto Calibration.	2018-12-13			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-02 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-03 23:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-03 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-05 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-08-06 01:55		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-06 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-07 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-09 00:45		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-09 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-10 23:05		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-10 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-12 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-08-13 02:00		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 15:25	532.8			2018-12-14			
	Other Qualifiers:		V	Validated Value.		2018-12-14		
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 15:55	4.1			2018-12-14			
	Other Qualifiers:		V	Validated Value.		2018-12-14		
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-13 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-14 23:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-14 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-16 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-17 22:50		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-17 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-19 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-20 00:10		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:30		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:35		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:40		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:45		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:50		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 07:55		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:00		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:05		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:10		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:15		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2	2018-08-20 08:20		AV	Power Failure.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:20		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:25		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:30		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:35		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:40		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:45		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 08:50		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-20 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-21 23:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-21 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-23 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-24 22:50		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-24 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-26 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-27 00:10		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:15		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:20		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:25		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:30		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:35		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:40		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:45		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 02:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-08-27 03:05		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:15		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:20		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:25		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:30		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:35		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:40		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:45		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 03:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 04:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 04:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-27 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-28 00:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:25		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:30		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:35		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:40		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:45		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 07:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:15		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:20		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:25		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-08-28 08:30		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:30		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:35		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:40		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:45		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 08:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 09:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 09:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 09:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 09:15		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 09:20		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-28 23:10		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-28 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-30 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-08-31 23:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-08-31 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-02 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-09-03 01:55		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-03 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-04 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-06 00:45		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-06 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-07 23:05		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-07 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-09 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-09-10 02:00		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-10 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-11 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-13 00:50		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-13 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-14 23:10		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-14 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-16 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2	2018-09-17 02:05		BF	Precision/Zero/Span.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-17 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-18 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-20 00:55		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-20 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 15:50		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 15:55		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:00		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:05		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:10		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:15		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2	2018-09-21 16:20		AV	Power Failure.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:20		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:25		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:30		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:35		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 16:40		AV	Power Failure.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-21 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-23 01:10		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-23 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 01:50		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 01:55		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 02:00		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 02:05		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 02:10		BF	Precision/Zero/Span.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-24 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-25 00:05		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 14:00		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 14:15		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 14:45		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 16:00		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 16:05		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 16:45		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 17:45		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 18:05		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 18:20		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 18:40		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 19:05		BK	Site computer/data logger down.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-25 23:00		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-25 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-27 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 00:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 00:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 00:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 22:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2	2018-09-28 22:50		BD	Auto Calibration.	2018-12-14			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 22:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 22:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 23:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 23:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-28 23:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 00:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 00:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 00:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 01:00		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 01:05		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 01:10		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 23:45		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 23:50		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-09-30 23:55		BD	Auto Calibration.	2018-12-14			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-01 00:10		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 01:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 01:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 02:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 02:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 02:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-01 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-02 23:05		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-02 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:00	.9			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:05	.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:10	.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:15	.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:20	.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:25	.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 09:30	.6			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 09:35	.8			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-03 09:35	.8			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 09:40	.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 09:45	1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 09:50	.9			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 09:55	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:00	.9			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:05	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:10	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:15	.7			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-03 10:15	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:20	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:25	.8			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:30	.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:35	.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:40	.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:45	.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:50	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 10:55	.8			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-03 10:55	.8			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:00	.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:05	.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:10	.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:15	.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:20	1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:25	.8			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:30	1.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-03 11:35	1.7			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 11:35	1.7			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 11:40	3.9			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 11:45	3.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 11:50	4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 11:55	3.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:15		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:20		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:25		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:30		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:35		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:40		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-03 15:45		BF	Precision/Zero/Span.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:45		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 15:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 16:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 16:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-03 16:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 03:00	-.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 03:05	-.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:10	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 03:10	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:15	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:20	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:25	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:30	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:35	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:40	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:45	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:50	-.5			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 03:50	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 03:55	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:00	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:05	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:10	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:15	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:20	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:25	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:30	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 04:30	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:35	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:40	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:45	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:50	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 04:55	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:00	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:05	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:10	-.2			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 05:10	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:15	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:20	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:25	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:30	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:35	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:40	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:45	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:50	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 05:50	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 05:55	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:00	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:05	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:10	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:15	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:20	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:25	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:30	-.4			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 06:30	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:35	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:40	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:45	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:50	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 06:55	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:00	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:05	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:10	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-04 07:10	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:15	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:20	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:25	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:30	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:35	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:40	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:45	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-04 07:50	-.4			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 07:50	-.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 07:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:15		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:20		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:25		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:30		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:35		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:40		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:45		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 08:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-04 09:05		BF	Precision/Zero/Span.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:15		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:20		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:25		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:30		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:35		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:40		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:45		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 09:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:15		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:20		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-04 10:25		BF	Precision/Zero/Span.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:25		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:30		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:35		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:40		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:45		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 10:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:15		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:20		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:25		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:30		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 11:35		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-04 23:50		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-04 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-05 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-06 05:00	0			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-06 05:05	0			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-06 05:10	0			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-06 05:15	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:20	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:25	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:30	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:35	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:40	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:45	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:50	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 05:55	-.1			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-06 05:55	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:00	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:05	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:10	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:15	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:20	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:25	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:30	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:35	-.1			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-06 07:35	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:40	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:45	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:50	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 07:55	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:00	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:05	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:10	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:15	-.2			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-06 08:15	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:20	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:25	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:30	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:35	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:40	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:45	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:50	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-06 08:55	-.1			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-06 08:55	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-07 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 01:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 01:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-08 02:00		BF	Precision/Zero/Span.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 02:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 02:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 02:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:00	-.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:05	-.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:10	-.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:15	-.5			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:20	-.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:25	-.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 03:30	-.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-08 03:35	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 03:40	-.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 03:45	-.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 03:50	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 03:55	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:00	-.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:05	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:10	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:15	-.4			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-08 04:15	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:20	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:25	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:30	-.6			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:35	-.7			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:40	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:45	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:50	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-08 04:55	-.4			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 04:55	-.4			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-08 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-09 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-11 00:55		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-11 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-12 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-14 00:45		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-14 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 01:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 01:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 02:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 02:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-15 02:10		BF	Precision/Zero/Span.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 02:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-15 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-16 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-18 01:00		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-18 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-19 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-21 00:50		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-21 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 01:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 01:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 02:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 02:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 02:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2	2018-10-22 21:00	.1			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-22 21:00	.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:05	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:10	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:15	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:20	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:25	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:30	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:35	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:40	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-22 21:40	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:45	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:50	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 21:55	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:00	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:05	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:10	-.5			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:15	-.4			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:20	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-10-22 22:20	-.3			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:25	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:30	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:35	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:40	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:45	-.2			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:50	0			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 22:55	-.1			2019-02-18			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-22 23:45		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-22 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:00	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:05	0			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:10	.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:15	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:20	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2	2018-10-23 08:25	-.3			2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:25	-.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:30	-.2			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:35	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:40	0			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:45	-.1			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:50	-.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 08:55	-.3			2019-02-18			
	Other Qualifiers:		2	Operational Deviation.		2019-02-18		
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-23 22:55		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-23 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-25 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-26 22:45		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-26 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 00:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 00:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 00:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 01:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 01:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 01:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-28 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-29 00:05		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 01:50		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 01:55		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 02:00		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 02:05		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 02:10		BF	Precision/Zero/Span.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 23:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 23:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-29 23:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 00:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 00:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 00:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 22:45		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 22:50		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 22:55		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2	2018-10-30 23:00		BD	Auto Calibration.	2019-02-18			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 23:00		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 23:05		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-10-30 23:10		BD	Auto Calibration.	2019-02-18			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-01 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-02 22:50		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-02 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-04 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-05 00:10		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 01:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 01:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 02:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 02:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 02:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-05 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-06 23:05		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-06 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-08 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-09 22:55		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-09 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-11 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-12 01:50		BF	Precision/Zero/Span.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 01:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 01:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 02:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 02:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 02:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-12 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-13 23:10		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-13 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 13:00	.3			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 13:05	.5			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 13:10	.2			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 13:15	.4			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-15 13:20	.3			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 13:25	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:30	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:35	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:40	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:45	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:50	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 13:55	2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:00	7.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:05	.8			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 14:05	.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:10	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:15	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:20	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:25	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:30	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:35	1.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:40	1.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:45	.5			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 14:45	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:50	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 14:55	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:00	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:05	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:10	12.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:15	15.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:20	3.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:25	1.8			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 15:25	1.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:30	2.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:35	2.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:40	4.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:45	6.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:50	7.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 15:55	3.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:00	1.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:05	.9			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 16:05	.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:10	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:15	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:20	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:25	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:30	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:35	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:40	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:45	.5			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 16:45	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:50	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 16:55	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:00	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:05	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:10	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:15	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:20	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:25	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 17:25	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:30	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:35	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:40	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:45	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:50	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 17:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:00	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:05	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 18:05	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:10	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:20	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:25	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:30	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:35	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:45	.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 18:45	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:50	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 18:55	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:00	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:05	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:10	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:15	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:20	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:25	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 19:25	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:30	1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:35	3.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:40	3.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:45	3.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:50	3.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 19:55	3.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:00	3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:05	2.7			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 20:05	2.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:10	2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:15	1.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:20	1.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:25	1.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:30	1.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:35	1.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:40	.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:45	1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 20:45	1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:50	1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 20:55	.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:00	.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:05	.9			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:10	.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:15	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:20	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:25	.7			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 21:25	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:30	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:35	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:40	.8			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:45	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:50	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 21:55	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:00	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:05	.6			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 22:05	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:10	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:20	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:25	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:30	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:35	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:40	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:45	.4			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 22:45	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:50	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 22:55	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:00	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:05	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:10	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:15	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:20	.7			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:25	.5			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-15 23:25	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:30	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:35	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:40	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:45	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:50	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-15 23:55	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:00	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:05	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 00:05	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:10	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:15	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:20	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:25	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:30	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:35	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:40	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:45	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 00:45	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:50	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 00:55	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:00	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:05	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:10	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:20	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:25	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 01:25	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:30	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:35	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:40	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:45	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:50	.6			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 01:55	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:00	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:05	.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 02:05	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:10	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:15	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:20	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:25	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:30	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:35	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:45	.2			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 02:45	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:50	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 02:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:00	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:05	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:10	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:15	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:20	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:25	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 03:25	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:30	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:35	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:40	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:45	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:50	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 03:55	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:00	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:05	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 04:05	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:10	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:15	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:20	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:25	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:30	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:35	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:40	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:45	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 04:45	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:50	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 04:55	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:00	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:05	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:10	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:15	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:20	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:25	.4			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 05:25	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:30	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:35	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:40	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:45	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:50	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 05:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:00	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:05	.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 06:05	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:10	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:20	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:25	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:30	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:35	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:45	-.2			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 06:45	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:50	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 06:55	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:00	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:05	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:10	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:20	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:25	.3			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 07:25	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:30	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:35	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:40	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:45	.5			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:50	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 07:55	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:00	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:05	.4			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 08:05	.4			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:10	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:20	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:25	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:30	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:35	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:45	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 08:45	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:50	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 08:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:00	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:05	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:10	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:15	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:20	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:25	-.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 09:25	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:30	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:35	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:45	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:50	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 09:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:00	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:05	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 10:05	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:10	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:15	.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:20	.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:25	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:30	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:35	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:45	0			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 10:45	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:50	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 10:55	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:00	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:05	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:10	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:15	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:20	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:25	-.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 11:25	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:30	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:35	-.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:40	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:45	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:50	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 11:55	-.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:00	-.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:05	-.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2018-11-16 12:05	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:10	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:15	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:20	-.3			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:25	0			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:30	-.2			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:35	.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:40	-.1			2019-03-05			
601 Plank Rd.								
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2	2018-11-16 12:45	-.1			2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 12:45	-.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 12:50	-.1			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 12:55	0			2019-03-05			
	Other Qualifiers:		2	Operational Deviation.		2019-03-05		
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-16 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-18 01:05		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-18 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 01:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 01:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 02:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 02:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 02:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 19:00		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 19:05		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 19:10		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2	2018-11-19 23:45		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-19 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-20 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-22 01:05		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-22 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-23 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-25 00:55		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-25 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 01:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 01:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 02:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 02:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 02:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-26 23:50		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-26 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 14:45		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 14:50		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 14:55		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 15:00		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 15:05		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 15:10		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 15:15		BK	Site computer/data logger down.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-27 23:05		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-27 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 09:45		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 09:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 09:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:15		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:20		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:25		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:30		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:35		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:40		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:45		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:50		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2	2018-11-28 10:55		BF	Precision/Zero/Span.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 10:55		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:00		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:05		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:10		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:15		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:20		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:25		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:30		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:35		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:40		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-28 11:45		BF	Precision/Zero/Span.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 00:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 00:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 00:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 01:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 01:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2	2018-11-29 01:10		BD	Auto Calibration.	2019-03-05			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 01:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 23:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 23:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-29 23:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 00:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 00:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 00:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 22:45		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 22:50		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 22:55		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 23:00		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 23:05		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-11-30 23:10		BD	Auto Calibration.	2019-03-05			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-02 01:00		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-02 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 01:50		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 01:55		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 02:00		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 02:05		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 02:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-03 23:55		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-03 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-04 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-06 23:45		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-06 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-07 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-09 01:05		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-09 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 01:50		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 01:55		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 02:00		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 02:05		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 02:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-10 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-11 00:00		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-11 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-13 23:50		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-13 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-14 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-16 01:10		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-16 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 01:50		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 01:55		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 02:00		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 02:05		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 02:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-17 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-18 00:05		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-18 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-19 13:25		BK	Site computer/data logger down.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-19 13:30		BK	Site computer/data logger down.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-19 13:35		BK	Site computer/data logger down.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-20 01:10		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-20 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-21 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-23 01:00		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-23 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 00:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 01:50		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 01:55		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 02:00		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 02:05		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 02:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-24 23:55		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-24 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-25 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-27 23:45		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-27 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 22:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 22:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 22:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 23:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 23:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-28 23:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 00:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 00:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 00:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 01:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2018-12-30 01:05		BD	Auto Calibration.	2019-03-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 01:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 01:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-30 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 00:00		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 00:05		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 00:10		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 01:50		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 01:55		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 02:00		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 02:05		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 02:10		BF	Precision/Zero/Span.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 23:45		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 23:50		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2 601 Plank Rd.	2018-12-31 23:55		BD	Auto Calibration.	2019-03-25			
55-087-0015-42401-2	2019-01-01 00:00		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 05:05	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 05:10	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 05:15	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 06:40	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 06:45	-.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 07:45	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 07:50	-.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 10:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 10:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 10:45	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 10:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 10:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:05	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:15	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 11:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:20	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:30	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:45	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 11:55	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 11:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:20	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:25	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:35	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 12:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 12:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:05	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:15	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 13:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:30	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 13:55	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 13:55	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:35	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 14:35	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:50	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 14:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:10	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:15	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 15:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:25	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:30	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:40	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:45	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 15:55	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 15:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:10	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:20	-.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:25	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:35	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 16:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:40	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:45	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:50	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 16:55	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:15	-.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 17:15	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:20	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 17:55	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 17:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:15	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:30	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:35	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 18:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 18:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:05	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:10	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:15	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 19:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:20	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:25	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 19:55	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 19:55	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 20:55	-.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 21:55	-.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 23:40	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-01 23:45	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 23:50	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-01 23:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-01 23:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:05	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:20	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:30	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 00:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 00:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:10	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 01:10	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:20	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:30	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:35	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:40	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:50	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 01:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 01:55	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:00	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:05	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:10	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:20	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:30	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 02:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:45	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:50	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 02:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:10	-.4			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 03:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:15	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:20	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:30	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:35	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:40	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:45	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:50	-.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 03:50	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 03:55	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:00	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:20	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:25	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:30	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 04:30	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:35	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:45	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 04:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:00	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:05	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:10	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-02 05:10	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:20	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:25	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:40	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-02 05:50	-.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-02 05:50	-.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-02 05:55	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-03 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-04 22:45		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-04 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 13:40	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 13:45	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 13:50	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 13:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 13:55	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:00	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:05	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:15	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:30	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 14:30	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:45	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:50	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 14:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:10	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 15:10	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:20	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:35	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:40	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:45	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:50	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 15:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 15:55	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:00	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:15	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:30	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 16:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:35	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:40	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:45	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:50	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 16:55	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:00	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:05	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:10	-.4			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 17:10	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:15	-.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:20	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:25	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:30	-.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:35	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:40	-.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:45	-.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:50	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 17:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 17:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:30	-.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 18:30	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:50	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 18:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:10	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 19:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:15	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:45	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:50	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 19:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 19:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:30	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 20:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 20:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:10	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 21:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:25	-.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:35	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:50	-.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 21:50	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 21:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:05	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:10	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:25	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:30	-.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 22:30	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:40	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:50	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 22:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:10	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-06 23:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:25	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:30	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:35	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:40	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-06 23:45		BD	Auto Calibration.	2019-05-22			
601 Plank Rd.								
55-087-0015-42401-2	2019-01-06 23:50		BD	Auto Calibration.	2019-05-22			
601 Plank Rd.								
55-087-0015-42401-2	2019-01-06 23:55		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-06 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:15	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:20	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:25	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:30	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:35	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 00:40	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 00:45	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-07 00:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 00:50	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 00:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:15	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:20	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 01:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 02:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 03:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 04:55	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 05:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 06:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 07:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-07 08:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 09:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 10:55	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 11:55	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:00	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:10	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:15	36.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:20	8.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-07 12:20	8.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:25	2.7			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:30	1.7			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:35	1.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:40	1.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:45	1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:50	.8			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 12:55	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:00	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-07 13:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:05	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:10	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:30	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:35	.9			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-07 13:40	1.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 13:40	1.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 13:45	1.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 13:50	.8			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 13:55	.9			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-07 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-08 22:55		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-08 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-10 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-11 22:45		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-11 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-13 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-14 00:05		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-14 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-15 23:00		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-15 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-17 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-18 22:50		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-18 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:05	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:10	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:15	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:20	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:25	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 10:30	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 10:35	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 10:40	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 10:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 10:50	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 10:55	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:05	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:15	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 11:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:40	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 11:55	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 11:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:05	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:15	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:20	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:25	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:30	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:35	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 12:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 12:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:15	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 13:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 13:55	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 13:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:35	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 14:35	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 14:55	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:05	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:10	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:15	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-19 15:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-19 15:55	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-19 15:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 10:35	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 10:40	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 10:45	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 10:50	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 10:55	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 10:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:10	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:30	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:35	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 11:35	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:45	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:50	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 11:55	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:05	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:15	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 12:15	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:25	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:30	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:40	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 12:55	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 12:55	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:10	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:15	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:35	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 13:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:45	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 13:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:15	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 14:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:30	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:35	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 14:55	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 14:55	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:05	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:10	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:35	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 15:35	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:45	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 15:55	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:05	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:15	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-20 16:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:25	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:35	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-20 16:55	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 16:55	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 17:00	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 17:05	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 17:10	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 17:15	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-20 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-21 01:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 10:50	.7			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 10:55	.8			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 11:00	.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 11:05	.6			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 11:10	.6			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 11:15	.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-21 11:20	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:25	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:30	.7			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:35	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:40	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:45	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 11:55	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:00	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-21 12:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:05	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:10	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:15	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:20	.7			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:25	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:30	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:35	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:40	.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-21 12:40	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:45	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:50	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 12:55	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 13:00	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 13:05	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 13:10	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 13:15	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-21 13:20	.5			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 13:20	.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 13:25	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 13:30	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 13:35	.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 13:55	.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-21 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-22 22:45		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-22 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-24 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-25 00:05		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 02:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 03:55	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 04:55	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 05:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 06:55	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 07:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-25 22:55		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-25 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-27 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-28 01:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-28 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 21:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-01-29 23:00		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-29 23:55	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 00:55	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 01:55	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 02:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 03:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 04:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-30 05:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-01-30 06:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 07:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 08:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 20:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 21:55	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 22:55	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-30 23:55	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-31 00:45		BD	Auto Calibration.	2019-05-22			
601 Plank Rd.								
55-087-0015-42401-2	2019-01-31 00:50		BD	Auto Calibration.	2019-05-22			
601 Plank Rd.								
55-087-0015-42401-2	2019-01-31 00:55		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 01:55	.7			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 02:55	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 03:55	.7			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 04:55	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 05:55	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 06:55	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-01-31 07:55	.4			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 07:55	.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 08:55	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 09:55	1.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-01-31 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-01 23:05		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-01 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-03 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-04 02:00		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-04 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-05 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-07 00:50		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-07 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-08 23:10		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-08 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:30	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:35	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:40	-.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:45	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:50	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 01:55	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 02:00	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 02:05	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 02:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:15	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:50	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 02:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 02:55	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:30	.2			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 03:30	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:35	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 03:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:10	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 04:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:30	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:50	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 04:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 04:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:00	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:10	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:30	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 05:30	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:35	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:40	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:50	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 05:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:05	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:10	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 06:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:15	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:50	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 06:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 06:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:10	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:15	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:20	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:25	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:30	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 07:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:35	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:45	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 07:55	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:00	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:05	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:10	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-09 08:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:20	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:30	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:40	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:45	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-09 08:50	.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 08:50	.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-09 08:55	.2			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-10 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-11 01:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-11 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-12 23:10		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-12 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-14 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-15 23:00		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-15 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-17 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 01:55		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 08:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 09:10		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 09:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 10:30		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 10:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 11:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 11:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 12:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 13:10		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 13:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 14:30		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 14:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 15:50		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 15:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 16:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 17:10		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 17:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:15		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:20		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:25		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2	2019-02-18 18:30		BF	Precision/Zero/Span.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:30		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:35		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:40		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:45		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 18:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-18 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-19 23:05		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-19 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-21 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 10:00	11.8			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-22 10:20	8.3			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 10:20	8.3			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 10:25	10.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-22 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 13:10	.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 13:15	.4			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 13:20	.5			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:25	.6			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-23 13:25	.6			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:30	.4			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:35	.5			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:40	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:50	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 13:55	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:00	.3			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:05	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-23 14:05	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:15	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:25	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:30	.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:45	.1			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-23 14:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:50	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 14:55	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:00	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:10	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:15	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:25	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-23 15:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:35	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:45	.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:50	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 15:55	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:00	-.2			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:05	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-02-23 16:05	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:10	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:15	-.1			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:20	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:25	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:30	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:35	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:40	0			2019-05-22			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2	2019-02-23 16:45	0			2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 16:45	0			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 16:50	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 16:55	.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 17:00	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-23 17:05	-.1			2019-05-22			
	Other Qualifiers:		3	Field Issue.		2019-05-22		
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-24 23:45		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-24 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 01:50		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 01:55		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 02:00		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 02:05		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 02:10		BF	Precision/Zero/Span.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-25 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 00:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 00:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-26 00:10		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 00:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 22:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 22:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 22:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 23:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 23:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-26 23:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-27 10:00		BK	Site computer/data logger down.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-27 10:05		BK	Site computer/data logger down.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-27 10:10		BK	Site computer/data logger down.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 00:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 00:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 00:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 01:00		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 01:05		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 01:10		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2	2019-02-28 23:45		BD	Auto Calibration.	2019-05-22			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 23:45		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 23:50		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-02-28 23:55		BD	Auto Calibration.	2019-05-22			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-01 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-03 01:05		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-03 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 01:50		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 01:55		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 02:00		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 02:05		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 02:10		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 03:30	.6			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 03:35	.5			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 03:40	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 03:45	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 03:50	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 03:55	.1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:00	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:05	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:10	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:15	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:20	.5			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 04:20	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:25	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:30	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:35	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:40	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:45	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:50	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 04:55	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:00	.7			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 05:00	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:05	.8			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:10	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:15	.9			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:20	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:25	.8			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:30	.9			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:35	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:40	.8			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 05:40	.8			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:45	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:50	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 05:55	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:00	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:05	.8			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:10	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:15	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:20	.2			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 06:20	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:25	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:30	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:35	.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:40	.6			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:45	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:50	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 06:55	.5			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:00	.7			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-04 07:00	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:05	.7			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:10	1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:15	1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:20	1.4			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:25	1.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:30	1.1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:35	1.1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-04 07:40	1			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 07:40	1			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 07:45	1.4			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 07:50	1.1			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 07:55	1			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-04 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 14:15	.2			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-05 22:45		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-05 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 12:30	.3			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 12:35	.1			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 12:40	.1			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-03-07 12:40	.1			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 12:45	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 12:50	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 12:55	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 13:00	.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 13:05	.3			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 13:10	1.2			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 13:15	1.8			2019-06-28			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2	2019-03-07 13:20	1.4			2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 13:20	1.4			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 13:25	4.2			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 13:30	6.1			2019-06-28			
	Other Qualifiers:		3	Field Issue.		2019-06-28		
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-07 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-08 23:05		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-08 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-10 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 01:50		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 01:55		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2	2019-03-11 02:00		BF	Precision/Zero/Span.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 02:00		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 02:05		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 02:10		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-11 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-12 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-14 00:50		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 08:50		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 08:55		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:00		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:05		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:10		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:15		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:20		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:25		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:30		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:35		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:40		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2	2019-03-14 09:45		AZ	Q C Audit.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:45		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:50		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 09:55		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:00		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:05		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:10		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:15		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:20		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:25		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:30		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:35		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:40		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 10:45		AZ	Q C Audit.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-14 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-15 00:00		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-15 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-17 23:50		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-17 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 01:50		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 01:55		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 02:00		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 02:05		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 02:10		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-18 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-19 22:45		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-19 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-21 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-22 00:05		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-22 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-24 23:55		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-24 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 01:50		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 01:55		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 02:00		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 02:05		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 02:10		BF	Precision/Zero/Span.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-25 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-26 22:50		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-26 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-28 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 00:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 00:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-03-29 00:10		BD	Auto Calibration.	2019-06-28			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 00:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 22:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 22:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 22:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 23:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 23:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-29 23:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 00:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 00:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 00:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 01:00		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 01:05		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 01:10		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 23:45		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 23:50		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2 601 Plank Rd.	2019-03-31 23:55		BD	Auto Calibration.	2019-06-28			
55-087-0015-42401-2	2019-04-01 00:00		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 01:50		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 01:55		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 02:00		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 02:05		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 02:10		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-01 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-02 22:55		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-02 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-04 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-05 22:45		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-05 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-07 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-08 00:05		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 01:50		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 01:55		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 02:00		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 02:05		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 02:10		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-08 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-09 23:00		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-09 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-11 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-12 22:50		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-12 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-14 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-15 00:10		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 01:50		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 01:55		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 02:00		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 02:05		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 02:10		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-15 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-16 23:05		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-16 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-18 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-19 22:55		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-19 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-21 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-22 01:50		BF	Precision/Zero/Span.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 01:50		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 01:55		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 02:00		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 02:05		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 02:10		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-22 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-23 23:10		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-23 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-25 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2	2019-04-26 23:00		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-26 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 00:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 00:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 00:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 01:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 01:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 01:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-28 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 01:50		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2	2019-04-29 01:55		BF	Precision/Zero/Span.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 01:55		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 02:00		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 02:05		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 02:10		BF	Precision/Zero/Span.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:30	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:35	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:40	0			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:45	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:50	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 14:55	-.1			2019-09-19			
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:00	-.1			2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-04-29 15:00	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:05	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:10	-.3			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:15	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:20	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:25	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:30	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:35	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:40	0			2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-04-29 15:40	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:45	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:50	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 15:55	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:00	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:05	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:10	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:15	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:20	-.1			2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-04-29 16:20	-.1			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:25	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:30	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:35	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:40	-.2			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:45	-.3			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:50	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 16:55	0			2019-09-19			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-09-19		
55-087-0015-42401-2	2019-04-29 23:45		BD	Auto Calibration.	2019-09-19			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 23:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 23:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-29 23:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 00:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 00:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 00:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 22:45		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 22:50		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 22:55		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 23:00		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 23:05		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-04-30 23:10		BD	Auto Calibration.	2019-09-19			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-02 01:05		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-02 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-03 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-05 00:55		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-05 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-06 11:20		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 11:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 12:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 12:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 13:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 14:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 14:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 15:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 15:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 16:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 16:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 17:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 18:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 18:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 19:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 19:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 20:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 20:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 21:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 22:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 22:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-06 23:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-06 23:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 00:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 00:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 01:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 02:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 02:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 03:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 03:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 04:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 04:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 05:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 06:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 06:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 07:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 07:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 08:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 08:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 09:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 10:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 10:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 11:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 11:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 12:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 12:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 13:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 14:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 14:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 15:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 15:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 16:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 16:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 17:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 18:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 18:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 19:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 19:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 20:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 20:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 21:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 22:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 22:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-07 23:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-07 23:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 00:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 00:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 01:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 02:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 02:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 03:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 03:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 04:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 04:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 05:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 06:00		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 06:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 07:20		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 07:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:15		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:20		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:25		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:30		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:35		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2	2019-05-08 08:40		BJ	Operator Error.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:40		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:45		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:50		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 08:55		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:00		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:05		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:10		BJ	Operator Error.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 09:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 10:00		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 10:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 11:20		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 11:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 12:40		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 12:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 13:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 14:00		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 14:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 15:20		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 15:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 16:40		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 16:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 17:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-08 18:00		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 18:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 19:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-08 19:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-09 00:55		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 05:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-09 06:30		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 06:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-09 07:50		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 07:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:15		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:20		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:25		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:30		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:35		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:40		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 08:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-09 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-10 00:05		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-10 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-12 23:55		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-12 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 23:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 23:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-13 23:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 00:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 00:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 00:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 22:45		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-05-14 22:50		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 22:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 22:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 23:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 23:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-14 23:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-16 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-17 00:10		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-17 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-19 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-20 00:00		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-20 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-21 22:55		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-21 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-23 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-24 22:45		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-24 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-26 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-27 00:05		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-27 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-28 23:00		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-28 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-30 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-05-31 22:50		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-05-31 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-02 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-03 00:10		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-03 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-04 23:05		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-04 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-06 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-07 22:55		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-07 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-09 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-10 01:50		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-10 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-11 23:10		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-11 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-13 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-14 23:00		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-14 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-16 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-06-17 01:55		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-17 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-18 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-20 00:45		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-20 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-21 23:05		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-21 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-23 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 01:50		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 01:55		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2	2019-06-24 02:00		BF	Precision/Zero/Span.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 02:00		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 02:05		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 02:10		BF	Precision/Zero/Span.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-24 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-25 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-27 00:50		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-27 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 00:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 00:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 00:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 22:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 22:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 22:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 23:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 23:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2	2019-06-28 23:10		BD	Auto Calibration.	2019-09-23			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-06-28 23:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 00:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 00:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 00:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 01:00		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 01:05		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 01:10		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 23:45		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 23:50		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-06-30 23:55		BD	Auto Calibration.	2019-09-23			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-07-01 02:05		BF	Precision/Zero/Span.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-01 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-02 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-04 00:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-04 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-05 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-07 00:45		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-07 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-07-08 02:10		BF	Precision/Zero/Span.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-08 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-09 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-11 01:00		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-11 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-12 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-14 00:50		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-14 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-07-15 23:45		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-15 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-16 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-18 01:05		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-18 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-19 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-21 00:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-21 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-22 23:50		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-22 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-23 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-25 01:10		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-25 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-26 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-28 01:00		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-28 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-07-29 23:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-07-29 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-07-30 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-01 23:45		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-01 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-02 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-04 01:05		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-04 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 09:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 09:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-08-05 10:05		BF	Precision/Zero/Span.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:15		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:20		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:25		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:30		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:35		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:40		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:45		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 10:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:15		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:20		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-08-05 11:25		BF	Precision/Zero/Span.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:25		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:30		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:35		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:40		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:45		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 11:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:15		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:20		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:25		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:30		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:35		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:40		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2	2019-08-05 12:45		BF	Precision/Zero/Span.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:45		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 12:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:15		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:20		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:25		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:30		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:35		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:40		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:45		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 13:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-05 23:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-05 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:15		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:20		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:25		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:30		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:35		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:40		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:45		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:50		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 07:55		BA	Maintenance/Routine Repairs.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-06 23:00		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-06 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-08 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-09 22:50		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-09 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-11 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-12 00:10		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-12 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 08:50	.2			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 08:55	.4			2019-11-08			
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:00	.2			2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-08-13 09:00	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:05	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:10	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:15	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:20	.5			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:25	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:30	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:35	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:40	.3			2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-08-13 09:40	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:45	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:50	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 09:55	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:00	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:05	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:10	.1			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:15	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:20	.1			2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-08-13 10:20	.1			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:25	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:30	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:35	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:40	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:45	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:50	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 10:55	.4			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:00	.2			2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-08-13 11:00	.2			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:05	.5			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:10	.1			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:15	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:20	.3			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:25	.5			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:30	.8			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 11:55	1.1			2019-11-08			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2019-11-08		
55-087-0015-42401-2	2019-08-13 22:45		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-13 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-15 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-16 00:05		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-16 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-18 23:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-18 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-19 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-20 22:50		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-20 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-22 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-23 00:10		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-23 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-25 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-26 00:00		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 01:50		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 01:55		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 02:00		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 02:05		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 02:10		BF	Precision/Zero/Span.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-26 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-27 22:55		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-27 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 00:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 00:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 00:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 01:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 01:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 01:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 23:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 23:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-29 23:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 00:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 00:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 00:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2	2019-08-30 22:45		BD	Auto Calibration.	2019-11-08			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 22:45		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 22:50		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 22:55		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 23:00		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 23:05		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-08-30 23:10		BD	Auto Calibration.	2019-11-08			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-01 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-02 00:05		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 01:50		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 01:55		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 02:00		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 02:05		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 02:10		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-02 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-03 23:00		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-03 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-05 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-06 22:50		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-06 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-08 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-09 00:10		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 01:50		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 01:55		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 02:00		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 02:05		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 02:10		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-09 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-10 23:05		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-10 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-12 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-13 22:55		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-13 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-15 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-16 01:50		BF	Precision/Zero/Span.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 01:50		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 01:55		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 02:00		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 02:05		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 02:10		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-16 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-17 23:10		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-17 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-19 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-20 23:00		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-20 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-22 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 01:50		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2	2019-09-23 01:55		BF	Precision/Zero/Span.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 01:55		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 02:00		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 02:05		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 02:10		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-23 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-24 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-26 00:45		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-26 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 22:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 22:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 22:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 23:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2	2019-09-27 23:05		BD	Auto Calibration.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 23:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-27 23:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 00:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 00:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 00:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 01:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 01:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 01:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-29 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 00:00		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 00:05		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 00:10		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 01:50		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 01:55		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2	2019-09-30 02:00		BF	Precision/Zero/Span.	2019-12-20			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 02:00		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 02:05		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 02:10		BF	Precision/Zero/Span.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 23:45		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 23:50		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-09-30 23:55		BD	Auto Calibration.	2019-12-20			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-01 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-03 00:50		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-03 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-04 23:10		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-04 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-06 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 01:50		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 01:55		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 02:00		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2	2019-10-07 02:05		BF	Precision/Zero/Span.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 02:05		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 02:10		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-07 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-08 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-10 00:55		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-10 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-11 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-13 00:45		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-13 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 01:50		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 01:55		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 02:00		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 02:05		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2	2019-10-14 02:10		BF	Precision/Zero/Span.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 02:10		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-14 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-15 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-17 01:00		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 06:55		AV	Power Failure.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-17 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-18 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-20 00:45		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-20 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 01:50		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 01:55		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 02:00		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 02:05		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2	2019-10-21 02:10		BF	Precision/Zero/Span.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 02:10		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-21 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-22 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-24 01:00		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-24 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-25 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-27 00:50		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-27 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 01:50		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 01:55		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 02:00		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 02:05		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 02:10		BF	Precision/Zero/Span.	2020-02-06			
55-087-0015-42401-2	2019-10-28 23:45		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-28 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 00:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 00:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 00:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 22:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 22:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 22:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 23:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 23:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-29 23:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 00:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 00:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 00:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 01:00		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2	2019-10-31 01:05		BD	Auto Calibration.	2020-02-06			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 01:05		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 01:10		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 23:45		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 23:50		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-10-31 23:55		BD	Auto Calibration.	2020-02-06			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-01 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-03 00:55		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-03 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 01:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 01:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 02:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 02:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 02:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-04 23:50		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-04 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 12:35		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 12:40		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 12:45		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 12:50		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 12:55		BA	Maintenance/Routine Repairs.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 13:30	.2			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 13:35	.1			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 13:40	0			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-05 15:15		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:40		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:45		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 15:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2	2019-11-05 16:35		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:40		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:45		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 16:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 17:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-05 23:10		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-05 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:40		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:45		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 08:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2	2019-11-06 09:25		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:40		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:45		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 09:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:40		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2	2019-11-06 10:45		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:45		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 10:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:15		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:20		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:25		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:30		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-06 11:35		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-07 01:10		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-07 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-08 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-10 01:00		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-10 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 01:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 01:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 02:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 02:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 02:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-11 23:55		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-11 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-12 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-13 02:00	0			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2 601 Plank Rd.	2019-11-13 02:05	0			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2 601 Plank Rd.	2019-11-13 02:10	.4			2020-02-12			
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:15	.3			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 02:15	.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:20	.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:25	0			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:30	0			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:35	.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:40	0			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:45	.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:50	.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 02:55	.5			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 02:55	.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:00	.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:05	14.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:10	21.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:15	28.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:20	16.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:25	32.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:30	41.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:35	65.9			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 03:35	65.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:40	42.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:45	12.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:50	6.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 03:55	18			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:00	132.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:05	45.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:10	90.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:15	44.2			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 04:15	44.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:20	33.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 04:55	47			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 05:55	75.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:10	31.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:15	21.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:20	21.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:25	10.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:30	15.7			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 06:30	15.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:35	11.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:40	10.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:45	6.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:50	4.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 06:55	4.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:00	3.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:05	2.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:10	2.4			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 07:10	2.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:15	2.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:20	2.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:25	1.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:30	1.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:35	1.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:40	2.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:45	2.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:50	15.5			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 07:50	15.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 07:55	5.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:00	3.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:05	3.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:10	5.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:15	5.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:20	4.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:25	2.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:30	1.9			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 08:30	1.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:35	2.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:40	2.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:45	5.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:50	12.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 08:55	6.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:00	4.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:05	3.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:10	2.6			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 09:10	2.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:15	2.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:20	2.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:25	4.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:30	21.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:35	20.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:40	11.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:45	7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:50	5			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 09:50	5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 09:55	17.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:00	15.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:05	7.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:10	5.7			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:15	4.5			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:20	3.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:25	3.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:30	2.8			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 10:30	2.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:35	2.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:40	2.1			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:45	2.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:50	2.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 10:55	2.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:00	1.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:05	2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:10	1.9			2020-02-12			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-11-13 11:10	1.9			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:15	1.8			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:20	1.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:25	1.4			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:30	1.6			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:35	1.3			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:40	1.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-13 11:55	1.2			2020-02-12			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-02-12		
55-087-0015-42401-2	2019-11-14 00:45		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-14 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-15 23:05		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-15 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-17 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 01:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 01:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2	2019-11-18 02:00		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 02:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 02:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 02:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-18 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-19 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-21 00:50		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-21 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-22 23:10		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-22 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-24 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 01:50		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 01:55		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 02:00		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2	2019-11-25 02:05		BF	Precision/Zero/Span.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 02:05		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 02:10		BF	Precision/Zero/Span.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-25 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-26 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 00:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 00:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-11-28 00:55		BD	Auto Calibration.	2020-02-13			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 00:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 01:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 01:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 01:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 23:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 23:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-28 23:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 00:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 00:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 00:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 22:45		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 22:50		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 22:55		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 23:00		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 23:05		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2 601 Plank Rd.	2019-11-29 23:10		BD	Auto Calibration.	2020-02-13			
55-087-0015-42401-2	2019-12-01 00:45		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 11:35	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 11:40	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 11:45	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 11:50	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 11:55	-.1			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:00	-.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-01 12:00	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:05	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:10	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:20	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:35	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:40	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-01 12:40	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:50	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 12:55	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:05	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:10	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:15	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:20	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-01 13:20	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:25	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:35	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 13:55	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:00	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-01 14:00	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:10	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:15	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:20	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:25	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:30	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:35	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:40	0			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-01 14:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:45	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:50	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 14:55	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 15:00	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 15:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 15:10	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 15:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-01 23:45		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-01 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 01:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 01:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 02:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 02:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 02:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 09:20	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 09:25	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 09:30	.2			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-02 09:35	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 09:40	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 09:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 09:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 09:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:15	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-02 10:15	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:20	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:35	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:40	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 10:55	0			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-02 10:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:20	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:25	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:30	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:35	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-02 11:35	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:40	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:45	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 11:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:05	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:15	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-02 12:15	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:20	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:35	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:40	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:45	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-02 12:55	.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 12:55	.1			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 13:00	-.1			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 13:05	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 13:10	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 13:15	-.1			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-02 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-03 22:45		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-03 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:20		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:25		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:30		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:35		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2	2019-12-05 08:40		BA	Maintenance/Routine Repairs.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:40		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:45		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:50		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 08:55		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:00		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:05		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:10		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:15		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:20		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:25		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 09:30		BA	Maintenance/Routine Repairs.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 12:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 12:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2	2019-12-05 13:15		BF	Precision/Zero/Span.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:15		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:20		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:25		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:30		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:35		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:40		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:45		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 13:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:15		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:20		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:25		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:30		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2	2019-12-05 14:35		BF	Precision/Zero/Span.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:35		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 14:40		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-05 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:45		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:50		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 08:55		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:05		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2	2019-12-06 09:10		AY	Q C Control Points	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:10		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:15		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:45		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:50		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 09:55		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:05		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:10		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:15		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2	2019-12-06 10:30		AY	Q C Control Points	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 10:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-06 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-08 23:50		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-08 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 01:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 01:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 02:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 02:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 02:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-09 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-10 22:45		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-10 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 01:45	-.2			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 01:50	0			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 01:55	-.2			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 02:00	-.2			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 02:05	-.2			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:10	-.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 02:10	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:15	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:20	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:30	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:35	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:40	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:45	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:50	-.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 02:50	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 02:55	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:00	-.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:05	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:10	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:15	-.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:20	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:25	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:30	-.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 03:30	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:35	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:40	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:45	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:50	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 03:55	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:00	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:10	0			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 04:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:15	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:20	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:25	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:35	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:50	-.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 04:50	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 04:55	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:00	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:20	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:30	-.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 05:30	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:35	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:40	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:45	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:50	-.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 05:55	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:05	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:10	0			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 06:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:20	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:30	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:35	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:45	-.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:50	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 06:50	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 06:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:00	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:10	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:15	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:20	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:25	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:30	-.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 07:30	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:35	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:45	-.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:50	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 07:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 16:40	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 16:45	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 16:50	.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 16:50	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 16:55	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:00	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:10	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:15	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:20	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:25	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:30	.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 17:30	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:35	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:50	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 17:55	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:00	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:05	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:10	.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 18:10	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:15	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:20	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:25	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:30	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:35	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:40	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:45	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:50	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 18:50	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 18:55	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:00	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:10	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:15	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:20	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:25	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:30	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 19:30	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:35	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:40	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:45	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:50	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 19:55	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:00	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:05	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:10	0			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 20:10	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:15	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:20	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:25	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:30	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:35	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:45	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:50	.1			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 20:50	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 20:55	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:00	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:10	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:15	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:20	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:25	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:30	.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 21:30	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:35	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:45	0			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:50	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 21:55	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:00	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:10	.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 22:10	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:15	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:20	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:25	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:30	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:35	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:45	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:50	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-11 22:50	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 22:55	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:00	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:10	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:15	.1			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:20	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:25	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-11 23:30	.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 23:30	.3			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 23:35	.4			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 23:40	.5			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 23:45	.3			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-11 23:50	.3			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 00:15	.4			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 00:20	.5			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-12 00:55		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:20	.8			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:25	.6			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:30	.7			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 01:35	.7			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 02:00	.5			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 02:05	.6			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 02:10	.5			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 02:10	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 02:15	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 02:35	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 02:40	.6			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 02:45	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:05	.6			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:10	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:15	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:40	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 03:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:45	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:50	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 03:55	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:10	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:15	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:20	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:25	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:45	.4			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 04:45	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:50	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 04:55	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 05:00	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 05:20	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 05:25	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 05:30	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 05:35	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:00	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 06:00	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:10	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:35	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:40	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 06:45	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 07:10	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 07:15	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 07:45	.2			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 07:45	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 07:50	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 08:20	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 08:25	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 09:05	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 09:35	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 09:40	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:10	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:15	.3			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 10:15	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:20	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:25	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:30	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 10:55	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:00	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:05	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:10	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:45	.4			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2019-12-12 11:45	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:50	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 11:55	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 12:30	.3			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 12:35	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 12:40	.4			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 12:45	.5			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 13:25	.2			2020-03-27			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2	2019-12-12 13:30	.4			2020-03-27			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 13:30	.4			2020-03-27			
	Other Qualifiers:		3	Field Issue.		2020-03-27		
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-12 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 12:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 12:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 12:45		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 12:50		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 12:55		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:05		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:10		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2	2019-12-13 13:15		AY	Q C Control Points	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:15		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 13:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-13 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-15 01:10		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-15 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 01:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 01:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 02:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 02:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 02:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-16 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-17 00:05		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-17 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-19 23:55		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-19 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-20 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-22 23:45		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-22 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 01:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 01:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 02:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 02:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 02:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2	2019-12-23 11:45		AY	Q C Control Points	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:45		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:50		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 11:55		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:00		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:05		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:10		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:15		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 12:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-23 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-24 00:05		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:05		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:10		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:15		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:20		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:25		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:30		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:35		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:40		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:45		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 10:50		AY	Q C Control Points (zero/span).	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-24 23:05		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-24 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-26 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-27 22:55		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-27 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 00:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 00:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 00:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 01:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 01:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 01:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-29 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-30 01:50		BF	Precision/Zero/Span.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 01:50		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 01:55		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 02:00		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 02:05		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 02:10		BF	Precision/Zero/Span.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 23:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 23:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-30 23:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 00:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 00:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 00:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 22:45		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 22:50		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 22:55		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 23:00		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 23:05		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2	2019-12-31 23:10		BD	Auto Calibration.	2020-03-30			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2019-12-31 23:10		BD	Auto Calibration.	2020-03-30			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 09:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-01-02 10:15		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 10:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-01-02 11:35		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 11:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-02 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-03 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-05 00:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-05 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 01:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 01:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 02:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 02:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-01-06 23:45		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-06 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-07 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-09 01:05		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 13:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 14:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 14:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-09 23:55		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-09 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-10 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-12 21:05	0			2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2020-01-12 21:05	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 21:10	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 21:45	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 21:50	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 21:55	-.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 22:40	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 23:20	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 23:25	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-12 23:30	.1			2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 23:30	.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-12 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 00:20	.2			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 01:00	-.2			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 01:10	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 01:15	.2			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:20	.1			2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2020-01-13 01:20	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:25	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:30	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:35	-.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:40	.2			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:45	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 01:50		BF	Precision/Zero/Span.	2020-06-25			
601 Plank Rd.								
55-087-0015-42401-2	2020-01-13 01:55		BF	Precision/Zero/Span.	2020-06-25			
601 Plank Rd.								
55-087-0015-42401-2	2020-01-13 02:00		BF	Precision/Zero/Span.	2020-06-25			
601 Plank Rd.								
55-087-0015-42401-2	2020-01-13 02:05		BF	Precision/Zero/Span.	2020-06-25			
601 Plank Rd.								
55-087-0015-42401-2	2020-01-13 02:10		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:15	.2			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:20	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:25	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:30	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:35	.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:40	.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:45	0			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 02:50	-.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2020-01-13 02:55	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 03:00	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 03:05	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 03:10	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:00	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:05	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:10	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:15	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:20	-.1			2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2	2020-01-13 04:20	-.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:25	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 04:55	-.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 05:55	.1			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 06:00	.2			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 06:05	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 07:50	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 12:35	0			2020-06-25			
601 Plank Rd.								
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2	2020-01-13 12:40	.1			2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 12:40	.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 16:05	.1			2020-06-25			
	Other Qualifiers:		3	Field Issue.		2020-06-25		
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-13 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-14 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-16 00:45		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-16 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-17 23:05		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-17 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-19 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 01:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 01:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-01-20 02:00		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 02:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 02:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-20 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-21 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-23 00:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-23 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-24 23:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-24 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-26 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 01:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 01:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 02:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-01-27 02:05		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 02:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-27 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-28 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-01-30 00:55		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-30 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-01-31 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-02 00:45		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-02 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 01:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 01:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 02:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 02:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-02-03 02:10		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-03 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-04 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-06 01:00		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-06 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 22:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 22:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 22:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 23:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 23:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-07 23:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 00:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-09 00:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 00:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 00:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 01:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 01:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 01:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-09 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 01:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 01:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 02:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 02:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 02:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-02-10 23:45		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 23:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 23:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-10 23:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 00:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 00:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 00:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 12:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 12:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 12:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 12:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 12:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-02-11 13:25		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 13:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-02-11 14:45		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 14:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 15:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 16:05		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 16:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 17:25		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 17:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 18:45		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 18:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 19:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 20:05		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 20:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 21:25		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 21:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-11 22:45		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 22:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-11 23:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 00:05		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 00:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 01:25		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 01:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 02:45		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 02:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 03:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 04:05		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 04:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 05:25		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 05:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 06:45		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 06:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 07:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 08:05		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 08:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 09:25		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 09:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:05		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:10		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:15		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:20		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:25		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:40		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2	2020-02-12 10:45		BA	Maintenance/Routine Repairs.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:45		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 10:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:05		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:10		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:15		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:20		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:25		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:30		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:35		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:40		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:45		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:50		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 11:55		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-12 12:05		BC	Multi-point Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:05		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:10		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:15		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:20		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:25		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:30		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:35		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:40		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:45		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:50		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 12:55		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:05		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:10		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:15		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:20		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-12 13:25		BC	Multi-point Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:25		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:30		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:35		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:40		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:45		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:50		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 13:55		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:05		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:10		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:15		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:20		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:25		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:30		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:35		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:40		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-12 14:45		BC	Multi-point Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:45		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:50		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 14:55		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:00		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:05		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:10		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:15		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:20		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:25		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-12 15:30		BC	Multi-point Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-13 09:30		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-13 09:50		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-13 09:55		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-13 10:00		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-13 10:35		BA	Maintenance/Routine Repairs.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-14 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-14 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-15 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-16 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-16 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-17 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-18 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-19 02:00		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-19 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-20 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-21 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-22 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-22 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-23 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-24 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-24 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 08:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 08:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 08:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-02-25 09:30		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 09:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 10:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 10:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-25 10:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-26 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-27 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-27 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-28 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-02-29 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-02-29 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-01 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-02 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-03 02:00		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-03 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-04 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-05 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-06 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-06 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-07 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-08 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-08 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 06:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 06:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 06:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-03-09 07:30		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 07:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 08:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 08:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-09 08:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-10 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-11 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-11 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-12 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-13 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-13 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-14 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-15 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-16 02:00		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-16 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-17 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-18 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-19 01:50		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-19 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-20 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-21 02:10		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-21 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-22 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 08:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:00		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:05		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2	2020-03-23 09:10		BF	Precision/Zero/Span.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:10		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:15		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:20		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:25		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:30		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:35		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:40		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:45		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:50		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-23 09:55		BF	Precision/Zero/Span.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-24 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-25 01:45		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-25 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-26 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-27 02:05		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-27 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-28 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-29 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2	2020-03-30 01:55		BD	Auto Calibration.	2020-06-25			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-30 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 01:45		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 01:50		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 01:55		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 02:00		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 02:05		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-03-31 02:10		BD	Auto Calibration.	2020-06-25			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-01 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-02 01:45		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-02 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-03 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-04 02:05		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-04 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-05 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-06 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-07 01:55		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-07 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 06:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 06:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 06:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2	2020-04-08 07:15		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-08 07:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-09 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-10 02:10		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-10 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-11 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-12 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-13 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-13 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-14 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-15 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-16 01:50		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 11:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 11:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 11:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2	2020-04-16 12:40		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 12:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 13:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2	2020-04-16 14:00		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 14:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 15:20		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 15:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 16:40		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 16:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 17:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 18:00		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 18:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 19:20		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 19:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 20:40		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 20:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 21:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 22:00		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 22:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-16 23:20		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-16 23:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-17 00:40		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 00:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 01:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-17 02:00		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 02:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-17 03:20		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 03:55		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:00		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:05		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:10		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:15		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:20		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:25		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:30		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:35		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2	2020-04-17 04:40		AS	Poor Quality Assurance	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:40		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:45		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:50		AS	Poor Quality Assurance Results.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 04:55		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:00		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:05		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:10		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:15		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:20		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:25		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:30		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:35		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:40		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:45		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:50		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 05:55		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2	2020-04-17 06:00		AY	Q C Control Points	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 06:00		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 06:05		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-17 06:10		AY	Q C Control Points (zero/span).	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-18 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-19 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-20 01:50		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-20 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 06:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2	2020-04-21 07:20		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-21 07:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-22 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-23 02:05		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-23 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-24 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-25 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-26 01:55		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-26 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 00:40		AM	Miscellaneous Void.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-27 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-04-28 02:10		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-04-28 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-29 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-04-30 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-01 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-01 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-02 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-03 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-04 01:50		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 09:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 09:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 09:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2	2020-05-04 10:40		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 10:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-04 11:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-05 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-06 01:45		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-06 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-07 13:50		AM	Miscellaneous Void.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-08 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-08 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-09 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-10 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-11 01:50		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-11 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-12 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-13 02:10		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-13 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-14 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-15 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-16 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-16 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-17 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 08:55		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:00		BF	Precision/Zero/Span.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:00		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:05		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:10		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:15		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:20		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:25		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:30		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:35		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:40		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:45		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-18 09:50		BF	Precision/Zero/Span.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-19 02:10		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-19 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-20 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-21 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-22 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-22 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-23 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-24 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-25 01:50		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-25 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-26 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-27 02:10		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-27 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-28 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-29 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2	2020-05-30 02:00		BD	Auto Calibration.	2020-09-11			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-30 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 01:45		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 01:50		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 01:55		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 02:00		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 02:05		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-05-31 02:10		BD	Auto Calibration.	2020-09-11			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-01 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 01:50		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 06:45		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 06:50		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 06:55		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:00		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:05		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:10		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:15		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:20		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:25		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:30		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:35		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2	2020-06-02 07:40		BF	Precision/Zero/Span.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:40		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:45		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-02 07:50		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-03 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-04 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-05 01:50		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-05 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-06 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-07 02:10		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-07 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-08 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-09 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-10 02:00		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-10 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-11 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-12 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-13 01:50		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-13 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-14 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-15 02:10		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 12:45		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-15 12:50		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:15		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:20		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:25		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:30		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:35		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:40		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:45		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2	2020-06-16 08:50		BF	Precision/Zero/Span.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:50		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 08:55		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 09:00		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 09:05		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 12:45		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 12:50		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 12:55		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 13:00		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 13:05		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 13:10		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 13:45		AM	Miscellaneous Void.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:05		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:10		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:15		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:20		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:25		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2	2020-06-16 14:30		BA	Maintenance/Routine Repairs.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-16 14:30		BA	Maintenance/Routine Repairs.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-17 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-18 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-19 02:00		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-19 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 04:55		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:00		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:05		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:10		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:15		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:20		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:25		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2	2020-06-20 05:30		AV	Power Failure.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:30		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:35		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:40		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:45		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:50		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 05:55		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:00		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:05		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:10		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:15		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:20		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:25		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:30		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:35		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:40		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:45		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2	2020-06-20 06:50		AV	Power Failure.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:50		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 06:55		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:00		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:05		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:10		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:15		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:20		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:25		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:30		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:35		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:40		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:45		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:50		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 07:55		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:00		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:05		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2	2020-06-20 08:10		AV	Power Failure.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:10		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:15		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:20		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:25		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:30		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:35		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:40		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:45		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:50		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-20 08:55		AV	Power Failure.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-21 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-22 01:45		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-22 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-23 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-24 02:05		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-24 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-25 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-26 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-27 01:55		BD	Auto Calibration.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-27 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-28 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2	2020-06-29 11:45		BF	Precision/Zero/Span.	2020-10-01			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 11:45		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 11:50		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 11:55		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 12:00		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 12:05		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 12:10		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-29 12:15		BF	Precision/Zero/Span.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 01:45		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 01:50		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 01:55		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 02:00		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 02:05		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-06-30 02:10		BD	Auto Calibration.	2020-10-01			
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-01 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-01 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-02 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-03 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-04 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-04 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-05 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-06 02:10		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-06 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-07 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-08 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-09 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 11:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2	2020-07-09 12:05		BF	Precision/Zero/Span.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 12:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2	2020-07-09 13:25		BF	Precision/Zero/Span.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 13:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 14:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 14:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-09 14:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-10 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-11 01:45		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-11 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-12 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-13 02:05		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-13 09:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-14 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-14 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-15 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-16 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-17 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-17 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-18 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-19 02:10		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-19 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-20 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-21 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-22 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-22 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-23 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-24 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-25 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-25 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 08:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 08:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 09:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 10:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 10:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 11:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 11:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 12:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 12:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 13:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 14:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 14:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 15:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 15:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 16:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 16:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 17:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 18:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 18:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 19:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 19:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 20:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 20:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 21:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 22:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 22:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-26 23:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-26 23:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 00:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 00:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 01:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 02:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 02:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 03:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 03:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 04:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 04:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 05:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 06:15		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 06:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 07:35		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 07:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:15		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:20		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:25		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:30		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:35		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:40		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:45		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:50		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2	2020-07-27 08:55		BK	Site computer/data logger	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 08:55		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 09:00		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 09:05		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 09:10		BK	Site computer/data logger down.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-27 14:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-07-28 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-28 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-29 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-07-30 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-01 01:50		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-01 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-02 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-03 02:10		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-03 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-04 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-05 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-06 02:00		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-06 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-07 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-08 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-09 01:50		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-09 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 08:45		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 08:50		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 08:55		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 09:00		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 09:05		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2	2020-08-10 09:10		BF	Precision/Zero/Span.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 09:10		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 09:15		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-10 09:20		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-11 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-12 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-13 01:50		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-13 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-14 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-15 02:10		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-15 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-16 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-17 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-18 02:00		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-18 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-19 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-20 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-21 01:50		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-21 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-22 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-23 02:10		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-23 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:30		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:35		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:40		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:45		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:50		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 07:55		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 08:00		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 08:05		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 08:10		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2	2020-08-24 08:15		BF	Precision/Zero/Span.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-24 08:15		BF	Precision/Zero/Span.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-25 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-26 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-27 02:00		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-27 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-28 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-29 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2	2020-08-30 01:50		BD	Auto Calibration.	2020-12-17			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-30 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 01:45		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 01:50		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 01:55		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 02:00		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 02:05		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-08-31 02:10		BD	Auto Calibration.	2020-12-17			
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-01 02:10		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-01 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-02 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-03 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-04 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-04 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-05 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-06 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-07 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-07 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2	2020-09-08 11:35		BF	Precision/Zero/Span.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 11:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 12:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 12:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 12:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-08 12:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-09 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-10 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-10 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-11 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-12 02:10		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-12 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-13 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-14 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-15 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:20		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:25		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:30		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:35		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:40		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:45		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:50		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 13:55		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:00		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:05		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:10		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:15		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:20		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2	2020-09-15 14:25		AZ	Q C Audit.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:25		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:30		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:35		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:40		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:45		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:50		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 14:55		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:00		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:05		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:10		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:15		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:20		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:25		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:30		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:35		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:40		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2	2020-09-15 15:45		AZ	Q C Audit.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:45		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:50		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 15:55		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:00		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:05		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:10		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:15		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:20		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:25		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:30		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:35		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:40		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:45		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-15 16:50		AZ	Q C Audit.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-16 01:55		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 07:00		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 07:05		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-16 07:10		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 06:25		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 06:30		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:20		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2	2020-09-17 10:25		AM	Miscellaneous Void.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:25		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:30		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:35		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:40		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:45		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:50		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 10:55		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:00		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:05		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:10		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:15		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:20		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:25		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:30		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:35		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:40		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2	2020-09-17 11:45		AM	Miscellaneous Void.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:45		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:50		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 11:55		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:00		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:05		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:10		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:15		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:20		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:25		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:30		AM	Miscellaneous Void.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 12:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-17 13:10		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 13:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-17 14:30		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-17 14:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 07:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 07:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 07:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-18 08:30		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 08:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-18 09:50		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 09:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 10:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-18 11:10		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 11:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2	2020-09-18 12:30		BA	Maintenance/Routine Repairs.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:35		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:40		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:45		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:50		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 12:55		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:00		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:05		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:10		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:15		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:20		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:25		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-18 13:30		BA	Maintenance/Routine Repairs.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-19 02:00		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-19 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-20 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-21 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-22 01:50		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-22 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-23 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-24 02:10		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-24 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:45		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:50		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 10:55		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:00		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2	2020-09-25 11:05		BF	Precision/Zero/Span.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:05		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:10		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:15		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:20		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:25		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:30		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:35		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-25 11:40		BF	Precision/Zero/Span.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-26 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2	2020-09-27 01:55		BD	Auto Calibration.	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-27 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:20		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:25		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:30		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:35		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:40		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:45		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2	2020-09-28 07:50		AY	Q C Control Points	2020-12-10			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:50		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 07:55		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-28 08:00		AY	Q C Control Points (zero/span).	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-29 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 01:45		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 01:50		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 01:55		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 02:00		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 02:05		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-09-30 02:10		BD	Auto Calibration.	2020-12-10			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 01:50		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:00		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:05		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:10		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:15		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:20		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:25		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:30		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:35		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:40		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:45		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:50		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2	2020-10-01 08:55		BK	Site computer/data logger	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 08:55		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:00		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:05		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:10		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:15		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:20		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:25		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:30		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:35		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:40		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:45		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 09:50		BK	Site computer/data logger down.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:05		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:10		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:15		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2	2020-10-01 10:20		BA	Maintenance/Routine Repairs.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:20		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:25		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:30		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:35		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:40		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:50		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-01 10:55		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-02 20:15		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-03 01:50		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-03 04:55		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-04 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-05 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-05 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-06 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-07 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-08 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-08 05:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 14:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 14:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 14:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-10-09 15:10		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 15:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-09 16:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-10-10 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-10 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-11 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-12 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-12 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-13 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-14 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-15 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-15 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-16 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-17 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-18 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-18 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-19 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-20 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-20 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-21 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-22 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-23 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-23 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-24 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-25 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-26 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-26 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-27 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-28 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-28 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-29 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-30 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-10-31 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-10-31 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-01 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-02 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-03 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 09:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 09:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 09:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 10:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 10:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 10:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 10:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-03 10:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-04 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-04 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-05 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-06 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-07 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-07 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-08 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-09 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-09 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-10 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-11 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-12 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-12 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-13 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-14 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-15 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-15 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-16 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-17 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 08:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 08:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-17 09:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-18 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-19 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 09:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:25		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:30		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:35		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:40		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:45		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:50		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-19 12:55		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-20 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-20 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-21 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-22 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-23 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 13:55		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 14:00		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-23 14:05		AM	Miscellaneous Void.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-24 16:05		AV	Power Failure.	2021-01-07			
55-087-0015-42401-2	2020-11-25 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-25 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-26 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-27 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-27 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-28 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-29 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-11-30 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 09:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-11-30 10:05		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 10:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-11-30 11:25		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 11:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-11-30 12:45		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 12:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 13:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 14:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2	2020-11-30 14:05		BA	Maintenance/Routine Repairs.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-11-30 14:05		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 06:45		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 06:50		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 06:55		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:00		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:05		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:10		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:15		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:20		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:25		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2	2020-12-01 07:30		AY	Q C Control Points	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:30		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:35		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:40		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:45		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:50		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-01 07:55		AY	Q C Control Points (zero/span).	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-02 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-03 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-03 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-04 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-05 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-06 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-06 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-07 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-08 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-09 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-09 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-12-10 11:25		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 11:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-10 12:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-12-11 01:45		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-11 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-12 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-13 02:05		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-13 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-14 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-15 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-16 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 07:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 07:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 07:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-12-16 08:45		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 08:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-16 20:30		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 08:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 08:50		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 08:55		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:05		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:10		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2	2020-12-17 09:15		BA	Maintenance/Routine Repairs.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:15		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:20		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:25		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:30		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:35		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:40		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:50		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 09:55		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:05		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:10		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:15		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:20		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:25		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:30		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2	2020-12-17 10:35		BA	Maintenance/Routine Repairs.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:35		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:40		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:45		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:50		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 10:55		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:00		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:05		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:10		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:15		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:20		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:25		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:30		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:35		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-17 11:40		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-18 01:55		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-18 08:35		BA	Maintenance/Routine Repairs.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-19 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-20 02:10		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-20 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-21 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-22 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-23 02:00		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-23 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-24 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-25 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-26 01:50		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-26 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-27 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2	2020-12-28 02:10		BD	Auto Calibration.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-28 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-29 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 01:45		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 01:50		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 01:55		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 02:00		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 02:05		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 02:10		BD	Auto Calibration.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 07:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 07:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 07:55		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2	2020-12-30 08:00		BF	Precision/Zero/Span.	2021-01-07			

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Key / Site Address	Sample Date-Time	Sample Value	Code	Description	Action Date	NAAQS Standard	Concurrence Ind	Concurrence Date
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:00		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:05		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:10		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:15		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:20		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:25		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:30		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:35		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:40		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:45		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:50		BF	Precision/Zero/Span.	2021-01-07			
55-087-0015-42401-2 601 Plank Rd.	2020-12-30 08:55		BF	Precision/Zero/Span.	2021-01-07			

Monitor Qualifier Counts:			
	BF	Precision/Zero/Span.	Count: 2045
	AN	Machine Malfunction.	Count: 3
	AZ	Q C Audit.	Count: 149
	V	Validated Value.	Count: 2
	BD	Auto Calibration.	Count: 8342
	BK	Site computer/data logger down.	Count: 687
	AE	Shelter Temperature Outside Limits.	Count: 10
	AY	Q C Control Points (zero/span).	Count: 111
	BC	Multi-point Calibration.	Count: 55

Parameter: Sulfur dioxide (42401)
Standard Units: Parts per billion (008)

Monitor Qualifier Counts:	**AV**	**Power Failure.**	**Count: 124**
	BA	**Maintenance/Routine Repairs.**	**Count: 445**
	AS	**Poor Quality Assurance Results.**	**Count: 164**
	AM	**Miscellaneous Void.**	**Count: 43**
	AT	**Calibration.**	**Count: 31**
	3	**Field Issue.**	**Count: 1324**
	BJ	**Operator Error.**	**Count: 550**
	2	**Operational Deviation.**	**Count: 480**

All Qualifiers Utilized:

Qualifier Code:	Qualifier Description:	Qualifier Count:
2	Operational Deviation.	572
3	Field Issue.	1483
AE	Shelter Temperature Outside Limits.	11
AM	Miscellaneous Void.	48
AN	Machine Malfunction.	4
AS	Poor Quality Assurance Results.	178
AT	Calibration.	34
AV	Power Failure.	136
AY	Q C Control Points (zero/span).	126
AZ	Q C Audit.	162
BA	Maintenance/Routine Repairs.	487
BC	Multi-point Calibration.	60
BD	Auto Calibration.	8343
BF	Precision/Zero/Span.	2150
BJ	Operator Error.	595
BK	Site computer/data logger down.	691
V	Validated Value.	3